

# MATERIAL SAFETY DATA SHEET (MSDS)

Page 1/9

**Applicant Name** : Guangzhou Jiahe Cultural Technology Co., Ltd

**Applicant Address** : No. 106 Fengze East Road, Nansha District, Guangzhou City (self made Building 1)

**Product Name** : Waxfans after wax treatment spray 30 ml

**Report No.** : RT20230515000001

**Received Date** : 2023-5-12

**Redact Period** : 2023-5-12 to 2023-5-13

**Regulatory Requirements** : As requested by the applicant, the Material Safety Data Sheet is prepared according to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)Rev\_9.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: [www.rttscn.com](http://www.rttscn.com)  
Fax: 0769-88986990 E-mail: [rt@rttscn.com](mailto:rt@rttscn.com)  
Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China

# Material Safety Data Sheet

Report No.: RT20230515000001

DATE: 2023-5-15

Page2/9

## SECTION 1. Identification of the substance/preparation and company

**1.1 Product Name** : Waxfans after wax treatment spray 30 ml

**1.2 Model No.** : /

**1.3 Recommended Use** : After wax treatment spray

**1.4 Applicant Name** : Guangzhou Jiahe Cultural Technology Co., Ltd

**1.5 Applicant Address** : No. 106 Fengze East Road, Nansha District, Guangzhou City (self made Building 1)

**1.6 Manufacturer Name** : Guangdong Miaolian Cosmetics Co., Ltd

**1.7 Manufacturer Address** : No. 201-501, Building 8, Phase 001, No. 1 Wanyang Second Road, Xincheng Town, Xinxing County

**1.8 Tel / Fax** : 86-18565056102

**1.9 Email** : /

**1.10 Emergency Phone** : /

## SECTION 2. Hazards identifications

### 2.1 Hazard Classification of substance or mixture(GHS):

Not applicable

### 2.2 Pictograms:

Not applicable

### 2.3 Signal word:

Not applicable

### 2.4 Hazard description:

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com

Fax: 0769-88986990 E-mail: rt@rttscn.com

Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China

# Material Safety Data Sheet

Report No.: RT20230515000001

DATE: 2023-5-15

Page3/9

Not applicable

## 2.5 Precautionary description:

Not applicable

### SECTION 3. Composition / information on ingredients

The difference between the single product and mixture: Mixture

Substance name	Conc. (%)	CAS.
MINERAL OIL	71.8399	8012-95-1; 8020-83-5; 8042-47-5
ETHYLHEXYL PALMITATE	20.00	29806-73-3
LAURETH-4	8.00	5274-68-0; 9002-92-0; 68439-50-9
OLEA EUROPAEA (OLIVE) FRUIT OIL	0.12	8001-25-0; 84012-27-1
FRAGRANCE	0.04	/
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL	0.000095	8001-21-6; 164250-88-8
BETA-CAROTENE	0.000005	116-32-5; 7235-40-7; 31797-85-0

### SECTION 4.First aid measures

General advice: Show this safety data sheet (MSDS) to the doctor in attendance.

#### 4.1 Following eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.Immediately consult a doctor if feeling uncomfortable.

#### 4.2 Following skin contact:

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: www.rttscn.com

Fax: 0769-88986990 E-mail: rt@rttscn.com

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

# Material Safety Data Sheet

Report No.: RT20230515000001

DATE: 2023-5-15

Page4/9

Wash skin with water.Immediately consult a doctor if feeling uncomfortable.

## 4.3 Following inhalation:

Move victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give cardiopulmonary resuscitation and consult a physician immediately.

## 4.4 Following ingestion:

If it is ingested, rinse the mouth with water.Seek medical attention immediately.

## SECTION 5. Firefighting measures

### 5.1 Special hazards arising from the substance or mixture:

Not considered to be a fire hazard.Not easily ignited by fire.

### 5.2 Extinguishing Media:

Dry powder, Chemical foam, Carbon dioxide, water mist.

### 5.3 Advice for firefighters:

As in any fire, wear self-contained breathing apparatus(MSHA/NIOSH approved or equivalent)and full protective gear.

Extinguish fire in a safe distance with enough protection

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### 5.4 Hazardous combustion products:

No data available.

## SECTION 6.Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with your eyes.

Ensure adequate ventilation. Clear all fire sources.

Evacuate personnel to safe areas. Keep people away from upwind of spill/leak.

Wear appropriate protective measures (SEE SECTION 8).

### 6.2 Environmental precautions:

If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: [www.rttscn.com](http://www.rttscn.com)

Fax: 0769-88986990 E-mail: [rt@rttscn.com](mailto:rt@rttscn.com)

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

# Material Safety Data Sheet

Report No.: RT20230515000001

DATE: 2023-5-15

Page5/9

local regulations.

## 6.3 Cleaning method:

Remove by liquid absorbing material (e.g. kieselguhr) . Adhered or collected material should be promptly disposed of. Disposal of discarded waste/pollutants refers to SECTION 13.

## SECTION 7. Safe handling and storage

### 7.1 Handling Notes:

Keep away from fire and heat.

Avoid sun exposure.

Keep indoor ventilation or local exhaust device.

Handle lightly when handling to prevent damage to packaging and containers.

### 7.2 Storage Notes:

Keep away from fire and heat.

Store in a cool, ventilated location.

Stored in compatible containers.

Keep storage containers sealed.

Do not store with food containers or incompatible materials (see section 10.2)

## SECTION 8. Exposure controls / personal protection

### 8.1 Occupational Exposure Limit:

No information found

### 8.2 Engineering Control:

Keep the material sealed during the production process and keep the room ventilated. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn. Ensure that eyewash stations and safety showers are proximal to the work-station location.

### 8.3 Respiratory Protection:

No special protection is required under normal conditions.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: [www.rttscn.com](http://www.rttscn.com)

Fax: 0769-88986990 E-mail: [rt@rttscn.com](mailto:rt@rttscn.com)

Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China

# Material Safety Data Sheet

Report No.: RT20230515000001

DATE: 2023-5-15

Page6/9

Wear a filter mask when necessary.

## 8.4 Eyes Protection:

No special protection is required under normal conditions.

Wear protective glasses when necessary.

## 8.5 Hands Protection:

No special protection is required under normal conditions.

Wear protective gloves when necessary.

## 8.6 Sanitary Measure:

Forbid smoking, eating and drinking in working places. Washing hands after handling products.

## SECTION 9. Physical and chemical properties

Appearance and Color	Transparent liquidity
Odour	Characteristic odor
PH value	No data available
Flammability	Non-flammable
Flash point(°C,Closed cup)	No data available
Boiling point(°C)	No data available
Freezing point (°C)	No data available
Density(g/cm <sup>3</sup> )	No data available
Relative steam density (air = 1)	No data available
Vapor pressure(MPa)	No data available
Octanol/water partition coefficient	No data available
Viscosity (mPa/s)	No data available
Evaporation rate (kg/s)	No data available
UEL %(V/V)	No data available
LEL %(V/V)	No data available
Auto-ignition temperature(°C)	No data available
Decomposition temperature(°C)	No data available

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: [www.rttscn.com](http://www.rttscn.com)

Fax: 0769-88986990 E-mail: [rt@rttscn.com](mailto:rt@rttscn.com)

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

# Material Safety Data Sheet

Report No.: RT20230515000001

DATE: 2023-5-15

Page7/9

	<b>Solubility</b>	Partially soluble in water	
--	-------------------	----------------------------	--

## SECTION 10.Stability and reactivity

### 10.1 Stability:

Stable under recommended storage and handling conditions (See section 7).

### 10.2 Material for avoiding:

Strong oxide,acid and alkali.

### 10.3 Contact conditions for avoiding:

Fire,High temperature.

### 10.4 Hazardous decomposition products:

No data available

## SECTION 11. Toxicological information

### 11.1 Acute toxicity:

No information found.

### 11.2 Skin corrosion/irritation:

No information found.

### 11.3 Serious eye damage/irritation:

No information found.

### 11.4 Respiratory or skin sensitisation:

No information found.

### 11.5 Germ cell mutagenicity:

No information found.

### 11.6 Carcinogenicity:

No information found.

### 11.7 Reproductive toxicity:

No information found.

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: [www.rttscn.com](http://www.rttscn.com)

Fax: 0769-88986990 E-mail: [rt@rttscn.com](mailto:rt@rttscn.com)

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China

# Material Safety Data Sheet

Report No.: RT20230515000001

DATE: 2023-5-15

Page8/9

## 11.8 STOT-single exposure:

No information found.

## 11.9 STOT-repeated exposure:

No information found.

## 11.10 Aspiration hazard.:

No information found.

## SECTION 12. Ecological information

### 12.1 Ecotoxicity:

According to the environmental protection laws, can't be discarded in those places which would affect soil and underground water.

### 12.2 Persistence and degradability:

No data available.

### 12.3 Bioaccumulative potential:

No data available.

### 12.4 Mobility in soil:

No data available.

### 12.5 Other adverse effects:

No data available

## SECTION 13. Disposal considerations

### 13.1 Handling method for waste:

Handling waste according to the local regulations. Contact specific waste disposal company or companies recommended by local laws.

### 13.2 Handling method for uncleaned packaging

According to official regulations.

## SECTION 14. Transport information

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful.

DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.

Tel: 400-8833-087 Website: [www.rttscn.com](http://www.rttscn.com)

Fax: 0769-88986990 E-mail: [rt@rttscn.com](mailto:rt@rttscn.com)

Address: The 2 floor, Huakai Building, Shenghe Road, Nancheng District, Dongguan City, China



# Material Safety Data Sheet

Report No.: RT20230515000001

DATE: 2023-5-15

Page9/9

**IMDG,ICAO/IATA,ADR/RID 14.1 UN NO.:** Not classified

**IMDG,ICAO/IATA,ADR/RID 14.2 Class:** Not classified

**IMDG,ICAO/IATA,ADR/RID 14.3 Packaging group:** Not classified

**IMDG,ICAO/IATA,ADR/RID 14.4 Technical name:** Not classified

**IMDG,ICAO/IATA,ADR/RID 14.5 Label:** Not classified

**14.6 Attention Notes:** Gentle with, prevent collision drag and dump.Prohibition with antioxidant and food chemical mixed stowage,transit should prevent sun、 fire、 rain and high temperature.

## SECTION 15. Regulatory information

Hazardous chemicals catalog

International maritime dangerous goods code

Dangerous Goods Number Of United Nations

Technical Instructions for the Safe Transport of Dangerous Goods by Air

Classification and code of dangerous goods

Occupational Safety and Health Act (OSHA)

The principle of classification of transport packaging groups of dangerous goods

Globally Harmonized System of Classification and Labelling of Chemicals

In accordance with all local laws.

## SECTION 16. Other information

### Disclaimer

The information in this Material Safety Data Sheet was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss,damage or expense arising out of or in any way connected with the handling,storage,use or disposal of the product. This MSDS was prepared and is to be used only for this product.This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

\*\*\*\*\*END\*\*\*\*\*

This report cannot be reproduced partly, without prior written permission of Laboratory.Any unauthorized alteration,forgery or falsification of the content of this document is unlawful.

**DONGGUAN RUITONG TESTING TECHNOLOGY SERVICE CO., LTD.**

Tel: 400-8833-087 Website: [www.rttscn.com](http://www.rttscn.com)

Fax: 0769-88986990 E-mail: [rt@rttscn.com](mailto:rt@rttscn.com)

Address:The 2 floor,Huakai Building, Shenghe Road, Nancheng District,Dongguan City, China