Approach sensor and microphones

File: sensorbar_sensors.kicad_sch

850 nm IR flood

File: sensorbar_ir.kicad_sch

Status light bar


File: sensorbar_leds.kicad_sch

Generated from sensorbar.py — do not edit by hand
Root sheet — functional blocks
**Foyer VK-1**

Sheet: /
File: sensorbar.kicad_sch

***Title: FYR-SB-01 Foyer VK-1 sensor bar***

| | | |
|---|---|---|
| Size: A3 | Date: 2026-11-13 | **Rev: A** |
| KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4 | | Id: 1/4 |



























Generated from sensorbar.py — do not edit by hand

**Foyer VK-1**

Sheet: /Approach sensor and microphones/
File: sensorbar_sensors.kicad_sch

***Title: FYR-SB-01 Foyer VK-1 sensor bar — Approach sensor and microphone***

| | | |
|---|---|---|
| Size: A2 | Date: 2026-11-13 | **Rev: A** |
| KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4 | | Id: 2/4 |





Generated from sensorbar.py — do not edit by hand

**Foyer VK-1**

Sheet: /850 nm IR flood/
File: sensorbar_ir.kicad_sch

***Title: FYR-SB-01 Foyer VK-1 sensor bar — 850 nm IR flood***

| | | |
|---|---|---|
| Size: A2 | Date: 2026-11-13 | **Rev: A** |
| KiCad E.D.A. | kicad-cli 7.0.11+dfsg-1build4 | Id: 3/4 |




Generated from sensorbar.py — do not edit by hand

**Foyer VK-1**

Sheet: /Status light bar/
File: sensorbar_leds.kicad_sch

***Title: FYR-SB-01 Foyer VK-1 sensor bar — Status light bar***

| | | |
|---|---|---|
| Size: A2 | Date: 2026-11-13 | **Rev: A** |
| KiCad E.D.A. kicad-cli 7.0.11+dfsg-1build4 | | Id: 4/4 |