

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack GET index POST store GET show GET update DEL destroy POST register POST login POST logout GET getuser

fullstack index

GET http://127.0.0.1:8000/api/posts

Docs Params Authorization Headers 8 Body Scripts Settings

Headers 7 hidden

Key	Value	Description	Bulk Edit	Presets
✓ Accept	application/json			
Key	Value	Description		

Body Cookies Headers 7 Test Results

200 OK · 446 ms · 223 B

JSON Preview Visualize

```
1 []
```

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack GET index [CONFLI] GET show GET update DEL destroy POST register POST login POST logout GET getuser

fullstack store

POST http://127.0.0.1:8000/api/posts

Docs Params Authorization Headers 12 Body Scripts Settings

Auth Type

Bearer Token Token

The authorization header will be automatically generated when you send the request. Learn more about Bearer Token authorization.

Body Cookies Headers 7 Test Results

201 Created · 371 ms · 380 B

JSON Preview Visualize

```
1 {
2   "title": "Post 1",
3   "body": "this is the post body",
4   "user_id": 1,
5   "updated_at": "2026-05-05T03:01:43.000000Z",
6   "created_at": "2026-05-05T03:01:43.000000Z",
7   "id": 1
8 }
```

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack GET index [CONFLI] GET show GET update DEL destroy POST register POST login POST logout GET getuser

fullstack show

GET http://127.0.0.1:8000/api/posts

Docs Params Authorization Headers 11 Body Scripts Settings

Headers 9 hidden

Key	Value	Description	Bulk Edit	Presets
✓ Accept	application/json			
✓ Content-Type	application/json			
Key	Value	Description		

Body Cookies Headers 7 Test Results

200 OK · 305 ms · 377 B

JSON Preview Visualize

```
1 [
2   {
3     "id": 1,
4     "title": "Post 1",
5     "body": "this is the post body",
6     "created_at": "2026-05-05T03:01:43.000000Z",
7     "updated_at": "2026-05-05T03:01:43.000000Z",
8     "user_id": 1
9   }
10 ]
```

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack > update

GET http://127.0.0.1:8000/api/posts

Docs Params Authorization Headers 11 Body Scripts Settings Cookies

Headers 9 hidden

Key	Value	Description	Bulk Edit	Presets	...
✓ Accept	application/json				
✓ Content-Type	application/json				
Key	Value	Description			

Body Cookies Headers 7 Test Results 200 OK · 278 ms · 377 B Save Response

JSON Preview Visualize

```
1 [
2   {
3     "id": 1,
4     "title": "Post 1",
5     "body": "this is the post body",
6     "created_at": "2026-05-05T03:01:43.000000Z",
7     "updated_at": "2026-05-05T03:01:43.000000Z",
8     "user_id": 1
9   }
10 ]
```

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack > destroy

DELETE http://127.0.0.1:8000/api/posts/1

Docs Params Authorization Headers 12 Body Scripts Settings Cookies

Auth Type: Bearer Token Token: u2YGEmQ4FsbYkmeusXhGne46310ca

The authorization header will be automatically generated when you send the request. Learn more about Bearer Token authorization.

Body Cookies Headers 7 Test Results 200 OK · 339 ms · 252 B Save Response

JSON Preview Visualize

```
1 {
2   "message": "Post was Deleted!"
3 }
```

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack > register

POST http://127.0.0.1:8000/api/register

Docs Params Authorization Headers 11 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "name": "Qirana",
3   "email": "qirnhkm1234@gmail.com",
4   "password": "12345",
5   "password_confirmation": "12345"
6 }
```

Body Cookies Headers 7 Test Results 200 OK · 797 ms · 432 B Save Response

JSON Preview Visualize

```
1 {
2   "user": {
3     "name": "Qirana",
4     "email": "qirnhkm1234@gmail.com",
5     "updated_at": "2026-05-05T03:06:21.000000Z",
6     "created_at": "2026-05-05T03:06:21.000000Z",
7     "id": 2
8   },
9   "token": "8jAPaf1j1SeVflzn17KuAw3RUlcky0Bv8uKfDd1GpL15f48acf"
10 }
```

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack > login

POST http://127.0.0.1:8000/api/login

Body

```
1 {
2   "name": "Qirana",
3   "email": "qrnhkm123@gmail.com",
4   "password": "12345",
5   "password_confirmation": "12345"
6 }
```

200 OK · 792 ms · 456 B · Save Response

JSON Preview Visualize

```
2 {
3   "user": {
4     "id": 1,
5     "name": "Qirana",
6     "email": "qrnhkm123@gmail.com",
7     "email_verified_at": null,
8     "created_at": "2026-04-23T02:33:23.000000Z",
9     "updated_at": "2026-04-23T02:33:23.000000Z"
10  },
11  "token": "7ldSCzbgnmbg0jjh6AUffu2YGEmQ4FsbYkmeusXhGne46310ca"
```

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack > getuser

GET http://127.0.0.1:8000/api/user

Headers 10

Key	Value	Description
Accept	application/json	
Content-Type	application/json	

200 OK · 559 ms · 386 B · Save Response

JSON Preview Visualize

```
1 {
2   "id": 1,
3   "name": "Qirana",
4   "email": "qrnhkm123@gmail.com",
5   "email_verified_at": null,
6   "created_at": "2026-04-23T02:33:23.000000Z",
7   "updated_at": "2026-04-23T02:33:23.000000Z"
8 }
```

29 - QIRANA SITI MAULIDA HAKIM's Workspace

fullstack > logout

POST http://127.0.0.1:8000/api/logout

Auth Type: Bearer Token

Token: uAw3RUackyOBv8uKFdD1GpLf5f40acf

The authorization header will be automatically generated when you send the request. Learn more about Bearer Token authorization.

200 OK · 466 ms · 253 B · Save Response

JSON Preview Visualize

```
1 {
2   "message": "You are logged out"
3 }
```