

Qiskit Advocate Mentorship Program Spring 2022

# Transpiler Hackathon


Team (alphabetically by last name)

- **Vishnu Ajith**
- **Harshit Gupta**
- **Pulkit Sinha**
- **Oskar Słowik**

Mentor: Jack Woehr

# What is a Transpiler

- Quantum algorithms and applications are usually written as **abstract, device agnostic** quantum circuits that may contain any unitary operations.
- However, real quantum devices can only execute a limited set of **hardware-specific, physically calibrated** quantum gates within a given routing layout.
- We need to rewrite an abstract quantum circuit into a functionally equivalent one that matches the constraints and characteristics of a specific target quantum device.
- This essential process is known as transpilation. And the tool responsible for it is called the **transpiler**.
- See [Qiskit/qiskit-terra/qiskit/transpiler](https://qiskit.org/documentation/tutorials/circuits/03_transpiler.html)



# Functions of a Transpiler

The transpiler is built as a collection of single purpose passes and a PassManager which is responsible for collecting those passes, and coordinating their execution in order to achieve two main goals:

- **Compatibility:** transform a given quantum circuit into one which is executable on a specific device, preserving measurement outcomes.
- **Optimization:** find an implementation which takes maximum advantage of device resources, while minimizing influence of decoherence and errors.

## Compatibility

- Expand high level instructions.
- Device's native gate set.
- Layout virtual to physical qubits.
- Device architecture (superconducting – ion trap – ...)
- Device-specific constraints (no mid-circuit measurements – resets – ...)

## Optimization

- Remove gate-inverse pairs
- Compact chains of single-qubit gates.
- Commutation analysis and adjacent gate cancellation
- Noise-aware layout selection
- Optimal synthesis of two-qubit blocks

# Goals of the Transpiler Hackathon



- As of 2022-01-29 there were 127 open Transpiler issues in the Qiskit Terra repository.
- Participants will close Transpiler issues for the duration of the QAMP Spring 2022 event.
- If there is time and energy left over, we will look at future directions for the Transpiler.

# Issues we are looking at

## Issues

[7296](#) .. PR [7875](#) ready for review

[7386](#) .. PR [7542](#) was merged

[7387](#) .. stalled

[7705](#) .. Oskar to continue on this

[7181](#) .. Oskar and Harshit take this one up after presentation

[7113](#) .. Deal with this after 7181

# Issue [7296](#)

double swap is not being optimized out when followed by a gate

- Main idea is to do logical optimizations of the swap gate in the transpilation process, agnostic of a backend.
- Current approach uses a TransformationPass of the qiskit transpiler to identify and cancel out such gates.
- This pass identifies back to back, self inverting gates symmetric in their qubit arguments and cancels them out. (eg. Swap, CZ, etc.)
- More details - [PR #7875](#)


## - Status

PR *in review*

## - Mentees working

Harshit Gupta

## - Files affected



# Issue [7386](#)

better convergence criteria in preset passmanagers

- This issue required a change in how the transpiler decided to stop its optimization loop
- Previously if the depth of a quantum circuit was constant after an optimization pass, then the transpiler stopped its operations
- If not, the optimization loop continued
- After this PR the check was expanded to also include the size of the quantum circuit, allowing a greater level optimization.
- More details - [PR #7542](#)


## - Status

PR *merged*

## - Mentees working

Harshit Gupta

## - Files affected



# Issue [7705](#)

## Add adaptive limits for VF2Layout in preset passmanagers

- The vf2layout pass searches for layout by reducing it to the subgraph isomorphism problem.
- Currently, the allowed runtime limits are hardcoded for each optimization level.
- The goal is to obtain adaptive limits that would scale with the size of the problem.
- We are experimenting with benchmarks using heavy square and heavy hex graphs as targets and various subgraphs, including random ones.
- Based on that we intend to identify the scaling properties that would allow to appropriately set the limits.

### - Status

In progress

### - Mentees working

Harshit Gupta

Oskar Słowik


### - Files affected



# Issue [7181](#)

## Optimize1qGatesSimpleCommutation scales superlinearly

- The `Optimize1qGatesSimpleCommutation` pass scales as the  $\sim 4^n$  power in the number of qubits for a random circuit with equal width and depth.
- The goal is to improve the poor scaling of the pass' runtime.



- Status

Scheduled


- Mentees working

Harshit Gupta (?)

Oskar Słowik (?)

- Files affected

# Thank You!



Our Team's Web Page: <https://qamp-spring-2022-transpiler-hackathon.github.io>