

Horrible code activity:

Tej Patel, Qi Wang Ye

For this activity, we decided to create two versions of a simple calculator. Our simple calculator included functions like add, subtract, multiply, and divide. One version follows good coding practices like KISS, DRY, and single responsibility, and the other doesn't.

Good version:

The good version follows good coding practices because it uses KISS. The program is simple and easy to understand. It also uses DRY because the operations are put into different functions instead of unnecessary repetition. It also follows the Single Responsibility Principle because each function does only one job; the subtract function only subtracts.

Bad version:

The bad version violates the KISS principle by adding unnecessary logic within each function. It violates the DRY principle by being repetitive, with each function containing excessive information repeated in other functions. It also violates the Single Responsibility principle because each function is responsible for calculating the operation while getting user input and deciding whether to perform another calculation.

GitHub Repository: <https://github.com/qiwara/ITSC3155-HorribleCodeActivity>

Merge remote-tracking branch 'origin/main'	6a5bcbb	<>
● qiwara committed 8 minutes ago		
feat: allow BadCalculator.py to perform calculations until exit	9e996e8	<>
● qiwara committed 8 minutes ago		
feat: allowed BadCalculator.py to take inputs for the 4 operations	637a8a1	<>
● qiwara committed 25 minutes ago		
Add good calculator version	618c527	<>
● TejP101 committed 29 minutes ago		
feat: created 4 basic operations in BadCalculator.py	46ed3f3	<>
● qiwara committed 33 minutes ago		
Added Horrible Code Activity	d260431	<>
● qiwara committed 40 minutes ago		
Initial commit	705fd75	<>
● qiwara authored 44 minutes ago	Verified	