

BC95 OneNET

Application Note

NB-IoT Module Series

Rev. BC95_OneNET_Application_Note_V1.3

Date: 2018-07-27

Status: Released

Our aim is to provide customers with timely and comprehensive service. For any assistance, please contact our company headquarters:

Quectel Wireless Solutions Co., Ltd.

7th Floor, Hongye Building, No.1801 Hongmei Road, Xuhui District, Shanghai 200233, China

Tel: +86 21 5108 6236

Email: info@quectel.com

Or our local office. For more information, please visit:

<http://quectel.com/support/sales.htm>

For technical support, or to report documentation errors, please visit:

<http://quectel.com/support/technical.htm>

Or email to: support@quectel.com

GENERAL NOTES

QUECTEL OFFERS THE INFORMATION AS A SERVICE TO ITS CUSTOMERS. THE INFORMATION PROVIDED IS BASED UPON CUSTOMERS' REQUIREMENTS. QUECTEL MAKES EVERY EFFORT TO ENSURE THE QUALITY OF THE INFORMATION IT MAKES AVAILABLE. QUECTEL DOES NOT MAKE ANY WARRANTY AS TO THE INFORMATION CONTAINED HEREIN, AND DOES NOT ACCEPT ANY LIABILITY FOR ANY INJURY, LOSS OR DAMAGE OF ANY KIND INCURRED BY USE OF OR RELIANCE UPON THE INFORMATION. ALL INFORMATION SUPPLIED HEREIN IS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

COPYRIGHT

THE INFORMATION CONTAINED HERE IS PROPRIETARY TECHNICAL INFORMATION OF QUECTEL WIRELESS SOLUTIONS CO., LTD. TRANSMITTING, REPRODUCTION, DISSEMINATION AND EDITING OF THIS DOCUMENT AS WELL AS UTILIZATION OF THE CONTENT ARE FORBIDDEN WITHOUT PERMISSION. OFFENDERS WILL BE HELD LIABLE FOR PAYMENT OF DAMAGES. ALL RIGHTS ARE RESERVED IN THE EVENT OF A PATENT GRANT OR REGISTRATION OF A UTILITY MODEL OR DESIGN.

Copyright © Quectel Wireless Solutions Co., Ltd. 2018. All rights reserved.

About the Document

History

Revision	Date	Author	Description
1.0	2018-01-18	Gary TANG/ Arnold ZHAO	Initial
1.1	2018-04-23	Gary TANG/ Arnold ZHAO	<ol style="list-style-type: none"> Added <lifetime> and <timeout> to command AT+MIPLOPEN. Modified or added <result> to AT+MIPLDISCOVERERRSP/AT+MIPLOBSERVERSP/AT+MIPLREADRSP/AT+MIPLWRITERSP/AT+MIPL EXECUTERSP. Added <len> and <arguments> to URC +MIPLEXECUTE. Added +MIPLEVENT URC to notify the TE of events. Added “+MIPLCREATE:” response for AT+MIPLCREATE. Modified <insBitmap> format of AT+MIPLADDOBJ command. Modified <valuestring> format of AT+MIPLDISCOVERERRSP command. Modified the definition of <flag> parameter. Deleted AT+MIPLOBLIST command. Deleted TIMEOUT URC.
1.2	2018-06-25	Gary TANG/ Donald TANG	<ol style="list-style-type: none"> Updated the <arguments> length of execute operation from Application Server (Chapter 4.5). Updated the example for Register and Discover Operations (Chapter 5.1).
1.3	2018-07-27	Gary TANG	<ol style="list-style-type: none"> Added AT+MIPLCONFIG command (Chapter 3.2.1). Updated the description of <ackid> for AT+MIPLNOTIFY command (Chapter 3.2.15) and “+MIPLEVENT” URC (Chapter 4.7). Added <raiMode> for the following commands:

AT+MIPLDISCOVERRSP/AT+MIPLOBSERVERSP/
AT+MIPLREADRSP/AT+MIPLWRITERSP/AT+MIPL
EXECUTERSP/AT+MIPLPARAMETERRSP/AT+MIP
LNOTIFY/AT+MIPLUPDATE.

-
4. Updated the examples in Chapter 5.
-

Contents

About the Document.....	2
Contents	4
Table Index.....	6
1 Introduction	7
2 OneNET Data Interaction Mechanism.....	8
3 OneNET Related AT Commands	9
3.1. AT Command Syntax	9
3.2. Description of OneNET Related AT Commands.....	9
3.2.1. AT+MIPLCONFIG OneNET Access Configuration Command.....	9
3.2.2. AT+MIPLCREATE Create a OneNET Communication Suite Instance	11
3.2.3. AT+MIPLDELETE Delete a OneNET Communication Suite Instance.....	11
3.2.4. AT+MIPLVER Query the Current OneNET Communication Suite Version.....	12
3.2.5. AT+MIPLADDOBJ Add a LwM2M Object	12
3.2.6. AT+MIPLDELOBJ Delete a LwM2M Object.....	13
3.2.7. AT+MIPLOPEN Send Register Request.....	13
3.2.8. AT+MIPLCLOSE Send Deregister Request.....	14
3.2.9. AT+MIPLDISCOVERRSP Respond to the Discover Request.....	15
3.2.10. AT+MIPLOBSERVERSP Respond to the Observe Request.....	16
3.2.11. AT+MIPLREADRSP Respond to the Read Request	17
3.2.12. AT+MIPLWRITERSP Respond to the Write Request	18
3.2.13. AT+MIPLEXECUTERSP Respond to the Execute Request.....	19
3.2.14. AT+MIPLPARAMETERRSP Respond to the Write-Attributes Request	20
3.2.15. AT+MIPLNOTIFY Notify the Data to OneNET Platform or Application Server	21
3.2.16. AT+MIPLUPDATE Send Update Request	23
4 OneNET Related URCs	24
4.1. “+MIPLDISCOVER” URC to Notify the TE to Respond to the Discover Request.....	25
4.2. “+MIPLOBSERVE” URC to Notify the TE to Respond to the Observe Request.....	25
4.3. “+MIPLREAD” URC to Notify the TE to Respond to the Read Request	26
4.4. “+MIPLWRITE” URC to Notify the TE to Respond to the Write Request	26
4.5. “+MIPLEXECUTE” URC to Notify the TE to Respond to the Execute Request.....	27
4.6. “+MIPLPARAMETER” URC to Notify the TE to Respond to the Write-Attributes Request.....	28
4.7. “+MIPLEVENT” URC to Notify the TE of Events	29
5 Examples	31
5.1. Access Configuration	31
5.2. Register and Discover Operations.....	32
5.2.1. Register and Discover Operations (Without Auto Subscription).....	32
5.2.2. Register and Discover Operations (With Auto Subscription).....	33
5.3. Read Operation.....	34
5.3.1. Read Resource	34

5.3.2.	Read Instance	34
5.3.3.	Read Object	35
5.4.	Write Operation	35
5.4.1.	Write Resource.....	35
5.4.2.	Write Instance	36
5.5.	Execute Operation	36
5.6.	Write-Attributes Operation	36
5.7.	Observe Operation.....	37
5.8.	Notify Operation	37
5.8.1.	Notify Resource Data	37
5.8.2.	Notify Instance Data	37
5.8.3.	Notify Object Data	38
5.8.4.	Notify Resource Data with <ackid>	38
5.8.5.	Notify Resource Data with <ackid> and RAI Flag	39
5.8.6.	Notify Instance Data with <ackid>	39
5.8.7.	Notify Instance Data with <ackid> and RAI Flag	40
5.9.	Update Operation.....	41
5.9.1.	Update operation without RAI Flag	41
5.9.2.	Update operation with RAI Flag	41
6	Summary of Error Codes	42
7	Appendix A References.....	44

Table Index

TABLE 1: TYPES OF AT COMMANDS AND RESPONSES	9
TABLE 2: ONENET RELATED URCS	24
TABLE 3: GENERAL ERRORS (27.007)	42
TABLE 4: GENERAL ERRORS (27.005)	42
TABLE 5: RELATED DOCUMENTS	44
TABLE 6: TERMS AND ABBREVIATIONS	44

1 Introduction

LwM2M (Lightweight Machine to Machine) is a secure, efficient and deployable client-server protocol for managing resource constrained devices on a variety of networks. LwM2M uses a modern architectural design based on REST, defines an extensible resource and data model and reuses and builds on an efficient secure data transfer standard called the Constrained Application Protocol (CoAP). LwM2M, based on CoAP (RFC 7252), is a profile for device services. LwM2M defines a simple object model and a number of interfaces and operations for device management.

This document focuses on how to use the LwM2M function of Quectel BC95 module through AT commands to connect to the OneNET platform.

NOTE

Only BC95 modules with firmware version ended with “_ONT” support communication with OneNET platform.

2 OneNET Data Interaction Mechanism

This chapter illustrates the data interaction mechanism of OneNET platform.



Figure 1: OneNET Data Interaction Diagram

3 OneNET Related AT Commands

This chapter presents the AT commands for operating OneNET function.

3.1. AT Command Syntax

Table 1: Types of AT Commands and Responses

Test Command	AT+<x>=?	Returns the list of parameters and value ranges set by the corresponding Write Command or internal processes.
Read Command	AT+<x>?	Returns the current set value of the parameter(s).
Write Command	AT+<x>=<...>	Sets the user-definable parameter values.
Execution Command	AT+<x>	Reads non-variable parameters affected by internal processes in the UE.

3.2. Description of OneNET Related AT Commands

3.2.1. AT+MIPLCONFIG OneNET Access Configuration Command

The command is used to configure bootstrap mode and bootstrap server address or LwM2M server address. It also can be used to set the parameter ACK_TIMEOUT of CoAP protocol. MAX_TRANSMIT_WAIT of CoAP protocol implemented by the UE = ACK_TIMEOUT * ((2⁽⁴⁺¹⁾) - 1). If ACK_TIMEOUT is not configured, the default set will be used.

AT+MIPLCONFIG OneNET Access Configuration Command

Test Command AT+MIPLCONFIG=?	Response +MIPLCONFIG: <mode>,<parameter1>,<parameter2> OK
Read Command AT+MIPLCONFIG?	Response [+MIPLCONFIG:<mode>,<ip>,<port>] [+MIPLCONFIG:<mode>,<rsp_timeout>]

	OK If there is any error, response: ERROR Or +CME ERROR:<err>
Write Command AT+MIPLCONFIG=<mode>,<parameter1>,<parameter2>	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<mode>	Option mode 0 Disable bootstrap and configure LwM2M server IP and port. 1 Enable bootstrap and configure bootstrap server IP and port. The default bootstrap server address is 183.230.40.39:5683. 2 Set the parameter ACK_TIMEOUT of CoAP protocol. The default value of ACK_TIMEOUT is 2 seconds.		
	<mode>	<parameter1>	<parameter2>
	0	<ip>	<port>
	1	<ip>	<port>
	2	1	<rsp_timeout>
<ip>	When <mode>=0, <ip> represents LwM2M server IP address. When <mode>=1, <ip> represents bootstrap server IP address.		
<port>	When <mode>=0, <port> represents LwM2M server port. When <mode>=1, <port> represents bootstrap server port.		
<rsp_timeout>	Value of ACK_TIMEOUT. Range: 2-20. Unit: seconds. Default value: 2 .		

NOTES

1. The command is only applicable to *BC95B8HBR01A06_ONT* or later and *BC95B8HCR01A03_ONT* or later versions.
2. The command should be used before creating communication instance with AT+MIPLCREATE command.
3. Parameters of the command will not be saved.

3.2.2. AT+MIPLCREATE Create a OneNET Communication Suite Instance

The command is used to create an instance of OneNET communication suite. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLCREATE Create a OneNET Communication Suite Instance	
Execution Command AT+MIPLCREATE	Response +MIPLCREATE:<ref> OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref> Instance ID of OneNET communication suite.

3.2.3. AT+MIPLDELETE Delete a OneNET Communication Suite Instance

The command is used to delete a OneNET communication suite instance. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLDELETE Delete a OneNET Communication Suite Instance	
Test Command AT+MIPLDELETE=?	Response +MIPLDELETE: <ref> OK
Write Command AT+MIPLDELETE=<ref>	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	3s

Parameter

<ref> Instance ID of OneNET communication suite.

3.2.4. AT+MIPLVER Query the Current OneNET Communication Suite Version

The command is used to query the current OneNET communication suite version.

AT+MIPLVER Query the Current OneNET Communication Suite Version	
Read Command AT+MIPLVER?	Response +MIPLVER:<version> OK
Maximum Response Time	300ms

Parameter

<version> The current OneNET communication suite version.

3.2.5. AT+MIPLADDOBJ Add a LwM2M Object

The command is used to add a LwM2M object. Please refer to **Chapter 6** for possible <err> codes.

AT+MIPLADDOBJ Add a LwM2M Object	
Test Command AT+MIPLADDOBJ=?	Response +MIPLADDOBJ: <ref>,<objId>,<insCount>,<insBitmap>,<attrCount>,<actCount> OK
Write Command AT+MIPLADDOBJ=<ref>,<objId>,<insCount>,<insBitmap>,<attrCount>,<actCount>	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.
<objId>	Object identifier. If the object ID does not exist, the module will return an error.
<insCount>	Instance count.
<insBitmap>	Instance bitmap. A string marked with double quotation marks. For example, if <insCount> =4, and the <insBitmap> ="1101", it means that the instance ID 0, 1, 3 will be registered, while the instance ID 2 will not be registered.
<attrCount>	Attribute count, which indicates the counts of readable and/or writeable resources.
<actCount>	Action count, which indicates the counts of executable resources.

3.2.6. AT+MIPLDELOBJ Delete a LwM2M Object

The command is used to delete a LwM2M object. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLDELOBJ Delete a LwM2M Object	
Test Command AT+MIPLDELOBJ=?	Response +MIPLDELOBJ: <ref>,<objId> OK
Write Command AT+MIPLDELOBJ=<ref>,<objId>	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.
<objId>	Object identifier. If the object ID does not exist, the module will return an error.

3.2.7. AT+MIPLOPEN Send Register Request

The command is used to send register request to OneNET platform. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLOPEN Send Register Request

Test Command AT+MIPLOPEN=?	Response +MIPLOPEN: <ref>,<lifetime>[,<timeout>] OK
Write Command AT+MIPLOPEN=<ref>,<lifetime>[,<timeout>]	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.
<lifetime>	Device lifetime. Range: 16-268435454 (unit in seconds).
<timeout>	Timeout of registration. Range: 30-65535 (unit in seconds).

3.2.8. AT+MIPLCLOSE Send Deregister Request

The command is used to send deregister request to the OneNET platform. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLCLOSE Send Deregister Request

Test Command AT+MIPLCLOSE=?	Response +MIPLCLOSE: <ref> OK
Write Command AT+MIPLCLOSE=<ref>	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	3s

Parameter

<ref> Instance ID of OneNET communication suite.

3.2.9. AT+MIPLDISCOVERERRSP Respond to the Discover Request

The command is used to respond to the Discover Request from OneNET platform. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLDISCOVERERRSP Respond to the Discovery Request	
Test Command AT+MIPLDISCOVERERRSP=?	Response +MIPLDISCOVERERRSP: <ref>,<msgId>,<result>[,<length>,<valuestring>[,<raiMode>]] OK
Write Command AT+MIPLDISCOVERERRSP=<ref>,<msgId>,<result>[,<length>,<valuestring>[,<raiMode>]]	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.		
<msgId>	The message identifier, which comes from the URC "+ MIPLDISCOVER:".		
<result>	The result of discovery request. The result codes are as follows:		
	Result code	CoAP response code	Description
	1	2.05	Content, indicates the correct result
	11	4.00	Bad Request
	12	4.01	Unauthorized
	13	4.04	Not Found
	14	4.05	Method Not Allowed
	15	4.06	Not Acceptable
<length>	The length of <valuestring> .		
<valuestring>	A string, includes the attributes of the object, should be marked with double quotation marks. Each attribute should be split with semicolon, such as "1101;1102;1103". The counts of attributes should not greater than the sum of <attrCount> and <actCount> in command AT+MIPLADDOBJ .		

<raiMode>	Integer type. Specifies the flag of RAI (Release Assistant Indication) of message transmission. Values of this argument are in hex format: 0x200 Release Indicator: indicates release after the message 0x400 Release Indicator: indicates release after the message has been replied. If no flag is set, a value of 0 may be provided if necessary.
------------------------	---

3.2.10. AT+MIPLOBSERVERSP Respond to the Observe Request

The command is used to respond to the observe request from OneNET platform or Application Server. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLOBSERVERSP Respond to the Observe Request	
Test Command AT+MIPLOBSERVERSP=?	Response +MIPLOBSERVERSP: <ref>,<msgId>,<result>[,<raiMode>] OK
Write Command AT+MIPLOBSERVERSP=<ref>,<msgId>,<result>[,<raiMode>]	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.		
<msgId>	The message identifier, which comes from the URC "+ MIPLOBSEVE:".		
<result>	The result of observe request. The result codes are as follows:		
	Result code	CoAP response code	Description
	1	2.05	Content, indicates the correct result
	11	4.00	Bad Request
	12	4.01	Unauthorized
	13	4.04	Not Found
	14	4.05	Method Not Allowed
	15	4.06	Not Acceptable
<raiMode>	Integer type. Specifies the flag of RAI (Release Assistant Indication) of message transmission. Values of this argument are in hex format: 0x200 Release Indicator: indicates release after the message 0x400 Release Indicator: indicates release after the message has been replied.		

If no flag is set, a value of 0 may be provided if necessary.

3.2.11. AT+MIPLREADRSP Respond to the Read Request

The command is used to respond to the read request from OneNET platform or Application Server. Please refer to **Chapter 6** for possible <err> codes.

AT+MIPLREADRSP Respond to the Read Request	
Test Command AT+MIPLREADRSP=?	Response +MIPLREADRSP: <ref>,<msgId>,<result>[,<objId>,<insId>,<resId>,<valueType>,<len>,<value>,<index>,<flag>[,<raiMode>]] OK
Write Command AT+MIPLREADRSP=<ref>,<msgId>,<result>[,<objId>,<insId>,<resId>,<valueType>,<len>,<value>,<index>,<flag>[,<raiMode>]]	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.		
<msgId>	The message identifier, which comes from the URC "+MIPLREAD:".		
<result>	The result of read request. The result codes are as follows:		
	Result code	CoAP response code	Description
	1	2.05	Content, indicates the correct result
	11	4.00	Bad Request
	12	4.01	Unauthorized
	13	4.04	Not Found
	14	4.05	Method Not Allowed
	15	4.06	Not Acceptable
<objId>	Object identifier.		
<insId>	The instance identifier, which comes from the URC "+MIPLREAD:".		
<resId>	The resource identifier, which comes from the URC "+MIPLREAD:".		
<valueType>	The value type.		
	1	String	
	2	Opaque	
	3	Integer	

	4 Float
	5 Boolean
<len>	The value length. When <valueType> is String, it is the string length of <value> . When <valueType> is Opaque, it is the hex string length of <value> . When <valueType> is Integer, it is 2, 4, or 8. When <valueType> is Float, it is 4. When <valueType> is Boolean, it is 1.
<value>	The value. When <valueType> is String, it is in string format, and the string should be marked with double quotation marks. When <valueType> is Opaque, it is in hex string format. When <valueType> is Integer/Float/Boolean, it is an Integer/Float/Boolean type text.
<index>	The index number of the data. If the data contains several messages, it should be split into several parts. If it is split into N parts, the order number of <index> is N-1 to 0 in descending order, and the AT command is called in the order from the largest to the smallest number. If <index> is 0, it means that this is the last message of the data.
<flag>	The message indication. The range is 0-2. If <flag>=1 , it means the first message of the <value> . If <flag>=2 , it means that the middle message of the <value> . If <flag>=0 , it means the last message of the <value> . Only support <flag>=0 in this version.
<raiMode>	Integer type. Specifies the flag of RAI (Release Assistant Indication) of message transmission. Values of this argument are in hex format: 0x200 Release Indicator: indicates release after the message 0x400 Release Indicator: indicates release after the message has been replied. If no flag is set, a value of 0 may be provided if necessary.

NOTE

The command is used as response of read request, and the total response data length should be less than 1024 bytes. If the value type is Opaque (**<valueType>=2**), the data length is counted as 2***<len>**.

3.2.12. AT+MIPLWRITERSP Respond to the Write Request

The command is used to respond to the write request from the OneNET platform or Application Server. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLWRITERSP Respond to the Write Request

Test Command
AT+MIPLWRITERSP=?

Response
+MIPLWRITERSP: <ref>,<msgId>,<result>[,<raiMode>]

	OK
Write Command AT+MIPLWRITERSP=<ref>,<msgId>,<result>[,<raiMode>]	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.		
<msgId>	The message identifier, which comes from the URC “+MIPLWRITE:”.		
<result>	The result of write request. The result codes are as follows:		
	Result code	CoAP response code	Description
	2	2.04	Changed, indicates the correct result
	11	4.00	Bad Request
	12	4.01	Unauthorized
	13	4.04	Not Found
	14	4.05	Method Not Allowed
<raiMode>	Integer type. Specifies the flag of RAI (Release Assistant Indication) of message transmission. Values of this argument are in hex format: 0x200 Release Indicator: indicates release after the message 0x400 Release Indicator: indicates release after the message has been replied. If no flag is set, a value of 0 may be provided if necessary.		

3.2.13. AT+MIPLEXECUTERSP Respond to the Execute Request

The command is used to respond to the execute request from OneNET platform or Application Server. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLEXECUTERSP Respond to the Execute Request	
Test Command AT+MIPLEXECUTERSP=?	Response +MIPLEXECUTERSP:<ref>,<msgId>,<result>[,<raiMode>] OK
Write Command AT+MIPLEXECUTERSP=<ref>,<msgId>,<result>[,<raiMode>]	Response OK If there is any error, response: ERROR

	Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.		
<msgId>	The message identifier, which comes from the URC "+MIPLEXECUTE:".		
<result>	The result of execute request. The result codes are as follows:		
	Result code	CoAP response code	Description
	2	2.04	Changed, indicates the correct result
	11	4.00	Bad Request
	12	4.01	Unauthorized
	13	4.04	Not Found
	14	4.05	Method Not Allowed
<raiMode>	Integer type. Specifies the flag of RAI (Release Assistant Indication) of message transmission. Values of this argument are in hex format: 0x200 Release Indicator: indicates release after the message 0x400 Release Indicator: indicates release after the message has been replied. If no flag is set, a value of 0 may be provided if necessary.		

3.2.14. AT+MIPLPARAMETERRSP Respond to the Write-Attributes Request

The command is used to respond to the write-attributes request from OneNET platform or Application Server. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLPARAMETERRSP Respond to the Write-Attributes Request	
Test Command AT+MIPLPARAMETERRSP=?	Response +MIPLPARAMETERRSP: <ref>,<msgId>,<result>[,<raiMode>] OK
Write Command AT+MIPLPARAMETERRSP=<ref>,<msgId>,<result>[,<raiMode>]	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.		
<msgId>	The message identifier, which comes from the URC "+MIPLPARAMETER:".		
<result>	The result of write-attributes operation. The result codes are as follows:		
	Result code	CoAP response code	Description
	2	2.04	Changed, indicates the correct result
	11	4.00	Bad Request
	12	4.01	Unauthorized
	13	4.04	Not Found
	14	4.05	Method Not Allowed
<raiMode>	Integer type. Specifies the flag of RAI (Release Assistant Indication) of message transmission. Values of this argument are in hex format: 0x200 Release Indicator: indicates release after the message 0x400 Release Indicator: indicates release after the message has been replied. If no flag is set, a value of 0 may be provided if necessary.		

3.2.15. AT+MIPLNOTIFY Notify the Data to OneNET Platform or Application Server

The command is used to notify the data to OneNET platform or Application Server.

AT+MIPLNOTIFY Notify the Data to OneNET Platform or Application Server	
Test Command AT+MIPLNOTIFY=?	Response +MIPLNOTIFY: <ref>,<msgId>,<objId>,<insId>,<resId><valueType>,<len>,<value>,<index>,<flag>[,<ackid>[,<raiMode>]] OK
Write Command AT+MIPLNOTIFY=<ref>,<msgId>,<objId>,<insId>,<resId>,<valueType>,<len>,<value>,<index>,<flag>[,<ackid>[,<raiMode>]]	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.
<msgId>	The message identifier, which comes from the URC "+MIPLOBERVE:".
<objId>	Object identifier.

<insId>	The instance identifier, which comes from the URC "+MIPLOBSEVE:".
<resId>	The resource identifier, which comes from the URC "+MIPLOBSEVE:".
<valueType>	The value type. 1 String 2 Opaque 3 Integer 4 Float 5 Boolean
<len>	The value length. When <valueType> is String, it is the string length of <value> . When <valueType> is Opaque, it is the hex string length of <value> . When <valueType> is Integer, it is 2, 4, or 8. When <valueType> is Float, it is 4. When <valueType> is Boolean, it is 1.
<value>	The value. When <valueType> is String, it is in string format, and the string should be marked with double quotation marks. When <valueType> is Opaque, it is in hex string format. When <valueType> is Integer/Float/Boolean, it is an Integer/Float/Boolean type text.
<index>	The index number of the data. If the data contains several messages, it should be split into several parts. If it is split into N parts, the order number of <index> is N-1 to 0 in descending order, and the AT command is called in the order from the largest to the smallest number. If <index> is 0, it means that this is the last message of the data.
<flag>	The message indication. The range is 0-2. If <flag> =1, it means the first message of the <value> . If <flag> =2, it means the middle message of the <value> . If <flag> =0, it means the last message of the <value> . Only support <flag> =0 in this version.
<ackid>	Integer type. Range: 0-65535. 0 The data will be sent in Non-confirmable (NON) message. 1-65535 The data will be sent in Confirmable (CON) message and the result of message sent will be indicated by "+MIPLEVENT" URC.
<raiMode>	Integer type. Specifies the flag of RAI (Release Assistant Indication) of message transmission. Values of this argument are in hex format: 0x200 Release Indicator: indicates release after the message. 0x400 Release Indicator: indicates release after the message has been replied. When <ackid> is nonzero, only support <raiMode> =0x400. If no flag is set, a value of 0 may be provided if necessary.

NOTES

1. This command is used to notify data. The total data length should be less than 1024 bytes. If the value type is Opaque, the data length is counted as 2***<len>**.
2. If the data contains several messages, the messages which have already been sent in the first place will be sent out as usual until a message error is reported.

3.2.16. AT+MIPLUPDATE Send Update Request

The command is used to send an update request to update lifetime and objects. Please refer to **Chapter 6** for possible **<err>** codes.

AT+MIPLUPDATE Send Update Request	
Test Command AT+MIPLUPDATE=?	Response +MIPLUPDATE: <ref>,<lifetime>,<withObjectFlag>[,<raiMode>] OK
Write Command AT+MIPLUPDATE=<ref>,<lifetime>,<withObjectFlag>[,<raiMode>]	Response OK If there is any error, response: ERROR Or +CME ERROR:<err>
Maximum Response Time	300ms

Parameter

<ref>	Instance ID of OneNET communication suite.
<lifetime>	Updated lifetime value. The range is 0 or 16-268435454 (unit in seconds). "0" means that lifetime is 86400 seconds.
<withObjectFlag>	Whether to update with objects list. 0 Update without objects list. 1 Update with objects list.
<raiMode>	Integer type. Specifies the flag of RAI (Release Assistant Indication) of message transmission. Values of this argument are in hex format: 0x400 Release Indicator: indicates release after the message has been replied. If no flag is set, a value of 0 may be provided if necessary.

4 OneNET Related URCs

This chapter shows OneNET related URCs and their descriptions.

Table 2: OneNET Related URCs

Index	URC	Description
[1]	+MIPLDISCOVER: <ref>,<msgId>,<objId>	When the OneNET platform sends a discover request, the module will report the URC once it receives such a request.
[2]	+MIPLOBERVE: <ref>,<msgId>,<flag>,<objId>,<insId>,<resId>	When the OneNET platform or Application Server sends an observe request, the module will report the URC once it receives such a request.
[3]	+MIPLREAD: <ref>,<msgId>,<objId>,<insId>,<resId>	When the OneNET platform or Application Server sends a read request, the module will report the URC once it receives such a request.
[4]	+MIPLWRITE: <ref>,<msgId>,<objId>,<insId>,<resId>,<valueType>,<len>,<value>,<flag>,<index>	When the OneNET platform or Application Server sends a write request, the module will report the URC once it receives such a request.
[5]	+MIPLEXECUTE: <ref>,<msgId>,<objId>,<insId>,<resId>,<len>,<arguments>]	When the OneNET platform or Application Server sends an execute request, the module will report the URC once it receives such a request.
[6]	+MIPLPARAMETER: <ref>,<msgId>,<objId>,<insId>,<resId>,<len>,<parameter>	When the OneNET platform or Application Server sends a write-attributes request, the module will report the URC once it receives such a request.
[7]	+MIPLEVENT: <ref>,<evtid>,<extend>][,<ackId>]	Report the URC when there is an event to be notified to TE.

4.1. “+MIPLDISCOVER” URC to Notify the TE to Respond to the Discover Request

The URC is mainly used to notify the TE to respond to the discover request from OneNET platform. The TE should respond to the request with **AT+MIPLDISCOVERRSP** in 10 seconds (starting from the output of URC), and the response should begin once the URC is completely exported.

“+MIPLDISCOVER” URC to Notify the TE to Respond to the Discover Request

URC Format: +MIPLDISCOVER: <ref>,<msgId>,<objId>	Notify the TE to respond to the discover request from OneNET platform.
--	--

Parameter

<ref>	Instance ID of OneNET communication suite.
<msgId>	The message identifier of packet.
<objId>	The object identifier that is received from OneNET platform.

4.2. “+MIPLOBSERVE” URC to Notify the TE to Respond to the Observe Request

The URC is mainly used to notify the TE to respond to the observe request from OneNET platform or Application Server. The TE should respond to the request with **AT+MIPLOBSERVERSP** in 10 seconds (starting from the output of URC), and the response should begin once the URC is completely exported.

“+MIPLOBSERVE” URC to Notify the TE to Respond to the Observe Request

URC Format: +MIPLOBSERVE: <ref>,<msgId>,<flag>,<objId>,<insId>,<resId>	Notify the TE that there is an observe request from OneNET platform or Application Server.
--	--

Parameter

<ref>	Instance ID of OneNET communication suite.
<msgId>	The message identifier of packet.
<flag>	Indicates whether or not to observe. 0 Cancel observe 1 Observe
<objId>	The object identifier that is received from OneNET platform or Application Server.

<insId>	The instance identifier that is received from OneNET platform or Application Server. “-1” indicates observe or cancel observe all resources under all instances.
<resId>	The resource identifier that is received from OneNET platform or Application Server. “-1” indicates observe or cancel observe all resources under the instance.

4.3. “+MIPLREAD” URC to Notify the TE to Respond to the Read Request

The URC is mainly used to notify the TE to respond to the read request from OneNET platform or Application server. The TE should response the request with **AT+MIPLREADRSP** in 10 seconds (starting from the output of URC), and the response should begin once the URC is completely exported.

“+MIPLREAD” URC to Notify the TE to Respond to the Read Request

URC Format: +MIPLREAD: <ref>,<msgId>,<objId>,<insId>,<resId>	Notify the TE to Respond to the read request from OneNET platform or Application Server.
--	--

Parameter

<ref>	Instance ID of OneNET communication suite.
<msgId>	The message identifier of packet.
<objId>	The object identifier that is received from OneNET platform or Application Server.
<insId>	The instance identifier that is received from OneNET platform or Application Server. “-1” indicates read all resources under the object.
<resId>	The resource identifier that is received from OneNET platform or Application Server. “-1” indicates read all resources under the instance.

4.4. “+MIPLWRITE” URC to Notify the TE to Respond to the Write Request

The URC is mainly used to notify the TE to respond to the write request from OneNET platform or Application Server. The TE should Respond to the request with **AT+MIPLWRITERSP** in 10 seconds (starting from the output of URC), and the response should begin once the URC is completely exported.

“+MIPLWRITE” URC to Notify the TE to Respond to the Write Request

URC Format: +MIPLWRITE: <ref>,<msgId>,<objId>,<insId>,<resId>,<valueType>,<len>,<value>,<flag>,<index>	Notify the TE to respond to the write request from OneNET platform or Application Server.
--	---

Parameter

<ref>	Instance ID of OneNET communication suite.
<msgId>	The message identifier of packet.
<objId>	The object identifier that is received from OneNET platform or Application Server.
<insId>	The instance identifier that is received from OneNET platform or Application Server.
<resId>	The resource identifier that is received from OneNET platform or Application Server.
<valueType>	The value type (only shows in opaque currently). 1 String 2 Opaque 3 Integer 4 Float 5 Boolean
<len>	The value length.
<value>	The value which is received from OneNET platform or Application Server, in hex string format.
<flag>	The message indication. The range is 0-2. If <flag>=1 , it means the first message of the <value> . If <flag>=2 , it means the middle message of the <value> . If <flag>=0 , it means the last message of the <value> . Only support <flag>=0 in this version.
<index>	The index number of the write request. If the write request contains several messages, it should be split into several parts. If it is split into N parts, the order number of <index> is N-1 to 0 in descending order, and the URC is sorted from the largest to the smallest number. If <index> is 0, it means that this is the last message of the write request.

NOTE

The data length of write operation from Application Server should be less than 1000 bytes, otherwise there may be an operation failure.

4.5. “+MIPLEXECUTE” URC to Notify the TE to Respond to the Execute

Request

The URC is mainly used to notify the TE to respond to the execute request from OneNET platform or Application Server. The TE should Respond to the request with **AT+MIPLEXECUTERSP** in 10 seconds, (starting from the output of URC), and the response should begin once the URC is completely exported.

“+MIPLEXECUTE” URC to Notify the TE to Respond to the Execute Request

URC Format:

+MIPLEXECUTE: <ref>,<msgId>,<objId>,<insId>,<resId>[,<len>,<arguments>]

Notify the TE to respond to the execute request from OneNET platform or Application Server.

Parameter

<ref>	Instance ID of OneNET communication suite.
<msgId>	The message identifier of packet.
<objId>	The object identifier that is received from OneNET platform or Application Server.
<insId>	The instance identifier that is received from OneNET platform or Application Server.
<resId>	The resource identifier that is received from OneNET platform or Application Server.
<len>	The length of <arguments>.
<arguments>	The arguments of execute operation in string type.

NOTE

The <arguments> length of execute operation from Application Server should be less than 1000 bytes, otherwise there may be an operation failure.

4.6. “+MIPLPARAMETER” URC to Notify the TE to Respond to the Write-Attributes Request

The URC is mainly used to notify the TE to respond to the write-attributes request from OneNET platform or Application Server. The TE should respond to the request with **AT+MIPLPARAMETERESP** in 10 seconds (starting from the output of URC), and the response should begin once the URC is completely exported.

“+MIPLPARAMETER” URC to Notify the TE to Respond to the Write-Attributes Request

URC Format:

+MIPLPARAMETER: <ref>,<msgId>,<objId>,<insId>,<resId>,<len>,<parameter>

Notify the TE to respond to the Write-Attributes request from OneNET platform or Application Server.

Parameter

<ref>	Instance ID of OneNET communication suite.
<msgld>	The message identifier of packet.
<objld>	The object identifier that is received from OneNET platform or Application Server.
<insld>	The instance identifier that is received from OneNET platform or Application Server. “-1” indicates the <parameter> apply to all resources under the object.
<resld>	The resource identifier that is received from OneNET platform or Application Server. “-1” indicates the <parameter> apply to all resources under the instance.
<len>	The length of <parameter>.
<parameter>	The parameter of write-attributes operation in string type.

4.7. “+MIPLEVENT” URC to Notify the TE of Events

The URC is mainly used to notify the TE of events.

“+MIPLEVENT” URC to Notify the TE of Events

URC Format:	Notify the TE of events.
+MIPLEVENT: <ref>,<evtid>[,<extend>][,<ackid>]	

Parameter

<ref>	Instance ID of OneNET communication suite.
<evtid>	Event identifier. 1 EVENT_BOOTSTRAP_START 2 EVENT_BOOTSTRAP_SUCCESS 3 EVENT_BOOTSTRAP_FAILED 4 EVENT_CONNECT_SUCCESS 5 EVENT_CONNECT_FAILED 6 EVENT_REG_SUCCESS 7 EVENT_REG_FAILED 8 EVENT_REG_TIMEOUT 9 EVENT_LIFETIME_TIMEOUT 10 EVENT_STATUS_HALT 11 EVENT_UPDATE_SUCCESS 12 EVENT_UPDATE_FAILED 13 EVENT_UPDATE_TIMEOUT 14 EVENT_UPDATE_NEED 15 EVENT_DEREG_DONE 20 EVENT_RESPONSE_FAILED

	21	EVENT_RESPONSE_SUCCESS
	25	EVENT_NOTIFY_FAILED
	26	EVENT_NOTIFY_SUCCESS
<extend>	Extended parameter. When <evtid> is 20, it shows the message ID of the response command. When <evtid> is 14, it shows the remaining time of lifetime in seconds.	
<ackid>	Integer type. Range: 1-65535. Acknowledgement identifier of the CON message notified through AT+MIPLNOTIFY .	

5 Examples

This chapter gives examples to show how to use OneNET related AT commands.

5.1. Access Configuration

This example shows how to configure bootstrap mode and bootstrap server address or how to access server and set the parameter ACK_TIMEOUT of CoAP protocol.

```
AT+MIPLCONFIG=?
+MIPLCONFIG: <mode>,<parameter1>,<parameter2>

OK

//Enable bootstrap and configure bootstrap server IP and port.
AT+MIPLCONFIG=1,183.230.40.39,5683
OK
AT+MIPLCONFIG?
+MIPLCONFIG:1,183.230.40.39,5683

OK

//Disable bootstrap and configure access server IP and port.
AT+MIPLCONFIG=0,183.230.40.40,5683
OK

AT+MIPLCONFIG?
+MIPLCONFIG:0,183.230.40.40,5683

OK

//Set ACK_TIMEOUT value to nine seconds.
AT+MIPLCONFIG=2,1,9
OK

AT+MIPLCONFIG?
+MIPLCONFIG:0,183.230.40.40,5683
```



```
+MIPLCONFIG:2,9
```

```
OK
```

5.2. Register and Discover Operations

5.2.1. Register and Discover Operations (Without Auto Subscription)

The following example illustrates register and discover operations under the scenario that the auto subscription function of the OneNET platform has been disabled.

```
//Create a communication suite instance with a single command, with bootstrap mode enabled.
```

```
AT+MIPLCREATE
```

```
+MIPLCREATE:0 //Created the communication suite instance successfully.
```

```
OK
```

```
//Add a LwM2M object.
```

```
AT+MIPLADDOBJ=0,3311,2,"11",4,2
```

```
OK //Added the object successfully and the instance ID 0 and 1  
will be registered.
```

```
//Send register request to the OneNET platform.
```

```
AT+MIPLOPEN=0,600,60
```

```
OK
```

```
+MIPLEVENT: 0,1
```

```
+MIPLEVENT: 0,2
```

```
+MIPLEVENT: 0,4
```

```
+MIPLEVENT: 0,6 //Registered successfully.
```

```
+MIPLDISCOVER: 0,26384,3311 //Received resource discover request.
```

```
//Respond to the resource discover request with resource ID list.
```

```
AT+MIPLDISCOVERRSP=0,26384,1,19,"5850;5851;5706;5805"
```

```
OK
```

```
AT+MIPLDELOBJ=0,3311 //Delete a LwM2M object.
```

```
OK
```

```
//Send deregister request to the OneNET platform.
```

```
AT+MIPLCLOSE=0
```

```
OK
```

```
+MIPLEVENT: 0,15 //Deregistered successfully

//Delete the communication suite instance.
AT+MIPDELETE=0
OK //Deleted the communication suite instance successfully.
```

5.2.2. Register and Discover Operations (With Auto Subscription)

The following example illustrates register and discover operations under the scenario that the auto subscription function of the OneNET platform has been enabled.

```
//Create a communication suite instance with a single command, with bootstrap mode enabled.
AT+MIPLCREATE
+MIPLCREATE:0 //Created the communication suite instance successfully.

OK

//Add a LwM2M object.
AT+MIPLADDOBJ=0,3311,2,"11",4,2
OK //Added the object successfully. And the instance ID 0 and 1 will be registered.

//Send register request to the OneNET platform.
AT+MIPLOPEN=0,600,60
OK

+MIPLEVENT: 0,1
+MIPLEVENT: 0,2
+MIPLEVENT: 0,4
+MIPLEVENT: 0,6 //Registered successfully.
+MIPLOBERVE: 0,78025,1,3311,0,-1 //Received observe(3311/0) request.

//Respond to the observe request with result code (1)
AT+MIPLOBERVERSP=0,78025,1
OK

+MIPLOBERVE: 0,143562,1,3311,1,-1 //Received observe (3311/1) request.

//Respond to the observe request with result code (1)
AT+MIPLOBERVERSP=0,143562,1
OK

+MIPLDISCOVER: 0,12491,3311 //Received resource discover request.

//Respond to the resource discover request with resource ID list
```

```
AT+MIPLDISCOVERRSP=0,12491,1,19,"5850;5851;5706;5805"
```

```
OK
```

```
AT+MIPLDELOBJ=0,3311 //Delete a LwM2M object.
```

```
OK
```

```
//Send deregister request to the OneNET platform
```

```
AT+MIPLCLOSE=0
```

```
OK
```

```
+MIPLEVENT: 0,15 //Deregistered successfully.
```

```
//Delete the communication suite instance.
```

```
AT+MIPLDELETE=0
```

```
OK //Deleted the communication suite instance successfully.
```

5.3. Read Operation

5.3.1. Read Resource

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has sent a read request to UE for reading the resource (3311/0/5805).

```
//Received read resource request.
```

```
+MIPLREAD: 0,3123,3311,0,5805
```

```
//Respond to the read request.
```

```
AT+MIPLREADRSP=0,3123,1,3311,0,5805,4,4,1.88,0,0
```

```
OK //Sent data 1.88 to Application Server successfully.
```

5.3.2. Read Instance

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has sent a read request to UE for reading the instance (3311/0).

```
//Received read instance request.
```

```
+MIPLREAD: 0,25466,3311,0,-1
```

```
//Respond to the read request with four messages.
```

```
AT+MIPLREADRSP=0,25466,1,3311,0,5851,5,1,1,3,0
```

```
OK
AT+MIPLREADRSP=0,25466,1,3311,0,5852,3,2,123,2,0
OK
AT+MIPLREADRSP=0,25466,1,3311,0,5706,1,10,"1234567890",1,0
OK
AT+MIPLREADRSP=0,25466,1,3311,0,5805,4,4,1.88,0,0
OK
```

5.3.3. Read Object

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has sent a read request to UE for reading the object (3311).

```
//Received read object request.
+MIPLREAD: 0,39299,3311,-1,-1

//Respond to the read request with six messages.
AT+MIPLREADRSP=0,39299,1,3311,0,5851,5,1,1,5,0
OK
AT+MIPLREADRSP=0,39299,1,3311,0,5852,3,2,123,4,0
OK
AT+MIPLREADRSP=0,39299,1,3311,1,5851,5,1,1,3,0
OK
AT+MIPLREADRSP=0,39299,1,3311,1,5852,3,2,123,2,0
OK
AT+MIPLREADRSP=0,39299,1,3311,1,5706,1,10,"1234567890",1,0
OK
AT+MIPLREADRSP=0,39299,1,3311,1,5805,4,4,1.88,0,0
OK
```

5.4. Write Operation

5.4.1. Write Resource

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has sent a write request to UE for writing the resource (3311/0/5706) with value in string (hello).

```
//Received write resource request.
+MIPLWRITE: 0,38017,3311,0,5706,2,5,68656C6C6F,0,0
```

```
//Respond to the write request with result code (2).
```

```
AT+MIPLWRITERSP=0,38017,2
```

```
OK
```

5.4.2. Write Instance

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has sent a write request to UE for writing the instance (3311/0).

```
//Received write instance request.
```

```
+MIPLWRITE: 0,46584,3311,0,5706,2,5,68656C6C6F,0,2
```

```
+MIPLWRITE: 0,46584,3311,0,5850,2,1,01,0,1
```

```
+MIPLWRITE: 0,46584,3311,0,5851,2,8,00000002DFDC1C3E,0,0
```

```
//Respond to the write request with result code (2).
```

```
AT+MIPLWRITERSP=0,46584,2
```

```
OK
```

5.5. Execute Operation

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has sent an execute request to UE with argument "reset".

```
//Received execute request.
```

```
+MIPLEXECUTE: 0,36476,3303,0,5605,5,"reset"
```

```
//Respond to the execute request with result code (2).
```

```
AT+MIPLEXECUTERSP=0,36476,2
```

```
OK
```

5.6. Write-Attributes Operation

Prerequisites:

1. The UE has registered to the OneNET platform successfully.

2. The Application Server has sent a Write-Attributes request to UE.

```
//Received Write-Attributes request.  
+MIPLPARAMETER: 0,56642,3303,0,5700,38,"pmin=2;pmax=190;gt=100.0;lt=1.0;st=0.2"  
  
//Respond to the execute request with result code (2).  
AT+MIPLPARAMETERRSP=0,56642,2  
OK
```

5.7. Observe Operation

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has sent an observe request to UE.

```
//Received observe request.  
+MIPLOBSERVE:0,29620,1,3311,0,-1  
  
//Confirm observe request.  
AT+MIPLOBSERVERSP=0,29620,1  
OK
```

5.8. Notify Operation

5.8.1. Notify Resource Data

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has observed the resource (3303/0/5700) successfully and <msgId> of the observe request is 122179.

```
//Notify resource data.  
AT+MIPLNOTIFY=0,122179,3303,0,5700,4,4,25.6,0,0  
OK
```

5.8.2. Notify Instance Data

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has observed the instance (3303/0) successfully and <msgId> of the observe

request is 653687.

```
//Notify instance data.  
AT+MIPLNOTIFY=0,653687,3303,0,5700,4,4,10.24,3,0  
OK  
AT+MIPLNOTIFY=0,653687,3303,0,5701,1,3,"Cel",2,0  
OK  
AT+MIPLNOTIFY=0,653687,3303,0,5601,4,4,0.16,1,0  
OK  
AT+MIPLNOTIFY=0,653687,3303,0,5602,4,4,100.86,0,0  
OK
```

5.8.3. Notify Object Data

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has observed the object (3303) successfully and **<msgId>** of the observe request is 196301.

```
//Notify instance (0) data.  
AT+MIPLNOTIFY=0,196301,3303,0,5700,4,4,9.8,3,0  
OK  
AT+MIPLNOTIFY=0,196301,3303,0,5701,1,3,"Cel",2,0  
OK  
AT+MIPLNOTIFY=0,196301,3303,0,5601,4,4,0.16,1,0  
OK  
AT+MIPLNOTIFY=0,196301,3303,0,5602,4,4,99.8,0,0  
OK
```

```
//Notify instance (1) data.  
AT+MIPLNOTIFY=0,196301,3303,1,5700,4,4,0.2,3,0  
OK  
AT+MIPLNOTIFY=0,196301,3303,1,5701,1,3,"Cel",2,0  
OK  
AT+MIPLNOTIFY=0,196301,3303,1,5601,4,4,3.2,1,0  
OK  
AT+MIPLNOTIFY=0,196301,3303,1,5602,4,4,100.1,0,0  
OK
```

5.8.4. Notify Resource Data with <ackid>

Prerequisites:

1. The UE has registered to the OneNET platform successfully.

- The Application Server has observed the resource (3303/0/5701) successfully and **<msgid>** of the observe request is 307353.

```
//Notify resource data with<ackid> (255).  
AT+MIPLNOTIFY=0,307353,3303,0,5701,1,3,"Cel",0,0,255  
OK  
  
+MIPLEVENT: 0,26,255 //Return notification results.
```

5.8.5. Notify Resource Data with <ackid> and RAI Flag

Prerequisites:

- The UE has registered to the OneNET platform successfully.
- The Application Server has observed the resource (3303/0/5701) successfully and **<msgid>** of the observe request is 307353.
- Execute the **AT+CSCON=1** command to enable "+CSCON" URC reporting function, which can be used to indicate whether the RAI identifier takes effect.

```
//Notify resource data with <ackid>(256) and RAI flag(0x400).  
[15:04:15:919]AT+MIPLNOTIFY=0,307353,3303,0,5701,1,3,"Cel",0,0,256,0x400  
[15:04:15:983] OK  
[15:04:16:736]  
[15:04:16:736]+CSCON:1 //Set up a RRC connection and start sending the message.  
[15:04:17:118]  
[15:04:17:118]+MIPLEVENT: 0,26,256 //Return notification results.  
[15:04:17:437]  
[15:04:17:437]+CSCON:0 //After received ACK, the RRC connection will be immediately  
released.
```

NOTE

"+MIPLEVENT:" URC and "+CSCON:" URC may be outputted in any order.

5.8.6. Notify Instance Data with <ackid>

Prerequisites:

- The UE has registered to the OneNET platform successfully.
- The Application Server has observed the resource (3303/0) successfully and **<msgid>** of the observe request is 487674.

```
//Notify resource data with <ackid> (258).  
AT+MIPLNOTIFY=0,487674,3303,0,5700,4,4,170.1,3,0,258
```



```
OK
AT+MIPLNOTIFY=0,487674,3303,0,5701,1,3,"Cel",2,0,258
OK
AT+MIPLNOTIFY=0,487674,3303,0,5601,4,4,106.1,1,0,258
OK
AT+MIPLNOTIFY=0,487674,3303,0,5602,4,4,660.9,0,0,258
OK
+MIPLEVENT: 0,26,258 //Return notification results.
```

5.8.7. Notify Instance Data with <ackid> and RAI Flag

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. The Application Server has observed the resource (3303/0) successfully and <msgid> of the observe request is 450380.
3. Execute the **AT+CSCON=1** command to enable "+CSCON" URC reporting function, which can be used to indicate whether the RAI identifier takes effect.

```
//Notify resource data with <ackid>(257) and RAI flag(0x400).
[15:37:14:339]AT+MIPLNOTIFY=0,450380,3303,0,5700,4,4,170.1,3,0,257,0x400
[15:37:14:403]OK
[15:37:14:643]AT+MIPLNOTIFY=0,450380,3303,0,5701,1,3,"Cel",2,0,257,0x400
[15:37:14:692]OK
[15:37:14:931]AT+MIPLNOTIFY=0,450380,3303,0,5601,4,4,106.1,1,0,257,0x400
[15:37:14:995]OK
[15:37:15:235]AT+MIPLNOTIFY=0,450380,3303,0,5602,4,4,660.9,0,0,257,0x400
[15:37:15:299]OK
[15:37:16:281]
[15:37:16:281]+CSCON:1 //Set up a RRC connection and starting sending the message.
[15:37:16:828]
[15:37:16:828]+MIPLEVENT: 0,26,257 //Return notification results.
[15:37:17:477]
[15:37:17:477]+CSCON:0 //After received ACK, the RRC connection will be immediately
released.
```

NOTE

"+MIPLEVENT:" URC and "+CSCON:" URC may be outputted in any order.

5.9. Update Operation

5.9.1. Update operation without RAI Flag

Prerequisite:

The UE has registered to the OneNET platform successfully.

```
//Update lifetime to 86400 seconds.
```

```
AT+MIPLUPDATE=0,86400,0
```

```
OK
```

```
+MIPLEVENT: 0,11 //Return update result.
```

5.9.2. Update operation with RAI Flag

Prerequisites:

1. The UE has registered to the OneNET platform successfully.
2. Use **AT+CSCON=1** to enable URC: “+CSCON:<mode>”.
3. Execute the **AT+CSCON=1** command to enable “+CSCON” URC reporting function, which can be used to indicate whether the RAI identifier takes effect.

```
[14:43:14:359]AT+MIPLUPDATE=0,86400,0,0x400 //Update lifetime to 86400 seconds.
```

```
[14:43:14:391]OK
```

```
[14:43:14:832]
```

```
[14:43:14:832]+CSCON:1 //Set up a RRC connection and  
starting sending update request.
```

```
[14:43:15:182]
```

```
[14:43:15:182]+MIPLEVENT: 0,11 //Return update result.
```

```
[14:43:15:389]+CSCON:0 //After received ACK, the RRC connection will  
be immediately released.
```

6 Summary of Error Codes

This chapter introduces the error codes related to BC95 module.

The error codes listed in the following two tables are compliant with the 3GPP specifications. Customers can refer to *3GPP TS 27.007 V13.5.0, sub-clause 9.2* for all possible **<err>** codes.

Table 3: General Errors (27.007)

<err> Codes	Description
3	Operation not allowed
4	Operation not supported
23	Memory failure
30	No network service
50	Incorrect parameters
51	Command implemented but currently disabled
52	Command aborted by user
159	Uplink busy/flow control

Table 4: General Errors (27.005)

<err> Codes	Description
300	ME failure
301	SMS service of ME reserved
302	Operation not allowed
303	Operation not supported
304	Invalid PDU mode parameter

305	Invalid text mode parameter
310	USIM not inserted
311	USIM PIN required
312	PH-USIM PIN required
313	USIM failure
314	USIM busy
315	USIM wrong
316	USIM PUK required
317	USIM PIN2 required
318	USIM PUK2 required
320	Memory failure
321	Invalid memory index
322	Memory full
330	SMSC address unknown
331	No network service
332	Network timeout
340	No +CNMA acknowledgement expected
500	Unknown error

NOTE

AT+CME=<n> command disables (<n>=0) or enables (<n>=1) the use of final result code “**+CME ERROR:<err>**”. When <n>=1, a limited set of error codes will be returned.

7 Appendix A References

Table 5: Related Documents

SN	Document Name	Remark
[1]	IPSO-Smart-Objects-Starter-Pack	Internet Protocol for Smart Objects (IPSO) Alliance
[2]	OMA-TS-LightweightM2M-V1_0	Open Mobile Alliance LwM2M Specification

Table 6: Terms and Abbreviations

Abbreviation	Description
LwM2M	Lightweight Machine to Machine
CoAP	Constrained Application Protocol
URC	Unsolicited Result Code
ME	Mobile Equipment
NB-IoT	Narrow Band Internet of Things
REST	Representational state transfer
TE	Terminal Equipment (Typically the MCU)
UE	User Equipment (Typically the Module)