ptg meta analysis descriptives

Qizhou Duan

2023-08-19

Load Data

In the main analysis this should be T1 Raw

```
ptg_effect_sizes <- read_excel("ptg effect sizes.xlsx")
head(ptg_effect_sizes)
```

```
## # A tibble: 6 x 6
##   `study name`    `scale type` `effect size`    sd `sample size` comment
##   <chr>           <chr>        <chr>         <dbl>         <dbl> <chr>
## 1 Adjorlolo 2022 PTGI-SF      23.1             NA           381 need to average~
## 2 Arnout 2021    PTG-21       67.5             NA           365 need to average~
## 3 Chasson 2022   PTGI         61.11            NA           916 need to average~
## 4 Chen 2022      PTGI         64.80033         NA           476 this one is cor~
## 5 Chen 2021      PTGI-SF      28               NA         12596 need to double ~
## 6 Dominick 2023  PTGI-X       1.39             NA           201 this is only a ~
```

how many measures are we considering

```
## print out the scale types
unique(ptg_effect_sizes$`scale type`)
```

```
## [1] "PTGI-SF" "PTG-21"  "PTGI"    "PTGI-X"  "CPTG"    "SRGS-SF" NA
```

```
## how many
length(unique(ptg_effect_sizes$`scale type`)) - 2
```

```
## [1] 5
```

```
## group by scale types and examine
ptg_effect_sizes %>% group_by(`scale type`) %>% count()
```

```
## # A tibble: 7 x 2
## # Groups:   scale type [7]
##   `scale type`     n
##   <chr>        <int>
## 1 CPTG             1
## 2 PTG-21           1
## 3 PTGI            12
## 4 PTGI-SF          8
## 5 PTGI-X           1
## 6 SRGS-SF          1
## 7 <NA>             1
```

NA is the additional column where I summed all the sample sizes and thus should not be included as a study; I will fix it later.

In total we can see that we have got 13 studies with PTGI (PTG-21 is PTGI), 8 studies with PTGI-SF;

The standard deviations I am in the process of enteringt them in for calculating effect sizes.

get numbers from all PTGI-measures

overview of the ptgi studies

```
ptgi_studies = ptg_effect_sizes %>% filter(`scale type` == 'PTGI' | `scale type` == 'PTG-21')
ptgi_studies
```

```
## # A tibble: 13 x 6
##    `study name`    `scale type` `effect size`    sd `sample size` comment
##    <chr>           <chr>        <chr>         <dbl>         <dbl> <chr>
##  1 Arnout 2021     PTG-21       67.5           NA             365 need to avera~
##  2 Chasson 2022    PTGI         61.11          NA             916 need to avera~
##  3 Chen 2022       PTGI         64.80033       NA             476 this one is c~
##  4 Gul 2023        PTGI         45.57          11.7           300 this is corre~
##  5 Kalaizaki 2022  PTGI         47.73          NA             352 this is corre~
##  6 Lau 2021        PTGI         35             NA             327 this is corre~
##  7 Lyu 2021        PTGI         60.9           NA             401 double check ~
##  8 Mo 2022         PTGI         96.26          NA             266 this is corre~
##  9 Northfield 2022 PTGI         47             NA             296 this is corre~
## 10 Willey 2022     PTGI         46             NA             193 this is corre~
## 11 Yildiz 2021     PTGI         63.49          NA             292 this is corre~
## 12 Zhang 2021      PTGI         67.17          14.8          1790 this is corre~
## 13 Zhou 2020       PTGI         58.34          NA             442 double check ~
```

descriptives for ptgi measures

```
describe(as.numeric(ptgi_studies$`effect size`))
```

```
##    vars  n  mean    sd median trimmed  mad min   max range skew kurtosis   se
## X1    1 13 58.53 15.23   60.9   57.24 9.79  35 96.26 61.26 0.77     0.48 4.22
```

get numbers from all PTGI-SF measures

```
ptgisf_studies = ptg_effect_sizes %>% filter(`scale type` == 'PTGI-SF')
ptgisf_studies
```

```
## # A tibble: 8 x 6
##   `study name`   `scale type` `effect size`             sd `sample size` comment
##   <chr>          <chr>        <chr>                  <dbl>         <dbl> <chr>
## 1 Adjorlolo 2022 PTGI-SF      23.1                   NA              381 need t~
## 2 Chen 2021      PTGI-SF      28                     NA            12596 need t~
## 3 Feingold 2022  PTGI-SF      90% has positive chan~ NA              787 needs ~
## 4 Lewis 2021     PTGI-SF      12.64                  NA             1424 this i~
## 5 Pirtrzak 2021  PTGI-SF      43.3% indicated they ~ NA              395 need t~
## 6 Ulset 2021     PTGI-SF      2.16                   NA            12686 need t~
## 7 Vazquez 2021   PTGI-SF      36.51                  NA             1951 this i~
## 8 Yeung 2022     PTGI-SF      2.19                    0.97          1510 need t~
```

descriptives for ptgi-sf measures

```
describe(as.numeric(ptgi_studies$`effect size`))
```

```
##    vars  n  mean    sd median trimmed  mad min   max range skew kurtosis   se
## X1    1 13 58.53 15.23   60.9   57.24 9.79  35 96.26 61.26 0.77     0.48 4.22
```

This needs a bit more work as some of the PTGI-SF studies reported the average score of each item instead of summing all the items; at the same time two studies reported percentages instead of actuall ptgi-sf values.