

# EMOTION REGULATION HANDOUT 1



([Emotion Regulation Worksheet 1](#))

## Goals of Emotion Regulation

### UNDERSTAND AND NAME YOUR OWN EMOTIONS

- ☐ Identify (observe and describe) your emotions.
- ☐ Know what emotions do for you.
- ☐ Other: \_\_\_\_\_

### DECREASE THE FREQUENCY OF UNWANTED EMOTIONS

- ☐ Stop unwanted emotions from starting in the first place.
- ☐ Change unwanted emotions once they start.
- ☐ Other: \_\_\_\_\_

### DECREASE EMOTIONAL VULNERABILITY

- ☐ Decrease vulnerability to emotion mind.
- ☐ Increase resilience, your ability to cope with difficult things and positive emotions.
- ☐ Other: \_\_\_\_\_

### DECREASE EMOTIONAL SUFFERING

- ☐ Reduce suffering when painful emotions overcome you.
- ☐ Manage extreme emotions so that you don't make things worse.
- ☐ Other: \_\_\_\_\_



## What Emotions Do for You

### EMOTIONS MOTIVATE (AND ORGANIZE) US FOR ACTION

- Emotions motivate our behavior. Emotions prepare us for action. The action urge of specific emotions is often “hard-wired” in biology.
- Emotions save time in getting us to act in important situations. Emotions can be especially important when we don’t have time to think things through.
- Strong emotions help us overcome obstacles—in our minds and in the environment.

### EMOTIONS COMMUNICATE TO (AND INFLUENCE) OTHERS

- Facial expressions are hard-wired aspects of emotions. Facial expressions communicate faster than words.
- Our body language and voice tone can also be hard-wired. Like it or not, they also communicate our emotions to others.
- When it is important to communicate to others, or send them a message, it can be very hard to change our emotions.
- Whether we intend it or not, our communication of emotions influences others.

### EMOTIONS COMMUNICATE TO OURSELVES

- Emotional reactions can give us important information about a situation. Emotions can be signals or alarms that something is happening.
- Gut feelings can be like intuition—a response to something important about the situation. This can be helpful if our emotions get us to check out the facts.
- **Caution:** Sometimes we treat emotions as if they are facts about the world: The stronger the emotion, the stronger our belief that the emotion is based on fact. (Examples: “If I feel unsure, I am incompetent,” “If I get lonely when left alone, I shouldn’t be left alone,” “If I feel confident about something, it is right,” “If I’m afraid, there must be danger,” “I love him, so he must be OK.”)
- If we assume that our emotions represent facts about the world, we may use them to justify our thoughts or our actions. This can be trouble if our emotions get us to ignore the facts.



## What Makes It Hard to Regulate Your Emotions

### BIOLOGY

- ☐ Biological factors can make emotion regulation harder.

### LACK OF SKILL

- ☐ You don't know what to do to regulate your emotions.

### REINFORCEMENT OF EMOTIONAL BEHAVIOR

- ☐ Your environment reinforces you when you are highly emotional.

### MOODINESS

- ☐ Your current mood controls what you do instead of your Wise Mind.
- ☐ You don't really want to put in time and effort to regulate your emotions.

### EMOTIONAL OVERLOAD

- ☐ High emotional arousal causes you to reach a skills breakdown point. You can't follow skills instructions or figure out what to do.

### EMOTION MYTHS


- ☐ Myths (e.g., mistaken beliefs) about emotions get in the way of your ability to regulate emotions.
  - ☐ Myths that emotions are bad or weak lead to avoiding emotions.
  - ☐ Myths that extreme emotions are necessary or are part of who you are keep you from trying to regulate your emotions.



## EMOTION REGULATION HANDOUT 5

([Emotion Regulation Worksheets 4, 4a](#))

### Model for Describing Emotions





## Ways to Describe Emotions

### ANGER WORDS

anger	bitterness	fury	indignation	vengefulness
aggravation	exasperation	grouchiness	irritation	wrath
agitation	ferocity	grumpiness	outrage	
annoyance	frustration	hostility	rage	

### Prompting Events for Feeling Anger

- Having an important goal blocked.
- You or someone you care about being attacked or threatened by others.
- Losing power, status, or respect.
- Not having things turn out as expected.
- Physical or emotional pain.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Anger

- Believing that you have been treated unfairly.
- Blaming.
- Believing that important goals are being blocked or stopped.
- Believing that things “should” be different than they are.
- Rigidly thinking, “I’m right.”
- Judging that the situation is illegitimate or wrong.
- Ruminating about the event that set off the anger in the first place.
- Other: \_\_\_\_\_

### Biological Changes and Experiences of Anger

- Muscles tightening.
- Teeth clamping together.
- Hands clenching.
- Feeling your face flush or get hot.
- Feeling like you are going to explode.
- Being unable to stop tears.
- Wanting to hit someone, bang the wall, throw something, blow up.
- Wanting to hurt someone.
- Other: \_\_\_\_\_

### Expressions and Actions of Anger

- Physically or verbally attacking.
- Making aggressive or threatening gestures.
- Pounding, throwing things, breaking things.
- Walking heavily, stomping, slamming doors.
- Walking out.
- Using a loud, quarrelsome, or sarcastic voice.
- Using obscenities or swearing.
- Criticizing or complaining.
- Clenching your hands or fists.
- Frowning, not smiling, mean expression.
- Brooding or withdrawing from others.
- Crying.
- Grinning.
- A red or flushed face.
- Other: \_\_\_\_\_

### Aftereffects of Anger

- Narrowing of attention.
- Attending only to the situation that’s making you angry.
- Ruminating about the situation making you angry or about situations in the past.
- Imagining future situations that will make you angry.
- Depersonalization, dissociative experiences, numbness.
- Other: \_\_\_\_\_

(continued on next page)

Note. Adapted from Table 3 in Shaver, P., Schwartz, J., Kirson, D., & O'Connor, C. (1987). Emotion knowledge: Further exploration of a prototype approach. *Journal of Personality and Social Psychology*, 52(6), 1061–1086. Copyright 1987 by the American Psychological Association. Adapted by permission.

From *DBT Skills Training Handouts and Worksheets, Second Edition*, by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of *DBT Skills Training Handouts and Worksheets, Second Edition*, and *DBT Skills Training Manual, Second Edition*, for personal use and use with individual clients only. (See page ii of this packet for details.)

## DISGUST WORDS

disgust	aversion	dislike	distaste	repugnance	resentment	sickened
abhorrence	condescension	derision	hate	repelled	revolted	spite
antipathy	contempt	disdain	loathing	repulsion	scorn	vile

### Prompting Events for Feeling Disgust

- Seeing/smelling human or animal waste products.
- Having a person or an animal that is dirty, slimy, or unclean come close to you.
- Tasting something or being forced to swallow something you really don't want.
- Seeing or being near a dead body.
- Touching items worn or owned by a stranger, dead person, or disliked person.
- Observing or hearing about a person who grovels or who strips another person of dignity.
- Seeing blood; getting blood drawn.
- Observing or hearing about a person acting with extreme hypocrisy/fawning.
- Observing or hearing about betrayal, child abuse, racism, or other types of cruelty.
- Being forced to watch something that deeply violates your own Wise Mind values.
- Being confronted with someone who is deeply violating your own Wise Mind values.
- Being forced to engage in or watch unwanted sexual contact.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Disgust

- Believing that:
  - You are swallowing something toxic.
  - Your skin or your mind is being contaminated.
  - Your own body or body parts are ugly.
  - Others are evil or the "scum" of the earth, or that they disrespect authority or the group.
- Disapproving of/feeling morally superior to another.
- Extreme disapproval of yourself or your own feelings, thoughts, or behaviors.
- Judging that a person is deeply immoral or has sinned or violated the natural order of things.
- Judging someone's body as extremely ugly.
- Other: \_\_\_\_\_

### Biological Changes and Experiences of Disgust

- Feelings of nausea; sick feeling.
- Urge to vomit, vomiting, gagging, choking.
- Having a lump in your throat.
- Aversion to drinking or eating.
- Intense urge to destroy or get rid of something.
- Urge to take a shower.
- Urge to run away or push away.
- Feeling contaminated, dirty, unclean.
- Feeling mentally polluted.
- Fainting.
- Other: \_\_\_\_\_

### Expressions and Actions of Disgust

- Vomiting, spitting out.
- Closing your eyes, looking away.
- Washing, scrubbing, taking a bath.
- Changing your clothes; cleaning spaces.
- Avoiding eating or drinking.
- Pushing or kicking away; running away.
- Treating with disdain or disrespect.
- Stepping over; crowding another person out.
- Physically attacking causes of your disgust.
- Using obscenities or cursing.
- Clenching your hands or fists.
- Frowning, or not smiling.
- Mean or unpleasant facial expression.
- Speaking with a sarcastic voice tone.
- Nose and top lip tightened up; smirking.
- Other: \_\_\_\_\_

### Aftereffects of Disgust

- Narrowing of attention.
- Ruminating about the situation that's making you feel disgusted.
- Becoming hypersensitive to dirt.
- Other: \_\_\_\_\_

(continued on next page)

## ENVY WORDS

envy	craving	displeased	greed	pettiness
bitterness	discontented	dissatisfied	"green-eyed"	resentment
covetous	disgruntled	down-hearted	longing	wishful

### Prompting Events for Feeling Envy

- Someone has something you really want or need but don't or can't have.
- You are not part of the "in" crowd.
- Someone appears to have everything.
- You are alone while others are having fun.
- Someone else gets credit for what you've done.
- Someone gets positive recognition for something and you don't.
- Others get something you really want and you don't get it.
- Being around people who have more than you have.
- Someone you are competing with is more successful than you in an area important to you.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Envy

- Thinking you deserve what others have.
- Thinking others have more than you.
- Thinking about how unfair it is that you have such a bad lot in life compared to others.
- Thinking you have been treated unfairly by life.
- Thinking you are unlucky.
- Thinking you are inferior, a failure, or mediocre in comparison to others whom you want to be like.
- Comparing yourself to others who have more than you.
- Comparing yourself to people who have characteristics that you wish you had.
- Thinking you are unappreciated.
- Other: \_\_\_\_\_

### Biological Changes and Experiences of Envy

- Muscles tightening.
- Teeth clamping together, mouth tightening.
- Feeling your face flush or get hot.
- Feeling rigidity in your body.
- Pain in the pit of the stomach.
- Having an urge to get even.
- Hating the other person.
- Wanting to hurt the people you envy.
- Wanting the person or people you envy to lose what they have, to have bad luck, or to be hurt.
- Feeling pleasure when others experience failure or lose what they have.
- Feeling unhappy if another person experiences some good luck.
- Feeling motivated to improve yourself.
- Other: \_\_\_\_\_

### Expressions and Actions of Envy

- Doing everything you can to get what the other person has.
- Working a lot harder than you were to get what you want.
- Trying to improve yourself and your situation.
- Taking away or ruining what the other person has.
- Attacking or criticizing the other person.
- Doing something to get even.
- Doing something to make the other person fail or lose what he or she has.
- Saying mean things about the other person or making the person look bad to others.
- Trying to show the other person up, to look better than the other person.
- Avoiding persons who have what you want.
- Other: \_\_\_\_\_

### Aftereffects of Envy

- Narrowing of attention.
- Attending only to what others have that you don't.
- Ruminating when others have had more than you.
- Discounting what you do have; not appreciating things you have or things others do for you.
- Ruminating about what you don't have.
- Making resolutions to change.
- Other: \_\_\_\_\_

(continued on next page)

## FEAR WORDS

fear	dread	horror	nervousness	shock	uneasiness
anxiety	edginess	hysteria	overwhelmed	tenseness	worry
apprehension	fright	jumpiness	panic	terror	

### Prompting Events for Feeling Fear

- Having your life, your health, or your well-being threatened.
- Being in the same situation (or a similar one) where you have been threatened or gotten hurt in the past, or where painful things have happened.
- Flashbacks.
- Being in situations where you have seen others threatened or be hurt.
- Silence.
- Being in a new or unfamiliar situation.
- Being alone (e.g., walking alone, being home alone, living alone).
- Being in the dark.
- Being in crowds.
- Leaving your home.
- Having to perform in front of others.
- Pursuing your dreams.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Fear

- Believing that:
  - You might die, or you are going to die.
  - You might be hurt or harmed.
  - You might lose something valuable.
  - Someone might reject, criticize, or dislike you.
  - You will embarrass yourself.
  - Failure is possible; expecting to fail.
- Believing that:
  - You will not get help you want or need.
  - You might lose help you already have.
  - You might lose someone important.
  - You might lose something you want.
  - You are helpless or are losing a sense of control.
  - You are incompetent or are losing mastery.
- Other: \_\_\_\_\_

### Biological Changes and Experiences of Fear

- Breathlessness.
- Fast heartbeat.
- Choking sensation, lump in throat.
- Muscles tensing, cramping.
- Clenching teeth.
- Urge to scream or call out.
- Feeling nauseated.
- Getting cold; feeling clammy.
- Feeling your hairs standing on end.
- Feeling of “butterflies” in stomach.
- Wanting to run away or avoid things.
- Other: \_\_\_\_\_

### Expressions and Actions of Fear

- Fleeing, running away.
- Running or walking hurriedly.
- Hiding from or avoiding what you fear.
- Engaging in nervous, fearful talk.
- Pleading or crying for help.
- Talking less or becoming speechless.
- Screaming or yelling.
- Darting eyes or quickly looking around.
- Frozen stare.
- Talking yourself out of doing what you fear.
- Freezing, or trying not to move.
- Crying or whimpering.
- Shaking, quivering, or trembling.
- A shaky or trembling voice.
- Sweating or perspiring.
- Diarrhea, vomiting.
- Hair erect.
- Other: \_\_\_\_\_

### Aftereffects of Fear

- Narrowing of attention.
- Being hypervigilant to threat.
- Losing your ability to focus or becoming disoriented or dazed.
- Losing control.
- Imagining the possibility of more loss or failure.
- Isolating yourself.
- Ruminating about other threatening times.
- Other: \_\_\_\_\_

(continued on next page)



### HAPPINESS WORDS

happiness	satisfaction	joviality	exhilaration	ecstasy
joy	bliss	triumph	optimism	gladness
enjoyment	enthusiasm	contentment	zest	pride
relief	jolliness	excitement	eagerness	elation
amusement	thrill	jubilation	gaiety	glee
enthralment	cheerfulness	zany	pleasure	rapture
hope	euphoria	delight	zeal	

### Prompting Events for Feeling Happiness

- Receiving a wonderful surprise.
- Reality exceeding your expectations.
- Getting what you want.
- Getting something you have worked hard for or worried about.
- Things turning out better than you thought they would.
- Being successful at a task.
- Achieving a desirable outcome.
- Receiving esteem, respect, or praise.
- Receiving love, liking, or affection.
- Being accepted by others.
- Belonging somewhere or with someone or a group.
- Being with or in contact with people who love or like you.
- Having very pleasurable sensations.
- Doing things that create or bring to mind pleasurable sensations.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Happiness

- Interpreting joyful events just as they are, without adding or subtracting.
- Other: \_\_\_\_\_

### Biological Changes and Experiences of Happiness

- Feeling excited.
- Feeling physically energetic, active.
- Feeling like giggling or laughing.
- Feeling your face flush.
- Feeling calm all the way through.
- Urge to keep doing what is associated with happiness.
- Feeling at peace.
- Feeling open or expansive.
- Other: \_\_\_\_\_

### Expressions and Actions of Happiness

- Smiling.
- Having a bright, glowing face.
- Being bouncy or bubbly.
- Communicating your good feelings.
- Sharing the feeling.
- Silliness.
- Hugging people.
- Jumping up and down.
- Saying positive things.
- Using an enthusiastic or excited voice.
- Being talkative or talking a lot.
- Other: \_\_\_\_\_

### Aftereffects of Happiness

- Being courteous or friendly to others.
- Doing nice things for other people.
- Having a positive outlook; seeing the bright side.
- Having a high threshold for worry or annoyance.
- Remembering and imagining other times you have felt joyful.
- Expecting to feel joyful in the future.
- Other: \_\_\_\_\_

(continued on next page)

### JEALOUSY WORDS

jealous	clutching	fear of losing someone/	rivalrous	wary
cautious	defensive	something	suspicious	watchful
clinging	mistrustful	possessive	self-protective	

### Prompting Events for Feeling Jealous

- An important relationship is threatened or in danger of being lost.
- A potential competitor pays attention to someone you love.
- Someone:
  - Is threatening to take away important things in your life.
  - Goes out with the person you like.
  - Ignores you while talking to a friend of yours.
  - Is more attractive, outgoing, or self-confident than you.
- You are treated as unimportant by a person you want to be close to.
- Your partner tells you that he or she desires more time alone.
- Your partner appears to flirt with someone else.
- A person you are romantically involved with looks at someone else.
- You find the person you love is having an affair with someone else.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Jealousy

- Believing that:
  - Your partner does not care for you any more.
  - You are nothing to your partner.
  - Your partner is going to leave you.
  - Your partner is behaving inappropriately.
  - You don't measure up to your peers.
  - I deserve more than what you are receiving.
- Believing that:
  - You were cheated.
  - No one cares about you.
  - Your rival is possessive and competitive.
  - Your rival is insecure.
  - Your rival is envious.
  - Other: \_\_\_\_\_

### Biological Changes and Experiences of Jealousy

- Breathlessness.
- Fast heartbeat.
- Choking sensation, lump in throat.
- Muscles tensing.
- Teeth clenching.
- Becoming suspicious of others.
- Having injured pride.
- Feelings of rejection.
- Needing to be in control.
- Feeling helpless.
- Wanting to grasp or keep hold of what you have.
- Wanting to push away or eliminate your rival.

### Expressions and Actions of Jealousy

- Violent behavior or threats of violence toward the person threatening to take something away.
- Attempting to control the freedom of the person you are afraid of losing.
- Verbal accusations of disloyalty or unfaithfulness.
- Spying on the person.
- Interrogating the person; demanding accounting of time or activities.
- Collecting evidence of wrongdoings.
- Clinging; enhanced dependency.
- Increased or excessive demonstrations of love.
- Other: \_\_\_\_\_

### Aftereffects of Jealousy

- Narrowing of attention.
- Seeing the worst in others.
- Being mistrustful across the board.
- Being hypervigilant to threats to your relationships.
- Becoming isolated or withdrawn.
- Other: \_\_\_\_\_

(continued on next page)

### LOVE WORDS

love	attraction	enchantment	limerence	sympathy
adoration	caring	fondness	longing	tenderness
affection	charmed	infatuation	lust	warmth
arousal	compassion	kindness	passion	
	desire	liking	sentimentality	

### Prompting Events for Feeling Love

- A person:
  - Offers or gives you something you want, need, or desire.
  - Does things you want or need.
  - Does things you particularly value or admire.
- Feeling physically attracted to someone.
- Being with someone you have fun with.
- You spend a lot of time with a person.
- You share a special experience with a person.
- You have exceptionally good communication with a person.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Love

- Believing that a person loves, needs, or appreciates you.
- Thinking that a person is physically attractive.
- Judging a person's personality as wonderful, pleasing, or attractive.
- Believing that a person can be counted on, or will always be there for you.
- Other: \_\_\_\_\_

### Biological Changes and Experiences of Love

- When you are with or thinking about someone:
  - Feeling excited and full of energy.
  - Fast heartbeat.
  - Feeling self-confident.
  - Feeling invulnerable.
  - Feeling happy, joyful, or exuberant.
  - Feeling warm, trusting, and secure.
  - Feeling relaxed and calm.
- Wanting the best for a person.
- Wanting to give things to a person.
- Wanting to see and spend time with a person.
- Wanting to spend your life with a person.
- Wanting physical closeness or sex.
- Wanting emotional closeness.

### Expressions and Actions of Love

- Saying "I love you."
- Expressing positive feelings to a person.
- Eye contact, mutual gaze.
- Touching, petting, hugging, holding, cuddling.
- Sexual activity.
- Smiling.
- Sharing time and experiences with someone.
- Doing things that the other person wants or needs.
- Other: \_\_\_\_\_

### Aftereffects of Love

- Only seeing a person's positive side.
- Feeling forgetful or distracted; daydreaming.
- Feeling openness and trust.
- Feeling "alive," capable.
- Remembering other people you have loved.
- Remembering other people who have loved you.
- Remembering other positive events.
- Believing in yourself; believing you are wonderful, capable, competent.
- Other: \_\_\_\_\_

(continued on next page)

## SADNESS WORDS

sadness	disappointment	pity	crushed	disconnected	depression
despair	homesickness	anguish	displeasure	suffering	glumness
grief	neglect	dismay	insecurity	dejection	melancholy
misery	alienation	hurt	sorrow	gloom	alone
agony	discontentment	rejection	defeat	loneliness	woe
			distraught	unhappiness	

## Prompting Events for Feeling Sadness

- Losing something or someone irretrievably.
- The death of someone you love.
- Things not being what you expected or wanted.
- Things being worse than you expected.
- Being separated from someone you care for.
- Getting what you don't want.
- Not getting what you have worked for.
- Not getting what you believe you need in life.
- Being rejected, disapproved of, or excluded.
- Discovering that you are powerless or helpless.
- Being with someone else who is sad or in pain.
- Reading or hearing about other people's problems or troubles in the world.
- Being alone, or feeling isolated or like an outsider.
- Thinking about everything you have not gotten.
- Thinking about your losses.
- Thinking about missing someone.
- Other: \_\_\_\_\_

## Interpretations of Events That Prompt Feelings of Sadness

- Believing that a separation from someone will last for a long time or will never end.
- Believing that you will not get what you want or need in your life.
- Seeing things or your life as hopeless.
- Believing that you are worthless or not valuable.
- Other: \_\_\_\_\_

## Biological Changes and Experiences of Sadness

- Feeling tired, run down, or low in energy.
- Feeling lethargic, listless; wanting to stay in bed all day.
- Feeling as if nothing is pleasurable any more.
- Pain or hollowness in your chest or gut.
- Feeling empty.
- Feeling as if you can't stop crying, or if you ever start crying you will never be able to stop.
- Difficulty swallowing.
- Breathlessness.
- Dizziness.
- Other: \_\_\_\_\_

## Expressions and Actions of Sadness

- Avoiding things.
- Acting helpless; staying in bed; being inactive.
- Moping, brooding, or acting moody.
- Making slow, shuffling movements.
- Withdrawing from social contact.
- Avoiding activities that used to bring pleasure.
- Giving up and no longer trying to improve.
- Saying sad things.
- Talking little or not at all.
- Using a quiet, slow, or monotonous voice.
- Eyes drooping.
- Frowning, not smiling.
- Posture slumping.
- Sobbing, crying, whimpering.
- Other: \_\_\_\_\_

## Aftereffects of Sadness

- Not being able to remember happy things.
- Feeling irritable, touchy, or grouchy.
- Yearning and searching for the thing lost.
- Having a negative outlook.
- Blaming or criticizing yourself.
- Ruminating about sad events in the past.
- Insomnia.
- Appetite disturbance, indigestion.
- Other: \_\_\_\_\_

(continued on next page)

## SHAME WORDS

shame  
contrition

culpability  
discomposure

embarrassment  
humiliation

mortification  
self-conscious

shyness

### Prompting Events for Feeling Shame

- Being rejected by people you care about.
- Having others find out that you have done something wrong.
- Doing (or feeling or thinking) something that people you admire believe is wrong or immoral.
- Comparing some aspect of yourself or your behavior to a standard and feeling as if you do not live up to that standard.
- Being betrayed by a person you love.
- Being laughed at/made fun of.
- Being criticized in public/in front of someone else; remembering public criticism.
- Others attacking your integrity.
- Being reminded of something wrong, immoral, or “shameful” you did in the past.
- Being rejected or criticized for something you expected praise for.
- Having emotions/experiences that have been invalidated.
- Exposure of a very private aspect of yourself or your life.
- Exposure of a physical characteristic you dislike.
- Failing at something you feel you are (or should be) competent to do.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Shame

- Believing that others will reject you (or have rejected you).
- Judging yourself to be inferior, not “good enough,” not as good as others; self- invalidation.
- Comparing yourself to others and thinking that you are a “loser.”
- Believing yourself unlovable.
- Thinking that you are bad, immoral, or wrong.
- Thinking that you are defective.
- Thinking that you are a bad person or a failure.
- Believing your body (or a body part) is too big, too small, or ugly.
- Thinking that you have not lived up to others’ expectations of you.
- Thinking that your behavior, thoughts, or feelings are silly or stupid.
- Other: \_\_\_\_\_

### Biological Changes and Experiences of Shame

- Pain in the pit of the stomach.
- Sense of dread.
- Wanting to shrink down and/or disappear.
- Wanting to hide or cover your face and body.
- Other: \_\_\_\_\_

### Expressions and Actions of Shame

- Hiding behavior or a characteristic from other people.
- Avoiding the person you have harmed.
- Avoiding persons who have criticized you.
- Avoiding yourself—distracting, ignoring.
- Withdrawing; covering the face.
- Bowing your head, groveling.
- Appeasing; saying you are sorry over and over and over.
- Looking down and away from others.
- Sinking back; slumped and rigid posture.
- Halting speech; lowered volume while talking.
- Other: \_\_\_\_\_

### Aftereffects of Shame

- Avoiding thinking about your transgression; shutting down; blocking all emotions.
- Engaging in distracting, impulsive behaviors to divert your mind or attention.
- High amount of “self-focus”; preoccupation with yourself.
- Depersonalization, dissociative experiences, numbness, or shock.
- Attacking or blaming others.
- Conflicts with other people.
- Isolation, feeling alienated.
- Impairment in problem-solving ability.
- Other: \_\_\_\_\_

(continued on next page)

### GUILT WORDS

guilt                      culpability                      remorse                      apologetic                      regret                      sorry

### Prompting Events for Feeling Guilt

- Doing or thinking something you believe is wrong.
- Doing or thinking something that violates your personal values.
- Not doing something you said that you would do.
- Committing a transgression against another person or something you value.
- Causing harm/damage to another person or object.
- Causing harm/damage to yourself.
- Being reminded of something wrong you did in the past.
- Other: \_\_\_\_\_

### Interpretations of Events That Prompt Feelings of Guilt

- Thinking that your actions are to blame for something.
- Thinking that you behaved badly.
- Thinking, "If only I had done something differently . . ."
- Other: \_\_\_\_\_

### Biological Changes and Experiences of Guilt

- Hot, red face.
- Jitteriness, nervousness.
- Suffocating.
- Other: \_\_\_\_\_

### Expressions and Actions of Guilt

- Trying to repair the harm, make amends for the wrongdoing, fix the damage, change the outcome.
- Asking for forgiveness, apologizing, confessing.
- Giving gifts/making sacrifices to try to make up for the transgression.
- Bowing your head; kneeling before the person.

### Aftereffects of Guilt

- Making resolutions to change.
- Making changes in behavior.
- Joining self-help programs.
- Other: \_\_\_\_\_

### Other Important Emotion Words

- Weariness, dissatisfaction, disinclination.
- Distress.
- Shyness, fragility, reserve, bashfulness, coyness, reticence.
- Cautiousness, reluctance, suspiciousness, caginess, wariness.
- Surprise, amazement, astonishment, awe, startle, wonder.
- Boldness, bravery, courage, determination.
- Powerfulness, a sense of competence, capability, mastery.
- Dubiousness, skepticism, doubtfulness.
- Apathy, boredom, dullness, ennui, fidgetiness, impatience, indifference, listlessness.



## Check the Facts

### FACTS

Many emotions and actions are set off by our thoughts and interpretations of events, not by the events themselves.

**Event    Thoughts    Emotions**

Our emotions can also have a big effect on our thoughts about events.

**Event    Emotion    Thoughts**

Examining our thoughts and *checking the facts* can help us change our emotions.

### HOW TO CHECK THE FACTS

**1. Ask: What is the emotion I want to change?**

(See *Emotion Regulation Handout 6: Ways of Describing Emotions*.)

**2. Ask: What is the event prompting my emotion?**

Describe the facts that you observed through your senses.

Challenge judgments, absolutes, and black-and-white descriptions.

(See *Mindfulness Handout 4: Taking Hold of Your Mind: "What" Skills*.)

**3. Ask: What are my interpretations, thoughts, and assumptions about the event?**

Think of other possible interpretations.

Practice looking at all sides of a situation and all points of view.

Test your interpretations and assumptions to see if they fit the facts.

**4. Ask: Am I assuming a threat?**

Label the threat.

Assess the probability that the threatening event will really occur.

Think of as many other possible outcomes as you can.

**5. Ask: What's the catastrophe?**

Imagine the catastrophe really occurring.

Imagine coping well with a catastrophe (through problem solving, coping ahead, or radical acceptance).

**6. Ask: Does my emotion and/or its intensity fit the actual facts?**

Check out facts that fit each emotion.

Ask Wise Mind.

(See *Emotion Regulation Handout 11: Figuring Out Opposite Actions*, and *Emotion Regulation Handout 13: Reviewing Problem Solving and Opposite Action*.)



# EMOTION REGULATION HANDOUT 8A

([Emotion Regulation Worksheet 5](#))

## Examples of Emotions That Fit the Facts

<b>Fear</b>	<ol style="list-style-type: none"><li>1. There is a threat to your life or that of someone you care about.</li><li>2. There is a threat to your health or that of someone you care about.</li><li>3. There is a threat to your well-being or that of someone you care about.</li><li>4. Other: _____</li></ol>
<b>Anger</b>	<ol style="list-style-type: none"><li>1. An important goal is blocked or a desired activity is interrupted or prevented.</li><li>2. You or someone you care about is attacked or hurt by others.</li><li>3. You or someone you care about is insulted or threatened by others.</li><li>4. The integrity or status of your social group is offended or threatened.</li><li>5. Other: _____</li></ol>
<b>Disgust</b>	<ol style="list-style-type: none"><li>1. Something you are in contact with could poison or contaminate you.</li><li>2. Somebody whom you deeply dislike is touching you or someone you care about.</li><li>3. You are around a person or group whose behavior or thinking could seriously damage or harmfully influence you or the group you are part of.</li><li>4. Other: _____</li></ol>
<b>Envy</b>	<ol style="list-style-type: none"><li>1. Another person or group gets or has things you don't have that you want or need.</li><li>2. Other: _____</li></ol>
<b>Jealousy</b>	<ol style="list-style-type: none"><li>1. A very important and desired relationship or object in your life is in danger of being damaged or lost.</li><li>2. Someone is threatening to take a valued relationship or object away from you.</li><li>3. Other: _____</li></ol>
<b>Love</b>	<ol style="list-style-type: none"><li>1. Loving a person, animal, or object enhances quality of life for you or for those you care about.</li><li>2. Loving a person, animal, or object increases your chances of attaining your own personal goals.</li><li>3. Other: _____</li></ol>
<b>Sadness</b>	<ol style="list-style-type: none"><li>1. You have lost something or someone permanently.</li><li>2. Things are not the way you wanted or expected and hoped them to be.</li><li>3. Other: _____</li></ol>
<b>Shame</b>	<ol style="list-style-type: none"><li>1. You will be rejected by a person or group you care about if characteristics of yourself or of your behavior are made public.</li><li>2. Other: _____</li></ol>
<b>Guilt</b>	<ol style="list-style-type: none"><li>1. Your own behavior violates your own values or moral code.</li><li>2. Other: _____</li></ol>

### Intensity and duration of an emotion are justified by:

1. How likely it is that the expected outcomes will occur.
2. How great and/or important the outcomes are.
3. How effective the emotion is in your life now.



# EMOTION REGULATION HANDOUT 9




([Emotion Regulation Worksheet 6](#))

## Opposite Action and Problem Solving: Deciding Which to Use

**Opposite action = Acting opposite to an emotion's action urge**

**Problem solving = Avoiding or changing (solving) a problem event**



# EMOTION REGULATION HANDOUT 10



([Emotion Regulation Worksheet 7](#))

## Opposite Action

Use opposite action when your emotions do NOT fit the facts  
or when acting on your emotions is NOT effective.

**EVERY EMOTION HAS AN ACTION URGE.**

**CHANGE THE EMOTION BY ACTING OPPOSITE TO ITS ACTION URGE.**

Consider these examples:

<u>EMOTION</u>	<u>ACTION URGE</u>	<u>OPPOSITE ACTION</u>
Fear	Run away/avoid	Approach/don't avoid
Anger	Attack	Gently avoid/be a little nice
Sadness	Withdraw/isolate	Get active
Shame	Hide/avoid	Tell the secret to people who will accept it

### HOW TO DO OPPOSITE ACTION, STEP BY STEP

**Step 1. IDENTIFY AND NAME THE EMOTION** you want to change.

**Step 2. CHECK THE FACTS** to see if your emotion is justified by the facts.  
Check also whether the intensity and duration of the emotion fit the facts.  
(*Example: "Irritation" fits the facts when your car is cut in front of; "road rage" does not.*)  
An emotion is justified when your emotion fits the facts.

**Step 3. IDENTIFY AND DESCRIBE YOUR ACTION URGES.**

**Step 4. ASK WISE MIND:** Is expression or acting on this emotion effective in this situation?

***If your emotion does not fit the facts or if acting on your emotion is not effective:***

**Step 5. IDENTIFY OPPOSITE ACTIONS** to your action urges.

**Step 6. ACT OPPOSITE ALL THE WAY** to your action urges.

**Step 7. REPEAT ACTING OPPOSITE** to your action urges until your emotion changes.



## Figuring Out Opposite Actions

### FEAR

Fear FITS THE FACTS of a situation whenever there is a THREAT to:

- A. Your life or that of someone you care about.
- B. Your health or that of someone you care about.
- C. Your well-being or that of someone you care about.
- D. Other example: \_\_\_\_\_

Follow these suggestions when your fear is NOT JUSTIFIED by the facts or NOT EFFECTIVE:

#### OPPOSITE ACTIONS for Fear

Do the OPPOSITE of your fearful action urges. For example:

1. Do what you are afraid of doing . . . OVER AND OVER.
2. APPROACH events, places, tasks, activities, and people you are afraid of.
3. Do things to give yourself a sense of CONTROL and MASTERY over your fears.

#### ALL-THE-WAY OPPOSITE ACTIONS for Fear

4. Keep your EYES AND EARS OPEN and focused on the feared event.  
Look around slowly; explore.
5. Take in the information from the situation (i.e., notice that you are safe).
6. Change POSTURE AND KEEP A CONFIDENT VOICE TONE.  
Keep your head and eyes up, and your shoulders back but relaxed.  
Adopt an assertive body posture (e.g., knees apart, hands on hips, heels a bit out).
7. Change your BODY CHEMISTRY.  
For example, do paced breathing by breathing in deeply and breathing out slowly.

(continued on next page)

## **ANGER**

Anger **FITS THE FACTS** of a situation whenever:

- A.** An important goal is blocked or a desired activity is interrupted or prevented.
- B.** You or someone you care about is attacked or hurt by others.
- C.** You or someone you care about is insulted or threatened by others.
- D.** The integrity or status of your social group is offended or threatened.
- E.** Other example: \_\_\_\_\_

Follow these suggestions when your anger is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

### **OPPOSITE ACTIONS for Anger**

Do the **OPPOSITE** of your angry action urges. For example:

- 1.** GENTLY AVOID the person you are angry with (rather than attacking).
- 2.** TAKE A TIME OUT, and breathe in and out deeply and slowly.
- 3.** BE KIND (rather than mean or insulting).

### **ALL-THE-WAY OPPOSITE ACTIONS for Anger**

- 4.** IMAGINE UNDERSTANDING and empathy for the other person.

Step into the other person's shoes. Try to see the situation from the other person's point of view.

Imagine really good reasons for what has happened.

- 5.** CHANGE YOUR POSTURE.

Unclench hands, with palms up and fingers relaxed (**WILLING HANDS**).

Relax chest and stomach muscles.

Unclench teeth.

Relax facial muscles. Half-smile.

- 6.** CHANGE YOUR BODY CHEMISTRY.

For example, do paced breathing by breathing in deeply and breathing out slowly.

Or, run or engage in another physically energetic, nonviolent activity.

*(continued on next page)*

## **DISGUST**

Disgust FITS THE FACTS of a situation whenever:

- A.** Something you are in contact with could poison or contaminate you.
- B.** Somebody whom you deeply dislike is touching you or someone you care about.
- C.** You are around a person or group whose behavior or thinking could seriously damage or harmfully influence you or the group you are part of.
- D.** Other example: \_\_\_\_\_

Follow these suggestions when your disgust is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

### **OPPOSITE ACTIONS for Disgust**

Do the OPPOSITE of your disgusted action urges. For example:

- 1. MOVE CLOSE. Eat, drink, stand near, or embrace what you found disgusting.
- 2. Be KIND to those you feel contempt for; step into the other person's shoes.

### **ALL-THE-WAY OPPOSITE ACTIONS for Disgust**

- 3. IMAGINE UNDERSTANDING and empathy for the person you feel disgust or contempt for.

Try to see the situation from the other person's point of view.

Imagine really good reasons for how the other person is behaving or looking.

- 4. TAKE IN what feels repulsive.

Be sensual (inhaling, looking at, touching, listening, tasting).

- 5. CHANGE YOUR POSTURE.

Unclench hands with palms up and fingers relaxed (willing hands).

Relax chest and stomach muscles.

Unclench teeth.

Relax facial muscles.

Half-smile.

- 6. CHANGE YOUR BODY CHEMISTRY.

For example, do paced breathing by breathing in deeply and breathing out slowly.

*(continued on next page)*

## **ENVY**

Envy FITS THE FACTS of a situation whenever:

- A.** Another person or group has what you want or need but don't have.
- B.** Other example: \_\_\_\_\_

Follow these suggestions when your envy is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

### **OPPOSITE ACTIONS for Envy**

Do the OPPOSITE of your envious action urges. For example:

- 1. INHIBIT DESTROYING what the other person has.
- 2. COUNT YOUR BLESSINGS. Make a list of the things you are thankful for.

### **ALL-THE-WAY OPPOSITE ACTIONS for Envy**

- 3. COUNT ALL your blessings.
  - Avoid discounting some blessings.
  - Avoid exaggerating your deprivations.
- 4. Stop EXAGGERATING others' net worth or value; check the facts.
- 5. CHANGE YOUR POSTURE.
  - Unclench hands with palms up and fingers relaxed (WILLING HANDS).
  - Relax chest and stomach muscles.
  - Unclench teeth.
  - Relax facial muscles.
  - Half-smile.
- 6. CHANGE YOUR BODY CHEMISTRY.
  - For example, do paced breathing by breathing in deeply and breathing out slowly.

*(continued on next page)*

## **JEALOUSY**

Jealousy FITS THE FACTS of a situation whenever:

- A.** Someone is threatening to take a very important and desired relationship or object away from you.
- B.** An important and desired relationship is in danger of being damaged or lost.
- C.** Other example: \_\_\_\_\_

Follow these suggestions when your jealousy is NOT JUSTIFIED by the facts or is NOT EFFECTIVE:

### **OPPOSITE ACTIONS for Jealousy**

Do the OPPOSITE of your jealous action urges. For example:

- 1. LET GO of controlling others' actions.
- 2. SHARE the things and people you have in your life.

### **ALL-THE-WAY OPPOSITE ACTIONS for Jealousy**

- 3. STOP SPYING or snooping.

Suppress probing questions ("Where were you? Who were you with?").  
Fire your "private detective."

- 4. NO AVOIDING. Listen to all the details. Focus on sensations.

Keep your eyes open; look around.  
Take in all the information about the situation.

- 5. CHANGE YOUR POSTURE.

Unclench hands with palms up and fingers relaxed (WILLING HANDS).  
Relax chest and stomach muscles.  
Unclench teeth.  
Relax facial muscles.  
Half-smile.

- 6. CHANGE YOUR BODY CHEMISTRY.

For example, do paced breathing by breathing in deeply and breathing out slowly.

*(continued on next page)*

## **LOVE**

Love (other than universal love for all) **FITS THE FACTS** of a situation whenever:

- A.** Loving a person, animal, or object enhances quality of life for you or for those you care about.
- B.** Loving a person, animal, or object increases your chances of attaining your own personal goals.
- C.** Other example: \_\_\_\_\_

Follow these suggestions when your love is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

### **OPPOSITE ACTIONS for Love**

Do the **OPPOSITE** of your loving action urges. For example:

- 1. **AVOID** the person, animal, or object you love.
- 2. **DISTRACT** yourself from thoughts of the person, animal, or object.
- 3. **REMINDE** yourself of why love is not justified (rehearse the “cons” of loving) when loving thoughts do arise.

### **ALL-THE-WAY OPPOSITE ACTIONS for Love**

- 4. **AVOID CONTACT** with everything that reminds you of a person you love: pictures, letters/ messages/e-mails, belongings, mementos, places you were together, places you planned to or wanted to go together, places where you know the person has been or will be. No following, waiting for, or looking for the person.
- 5. **STOP EXPRESSING LOVE** for the person, even to friends. Be unfriendly toward the person (e.g., “unfriend” the person on Facebook, Twitter, etc.).
- 6. **ADJUST YOUR POSTURE AND EXPRESSIONS** if you are around the person you love.
  - No leaning toward him or her.
  - No getting close enough to touch.
  - No sighing/gazing at the person.

*(continued on next page)*



## **SADNESS**

Sadness **FITS THE FACTS** of a situation whenever:

- A.** You have lost something or someone permanently.
- B.** Things are not the way you want or expected and hoped them to be.
- C.** Other example: \_\_\_\_\_

Follow these suggestions when sadness is **NOT JUSTIFIED** by the facts or is **NOT EFFECTIVE**:

### **OPPOSITE ACTIONS for Sadness**

Do the **OPPOSITE** of your sad action (or inaction) urges. For example:

- 1. Get **ACTIVE**; approach.
- 2. **AVOID AVOIDING**.
- 3. **BUILD MASTERY**: Do things that make you feel competent and self-confident.  
(See *Emotion Regulation Handout 19: Build Mastery and Cope Ahead.*)
- 4. Increase **PLEASANT EVENTS**.

### **ALL-THE-WAY OPPOSITE ACTIONS for Sadness**

- 5. Pay attention to the **PRESENT MOMENT!**  
Be mindful of your environment—each detail as it unfolds.  
Experience new or positive activities you are engaging in.
- 6. **CHANGE YOUR POSTURE** (adopt a “bright” body posture, with head up, eyes open, and shoulders back).  
Keep an upbeat voice tone.
- 7. **CHANGE YOUR BODY CHEMISTRY**.  
For example, increase physical movement (run, jog, walk, or do other active exercise).

*(continued on next page)*

## **SHAME**

Shame FITS THE FACTS of a situation whenever:

- A.** You will be rejected by a person or group you care about if your personal characteristics or behavior are made public.
- B.** Other example: \_\_\_\_\_

Follow these suggestions when *both* shame and guilt are NOT JUSTIFIED by the facts or are NOT EFFECTIVE:

### **OPPOSITE ACTIONS for Shame**

Do the OPPOSITE of your action urges. For example:

- 1. MAKE PUBLIC your personal characteristics or your behavior (with people who won't reject you).
- 2. REPEAT the behavior that sets off shame over and over (without hiding the behavior from those who won't reject you).

### **ALL-THE-WAY OPPOSITE ACTIONS for Shame**

- 3. NO APOLOGIZING or trying to make up for a perceived transgression.
- 4. TAKE IN all the information from the situation.
- 5. CHANGE YOUR BODY POSTURE. Look innocent and proud. Lift your head; "puff up" your chest; maintain eye contact. Keep your voice tone steady and clear.

Follow these suggestions when shame is NOT JUSTIFIED by the facts or is NOT EFFECTIVE, but *GUILT IS JUSTIFIED* (your behavior does violate your own moral values):

### **OPPOSITE ACTIONS for Shame**

Do the OPPOSITE of your action urges. For example:

- 1. MAKE PUBLIC your behavior (with people who won't reject you).
- 2. APOLOGIZE for your behavior.
- 3. REPAIR the transgressions, or work to prevent or repair similar harm for others.
- 4. COMMIT to avoiding that mistake in the future.
- 5. ACCEPT the consequences gracefully.

### **ALL-THE-WAY OPPOSITE ACTIONS for Shame**

- 6. FORGIVE yourself. Acknowledge the causes of your behavior.
- 7. LET IT GO.

*(continued on next page)*

## **GUILT**

Guilt FITS THE FACTS of a situation whenever:

- A.** Your behavior violates your own values or moral code.
- B.** Other example: \_\_\_\_\_

Follow these suggestions when *both* guilt and shame  
are NOT JUSTIFIED by the facts or are NOT EFFECTIVE:

### **OPPOSITE ACTIONS for Guilt**

Do the OPPOSITE of your action urges. For example:

1. MAKE PUBLIC your personal characteristics or your behavior (with people who won't reject you).
2. REPEAT the behavior that sets off guilt over and over (without hiding the behavior from those who won't reject you).

### **ALL-THE-WAY OPPOSITE ACTIONS for Guilt**

3. NO APOLOGIZING or trying to make up for a perceived transgression.
4. TAKE IN all the information from the situation.
5. CHANGE YOUR BODY POSTURE. Look innocent and proud. Lift your head; "puff up" your chest; maintain eye contact. Keep your voice tone steady and clear.

Follow these suggestions when guilt is NOT JUSTIFIED by the facts or is NOT EFFECTIVE  
*but SHAME IS JUSTIFIED* (you will be rejected by people you care about if found out):

### **OPPOSITE ACTIONS for Guilt**

1. HIDE your behavior (if you want to stay in the group).
2. USE INTERPERSONAL SKILLS (if you want to stay in the group).
3. WORK TO CHANGE the person's or group's values.
4. JOIN A NEW GROUP that fits your values (and will not reject you).
5. REPEAT the behavior that sets off guilt over and over with your new group.

### **ALL-THE-WAY OPPOSITE ACTIONS for Guilt**

6. VALIDATE YOURSELF.



## Problem Solving

**Step 1. FIGURE OUT and DESCRIBE the problem situation.**

**Step 2. CHECK THE FACTS (*all* the facts) to be sure you have the right problem situation!**

*If your facts are correct and  
the situation is the problem,  
continue with STEP 3.*

*If your facts are not correct,  
go back and repeat STEP 1.*

**Step 3. IDENTIFY YOUR GOAL in solving the problem.**

- Identify what needs to happen or change for you to feel OK.
- Keep it simple, and choose something that can actually happen.

**Step 4. BRAINSTORM lots of solutions.**

- Think of as many solutions as you can. Ask for suggestions from people you trust.
- Do not be critical of any ideas at first. (Wait for Step 5 to evaluate ideas.)

**Step 5. CHOOSE a solution that fits the goal and is likely to work.**

- If you are unsure, choose two solutions that look good.
- Do PROS and CONS to compare the solutions.
- Choose the best to try first.

**Step 6. Put the solution into ACTION.**

- ACT! Try out the solution.
- Take the first step, and then the second . . .

**Step 7. EVALUATE the results of using the solution.**

*It worked? YEA!!! It didn't work? Go back to STEP 5 and choose a new solution to try.*



## Reviewing Opposite Action and Problem Solving

	Justifying Events	Act Opposite to Emotion Urge (for Unjustified Emotion)	Act on Emotion Urge, Problem-Solve, or Avoid (for Justified Emotion)
<b>Fear</b>	<b>A.</b> Your life is in danger. <b>B.</b> Your health is in danger. <b>C.</b> Your well-being is in danger.	<b>1.</b> Do what you are afraid of doing . . . over and over. <b>2.</b> Approach what you are afraid of. <b>3.</b> Do what gives you a sense of control and mastery.	<b>1.</b> Freeze/run if danger is near. <b>2.</b> Remove the threatening event. <b>3.</b> Do what gives you a sense of control and mastery of the fearful event. <b>4.</b> Avoid the threatening event.
<b>Anger</b>	<b>A.</b> An important goal is blocked or a desired activity is interrupted or prevented. <b>B.</b> You or someone you care about is attacked or hurt (physically or emotionally) by others. <b>C.</b> You or someone you care about is insulted, offended, or threatened by others.	<b>1.</b> Gently avoid. <b>2.</b> Take a time out. <b>3.</b> Do something kind. <b>4.</b> Imagine understanding: Step into the other person's shoes. <b>5.</b> Imagine really good reasons for what happened.	<b>1.</b> Fight back when being attacked, if you have nothing to lose by fighting. <b>2.</b> Overcome obstacles to goals. <b>3.</b> Work to stop further attacks, insults, and threats. <b>4.</b> Avoid or walk out on people who are threatening.
<b>Disgust</b>	<b>A.</b> Something you are in contact with could poison or contaminate you. <b>B.</b> You are close to a person or group whose actions or thinking could seriously damage or harm you or the group you are part of.	<b>1.</b> Move close. Embrace. <b>2.</b> Be kind; step into the other person's shoes. <b>3.</b> Take in what feels repulsive. <b>4.</b> See the situation from the other person's point of view.	<b>1.</b> Remove/clean up revolting things. <b>2.</b> Influence others to stop harmful actions/stop things that contaminate your community. <b>3.</b> Avoid or push away harmful people or things. <b>4.</b> Imagine understanding a person who has done disgusting things.

(continued on next page)

## EMOTION REGULATION HANDOUT 13 (p. 2 of 3)

	Justifying Events	Act Opposite to Emotion Urge (for Unjustified Emotion)	Act on Emotion Urge, Problem-Solve, or Avoid (for Justified Emotion)
<b>Envy</b>	<b>A.</b> Another person or group gets or has things you don't have that you want or need.	<ol style="list-style-type: none"> <li>1. Inhibit destroying other people's things.</li> <li>2. Count your blessings.</li> <li>3. Imagine how it all makes sense.</li> <li>4. Stop exaggerating others' worth or value.</li> </ol>	<ol style="list-style-type: none"> <li>1. Improve yourself and your life.</li> <li>2. Get others to be fair.</li> <li>3. Devalue what others have that you don't have.</li> <li>4. Put on rose-colored glasses.</li> <li>5. Avoid people who have more than you.</li> </ol>
<b>Jealousy</b>	<b>A.</b> An important and desired relationship or object is in danger of being damaged or lost. <b>B.</b> Someone is threatening to take away an important and desired relationship or object.	<ol style="list-style-type: none"> <li>1. Let go of trying to control others.</li> <li>2. Share what you have with others.</li> <li>3. Stop spying and snooping.</li> <li>4. No avoiding; take in all the information.</li> </ol>	<ol style="list-style-type: none"> <li>1. Protect what you have.</li> <li>2. Work at being more desirable to the person(s) you want to be in a relationship with (i.e., fight for relationships).</li> <li>3. Leave the relationship.</li> </ol>
<b>Love</b>	<b>A.</b> Loving a valued/ admired person, animal, or object enhances the quality of life for you or those you care about. <b>B.</b> Loving the person, animal, or object increases your chances of attaining your own personal goals.	<ol style="list-style-type: none"> <li>1. Avoid the person, animal, or object you love altogether.</li> <li>2. Distract yourself from thoughts of the beloved.</li> <li>3. Avoid contact with all reminders of the beloved.</li> <li>4. Remind yourself of why love is not justified.</li> </ol>	<ol style="list-style-type: none"> <li>1. Be with the person, animal, or thing that you love.</li> <li>2. Touch, hold, etc., the beloved.</li> <li>3. Avoid separations when possible.</li> <li>4. If the beloved is lost, fight to find or get the beloved back (if it may be possible).</li> </ol>
<b>Sadness</b>	<b>A.</b> You have lost something or someone permanently. <b>B.</b> Things are not the way you expected or wanted or hoped for.	<ol style="list-style-type: none"> <li>1. Activate your behavior.</li> <li>2. Avoid avoiding.</li> <li>3. Build mastery: Do things that make you feel competent and self-confident.</li> <li>4. Increase pleasant events.</li> <li>5. Pay attention to pleasant events.</li> </ol>	<ol style="list-style-type: none"> <li>1. Grieve; have a memorial service; visit the cemetery (but don't build a house at the cemetery).</li> <li>2. Retrieve/replace what is lost.</li> <li>3. Plan how to rebuild a life worth living without the beloved or expected outcomes in your life.</li> <li>4. Accumulate positives.</li> <li>5. Build mastery: Do things that make you feel competent and self-confident.</li> <li>6. Communicate need for help.</li> <li>7. Accept help offered.</li> <li>8. Put on rose-colored glasses.</li> </ol>

*(continued on next page)*

## EMOTION REGULATION HANDOUT 13 (p. 3 of 3)

	Justifying Events	Act Opposite to Emotion Urge (for Unjustified Emotion)	Act on Emotion Urge, Problem-Solve, or Avoid (for Justified Emotion)
<b>Shame</b>	<b>A.</b> You will be rejected by a very important person or group if characteristics of yourself or of your behavior are made public.	<ol style="list-style-type: none"> <li>1. Make public your personal characteristics or behavior (with people who won't reject you).</li> <li>2. Repeat the behavior without hiding from people who won't reject you.</li> <li>3. Or, if <i>your</i> moral code is violated, apologize and repair; forgive yourself; and let it go.</li> </ol>	<ol style="list-style-type: none"> <li>1. Hide what will get you rejected.</li> <li>2. Appease those offended.</li> <li>3. Change your behavior or personal characteristics to fit in.</li> <li>4. Avoid groups who disapprove of you.</li> <li>5. Find a new group that fits your values or that likes your personal characteristics.</li> <li>6. Work to change society's or a person's values.</li> </ol>
<b>Guilt</b>	<b>A.</b> Your own behavior violates your own values or moral code.	<ol style="list-style-type: none"> <li>1. Do what makes you feel guilty over and over and over.</li> <li>2. Make public your behavior (with people who won't reject you).</li> </ol> <p><i>Or, if you will be rejected by others:</i></p> <ol style="list-style-type: none"> <li>3. Hide your behavior.</li> <li>4. Use interpersonal skills.</li> <li>5. Work to change your group's values or join a new group.</li> </ol>	<ol style="list-style-type: none"> <li>1. Seek forgiveness.</li> <li>2. Repair the harm; make things better (or, if not possible, work to prevent or repair similar harm for others).</li> <li>3. Accept the consequences gracefully.</li> <li>4. Commit to avoiding behaviors that violate your moral values in the future.</li> </ol>



## Accumulating Positive Emotions: Short Term

Accumulate positive emotions in the short term by doing these things.

### **BUILD POSITIVE EXPERIENCES NOW**

- INCREASE PLEASANT EVENTS that lead to positive emotions.
- Do ONE THING each day from the Pleasant Events List.  
(See *Emotion Regulation Handout 16*.)
- Practice opposite action; AVOID AVOIDING.
- BE MINDFUL of pleasant events (no multitasking).

### **BE MINDFUL OF POSITIVE EXPERIENCES**

- FOCUS your attention on positive moments when they are happening.  
No multitasking.
- REFOCUS your attention when your mind wanders to the negative.
- PARTICIPATE and ENGAGE fully in each experience.

### **BE UNMINDFUL OF WORRIES**

Such as . . .

- When the positive experience will end.
- Whether you deserve this positive experience.
- How much more might be expected of you now.





## Pleasant Events List

1. ☐ Working on my car
2. ☐ Planning a career
3. ☐ Getting out of (paying down) debt
4. ☐ Collecting things (baseball cards, coins, stamps, rocks, shells, etc.)
5. ☐ Going on vacation
6. ☐ Thinking how it will be when I finish school
7. ☐ Recycling old items
8. ☐ Going on a date
9. ☐ Relaxing
10. ☐ Going to or watching a movie
11. ☐ Jogging, walking
12. ☐ Thinking, "I have done a full day's work"
13. ☐ Listening to music
14. ☐ Thinking about past parties
15. ☐ Buying household gadgets
16. ☐ Lying in the sun
17. ☐ Planning a career change
18. ☐ Laughing
19. ☐ Thinking about past trips
20. ☐ Listening to other people
21. ☐ Reading magazines or newspapers
22. ☐ Engaging in hobbies (stamp collecting, model building, etc.)
23. ☐ Spending an evening with good friends
24. ☐ Planning a day's activities
25. ☐ Meeting new people
26. ☐ Remembering beautiful scenery
27. ☐ Saving money
28. ☐ Going home from work
29. ☐ Eating
30. ☐ Practicing karate, judo, yoga
31. ☐ Thinking about retirement
32. ☐ Repairing things around the house
33. ☐ Working on machinery (cars, boats, etc.)
34. ☐ Remembering the words and deeds of loving people
35. ☐ Wearing shocking clothes
36. ☐ Having quiet evenings
37. ☐ Taking care of my plants
38. ☐ Buying, selling stock
39. ☐ Going swimming
40. ☐ Doodling
41. ☐ Exercising
42. ☐ Collecting old things
43. ☐ Going to a party
44. ☐ Thinking about buying things
45. ☐ Playing golf
46. ☐ Playing soccer
47. ☐ Flying kites
48. ☐ Having discussions with friends
49. ☐ Having family get-togethers
50. ☐ Riding a bike or motorbike
51. ☐ Running track
52. ☐ Going camping
53. ☐ Singing around the house
54. ☐ Arranging flowers
55. ☐ Practicing religion (going to church, group praying, etc.)
56. ☐ Organizing tools
57. ☐ Going to the beach
58. ☐ Thinking, "I'm an OK person"
59. ☐ Having a day with nothing to do
60. ☐ Going to class reunions
61. ☐ Going skating, skateboarding, rollerblading
62. ☐ Going sailing or motorboating
63. ☐ Traveling or going on vacations
64. ☐ Painting
65. ☐ Doing something spontaneously
66. ☐ Doing needlepoint, crewel, etc.
67. ☐ Sleeping
68. ☐ Driving
69. ☐ Entertaining, giving parties
70. ☐ Going to clubs (garden clubs, Parents without Partners, etc.)
71. ☐ Thinking about getting married
72. ☐ Going hunting

**(continued on next page)**

*Note.* For adults or adolescents. Adapted from Linehan, M. M., Sharp, E., & Ivanoff, A. M. (1980, November). *The Adult Pleasant Events Schedule*. Paper presented at the meeting of the Association for Advancement of Behavior Therapy, New York. Adapted by permission of the authors.

From *DBT Skills Training Handouts and Worksheets, Second Edition*, by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of *DBT Skills Training Handouts and Worksheets, Second Edition*, and *DBT Skills Training Manual, Second Edition*, for personal use and use with individual clients only. (See page ii of this packet for details.)

- 73. ☐ Singing with groups
- 74. ☐ Flirting
- 75. ☐ Playing musical instruments
- 76. ☐ Doing arts and crafts
- 77. ☐ Making a gift for someone
- 78. ☐ Buying/downloading music
- 79. ☐ Watching boxing, wrestling
- 80. ☐ Planning parties
- 81. ☐ Cooking
- 82. ☐ Going hiking
- 83. ☐ Writing (books, poems, articles)
- 84. ☐ Sewing
- 85. ☐ Buying clothes
- 86. ☐ Going out to dinner
- 87. ☐ Working
- 88. ☐ Discussing books; going to a book club
- 89. ☐ Sightseeing
- 90. ☐ Getting a manicure/pedicure or facial
- 91. ☐ Going to the beauty parlor
- 92. ☐ Early morning coffee and newspaper
- 93. ☐ Playing tennis
- 94. ☐ Kissing
- 95. ☐ Watching my children (play)
- 96. ☐ Thinking, "I have a lot more going for me than most people"
- 97. ☐ Going to plays and concerts
- 98. ☐ Daydreaming
- 99. ☐ Planning to go (back) to school
- 100. ☐ Thinking about sex
- 101. ☐ Going for a drive
- 102. ☐ Refinishing furniture
- 103. ☐ Watching TV
- 104. ☐ Making lists of tasks
- 105. ☐ Walking in the woods (or at the waterfront)
- 106. ☐ Buying gifts
- 107. ☐ Completing a task
- 108. ☐ Going to a spectator sport (auto racing, horse racing)
- 109. ☐ Teaching
- 110. ☐ Photography
- 111. ☐ Going fishing
- 112. ☐ Thinking about pleasant events
- 113. ☐ Staying on a diet
- 114. ☐ Playing with animals
- 115. ☐ Flying a plane
- 116. ☐ Reading fiction
- 117. ☐ Acting
- 118. ☐ Being alone
- 119. ☐ Writing diary entries or letters
- 120. ☐ Cleaning
- 121. ☐ Reading nonfiction
- 122. ☐ Taking children places
- 123. ☐ Dancing
- 124. ☐ Weightlifting
- 125. ☐ Going on a picnic
- 126. ☐ Thinking, "I did that pretty well," after doing something
- 127. ☐ Meditating, yoga
- 128. ☐ Having lunch with a friend
- 129. ☐ Going to the mountains
- 130. ☐ Playing hockey
- 131. ☐ Working with clay or pottery
- 132. ☐ Glass blowing
- 133. ☐ Going skiing
- 134. ☐ Dressing up
- 135. ☐ Reflecting on how I've improved
- 136. ☐ Buying small things for myself (perfume, golf balls, etc.)
- 137. ☐ Talking on the phone
- 138. ☐ Going to museums
- 139. ☐ Thinking religious thoughts
- 140. ☐ Lighting candles
- 141. ☐ White-water canoeing/rafting
- 142. ☐ Going bowling
- 143. ☐ Doing woodworking
- 144. ☐ Fantasizing about the future
- 145. ☐ Taking ballet/tap-dancing classes
- 146. ☐ Debating
- 147. ☐ Sitting in a sidewalk café
- 148. ☐ Having an aquarium
- 149. ☐ Participating in "living history" events
- 150. ☐ Knitting
- 151. ☐ Doing crossword puzzles
- 152. ☐ Shooting pool
- 153. ☐ Getting a massage
- 154. ☐ Saying, "I love you"
- 155. ☐ Playing catch, taking batting practice
- 156. ☐ Shooting baskets
- 157. ☐ Seeing and/or showing photos
- 158. ☐ Thinking about my good qualities
- 159. ☐ Solving riddles mentally
- 160. ☐ Having a political discussion
- 161. ☐ Buying books

*(continued on next page)*

## EMOTION REGULATION HANDOUT 16 (p. 3 of 3)

- 162. ☐ Taking a sauna or a steam bath
- 163. ☐ Checking out garage sales
- 164. ☐ Thinking about having a family
- 165. ☐ Thinking about happy moments in my childhood
- 166. ☐ Splurging
- 167. ☐ Going horseback riding
- 168. ☐ Doing something new
- 169. ☐ Working on jigsaw puzzles
- 170. ☐ Playing cards
- 171. ☐ Thinking, "I'm a person who can cope"
- 172. ☐ Taking a nap
- 173. ☐ Figuring out my favorite scent
- 174. ☐ Making a card and giving it to someone I care about
- 175. ☐ Instant-messaging/texting someone
- 176. ☐ Playing a board game (e.g., Monopoly, Life, Clue, Sorry)
- 177. ☐ Putting on my favorite piece of clothing
- 178. ☐ Making a smoothie and drinking it slowly
- 179. ☐ Putting on makeup
- 180. ☐ Thinking about a friend's good qualities
- 181. ☐ Completing something I feel great about
- 182. ☐ Surprising someone with a favor
- 183. ☐ Surfing the Internet
- 184. ☐ Playing video games
- 185. ☐ E-mailing friends
- 186. ☐ Going walking or sledding in a snowfall
- 187. ☐ Getting a haircut
- 188. ☐ Installing new software
- 189. ☐ Buying a CD or music on iTunes
- 190. ☐ Watching sports on TV
- 191. ☐ Taking care of my pets
- 192. ☐ Doing volunteer service
- 193. ☐ Watching stand-up comedy on YouTube
- 194. ☐ Working in my garden
- 195. ☐ Participating in a public performance (e.g., a flash mob)
- 196. ☐ Blogging
- 197. ☐ Fighting for a cause
- 198. ☐ Conducting experiments
- 199. ☐ Expressing my love to someone
- 200. ☐ Going on field trips, nature walks, exploring (hiking away from known routes, spelunking)
- 201. ☐ Gathering natural objects (wild foods or fruit, driftwood)
- 202. ☐ Going downtown or to a shopping mall
- 203. ☐ Going to a fair, carnival, circus, zoo, or amusement park
- 204. ☐ Going to the library
- 205. ☐ Joining or forming a band
- 206. ☐ Learning to do something new
- 207. ☐ Listening to the sounds of nature
- 208. ☐ Looking at the moon or stars
- 209. ☐ Outdoor work (cutting or chopping wood, farm work)
- 210. ☐ Playing organized sports (baseball, softball, football, Frisbee, handball, paddleball, squash, soccer, tennis, volleyball, etc.)
- 211. ☐ Playing in the sand, a stream, the grass; kicking leaves, pebbles, etc.
- 212. ☐ Protesting social, political, or environmental conditions
- 213. ☐ Reading cartoons or comics
- 214. ☐ Reading sacred works
- 215. ☐ Rearranging or redecorating my room or the house
- 216. ☐ Selling or trading something
- 217. ☐ Snowmobiling or riding a dune buggy/ATV
- 218. ☐ Social networking
- 219. ☐ Soaking in the bathtub
- 220. ☐ Learning or speaking a foreign language
- 221. ☐ Talking on the phone
- 222. ☐ Composing or arranging songs or music
- 223. ☐ Thrift store shopping
- 224. ☐ Using computers
- 225. ☐ Visiting people who are sick, shut in, or in trouble

Other: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



## Accumulating Positive Emotions: Long Term

**A**ccumulate positive emotions in the long term  
to build a “life worth living.”

That is, make changes in your life so that positive events will occur in the future.

### Step 1. Avoid avoiding.

Start now to do what is needed to build the life you want. If you are not sure about what to do, follow the steps below.

### Step 2. Identify values that are important to you.

ASK: What values are really important to me in my life?

*Examples:* Be productive; be part of a group; treat others well; be physically fit.

### Step 3. Identify one value to work on now.

ASK: What is really important to me, right now, to work on in my life?

*Example:* Be productive.

### Step 4. Identify a few goals related to this value.

ASK: What specific goals can I work on that will make this value part of my life?

*Examples:* Get a job where I can do something useful.

Be more active keeping up with important tasks at home.

Find a volunteer job that will use skills I already have.

### Step 5. Choose one goal to work on now.

Do pros and cons, if necessary, to select a goal to work on now.

*Example:* Get a job where I can do something useful.

### Step 6. Identify small action steps toward your goal.

ASK: What small steps can I take to get to my goal?

*Examples:* Visit places and look for job openings on the Internet in my area.

Submit applications for jobs at places I want to work.

Write résumé.

Check out benefits at places I might want to work.

### Step 7. Take one action step now.

*Example:* Go on Internet and check for jobs in my area.



## Values and Priorities List

In my own Wise Mind, I believe it is important to:

☐ **A. Attend to relationships.**

1. ☐ Repair old relationships.
2. ☐ Reach out for new relationships.
3. ☐ Work on current relationships.
4. ☐ End destructive relationships.
- ☐ Other: \_\_\_\_\_

☐ **B. Be part of a group.**

5. ☐ Have close and satisfying relationships with others.
6. ☐ Feel a sense of belonging.
7. ☐ Receive affection and love.
8. ☐ Be involved and intimate with others; have and keep close friends.
9. ☐ Have a family; stay close to and spend time with family members.
10. ☐ Have people to do things with.
- ☐ Other: \_\_\_\_\_

☐ **C. Be powerful and able to influence others.**

11. ☐ Have the authority to approve or disapprove of what people do, or to control how resources are used.
12. ☐ Be a leader.
13. ☐ Make a great deal of money.
14. ☐ Be respected by others.
15. ☐ Be seen by others as successful; become well known; obtain recognition and status.
16. ☐ Compete successfully with others.
17. ☐ Be popular and accepted.
- ☐ Other: \_\_\_\_\_

☐ **D. Achieve things in life.**

18. ☐ Achieve significant goals; be involved in undertakings I believe are significant.
19. ☐ Be productive.
20. ☐ Work toward goals; work hard.
21. ☐ Be ambitious.
- ☐ Other: \_\_\_\_\_

*(continued on next page)*

Adapted from Schwartz, S. H. (1992). Universals in the content and structure of values: Theory and empirical tests in 20 countries. In M. Zanna (Ed.), *Advances in experimental social psychology* (Vol. 25, pp. 1–65). New York: Academic Press. Copyright 1992 by Academic Press. Adapted by permission of Elsevier B.V.

From *DBT Skills Training Handouts and Worksheets, Second Edition*, by Marsha M. Linehan. Copyright 2015 by Marsha M. Linehan. Permission to photocopy this handout is granted to purchasers of *DBT Skills Training Handouts and Worksheets, Second Edition*, and *DBT Skills Training Manual, Second Edition*, for personal use and use with individual clients only. (See page ii of this packet for details.)

☐ **E. Live a life of pleasure and satisfaction.**

- 22. ☐ Have a good time.
- 23. ☐ Seek fun and things that give pleasure.
- 24. ☐ Have free time.
- 25. ☐ Enjoy the work I do.
- ☐ Other: \_\_\_\_\_

☐ **F. Keep life full of exciting events, relationships, and things.**

- 26. ☐ Try new and different things in life.
- 27. ☐ Be daring and seek adventures.
- 28. ☐ Have an exciting life.
- ☐ Other: \_\_\_\_\_

☐ **G. Behave respectfully.**

- 29. ☐ Be humble and modest; do not draw attention to myself.
- 30. ☐ Follow traditions and customs; behave properly.
- 31. ☐ Do what I am told and follow rules.
- 32. ☐ Treat others well.
- ☐ Other: \_\_\_\_\_

☐ **H. Be self-directed.**

- 33. ☐ Follow my own path in life.
- 34. ☐ Be innovative, think of new ideas, and be creative.
- 35. ☐ Make my own decisions and be free.
- 36. ☐ Be independent; take care of myself and those I am responsible for.
- 37. ☐ Have freedom of thought and action; be able to act in terms of my own priorities.
- ☐ Other: \_\_\_\_\_

☐ **I. Be a spiritual person.**

- 38. ☐ Make room in life for spirituality; live life according to spiritual principles.
- 39. ☐ Practice a religion or faith.
- 40. ☐ Grow in understanding of myself, my personal calling, and life's real purpose.
- 41. ☐ Discern and do the will of God (or a higher power) and find lasting meaning in life.
- ☐ Other: \_\_\_\_\_

☐ **J. Be secure.**

- 42. ☐ Live in secure and safe surroundings.
- 43. ☐ Be physically healthy and fit.
- 44. ☐ Have a steady income that meets my own and my family's basic needs.
- ☐ Other: \_\_\_\_\_

*(continued on next page)*

☐ **K. Recognize the universal good of all things.**

45. ☐ Be fair, treat people equally, and provide equal opportunities.

46. ☐ Understand different people; be open-minded.

47. ☐ Care for nature and the environment.

☐ Other: \_\_\_\_\_

☐ **L. Contribute to the larger community.**

48. ☐ Help people and those in need; care for others' well-being; improve society.

49. ☐ Be loyal to friends and devoted to close people; be committed to a group that shares my beliefs, values, and ethical principles.

50. ☐ Be committed to a cause or to a group that has a larger purpose beyond my own.

51. ☐ Make sacrifices for others.

☐ Other: \_\_\_\_\_

☐ **M. Work at self-development.**

52. ☐ Develop a personal philosophy of life.

53. ☐ Learn and do challenging things that help me grow and mature as a human being.

☐ Other: \_\_\_\_\_

☐ **N. Have integrity.**

54. ☐ Be honest, and acknowledge and stand up for my personal beliefs.

55. ☐ Be a responsible person; keep my word to others.

56. ☐ Be courageous in facing and living life.

57. ☐ Be a person who pays debts to others and repairs damage I have caused.

58. ☐ Be accepting of myself, others, and life as it is; live without resentment.

☐ Other: \_\_\_\_\_

☐ **O. Other:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_





## Build Mastery and Cope Ahead

### **B**uild Mastery

1. Plan on doing at least one thing each day to build a sense of accomplishment.

Example: \_\_\_\_\_

2. Plan for success, not failure.

- Do something difficult, but possible.

3. Gradually increase the difficulty over time.

- If the first task is too difficult, do something a little easier next time.

4. Look for a challenge.

- If the task is too *easy*, try something a little harder next time.

### **C**ope Ahead of Time with Difficult Situations

1. **Describe** the situation that is likely to prompt problem behavior.

- Check the facts. Be specific in describing the situation.
- Name the emotions and actions likely to interfere with using your skills.

2. **Decide** what coping or problem-solving skills you want to use in the situation.

- Be specific. Write out in detail how you will cope with the situation and with your emotions and action urges.

3. **Imagine the situation** in your mind as vividly as possible.

- Imagine yourself **IN** the situation **NOW**, not watching the situation.

4. **Rehearse in your mind coping effectively.**

- Rehearse in your mind exactly what you can do to cope effectively.
- Rehearse your actions, your thoughts, what you say, and how to say it.
- Rehearse coping effectively with new problems that come up.
- Rehearse coping effectively with your most feared catastrophe.

5. **Practice relaxation *after* rehearsing.**





## Taking Care of Your Mind by Taking Care of Your Body

Remember these as **PLEASE** skills.

**P  
L**

**1. Treat Physical Illness.**

Take care of your body. See a doctor when necessary. Take prescribed medication.

**E**

**2. Balance Eating.**

Don't eat too much or too little. Eat regularly and mindfully throughout the day. Stay away from foods that make you feel overly emotional.

**A**

**3. Avoid Mood-Altering Substances.**

Stay off illicit drugs, and use alcohol in moderation (if at all).

**S**

**4. Balance Sleep.**

Try to get 7–9 hours of sleep a night, or at least the amount of sleep that helps you feel good. Keep to a consistent sleep schedule, especially if you are having difficulty sleeping.

**E**

**5. Get Exercise.**

Do some sort of exercise every day. Try to build up to 20 minutes of daily exercise.

# EMOTION REGULATION HANDOUT 20A

([Emotion Regulation Worksheet 14a](#))

## Nightmare Protocol, Step by Step

### When Nightmares Keep You from Sleeping

**1. Practice relaxation, pleasant imagery, and coping skills first, to be sure you are ready to work on changing your nightmares.**

Do progressive relaxation, paced breathing, and/or Wise Mind exercises; listen to music or guided imagery; review the distress tolerance crisis survival skills.

**2. Choose a recurring nightmare you would like to work on.**

This will be your target nightmare. Select a nightmare you can manage now. Put off trauma nightmares until you are ready to work with them—or, if you target a trauma nightmare, skip Step 3.

**3. Write down your target nightmare.**

Include sensory descriptions (sights, smells, sounds, tastes, etc.). Also include any thoughts, feelings, and assumptions about yourself during the dream.

**4. Choose a changed outcome for the nightmare.**

The change should occur BEFORE anything traumatic or bad happens to you or others in the nightmare. Essentially, you want to come up with a change that will prevent the bad outcome of the usual nightmare from occurring. Write an ending that will give you a sense of peace when you wake up.

*Note: Changes in the nightmare can be very unusual and out of the ordinary (e.g., you might become a person with superhuman powers who is able to escape to safety or fight off attackers). Changed outcomes can include changed thoughts, feelings, or assumptions about yourself.*

**5. Write down the full nightmare with the changes.**

**6. REHEARSE and RELAX each night before going to sleep.**

Rehearse the *changed* nightmare by visualizing the entire dream with the changes each night, *before* practicing relaxation techniques.

**7. REHEARSE and RELAX during the day.**

Visualize the entire dream with the change, and practice relaxation as often as possible during the day.

# EMOTION REGULATION HANDOUT 20B

([Emotion Regulation Worksheet 14b](#))

## Sleep Hygiene Protocol

When You Can't Sleep, What to Do Instead of Ruminating

### TO INCREASE THE LIKELIHOOD OF RESTFULNESS/SLEEP:

1. **Develop and follow a consistent sleep schedule even on weekends.** Go to bed and get up at the same times each day, and avoid anything longer than a 10-minute nap during the day.
2. **Do not use your bed in the daytime** for things like watching TV, talking on the phone, or reading.
3. **Avoid** caffeine, nicotine, alcohol, heavy meals, and exercise late in the day before going to sleep.
4. **When prepared to sleep, turn off the light, and keep the room quiet and the temperature comfortable and relatively cool.** Try an electric blanket if you are cold; putting your feet outside of the blanket or turning on a fan directed toward your bed if you are hot; or wearing a sleeping mask, using earplugs, or turning on a “white noise” machine if needed.
5. **Give yourself half an hour to at most an hour to fall asleep.** If it doesn't work, evaluate whether you are calm, or anxious (even if only “background anxiety”), or ruminating.
6. **DO NOT CATASTROPHIZE.** Remind yourself that you need rest, and aim for reverie (i.e., dreaminess) and resting your brain. Sell yourself on the idea that staying awake is not a catastrophe. Do not decide to give up on sleeping for the night and get up for the “day.”

### IF YOU ARE CALM BUT WIDE AWAKE:

7. **Get out of bed; go to another room and read a book** or do some other activity that will not wake you up further. As you begin to get tired and/or sleepy, go back to bed.
8. **Try a light snack** (e.g., an apple).

### IF YOU ARE ANXIOUS OR RUMINATING

9. **Use the cold water TIP skill. Get right back in bed and do the paced breathing TIP skill.**

(See *Distress Tolerance Handout 6: TIP Skills: Changing Your Body Chemistry*.)

Remember, if you have any medical condition, get medical approval before using cold water.

10. **Try the 9–0 meditation practice.** Breathe in deeply and breathe out slowly, saying in your mind the number 9. On the next breath out, say 8; then say 7; and so on until you breathe out saying 0. Then start over, but this time start with 8 (instead of 9) as you breathe out, followed by 7, and so on until you reach 0. Next start with 6 as you breathe out, and so on to 0. Then start with 5, then with 4, and so on until you have gone all the way down to starting with 1. (If you get lost, start over with the last number you remember.) Continue until you fall asleep.
11. **Focus on the bodily sensation** of the rumination (rumination is often escape from difficult emotional sensations).
12. **Reassure yourself** that worries in the middle of the night are just “middle-of-the-night-thinking,” and that in the morning you will think and feel differently.
13. **Read an emotionally engrossing novel** for a few minutes until you feel somewhat tired. Then stop reading, close your eyes, and try to continue the novel in your head.
14. **If rumination doesn't stop**, follow these guidelines: “If it's solvable, solve it. If it is insolvable, go deep into the worry all the way to the “catastrophe”—the very worst outcome you can imagine—and then imagine coping ahead with the catastrophe.

(See *Emotion Regulation Handout 19: Build Mastery and Cope Ahead*.)

**If nothing else works, with eyes closed, listen to public radio (BBC, NPR, etc.)** at low volume (use headphones if necessary). Public radio is a good choice for this, because there is little fluctuation in voice tone or volume.

# EMOTION REGULATION HANDOUT 21

([Emotion Regulation Worksheets 15](#), [16](#))

## Overview: Managing Really Difficult Emotions

### MINDFULNESS OF CURRENT EMOTIONS

Suppressing emotion increases suffering.

Mindfulness of current emotions is the path to emotional freedom.

### MANAGING EXTREME EMOTIONS

Sometimes emotional arousal is so high that you can't use any skills, particularly if the skills are complicated or take any thought on your part.

This is a skills breakdown point.

Crisis survival skills are needed.

### TROUBLESHOOTING AND REVIEW

There are many ways to change emotions.

It can be helpful to have a list of the important skills to look at when you can't remember the skills you need to regulate your emotions.



### Mindfulness of Current Emotions: Letting Go of Emotional Suffering

#### OBSERVE YOUR EMOTION

- Step back and just notice your emotion.
- Experience your emotion as a WAVE, coming and going.
- Now imagine surfing the emotion wave.
- Try not to BLOCK or SUPPRESS the emotion.
- Don't try to GET RID of or PUSH away the emotion.
- Don't try to KEEP the emotion around.
- Don't HOLD ON to it.
- Don't AMPLIFY it.

#### PRACTICE MINDFULNESS OF BODY SENSATIONS

- Notice WHERE in your body you are feeling emotional sensations.
- Experience the SENSATIONS as fully as you can.
- Observe how LONG it takes before the emotion goes down.

#### REMEMBER: YOU ARE NOT YOUR EMOTION

- Do not necessarily ACT on your emotion.
- Remember times when you have felt DIFFERENT.

#### PRACTICE LOVING YOUR EMOTION

- RESPECT your emotion.
- Do not JUDGE your emotion.
- Practice WILLINGNESS.
- Radically ACCEPT your emotion.



## Troubleshooting Emotion Regulation Skills: When What You Are Doing Isn't Working

**1**

### CHECK YOUR BIOLOGICAL SENSITIVITY

- **ASK:** Am I biologically more vulnerable?  
Do I have untreated physical illness or distress?  
Am I out of balance on eating, use of drugs, sleep, exercise?  
Have I taken medications as prescribed?
- **WORK** on your PLEASE skills.
  1. Take care of physical illness and distress.
  2. Take medications as prescribed. Check if others are needed.
  3. Try again.

**2**

### CHECK YOUR SKILLS

- **REVIEW** what you have tried.  
Did you try a skill likely to be effective?  
Did you follow the skill instructions to the letter?
- **WORK** on your skills.
  1. Review and try other skills.
  2. Get coaching if you need it.
  3. Try again.

**3**

### CHECK FOR REINFORCERS

- **ASK:** Do my emotions . . .  
**COMMUNICATE** an important message or influence people to do things?  
**MOTIVATE** me to do things I think are important?  
**VALIDATE** my beliefs or my identity?  
**FEEL GOOD?**
- **IF YES:**
  1. Practice interpersonal effectiveness skills to communicate.
  2. Work to find new reinforcers to motivate yourself.
  3. Practice self-validation.
  4. Do **PROS AND CONS** for changing emotions.  
(See *Emotion Regulation Worksheet 1.*)

(continued on next page)

**4**

**CHECK YOUR MOOD**

- ASK: Am I putting in the time and effort that solving my problem will take?
- IF NO:
  1. Do PROS AND CONS for working hard on skills.
  2. Practice RADICAL ACCEPTANCE and WILLINGNESS skills.
  3. Practice the mindfulness skills of PARTICIPATING and EFFECTIVENESS  
(See *Mindfulness Handouts 4 and 5.*)

**5**

**CHECK FOR EMOTIONAL OVERLOAD**

- ASK: Am I too upset to use complicated skills?
- IF YES, ask: Can the problems I am worrying about be easily solved now?
  - IF YES, do PROBLEM SOLVING.  
(See *Emotion Regulation Handouts 9, 12.*)
  - IF NO, practice mindfulness of CURRENT EMOTIONS.  
(See *Emotion Regulation Handout 22.*)
- IF your emotions are too high for you to think straight:
  - Go to TIP skills.  
(See *Distress Tolerance Handout 5.*)

**6**

**CHECK FOR EMOTION MYTHS GETTING IN THE WAY**

- CHECK FOR:

Judgmental myths about emotions (e.g., “Some emotions are stupid,” “There is a right way to feel in every situation”)?

Beliefs that emotions and identity are the same (e.g., “My emotions are who I am”)?
- IF YES:
  1. Check the facts.
  2. Challenge myths.
  3. Practice thinking nonjudgmentally.

## EMOTION REGULATION WORKSHEET 2

([Emotion Regulation Handout 3](#))

### Figuring Out What My Emotions Are Doing for Me

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

Select a current or recent emotional reaction and fill out as much of this sheet as you can. If the prompting event for the emotion you are working on is another emotion that occurred first (for example, feeling afraid prompted getting angry at yourself), then fill out a second worksheet for that first emotion. Write on the back of the sheet if you need more room. Remember to use your describe skills for each question.

**EMOTION NAME:** \_\_\_\_\_ **INTENSITY (0–100):** \_\_\_\_\_

---

#### Describe Prompting Event

What happened to prompt this emotion?

#### Describe Motivation to Action

What action was my emotion motivating and preparing me to do? (Was there a problem my emotion was getting me to solve, overcome, or avoid?) What function or goal did my emotion serve?

---

#### Describe Communication to Others

What was my facial expression? Posture? Gestures? Words? Actions?

What message did my emotion send to others (even if I didn't intend to send the message)?

How did my emotion influence others (even if I didn't intend to influence them)? What did others do or say as a result of my emotional expression or actions?

---

#### Describe Communication to Myself

What did my emotion say to me?

What facts could I check out to be sure the message my emotions were sending to me was correct?

What facts did I check out?



## EMOTION REGULATION WORKSHEET 4

([Emotion Regulation Handouts 5, 6](#))

### Observing and Describing Emotions

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

Select a current or recent emotional reaction, and fill out as much of this sheet as you can. If the prompting event for the emotion you are working on is another emotion that occurred first (e.g., fear prompted anger at yourself), then fill out a second worksheet for the first emotion. Use Emotion Regulation Handout 6 for ideas. Write on the back of this sheet if you need more room.

<b>Vulnerability Factors:</b> What happened before to make me vulnerable to the prompting event? Tell the story up to the event. _____ _____		
<b>Interpretation of Event:</b> Thoughts, beliefs, assumptions, appraisals? _____ _____ _____	<b>Biological Changes</b> <b>Face and Body Changes and Experiences:</b> What am I or was I feeling in my face and body? _____ _____ _____ _____ _____ <b>Action Urges</b> What do I or did I feel like doing? What do I or did I want to say? _____ _____ _____ _____ _____	<b>Expressions</b> <b>Face and Body Language:</b> What is or was my facial expression? Posture? Gestures? _____ _____ _____ <b>Expression with Words:</b> What I SAID _____ _____ _____ <b>Actions: What I DID</b> _____ _____ _____ _____
<b>Prompting Event:</b> What set off the emotion? What happened in the few minutes right before the emotion started? Just the facts! _____ _____ _____		<b>Emotion Name:</b> _____
<b>Aftereffects:</b> Emotions, behavior, thoughts, etc.? _____ _____ _____		<b>Intensity (0–100)</b> _____

# EMOTION REGULATION WORKSHEET 5 (p. 1 of 2)

([Emotion Regulation Handouts 8, 8a](#))

## Check the Facts

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

It is hard to problem-solve an emotional situation if you don't have your facts straight. You must know what the problem is before you can solve it. This worksheet helps you figure out whether it is the event that is causing your emotion, your interpretation of the event, or both. Use your mindfulness skills of observing and describing. Observe the facts, and then describe the facts you have observed.

**Step 1 Ask: What emotion do I want to change?**

**EMOTION NAME:** \_\_\_\_\_ **INTENSITY (0–100) Before:** \_\_\_\_\_ **After:** \_\_\_\_\_

**Step 2 Ask: What is the PROMPTING EVENT for my emotional reaction?**

**DESCRIBE THE PROMPTING EVENT:** What happened that led you to have this emotion? Who did what to whom? What led up to what? What is it about this event that is a problem for you? Be very specific in your answers.

---

---

### CHECK THE FACTS!

Look for extremes and judgments in the way you are describing the prompting event.

**REWRITE** the facts, if necessary, to be more accurate.

**Facts**



---

---

**Step 3 Ask: What are my INTERPRETATIONS (thoughts, beliefs, etc.) about the facts?**

What am I assuming? Am I adding my own interpretations to the description of the prompting event?

---

---

### CHECK THE FACTS!

List as many *other* possible interpretations of the facts as you can.

---

---

**REWRITE** the facts, if necessary. Try to check the accuracy of your interpretations. If you can't check the facts, write out a likely or a useful (i.e., effective) interpretation.

**Facts**



---

---

(continued on next page)

## EMOTION REGULATION WORKSHEET 5 (p. 2 of 2)

**Step 4**      **Ask: Am I assuming a THREAT?** What is the THREAT? What about this event or situation is threatening to me? What worrisome consequences or outcomes am I expecting?

---

---

---

### CHECK THE FACTS!

List as many *other* possible outcomes as you can, given the facts.

---

---

**REWRITE** the facts if needed. Try to check the accuracy of your expectations. If you can't check out probable outcomes, write out a likely noncatastrophic outcome to expect.

---

---

**Facts**  
→

---

---

**Step 5**      **Ask: What's the CATASTROPHE, even if the outcome I am worrying about does occur?** Describe in detail the worst outcome I can reasonably expect.

---

---

---

**DESCRIBE WAYS TO COPE** if the worst does happen.

---

---

---

**Step 6**      **ASK: Does my emotion (or its intensity or duration) FIT THE FACTS?**  
(0 = not at all to 5 = I am certain): \_\_\_\_\_

If you are unsure whether your emotion or your emotional intensity fits the facts (for example, you give a score of 2, 3, or 4), keep checking the facts. Be as creative as you can be; ask others for their opinions; or do an experiment to see if your predictions or interpretations are correct.

**Describe what you did to check the facts:**

---

---

---


# EMOTION REGULATION WORKSHEET 6

([Emotion Regulation Handout 9](#))

## Figuring Out How to Change Unwanted Emotions

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

Once you have checked the facts, use this worksheet to help you figure out what to do next. Before you can figure out what to change, you have to decide whether acting on your emotion is effective in the situation you are in (and whether the emotion is one you actually want to change). (If you are not sure whether you want to change it or not, go back to Emotion Regulation Worksheet 1 and do pros and cons.) In the flow chart below, circle Yes or No at each level, and then select the skill that fits your situation best.



Describe what you did to manage the emotion:

# EMOTION REGULATION WORKSHEET 7

([Emotion Regulation Handouts 10, 11](#))

## Opposite Action to Change Emotions

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

Select a current or recent emotional reaction that you find painful or want to change. Figure out if the emotion fits the facts. If it does not, then notice your action urges; figure out what would be opposite actions; and then do the opposite actions. Remember to practice opposite action *all the way*. Describe what happened.

EMOTION NAME: \_\_\_\_\_ INTENSITY (0–100) Before: \_\_\_\_\_ After: \_\_\_\_\_

PROMPTING EVENT for my emotion (who, what, when, where): What prompted the emotion.

IS MY EMOTION (or its intensity or duration) JUSTIFIED? Does it fit the facts? Is it effective?

List the facts that justify the emotion and those that do not. Check the answer that is mostly correct.

Justified	Not justified
_____	_____
_____	_____

☐ **JUSTIFIED: Go to problem solving**  
(Emotion Regulation Worksheet 8)

☐ **NOT JUSTIFIED: Continue**

**ACTION URGES:** What do I feel like doing or saying?

**OPPOSITE ACTION:** What are the actions opposite to my urges? What am I not doing because of my emotions? Describe both *what* and *how* to act opposite **all the way** in the situation.

**WHAT I did:** Describe in detail.

**HOW I did it:** Describe body language, facial expression, posture, gestures, and thoughts.

What **AFTEREFFECT** did the opposite action have on me (my state of mind, other emotions, behavior, thoughts, memory, body, etc.)?

# EMOTION REGULATION WORKSHEET 8 (p. 1 of 2)

([Emotion Regulation Handout 12](#))

## Problem Solving to Change Emotions

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

Select a prompting event that triggers a painful emotion. Select an event that can be changed. Turn the event into a problem to be solved. Follow the steps below and describe what happened.

**EMOTION NAME:** \_\_\_\_\_ **INTENSITY (0–100) Before:** \_\_\_\_\_ **After:** \_\_\_\_\_

- 1. WHAT IS THE PROBLEM?** Describe the problem prompting your emotions. What makes the situation a problem?

---

---

---

- 2. CHECK THE FACTS TO MAKE SURE YOU HAVE THE RIGHT PROBLEM.** Describe what you did to be sure of your facts.

*(See Emotion Regulation Worksheet 6 if you need help.)*

---

---

**REWRITE the problem** if needed to stick with the facts.

---

---

- 3. WHAT IS A REALISTIC SHORT-TERM GOAL OF YOUR PROBLEM SOLVING?** What has to happen for you to think you have made progress?

---

---

---

- 4. BRAINSTORM SOLUTIONS:** List as many solutions and coping strategies as you can think of. **DON'T EVALUATE!**

---

---

---

---

---

---

*(continued on next page)*

# PLEASE

Skills

Have I . . .

Treated Physical illness? \_\_\_\_\_

Balanced Eating? \_\_\_\_\_

Avoided mood-Altering substances? \_\_\_\_\_

Balanced Sleep? \_\_\_\_\_

Exercised? \_\_\_\_\_

## EMOTION REGULATION WORKSHEET 10

([Emotion Regulation Handouts 15](#), [16](#))

### Pleasant Events Diary

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

Accumulating pleasant events can take planning. For each day of the week, write down at least one pleasant activity or event that is possible for you. In the next column, write down for each day the pleasant event or activity that you actually engaged in. Fill out an Observing and Describing Emotions worksheet (Emotion Regulation Worksheet 4 or 4a) if necessary, plus this diary sheet.

Day of week	Pleasant event(s) planned	Pleasant event(s) I actually did	Mindfulness of pleasant event (0–5)	Letting go of worries (0–5)	Pleasant experience (0–100)	Comments



# EMOTION REGULATION WORKSHEET 11A

([Emotion Regulation Handouts 17, 18](#))

## Getting from Values to Specific Action Steps

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

Once you have figured out your values, the next step is to decide on specific things you can do or achieve (goals) that will make your life more in line with your values. Once you have goals, you can figure out what action steps are necessary to achieve the goal.

**Example: VALUE:** Be part of a group.

Possible **GOALS:**

- Reconnect with old friends.
- Get a more social job.
- Join a club.

Pick one **GOAL** to work on right now.

- Join a club.

Figure out a few **ACTION STEPS** that will move me toward my goal.

- Look for clubs on craigslist.
- Go to the bookstore by my house and ask about book groups.
- Join an interactive online game or chat room.

1. Pick one of your **VALUES:**

\_\_\_\_\_

2. Identify three **GOALS:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3. Circle one **GOAL** to work on right now.

4. Identify **ACTION STEPS** you can take right now to move closer to this **GOAL**.

\_\_\_\_\_

\_\_\_\_\_

5. Take one **ACTION STEP** now. Describe what you did:

\_\_\_\_\_

\_\_\_\_\_

Describe what happened next: \_\_\_\_\_

\_\_\_\_\_

## EMOTION REGULATION WORKSHEET 14

([Emotion Regulation Handout 20](#))

### Practicing PLEASE Skills

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

In the left column, put down the days of the week. Then write down what you did to practice each of the PLEASE skills. At the bottom of each column, check whether practicing this skill was helpful during the week.

Day	Describe treating <u>Physical</u> illness	Describe balanced <u>E</u> ating efforts	List mood- <u>A</u> ltering substances used	Hours of <u>S</u> leep (time to bed; time up)	Describe <u>E</u> xercise (hours and/or minutes)
	Helpful? <input type="checkbox"/> YES <input type="checkbox"/> NO	Helpful? <input type="checkbox"/> YES <input type="checkbox"/> NO	Helpful? <input type="checkbox"/> YES <input type="checkbox"/> NO	Helpful? <input type="checkbox"/> YES <input type="checkbox"/> NO	Helpful? <input type="checkbox"/> YES <input type="checkbox"/> NO

## EMOTION REGULATION WORKSHEET 14B

### Sleep Hygiene Practice Sheet

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

In the far left column, put down the days of the week. Then put times/hours in bed, and what you did in the 4 hours before bed, in the next three columns. Along with describing the strategies you used, please rate your degree of rumination before and after using skills. Write in 0 if you had no rumination. Finally, rate the overall usefulness of your strategies.

Day	Time to bed/ time up	Hours/ minutes in bed during the day	Food, drink, exercise within 4 hours of bed	Starting emotion/ rumination intensity (0–100)	Describe strategies used to get to sleep (or back to sleep)	Ending emotion/ rumination intensity (0–100)	Usefulness of strategies (0–100)
	_____ _____	Hrs: _____ Min: _____					
	_____ _____	Hrs: _____ Min: _____					
	_____ _____	Hrs: _____ Min: _____					
	_____ _____	Hrs: _____ Min: _____					
	_____ _____	Hrs: _____ Min: _____					
	_____ _____	Hrs: _____ Min: _____					
	_____ _____	Hrs: _____ Min: _____					

# EMOTION REGULATION WORKSHEET 15

([Emotion Regulation Handouts 21, 22](#))

## Mindfulness of Current Emotions

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

**EMOTION NAME:** \_\_\_\_\_ **INTENSITY (0–100) Before:** \_\_\_\_\_ **After:** \_\_\_\_\_

Describe situation that prompts emotion. (Fill out Steps 1 and 2 on Emotion Regulation Worksheet 5, if necessary.)

When emotional intensity is extreme, go to **CRISIS SURVIVAL SKILLS first** and fill out Distress Tolerance Worksheets 2–6. With any emotion, high or low, practice radical acceptance with **MINDFULNESS OF CURRENT EMOTIONS**.

Check off any of the following that you did:

- ☐ Stepped back and just noticed the emotions I was experiencing.
- ☐ Experienced the emotion as waves, coming and going on the beach.
- ☐ Let go of judgments about my emotions.
- ☐ Noticed where in my body I was feeling the emotional sensations.
  
- ☐ Paid attention to the physical sensations of the emotions as much as I could.
- ☐ Observed how long it took the emotion to go away.
- ☐ Reminded myself that being critical of emotions does not work.
- ☐ Practiced willingness to have unwelcome emotions.
- ☐ Imagined my emotions as clouds in the sky, coming and going.
- ☐ Just noticed the action urge that went with my emotion.
  
- ☐ Got myself to avoid acting on my emotion.
- ☐ Reminded myself of times when I have felt different.
- ☐ Practiced radically accepting my emotion.
- ☐ Tried to love my emotions.

Other: \_\_\_\_\_

Comments and descriptions of experiences:

# EMOTION REGULATION WORKSHEET 16

([Emotion Regulation Handout 24](#))

## Troubleshooting Emotion Regulation Skills

Due Date: \_\_\_\_\_ Name: \_\_\_\_\_ Week Starting: \_\_\_\_\_

When you just can't get your skills to work, try doing this worksheet to see if you can figure out what is going wrong. Check off each box in order, follow the directions and keep going until you find a solution.

**EMOTION NAME:** \_\_\_\_\_ **INTENSITY (0–100) Before:** \_\_\_\_\_ **After:** \_\_\_\_\_

List the skill you were trying to use that did not seem to help: \_\_\_\_\_

### 1. Am I biologically more vulnerable?

- ☐ **NO:** Go to next question.
- ☐ **NOT SURE:** Review the PLEASE skills. (*See Emotion Regulation Handout 20.*)
- ☐ **YES:** Work on PLEASE skills. (*See Emotion Regulation Worksheet 14.*) Consider medication.  
*Did this help?* ☐ **No** (*Go to next question*) ☐ **Yes (Fabulous)** ☐ **Didn't do it**

### 2. Did I use the skill correctly? Check out the instructions.

- ☐ **YES:** Go to next question.
- ☐ **NOT SURE:** Reread the instructions or get coaching. TRY AGAIN.  
*Did this help?* ☐ **No** (*Go to next question*) ☐ **Yes (Fabulous)** ☐ **Didn't do it**

### 3. Are my emotions being reinforced (and maybe I don't really want to change them)?

- ☐ **NO:** Go to next question.
- ☐ **NOT SURE:** Review Emotion Regulation Handout 3/Worksheets 2, 2a.
- ☐ **YES:** Do a PROS and CONS for changing emotions. (*See Emotion Regulation Worksheet 1.*)  
*Did this help?* ☐ **No** (*Go to next question*) ☐ **Yes (Fabulous)** ☐ **Didn't do it**

### 4. Am I putting in the time and effort that emotion regulation takes?

- ☐ **YES:** Continue practicing.
- ☐ **NO:** Practice radical acceptance and willingness. (*See Distress Tolerance Handouts 11b and 13.*)  
Practice participating and effectiveness. (*See Mindfulness Handouts 4 and 5.*)  
Use problem solving to find the time to work on skills. (*See Emotion Regulation Worksheet 8.*)  
*Did this help?* ☐ **No** (*Go to next question*) ☐ **Yes (Fabulous)** ☐ **Didn't do it**

### 5. Are my emotions too extreme right now for skills? Am I going around in so many circles that I have fallen into the emotional sea of dyscontrol?

- ☐ **NO:** Go to next question.
- ☐ **YES:** If possible *now*, solve the problem. (*See Emotion Regulation Handout 12, Worksheet 9.*)  
If not possible, *attend to physical sensations*. (*See Emotion Regulation Handout 22.*)  
If too extreme for skills, go to TIP skills. (*See Distress Tolerance Handout 5.*)  
*Did this help?* ☐ **No** (*Go to next question*) ☐ **Yes (Fabulous)** ☐ **Didn't do it**

### 6. Are myths about emotions and emotion regulation getting in my way?

- ☐ **NO.**
- ☐ **YES:** Practice nonjudgmentalness. Check the facts and challenge the myths.  
*Did this help?* ☐ **No** ☐ **Yes (Fabulous)** ☐ **Didn't do it**