The **vmargin** Package[*]

Volker Kuhlmann[†]

2004/07/15

Abstract

LaTeX package which introduces paper sizes and provides macros for setting document margins. It still works with LaTeX 2.09. This package supersedes package vpage.

This package file can be made part of a format by typing `\input vmargin.sty` before dumping the format.

Contents

1 License

This package is copyright © 1993, 1994, 1995, 1996, 1999, 2000, 2002, 2004 by:

> Volker Kuhlmann, c/o University of Canterbury, ELEC Dept, Creyke Road, Christchurch, New Zealand
> E-Mail: `VolkerKuhlmann@GMX.de`

This program can be redistributed and/or modified under the terms of the LaTeX Project Public License, distributed from CTAN archives as macros/latex/base/lppl.txt; either version 1 of the License, or (at your option) any later version.

2 History

This is the first package I ever wrote, to save a lot of typing when dealing with TeX's 1in/1in margin offset, proper margin alignment for doublesided printing, and page layout parameters I always used. As there wasn't anything similar on CTAN I submitted the

---

[*] This file has version number V2.5, last modified 2004/07/15.

[†] Email: `VolkerKuhlmann@GMX.de`. For a postal address refer to the license section.

package, then called Vpage. I never heard back, and wasn't looking for it in the right place, so I thought it hadn't been accepted and never thought any more of it.

In the meantime I realised its general-purpose potential and took the page layout code out, renaming it to Vmargin. First time I heard it was on CTAN was when I read the list of 3rd-party packages in the LATEX Companion and it had vpage in it (CTAN doesn't deal in uppercase letters). So sorry for any confusion the name change caused...

Further development essentially ceased because I didn't see much scope for improvements. vmargin was doing its job. I could have gone overboard with package options, but didn't because I was more interested in a short efficient tool which doesn't load half of the tools and/or graphics bundle. It still works under both LATEX 2.09 and LATEX 2_ε.

3 User manual

3.1 Page Size

These macros make it easy to set page margins for a chosen paper size. Actual dimensions of the most common paper sizes are stored and need not be remembered.

Two sided printing is supported, meaning that if on odd pages the left margin is, say, 30mm and the right margin is 20mm, it will be vice versa on even pages. This gives equal margins on the outer and equal margins on the inner edge of the paper, as expected e.g. for a book.

vmargin is designed to be reasonably restricted in both memory usage and processing time, so that the common task of setting margins is not too distracting. If you are looking for something fancier try the geometry package.

The basic procedure of using vmargin is to first set a paper size, and then to set the margins. The margin setting functions depend on the paper size. Setting the paper size and margins are two independent operations, i.e. setting the paper size does not directly affect the margins but will affect the following margin setting command.

\setpapersize   The size of the paper can be set with

        \setpapersize{⟨size⟩}

⟨size⟩ can be A0, A1, ..., A9, B0, B1, ..., B9, C0, ..., C9, USletter, USlegal, and USexecutive. The metric paper sizes are not stored but calculated. \setpapersize by default sets the orientation to portrait.

Landscape format is selected by using the optional argument

        \setpapersize[landscape]{⟨size⟩}

which swaps the width and height dimensions of the paper.

        \setpapersize[portrait]{⟨size⟩}

is allowed but is the default.

If you have a size which is not pre-defined use

        \setpapersize{custom}{⟨width⟩}{⟨height⟩}

For ⟨width⟩ and ⟨height⟩ insert the respective dimensions of your paper.

\PaperWidth   \setpapersize stores the actual dimensions of the paper in the length variables
\PaperHeight
        \PaperWidth
        \PaperHeight

\ifLandscape   which can be used further, if desired.

        \ifLandscape

yields true if a landscape format is selected. Do not write to \PaperWidth, \PaperHeight, or call \Landscapetrue or \Landscapefalse, it will not work!!

vmargin detects when it runs under pdflatex, and in that case also sets the pdf page size (variables \pdfpagewidth and \pdfpageheight).

Default for the paper size is A4 portrait.

3.2 Margins

\setmargins Once the paper size is selected, margins can be set with

$$\text{\textbackslash setmargins}\{\langle leftmargin\rangle\}\{\langle topmargin\rangle\}\{\langle textwidth\rangle\}\{\langle textheight\rangle\}\%$$
$$\{\langle headheight\rangle\}\{\langle headsep\rangle\}\{\langle footheight\rangle\}\{\langle footskip\rangle\}$$

or with

$$\text{\textbackslash setmarginsrb}\{\langle leftmargin\rangle\}\{\langle topmargin\rangle\}\{\langle rightmargin\rangle\}\{\langle bottommargin\rangle\}\%$$
$$\{\langle headheight\rangle\}\{\langle headsep\rangle\}\{\langle footheight\rangle\}\{\langle footskip\rangle\}$$

\setmarginsrb   In the latter case \textwidth and \textheight are calculated using the width and height of the selected paper such as to effectively result in ⟨*rightmargin*⟩ and ⟨*bottommargin*⟩. The first four parameters of the above two commands are used to set \oddsidemargin, \evensidemargin, \textwidth, \topmargin, and \textheight.

\setmargnohf   \setmargnohf, \setmargnohfrb provide a page with no header and footer. They
\setmargnohfrb   work the same as \setmargins, \setmarginsrb except that they only need the first 4 parameters. The last 4 parameters are set to 0pt. These 2 commands set the pagestyle to empty (\pagestyle{empty}) as there is no space for headers or footers.

$$\text{\textbackslash setmargnohf}\{\langle leftmargin\rangle\}\{\langle topmargin\rangle\}\{\langle textwidth\rangle\}\{\langle textheight\rangle\}\%$$
$$\text{\textbackslash setmargnohfrb}\{\langle leftmargin\rangle\}\{\langle topmargin\rangle\}\{\langle rightmargin\rangle\}\{\langle bottommargin\rangle\}\%$$

\setmarg   \setmarg, \setmargrb are the same as \setmargnohf, \setmargnohfrb except that
\setmargrb   ⟨*headheight*⟩, ⟨*headsep*⟩, ⟨*footheight*⟩, and ⟨*footskip*⟩ are unchanged instead of being set to 0pt.

$$\text{\textbackslash setmarg}\{\langle leftmargin\rangle\}\{\langle topmargin\rangle\}\{\langle textwidth\rangle\}\{\langle textheight\rangle\}\%$$
$$\text{\textbackslash setmargrb}\{\langle leftmargin\rangle\}\{\langle topmargin\rangle\}\{\langle rightmargin\rangle\}\{\langle bottommargin\rangle\}\%$$

Example:

A4 paper, left margin 30mm, top, right, and bottom margin 20mm each, no headers or footers:

```
\setpapersize{A4}
\setmarginsrb{30mm}{20mm}{20mm}{20mm}{0pt}{0mm}{0pt}{0mm}
\pagestyle{empty}
```

The same settings would result with:

```
\setpapersize{A4}
\setmargnohfrb{30mm}{20mm}{20mm}{20mm}
```

Defaults are

```
\setmarginsrb{35mm}{20mm}{25mm}{15mm}{12pt}{11mm}{0pt}{11mm}
```

or with package option nohf

```
\setmargnohfrb{35mm}{20mm}{25mm}{15mm}
```

3.3 Dealing with TeX's Margin Offset

The default top and left margins of TeX are +1in. \setmargXXX call \margin@offset
\margin@offset which initialises \hoffset, \voffset to -1truein and \oddsidemargin, \evensidemargin,
\hoffset   \topmargin to 0in. \setmargXXX then add the given dimensions to \topmargin,
\voffset   \oddsidemargin, \evensidemargin. In some cases it might be desired to use \XXXmargin instead of \Xoffset for compensation. This can be achieved by telling \margin@offset to initialise \Xoffset to 0in and \XXXmargin to -1truein. This is what \shiftmargins does.

If \margin@offset is already defined at the time vmargin is loaded it is *not* redefined! Therefore if \margin@offset is defined before vmargin is loaded the above mentioned compensation can be replaced by a different mechanism. In any case \setmargXXX call \margin@offset and then expect that \XXXmargin are set to useful values. \Xoffset are not touched by \setmargXXX. \margin@offset should be defined in a separate file which is included *before* vmargin, i.e. appears in the list of document-substyles of the \documentstyle command before vmargin. Any better way of doing this? (grumble)

Example:

```
\documentclass[...]{...}
\usepackage{...,margins,vmargin,...}
```

if \margin@offset is defined in a file called margins.sty.

or with LATEX 2.09:

```
\documentstyle[...,margins,vmargin,...]{...}
```

3.4 LATEX 2ε

This package now uses some of the new LATEX2e features for package programming. It will still work with LATEX 2.09 (in which case the new features are not used).

LATEX2e (unless in compatibility mode) does not know `\footheight` any more. vmargin does not set this variable if it does not exist, and sets it if it does. As `\footheight` was not used by LATEX 2.09 all this has little significance.

LATEX 2ε now has the dimensions `\paperwidth`, `\paperheight` which hold the size of the paper. `\PaperWidth`, `\PaperHeight` are copied into `\paperwidth`, `\paperheight` if the latter exist. This makes vmargin work correctly with anything that expects `\paperwidth`, `\paperheight` to be set properly. The names `\PaperWidth`, `\PaperHeight` had been chosen in the first place to avoid clashes with style files that also use these names (namely pageframe.sty).

The following package options are available with LATEX 2ε:

shiftmargins

shiftmargins Same as `\shiftmargins`.

portrait

portrait Keep the default of a portrait page layout.

landscape

landscape Change the default page orientation to landscape. Note: using `\setpapersize` after `\usepackage` causes package option landscape to be ignored.

A4

A4, etc Same as using `\setpapersize[...]{...}`. Note: `\setpapersize` always sets the orientation to portrait unless landscape is given as an optional argument to `\setpapersize`.

nohf

nohf Do not make space for header and footer lines; this also sets the pagestyle to `empty`.

All unknown options are treated as a paper size, if necessary generating an error that the requested paper size is not defined.

3.5 Inclusion in TEX formats

This file may be loaded in initex before dumping the format, by typing

```
\makeatletter
\input vmargin.sty
\makeatother
```

Be aware that this generates a non-standard format. It is really only useful for slow computers. This feature has not been tested with LATEX 2ε.

3.6 Hints for using pageframe.sty

vmargin.sty and pageframe.sty can be used together if the following points are considered:

vmargin uses `\hoffset` and `\voffset` and writes negative values into it, pageframe expects them to be zero to give a 1in space on the left and the top where it prints additional information. Initially, set both to 0mm (in the preamble of your text) and adjust them later on.

pageframe needs to know the trimmed height of the paper (= the height of the "page frame"). Unless the trimmed(!) size of the paper is equivalent to one of the standard paper sizes (unlikely...) the size should be specified with

`\setpapersize{custom}{⟨width⟩}{⟨height⟩}`

The correct height of the trimmed page can then be given to pageframe using

`\paperheight{\PaperHeight}`

and the margins of the final product (inside the page frame) can be specified using `\setmargXXX`.

Warning: if `\setmargXXXrb` is used the 3rd parameter (right margin) is ignored. Instead, the dimension of the right margin has to be assigned to `\evensidemargin`. This is because pageframe re-defines the meaning of `\evensidemargin` to be the right margin of your text, on all pages.

Remember: all these assignments and macro calls have to be in the preamble of the document.

3.7 Bugs and To Do

I have not tested this with older versions of LaTeX 2ε because I don't have any. If there are any problems please let me know and I'll do something about it.

The way the metric paper sizes are stored takes up a lot of space. A metric size could be computed by `\setpapersize`.

If you have any comments (positive or negative) please let me know!

3.8 Summary

```
new lengths:
   \PaperWidth      (read-only)
   \PaperHeight     (read-only)

new ifs:
   \ifLandscape     (read-only)

new macros:
   \setpapersize[<orientation>]{<size>},
   \setpapersize[<orientation>]{custom}{<width>}{<height>}
       <orientation> (optional) = landscape or portrait (default)
       <size> = A4, B5, ...
       <width>, <height> = actual dimensions of the paper
   \setmargins{leftmargin}{topmargin}{textwidth}{textheight}%
         {headheight}{headsep}{footheight}{footskip}
   \setmarginsrb{leftmargin}{topmargin}{rightmargin}{bottommargin}%
         {headheight}{headsep}{footheight}{footskip}
   \setmargnohf{leftmargin}{topmargin}{textwidth}{textheight}
   \setmargnohfrb{leftmargin}{topmargin}{rightmargin}{bottommargin}
   \setmarg{leftmargin}{topmargin}{textwidth}{textheight}
   \setmargrb{leftmargin}{topmargin}{rightmargin}{bottommargin}

   \margin@offset
   \shiftmargins

LaTeX2e package options:
   shiftmargins
   portrait
   landscape
   nohf
   all other options are treated as paper sizes
```

4 Implementation

1 ⟨∗package⟩

We use macros for the version info here.
2 `%\def\filename{Vmargin}`
3 `\def\filename{vmargin}`
4 `\def\fileversion{V2.5}`
5 `\def\filedate{2004/07/15}`

Allow vmargin to be input more than once. Important for embedding in formats.
6 `\@ifundefined{Vmargin}{}{\endinput}`

Make use of LaTeX2e commands, but only if we are actually running with it.

```
7 \@ifundefined{documentclass}{
8   \edef\Vmargin{Style '\filename', \fileversion, \filedate}
9   \expandafter\everyjob\expandafter{\the\everyjob\typeout{\Vmargin}}
10  \typeout{\Vmargin}
11 }{
12  \NeedsTeXFormat{LaTeX2e}[1994/06/01]
13  \edef\Vmargin{\filedate\space\fileversion\space set document margins (VK)}
14  \ProvidesPackage{\filename}[\Vmargin]
15  \edef\Vmargin{Package: \filename\space\Vmargin}
16  \expandafter\everyjob\expandafter{\the\everyjob\typeout{\Vmargin}}
17  \typeout{\Vmargin}
18 }
```

\PaperWidth
\PaperHeight
\ifLandscape

New lengths for paper width and height, and a new if, as flag for using landscape orientation.

```
19 \newdimen\PaperWidth
20 \newdimen\PaperHeight
21 \newif\ifLandscape
```

\setpapersize

Setting a paper size. Kind of a data base lookup. Well, it looks up whether the control sequence is defined...

When running pdflatex we also set the pdf page size (\pdfpagewidth and \pdfpageheight).

```
22 \def\setpapersize{\@ifnextchar[{\@@setps}{\@@setps[portrait]}}
23 \def\@@setps[#1]{%
24   \@ifundefined{po@#1}{\@name@err{#1}}{\@nameuse{po@#1}}%
25   \@@@setps}
26 \def\@@@setps#1{%
27   \@ifundefined{paper@#1}{\@name@err{#1}}{}%
28   \csname paper@#1\endcsname}
29       % \usename{paper@#1} inside arg to \@ifundefined does not work
30       % with papersize "custom".
31 \def\po@portrait{\Landscapefalse}
32 \def\po@landscape{\Landscapetrue}
33 \def\@po@{\ifLandscape
34   \dimen0\PaperWidth\PaperWidth\PaperHeight\PaperHeight\dimen0
35   \fi
36   \@ifundefined{paperwidth}{}{\paperwidth\PaperWidth}%
37   \@ifundefined{paperheight}{}{\paperheight\PaperHeight}%
38   \@ifundefined{pdfpagewidth}{}{\pdfpagewidth\PaperWidth}%
39   \@ifundefined{pdfpageheight}{}{\pdfpageheight\PaperHeight}%
40   }
41 \@ifundefined{PackageError}{
42   \def\@name@err#1{%
43     \typeout{*****> \string\setpapersize: illegal parameter: #1}}
44 }{
45   \def\@name@err#1{\PackageError{\filename}%
46                   {Paper size or orientation unknown: #1}{}}
47 }
```

\@defmetricpaper

Calculate smaller sizes from largest one.

```
48 \def\@defmetricpaper#1#2#3{%
49   \begingroup
50   \count0=0
51   \def\w{\dimen1 }\def\h{\dimen2 }\def\s{\dimen3 }%
52   \w#2\h#3
53   \def\l{11}
54   \loop
55     \begingroup
56     \def\t{\the\count0}
57     \catcode`\t=11 % letter
58     \expandafter\xdef\csname paper@#1\the\count0\endcsname{%
```

```
59        \PaperWidth\the\w\PaperHeight\the\h\noexpand\@po@}
60      \endgroup
61      \s\w\w.5\h\h\s
62    \ifnum\the\count0<9
63      \advance\count0 by 1
64    \repeat
65    \endgroup
66 }
```

Pre-defined paper/envelope sizes:
A0, A1, A2, ..., A9, B0, B1, ..., B9, C0, C1, ..., C9

```
67 \@defmetricpaper{A}{840.9mm}{1189.2mm}
68 \@defmetricpaper{B}{1000mm}{1414mm}
69 \@defmetricpaper{C}{917mm}{1297mm}
```

delete definition to save memory

```
70 \let\@defmetricpaper=\relax
```

USletter, USlegal, USexecutive

```
71 \def\paper@USletter{\PaperWidth 8.5in \PaperHeight 11in \@po@}
72 \def\paper@USlegal{\PaperWidth 8.5in \PaperHeight 14in \@po@}
73 \def\paper@USexecutive{\PaperWidth 7.25in\PaperHeight 10.5in \@po@}
```

custom

```
74 \def\paper@custom#1#2{\PaperWidth#1\PaperHeight#2\@po@}
```

\margin@offset Initialise left margins (odd and even) and \hoffset, \voffset. Compensates for the
+1in/+1in top/left corner used by TEX by either reducing the margins or \hoffset,
\voffset by 1truein. This macro is only defined here if it is not already defined! Define
this macro before loading vmargin to use your own definition.

```
75 \@ifundefined{margin@offset}{%
76 \def\margin@offset{%
77    \if@shiftmargins
78      \oddsidemargin -1truein\evensidemargin\oddsidemargin\topmargin\oddsidemargin
79      \hoffset\z@\voffset\z@
80    \else
81      \oddsidemargin\z@\evensidemargin\z@\topmargin\z@
82      \hoffset -1truein\voffset\hoffset
83    \fi
84 }}{}
```

\shiftmargins A new if, as flag for when to use margins instead of \hoffset/\voffset to compensate,
and a user-command to set the flag.

```
85 \newif\if@shiftmargins
86 \@shiftmarginsfalse % this MUST be default (pageframe.sty)
87 \def\shiftmargins{\@shiftmarginstrue}
```

Setting margins

\setmargins \setmargins{leftmargin}{topmargin}{textwidth}{textheight}%
             {headheight}{headsep}{footheight}{footskip}

```
88 \newcommand\setmargins[8]{%
89 \margin@offset
90 \advance\oddsidemargin #1
91 \advance\evensidemargin \PaperWidth % = paperwidth - left - width
92 \advance\evensidemargin -#1
93 \advance\evensidemargin -#3
94 \advance\topmargin #2
95 \textwidth #3
96 \textheight #4
97 \headheight #5
98 \headsep #6
99 \@ifundefined{footheight}{}{\footheight=#7}%
```

```
100 \footskip #8
101 \chk@dimen{#1}{#2}{#3}{#4}%
102 }
```

\setmarginsrb \setmarginsrb{leftmargin}{topmargin}{rightmargin}{bottommargin}%
               {headheight}{headsep}{footheight}{footskip}

```
103 \newcommand\setmarginsrb[8]{%
104 \margin@offset
105 \textwidth \PaperWidth % = paperwidth
106 \advance\textwidth -#1 %  - left - right
107 \advance\textwidth -#3
108 \textheight \PaperHeight % = paperheight - top
109 \advance\textheight -#2 %  - headheight
110 \advance\textheight -#5 %  - headsep
111 \advance\textheight -#6 %  - footskip - bottom
112 \advance\textheight -#8
113 \advance\textheight -#4
114 \advance\oddsidemargin #1
115 \advance\evensidemargin \PaperWidth % = paperwidth - left - width
116 \advance\evensidemargin -#1
117 \advance\evensidemargin -\textwidth
118 \advance\topmargin #2
119 \headheight #5
120 \headsep #6
121 \@ifundefined{footheight}{}{\footheight=#7}%
122 \footskip #8
123 \chk@dimen{#1}{#2}{#3}{#4}%
124 }
```

\setmargnohf \setmargnohf{leftmargin}{topmargin}{textwidth}{textheight}
              headheight, headsep, footheight, footskip set to 0pt

```
125 \newcommand\setmargnohf[4]{%
126 \setmargins{#1}{#2}{#3}{#4}\z@\z@\z@\z@
127 \pagestyle{empty}}
```

\setmargnohfrb \setmargnohfrb{leftmargin}{topmargin}{rightmargin}{bottommargin}
                headheight, headsep, footheight, footskip set to 0pt

```
128 \newcommand\setmargnohfrb[4]{%
129 \setmarginsrb{#1}{#2}{#3}{#4}\z@\z@\z@\z@
130 \pagestyle{empty}}
```

\setmarg \setmarg{leftmargin}{topmargin}{textwidth}{textheight}
          headheight, headsep, footheight, footskip unchanged

```
131 \newcommand\setmarg[4]{%
132 \setmargins{#1}{#2}{#3}{#4}%
133           \headheight\headsep\footheight\footskip}
```

\setmargrb \setmargrb{leftmargin}{topmargin}{rightmargin}{bottommargin}
            headheight, headsep, footheight, footskip unchanged

```
134 \newcommand\setmargrb[4]{%
135 \setmarginsrb{#1}{#2}{#3}{#4}%
136           \headheight\headsep\footheight\footskip}
```

\chk@dimen A brief plausability check.
            h-warning:
              if [leftmarg + textwidth > paperwidth] resp.
              if [leftmarg + rightmarg > paperwidth].
            v-warning:
              if [topmarg + textheight > paperheight] resp.
              if [topmarg + bottommarg > paperheight].

```
137 \def\chk@dimen#1#2#3#4{%
```

```
138 \dimen0= #1
139 \advance\dimen0 by#3
140 \advance\dimen0 -\PaperWidth
141 \dimen1= #2
142 \advance\dimen1 by#4
143 \advance\dimen1 \headheight
144 \advance\dimen1 \headsep
145 \advance\dimen1 \footskip
146 \advance\dimen1 -\PaperHeight
147 \chk@dimen@err
148 }
```

\chk@dimen@err   Make this work with both LaTeX 2.09 and LaTeX 2$_\varepsilon$.

```
149 \@ifundefined{PackageError}{
150   \def\chk@dimen@err{%
151     \ifnum\dimen0>\z@\typeout{vmargin Warning: Horizontal dimensions
152       exceed paper width by \the\dimen0}\fi
153     \ifnum\dimen1>\z@\typeout{vmargin Warning: Vertical dimensions
154       exceed paper height by \the\dimen1}\fi
155   }
156 }{
157   \def\chk@dimen@err{%
158     \ifnum\dimen0>\z@\PackageError{\filename}{%
159       Horizontal dimensions exceed paper width by \the\dimen0}{}\fi
160     \ifnum\dimen1>\z@\PackageError{\filename}{%
161       Vertical dimensions exceed paper height by \the\dimen1}{}\fi
162   }
163 }
```

Defaults, and LaTeX 2$_\varepsilon$ package options (ignored for 2.09).

```
164 \setpapersize{A4}
165 \def\@hf@dflt{}
166 \@ifundefined{DeclareOption}{
167 }{
168   \DeclareOption{shiftmargins}{\shiftmargins}
169   \DeclareOption{portrait}{\Landscapefalse}
170   \DeclareOption{landscape}{\Landscapetrue}
171   \DeclareOption{nohf}{\def\@hf@dflt{y}}
172   \DeclareOption*{\@@@setps{\CurrentOption}}
173   \ProcessOptions\relax  % process options in order of declaration!
174 }
175 \if y\@hf@dflt
176   \setmargnohfrb{35mm}{20mm}{25mm}{15mm}%
177 \else
178   \setmarginsrb{35mm}{20mm}{25mm}{15mm}{12pt}{11mm}{0pt}{11mm}%
179 \fi
180 ⟨/package⟩
```

Change History

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.