COMPUTER ENGINEERING

QUEZON CITY

COURSE CODE/TITLE:	CPE 212 - Automating Server Management	**SECTION:**	CPE31s2
DATE PERFORMED:	24/09/2026	**DATE SUBMITTED:**	24/09/2026
NAME:	Damien Jake Gestiada	**INSTRUCTOR:**	Engr. Jimlord Quejado

Midterm Exam

1. PROCEDURE OUTPUT


Sample output (students are allowed to add more steps as needed.

Task 1: Prepare the Server


```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible all -i inventory.yaml -m ansible.builtin.ping
centos1 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3"
    },
    "changed": false,
    "ping": "pong"
}
server1 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3"
    },
    "changed": false,
    "ping": "pong"
}
jakeworkstation@WS:~/JakeGestiada/midtermExam$ cat inventory.yaml
all:
  children:

    ubuntu:
      hosts:
        server1:
          ansible_host: 192.168.56.105
          ansible_user: jakeserver

    centos:
      hosts:
        centos1:
          ansible_host: 192.168.56.104
          ansible_user: jakecentos
jakeworkstation@WS:~/JakeGestiada/midtermExam$
```


jakeworkstation@WS: ~/JakeGestiada/midtermExam
GNU nano 7.2 install_prometheus.yml

- name: Install Prometheus on Ubuntu and CentOS
hosts: all
become: true
roles:
- prometheus
jakeworkstation@WS:~/JakeGestiada/midtermExam$ tree
.
├── install_prometheus.yml
├── inventory.yaml
└── roles
└── prometheus
├── tasks
└── main.yml
└── templates
5 directories, 3 files


jakeworkstation@WS: ~/JakeGestiada/midtermExam
GNU nano 7.2 roles/prometheus/tasks/main.yml *

#task 1
- name: Update Ubuntu package repository
ansible.builtin.apt:
update_cache: true
when: ansible_facts.os_family == "Debian"
tags:
- task1
- name: Upgrade Ubuntu packages
ansible.builtin.apt:
upgrade: dist
when: ansible_facts.os_family == "Debian"
tags:
- task1
- name: Update CentOS packages
ansible.builtin.dnf:
name: "*"
state: latest
when: ansible_facts.os_family == "RedHat"
tags:
- task1
- name: Install required utilities
ansible.builtin.package:
name:
- wget
- tar
- curl
state: present
tags:
- task1

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ nano roles/prometheus/tasks/main.yml
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible-playbook -i inventory.yaml install_prometheus.yml --tags task1 --ask-become-p
BECOME password:

PLAY [Install Prometheus on Ubuntu and CentOS] *********************************************************************

TASK [Gathering Facts] *********************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Update Ubuntu package repository] ***************************************************************
skipping: [centos1]
changed: [server1]

TASK [prometheus : Upgrade Ubuntu packages] ************************************************************************
skipping: [centos1]
ok: [server1]

TASK [prometheus : Update CentOS packages] *************************************************************************
skipping: [server1]
ok: [centos1]

TASK [prometheus : Install required utilities] *********************************************************************
ok: [centos1]
changed: [server1]

PLAY RECAP *********************************************************************************************************
centos1                    : ok=3    changed=0    unreachable=0    failed=0    skipped=2    rescued=0    ignored=0
server1                    : ok=4    changed=2    unreachable=0    failed=0    skipped=1    rescued=0    ignored=0
```

Task 2: Create the Prometheus User

```
 GNU nano 7.2                                    roles/prometheus/tasks/main.yml *
#task 2

- name: Create Prometheus group
  ansible.builtin.group:
    name: prometheus
    state: present
  tags:
    - task2

- name: Create Prometheus user
  ansible.builtin.user:
    name: prometheus
    group: prometheus
    shell: "{{ '/usr/sbin/nologin' if ansible_facts.os_family == 'Debian' else '/sbin/nologin' }}"
    create_home: false
    system: true
    state: present
  tags:
    - task2

- name: Verify Prometheus user
  ansible.builtin.command:
    cmd: getent passwd prometheus
  register: prometheus_user
  changed_when: false
  tags:
    - task2

- name: Display Prometheus user
  ansible.builtin.debug:
    var: prometheus_user.stdout
  tags:
    - task2
```

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible-playbook -i inventory.yaml install_prometheus.yml --tags task2 --ask-become-pass
BECOME password:

PLAY [Install Prometheus on Ubuntu and CentOS] *********************************************************************************

TASK [Gathering Facts] *********************************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Create Prometheus group] ************************************************************************************
changed: [server1]
changed: [centos1]

TASK [prometheus : Create Prometheus user] *************************************************************************************
changed: [server1]
changed: [centos1]

TASK [prometheus : Verify Prometheus user] *************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Display Prometheus user] ************************************************************************************
ok: [server1] => {
    "prometheus_user.stdout": "prometheus:x:997:1001::/home/prometheus:/usr/sbin/nologin"
}
ok: [centos1] => {
    "prometheus_user.stdout": "prometheus:x:983:1001::/home/prometheus:/sbin/nologin"
}

PLAY RECAP *********************************************************************************************************************
centos1                    : ok=5    changed=2    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
server1                    : ok=5    changed=2    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
```

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible all -i inventory.yaml -m ansible.builtin.command -a "getent passwd prometheus"
server1 | CHANGED | rc=0 >>
prometheus:x:997:1001::/home/prometheus:/usr/sbin/nologin
centos1 | CHANGED | rc=0 >>
prometheus:x:983:1001::/home/prometheus:/sbin/nologin
```

Task 3: Create Prometheus Directories


```
  GNU nano 7.2                                    roles/prometheus/tasks/main.yml *
#task 3

- name: Create Prometheus configuration directory
  ansible.builtin.file:
    path: /etc/prometheus
    state: directory
    owner: prometheus
    group: prometheus
    mode: '0755'
  tags:
    - task3

- name: Create Prometheus data directory
  ansible.builtin.file:
    path: /var/lib/prometheus
    state: directory
    owner: prometheus
    group: prometheus
    mode: '0755'
  tags:
    - task3

- name: Verify Prometheus directories
  ansible.builtin.command:
    cmd: ls -ld /etc/prometheus /var/lib/prometheus
  register: prometheus_directories
  changed_when: false
  tags:
    - task3

- name: Display Prometheus directories
  ansible.builtin.debug:
    var: prometheus_directories.stdout_lines
  tags:
    - task3
```



Task 4: Download Prometheus

```
 GNU nano 7.2                                roles/prometheus/tasks/main.yml *

- name: Download Prometheus archive
  ansible.builtin.get_url:
    url: https://github.com/prometheus/prometheus/releases/download/v3.14.0/prometheus-3.14.0.linux-amd64.tar.gz
    dest: /tmp/prometheus-3.14.0.linux-amd64.tar.gz
    mode: '0644'
  tags:
    - task4

- name: Verify downloaded Prometheus archive
  ansible.builtin.command:
    cmd: ls -lh /tmp/prometheus-3.14.0.linux-amd64.tar.gz
  register: prometheus_archive
  changed_when: false
  tags:
    - task4

- name: Extract Prometheus archive
  ansible.builtin.unarchive:
    src: /tmp/prometheus-3.14.0.linux-amd64.tar.gz
    dest: /tmp/
    remote_src: true
  tags:
    - task4

- name: Verify extracted Prometheus directory
  ansible.builtin.command:
    cmd: ls -ld /tmp/prometheus-3.14.0.linux-amd64
  register: prometheus_extracted
  changed_when: false
  tags:
    - task4

- name: Display downloaded and extracted Prometheus
  ansible.builtin.debug:
    msg:
      - "{{ prometheus_archive.stdout }}"
      - "{{ prometheus_extracted.stdout }}"
  tags:
    - task4
```

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible-playbook -i inventory.yaml install_prometheus.yml --tags task4 --ask-become-pass
BECOME password:

PLAY [Install Prometheus on Ubuntu and CentOS] *********************************************************************

TASK [Gathering Facts] *********************************************************************************************
ok: [centos1]
ok: [server1]

TASK [prometheus : Download Prometheus archive] ********************************************************************
changed: [centos1]
changed: [server1]

TASK [prometheus : Verify downloaded Prometheus archive] ***********************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Extract Prometheus archive] *********************************************************************
changed: [server1]
changed: [centos1]

TASK [prometheus : Verify extracted Prometheus directory] **********************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Display downloaded and extracted Prometheus] ****************************************************
ok: [server1] => {
    "msg": [
        "-rw-r--r-- 1 root root 103M Sep 30 10:51 /tmp/prometheus-3.14.0.linux-amd64.tar.gz",
        "drwxr-xr-x 2 nagios prometheus 4096 Aug 18 15:31 /tmp/prometheus-3.14.0.linux-amd64"
    ]
}
ok: [centos1] => {
    "msg": [
        "-rw-r--r--. 1 root root 103M Sep 30 10:50 /tmp/prometheus-3.14.0.linux-amd64.tar.gz",
        "drwxr-xr-x. 2 nagios prometheus 91 Aug 18 15:31 /tmp/prometheus-3.14.0.linux-amd64"
    ]
}

PLAY RECAP *********************************************************************************************************
centos1                    : ok=6    changed=2    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
server1                    : ok=6    changed=2    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
```

Task 5: Install the Prometheus Binaries

```yaml
#task 5

- name: Copy Prometheus binary
  ansible.builtin.copy:
    src: /tmp/prometheus-3.14.0.linux-amd64/prometheus
    dest: /usr/local/bin/prometheus
    owner: prometheus
    group: prometheus
    mode: '0755'
    remote_src: true
  tags:
    - task5

- name: Copy Promtool binary
  ansible.builtin.copy:
    src: /tmp/prometheus-3.14.0.linux-amd64/promtool
    dest: /usr/local/bin/promtool
    owner: prometheus
    group: prometheus
    mode: '0755'
    remote_src: true
  tags:
    - task5

- name: Verify Prometheus binary
  ansible.builtin.command:
    cmd: prometheus --version
  register: prometheus_version
  changed_when: false
  tags:
    - task5

- name: Verify Promtool binary
  ansible.builtin.command:
    cmd: promtool --version
  register: promtool_version
  changed_when: false
  tags:
    - task5
```

```yaml
- name: Display Prometheus version
  ansible.builtin.debug:
    var: prometheus_version.stdout
  tags:
    - task5

- name: Display Promtool version
  ansible.builtin.debug:
    var: promtool_version.stdout
  tags:
    - task5
```

Task 6: Install the Prometheus Configuration Files

```yaml
- name: Copy prometheus.yml
  ansible.builtin.copy:
    src: /tmp/prometheus-3.14.0.linux-amd64/prometheus.yml
    dest: /etc/prometheus/prometheus.yml
    owner: prometheus
    group: prometheus
    mode: '0644'
    remote_src: true
  tags:
    - task6

- name: Copy Prometheus consoles directory
  ansible.builtin.copy:
    src: /tmp/prometheus-3.14.0.linux-amd64/consoles
    dest: /etc/prometheus/
    owner: prometheus
    group: prometheus
    remote_src: true
  tags:
    - task6

- name: Copy Prometheus console libraries
  ansible.builtin.copy:
    src: /tmp/prometheus-3.14.0.linux-amd64/console_libraries
    dest: /etc/prometheus/
    owner: prometheus
    group: prometheus
    remote_src: true
  tags:
    - task6

- name: Set Prometheus configuration ownership
  ansible.builtin.file:
    path: /etc/prometheus
    owner: prometheus
    group: prometheus
    recurse: true
  tags:
    - task6
```

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible-playbook -i inventory.yaml install_prometheus.yml --tags task6 --ask-become-pass
BECOME password:

PLAY [Install Prometheus on Ubuntu and CentOS] *********************************************************************************

TASK [Gathering Facts] *********************************************************************************************************
ok: [centos1]
ok: [server1]

TASK [prometheus : Copy Prometheus configuration file] *************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Create Prometheus consoles directory] ***********************************************************************
changed: [server1]
changed: [centos1]

TASK [prometheus : Create Prometheus console libraries directory] **************************************************************
changed: [server1]
changed: [centos1]

TASK [prometheus : Set Prometheus configuration ownership] *********************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Verify Prometheus configuration files] **********************************************************************
ok: [server1]
ok: [centos1]
```

```
TASK [prometheus : Set Prometheus configuration ownership] *********************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Verify Prometheus configuration files] **********************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Display Prometheus configuration files] *********************************************************************
ok: [server1] => {
    "prometheus_config_files.stdout_lines": [
        "total 12",
        "drwxr-xr-x 2 prometheus prometheus 4096 Sep 30 11:08 console_libraries",
        "drwxr-xr-x 2 prometheus prometheus 4096 Sep 30 11:08 consoles",
        "-rw-r--r-- 1 prometheus prometheus 1128 Aug 18 15:31 prometheus.yml"
    ]
}
ok: [centos1] => {
    "prometheus_config_files.stdout_lines": [
        "total 4",
        "drwxr-xr-x. 2 prometheus prometheus    6 Sep 30 11:08 console_libraries",
        "drwxr-xr-x. 2 prometheus prometheus    6 Sep 30 11:08 consoles",
        "-rw-r--r--. 1 prometheus prometheus 1128 Aug 18 15:31 prometheus.yml"
    ]
}

PLAY RECAP *********************************************************************************************************************
centos1                    : ok=7    changed=2    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
server1                    : ok=7    changed=2    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
```

Task 7: Validate the Configuration

```yaml
#task 7

- name: Validate Prometheus configuration
  ansible.builtin.command:
    cmd: /usr/local/bin/promtool check config /etc/prometheus/prometheus.yml
  register: prometheus_config_check
  changed_when: false
  tags:
    - task7

- name: Display Prometheus configuration validation
  ansible.builtin.debug:
    var: prometheus_config_check.stdout_lines
  tags:
    - task7
```

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible-playbook -i inventory.yaml install_prometheus.yml --tags task7 --ask-become-pass
BECOME password:
\
PLAY [Install Prometheus on Ubuntu and CentOS] *********************************************************************************

TASK [Gathering Facts] *********************************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Validate Prometheus configuration] **************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Display Prometheus configuration validation] ****************************************************************
ok: [server1] => {
    "prometheus_config_check.stdout_lines": [
        "Checking /etc/prometheus/prometheus.yml",
        " SUCCESS: /etc/prometheus/prometheus.yml is valid prometheus config file syntax"
    ]
}
ok: [centos1] => {
    "prometheus_config_check.stdout_lines": [
        "Checking /etc/prometheus/prometheus.yml",
        " SUCCESS: /etc/prometheus/prometheus.yml is valid prometheus config file syntax"
    ]
}

PLAY RECAP *********************************************************************************************************************
centos1                    : ok=3    changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
server1                    : ok=3    changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
```

Task 8: Create the systemd Service

```yaml
- name: Create Prometheus systemd service
  ansible.builtin.copy:
    dest: /etc/systemd/system/prometheus.service
    owner: root
    group: root
    mode: '0644'
    content: |
      [Unit]
      Description=Prometheus Monitoring System
      Wants=network-online.target
      After=network-online.target

      [Service]
      User=prometheus
      Group=prometheus
      Type=simple
      ExecStart=/usr/local/bin/prometheus \
        --config.file=/etc/prometheus/prometheus.yml \
        --storage.tsdb.path=/var/lib/prometheus
      Restart=on-failure

      [Install]
      WantedBy=multi-user.target
  tags:
    - task8

- name: Verify Prometheus systemd service file
  ansible.builtin.command:
    cmd: cat /etc/systemd/system/prometheus.service
  register: prometheus_service_file
  changed_when: false
  tags:
    - task8

- name: Display Prometheus systemd service
  ansible.builtin.debug:
    var: prometheus_service_file.stdout_lines
  tags:
    - task8
```

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible-playbook -i inventory.yaml install_prometheus.yml --tags task8 --ask-become-pass
BECOME password:

PLAY [Install Prometheus on Ubuntu and CentOS] *********************************************************************************

TASK [Gathering Facts] *********************************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Create Prometheus systemd service] **************************************************************************
changed: [server1]
changed: [centos1]

TASK [prometheus : Verify Prometheus systemd service file] *********************************************************************
ok: [server1]
ok: [centos1]
```

```
        "[Unit]",
        "Description=Prometheus Monitoring System",
        "Wants=network-online.target",
        "After=network-online.target",
        "",
        "[Service]",
        "User=prometheus",
        "Group=prometheus",
        "Type=simple",
        "ExecStart=/usr/local/bin/prometheus \\",
        "  --config.file=/etc/prometheus/prometheus.yml \\",
        "  --storage.tsdb.path=/var/lib/prometheus",
        "Restart=on-failure",
        "",
        "[Install]",
        "WantedBy=multi-user.target"
    ]
}
ok: [centos1] => {
    "prometheus_service_file.stdout_lines": [
        "[Unit]",
        "Description=Prometheus Monitoring System",
        "Wants=network-online.target",
        "After=network-online.target",
        "",
        "[Service]",
        "User=prometheus",
        "Group=prometheus",
        "Type=simple",
        "ExecStart=/usr/local/bin/prometheus \\",
        "  --config.file=/etc/prometheus/prometheus.yml \\",
        "  --storage.tsdb.path=/var/lib/prometheus",
        "Restart=on-failure",
        "",
        "[Install]",
        "WantedBy=multi-user.target"
    ]
}

PLAY RECAP *********************************************************************************************************************************************
centos1                    : ok=4    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
server1                    : ok=4    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
```

Task 9: Start and Enable Prometheus

```yaml
#task 9

- name: Reload systemd
  ansible.builtin.systemd:
    daemon_reload: true
  tags:
    - task9

- name: Enable and start Prometheus
  ansible.builtin.systemd:
    name: prometheus
    enabled: true
    state: started
  tags:
    - task9

- name: Check Prometheus service status
  ansible.builtin.command:
    cmd: systemctl is-active prometheus
  register: prometheus_status
  changed_when: false
  tags:
    - task9

- name: Display Prometheus service status
  ansible.builtin.debug:
    var: prometheus_status.stdout
  tags:
    - task9
```

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible-playbook -i inventory.yaml install_prometheus.yml --tags task9 --ask-become-pass
BECOME password:

PLAY [Install Prometheus on Ubuntu and CentOS] *********************************************************************************

TASK [Gathering Facts] *********************************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Reload systemd] *********************************************************************************************
ok: [centos1]
ok: [server1]

TASK [prometheus : Enable and start Prometheus] ********************************************************************************
changed: [server1]
changed: [centos1]

TASK [prometheus : Check Prometheus service status] ****************************************************************************
ok: [centos1]
ok: [server1]

TASK [prometheus : Display Prometheus service status] **************************************************************************
ok: [server1] => {
    "prometheus_status.stdout": "active"
}
ok: [centos1] => {
    "prometheus_status.stdout": "active"
}

PLAY RECAP *********************************************************************************************************************
centos1                    : ok=5    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
server1                    : ok=5    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
```

Task 10: Verify Prometheus

```
  GNU nano 7.2                                    roles/prometheus/tasks/main.yml *
- name: Check Prometheus port 9090
  ansible.builtin.shell:
    cmd: ss -tlnp | grep :9090
  register: prometheus_port
  changed_when: false
  tags:
    - task10

- name: Display Prometheus port
  ansible.builtin.debug:
    var: prometheus_port.stdout
  tags:
    - task10

- name: Test Prometheus HTTP response
  ansible.builtin.command:
    cmd: curl -fsS http://localhost:9090
  register: prometheus_http
  changed_when: false
  tags:
    - task10

- name: Display Prometheus HTTP response
  ansible.builtin.debug:
    msg: "Prometheus HTTP response received successfully."
  when: prometheus_http.rc == 0
  tags:
    - task10

- name: Check Prometheus readiness
  ansible.builtin.command:
    cmd: curl -fsS http://localhost:9090/-/ready
  register: prometheus_ready
  changed_when: false
  tags:
    - task10
```

```yaml
- name: Display Prometheus readiness
  ansible.builtin.debug:
    var: prometheus_ready.stdout
  tags:
    - task10

- name: Check Prometheus version
  ansible.builtin.command:
    cmd: /usr/local/bin/prometheus --version
  register: prometheus_final_version
  changed_when: false
  tags:
    - task10

- name: Display Prometheus version
  ansible.builtin.debug:
    var: prometheus_final_version.stdout
  tags:
    - task10

- name: Check Prometheus service
  ansible.builtin.command:
    cmd: systemctl is-active prometheus
  register: prometheus_final_status
  changed_when: false
  tags:
    - task10

- name: Display Prometheus service status
  ansible.builtin.debug:
    var: prometheus_final_status.stdout
  tags:
    - task10
```

```
jakeworkstation@WS:~/JakeGestiada/midtermExam$ ansible-playbook -i inventory.yaml install_prometheus.yml --tags task10 --ask-become-pass
BECOME password:

PLAY [Install Prometheus on Ubuntu and CentOS] *********************************************************************************************

TASK [Gathering Facts] *********************************************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Check Prometheus port 9090] *********************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Display Prometheus port] ************************************************************************************************
ok: [server1] => {
    "prometheus_port.stdout": "LISTEN 0      4096               *:9090            *:*    users:((\"prometheus\",pid=25192,fd=6))
                                                                                                                                "
}
ok: [centos1] => {
    "prometheus_port.stdout": "LISTEN 0      4096               *:9090            *:*    users:((\"prometheus\",pid=101721,fd=6))
                                                                                                                                "
}

TASK [prometheus : Test Prometheus HTTP response] ******************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Display Prometheus HTTP response] ***************************************************************************************
ok: [server1] => {
    "msg": "Prometheus HTTP response received successfully."
}
ok: [centos1] => {
    "msg": "Prometheus HTTP response received successfully."
}

TASK [prometheus : Check Prometheus readiness] *********************************************************************************************
ok: [server1]
ok: [centos1]
```

```
TASK [prometheus : Display Prometheus readiness] *******************************************************************************************
ok: [server1] => {
    "prometheus_ready.stdout": "Prometheus Server is Ready."
}
ok: [centos1] => {
    "prometheus_ready.stdout": "Prometheus Server is Ready."
}

TASK [prometheus : Check Prometheus version] ***********************************************************************************************
ok: [server1]
ok: [centos1]

TASK [prometheus : Display Prometheus version] *********************************************************************************************
ok: [server1] => {
    "prometheus_final_version.stdout": "prometheus, version 3.14.0 (branch: HEAD, revision: d7598b7141418fa35be2b5ec5d0fefb634199610)\n  buil
d user:       root@f423027f4410\n  build date:       20260817-16:49:19\n  go version:       go1.26.6\n  platform:         linux/amd64\n  tags
:             netgo,builtinassets"
}
ok: [centos1] => {
    "prometheus_final_version.stdout": "prometheus, version 3.14.0 (branch: HEAD, revision: d7598b7141418fa35be2b5ec5d0fefb634199610)\n  buil
d user:       root@f423027f4410\n  build date:       20260817-16:49:19\n  go version:       go1.26.6\n  platform:         linux/amd64\n  tags
:             netgo,builtinassets"
}

TASK [prometheus : Check Prometheus service] ***********************************************************************************************
ok: [server1]
ok: [centos1]


TASK [prometheus : Display Prometheus service status] **************************************************************************************
ok: [server1] => {
    "prometheus_final_status.stdout": "active"
}
ok: [centos1] => {
    "prometheus_final_status.stdout": "active"
}

PLAY RECAP *********************************************************************************************************************************
centos1                    : ok=11   changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
server1                    : ok=11   changed=0    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0


jakeworkstation@WS:~/JakeGestiada/midtermExam$
```

Task 11: Access Prometheus Through a Browse

Server1 Ubuntu:



Centos:



2. ANSWERS TO SUPPLEMENTAL ACTIVITY

Lab activities, templates, and related instructional materials shall not be reuploaded, reproduced, distributed, or shared with external organizations or third parties without the prior express written permission of the Technological Institute of the Philippines.