

$$\begin{array}{ccccc}
 T[\mathbb{1}, X] & \xrightarrow{Ti_X} & & & TX \\
 & \searrow \xi_{\mathbb{1}, X} & & \nearrow T \text{ closed} & \uparrow i_{TX} \\
 & & [T\mathbb{1}, TX] & \xrightarrow{[\xi_0, TX]} & [\mathbb{1}, TX] \\
 \begin{array}{c} T[\mathfrak{a}_{\mathbb{1}}, X] \\ \downarrow \\ T[\mathbb{1}, X] \end{array} & \begin{array}{c} \text{def} \\ \uparrow \\ T[\xi_0, X] \end{array} & \begin{array}{c} \uparrow [T\xi_0, TX] \\ \text{nat } \xi \end{array} & & \begin{array}{c} \uparrow [\eta_{\mathbb{1}}, TX] \\ \text{\scriptsize $\xi_0 = \eta_{\mathbb{1}}$} \\ \text{\scriptsize η nat} \end{array} \\
 T[T\mathbb{1}, X] & \xrightarrow{\xi_{T\mathbb{1}, X}} & [T^2\mathbb{1}, TX] & \xrightarrow{[\eta_{T\mathbb{1}}, TX]} & [T\mathbb{1}, TX] \\
 & & & & \uparrow \\
 & & & & \text{\color{red} } s_{\mathbb{1}, Y} \text{\color{red} }
 \end{array}$$