

Introducing DPAA: A Bayesian Approach To Evaluating Special Teams Defending Play Performance

Quinn MacLean

May 4th, 2022

Introduction

Currently, there are a lot of advanced analytics metrics focusing on [shot quality, defending shots/goals](#) and play during even strength. This year's Big Data Cup focuses on exploring penalty play as a way to gain more insights into various "special teams" strategies. During the Tracking Data Panel at the 2022 Ottawa Hockey Analytics Conference (OTTHAC), measuring defensive performance was posed as the current area of tracking analytics that had the biggest opportunity to add more depth to. Shawn Ferris echoed this sentiment in a 2020 hockey-graphs article where he said [there is still much more to learn about shorthanded defense with respect to understanding optimal in-zone formations and evaluating individual players](#). This paper aims to build on the narrative by using 2022 Women's Olympic Hockey event & tracking data to model around successful defensive plays as a way to scout defensive performance during penalty plays. A successful defensive play is based on the following event:

Successful Defensive Plays:

- Takeaway
- Unsuccessful Pass
- Dump In/Out resulting in change of possession
- Blocked Shot attempt
- Unsuccessful Zone Entry
- Puck Recovery resulting in change of possession

Current event metrics assign defensive play credit for takeaways, puck recoveries and blocked shots but these events don't account for a majority of events such as passing, zone entry and dump in/out plays. To do so, we rely on tracking movement data to identify the closest opposing player to an offensive player as a way to give credit to a defender for the outcome of the play. The assumption we are using is that the closest defender or the one most prominent in the frame is the one most likely to be contributing to the outcome of a play. Each offensive player is assigned a closest defensive player so it is possible for a defender to be guarding multiple players for a given event. We did not identify the opposing player closest to the location of the actual play given our assumption that the defender guarding the offensive player is again most likely to contribute to the outcome of the play. By merging the event data to the approximate time frame of the tracking data, we can gain valuable insight into the average location and separation at start, leading up to, during the event, and after the event. Additionally, these separation metrics also allows us to identify the closest defenders.

Modelling Approach

Using a similar approach to [Jonathan Judge from Baseball Prospectus](#), a Generalized Linear Mixed Effects Model using Monte Carlo Markov Chains (MCMC) was created to identify, which defensive player (based on closest defensive player assignment to each offensive player) had the greatest effect in adjusting the outcome of a defensive play. Our MCMC uses

5 chains and 10,000 iterations per chain to simulate and get an effective total sample size. The modeled dataset contains 1,968 different defensive play matchups (offensive player matched up to closest defensive player) for 507 unique events. In the mixed effects model, we fit the closest defensive player (for each 1,968 matchup) as the random effect modeling for the assumption that a defensive player can alter the result of a play. Through our exploratory analysis, we found that the following fixed variables determined a successful defensive play:

- **Separation:** Avg. offensive player separation or distance to any player on the ice during an event
- **Net Separation:** Avg. offensive player separation to the net during an event
- **Closest Opposition Player Separation:** Avg. offensive player separation to the closest defender during an event
- **Closest Teammate Player Separation:** Avg. offensive player separation to closest teammate during an event
- **Absolute x-Distance to Passer/Shooter:** Avg. distance of an offensive player to the passer or shooter
- **Absolute x-Distance to Event Recipient:** Avg. distance of an offensive player to the recipient of the event

All separation and distance variables were centered and scaled to ensure a consistent relative effect of the variables in the model. It is important to note that the tracking data uses Stathletes' Computer Vision technology to identify coordinates of players on ice using the main Olympic television stream. It is possible that there could have been players coming in and out of the camera view. This paper operates under the assumption that the players in frame are important to outcome of the play.

Model Results & Evaluation

In viewing the model results, there is evidence (τ_{00}) to show that there is wide variability (0.78) that exists in a defender's ability to alter a play's outcome. This premise gives us basis that there are specialists in the tournament that defend well in power play scenarios. This framework can help to identify those "special teams" players who can be on ice to defend against power plays. Outside of an individual players' ability to defend, an offensive players spacing and separation from each player tends to determine the outcome of a successful play. This tells us that the defender's main goal is to reduce offensive player's separation from anyone on the ice. Another observation is a fairly high Monte Carlo

Defended Play Success Model Summary

Method: Bayesian MCMC GLM Mixed Effects Model | Chains: 5 | 10,000 Iterations

Coefficient	Estimates	Std Error	CI Low (5%)	CI High (95%)
Intercept	-0.51	0.099	-0.70	-0.31
Separation	-0.18	0.048	-0.28	-0.09
Net Separation	-0.08	0.041	-0.16	0.00
Closest Opposition Player Separation	0.08	0.044	-0.01	0.16
Closest Teammate Player Separation	-0.08	0.041	-0.16	0.00
Absolute x-Distance to Passer/Shooter	-0.14	0.043	-0.23	-0.06
Absolute x-Distance to Event Recipient	0.11	0.048	0.01	0.20
τ_{00} defender_id	0.78	0.190	0.47	1.18

standard error of the variables in the model (typically want roughly less than 5%) and this is likely derived from different event types included in the data.

For evaluating the model, we used a PPC (posterior predictive checking) which takes draws from the MCMC and compares the Y_{rep} (expected defended plays in the replicated simulations) to Y (actual defended play results). We saw that the model observed the binomial distribution of the output (successfully defended play or not) fairly well, which leads us to believe there are sufficient modeling results.

The second check is to evaluate whether the distribution has reached a convergence towards the target distribution (can be more difficult with MLE models). We used [Gelman and Rubin's scale reduction factor](#) or $Rhat$, which helps to show variance within the chains. Typically, you'd want a number near 1 and less than 1.05. The distribution of all variables and intercepts (defensive players) appeared to show a proper convergence of variables within the model (no $Rhat > 1.05$). Given there is evidence of proper variance among defenders and the variables had properly converged, we can conclude that this Bayesian MCMC model can be helpful to use to evaluate defensive play during power plays.

In determining player performance relative to the average, we created a "without defender" metric, which show the probabilistic outcome of the play not accounting for a specific defender's involvement or a normal intercept. The average difference between the MCMC mean and "without defender" metric helps to create our **Defending Plays Above Average (DPAA)** metric. DPAA shows the lift in probability a defensive player has on the outcome of a play. Any play with a DPAA greater than 0 can be defined as a positively defended play.

As a result, the model tends to identify Dump In/Outs as the event that has the highest probability of a positively defended event (e.g. Dump In/Outs resulting in a turnover). Takeaways and Puck Recoveries tend to be less positively defended which may be due to a secondary defender's ability to disrupt a play. Passes are one of the most difficult plays to

DPAA Avg by Event

DPAA: Defended Plays Above Average | Positively Defended Plays are DPAA > 0

Event	Event Count	DPAA	Positive Defended Plays	Positive Defended Plays %
Dump In/Out	46	0.161	41	89%
Puck Recovery	138	0.047	73	53%
Zone Entry	26	0.022	18	69%
Shot	29	0.014	19	66%
Takeaway	10	0.004	5	50%
Play	258	-0.033	158	61%

Play is a Pass

defend given there is a higher probability of a pass being completed successfully than disrupted by a defender. Given this information, we can also use the DPAA metric specifically for passing plays as a way to identify those defenders who were especially effective in disrupting offensive movement during a power play. Shawn Ferris said that "We know that deploying better offensive players, [controlling more entries, and passing after those entries all lead to more shorthanded goals over time.](#)" Players with a reputation of defending the zone line ("blue line") and disrupting passing are more likely to be on the ice during shorthanded defensive play. This also helps to show how proper defensive formations can reduce the performance of offensive passing in the offensive zone.

Tournament Performance Analysis

Using our model, we can evaluate the 2022 Women's Hockey team performance during power plays as well as identify top and bottom individual performers as a way for teams to build a "penalty killer" shift.






Team Performance

USA, Finland, and Russian Olympic Committee (ROC) were able to have an average *DPAA* rating greater than 0, largely due to their ability to defend passes. USA is interesting case study given their low amount of passes seen but saw the highest amount of Dump In/Out (18) and Puck Recoveries (36) relative to other countries. In fact, USA had a positive *DPAA* average during Puck Recoveries whereas Switzerland saw negative *DPAA* during Puck Recoveries. As we saw prior, the ability to defend against puck recoveries shows USA's ability to preemptively disrupt passes/shots. USA also had closer separation to opposing players (14.95 ft of separation) compared to any other team. Finland had the highest separation from the players they were guarding (16.78 ft of separation) but the offensive team they were guarding were the most spread out and generally farthest from the net. In short, Finland's strategy was to space out the offense away from the net. ROC had a high amount of passing plays defended positively but overall had the [lowest penalty killing rate](#) and the highest amount power plays goals against in the tournament at 8.

Canada and Switzerland were the lowest performing teams in defending plays. Canada had 50% of their goals against coming from power play goals despite having the [highest overall goal differential in the Olympics](#). This is due to their inability to defend passes during penalty play situations leading to the highest average pass distance compared to other teams (i.e. offensive teams were able to spread the Canadian defense). For example, the USA was able to out shoot Canada 53-27 in their first game yet Canada was able to win the game, which can likely be attributed to excellent Canadian goaltending. Overall Canada had a slighter higher quality (*DPAA*) of plays defended against compared to Switzerland. The reason for Switzerland having the lowest *DPAA* average was their inability to defend shots given they had the worst *DPAA* shot average and [2nd lowest penalty killing play](#) during the tournament.

Defended Above Average by Team Play

Data: Statisticians | Int'l Games: 2022 Winter Olympics


Defender Team		DPAA	Power Plays	Defending Plays	Positive Defended Plays %	Passes	Positive Defended Passing Plays %
USA		0.170	11	89	84%	26	81%
Finland		0.094	18	119	86%	63	87%
ROC		0.021	8	81	89%	49	88%
Canada		-0.086	10	110	22%	65	22%
Switzerland		-0.099	16	108	32%	55	44%

Given the majority of the differences in *DPAA* were based on how well the team defends passing, the visual below identifies a team's approach or strategy to defending passes during penalty killing situation. We can see below that the USA tends to defend the blue line very well resulting in less passes in the offensive zone (with exception of top left side). To the contrary, most of Finland's great defensive play was in their zone whereas they tend

to not perform well in the neutral zone. ROC is an interesting case study given that they are deploying a [diamond/box defensive formation](#) and their defensive play appears to be inconsistent as passes through the formation haven't been defended well. Ultimately, ROC's DPAA could have been a lot higher if there were able to defend against pass into their defensive formation. In scouting Canada, they tend to allow a lot of passes into the offensive zone resulting in necessary above average defending in front of the net. Canada needs to replace the top end player in their diamond/box formation or get more aggressive with defending the blue line.

Passing Defense by Country

Positioning of Plays Made



Individual Performance Analysis

Top Performers

To ensure proper scouting of individual performers, simulating the posteriors (using 10,000 iterations) helps to ensure the stability of the MCMC metrics. We can see that players from Finland and USA were the top performers (even after the simulated posteriors). One reason is that these players tend to be closer to the player they are guarding than the average defender (+4ft vs average) with the exception of Megan Keller. Megan Keller was the best of these defenders in the tournament in defending against passes (at least 5 passes), which makes her a valuable specialist to the USA team. Although Viivi Vainikka had the highest DPAA, this was due to a majority of her plays coming from successfully defending Dump Ins/Outs (easier plays to defend against). Ronja Savolainen guarded nearly 43 offensive players and had an impressive passing DPAA at 0.263. When simulating the posteriors (using 10,000 sims), we can see that she also had the lowest relative standard deviation to her simulated DPAA mean, which helps to show her

consistent play for Finland and likely a big reason for their positive defense. Here are the top 3 DPAA (MCMC mean) defenders for each country (7+ plays):

Canada:

- Marie-Philip Poulin (Center): **0.175**
- Blayre Turnbull (Center): **0.131**
- Brianne Jenner (Center): **-0.009**

Finland

- Viivi Vainikka (Center): **0.488**
- Minnamari Tuominen (Defense): **0.472**
- Ronja Savolainen (Defense): **0.264**

ROC

- Oxana Bratishcheva (Center): **0.173**
- Nina Pirogova (Center): **0.108**
- Olga Sosina (Left Wing): **0.068**

Switzerland











- Phoebe Staenz (Center): **0.075**
- Noemi Ryhner (Center): **0.023**
- Lara Stalder (Center): **-0.031**

USA

- Megan Keller (Defense): **0.477**
- Abby Roque (Center): **0.375**
- Amanda Kessel (Center): **0.203**

Top Defending Plays Above Average

Data: Stathletes | Int'l Games: 2022 Winter Olympics | Min. 7 Plays defended; DPAA > 0

Player	Position			Plays ¹	DPAA ²	DPAA SD ³	DPAA Sim ⁴	DPAA Sim SD ⁵	Off. Players Guarding	Avg. Defender Separation (ft)	Pass Plays	Pass DPAA
Viivi Vainikka	Center			8	0.488	0.134	0.476	0.568	14	10.06	3	0.493
Megan Keller	Defense			14	0.477	0.109	0.472	0.526	34	16.71	5	0.504
Minnamari Tuominen	Defense			7	0.472	0.137	0.462	0.548	15	12.37	3	0.495
Abby Roque	Center			7	0.375	0.123	0.367	0.454	19	12.54	0	No Plays
Ronja Savolainen	Defense			22	0.264	0.077	0.262	0.340	43	13.76	15	0.263

¹ Plays include passes, takeaways, dump in/out, zone entries, shots, puck recoveries (Avg. 8 plays per defender in overall dataset)

² DPAA uses 5 MCMC chains

³ standard deviations for DPAA

⁴ Mean simulation of Posteriors using 10,000 simulations

⁵ Standard deviation of simulation of Posteriors using 10,000 simulations

Bottom Performers

The bottom individual performers were primarily from Canada and Switzerland with the exception of Susanna Tapani from Finland. Higher separation from the players guarding (+4ft vs avg) and total amount of players guarding (40 was 8th highest amount of players

closest to) appear to be the top reason for Susanna's performance. Her teammate Ronja Savolainen had guarded a similar amount of players but played closer to defenders on average and saw a better *DPAA* as a result. Alina Marti is another example of how spacing matters given she also had a higher separation and allowed her defenders to play at higher separation from all others on the ice thus translating to their ability to get open. Lastly, it is important to note that the ROC had only 1 negative *DPAA* player despite overall average team *DPAA* (near 0). This leads us to believe their overall defensive formation can be attributed as the reason for their low penalty killing rate. Here are the bottom 3 *DPAA* (MCMC mean) defenders for each country (7+ plays):

Canada:

- *Rebecca Johnston (Center)*: **-0.219**
- *Natalie Spooner (Center)*: **-0.187**
- *Mich Zandee-Hart (Defense)*: **-0.148**

Finland

- *Susanna Tapani (Center)*: **-0.227**
- *Sini Karjalainen (Defense)*: **-0.199**
- *Ella Viitasuo (Defense)*: **-0.040**

ROC

- *Fanuza Kadirova (Left Wing)*: **-0.088**
- *Maria Batalova (Center)*: **0.014**
- *Angelina Goncharenko (Defense)*: **0.017**

Switzerland











- *Lara Christen (Defense)*: **-0.226**
- *Nicole Vallario (Defense)*: **-0.225**
- *Alina Marti (Center)*: **-0.218**

USA

- *Alex Carpenter (Left Wing)*: **-0.143**
- *Lee Stecklein (Defense)*: **-0.060**
- *Dani Cameranesi (Center)*: **0.003**

Bottom Defending Plays Above Average

Data: Stathletes | Int'l Games: 2022 Winter Olympics | Min. 7 Plays defended; *DPAA* < 0

Player	Position		Passes ¹	<i>DPAA</i> ²	<i>DPAA</i> SD ³	<i>DPAA</i> Sim ⁴	<i>DPAA</i> Sim SD	Off. Players Guarding	Avg. Defender Separation (ft)
Susanna Tapani	Center	 	14	-0.227	0.125	-0.222	-0.180	40	19.42
Lara Christen	Defense	 	14	-0.226	0.143	-0.219	-0.154	25	14.18
Nicole Vallario	Defense	 	8	-0.225	0.166	-0.216	-0.108	13	8.86
Rebecca Johnston	Center	 	9	-0.219	0.194	-0.209	-0.132	15	15.93
Alina Marti	Center	 	11	-0.218	0.186	-0.210	-0.145	19	19.08

¹ Plays include passes, takeaways, dump in/out, zone entries, shots, puck recoveries (Avg. Player had 8 plays apart of)

² *DPAA* uses 5 MCMC chains

³ standard deviations for *DPAA*

⁴ Simulation of Posteriors using 10,000 simulations

**Not listing passing plays below, given a majority/all were passing plays*


High Volume Performers

Below shows defenders with the highest amount of involvement and helps us to provide insights into the scheme assignment given out to shorthanded defenders. As we can see, most players are fitting into a diamond/box format given the concentration of defending plays made. The exception is Jocelyne Larocque (Canada) who has been defending the boards, which may have contributed to her below average play given she had to guard a wider zone. The same goes for Mich Zandee-Hart (Canada) who was stretched to play in three different parts of the diamond/box format. Canada may want to play into a tighter box/diamond format or have players play more disciplined to their zone assignment as a way to prevent and spread out passes for future games. Ronja Savolainen played mostly towards the blue line with some plays made in the neutral zone. The difference with her play versus Mich was that Ronja played at 13ft separation vs Mich played at 21ft separation (nearly +6 vs avg). Jenni Hiirikoski, similar to Ronja Savolainen, also played 13ft to her defender and strictly to what appears to be an assigned zone. A defensive zone formation would help to tighten average separation to the closest offensive player and increased positive defended plays as defenders would play to their assigned zone.


High Volume Defender Comparison

DPAA ● -0.1 ● 0.0 ● 0.1 ● 0.2


1. Jocelyne Larocque | DPAA: -0.029




2. Sarah Forster | DPAA: -0.090




3. Michelle Karvinen | DPAA: -0.022




4. Ronja Savolainen | DPAA: 0.264



5. Jenni Hiirikoski | DPAA: 0.119



6. Mich Zandee-Hart | DPAA: -0.148



These defenders were listed as the closest defensive player for the highest amount of plays

Conclusion

DPAA can be an effective metric to evaluate defensive plays during penalty situations. The direct application of *DPAA* can be used to evaluate overall team performance as well as isolating individual defenders who performed above/below expectations. An insight from the model was for defenders to aim to be within 15ft of the offensive players they are guarding. A zone assignment would install a system that ensures players are playing with 15ft of the nearest offensive player and prevent a player from getting open. Results from the model said that defending passes has the lowest probability of a positive defended play and DumpIn/Outs had the highest probability of a positive defended play. This is why taking the USA strategy of playing the blue line aggressively as a way to prevent passing plays from occurring is the optimal strategy. Ideally, the players at the top of the zone formation are your more athletic/quicker skaters to be able to reduce offensive separation, prevent zone entries and not be forced to guard many offensive players.

DPAA could be expanded to even strength situations given the proportion of passes but we would hypothesize that zone entry carries would likely play a greater role in the model (given less proportion of zone entries during power plays). The model would also need to be changed to take into account play situation given we would want to investigate even strength vs special teams play as a performance metric. I would want to build on *DPAA* to be the foundation to advance shorthanded defense evaluation by being the anchor metric in classifying different forechecking and in-zone formations.

Lastly, I would like to thank Stathletes and the OTTHAC for facilitating and providing the data for the Big Data Cup. It is a privilege to be able to work with data like this and competitions such as this helps to advance the game as we know as well as develop skills of the analytics community.

References

Brooks, D., Judge, J., Pavlidis, H. "Moving Beyond WOWY: A Mixed Approach To Measuring Catch Framing." Baseball Prospectus. February 5, 2015.

<https://www.baseballprospectus.com/news/article/25514/moving-beyond-wowy-a-mixed-approach-to-measuring-catcher-framing/>

Eisenberg, D., Raber, M. "Defensive Efficiency Metrics (DEMs): A Paradigm Shift in Defensive Hockey Analysis Based on Per-Possession Measurements." March 26, 2021.

<https://www.statsportsconsulting.com/wp-content/uploads/Deffensive-Efficiency-Metrics-DEMs.pdf>

Ferris, Shawn. "Using Data To Inform Shorthanded Neutral Zone Decisions." Hockey-Graphs. April 16, 2020. <https://hockey-graphs.com/2020/04/16/using-data-to-inform-shorthanded-neutral-zone-decisions/#more-24218>

Judge, Jonathan. "Bayesian Bagging to Generate Uncertainty Intervals: A Catcher Framing Story." Baseball Prospectus. March 7, 2018.

<https://www.baseballprospectus.com/news/article/38289/bayesian-bagging-generate-uncertainty-intervals-catcher-framing-story/>

Kay, Matthew. "Extracting and Visualizing Tidy Draws From Rstanarm Models". tidybayes. December 30, 2021. <http://mjskay.github.io/tidybayes/articles/tidy-rstanarm.html>