Generate Image

v0.3.0 OAS 3.1.0

Pollinations API

Download OpenAPI Document

Introduction

Generate text, images, video, and audio with a single API. OpenAI-compatible — use any OpenAI SDK by changing the base URL.

Base URL: `https://gen.pollinations.ai`

Get your API key: enter.pollinations.ai

Overview

Capability	Endpoint	Format
✍️ **Text Generation**	`POST /v1/chat/completions`	OpenAI-compatible
✍️ **Simple Text**	`GET /text/{prompt}`	Plain text
🖼️ **Image Generation**	`GET /image/{prompt}`	JPEG / PNG
🎬 **Video Generation**	`GET /video/{prompt}`	MP4
🔊 **Text-to-Speech**	`GET /audio/{text}`	MP3
🔊 **Music Generation**	`GET /audio/{text}`	MP3
🔊 **Transcription**	`POST /v1/audio/transcriptions`	JSON
🤖 **Model Discovery**	`GET /v1/models`	JSON

Quick Start

Generate an Image

Paste this URL in your browser — no code needed:

Copy for LLMs

```
https://gen.pollinations.ai/image/a%20cat%20in%20space
```

Or use it directly in HTML:

```
<img src="https://gen.pollinations.ai/image/a%20cat%20in%20space" />
```

Generate Text (OpenAI-compatible)

```
curl https://gen.pollinations.ai/v1/chat/completions \
  -H "Authorization: Bearer YOUR_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{"model": "openai", "messages": [{"role": "user", "content": "Hello!"}]}'
```

Generate Speech

```
curl "https://gen.pollinations.ai/audio/Hello%20world?voice=nova" \
  -H "Authorization: Bearer YOUR_API_KEY" -o speech.mp3
```

🔐 Authentication

All generation requests require an API key from enter.pollinations.ai. Model listing endpoints work without authentication.

Two key types:

Type	Prefix	Use case	Rate limits
Secret	`sk_`	Server-side apps	None
Publishable	`pk_`	Client-side apps (beta)	1 pollen/IP/hour

How to authenticate:

```
# Option 1: Authorization header (recommended)
curl -H "Authorization: Bearer YOUR_API_KEY" ...

# Option 2: Query parameter
curl "https://gen.pollinations.ai/text/hello?key=YOUR_API_KEY"
```

> **Warning:** Never expose secret keys (`sk_`) in client-side code. Use publishable keys (`pk_`) for frontend apps.

❌ Errors

All errors return JSON with a consistent format:

```
{
  "status": 400,
  "success": false,
  "error": {
    "code": "BAD_REQUEST",
    "message": "Description of what went wrong"
  }
}
```

Status	Meaning
`400`	Invalid parameters or malformed request
`401`	Missing or invalid API key
`402`	Insufficient pollen balance
`403`	API key lacks required permission
`500`	Internal server error

✍️ Text Generation

Generate text responses using AI models. Fully compatible with the OpenAI Chat Completions API — use any OpenAI SDK by changing the base URL.

Endpoint	Best for
`POST /v1/chat/completions`	Full OpenAI compatibility — streaming, tools, vision, structured outputs
`GET /text/{prompt}`	Quick prototyping — simple GET, returns plain text

Capabilities vary by model: streaming, function calling, vision, structured JSON, reasoning, web search. See `/text/models` for per-model details.

Chat Completions

Generate text responses using AI models. Fully compatible with the OpenAI Chat Completions API — use any OpenAI SDK by pointing it to `https://gen.pollinations.ai`.

Operations

Supports streaming, function calling, vision (image input), structured outputs, and reasoning/thinking modes depending on the model.

```
POST /v1/chat/completions
GET  /text/{prompt}
```

Body application/json

messages array required

+ Show Child Attributes

audio object

+ Show Child Attributes

frequency_penalty number · min: -2 · max: 2 · nullable Default

function_call

Any of string

string · enum

values

none

auto

functions array object[] · 1...128

+ Show Child Attributes

logit_bias object · nullable Default

+ Show Child Attributes

logprobs boolean · nullable Default

max_tokens integer · min: 0 · max: 9007199254740991 · nullable

Integer numbers.

modalities array string[] · enum

values

text

audio

model string Default

AI model for text generation. See /v1/models for full list.

parallel_tool_calls boolean Default

presence_penalty number · min: -2 · max: 2 · nullable Default

+ Show additional properties

Responses

> **200** Success

> **400** Something was wrong with the input data, check the details for more info.

> **401** Authentication required. Please provide an API key via Authorization header (Bearer token) or ?key= qu...

> **402** Insufficient pollen balance or API key budget exhausted.

> **403** Access denied! You don't have the required permissions for this resource or model.

> **429** You're making requests too quickly. Please slow down a bit.

> **500** Oh snap, something went wrong on our end. We're on it!

Server

https://gen.pollinations.ai

Authentication Required bearerAuth

API key from enter.pollinations.ai

Bearer Token: Token

Client Libraries

Shell Ruby Node.js PHP Python More

Shell Curl

Simple Text Generation

POST /v1/chat/completions cURL

Generate text from a prompt via a simple GET request. Returns plain text.

```
curl https://gen.pollinations.ai/v1/chat/completions \
  -H "Authorization: Bearer YOUR_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{
    "model": "openai",
    "messages": [{"role": "user", "content": "Hello!"}]
  }'
```

This is a simplified alternative to the OpenAI-compatible `/v1/chat/completions` endpoint — ideal for quick prototyping or simple integrations.

Path Parameters

prompt string · min length: 1 required Example

▶ Test Request

Text prompt for generation

200 400 401 402 403 429 500 Show Schema


```
{
  "id": "chatcmpl-abc123",
  "object": "chat.completion",
  "created": 1700000000,
  "model": "openai",
  "choices": [
    {
      "index": 0,
      "message": {
        "role": "assistant",
        "content": "Hello! How can I help you today?"
      },
      "finish_reason": "stop"
    }
  ],
  "usage": {
    "prompt_tokens": 10,
    "completion_tokens": 12,
    "total_tokens": 22
  }
}
```


Query Parameters

model string · enum Default

Text model to use. See /v1/models or /text/models for the full list of available models.

values

openai

openai-fast

openai-large

qwen-coder

mistral

+ Show all values

seed integer · min: -1 · max: 9007199254740991 Default

Seed for reproducible results. Use -1 for random.

system string

System prompt to set the model's behavior and context. Acts as initial instructions before the user prompt.

json boolean Default

When true, the model returns valid JSON. Useful for structured data extraction.

temperature number

Controls randomness. Lower values (e.g. 0.2) produce more focused output, higher values (e.g. 1.5) produce more creative output. Range: 0.0 to 2.0.

stream boolean Default

Stream the response as it's generated, using Server-Sent Events (SSE). Each chunk contains partial text.

Responses

- **200** Generated text response
- **400** Something was wrong with the input data, check the details for more info.
- **401** Authentication required. Please provide an API key via Authorization header (Bearer token) or ?key= qu...
- **402** Insufficient pollen balance or API key budget exhausted.
- **403** Access denied! You don't have the required permissions for this resource or model.
- **429** You're making requests too quickly. Please slow down a bit.

> **500** Oh snap, something went wrong on our end. We're on it!

🖼️ Image Generation

Generate images from text prompts via a simple GET request. Returns JPEG or PNG.

Quick start — paste in your browser, no code needed:

```
https://gen.pollinations.ai/image/a%20cat%20in%20space?model=flux
```

Available models: kontext, nanobanana, nanobanana-2, nanobanana-pro, seedream5, seedream, seedream-pro, gptimage, gptimage-large, flux, zimage, wan-image, wan-image-pro, qwen-image, grok-imagine, grok-imagine-pro, klein, p-image, p-image-edit, nova-canvas

Key parameters: `model`, `width`, `height`, `seed`, `enhance`, `negative_prompt`, `image` (for editing), `quality`, `transparent`

OpenAI SDK: Also available via `POST /v1/images/generations` and `POST /v1/images/edits` — use any OpenAI SDK with `base_url="https://gen.pollinations.ai/v1"`.

GET /text/{prompt}

cURL

```
curl "https://gen.pollinations.ai/text/Write%20a%20haiku?model=openai" \
  -H "Authorization: Bearer YOUR_API_KEY"
```

Generate Image

Generate an image from a text prompt. Returns JPEG or PNG.

Operations

Available models: `kontext`, `nanobanana`, `nanobanana-2`, `nanobanana-pro`, `seedream5`, `seedream`, `seedream-pro`, `gptimage`, `gptimage-large`, `flux`, `zimage`, `wan-image`, `wan-image-pro`, `qwen-image`, `grok-imagine`, `grok-imagine-pro`, `klein`, `p-image`, `p-image-edit`, `nova-canvas`. `zimage` is the default.

Browse all available models and their capabilities at `/image/models`.

GET /image/{prompt}

POST /v1/images/generations

POST /v1/images/edits

Path Parameters

prompt string · required Example

Text description of the image to generate

Query Parameters

model string · enum Default

Model to use. **Image:** flux, zimage, gptimage, kontext, seedream5, nanobanana, nanobanana-pro, klein. **Video:** veo, seedance, seedance-pro, wan. See /image/models for full list.

values

- `kontext`
- `nanobanana`
- `nanobanana-2`
- `nanobanana-pro`
- `seedream5`

+ Show all values

width integer · min: 0 · max: 9007199254740991 Default

Width in pixels. For images, exact pixels. For video models, mapped to nearest resolution tier (480p/720p/1080p).

height integer · min: 0 · max: 9007199254740991 Default

Height in pixels. For images, exact pixels. For video models, mapped to nearest resolution tier (480p/720p/1080p).

`seed` integer · min: -1 · max: 2147483647 Default

Seed for reproducible results. Use -1 for random. Supported by: flux, zimage, seedream, klein, seedance. Other models ignore this parameter.

`enhance` boolean Default

Let AI improve your prompt for better results. Applied during prompt processing.

`negative_prompt` string Default

What to avoid in the generated image. Only supported by `flux` and `zimage` — other models ignore this.

`safe` boolean Default

Enable safety content filters

`quality` string · enum Default

Image quality level. Only supported by `gptimage` and `gptimage-large`.

values

- `low`
- `medium`
- `high`
- `hd`

`image` string

Reference image URL(s) for image editing or video generation. Separate multiple URLs with `|` or `,`. **Image models:** Used for editing/style reference (kontext, gptimage, seedream, klein, nanobanana). **Video models:** First image = starting frame; second image = ending frame for interpolation (veo only).

`transparent` boolean Default

Generate image with transparent background. Only supported by `gptimage` and `gptimage-large`.

`duration` integer · min: 1 · max: 30

Video duration in seconds. Only applies to video models. `veo`: 4, 6, or 8s. `seedance`: 2-10s. `wan`: 2-15s. `nova-reel`: 6-30s (multiples of 6).

`aspectRatio` string

Video aspect ratio (`16:9` or `9:16`). Only applies to video models. If not set, determined by width/height.

`audio` boolean Default

Generate audio for the video. Only applies to video models. Note: `wan` generates audio regardless of this flag. For `veo`, set to `true` to enable audio.

Responses

- **200** Success - Returns the generated image
- **400** Something was wrong with the input data, check the details for more info.
- **401** Authentication required. Please provide an API key via Authorization header (Bearer token) or ?key= qu...
- **402** Insufficient pollen balance or API key budget exhausted.
- **403** Access denied! You don't have the required permissions for this resource or model.
- **429** You're making requests too quickly. Please slow down a bit.
- **500** Oh snap, something went wrong on our end. We're on it!

GET /image/{prompt} HTML

```html
<!— No code needed — use as an image URL —>
<img src="https://gen.pollinations.ai/image/a%20cat%20in%20space?model=flux"
```

▶ Test Request

200 400 401 402 403 429 500 Show Schema

@filename

Success - Returns the generated image

Generate Image (OpenAI-compatible)

OpenAI-compatible image generation endpoint.

Generate images from text prompts. Supports `response_format: "url"` (returns a pollinations.ai URL) or `"b64_json"` (returns base64-encoded image data, default).

Authentication: Include your API key as `Authorization: Bearer YOUR_API_KEY`.

Body

application/json

prompt string · min length: 1 · max length: 32000 required

A text description of the desired image(s)

image

Any of string

string

Reference image URL(s) for image-to-image generation (Pollinations extension)

model string Default

The model to use for image generation

n integer · min: 1 · max: 1 Default

Number of images to generate (currently max 1)

quality string · enum Default

Image quality. OpenAI 'standard'/'hd' mapped to Pollinations equivalents

values

- `standard`
- `hd`
- `low`
- `medium`
- `high`

response_format string · enum Default

Return format. "url" returns a pollinations.ai URL, "b64_json" returns base64-encoded image data

values

- `url`
- `b64_json`

size string Default

Image size as WIDTHxHEIGHT (e.g., 1024×1024, 512×512)

user string

End-user identifier for abuse tracking

Responses

- **200** Success
- **400** Something was wrong with the input data, check the details for more info.
- **401** Authentication required. Please provide an API key via Authorization header (Bearer token) or ?key= qu...
- **402** Insufficient pollen balance or API key budget exhausted.
- **403** Access denied! You don't have the required permissions for this resource or model.
- **500** Oh snap, something went wrong on our end. We're on it!

POST /v1/images/generations

Shell Curl

```
curl https://gen.pollinations.ai/v1/images/generations \
  --request POST \
  --header 'Content-Type: application/json' \
  --header 'Authorization: Bearer YOUR_SECRET_TOKEN' \
  --data '{
  "prompt": "",
  "model": "flux",
  "n": 1,
  "size": "1024x1024",
  "quality": "medium",
  "response_format": "b64_json",
  "user": "",
  "image": ""
}'
```

▶ Test Request

200 400 401 402 403 500 Show Schema

```
null
```

Success

Edit Image (OpenAI-compatible)

OpenAI-compatible image editing endpoint.

Edit images using a text prompt and one or more source images. Accepts JSON with image URLs or multipart/form-data with file uploads.

Authentication: Include your API key as `Authorization: Bearer YOUR_API_KEY`.

Responses

- **200** Success
- **400** Something was wrong with the input data, check the details for more info.
- **401** Authentication required. Please provide an API key via Authorization header (Bearer token) or ?key= qu...
- **402** Insufficient pollen balance or API key budget exhausted.
- **403** Access denied! You don't have the required permissions for this resource or model.

> **500** Oh snap, something went wrong on our end. We're on it!

POST /v1/images/edits

Shell Curl

```
curl https://gen.pollinations.ai/v1/images/edits \
  --request POST \
  --header 'Authorization: Bearer YOUR_SECRET_TOKEN'
```

▶ Test Request

200 400 401 402 403 500 Show Schema

```
null
```

Success

🎬 Video Generation

Generate videos from text prompts or reference images. Returns MP4.

```
https://gen.pollinations.ai/video/sunset%20timelapse?model=veo&duration=4
```

Available models: veo, seedance, seedance-pro, wan, wan-fast, grok-video-pro, ltx-2, p-video, nova-reel

Video parameters: `duration` (seconds), `aspectRatio` (`16:9` or `9:16`), `audio` (enable soundtrack), `image` (reference frames)

Operations

GET /video/{prompt}

Show More

🔊 Audio Generation

Text-to-speech, music generation, and audio transcription.

Endpoint	Description
`GET /audio/{text}`	Simple URL-based TTS or music generation
`POST /v1/audio/speech`	OpenAI-compatible TTS
`POST /v1/audio/transcriptions`	Speech-to-text transcription

Available voices: alloy, echo, fable, onyx, nova, shimmer, ash, ballad, coral, sage, verse, rachel, domi, bella, elli, charlotte, dorothy, sarah, emily, lily, matilda, adam, antoni, arnold, josh, sam, daniel, charlie, james, fin, callum, liam, george, brian, bill

Operations

```
 GET  /audio/{text}
POST  /v1/audio/speech
POST  /v1/audio/transcriptions
```

Show More

🤖 Models

Discover available models with pricing, capabilities, and metadata. **No authentication required.**

Endpoint	Returns
`GET /v1/models`	Text models in OpenAI format (`{object: "list", data: [...]}`)
`GET /text/models`	Text models with pricing, context window, tool support
`GET /image/models`	Image & video models with capabilities and pricing
`GET /audio/models`	Audio models with supported voices

Operations

```
GET  /v1/models
GET  /image/models
GET  /text/models
```

```
GET /audio/models
```

Show More

👤 Account

Manage your account, check your pollen balance, and view usage history. All endpoints require authentication.

Endpoint	Description
`GET /account/profile`	Name, email, tier, creation date
`GET /account/balance`	Current pollen balance
`GET /account/usage`	Per-request history with costs
`GET /account/usage/daily`	Daily aggregated usage for dashboards
`GET /account/key`	API key validity, type, and permissions

When using API keys, specific permissions may be required (e.g., `account:balance`, `account:usage`).

Operations

```
GET /account/profile
GET /account/balance
GET /account/usage
GET /account/usage/daily
GET /account/key
```

Show More