EDIT CONNECTION	guacadmin		
Name: bmax-shared  Location: ROOT  Protocol: RDP   ✓			
CONCURRENCY LIMITS			
Maximum number of conne			
LOAD BALANCING			
Connection weight:  Use for failover only:			
GUACAMOLE PROXY PARAMETERS (GUACD)			
Hostname: Port: Encryption:	<b>Y</b>		
PARAMETERS			
Network			
	Hostname: 192.168.100.101		
Port:			
Authentication			
Username:	shared-desktop		
Password:	••••••		
Domain:			
Security mode:	•		
Disable authentication:			

Ignore server certificate:
Remote Desktop Gateway
Hostname:
Port:
Username:
Password:
Domain:
Basic Settings
Initial program:
Client name:
Keyboard layout:
Time zone:
Enable multi-touch:
Administrator console:
Display
Width:
Height:
Resolution (DPI):
Color depth:
Force lossless compression:
Resize method:
Read-only:
Clipboard
Line endings:
Disable copying from remote desktop:
Disable pasting from client:
Device Redirection
Support audio in console:
Disable audio:
Enable audio input (microphone):
Enable printing:

Exclude graphics/streams:

28/25, 11:39 AM	Apache Guacamole
Exclude mouse:	
Exclude touch events:	
Include key events:	
Automatically create recording	g path: $\square$
SFTP	
Enable SFTP:	
Hostname:	
Port:	
Public host key (Base64):	
Username:	
Password:	
Private key:	
Passphrase: File browser root directory:	
Default upload directory:	
SFTP keepalive interval:	
Disable file download:	
Disable file upload:	
Wake-on-LAN (WoL)	
Send WoL packet:	
MAC address of the remote h	ost:
Broadcast address for WoL pa	icket:
UDP port for WoL packet:	
Host boot wait time:	
	Save Cancel

## **USAGE HISTORY**

This connection has not yet been used.