

OpenSSL Available Algorithms

Digests: Legacy: gost-mac md_gost12_256 md_gost12_512 md_gost94
RSA-MD4 => MD4 RSA-MD5 => MD5 RSA-MDC2 => MDC2 RSA-
RIPEMD160 => RIPEMD160 RSA-SHA1 => SHA1 RSA-SHA1-2 =>
RSA-SHA1 RSA-SHA224 => SHA224 RSA-SHA256 => SHA256 RSA-
SHA3-224 => SHA3-224 RSA-SHA3-256 => SHA3-256 RSA-SHA3-
384 => SHA3-384 RSA-SHA3-512 => SHA3-512 RSA-SHA384 =>
SHA384 RSA-SHA512 => SHA512 RSA-SHA512/224 => SHA512-224
RSA-SHA512/256 => SHA512-256 RSA-SM3 => SM3 BLAKE2b512
BLAKE2s256 gost-mac gost-mac-12 id-rsassa-pkcs1-v1_5-with-sha3-224 =>
SHA3-224 id-rsassa-pkcs1-v1_5-with-sha3-256 => SHA3-256 id-rsassa-pkcs1-
v1_5-with-sha3-384 => SHA3-384 id-rsassa-pkcs1-v1_5-with-sha3-512 =>
SHA3-512 kuznyechik-ctr-acpkm-omac kuznyechik-mac magma-mac MD4
md4WithRSAEncryption => MD4 MD5 MD5-SHA1 md5WithRSAEncryption
=> MD5 md_gost12_256 md_gost12_512 md_gost94 MDC2 mdc2WithRSA
=> MDC2 ripemd => RIPEMD160 RIPEMD160 ripemd160WithRSA =>
RIPEMD160 rmd160 => RIPEMD160 SHA1 sha1WithRSAEncryption
=> SHA1 SHA224 sha224WithRSAEncryption => SHA224 SHA256
sha256WithRSAEncryption => SHA256 SHA3-224 SHA3-256 SHA3-384
SHA3-512 SHA384 sha384WithRSAEncryption => SHA384 SHA512 SHA512-
224 sha512-224WithRSAEncryption => SHA512-224 SHA512-256 sha512-
256WithRSAEncryption => SHA512-256 sha512WithRSAEncryption =>
SHA512 SHAKE128 SHAKE256 SM3 sm3WithRSAEncryption => SM3
ssl3-md5 => MD5 ssl3-sha1 => SHA1 streebog256 => md_gost12_256
streebog512 => md_gost12_512 whirlpool Provided: { 2.16.840.1.101.3.4.2.8,
SHA3-256 } @ default { 1.3.6.1.4.1.1722.12.2.2.8, BLAKE2S-256, BLAKE2s256
} @ default { 2.16.840.1.101.3.4.2.10, SHA3-512 } @ default { 2.16.840.1.101.3.4.2.6,
SHA-512/256, SHA2-512/256, SHA512-256 } @ default { 2.16.840.1.101.3.4.2.4,
SHA-224, SHA2-224, SHA224 } @ default { 1.3.14.3.2.26, SHA-1, SHA1,
SSL3-SHA1 } @ default { 2.16.840.1.101.3.4.2.7, SHA3-224 } @ default {
2.16.840.1.101.3.4.2.9, SHA3-384 } @ default { 1.3.36.3.2.1, RIPEMD, RIPEMD-
160, RIPEMD160, RMD160 } @ default { 2.16.840.1.101.3.4.2.3, SHA-512,
SHA2-512, SHA512 } @ default { 2.16.840.1.101.3.4.2.5, SHA-512/224, SHA2-
512/224, SHA512-224 } @ default { 2.16.840.1.101.3.4.2.12, SHAKE-256,
SHAKE256 } @ default { 2.16.840.1.101.3.4.2.2, SHA-384, SHA2-384, SHA384
} @ default { 1.2.156.10197.1.401, SM3 } @ default { 1.2.840.113549.2.5,
MD5, SSL3-MD5 } @ default { 2.16.840.1.101.3.4.2.1, SHA-256, SHA2-256,
SHA256 } @ default { 1.3.6.1.4.1.1722.12.2.1.16, BLAKE2B-512, BLAKE2b512
} @ default MD5-SHA1 @ default { 2.16.840.1.101.3.4.2.11, SHAKE-128,
SHAKE128 } @ default { SHA-256/192, SHA2-256/192, SHA256-192 } @
default KECCAK-224 @ default KECCAK-256 @ default KECCAK-384 @ de-
fault KECCAK-512 @ default { KECCAK-KMAC-128, KECCAK-KMAC128
} @ default { KECCAK-KMAC-256, KECCAK-KMAC256 } @ default NULL
@ default { 1.3.36.3.2.1, RIPEMD, RIPEMD-160, RIPEMD160, RMD160 } @
legacy { 1.0.10118.3.0.55, whirlpool } @ legacy { 2.5.8.3.101, MDC2 } @ legacy

{ 1.2.840.113549.2.4, MD4 } @ legacy

Symmetric Ciphers: Legacy: gost89 RC5 => RC5-CBC AES-128-CBC
AES-128-CBC-HMAC-SHA1 AES-128-CBC-HMAC-SHA256 id-aes128-CCM
AES-128-CFB AES-128-CFB1 AES-128-CFB8 AES-128-CTR AES-128-ECB
id-aes128-GCM AES-128-OCB AES-128-OFB AES-128-XTS AES-192-CBC
id-aes192-CCM AES-192-CFB AES-192-CFB1 AES-192-CFB8 AES-192-CTR
AES-192-ECB id-aes192-GCM AES-192-OCB AES-192-OFB AES-256-CBC
AES-256-CBC-HMAC-SHA1 AES-256-CBC-HMAC-SHA256 id-aes256-CCM
AES-256-CFB AES-256-CFB1 AES-256-CFB8 AES-256-CTR AES-256-
ECB id-aes256-GCM AES-256-OCB AES-256-OFB AES-256-XTS aes128
=> AES-128-CBC aes128-wrap => id-aes128-wrap aes128-wrap-pad =>
id-aes128-wrap-pad aes192 => AES-192-CBC aes192-wrap => id-aes192-
wrap aes192-wrap-pad => id-aes192-wrap-pad aes256 => AES-256-CBC
aes256-wrap => id-aes256-wrap aes256-wrap-pad => id-aes256-wrap-pad
ARIA-128-CBC ARIA-128-CCM ARIA-128-CFB ARIA-128-CFB1 ARIA-
128-CFB8 ARIA-128-CTR ARIA-128-ECB ARIA-128-GCM ARIA-128-OFB
ARIA-192-CBC ARIA-192-CCM ARIA-192-CFB ARIA-192-CFB1 ARIA-
192-CFB8 ARIA-192-CTR ARIA-192-ECB ARIA-192-GCM ARIA-192-OFB
ARIA-256-CBC ARIA-256-CCM ARIA-256-CFB ARIA-256-CFB1 ARIA-
256-CFB8 ARIA-256-CTR ARIA-256-ECB ARIA-256-GCM ARIA-256-OFB
aria128 => ARIA-128-CBC aria192 => ARIA-192-CBC aria256 => ARIA-
256-CBC bf => BF-CBC BF-CBC BF-CFB BF-ECB BF-OFB blowfish
=> BF-CBC CAMELLIA-128-CBC CAMELLIA-128-CFB CAMELLIA-
128-CFB1 CAMELLIA-128-CFB8 CAMELLIA-128-CTR CAMELLIA-
128-ECB CAMELLIA-128-OFB CAMELLIA-192-CBC CAMELLIA-192-
CFB CAMELLIA-192-CFB1 CAMELLIA-192-CFB8 CAMELLIA-192-
CTR CAMELLIA-192-ECB CAMELLIA-192-OFB CAMELLIA-256-CBC
CAMELLIA-256-CFB CAMELLIA-256-CFB1 CAMELLIA-256-CFB8
CAMELLIA-256-CTR CAMELLIA-256-ECB CAMELLIA-256-OFB camel-
lia128 => CAMELLIA-128-CBC camellia192 => CAMELLIA-192-CBC
camellia256 => CAMELLIA-256-CBC cast => CAST5-CBC cast-cbc
=> CAST5-CBC CAST5-CBC CAST5-CFB CAST5-ECB CAST5-OFB
ChaCha20 ChaCha20-Poly1305 des => DES-CBC DES-CBC DES-CFB
DES-CFB1 DES-CFB8 DES-ECB DES-EDE DES-EDE-CBC DES-EDE-CFB
des-edecb => DES-EDE DES-EDE-OFB DES-EDE3 DES-EDE3-CBC
DES-EDE3-CFB DES-EDE3-CFB1 DES-EDE3-CFB8 des-edecb =>
DES-EDE3 DES-EDE3-OFB DES-OFB des3 => DES-EDE3-CBC des3-
wrap => id-smime-alg-CMS3DESwrap desx => DESX-CBC DESX-CBC
gost89 gost89-cbc gost89-cnt gost89-cnt-12 id-aes128-CCM id-aes128-GCM
id-aes128-wrap id-aes128-wrap-pad id-aes192-CCM id-aes192-GCM id-aes192-
wrap id-aes192-wrap-pad id-aes256-CCM id-aes256-GCM id-aes256-wrap
id-aes256-wrap-pad id-smime-alg-CMS3DESwrap idea => IDEA-CBC IDEA-
CBC IDEA-CFB IDEA-ECB IDEA-OFB kuznyechik-cbc kuznyechik-cfb
kuznyechik-ctr kuznyechik-ctr-acpkm kuznyechik-ctr-acpkm-omac kuznyechik-
ecb kuznyechik-kexp15 kuznyechik-mgm kuznyechik-ofb magma-cbc magma-ctr

magma-ctr-acpkm magma-ctr-acpkm-omac magma-ecb magma-kexp15 magma-
mgm rc2 => RC2-CBC rc2-128 => RC2-CBC rc2-40 => RC2-40-CBC
RC2-40-CBC rc2-64 => RC2-64-CBC RC2-64-CBC RC2-CBC RC2-CFB
RC2-ECB RC2-OFB RC4 RC4-40 RC4-HMAC-MD5 RC5-CBC RC5-CFB
RC5-ECB RC5-OFB seed => SEED-CBC SEED-CBC SEED-CFB SEED-ECB
SEED-OFB sm4 => SM4-CBC SM4-CBC SM4-CFB SM4-CTR SM4-ECB
SM4-OFB Provided: { 0.3.4401.5.3.1.9.21, CAMELLIA-192-ECB } @ default
{ 1.2.410.200046.1.1.5, ARIA-128-CTR } @ default { 1.2.840.113549.3.7,
DES-EDE3-CBC, DES3 } @ default { 1.2.410.200046.1.1.7, ARIA-192-CBC,
ARIA192 } @ default { 1.2.410.200046.1.1.3, ARIA-128-CFB } @ default {
0.3.4401.5.3.1.9.29, CAMELLIA-192-CTR } @ default { 2.16.840.1.101.3.4.1.6,
aes-128-gcm, id-aes128-GCM } @ default { 2.16.840.1.101.3.4.1.26, aes-
192-gcm, id-aes192-GCM } @ default { 0.3.4401.5.3.1.9.43, CAMELLIA-
256-OFB } @ default { 1.2.392.200011.61.1.1.1.4, CAMELLIA-256-CBC,
CAMELLIA256 } @ default { 1.2.156.10197.1.104.2, SM4, SM4-CBC
} @ default { 1.2.410.200046.1.1.12, ARIA-256-CBC, ARIA256 } @ de-
fault { 2.16.840.1.101.3.4.1.22, AES-192-CBC, AES192 } @ default {
2.16.840.1.101.3.4.1.4, AES-128-CFB } @ default { 1.2.410.200046.1.1.38,
ARIA-192-CCM } @ default { 1.2.410.200046.1.1.1, ARIA-128-ECB } @
default { 2.16.840.1.101.3.4.1.2, AES-128-CBC, AES128 } @ default {
2.16.840.1.101.3.4.1.24, AES-192-CFB } @ default { 1.2.392.200011.61.1.1.1.2,
CAMELLIA-128-CBC, CAMELLIA128 } @ default { 1.2.410.200046.1.1.35,
ARIA-192-GCM } @ default { 2.16.840.1.101.3.4.1.42, AES-256-CBC, AES256
} @ default { 2.16.840.1.101.3.4.1.28, AES-192-WRAP-PAD, AES192-WRAP-
PAD, id-aes192-wrap-pad } @ default { 1.2.410.200046.1.1.36, ARIA-256-
GCM } @ default { 1.3.111.2.1619.0.1.2, AES-256-XTS } @ default {
2.16.840.1.101.3.4.1.8, AES-128-WRAP-PAD, AES128-WRAP-PAD, id-aes128-
wrap-pad } @ default { 1.2.840.113549.1.9.16.3.6, DES3-WRAP, id-smime-alg-
CMS3DESwrap } @ default { 2.16.840.1.101.3.4.1.48, AES-256-WRAP-PAD,
AES256-WRAP-PAD, id-aes256-wrap-pad } @ default { 1.2.156.10197.1.104.3,
SM4-OFB, SM4-OFB128 } @ default { 2.16.840.1.101.3.4.1.25, AES-192-
WRAP, AES192-WRAP, id-aes192-wrap } @ default { 2.16.840.1.101.3.4.1.41,
AES-256-ECB } @ default { 0.3.4401.5.3.1.9.49, CAMELLIA-256-CTR }
@ default { 1.2.410.200046.1.1.2, ARIA-128-CBC, ARIA128 } @ default {
0.3.4401.5.3.1.9.41, CAMELLIA-256-ECB } @ default { 2.16.840.1.101.3.4.1.44,
AES-256-CFB } @ default { 1.2.156.10197.1.104.4, SM4-CFB, SM4-CFB128
} @ default { 0.3.4401.5.3.1.9.4, CAMELLIA-128-CFB } @ default {
1.2.410.200046.1.1.39, ARIA-256-CCM } @ default { 1.2.410.200046.1.1.14,
ARIA-256-OFB } @ default { 2.16.840.1.101.3.4.1.46, aes-256-gcm, id-aes256-
GCM } @ default { 0.3.4401.5.3.1.9.9, CAMELLIA-128-CTR } @ default {
2.16.840.1.101.3.4.1.23, AES-192-OFB } @ default { 1.2.156.10197.1.104.1,
SM4-ECB } @ default { 2.16.840.1.101.3.4.1.7, aes-128-ccm, id-aes128-CCM
} @ default { 2.16.840.1.101.3.4.1.47, aes-256-ccm, id-aes256-CCM } @
default { 2.16.840.1.101.3.4.1.45, AES-256-WRAP, AES256-WRAP, id-aes256-
wrap } @ default { 1.2.410.200046.1.1.15, ARIA-256-CTR } @ default {
1.2.410.200046.1.1.34, ARIA-128-GCM } @ default { 1.2.410.200046.1.1.6,

ARIA-192-ECB } @ default { 1.2.410.200046.1.1.37, ARIA-128-CCM } @
 default { 2.16.840.1.101.3.4.1.27, aes-192-ccm, id-aes192-CCM } @ default {
 1.3.14.3.2.17, DES-EDE, DES-EDE-ECB } @ default { 1.2.410.200046.1.1.11,
 ARIA-256-ECB } @ default { 1.3.111.2.1619.0.1.1, AES-128-XTS } @ default
 { 2.16.840.1.101.3.4.1.5, AES-128-WRAP, AES128-WRAP, id-aes128-wrap } @
 default { 2.16.840.1.101.3.4.1.3, AES-128-OFB } @ default { 0.3.4401.5.3.1.9.3,
 CAMELLIA-128-OFB } @ default { 0.3.4401.5.3.1.9.1, CAMELLIA-128-
 ECB } @ default { 0.3.4401.5.3.1.9.44, CAMELLIA-256-CFB } @ default
 { 1.2.410.200046.1.1.10, ARIA-192-CTR } @ default { 0.3.4401.5.3.1.9.23,
 CAMELLIA-192-OFB } @ default { 0.3.4401.5.3.1.9.24, CAMELLIA-192-
 CFB } @ default { 1.2.410.200046.1.1.9, ARIA-192-OFB } @ default {
 1.2.410.200046.1.1.13, ARIA-256-CFB } @ default { 2.16.840.1.101.3.4.1.1,
 AES-128-ECB } @ default { 1.2.410.200046.1.1.8, ARIA-192-CFB } @ default
 { 1.2.156.10197.1.104.7, SM4-CTR } @ default { 2.16.840.1.101.3.4.1.43, AES-
 256-OFB } @ default { 1.2.410.200046.1.1.4, ARIA-128-OFB } @ default {
 1.2.392.200011.61.1.1.1.3, CAMELLIA-192-CBC, CAMELLIA192 } @ default
 { 2.16.840.1.101.3.4.1.21, AES-192-ECB } @ default NULL @ default AES-
 128-CBC-CTS @ default AES-192-CBC-CTS @ default AES-256-CBC-CTS @
 default AES-256-CFB1 @ default AES-192-CFB1 @ default AES-128-CFB1 @
 default AES-256-CFB8 @ default AES-192-CFB8 @ default AES-128-CFB8
 @ default AES-256-CTR @ default AES-192-CTR @ default AES-128-CTR
 @ default AES-256-OCB @ default AES-192-OCB @ default AES-128-OCB
 @ default AES-128-SIV @ default AES-192-SIV @ default AES-256-SIV
 @ default AES-128-GCM-SIV @ default AES-192-GCM-SIV @ default
 AES-256-GCM-SIV @ default { AES-256-WRAP-INV, AES256-WRAP-INV
 } @ default { AES-192-WRAP-INV, AES192-WRAP-INV } @ default {
 AES-128-WRAP-INV, AES128-WRAP-INV } @ default { AES-256-WRAP-
 PAD-INV, AES256-WRAP-PAD-INV } @ default { AES-192-WRAP-PAD-
 INV, AES192-WRAP-PAD-INV } @ default { AES-128-WRAP-PAD-INV,
 AES128-WRAP-PAD-INV } @ default AES-128-CBC-HMAC-SHA1 @ default
 AES-256-CBC-HMAC-SHA1 @ default AES-128-CBC-HMAC-SHA256 @
 default AES-256-CBC-HMAC-SHA256 @ default ARIA-256-CFB1 @ default
 ARIA-192-CFB1 @ default ARIA-128-CFB1 @ default ARIA-256-CFB8 @
 default ARIA-192-CFB8 @ default ARIA-128-CFB8 @ default CAMELLIA-128-
 CBC-CTS @ default CAMELLIA-192-CBC-CTS @ default CAMELLIA-256-
 CBC-CTS @ default CAMELLIA-256-CFB1 @ default CAMELLIA-192-CFB1
 @ default CAMELLIA-128-CFB1 @ default CAMELLIA-256-CFB8 @ de-
 fault CAMELLIA-192-CFB8 @ default CAMELLIA-128-CFB8 @ default
 { DES-EDE3, DES-EDE3-ECB } @ default DES-EDE3-OFB @ default
 DES-EDE3-CFB @ default DES-EDE3-CFB8 @ default DES-EDE3-CFB1 @
 default DES-EDE-CBC @ default DES-EDE-OFB @ default DES-EDE-CFB @
 default { 1.2.156.10197.1.104.8, SM4-GCM } @ default { 1.2.156.10197.1.104.9,
 SM4-CCM } @ default { 1.2.156.10197.1.104.10, SM4-XTS } @ default
 ChaCha20 @ default ChaCha20-Poly1305 @ default { 1.3.6.1.4.1.188.7.1.1.2,
 IDEA, IDEA-CBC } @ legacy { 1.2.840.113549.3.2, RC2, RC2-128, RC2-CBC
 } @ legacy { 1.2.840.113533.7.66.10, CAST, CAST-CBC, CAST5-CBC } @

legacy { 1.2.410.200004.1.3, SEED-ECB } @ legacy { 1.3.14.3.2.9, DES-CFB } @ legacy { 1.3.6.1.4.1.3029.1.2, BF, BF-CBC, BLOWFISH } @ legacy { 1.3.14.3.2.7, DES, DES-CBC } @ legacy { 1.3.14.3.2.6, DES-ECB } @ legacy { 1.2.840.113549.3.4, RC4 } @ legacy { 1.2.410.200004.1.5, SEED-CFB, SEED-CFB128 } @ legacy { 1.3.14.3.2.8, DES-OFB } @ legacy { 1.2.410.200004.1.6, SEED-OFB, SEED-OFB128 } @ legacy { 1.2.410.200004.1.4, SEED, SEED-CBC } @ legacy CAST5-ECB @ legacy CAST5-OFB @ legacy CAST5-CFB @ legacy BF-ECB @ legacy BF-OFB @ legacy BF-CFB @ legacy IDEA-ECB @ legacy { IDEA-OFB, IDEA-OFB64 } @ legacy { IDEA-CFB, IDEA-CFB64 } @ legacy RC2-ECB @ legacy { RC2-40, RC2-40-CBC } @ legacy { RC2-64, RC2-64-CBC } @ legacy RC2-CFB @ legacy RC2-OFB @ legacy RC4-40 @ legacy RC4-HMAC-MD5 @ legacy { DESX, DESX-CBC } @ legacy DES-CFB1 @ legacy DES-CFB8 @ legacy

Provided KDFs and PDFs: HKDF @ default TLS13-KDF @ default SSKDF @ default { 1.2.840.113549.1.5.12, PBKDF2 } @ default PKCS12KDF @ default SSHKDF @ default { X942KDF-CONCAT, X963KDF } @ default TLS1-PRF @ default KBKDF @ default { X942KDF, X942KDF-ASN1 } @ default { 1.3.6.1.4.1.11591.4.11, id-scrypt, SCRYPT } @ default KRB5KDF @ default HMAC-DRBG-KDF @ default ARGON2I @ default ARGON2D @ default ARGON2ID @ default PBKDF1 @ legacy PVKKDF @ legacy

Provided MACs: { 1.3.6.1.4.1.1722.12.2.1, BLAKE2BMAC } @ default { 1.3.6.1.4.1.1722.12.2.2, BLAKE2SMAC } @ default CMAC @ default { 1.0.9797.3.4, GMAC } @ default HMAC @ default { 2.16.840.1.101.3.4.2.19, KMAC-128, KMAC128 } @ default { 2.16.840.1.101.3.4.2.20, KMAC-256, KMAC256 } @ default SIPHASH @ default POLY1305 @ default

Provided Asymmetric Encryption: { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default { 1.2.156.10197.1.301, SM2 } @ default

Provided Key Exchange: { 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default { 1.3.101.110, X25519 } @ default { 1.3.101.111, X448 } @ default HKDF @ default TLS1-PRF @ default { 1.3.6.1.4.1.11591.4.11, id-scrypt, SCRYPT } @ default ECDH @ default

Provided Signatures: { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default { 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-old } @ default { 1.2.840.10040.4.3, 1.3.14.3.2.27, DSA-SHA, DSA-SHA-1, DSA-SHA1, DSA-SHA1-old, dsaWithSHA, dsaWithSHA1, dsaWithSHA1-old } @ default { 1.3.101.112, ED25519 } @ default { 1.3.101.113, ED448 } @ default { 1.2.156.10197.1.301, SM2 } @ default CMAC @ default HMAC @ default SIPHASH @ default POLY1305 @ default { 2.16.840.1.101.3.4.3.1, DSA-SHA2-224, DSA-SHA224, dsa_with_SHA224 } @ default { 2.16.840.1.101.3.4.3.2, DSA-SHA2-256, DSA-SHA256, dsa_with_SHA256 } @ default { 1.2.840.1.101.3.4.3.3, DSA-SHA2-384, DSA-SHA384, dsa_with_SHA384, id-dsa-with-sha384 } @ default { 1.2.840.1.101.3.4.3.4, DSA-SHA2-512, DSA-SHA512, dsa_with_SHA512,

```

id-dsa-with-sha512 } @ default { 2.16.840.1.101.3.4.3.5, DSA-SHA3-224,
dsa_with_SHA3-224, id-dsa-with-sha3-224 } @ default { 2.16.840.1.101.3.4.3.6,
DSA-SHA3-256, dsa_with_SHA3-256, id-dsa-with-sha3-256 } @ default {
2.16.840.1.101.3.4.3.7, DSA-SHA3-384, dsa_with_SHA3-384, id-dsa-with-sha3-
384 } @ default { 2.16.840.1.101.3.4.3.8, DSA-SHA3-512, dsa_with_SHA3-512,
id-dsa-with-sha3-512 } @ default { 1.3.36.3.3.1.2, ripemd160WithRSA, RSA-
RIPEMD160 } @ default { 1.2.840.113549.1.1.5, RSA-SHA-1, RSA-SHA1,
sha1WithRSAEncryption } @ default { 1.2.840.113549.1.1.14, RSA-SHA2-224,
RSA-SHA224, sha224WithRSAEncryption } @ default { 1.2.840.113549.1.1.11,
RSA-SHA2-256, RSA-SHA256, sha256WithRSAEncryption } @ default {
1.2.840.113549.1.1.12, RSA-SHA2-384, RSA-SHA384, sha384WithRSAEncryption
} @ default { 1.2.840.113549.1.1.13, RSA-SHA2-512, RSA-SHA512, sha512WithRSAEncryption
} @ default { 1.2.840.113549.1.1.15, RSA-SHA2-512/224, RSA-SHA512-224,
sha512-224WithRSAEncryption } @ default { 1.2.840.113549.1.1.16, RSA-
SHA2-512/256, RSA-SHA512-256, sha512-256WithRSAEncryption } @ default
{ 2.16.840.1.101.3.4.3.13, id-rsassa-pkcs1-v1_5-with-sha3-224, RSA-SHA3-224 }
@ default { 2.16.840.1.101.3.4.3.14, id-rsassa-pkcs1-v1_5-with-sha3-256, RSA-
SHA3-256 } @ default { 2.16.840.1.101.3.4.3.15, id-rsassa-pkcs1-v1_5-with-sha3-
384, RSA-SHA3-384 } @ default { 2.16.840.1.101.3.4.3.16, id-rsassa-pkcs1-v1_5-
with-sha3-512, RSA-SHA3-512 } @ default { 1.2.156.10197.1.504, RSA-SM3,
sm3WithRSAEncryption } @ default ED25519ph @ default ED25519ctx @
default ED448ph @ default ECDSA @ default { 1.2.840.10045.4.1, ECDSA-
SHA-1, ECDSA-SHA1, ecdsa-with-SHA1 } @ default { 1.2.840.10045.4.3.1,
ECDSA-SHA2-224, ECDSA-SHA224, ecdsa-with-SHA224 } @ default {
1.2.840.10045.4.3.2, ECDSA-SHA2-256, ECDSA-SHA256, ecdsa-with-SHA256
} @ default { 1.2.840.10045.4.3.3, ECDSA-SHA2-384, ECDSA-SHA384,
ecdsa-with-SHA384 } @ default { 1.2.840.10045.4.3.4, ECDSA-SHA2-512,
ECDSA-SHA512, ecdsa-with-SHA512 } @ default { 2.16.840.1.101.3.4.3.9,
ECDSA-SHA3-224, ecdsa_with_SHA3-224, id-ecdsa-with-sha3-224 } @
default { 2.16.840.1.101.3.4.3.10, ECDSA-SHA3-256, ecdsa_with_SHA3-
256, id-ecdsa-with-sha3-256 } @ default { 2.16.840.1.101.3.4.3.11, ECDSA-
SHA3-384, ecdsa_with_SHA3-384, id-ecdsa-with-sha3-384 } @ default {
2.16.840.1.101.3.4.3.12, ECDSA-SHA3-512, ecdsa_with_SHA3-512, id-ecdsa-
with-sha3-512 } @ default dilithium2 @ oqsprovider p256_dilithium2 @
oqsprovider rsa3072_dilithium2 @ oqsprovider dilithium3 @ oqsprovider
p384_dilithium3 @ oqsprovider dilithium5 @ oqsprovider p521_dilithium5
@ oqsprovider mldsa44 @ oqsprovider p256_mldsa44 @ oqsprovider
rsa3072_mldsa44 @ oqsprovider mldsa44_pss2048 @ oqsprovider mldsa44_rsa2048
@ oqsprovider mldsa44_ed25519 @ oqsprovider mldsa44_p256 @ oqsprovider
mldsa44_bp256 @ oqsprovider mldsa65 @ oqsprovider p384_mldsa65
@ oqsprovider mldsa65_pss3072 @ oqsprovider mldsa65_rsa3072 @
oqsprovider mldsa65_p256 @ oqsprovider mldsa65_bp256 @ oqsprovider
mldsa65_ed25519 @ oqsprovider mldsa87 @ oqsprovider p521_mldsa87 @
oqsprovider mldsa87_p384 @ oqsprovider mldsa87_bp384 @ oqsprovider
mldsa87_ed448 @ oqsprovider falcon512 @ oqsprovider p256_falcon512
@ oqsprovider rsa3072_falcon512 @ oqsprovider falconpadded512 @

```

oqsprovider p256_falconpadded512 @ oqsprovider rsa3072_falconpadded512
 @ oqsprovider falcon1024 @ oqsprovider p521_falcon1024 @ oqsprovider fal-
 conpadded1024 @ oqsprovider p521_falconpadded1024 @ oqsprovider sphinc-
 ssha2128fsimple @ oqsprovider p256_sphincssha2128fsimple @ oqsprovider
 rsa3072_sphincssha2128fsimple @ oqsprovider sphincssha2128ssimple @
 oqsprovider p256_sphincssha2128ssimple @ oqsprovider rsa3072_sphincssha2128ssimple
 @ oqsprovider sphincssha2192fsimple @ oqsprovider p384_sphincssha2192fsimple
 @ oqsprovider sphincssha2192ssimple @ oqsprovider p384_sphincssha2192ssimple
 @ oqsprovider sphincssha2256fsimple @ oqsprovider p521_sphincssha2256fsimple
 @ oqsprovider sphincssha2256ssimple @ oqsprovider p521_sphincssha2256ssimple
 @ oqsprovider sphincsshake128fsimple @ oqsprovider p256_sphincsshake128fsimple
 @ oqsprovider rsa3072_sphincsshake128fsimple @ oqsprovider sphinc-
 sshake128ssimple @ oqsprovider p256_sphincsshake128ssimple @ oqsprovider
 rsa3072_sphincsshake128ssimple @ oqsprovider sphincsshake192fsimple @
 oqsprovider p384_sphincsshake192fsimple @ oqsprovider sphincsshake192ssimple
 @ oqsprovider p384_sphincsshake192ssimple @ oqsprovider sphincsshake256fsimple
 @ oqsprovider p521_sphincsshake256fsimple @ oqsprovider sphincsshake256ssimple
 @ oqsprovider p521_sphincsshake256ssimple @ oqsprovider mayo1 @
 oqsprovider p256_mayo1 @ oqsprovider mayo2 @ oqsprovider p256_mayo2
 @ oqsprovider mayo3 @ oqsprovider p384_mayo3 @ oqsprovider mayo5 @
 oqsprovider p521_mayo5 @ oqsprovider CROSSrsdp128balanced @ oqsprovider
 CROSSrsdp128fast @ oqsprovider CROSSrsdp128small @ oqsprovider
 CROSSrsdp192balanced @ oqsprovider CROSSrsdp192fast @ oqsprovider
 CROSSrsdp192small @ oqsprovider CROSSrsdp256small @ oqsprovider
 CROSSrsdpg128balanced @ oqsprovider CROSSrsdpg128fast @ oqsprovider
 CROSSrsdpg128small @ oqsprovider CROSSrsdpg192balanced @ oqsprovider
 CROSSrsdpg192fast @ oqsprovider CROSSrsdpg192small @ oqsprovider
 CROSSrsdpg256balanced @ oqsprovider CROSSrsdpg256fast @ oqsprovider
 CROSSrsdpg256small @ oqsprovider

Provided Key encapsulation: { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEn-
 crypton } @ default { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default {
 1.3.101.110, X25519 } @ default { 1.3.101.111, X448 } @ default frodo640aes
 @ oqsprovider p256_frodo640aes @ oqsprovider x25519_frodo640aes
 @ oqsprovider frodo640shake @ oqsprovider p256_frodo640shake @
 oqsprovider x25519_frodo640shake @ oqsprovider frodo976aes @ oqsprovider
 p384_frodo976aes @ oqsprovider x448_frodo976aes @ oqsprovider frodo976shake
 @ oqsprovider p384_frodo976shake @ oqsprovider x448_frodo976shake @
 oqsprovider frodo1344aes @ oqsprovider p521_frodo1344aes @ oqsprovider
 frodo1344shake @ oqsprovider p521_frodo1344shake @ oqsprovider kyber512
 @ oqsprovider p256_kyber512 @ oqsprovider x25519_kyber512 @ oqsprovider
 kyber768 @ oqsprovider p384_kyber768 @ oqsprovider x448_kyber768 @
 oqsprovider x25519_kyber768 @ oqsprovider p256_kyber768 @ oqsprovider ky-
 ber1024 @ oqsprovider p521_kyber1024 @ oqsprovider mlkem512 @ oqsprovider
 p256_mlkem512 @ oqsprovider x25519_mlkem512 @ oqsprovider mlkem768
 @ oqsprovider p384_mlkem768 @ oqsprovider x448_mlkem768 @ oqsprovider

X25519MLKEM768 @ oqsprovider SecP256r1MLKEM768 @ oqsprovider
 mlkem1024 @ oqsprovider p521_mlkem1024 @ oqsprovider p384_mlkem1024
 @ oqsprovider bikel1 @ oqsprovider p256_bikel1 @ oqsprovider x25519_bikel1
 @ oqsprovider bikel3 @ oqsprovider p384_bikel3 @ oqsprovider x448_bikel3
 @ oqsprovider bikel5 @ oqsprovider p521_bikel5 @ oqsprovider hqc128 @
 oqsprovider p256_hqc128 @ oqsprovider x25519_hqc128 @ oqsprovider hqc192
 @ oqsprovider p384_hqc192 @ oqsprovider x448_hqc192 @ oqsprovider hqc256
 @ oqsprovider p521_hqc256 @ oqsprovider

Provided Key managers: Name: OpenSSL RSA implementation Type:
 Provider Algorithm IDs: { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption
 } @ default Name: OpenSSL PKCS#3 DH implementation Type: Provider
 Algorithm IDs: { 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default
 Name: OpenSSL DSA implementation Type: Provider Algorithm IDs: {
 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
 old } @ default Name: OpenSSL EC implementation Type: Provider Algorithm
 IDs: { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default Name: OpenSSL RSA-
 PSS implementation Type: Provider Algorithm IDs: { 1.2.840.113549.1.1.10,
 RSA-PSS, RSASSA-PSS, rsassaPss } @ default Name: OpenSSL X9.42
 DH implementation Type: Provider Algorithm IDs: { 1.2.840.10046.2.1,
 dhpublicnumber, DHX, X9.42 DH } @ default Name: OpenSSL X25519
 implementation Type: Provider Algorithm IDs: { 1.3.101.110, X25519 } @
 default Name: OpenSSL X448 implementation Type: Provider Algorithm IDs:
 { 1.3.101.111, X448 } @ default Name: OpenSSL ED25519 implementation
 Type: Provider Algorithm IDs: { 1.3.101.112, ED25519 } @ default Name:
 OpenSSL ED448 implementation Type: Provider Algorithm IDs: { 1.3.101.113,
 ED448 } @ default Name: OpenSSL SM2 implementation Type: Provider
 Algorithm IDs: { 1.2.156.10197.1.301, SM2 } @ default Name: OpenSSL
 HKDF via EVP_PKEY implementation Type: Provider Algorithm IDs:
 HKDF @ default Name: OpenSSL TLS1_PRF via EVP_PKEY implementa-
 tion Type: Provider Algorithm IDs: TLS1-PRF @ default Name: OpenSSL
 SCRYPT via EVP_PKEY implementation Type: Provider Algorithm IDs:
 { 1.3.6.1.4.1.11591.4.11, id-scrypt, SCRYPT } @ default Name: OpenSSL
 CMAC via EVP_PKEY implementation Type: Provider Algorithm IDs:
 CMAC @ default Name: OpenSSL HMAC via EVP_PKEY implementa-
 tion Type: Provider Algorithm IDs: HMAC @ default Name: OpenSSL
 SIPHASH via EVP_PKEY implementation Type: Provider Algorithm
 IDs: SIPHASH @ default Name: OpenSSL POLY1305 via EVP_PKEY
 implementation Type: Provider Algorithm IDs: POLY1305 @ default
 Name: dilithium2 Type: Provider Algorithm IDs: dilithium2 @ oqsprovider
 Name: p256_dilithium2 Type: Provider Algorithm IDs: p256_dilithium2
 @ oqsprovider Name: rsa3072_dilithium2 Type: Provider Algorithm IDs:
 rsa3072_dilithium2 @ oqsprovider Name: dilithium3 Type: Provider Algo-
 rithm IDs: dilithium3 @ oqsprovider Name: p384_dilithium3 Type: Provider
 Algorithm IDs: p384_dilithium3 @ oqsprovider Name: dilithium5 Type:
 Provider Algorithm IDs: dilithium5 @ oqsprovider Name: p521_dilithium5

Type: Provider Algorithm IDs: p521_dilithium5 @ oqsprovider Name:
 mldsa44 Type: Provider Algorithm IDs: mldsa44 @ oqsprovider Name:
 p256_mldsa44 Type: Provider Algorithm IDs: p256_mldsa44 @ oqsprovider
 Name: rsa3072_mldsa44 Type: Provider Algorithm IDs: rsa3072_mldsa44
 @ oqsprovider Name: mldsa44_pss2048 Type: Provider Algorithm IDs:
 mldsa44_pss2048 @ oqsprovider Name: mldsa44_rsa2048 Type: Provider
 Algorithm IDs: mldsa44_rsa2048 @ oqsprovider Name: mldsa44_ed25519
 Type: Provider Algorithm IDs: mldsa44_ed25519 @ oqsprovider Name:
 mldsa44_p256 Type: Provider Algorithm IDs: mldsa44_p256 @ oqsprovider
 Name: mldsa44_bp256 Type: Provider Algorithm IDs: mldsa44_bp256
 @ oqsprovider Name: mldsa65 Type: Provider Algorithm IDs: mldsa65
 @ oqsprovider Name: p384_mldsa65 Type: Provider Algorithm IDs:
 p384_mldsa65 @ oqsprovider Name: mldsa65_pss3072 Type: Provider
 Algorithm IDs: mldsa65_pss3072 @ oqsprovider Name: mldsa65_rsa3072
 Type: Provider Algorithm IDs: mldsa65_rsa3072 @ oqsprovider Name:
 mldsa65_p256 Type: Provider Algorithm IDs: mldsa65_p256 @ oqsprovider
 Name: mldsa65_bp256 Type: Provider Algorithm IDs: mldsa65_bp256
 @ oqsprovider Name: mldsa65_ed25519 Type: Provider Algorithm IDs:
 mldsa65_ed25519 @ oqsprovider Name: mldsa87 Type: Provider Algo-
 rithm IDs: mldsa87 @ oqsprovider Name: p521_mldsa87 Type: Provider
 Algorithm IDs: p521_mldsa87 @ oqsprovider Name: mldsa87_p384
 Type: Provider Algorithm IDs: mldsa87_p384 @ oqsprovider Name:
 mldsa87_bp384 Type: Provider Algorithm IDs: mldsa87_bp384 @
 oqsprovider Name: mldsa87_ed448 Type: Provider Algorithm IDs:
 mldsa87_ed448 @ oqsprovider Name: falcon512 Type: Provider Algo-
 rithm IDs: falcon512 @ oqsprovider Name: p256_falcon512 Type: Provider
 Algorithm IDs: p256_falcon512 @ oqsprovider Name: rsa3072_falcon512
 Type: Provider Algorithm IDs: rsa3072_falcon512 @ oqsprovider Name:
 falconpadded512 Type: Provider Algorithm IDs: falconpadded512 @
 oqsprovider Name: p256_falconpadded512 Type: Provider Algorithm
 IDs: p256_falconpadded512 @ oqsprovider Name: rsa3072_falconpadded512
 Type: Provider Algorithm IDs: rsa3072_falconpadded512 @ oqsprovider
 Name: falcon1024 Type: Provider Algorithm IDs: falcon1024 @ oqsprovider
 Name: p521_falcon1024 Type: Provider Algorithm IDs: p521_falcon1024
 @ oqsprovider Name: falconpadded1024 Type: Provider Algorithm
 IDs: falconpadded1024 @ oqsprovider Name: p521_falconpadded1024
 Type: Provider Algorithm IDs: p521_falconpadded1024 @ oqsprovider
 Name: sphincsha2128fsimple Type: Provider Algorithm IDs: sphinc-
 sha2128fsimple @ oqsprovider Name: p256_sphincsha2128fsimple Type:
 Provider Algorithm IDs: p256_sphincsha2128fsimple @ oqsprovider
 Name: rsa3072_sphincsha2128fsimple Type: Provider Algorithm IDs:
 rsa3072_sphincsha2128fsimple @ oqsprovider Name: sphincsha2128ssimple
 Type: Provider Algorithm IDs: sphincsha2128ssimple @ oqsprovider
 Name: p256_sphincsha2128ssimple Type: Provider Algorithm IDs:
 p256_sphincsha2128ssimple @ oqsprovider Name: rsa3072_sphincsha2128ssimple
 Type: Provider Algorithm IDs: rsa3072_sphincsha2128ssimple @ oqsprovider

Name: sphincssha2192fsimple Type: Provider Algorithm IDs: sphinc-
 ssha2192fsimple @ oqsprovider Name: p384_sphincssha2192fsimple Type:
 Provider Algorithm IDs: p384_sphincssha2192fsimple @ oqsprovider
 Name: sphincssha2192ssimple Type: Provider Algorithm IDs: sphinc-
 ssha2192ssimple @ oqsprovider Name: p384_sphincssha2192ssimple Type:
 Provider Algorithm IDs: p384_sphincssha2192ssimple @ oqsprovider
 Name: sphincssha2256fsimple Type: Provider Algorithm IDs: sphinc-
 ssha2256fsimple @ oqsprovider Name: p521_sphincssha2256fsimple Type:
 Provider Algorithm IDs: p521_sphincssha2256fsimple @ oqsprovider
 Name: sphincssha2256ssimple Type: Provider Algorithm IDs: sphinc-
 ssha2256ssimple @ oqsprovider Name: p521_sphincssha2256ssimple Type:
 Provider Algorithm IDs: p521_sphincssha2256ssimple @ oqsprovider
 Name: sphincsshake128fsimple Type: Provider Algorithm IDs: sphinc-
 sshake128fsimple @ oqsprovider Name: p256_sphincsshake128fsimple Type:
 Provider Algorithm IDs: p256_sphincsshake128fsimple @ oqsprovider
 Name: rsa3072_sphincsshake128fsimple Type: Provider Algorithm IDs:
 rsa3072_sphincsshake128fsimple @ oqsprovider Name: sphincsshake128ssimple
 Type: Provider Algorithm IDs: sphincsshake128ssimple @ oqsprovider
 Name: p256_sphincsshake128ssimple Type: Provider Algorithm IDs:
 p256_sphincsshake128ssimple @ oqsprovider Name: rsa3072_sphincsshake128ssimple
 Type: Provider Algorithm IDs: rsa3072_sphincsshake128ssimple @ oqsprovider
 Name: sphincsshake192fsimple Type: Provider Algorithm IDs: sphinc-
 sshake192fsimple @ oqsprovider Name: p384_sphincsshake192fsimple Type:
 Provider Algorithm IDs: p384_sphincsshake192fsimple @ oqsprovider
 Name: sphincsshake192ssimple Type: Provider Algorithm IDs: sphinc-
 sshake192ssimple @ oqsprovider Name: p384_sphincsshake192ssimple Type:
 Provider Algorithm IDs: p384_sphincsshake192ssimple @ oqsprovider
 Name: sphincsshake256fsimple Type: Provider Algorithm IDs: sphinc-
 sshake256fsimple @ oqsprovider Name: p521_sphincsshake256fsimple Type:
 Provider Algorithm IDs: p521_sphincsshake256fsimple @ oqsprovider
 Name: sphincsshake256ssimple Type: Provider Algorithm IDs: sphinc-
 sshake256ssimple @ oqsprovider Name: p521_sphincsshake256ssimple Type:
 Provider Algorithm IDs: p521_sphincsshake256ssimple @ oqsprovider
 Name: mayo1 Type: Provider Algorithm IDs: mayo1 @ oqsprovider Name:
 p256_mayo1 Type: Provider Algorithm IDs: p256_mayo1 @ oqsprovider
 Name: mayo2 Type: Provider Algorithm IDs: mayo2 @ oqsprovider Name:
 p256_mayo2 Type: Provider Algorithm IDs: p256_mayo2 @ oqsprovider
 Name: mayo3 Type: Provider Algorithm IDs: mayo3 @ oqsprovider Name:
 p384_mayo3 Type: Provider Algorithm IDs: p384_mayo3 @ oqsprovider
 Name: mayo5 Type: Provider Algorithm IDs: mayo5 @ oqsprovider
 Name: p521_mayo5 Type: Provider Algorithm IDs: p521_mayo5 @
 oqsprovider Name: CROSSrsdp128balanced Type: Provider Algorithm
 IDs: CROSSrsdp128balanced @ oqsprovider Name: CROSSrsdp128fast
 Type: Provider Algorithm IDs: CROSSrsdp128fast @ oqsprovider Name:
 CROSSrsdp128small Type: Provider Algorithm IDs: CROSSrsdp128small
 @ oqsprovider Name: CROSSrsdp192balanced Type: Provider Algorithm

IDs: CROSSrsdp192balanced @ oqsprovider Name: CROSSrsdp192fast
 Type: Provider Algorithm IDs: CROSSrsdp192fast @ oqsprovider Name:
 CROSSrsdp192small Type: Provider Algorithm IDs: CROSSrsdp192small
 @ oqsprovider Name: CROSSrsdp256small Type: Provider Algorithm IDs:
 CROSSrsdp256small @ oqsprovider Name: CROSSrsdp128balanced Type:
 Provider Algorithm IDs: CROSSrsdp128balanced @ oqsprovider Name:
 CROSSrsdp128fast Type: Provider Algorithm IDs: CROSSrsdp128fast @
 oqsprovider Name: CROSSrsdp128small Type: Provider Algorithm IDs:
 CROSSrsdp128small @ oqsprovider Name: CROSSrsdp192balanced Type:
 Provider Algorithm IDs: CROSSrsdp192balanced @ oqsprovider Name:
 CROSSrsdp192fast Type: Provider Algorithm IDs: CROSSrsdp192fast
 @ oqsprovider Name: CROSSrsdp192small Type: Provider Algorithm
 IDs: CROSSrsdp192small @ oqsprovider Name: CROSSrsdp256balanced
 Type: Provider Algorithm IDs: CROSSrsdp256balanced @ oqsprovider
 Name: CROSSrsdp256fast Type: Provider Algorithm IDs: CROSSrs-
 dp256fast @ oqsprovider Name: CROSSrsdp256small Type: Provider
 Algorithm IDs: CROSSrsdp256small @ oqsprovider Name: frodo640aes Type:
 Provider Algorithm IDs: frodo640aes @ oqsprovider Name: p256_frodo640aes
 Type: Provider Algorithm IDs: p256_frodo640aes @ oqsprovider Name:
 x25519_frodo640aes Type: Provider Algorithm IDs: x25519_frodo640aes
 @ oqsprovider Name: frodo640shake Type: Provider Algorithm IDs:
 frodo640shake @ oqsprovider Name: p256_frodo640shake Type: Provider Algo-
 rithm IDs: p256_frodo640shake @ oqsprovider Name: x25519_frodo640shake
 Type: Provider Algorithm IDs: x25519_frodo640shake @ oqsprovider Name:
 frodo976aes Type: Provider Algorithm IDs: frodo976aes @ oqsprovider
 Name: p384_frodo976aes Type: Provider Algorithm IDs: p384_frodo976aes
 @ oqsprovider Name: x448_frodo976aes Type: Provider Algorithm IDs:
 x448_frodo976aes @ oqsprovider Name: frodo976shake Type: Provider
 Algorithm IDs: frodo976shake @ oqsprovider Name: p384_frodo976shake
 Type: Provider Algorithm IDs: p384_frodo976shake @ oqsprovider Name:
 x448_frodo976shake Type: Provider Algorithm IDs: x448_frodo976shake @
 oqsprovider Name: frodo1344aes Type: Provider Algorithm IDs: frodo1344aes
 @ oqsprovider Name: p521_frodo1344aes Type: Provider Algorithm IDs:
 p521_frodo1344aes @ oqsprovider Name: frodo1344shake Type: Provider
 Algorithm IDs: frodo1344shake @ oqsprovider Name: p521_frodo1344shake
 Type: Provider Algorithm IDs: p521_frodo1344shake @ oqsprovider Name:
 kyber512 Type: Provider Algorithm IDs: kyber512 @ oqsprovider Name:
 p256_kyber512 Type: Provider Algorithm IDs: p256_kyber512 @ oqsprovider
 Name: x25519_kyber512 Type: Provider Algorithm IDs: x25519_kyber512
 @ oqsprovider Name: kyber768 Type: Provider Algorithm IDs: kyber768
 @ oqsprovider Name: p384_kyber768 Type: Provider Algorithm IDs:
 p384_kyber768 @ oqsprovider Name: x448_kyber768 Type: Provider
 Algorithm IDs: x448_kyber768 @ oqsprovider Name: x25519_kyber768
 Type: Provider Algorithm IDs: x25519_kyber768 @ oqsprovider Name:
 p256_kyber768 Type: Provider Algorithm IDs: p256_kyber768 @ oqsprovider
 Name: kyber1024 Type: Provider Algorithm IDs: kyber1024 @ oqsprovider

Name: p521_kyber1024 Type: Provider Algorithm IDs: p521_kyber1024
 @ oqsprovider Name: mlkem512 Type: Provider Algorithm IDs: mlkem512
 @ oqsprovider Name: p256_mlkem512 Type: Provider Algorithm IDs:
 p256_mlkem512 @ oqsprovider Name: x25519_mlkem512 Type: Provider
 Algorithm IDs: x25519_mlkem512 @ oqsprovider Name: mlkem768 Type:
 Provider Algorithm IDs: mlkem768 @ oqsprovider Name: p384_mlkem768
 Type: Provider Algorithm IDs: p384_mlkem768 @ oqsprovider Name:
 x448_mlkem768 Type: Provider Algorithm IDs: x448_mlkem768 @
 oqsprovider Name: X25519MLKEM768 Type: Provider Algorithm IDs:
 X25519MLKEM768 @ oqsprovider Name: SecP256r1MLKEM768 Type:
 Provider Algorithm IDs: SecP256r1MLKEM768 @ oqsprovider Name:
 mlkem1024 Type: Provider Algorithm IDs: mlkem1024 @ oqsprovider
 Name: p521_mlkem1024 Type: Provider Algorithm IDs: p521_mlkem1024
 @ oqsprovider Name: p384_mlkem1024 Type: Provider Algorithm IDs:
 p384_mlkem1024 @ oqsprovider Name: bikel1 Type: Provider Algorithm
 IDs: bikel1 @ oqsprovider Name: p256_bikel1 Type: Provider Algorithm
 IDs: p256_bikel1 @ oqsprovider Name: x25519_bikel1 Type: Provider Algorithm
 IDs: x25519_bikel1 @ oqsprovider Name: bikel3 Type: Provider Algorithm
 IDs: bikel3 @ oqsprovider Name: p384_bikel3 Type: Provider Algorithm
 IDs: p384_bikel3 @ oqsprovider Name: x448_bikel3 Type: Provider Algorithm
 IDs: x448_bikel3 @ oqsprovider Name: bikel5 Type: Provider Algorithm
 IDs: bikel5 @ oqsprovider Name: p521_bikel5 Type: Provider Algorithm
 IDs: p521_bikel5 @ oqsprovider Name: hqc128 Type: Provider Algorithm
 IDs: hqc128 @ oqsprovider Name: p256_hqc128 Type: Provider Algorithm
 IDs: p256_hqc128 @ oqsprovider Name: x25519_hqc128 Type: Provider Algorithm
 IDs: x25519_hqc128 @ oqsprovider Name: hqc192 Type: Provider Algorithm
 IDs: hqc192 @ oqsprovider Name: p384_hqc192 Type: Provider Algorithm
 IDs: p384_hqc192 @ oqsprovider Name: x448_hqc192 Type: Provider Algorithm
 IDs: x448_hqc192 @ oqsprovider Name: hqc256 Type: Provider Algorithm
 IDs: hqc256 @ oqsprovider Name: p521_hqc256 Type: Provider Algorithm
 IDs: p521_hqc256 @ oqsprovider Name: PKCS11 RSA Implementation Type:
 Provider Algorithm IDs: { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption
 } @ pkcs11 Name: PKCS11 EC Implementation Type: Provider Algorithm
 IDs: { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ pkcs11 Name: PKCS11 RSA
 PSS Implementation Type: Provider Algorithm IDs: { 1.2.840.113549.1.1.10,
 RSA-PSS, RSASSA-PSS, rsassaPss } @ pkcs11 Name: PKCS11 ED25519
 Implementation Type: Provider Algorithm IDs: { 1.3.101.112, ED25519 } @
 pkcs11 Name: PKCS11 ED448 Implementation Type: Provider Algorithm IDs:
 { 1.3.101.113, ED448 } @ pkcs11 Name: PKCS11 HKDF Implementation Type:
 Provider Algorithm IDs: HKDF @ pkcs11

Provided ENCODERS: { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption
 } @ default (provider=default,fips=yes,output=text) { 1.2.840.113549.1.1.1,
 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=der,structure=type-
 specific) { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ de-
 fault (provider=default,fips=yes,output=pem,structure=type-specific) {

```

1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=msblob)
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=pvk)
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=der,structu
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=pem,struct
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=der,structu
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=pem,struct
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=der,structu
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=pem,struct
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=der,structu
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=pem,struct
{ 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,output=der,structu
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=text)
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=der,structure=typ
specific) { 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=pem,STRU
specific) { 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=der,STRU
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=pem,structure=En
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=der,structure=Pri
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=pem,structure=Pr
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=der,structure=Sub
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=pem,structure=Sub
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=der,structure=dh)
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=pem,structure=dh)
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=der,structure=pk)
{ 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,output=pem,structure=pk)
{ 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=text) { 1.2.840.10040.4.1,
1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-old } @ de-
fault (provider=default,fips=yes,output=der,structure=type-specific) {
1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=pem,structure=type-
specific) { 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption,
dsaEncryption-old } @ default (provider=default,fips=yes,output=msblob) {
1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=pvk) { 1.2.840.10040.4.1,
1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-old } @ default
(provider=default,fips=yes,output=der,structure=EncryptedPrivateKeyInfo) {
1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=pem,structure=EncryptedPrivateKeyInfo)
{ 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=der,structure=PrivateKeyInfo)
{ 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=pem,structure=PrivateKeyInfo)
{ 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=der,structure=SubjectPublicKeyInfo)
{ 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-

```

```

old } @ default (provider=default,fips=yes,output=pem,structure=SubjectPublicKeyInfo)
{ 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=der,structure=dsa) {
1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
old } @ default (provider=default,fips=yes,output=pem,structure=dsa) {
1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=text)
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=der,structure=type-
specific) { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=pem,structure=
specific) { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=der,structure=
specific) { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=der,structure=Encrypted
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=pem,structure=Encrypted
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=der,structure=PrivateKey
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=pem,structure=PrivateKey
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=der,structure=SubjectP
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=pem,structure=SubjectP
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=der,structure=ec)
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=pem,structure=ec)
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=der,structure=X9.62)
{ 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,output=pem,structure=X9.62)
{ 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ default
(provider=default,fips=yes,output=text) { 1.2.840.113549.1.1.10, RSA-PSS,
RSASSA-PSS, rsassaPss } @ default (provider=default,fips=yes,output=der,structure=EncryptedPrivateKeyInfo)
{ 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ default
(provider=default,fips=yes,output=pem,structure=EncryptedPrivateKeyInfo)
{ 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ de-
fault (provider=default,fips=yes,output=der,structure=PrivateKeyInfo)
{ 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ de-
fault (provider=default,fips=yes,output=pem,structure=PrivateKeyInfo)
{ 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ default
(provider=default,fips=yes,output=der,structure=SubjectPublicKeyInfo)
{ 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ default
(provider=default,fips=yes,output=pem,structure=SubjectPublicKeyInfo)
{ 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ default
(provider=default,fips=yes,output=der,structure=pkcs1) { 1.2.840.113549.1.1.10,
RSA-PSS, RSASSA-PSS, rsassaPss } @ default (provider=default,fips=yes,output=pem,structure=pkcs1)
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=text)
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=der,structu
specific) { 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ de-
fault (provider=default,fips=yes,output=pem,structure=type-specific) {
1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=der,structu
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=pem,structu
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=der,structu
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=pem,structu
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=der,structu
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=pem,structu
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=der,structu

```

```

{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=pem,structure=EncryptedPrivateKeyInfo)
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=der,structure=EncryptedPrivateKeyInfo)
{ 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,output=pem,structure=PrivateKeyInfo)
{ 1.3.101.110, X25519 } @ default (provider=default,fips=yes,output=text) {
1.3.101.110, X25519 } @ default (provider=default,fips=yes,output=der,structure=EncryptedPrivateKeyInfo)
{ 1.3.101.110, X25519 } @ default (provider=default,fips=yes,output=pem,structure=EncryptedPrivateKeyInfo)
{ 1.3.101.110, X25519 } @ default (provider=default,fips=yes,output=der,structure=PrivateKeyInfo)
{ 1.3.101.110, X25519 } @ default (provider=default,fips=yes,output=pem,structure=PrivateKeyInfo)
{ 1.3.101.110, X25519 } @ default (provider=default,fips=yes,output=der,structure=SubjectPublicKeyInfo)
{ 1.3.101.110, X25519 } @ default (provider=default,fips=yes,output=pem,structure=SubjectPublicKeyInfo)
{ 1.3.101.111, X448 } @ default (provider=default,fips=yes,output=text) {
1.3.101.111, X448 } @ default (provider=default,fips=yes,output=der,structure=EncryptedPrivateKeyInfo)
{ 1.3.101.111, X448 } @ default (provider=default,fips=yes,output=pem,structure=EncryptedPrivateKeyInfo)
{ 1.3.101.111, X448 } @ default (provider=default,fips=yes,output=der,structure=PrivateKeyInfo)
{ 1.3.101.111, X448 } @ default (provider=default,fips=yes,output=pem,structure=PrivateKeyInfo)
{ 1.3.101.111, X448 } @ default (provider=default,fips=yes,output=der,structure=SubjectPublicKeyInfo)
{ 1.3.101.111, X448 } @ default (provider=default,fips=yes,output=pem,structure=SubjectPublicKeyInfo)
{ 1.3.101.112, ED25519 } @ default (provider=default,fips=yes,output=text) {
1.3.101.112, ED25519 } @ default (provider=default,fips=yes,output=der,structure=EncryptedPrivateKeyInfo)
{ 1.3.101.112, ED25519 } @ default (provider=default,fips=yes,output=pem,structure=EncryptedPrivateKeyInfo)
{ 1.3.101.112, ED25519 } @ default (provider=default,fips=yes,output=der,structure=PrivateKeyInfo)
{ 1.3.101.112, ED25519 } @ default (provider=default,fips=yes,output=pem,structure=PrivateKeyInfo)
{ 1.3.101.112, ED25519 } @ default (provider=default,fips=yes,output=der,structure=SubjectPublicKeyInfo)
{ 1.3.101.112, ED25519 } @ default (provider=default,fips=yes,output=pem,structure=SubjectPublicKeyInfo)
{ 1.3.101.113, ED448 } @ default (provider=default,fips=yes,output=text) {
1.3.101.113, ED448 } @ default (provider=default,fips=yes,output=der,structure=EncryptedPrivateKeyInfo)
{ 1.3.101.113, ED448 } @ default (provider=default,fips=yes,output=pem,structure=EncryptedPrivateKeyInfo)
{ 1.3.101.113, ED448 } @ default (provider=default,fips=yes,output=der,structure=PrivateKeyInfo)
{ 1.3.101.113, ED448 } @ default (provider=default,fips=yes,output=pem,structure=PrivateKeyInfo)
{ 1.3.101.113, ED448 } @ default (provider=default,fips=yes,output=der,structure=SubjectPublicKeyInfo)
{ 1.3.101.113, ED448 } @ default (provider=default,fips=yes,output=pem,structure=SubjectPublicKeyInfo)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=text)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=der,structure=type-specific)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=pem,structure=type-specific)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=der,structure=EncryptedPrivateKeyInfo)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=pem,structure=EncryptedPrivateKeyInfo)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=der,structure=PrivateKeyInfo)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=pem,structure=PrivateKeyInfo)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=der,structure=SubjectPublicKeyInfo)
{ 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,output=pem,structure=SubjectPublicKeyInfo)
dilithium2 @ oqsprovider (provider=oqsprovider,output=der,structure=PrivateKeyInfo)
dilithium2 @ oqsprovider (provider=oqsprovider,output=pem,structure=PrivateKeyInfo)
dilithium2 @ oqsprovider (provider=oqsprovider,output=der,structure=EncryptedPrivateKeyInfo)
dilithium2 @ oqsprovider (provider=oqsprovider,output=pem,structure=EncryptedPrivateKeyInfo)
dilithium2 @ oqsprovider (provider=oqsprovider,output=der,structure=SubjectPublicKeyInfo)

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

CROSSrsdp256balanced @ oqsprovider (provider=oqsprovider,output=pem,structure=PrivateKeyInfo)
 CROSSrsdp256balanced @ oqsprovider (provider=oqsprovider,output=der,structure=EncryptedPrivateKeyInfo)
 CROSSrsdp256balanced @ oqsprovider (provider=oqsprovider,output=pem,structure=EncryptedPrivateKeyInfo)
 CROSSrsdp256balanced @ oqsprovider (provider=oqsprovider,output=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp256balanced @ oqsprovider (provider=oqsprovider,output=pem,structure=SubjectPublicKeyInfo)
 CROSSrsdp256balanced @ oqsprovider (provider=oqsprovider,output=text)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,output=der,structure=PrivateKeyInfo)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,output=pem,structure=PrivateKeyInfo)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,output=der,structure=EncryptedPrivateKeyInfo)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,output=pem,structure=EncryptedPrivateKeyInfo)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,output=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,output=pem,structure=SubjectPublicKeyInfo)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,output=text)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,output=der,structure=PrivateKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,output=pem,structure=PrivateKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,output=der,structure=EncryptedPrivateKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,output=pem,structure=EncryptedPrivateKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,output=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,output=pem,structure=SubjectPublicKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,output=text)

Provided DECODERS: { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption }
 @ default (provider=default,fips=yes,input=der,structure=PrivateKeyInfo) {
 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,input=der,structure=
 { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,input=der,structure=
 specific) { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default
 (provider=default,fips=yes,input=der,structure=rsa) { 1.2.840.113549.1.1.1,
 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,input=msblob)
 { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ default (provider=default,fips=yes,input=pvk)
 { 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,input=der,structure=Private
 { 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,input=der,structure=Subj
 { 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,input=der,structure=type
 specific) { 1.2.840.113549.1.3.1, DH, dhKeyAgreement } @ default (provider=default,fips=yes,input=der,structu
 { 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
 old } @ default (provider=default,fips=yes,input=der,structure=PrivateKeyInfo)
 { 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
 old } @ default (provider=default,fips=yes,input=der,structure=SubjectPublicKeyInfo)
 { 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
 old } @ default (provider=default,fips=yes,input=der,structure=type-specific) {
 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
 old } @ default (provider=default,fips=yes,input=der,structure=dsa) {
 1.2.840.10040.4.1, 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-
 old } @ default (provider=default,fips=yes,input=msblob) { 1.2.840.10040.4.1,
 1.3.14.3.2.12, DSA, DSA-old, dsaEncryption, dsaEncryption-old } @ default
 (provider=default,fips=yes,input=pvk) { 1.2.840.10045.2.1, EC, id-ecPublicKey
 } @ default (provider=default,fips=yes,input=der,structure=PrivateKeyInfo) {

1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,input=der,structure=SubjectPublic
 { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,input=der,structure=type-
 specific) { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ default (provider=default,fips=yes,input=der,structure=e
 { 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ de-
 fault (provider=default,fips=yes,input=der,structure=PrivateKeyInfo) {
 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ default
 (provider=default,fips=yes,input=der,structure=SubjectPublicKeyInfo) {
 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,input=der,structur
 { 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,input=der,structu
 { 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default (provider=default,fips=yes,input=der,structu
 specific) { 1.2.840.10046.2.1, dhpublicnumber, DHX, X9.42 DH } @ default
 (provider=default,fips=yes,input=der,structure=dhx) { 1.3.101.110, X25519 }
 @ default (provider=default,fips=yes,input=der,structure=PrivateKeyInfo) {
 1.3.101.110, X25519 } @ default (provider=default,fips=yes,input=der,structure=SubjectPublicKeyInfo)
 { 1.3.101.111, X448 } @ default (provider=default,fips=yes,input=der,structure=PrivateKeyInfo)
 { 1.3.101.111, X448 } @ default (provider=default,fips=yes,input=der,structure=SubjectPublicKeyInfo)
 { 1.3.101.112, ED25519 } @ default (provider=default,fips=yes,input=der,structure=PrivateKeyInfo)
 { 1.3.101.112, ED25519 } @ default (provider=default,fips=yes,input=der,structure=SubjectPublicKeyInfo)
 { 1.3.101.113, ED448 } @ default (provider=default,fips=yes,input=der,structure=PrivateKeyInfo)
 { 1.3.101.113, ED448 } @ default (provider=default,fips=yes,input=der,structure=SubjectPublicKeyInfo)
 { 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,input=der,structure=PrivateKeyInfo)
 { 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,input=der,structure=SubjectPublicKeyInfo)
 { 1.2.156.10197.1.301, SM2 } @ default (provider=default,fips=no,input=der,structure=type-
 specific) DER @ default (provider=default,fips=yes,input=der,structure=SubjectPublicKeyInfo)
 DER @ default (provider=default,fips=yes,input=pem) DER @ default
 (provider=default,fips=yes,input=der,structure=EncryptedPrivateKeyInfo)
 dilithium2 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 dilithium2 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 p256_dilithium2 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 p256_dilithium2 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 rsa3072_dilithium2 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 rsa3072_dilithium2 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 dilithium3 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 dilithium3 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 p384_dilithium3 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 p384_dilithium3 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 dilithium5 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 dilithium5 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 p521_dilithium5 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 p521_dilithium5 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 mldsa44 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 mldsa44 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 p256_mldsa44 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 p256_mldsa44 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 rsa3072_mldsa44 @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 rsa3072_mldsa44 @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)

[illegible]

CROSSrsdp256small @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp128balanced @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp128balanced @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp128fast @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp128fast @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp128small @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp128small @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp192balanced @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp192balanced @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp192fast @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp192fast @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp192small @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp192small @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp256balanced @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp256balanced @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp256fast @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,input=der,structure=PrivateKeyInfo)
 CROSSrsdp256small @ oqsprovider (provider=oqsprovider,input=der,structure=SubjectPublicKeyInfo)
 { 1.2.840.113549.1.1.1, 2.5.8.1.1, RSA, rsaEncryption } @ pkcs11 (provider=pkcs11,input=der,structure=pk11-
 uri) { 1.2.840.10045.2.1, EC, id-ecPublicKey } @ pkcs11 (provider=pkcs11,input=der,structure=pk11-
 uri) { 1.2.840.113549.1.1.10, RSA-PSS, RSASSA-PSS, rsassaPss } @ pkcs11
 (provider=pkcs11,input=der,structure=pk11-uri) { 1.3.101.112, ED25519 } @
 pkcs11 (provider=pkcs11,input=der,structure=pk11-uri) { 1.3.101.113, ED448
 } @ pkcs11 (provider=pkcs11,input=der,structure=pk11-uri) DER @ pkcs11
 (provider=pkcs11,input=pem)

Provided STORE LOADERS: file @ default pkcs11 @ pkcs11