

Cucumber Report

Dec 2, 2022 5:00:37 PM

Start : Dec 02, 4:59:54.070 PM

End : Dec 02, 5:00:35.635 PM

Duration : 41.565 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 7

SKIPPED - 0

PASSED - 0


FAILED - 7

SKIPPED - 27




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test Board in Staging Cicle Apps</u>	41.565 s	7	0	7	0	34	0	7	27

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test-Board	7	0	7	0	1	0	1	0
@TC-32-Invalid-add-listboard-empty-name	1	0	1	0	1	0	1	0
@TC-33-Add-listboard	1	0	1	0	1	0	1	0
@TC-34-Invalid-add-card	1	0	1	0	1	0	1	0
@TC-35-Add-card-success	1	0	1	0	1	0	1	0
@TC-37-Edit-name-board	1	0	1	0	1	0	1	0
@TC-36-Edit-name-with-tomuchchara	1	0	1	0	1	0	1	0
@TC_06-Add-comment-in-card	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test Board in Staging Cicle Apps</u>	7	0	7	0	41.565 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Board in Staging Cicle Apps</u>	<u>Invalid Add ListBoard Empty Name</u>	4	0	1	3	35.774 s
2	<u>Test Board in Staging Cicle Apps</u>	<u>Add list board</u>	5	0	1	4	0.908 s
3	<u>Test Board in Staging Cicle Apps</u>	<u>Invalid add card</u>	4	0	1	3	0.923 s
4	<u>Test Board in Staging Cicle Apps</u>	<u>Add card success</u>	5	0	1	4	0.875 s
5	<u>Test Board in Staging Cicle Apps</u>	<u>Edit name board</u>	5	0	1	4	0.946 s
6	<u>Test Board in Staging Cicle Apps</u>	<u>Invalid edit name board</u>	5	0	1	4	1.000 s
7	<u>Test Board in Staging Cicle Apps</u>	<u>Add comment in card</u>	6	0	1	5	0.950 s

Test Board in Staging Cycle Apps

FAILED	DURATION - 41.565 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 34 Pass - 0 Fail - 7 Skip - 27	
/ 4:59:54.070 PM // 5:00:35.635 PM /					



Invalid Add ListBoard Empty Name

FAILED	DURATION - 35.774 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:59:54.075 PM // 5:00:29.849 PM /				
Test Board in Staging Cycle Apps				
@Test-Board @TC-32-Invalid-add-listboard-empty-name				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigate to board menu</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":".Card_Card__2LWWW"} (Session info: chrome=108.0.5359.72) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8BH271D', ip: '172.20.10.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.72, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:/Users/Sevima/AppData/Loc...}, goog:chromeOptions: {debuggerAddress: localhost:53761}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1823438e35b8e52bf623e1cf0ab68fa5 *** Element info: {Using=class name, value=Card_Card__2LWWW} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</pre>	FAILED	35.750 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByClassName(RemoteWebDriver.java:412) at org.openqa.selenium.By\$ByClassName.findElement(By.java:389) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.qori.pages.BoardPage.clickTeams(BoardPage.java:52) at stepDev.stepBoard.userNavigateToBoardMenu(stepBoard.java:20) at ?.User navigate to board menu(file:///D:/Qori/QA/JAVA/Maven/bigproject-cilsy/src/test/resources/features/board.feature:7) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User click add list	SKIPPED	0.001 s
3	And User click button create board	SKIPPED	0.000 s
4	Then User failed add listboard	SKIPPED	0.000 s



Add list board

<div>FAILED</div> <div>DURATION - 0.908 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:00:29.885 PM // 5:00:30.793 PM /				
Test Board in Staging Cycle Apps				
@Test-Board @TC-33-Add-listboard				

#	Step / Hook Details	Status	Duration
1	Given User navigate to board menu <pre> org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8BH271D', ip: '172.20.10.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: (No symbol) [0x0079F243] (No symbol) [0x00727FD1] (No symbol) [0x0061D04D] (No symbol) [0x0063C24E] (No symbol) [0x006382E9] (No symbol) [0x0066F056] (No symbol) [0x0066EB2A] (No symbol) [0x00668386] (No symbol) [0x0064163C] (No symbol) [0x0064269D] GetHandleVerifier [0x00A39A22+2655074] GetHandleVerifier [0x00A2CA24+2601828] GetHandleVerifier [0x00848C0A+619850] GetHandleVerifier [0x00847830+614768] (No symbol) [0x007305FC] (No symbol) [0x00735968] (No symbol) [0x00735A55] (No symbol) [0x0074051B] BaseThreadInitThunk [0x777CFF9+25] RtlGetAppContainerNamedObjectPath [0x77977BBE+286] RtlGetAppContainerNamedObjectPath [0x77977BBE+238] </pre>	FAILED	0.900 s

#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at com.qori.base.TestBase.initialization(TestBase.java:47) at stepDev.stepBoard.userNavigateToBoardMenu(stepBoard.java:18) at ?.User navigate to board menu(file:///D:/Qori/QA/JAVA/Maven/bigproject-cilsy/src/test/resources/features/board.feature:15) * Not displayable characters are replaced by '?'.		
2	When User click add list	SKIPPED	0.001 s
3	And User input listname	SKIPPED	0.001 s
4	And User click button create board	SKIPPED	0.001 s
5	Then User successfully add list board	SKIPPED	0.000 s



Invalid add card

<div>FAILED</div> <div>DURATION - 0.923 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 5:00:30.822 PM // 5:00:31.745 PM /				
Test Board in Staging Cycle Apps				
@Test-Board @TC-34-Invalid-add-card				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigate to board menu</p> <p>org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8BH271D', ip: '172.20.10.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: (No symbol) [0x0079F243] (No symbol) [0x00727FD1] (No symbol) [0x0061D04D] (No symbol) [0x0063C24E] (No symbol) [0x006382E9] (No symbol) [0x0066F056] (No symbol) [0x0066EB2A] (No symbol) [0x00668386] (No symbol) [0x0064163C] (No symbol) [0x0064269D] GetHandleVerifier [0x00A39A22+2655074] GetHandleVerifier [0x00A2CA24+2601828] GetHandleVerifier [0x00848C0A+619850] GetHandleVerifier [0x00847830+614768] (No symbol) [0x007305FC] (No symbol) [0x00735968] (No symbol) [0x00735A55] (No symbol) [0x0074051B] BaseThreadInitThunk [0x777CFEF9+25] RtlGetAppContainerNamedObjectPath [0x77977BBE+286] RtlGetAppContainerNamedObjectPath [0x77977B8E+238]</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)</p>	FAILED	0.911 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at com.qori.base.TestBase.initialization(TestBase.java:47) at stepDev.stepBoard.userNavigateToBoardMenu(stepBoard.java:18) at ?.User navigate to board menu(file:///D:/Qori/QA/JAVA/Maven/bigproject-cilsy/src/test/resources/features/board.feature:24) * Not displayable characters are replaced by '?'.		
2	When User click add card	SKIPPED	0.001 s
3	And User click button create card	SKIPPED	0.001 s
4	Then User failed add card	SKIPPED	0.001 s



Add card success

FAILED DURATION - 0.875 s / 5:00:31.780 PM // 5:00:32.655 PM / Test Board in Staging Cycle Apps @TC-35-Add-card-success @Test-Board	 <p>A bar chart with a y-axis from 0 to 1 and an x-axis from 1 to 5. A single black bar at x=1 reaches a height of approximately 0.875.</p>	Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	 <p>A donut chart with a total of 5 segments. 1 segment is red (Fail) and 4 segments are yellow (Skip). The number 5 is in the center.</p>
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User navigate to board menu org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8BH271D', ip: '172.20.10.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: (No symbol) [0x0079F243] (No symbol) [0x00727FD1] (No symbol) [0x0061D04D] (No symbol) [0x0063C24E] (No symbol) [0x006382E9] (No symbol) [0x0066F056] (No symbol) [0x0066EB2A] (No symbol) [0x00668386] (No symbol) [0x0064163C] (No symbol) [0x0064269D] GetHandleVerifier [0x00A39A22+2655074] GetHandleVerifier [0x00A2CA24+2601828] GetHandleVerifier [0x00848C0A+619850] GetHandleVerifier [0x00847830+614768] (No symbol) [0x007305FC] (No symbol) [0x00735968] (No symbol) [0x00735A55] (No symbol) [0x0074051B] BaseThreadInitThunk [0x777CFF9+25] RtlGetAppContainerNamedObjectPath [0x77977BBE+286] RtlGetAppContainerNamedObjectPath [0x77977BBE+238]	FAILED	0.868 s

#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at com.qori.base.TestBase.initialization(TestBase.java:47) at stepDev.stepBoard.userNavigateToBoardMenu(stepBoard.java:18) at ?.User navigate to board menu(file:///D:/Qori/QA/JAVA/Maven/bigproject-cilsy/src/test/resources/features/board.feature:32) * Not displayable characters are replaced by '?'.		
2	When User click add card	SKIPPED	0.000 s
3	And User input name card	SKIPPED	0.001 s
4	And User click button create card	SKIPPED	0.000 s
5	Then User successfully add card	SKIPPED	0.001 s



Edit name board

<div>FAILED</div> <div>DURATION - 0.946 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 5:00:32.680 PM // 5:00:33.626 PM /				
Test Board in Staging Cycle Apps				
@Test-Board @TC-37-Edit-name-board				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigate to board menu</p> <p>org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8BH271D', ip: '172.20.10.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: (No symbol) [0x0079F243] (No symbol) [0x00727FD1] (No symbol) [0x0061D04D] (No symbol) [0x0063C24E] (No symbol) [0x006382E9] (No symbol) [0x0066F056] (No symbol) [0x0066EB2A] (No symbol) [0x00668386] (No symbol) [0x0064163C] (No symbol) [0x0064269D] GetHandleVerifier [0x00A39A22+2655074] GetHandleVerifier [0x00A2CA24+2601828] GetHandleVerifier [0x00848C0A+619850] GetHandleVerifier [0x00847830+614768] (No symbol) [0x007305FC] (No symbol) [0x00735968] (No symbol) [0x00735A55] (No symbol) [0x0074051B] BaseThreadInitThunk [0x777CFEF9+25] RtlGetAppContainerNamedObjectPath [0x77977BBE+286] RtlGetAppContainerNamedObjectPath [0x77977BBE+238]</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)</p>	FAILED	0.941 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at com.qori.base.TestBase.initialization(TestBase.java:47) at stepDev.stepBoard.userNavigateToBoardMenu(stepBoard.java:18) at ?.User navigate to board menu(file:///D:/Qori/QA/JAVA/Maven/bigproject-cilsy/src/test/resources/features/board.feature:41) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User click name board	SKIPPED	0.001 s
3	And User clear text name	SKIPPED	0.000 s
4	And User edit name board	SKIPPED	0.000 s
5	Then User successfully edit name board	SKIPPED	0.001 s



Invalid edit name board

FAILED DURATION - 1.000 s / 5:00:33.657 PM // 5:00:34.657 PM / Test Board in Staging Cicle Apps @Test-Board @TC-36-Edit-name-with-tomuchchara		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User navigate to board menu <pre> org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8BH271D', ip: '172.20.10.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: (No symbol) [0x0079F243] (No symbol) [0x00727FD1] (No symbol) [0x0061D04D] (No symbol) [0x0063C24E] (No symbol) [0x006382E9] (No symbol) [0x0066F056] (No symbol) [0x0066EB2A] (No symbol) [0x00668386] (No symbol) [0x0064163C] (No symbol) [0x0064269D] GetHandleVerifier [0x00A39A22+2655074] GetHandleVerifier [0x00A2CA24+2601828] GetHandleVerifier [0x00848C0A+619850] GetHandleVerifier [0x00847830+614768] (No symbol) [0x007305FC] (No symbol) [0x00735968] (No symbol) [0x00735A55] (No symbol) [0x0074051B] BaseThreadInitThunk [0x777CFEF9+25] RtlGetAppContainerNamedObjectPath [0x77977BBE+286] </pre>	FAILED	0.984 s

#	Step / Hook Details	Status	Duration
	RtlGetAppContainerNamedObjectPath [0x77977B8E+238] at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at com.qori.base.TestBase.initialization(TestBase.java:47) at stepDev.stepBoard.userNavigateToBoardMenu(stepBoard.java:18) at ?.User navigate to board menu(file:///D:/Qori/QA/JAVA/Maven/bigproject-cilsy/src/test/resources/features/board.feature:50) * Not displayable characters are replaced by '?'.		
2	When User click name board	SKIPPED	0.001 s
3	And User clear text name	SKIPPED	0.002 s
4	And User edit name with many character	SKIPPED	0.001 s
5	Then User successfully edit name board	SKIPPED	0.002 s

Add comment in card

<div>FAILED</div> <div>DURATION - 0.950 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 5:00:34.685 PM // 5:00:35.635 PM /				
Test Board in Staging Cycle Apps				
@TC_06-Add-comment-in-card @Test-Board				

#	Step / Hook Details	Status	Duration
1	<p>Given User navigate to board menu</p> <pre>org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location C:\Program Files\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-8BH271D', ip: '172.20.10.12', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_341' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: (No symbol) [0x0079F243] (No symbol) [0x00727FD1] (No symbol) [0x0061D04D] (No symbol) [0x0063C24E] (No symbol) [0x006382E9] (No symbol) [0x0066F056] (No symbol) [0x0066EB2A] (No symbol) [0x00668386] (No symbol) [0x0064163C] (No symbol) [0x0064269D] GetHandleVerifier [0x00A39A22+2655074] GetHandleVerifier [0x00A2CA24+2601828] GetHandleVerifier [0x00848C0A+619850] GetHandleVerifier [0x00847830+614768] (No symbol) [0x007305FC] (No symbol) [0x00735968] (No symbol) [0x00735A55] (No symbol) [0x0074051B] BaseThreadInitThunk [0x777CFEF9+25] RtlGetAppContainerNamedObjectPath [0x77977BBE+286] RtlGetAppContainerNamedObjectPath [0x77977BBE+238] at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)</pre>	FAILED	0.940 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at com.qori.base.TestBase.initialization(TestBase.java:47) at stepDev.stepBoard.userNavigateToBoardMenu(stepBoard.java:18) at ?.User navigate to board menu(file:///D:/Qori/QA/JAVA/Maven/bigproject-cilsy/src/test/resources/features/board.feature:59) * Not displayable characters are replaced by '?'.		
2	When User click card	SKIPPED	0.000 s
3	And User click comment board	SKIPPED	0.000 s
4	And User input comment board	SKIPPED	0.001 s
5	And User click button post	SKIPPED	0.002 s
6	Then User successfully comment board	SKIPPED	0.001 s