




# Deep-dive Topic Proposal

SHI JINGYAO

202255072


# 제 목 : Federated learning for vital signs data processing

- 레이더 센서로 혈압 측정, HRV 측정, 개인 식별 등 모델 학습을 위한 연합 학습 프레임워크 구축
- 이런 데이터 모두 개인적 특성을 가지고 있으며, 사람간의 차이가 매우 크다.
- 데이터 수집 시 각 센서는 고정된 사용자에게 맞게 데이터를 수집
- 여러 클라이언트로 나뉘어져서 연합 학습의 조건 충족시킬 수 있다.



- Platform: FedAvg
- Dataset:
  - ECG-ID DB: 90명의 ECG 기록 310개가 포함
  - ECG는 시계열 데이터로 기록되므로 1D-CNN을 사용
- 목표:
  - Client Local: Binary Classification (사용자 신분 정상 및 비정상)
    - 각 Client에 한 명의 사용자를 고정적으로 할당하고 라즈베리 파이 로컬에서 해당 사용자의 데이터인지 여부만 판단
  - Global Model: 모든 사용자 신분을 구별

'Elapsed time'	'ECG I'	'ECG I filtered'	
'hh:mm:ss.n'	'mV'	'mV'	
'0:00.000'	-0.085	-0.115	
'0:00.002'	-0.08	-0.115	
'0:00.004'	-0.07	-0.12	
'0:00.006'	-0.075	-0.12	
'0:00.008'	-0.095	-0.12	

- 
- Y. Gao et al., "End-to-End Evaluation of Federated Learning and Split Learning for Internet of Things," 2020 International Symposium on Reliable Distributed Systems (SRDS), 2020, pp. 91–100, doi: [10.1109/SRDS51746.2020.00017](https://doi.org/10.1109/SRDS51746.2020.00017)
  - Renjie Tang, Junzhou Luo, Junbo Qian, Jiahui Jin, "Personalized Federated Learning for ECG Classification Based on Feature Alignment", Security and Communication Networks, vol. 2021, Article ID 6217601, 9 pages, 2021. <https://doi.org/10.1155/2021/6217601>
  - Y. Chen, Y. Ning, M. Slawski and H. Rangwala, "Asynchronous Online Federated Learning for Edge Devices with Non-IID Data," 2020 IEEE International Conference on Big Data (Big Data), 2020, pp. 15–24, doi: [10.1109/BigData50022.2020.9378161](https://doi.org/10.1109/BigData50022.2020.9378161)