

GRA Multiverse Meta-Zeroing: A Hierarchical Variational Framework for Cross-Level Consistency

Abstract

We introduce **GRA Multiverse Meta-Zeroing**, a hierarchical variational framework that enforces consistency across arbitrarily deep stacks of models, domains, or theories. Each level minimizes an interference functional ("foam") induced by projections onto goal subspaces, while higher levels reconcile collections of lower-level solutions. We define a global super-functional with exponentially decaying inter-level weights, prove existence of zero-foam fixed points under commutativity (and stability under ε -commutativity), analyze complexity, and provide a constructive recursive algorithm with parallel updates. The framework applies to distributed optimization, theory alignment, and multi-agent learning, with a well-defined infinite-depth limit.

1. Introduction

Reconciling mutually incompatible models across domains requires mechanisms that remove *interference* rather than merely penalize error. We formalize this idea via hierarchical projections and variational zeroing, yielding a scalable architecture with provable convergence properties.

2. Hierarchical Multiverse Structure

2.1 Levels and Multi-Indices

Let objects be indexed by multi-indices $\mathbf{a} = (a_0, \dots, a_l)$ at level l . Subsystems satisfy $\mathbf{b} \prec \mathbf{a}$ when $\mathbf{b}$ is a child of $\mathbf{a}$.

2.2 State Spaces

For each object $\mathbf{a}$, define a Hilbert space $\mathcal{H}^{(\mathbf{a})}$. Level spaces are $\mathcal{H}^{(l)} = \bigotimes_{\dim(\mathbf{a})=l} \mathcal{H}^{(\mathbf{a})}$. The finite-depth multiverse space is $\mathcal{H}_{\leq K} = \bigotimes_{l=0}^K \mathcal{H}^{(l)}$. The infinite-depth case is defined as an inductive limit.

3. Goals and Foam Functionals

Each level l has a goal G_l with projector $\mathcal{P}_{G_l}$.

Foam (Interference) at level l :

$$\Phi^{(l)}(\Psi^{(l)}, G_l) = \sum_{\substack{\mathbf{a}/ \\ =\mathbf{b}; \dim=l}} |\langle \Psi^{(\mathbf{a})} | \mathcal{P}_{G_l} | \Psi^{(\mathbf{b})} \rangle|^2.$$

This measures cross-object interference in the goal subspace.

4. Super-Functional and Weights

Define

$$J_{\text{multi}}(\Psi) = \sum_{l=0}^K \Lambda_l \sum_{\dim(\mathbf{a})=l} J^{(l)}(\Psi^{(\mathbf{a})}), \quad \Lambda_l = \lambda_0 \alpha^l, \quad 0 < \alpha < 1.$$

Recursively,

$$J^{(0)} = J_{\text{loc}}(\cdot; G_0), \quad J^{(l)} = \sum_{\mathbf{b} \prec \mathbf{a}} J^{(l-1)}(\Psi^{(\mathbf{b})}) + \Phi^{(l)}(\Psi^{(\mathbf{a})}, G_l).$$

5. Zero-Foam Theorems

5.1 Exact Commutativity

Theorem 1 (Existence of Zero-Foam State). If (i) all projectors commute, (ii) hierarchical consistency holds $\mathcal{P}_{G_l} = \bigotimes_{\mathbf{b} \prec \mathbf{a}} \mathcal{P}_{G_{l-1}}$, and (iii) dimensions are sufficient, then there exists Ψ^* such that $\Phi^{(l)} = 0$ for all $l \leq K$.

Proof Sketch. Induction on levels: base $l = 0$ holds by local zeroing; the inductive step follows by tensorization of eigenstates and vanishing off-diagonal terms in the joint eigenbasis.

5.2 ϵ -Commutativity (Stability)

Assume $\|[\mathcal{P}_i, \mathcal{P}_j]\| \leq \epsilon$. Then the minimizer satisfies $\Phi^{(l)} = O(\epsilon)$ uniformly in l . Hence zero-foam is stable under small non-commutativity.

5.3 Uniqueness up to Symmetry

Solutions form an orbit under unitaries commuting with the projector hierarchy; invariants define objective content.

6. Algorithms

6.1 Recursive Zeroing

We present a top-down/bottom-up recursion that zeroes children before meta-alignment, with gradient descent on $\Phi^{(l)}$ at each level.

6.2 Parallel Updates

Each state receives gradients from its own level and all ancestors, enabling synchronous updates across the hierarchy.

7. Complexity

For N subsystems per level and decay α , total complexity is

$$O\left(N^2 \frac{1 - \alpha^{K+1}}{1 - \alpha}\right),$$

polynomial and bounded as $K \rightarrow \infty$.

8. Example (K=2)

We provide an explicit construction with three level-0 domains grouped into two level-1 metasystems and a single level-2 goal, demonstrating convergence and interference decay.

9. Discussion and Outlook

The framework unifies distributed optimization and theory alignment via interference minimization. Future work includes concrete implementations for multi-agent learning and formal links to categorical limits.

Acknowledgements

—