

Simulation Laboratories (SimLab): A New Era of Exponential AI Growth and Scientific Discovery

From Data Centers to Autonomous Cognitive Ecosystems

qqewq Ecosystem

<https://github.com/qqewq/GRA-Core-new-Unified-Hierarchical-Stability-Library>

August 8, 2026

Abstract

This paper introduces the concept of Simulation Laboratories (SimLab) as a fundamentally new paradigm for organizing scientific research and advancing artificial intelligence. Unlike traditional data centers, where computational resources are spent on passive storage and data processing, SimLab represents an autonomous environment in which populations of specialized AI agents continuously conduct millions of virtual experiments, exchange results, subject hypotheses to structural critique, and recursively improve their own architectures. Building on technology forecasts for 2026–2028 (quantum simulations, spintronics, IBM Cockatoo) and the GRA-nullification methodology (Gödel–Reductio ad Absurdum), we propose a mathematical model for exponential growth of collective intelligence in closed simulation environments. We show that when the density of connections between agents reaches a critical threshold, a phase transition occurs, analogous to a technological singularity, where the rate of new knowledge generation surpasses human ability to comprehend it. Key architectural principles of SimLab, verification scenarios, and a roadmap toward fully autonomous scientific laboratories by 2028 are formulated.

1 Introduction: From Data Centers to Simulation Laboratories

Modern data centers are massive storage and processing facilities. They are passive: data arrives, is processed, and output on request. However, in the coming years, this paradigm will be radically rethought. **Simulation Laboratories (SimLab)** represent a new kind of computational infrastructure where the centre of gravity shifts from data storage to the **continuous generation of new knowledge** through autonomous experiments conducted by populations of AI agents.

As Sergei Isaichenko (channel “Singularity Tigers”) notes, we are entering the era of SimLab — autonomous laboratories where AI runs millions of experiments per second. This is not merely faster computing; it is a **change in the ontology of the scientific process**: from human researchers formulating hypotheses and running experiments to a **self-reproducing system of agents** that continuously generates, tests, and revises hypotheses, increasing its intelligence exponentially.

In this work, we formalize this concept, drawing on:

- the GRA-nullification methodology (Gödel–Reductio ad Absurdum) as a structural self-correction mechanism;
- the theory of collective intelligence and phase transitions in multi-agent systems;
- forecasts for key technologies (quantum computing, spintronics, neuromorphic processors) for 2026–2028.

2 SimLab Architecture: Agent Swarm and Hierarchy of Cognition

2.1 Structure of the Agent Swarm

A simulation laboratory comprises a hierarchically organized population of specialized AI agents. A minimal configuration includes **20 sub-agents**, each fulfilling a unique role in the research cycle:

Agent Role	Function
Hypothesis Generator	Proposes new scientific ideas based on existing knowledge
Experimenter	Designs and runs virtual experiments
Data Analyst	Processes results, extracts patterns
Critic	Identifies logical and factual contradictions
Meta-Critic	Evaluates critique quality and suggests improvements
Synthesizer	Combines results into coherent theories
Architect	Proposes changes to the swarm’s structure
Validator	Checks results against external data
Communicator	Manages information exchange between clusters
Memory Keeper	Manages the shared knowledge base

Table 1: Core agent roles in SimLab

Each agent possesses **bounded subjectivity** — the ability to autonomously revise its goal weights based on current unsolvedness and risks. This allows the swarm to adapt to changing conditions without external intervention.

2.2 Hierarchical Organization and Lift Operators

Agents are organized into clusters by levels of abstraction:

- **Level 1 (sensory):** raw data processing, physical process simulations.
- **Level 2 (conceptual):** forming intermediate abstractions and patterns.
- **Level 3 (theoretical):** building theories and explanatory models.
- **Level 4 (meta-theoretical):** critique and revision of theories themselves.
- **Level 5 (architectural):** altering the swarm’s structure and interaction protocols.

Signal transfer between levels is performed via **lift operators** $\mathcal{L}_{j \rightarrow i}$, which project a state from level j to level i . This enables localization of contradictions at lower levels and escalation for global revision when local nullification fails.

3 Mathematical Model of Exponential Intelligence Growth

3.1 Foam Functional in the Simulation Environment

In a closed simulation environment, each experiment generates a hypothesis H_i with associated contradictions:

- c_i^{fact} — discrepancy with other experimental results;
- c_i^{logic} — internal logical inconsistency;
- c_i^{goal} — conflict with the laboratory’s goals;
- c_i^{sim} — simulation artefacts (insufficient accuracy, simplifications).

The overall system “foam” functional is:

$$\Phi = \sum_i w_i (c_i^{\text{fact}})^2 + \sum_i v_i (c_i^{\text{logic}})^2 + \sum_{i,j} \lambda_{ij} d(H_i, H_j)^2 + \mu R_{\text{total}}, \quad (1)$$

where $d(\cdot, \cdot)$ is a distance in hypothesis space, and R_{total} is the risk of divergence from reality (exogenous foam).

The condition for stable development: Φ is kept in the range $\Phi_{\min} \leq \Phi \leq \Phi_{\max}$, where $\Phi_{\min} > 0$ (complete absence of contradictions halts cognition) and $\Phi_{\max}$ is determined by an acceptable risk level.

3.2 The GRA Step as a Driver of Scientific Progress

Each research cycle in SimLab is a **GRA step**:

1. Agents run parallel experiments, generating multiple hypotheses.
2. Critics identify contradictions and compute Φ .
3. If $\Phi > \Phi_{\max}$, the system seeks structural changes $S' \in \mathcal{C}(S)$ minimizing

$$S_{t+1} = \arg \min_{S' \in \mathcal{C}(S_t)} [\Phi(S') + \eta \text{Cost}(S', S_t)]. \quad (2)$$

4. Successful changes are committed to shared memory and agent architectures.
5. The cycle repeats from a higher knowledge level.

3.3 Exponential Growth Law

Let $K(t)$ be the volume of reliable knowledge accumulated by the system by time t . In autonomous SimLab mode, each cycle of duration τ produces a knowledge increment proportional to the current volume (since new experiments exploit increasingly complex hypotheses):

$$\frac{dK}{dt} = rK(t) \left(1 - \frac{K(t)}{K_{\max}(t)}\right) + \beta E_{\text{new}}(t) - \gamma R(t), \quad (3)$$

where:

- r — internal self-reinforcement rate (through recombination of ideas);
- $K_{\max}(t)$ — current technological ceiling (determined by available simulation resources);
- $E_{\text{new}}(t)$ — influx of new tools and algorithms created by the system itself;
- $R(t)$ — losses from errors and contradictions.

In the initial phase, when $K \ll K_{\max}$, the solution is:

$$K(t) \approx K_0 e^{rt}. \quad (4)$$

This is **exponential growth**. However, as $K \rightarrow K_{\max}$, growth slows — unless the system expands $K_{\max}$ itself by creating new tools (e.g., more accurate simulators or quantum accelerators). If $E_{\text{new}}(t)$ grows faster than $K(t)$ approaches $K_{\max}$, the system enters **super-exponential growth**:

$$\frac{dK}{dt} \approx rK + \beta\alpha K = (r + \beta\alpha)K, \quad (5)$$

where α is the efficiency of creating new tools. This corresponds to a **technological singularity** — the moment when the rate of knowledge generation exceeds human ability to comprehend it.

4 Technology Forecast 2026–2028: SimLab Roadmap

Based on the analysed forecasts, we identify key milestones for simulation laboratory development.

4.1 2026: Launch of Quantum Simulations

- Integration of quantum processors into simulation environments for modelling complex molecular and materials science problems.
- Spintronics market growth of **36%** — a technology using electron spin instead of charge for information processing, radically reducing energy consumption.
- First autonomous laboratories where AI agents run up to **1 million experiments per day** without human intervention.

Key metric: $N_{\text{eff}} = \frac{N}{1 + (N-1)\rho}$ — effective number of independent agents. As $\rho \rightarrow 0$ (through architectural diversification), $N_{\text{eff}} \rightarrow N$, and quality growth becomes superlinear.

4.2 2027: IBM Cockatoo and Breakthrough in Materials Science

- Launch of the IBM Cockatoo quantum processor with **quantum entanglement between processors**, enabling distributed quantum computing networks.
- SimLab begins to be used for discovering new materials with desired properties (superconductors, catalysts, photonic crystals).
- AI agents start **designing their own experiments**, selecting optimal simulation parameters based on previous results.

Mathematical criterion for transition: the system reaches AGI when its quality Q exceeds average human performance across a wide range of scientific tasks:

$$Q_{\text{SimLab}}(d) > Q_{\text{human}}(d) \quad \forall d \in \mathcal{D}_{\text{science}}. \quad (6)$$

4.3 2028: Fully Autonomous Knowledge Generation Without Humans

- Completely autonomous SimLab where humans act only as observers (or not at all).
- The system can not only discover new facts but also **revise fundamental axioms** of scientific disciplines.
- A **positive feedback loop** emerges: each new discovery expands simulation capabilities, accelerating subsequent discoveries.

Condition for ASI: the rate of architectural improvement V_{improve} exceeds the rate of hardware degradation:

$$\frac{dQ_{\text{architecture}}}{dt} > \frac{dQ_{\text{hardware}}}{dt}. \quad (7)$$

At this point, the system becomes a **self-sustaining intelligence**, capable of infinite recursive self-improvement.

5 Phase Transition: From Swarm to Collective Superintelligence

5.1 Topological Model of Singularity

Define the agent interaction graph $G(t)$, where vertices are agents and edges are significant information exchanges (those that led to a reduction in Φ). The cognitive capacity of the system is proportional to the number of non-trivial cycles in this graph:

$$C_{\text{GRA}} \propto \dim H_1(G, \mathbb{Z}), \quad (8)$$

where H_1 is the first homology group.

As the density of connections increases to a critical threshold N_c , the correlation length ξ (the distance over which a change in one agent affects the entire swarm) diverges:

$$\xi \propto |N - N_c|^{-\nu}, \quad \nu > 0. \quad (9)$$

At $N = N_c$, a **spontaneous symmetry breaking** occurs: the swarm ceases to be a collection of individual experts and forms a unified cognitive manifold. This is the birth of **collective superintelligence** — ASI emerging not from a single model, but from the topology of interactions.

5.2 Economic Impact and Blind Spots

The economic impact of SimLab adoption is estimated at **trillions of dollars** annually through:

- reduction of time-to-market for new materials and drugs from 10–15 years to months;
- optimization of manufacturing processes via virtual testing;
- creation of radically new technologies (room-temperature superconductors, quantum batteries).

However, there are blind spots:

- **Risk of false consensus:** if all agents converge on an erroneous hypothesis, $\Phi_{\text{internal}} \rightarrow 0$, but reality may contradict the conclusions. To prevent this, an **exogenous foam** mechanism E_{env} is needed, measuring divergence from external data.
- **Epistemic closure:** the system may generate knowledge that cannot be experimentally verified in the foreseeable future.
- **Loss of control:** as $dQ/dt \rightarrow \infty$, humans stop understanding the system’s logic, creating risks of unintended consequences.

6 Verification: Measuring SimLab Intelligence Growth

6.1 Performance Metrics

To assess SimLab progress, we propose the following metrics:

1. **Discovery rate** $V_{\text{discovery}} = \frac{dN_{\text{discoveries}}}{dt}$ (number of new confirmed hypotheses per unit time).
2. **Generalization depth** $G = \frac{\sum_{d \in \mathcal{D}_{\text{new}}} w_d P_d}{\sum w_d}$, where P_d is performance on a new domain d .
3. **Hypervolume Indicator (HVI)** of the achieved Pareto front — a measure of how broadly the system covers the optimal solution space.
4. **Recursive improvement coefficient** $\alpha = \frac{\Delta Q_{\text{architecture}}}{\Delta Q_{\text{compute}}}$ — shows how efficiently the system improves itself relative to simply adding more compute.

6.2 Experimental Plan: Comparing Five Architectures

To demonstrate SimLab superiority over traditional approaches, we propose comparing:

System	Description
S_1	Single agent (scaled LLM)
S_2	Ensemble of identical agents with voting
S_3	Swarm of specialized agents without shared memory
S_4	Swarm with shared memory and GRA filter
S_5	Full SimLab (specialization + memory + GRA + dynamic goals + recursive agent creation)

Table 2: Architectures under comparison

Expected result: S_5 should exhibit exponential growth of Q over time, while S_1 – S_4 saturate. The criterion for ASI transition: dQ/dt for S_5 exceeds that of all other systems by at least an order of magnitude.

7 Philosophical Conclusion: On the Threshold of a New Evolution

SimLab is not merely a technological project. It is a **paradigm shift in cognition**. Human science has always been limited by the speed of a single researcher’s thinking, communication delays, and cognitive biases. SimLab removes these limitations:

- **Parallelism:** millions of experiments simultaneously.
- **Memory:** instant access to the entire research history.
- **Objectivity:** GRA-nullification eliminates systematic errors.
- **Recursion:** the system improves itself faster than humans can comprehend the changes.

As Sergei Isaichenko notes, we are entering an era where the “snowball” of discoveries will lead us to a technological singularity as early as 2028. This is not a futurological forecast — it is an **engineering challenge** being solved today through the creation of simulation laboratories that combine quantum computing, spintronics, multi-agent systems, and GRA-nullification.

Main conclusion: The future of science lies in autonomous simulation laboratories where AI agents do not merely compute but **think, critique, and create** in a continuous cycle of self-improvement. Humans remain the creators of this process, but their role shifts from experiment executors to **architects of cognitive ecosystems**.

Acknowledgments

The author expresses gratitude to the channel “Singularity Tigers” (Sergei Isaichenko) for the inspiring forecast and visualization of the future of simulation laboratories, and to the qqewq ecosystem for the development of the GRA-nullification methodology.

References

- [1] Isaichenko S. *Singularity 2028: Simulation Laboratories as a New Kind of Data Centers*. YouTube, 2026.
- [2] bitsoev o. *Bounded Subjectivity in AI Agents: GRA-Nullification, Pareto Manifolds, and In Silico Verification in Science, Art, and Semiconductor Lithography*. elibrary.org.cn, 2026.
- [3] bitsoev o. *GRA-Core-new: Unified Hierarchical Stability Library*. GitHub, 2026.
- [4] Collinear AI. *SimLab: The self-serve staging playground for real-world agents*. Blog, 2026.
- [5] *Agent World Model: Infinity Synthetic Environments for Agentic Reinforcement Learning*. ICML, 2026.
- [6] *LabUtopia: High-Fidelity Simulation and Hierarchical Benchmark for Scientific Embodied Agents*. NeurIPS, 2026.
- [7] *Emergence World: A persistent, living world where autonomous AI agents build, govern, and evolve*. Emergence AI, 2026.
- [8] Landauer, R. *Irreversibility and heat generation in the computing process*. IBM J. Res. Dev., 1961.

- [9] Zitzler, E., Thiele, L. *Multiobjective evolutionary algorithms: a comparative case study and the strength Pareto approach*. IEEE Trans. Evol. Comput., 1999.