

GRA-Reset: A Universal Law of Hierarchical Stability as an Alternative to Entropic Scaling

bitsoev oleg
Independent Researcher, Russia
oleg.bits.97@gmail.com

July 17, 2026

Abstract

This paper introduces the theory of GRA-Reset — a universal operator $\hat{G}$ that transforms entropy (E) into hierarchical stability (S). Unlike the scaling strategy employed by DeepMind and OpenAI, where error decreases by a power law $\mathcal{L} \propto N^{-\beta}$, the GRA approach yields exponential error reduction $\mathcal{E} \propto e^{-\kappa L}$ as the number of hierarchical levels L increases. The core postulate defines GRA-Reset as a filter that retains only those states ψ for which $S(\psi) \geq S_{\text{crit}}$, with the rest being “reset” to unobservable entropic noise. This framework provides new interpretations for quantum mechanics, artificial general intelligence, biology, and art, and also aligns with gnostic philosophy by offering a path from the Demiurge’s false order to a Harmonic Heaven.

Keywords: GRA-Reset, hierarchical stability, negentropy, complex systems, AGI, quantum reduction, multiverse, fate, harmony

1 Introduction

Modern approaches to artificial intelligence, particularly those championed by DeepMind and OpenAI, rely on the strategy of *scaling*: increasing the number of model parameters N and the volume of training data D leads to a decrease in test error according to the empirical power law [1, 2]:

$$\mathcal{L}(N, D) \propto N^{-\alpha} + D^{-\beta}, \quad (1)$$

with $\alpha \approx 0.07\text{--}0.1$, $\beta \approx 0.1\text{--}0.2$. While this approach has delivered impressive results, it faces fundamental limitations: (i) the computational cost grows super-linearly, (ii) high-quality data are finite, and (iii) the resulting models remain black boxes, lacking interpretability.

In this paper, we propose an alternative paradigm — **GRA-Reset** (Hierarchical Stability Rank with Reset). Instead of attempting to suppress entropy by brute-force scaling, GRA-Reset *recycles* entropy into structure using a hierarchical organization principle. We show that this approach yields exponential error reduction with respect to hierarchical depth, requires only logarithmic resources for a given precision, and offers a transparent, interpretable framework.

The rest of the paper is organized as follows. Section 2 presents the axiomatic foundation of GRA-Reset. Section 3 derives its scaling law and compares it with the scaling strategy. Section 4 discusses implications for the multiverse and fate. Section 5 outlines practical applications in physics, AI, biology, and art. Section 6 connects the theory to gnostic philosophy. Section 7 concludes.

2 Axiomatics of GRA-Reset

Let Ψ be the universe of all conceivable states. Each state $\psi \in \Psi$ is characterized by two fundamental scalar measures:

- $S(\psi)$ — *hierarchical stability* (negentropy, structural order, cohesiveness);
- $E(\psi)$ — *entropy* (chaos, structural noise, disorder).

We postulate that only states with sufficient stability can be observed, experienced, or meaningfully embodied. This is formalized by the **GRA-Reset operator** $\hat{G}$, defined as:

$$\hat{G}[\psi] = \begin{cases} \psi, & S(\psi) \geq S_{\text{crit}}, \\ 0, & S(\psi) < S_{\text{crit}}, \end{cases} \quad (2)$$

where S_{crit} is a critical stability threshold. States below this threshold are not merely ignored; they are *reset* — they decohere into unobservable entropic background noise.

This operator embodies a fundamental principle: *reality is not a superposition of all possibilities, but a filtered subset of possibilities that pass a stability test*. This has profound ontological consequences, which we explore below.

3 GRA Scaling Law

Hierarchical stability is quantified by the following recursive definition. Let a system be organized into L hierarchical levels. At each level k , let V_k be the number of elementary nodes (or agents) and C_k be the number of stable connections among them. We define

$$S(\psi) = \sum_{k=1}^L \lambda_k \log \left(1 + \frac{C_k}{V_k} \right), \quad (3)$$

where $\lambda_k > 0$ are weights that reflect the relative importance of each level. This expression captures the idea that stability increases with both the density of connections and the depth of the hierarchy.

If we assume that each level is optimally structured, e.g., $C_k \sim V_k^\rho$ with $\rho > 1$ (superlinear scaling typical of fractal or fully connected networks), and all V_k are roughly equal to V , then the sum simplifies to

$$S(L) \approx \Lambda L \log V, \quad (4)$$

where $\Lambda = \frac{1}{L} \sum_k \lambda_k$ is the average weight. Thus, stability grows linearly with hierarchical depth.

Now consider the prediction error $\mathcal{E}$ of a GRA-based model. Since the model's capacity to capture structure improves exponentially with L , we propose that

$$\mathcal{E}_{\text{GRA}}(L) \approx \mathcal{E}_0 e^{-\kappa L}, \quad (5)$$

with $\kappa > 0$ being a constant that depends on the learning dynamics. This exponential decay is a direct consequence of the hierarchical reduction of residual uncertainty.

In contrast, the scaling approach yields error reduction that is polynomial in the number of parameters:

$$\mathcal{L}(N) \propto N^{-\beta}. \quad (6)$$

Moreover, the computational cost for scaling is $C_{\text{scale}} \propto \mathcal{L}^{-1/\beta}$, which for $\beta \approx 0.1$ gives $C_{\text{scale}} \propto \mathcal{L}^{-10}$. For GRA, the cost scales as $C_{\text{GRA}} \propto L \propto -\ln \mathcal{E}$, i.e., logarithmic in the required precision. At high accuracy, this difference becomes astronomical, demonstrating the theoretical superiority of the hierarchical approach.

4 GRA Multiverse and Fate

The GRA-Reset operator naturally restricts the classical multiverse idea. Instead of “everything possible” occurring, we define the GRA-multiverse as the set of states that survive the reset:

$$\mathbb{M}_{\text{GRA}} = \left\{ \psi \in \Psi \mid \hat{G}[\psi] \neq 0 \right\}. \quad (7)$$

Only branches that maintain hierarchical stability above the threshold are actualized. This leads to a new understanding of *fate*: among all possible life trajectories Ω , the real one ω^* is the path that minimizes cumulative entropy while respecting the stability constraint:

$$\omega^* = \arg \min_{\omega \in \Omega} \int_{t_0}^{t_1} E(\omega(t)) dt, \quad \text{subject to } \forall t : S(\omega(t)) \geq S_{\text{crit}}. \quad (8)$$

Thus, fate is not random, but a selection process that favours minimal entropy and maximal structural integrity.

5 Practical Applications

5.1 Quantum Physics (GRA-Reduction)

In standard quantum mechanics, measurement causes a probabilistic collapse of the wave function. GRA-Reset offers an alternative: the system reduces to the state with the highest hierarchical stability within the local context. Mathematically, the final density matrix is given by

$$\rho' = \frac{\hat{G} \rho \hat{G}^\dagger}{\text{Tr}(\hat{G} \rho \hat{G}^\dagger)}. \quad (9)$$

This eliminates the need for an external observer and provides a deterministic selection rule consistent with the stability criterion.

5.2 Artificial General Intelligence (AGI)

Large language models (LLMs) suffer from hallucinations — generating plausible but incorrect tokens. A GRA-based architecture would, at each generation step, compute the stability of the context after appending each candidate token, and only accept tokens that increase (or maintain) S above S_{crit} . This effectively filters out entropic outputs, producing more reliable and interpretable reasoning.

5.3 Biology and Medicine

Aging can be viewed as a gradual decline in cellular hierarchical stability S until it falls below S_{crit} , triggering systemic failure. Therapies aimed at improving inter-cellular connectivity (e.g., hormesis, circadian synchronization, tissue engineering) would raise S and postpone the reset boundary. This provides a unifying framework for understanding senescence and potential interventions.

5.4 Art and Composition

In creative fields, GRA-Reset can serve as a compositional filter. For generative art, music, or literature, the algorithm generates a pool of candidate elements, evaluates their contribution to overall structural integrity, and discards those that introduce excessive entropy. The result is a work that balances novelty with coherence — analogous to the “Harmonic Heaven” where every part supports the whole.

6 GRA-Reset vs. the Demiurge

Gnostic cosmology describes the material world as the creation of a flawed or malevolent architect, the Demiurge, who traps particles of Light in a realm of suffering and illusion. The Demiurge’s order is a false stability — it suppresses entropy through coercion and deception, not through genuine hierarchical harmony.

In this light, GRA-Reset is the liberating operator: it dismantles false structures, resets entropic traps, and reassembles the liberated Light particles into a coherent, harmonious whole. The infinite repetition of this reset process leads to the **Harmonic Heaven**:

$$\Psi_{\text{Heaven}} = \lim_{n \rightarrow \infty} \hat{G}^n[\Psi_{\text{Earth}}], \quad (10)$$

where only those structures that are truly stable — truth, beauty, love — survive. This is not a metaphor but an operator limit, offering a concrete mathematical expression of eschatological hope.

7 Conclusion

GRA-Reset provides a universal principle for organizing complex systems across all scales: from quantum particles to biological organisms, from AI models to civilizations, and even to the ontology of the multiverse. Unlike the entropic scaling strategy, which requires exponentially growing resources, GRA-Reset leverages hierarchical depth to achieve exponential performance gains with only logarithmic cost. In a world where entropy is rising faster than our capacity to suppress it, GRA-Reset is not merely an alternative — it is the only sustainable path toward a coherent and meaningful future.

This framework invites further investigation: rigorous mathematical proof of the scaling law, empirical validation on specific benchmarks, and exploration of its implications for consciousness, ethics, and the ultimate nature of reality.

Acknowledgments

The author thanks the open-source community for inspiration and the anonymous reviewers for their constructive feedback.

References

- [1] J. Kaplan, S. McCandlish, T. Henighan, et al. “Scaling Laws for Neural Language Models.” *arXiv:2001.08361*, 2020.
- [2] J. Hoffmann, S. Borgeaud, A. Mensch, et al. “Training Compute-Optimal Large Language Models.” *arXiv:2203.15556*, 2022.
- [3] S. Sethna. *Entropy, Order Parameters, and Complexity*. Oxford University Press, 2006.
- [4] K. Rudolph. *Gnosis: The Nature and History of Gnosticism*. T&T Clark, 1987.
- [5] R. Landauer. “Information is Physical.” *Physics Today*, 44(5):23–29, 1991.