

# **Homework 4**

## Undergraduate Research Methods in Psychology

Quinton Quagliano, M.S., C.S.P

Department of Psychology

Table of Contents	
1 Prompt	2
2 Checklist 2.1 In Assignment	

### 1 Prompt

You are working with a neurologist in a new clinic for patients who have suffered a traumatic brain injury (TBI). Specifically, this clinic is focused around evaluating the quality of life (QoL) of individuals who have had a TBI, so that it can be better understood what the injuries do to individuals in the long term. However, as part of starting this clinic, you need to figure out how to measure the many components of a person's well-being, in a valid way.

For the clinic, we need to track down a good measure for 3 constructs: 1) Sleepiness, 2) Depression, 3) Anxiety. Ideally, any measure that we choose needs to be valid and reliable for the construct that it is meant to measure. Basically, we want to make sure these measures actually do a good job of representing patient experiences and stay consistent in how they do so.

When it comes to measures, we may choose to make our own for these constructs, but it is oftentimes easier and more acceptable to just find a pre-validated one. You can specifically look for measures using the links in the left sidebar of the GVSU Library Psycholoby Subject Guide (i.e., HAPI or "Mental Measurements Yearbook with Tests in Print"). You can also look for these using the general psychology databases (i.e., PSYCInfo), and sometimes looking in these databases can be useful to find additional validation studies for these tools.

To help prepare the clinic you must:

- Find and identify 1 measure/instrument each for all 3 constructs: Sleepiness, Depression, and Anxiety
- Find the original, accurate APA citation for each tool, as well as a link or PDF of the measure itself ideally, I need to be able to see the measure myself. However, if the tool is proprietary/copyrighted, you can just give me a link to the product page.
- Provide at least one psychometric/construct validity statistic for each measure. You
  may choose any of the measurement reliability or validity statistics for this. Remember
  to provide citations as needed you will possibly need to look at additional papers to
  find this.
- Briefly identify the scale of measurement of each chosen measure (interval, ordinal, ratio, categorical, etc.)

### 2 Checklist

#### **2.1** In Assignment

You may answer these with bullet points, so long as each part is clearly covered.
Clearly identified 1 measure each for 1) Sleepiness, 2) Depression, and 3) Anxiety
Each measure has an in-text citation for the original development of the instrumen as well as the corresponding entry In References Section

	Each measure has a link to either the tool itself or a product page to purchase it
numl	Each measure has at least one measurement validity or reliability statistic (i.e., a per) with correct citation and reference for that value
data	Each measure is clearly identified as producing interval, ordinal, ratio, or categorical
2.2	In References Section
no r	Includes only those citations referenced with an in-text citations, within the assignment nore, no less
year numl	All citations contain the full reference information for the article including: authors, of publication, title of paper, journal name, volume number, issue number, page pers
	References are all in APA 7 format, including double-spacing and hanging indent
	References are arranged alphabetically according the first author's last name