#	Name	%g1	%o0	%o1	%o2	%o3	%o4	%o5	Definition
					Registers				
0	restart_syscall	0x00	-	-	-	-	-	-	kernel/signal.c:2501
1	exit	0x01	int error_code	-	-	-	-	-	kernel/exit.c:1095
2	fork	0x02	-	-	-	-	-	-	arch/sparc/kernel/entry.S:899
3	read	0x03	unsigned int fd	char *buf	size_t count	-	-	-	fs/read_write.c:460
4	write	0x04	unsigned int fd	const char *buf	size_t count	-	-	-	fs/read_write.c:477
5	open	0x05	const char *filename	int flags	umode_t mode	-	-	-	fs/open.c:1046
6	close	0x06	unsigned int fd	-	-	-	-	-	fs/open.c:1117
7	wait4	0x07	pid_t upid	int *stat_addr	int options	struct rusage *ru	-	-	kernel/exit.c:1834
8	creat	0x08	const char *pathname	umode_t mode	-	-	-	-	fs/open.c:1079
9	link	0x09	const char *oldname	const char *newname	-	-	-	-	fs/namei.c:3152
10	unlink	0x0a	const char *pathname	-	-	-	-	-	fs/namei.c:2979
11	execv	-	-	-	-	-	-	-	Not implemented
12	chdir	0x0c	const char *filename	-	-	-	-	-	fs/open.c:375
13	chown	0x0d	const char *filename	uid_t user	gid_t group	-	-	-	fs/open.c:540
14	mknod	0x0e	const char *filename	umode_t mode	unsigned dev	-	-	-	fs/namei.c:2693
15	chmod	0x0f	const char *filename	umode_t mode	-	-	-	-	fs/open.c:499
16	lchown	0x10	const char *filename	uid_t user	gid_t group	-	-	-	fs/open.c:586
17	brk	0x11	unsigned long brk	-	-	-	-	-	mm/mmap.c:246
18	perfctr	-	-	-	-	-	-	-	Not implemented
19	lseek	0x13	unsigned int fd	off_t offset	unsigned int origin	-	-	-	fs/read_write.c:230
20	getpid	0x14	-	-	-	-	-	-	kernel/timer.c:1413
21	capget	0x15	cap_user_header_t header	cap_user_data_t dataptr	-	-	-	-	kernel/capability.c:158
22	capset	0x16	cap_user_header_t header	const cap_user_data_t data	-	-	-	-	kernel/capability.c:232
23	setuid	0x17	uid_t uid	-	-	-	-	-	kernel/sys.c:761
24	getuid	0x18	-	-	-	-	-	-	kernel/timer.c:1435
25	vmsplice	0x19	int fd	const struct iovec *iov	unsigned long nr_segs	unsigned int flags	-	-	fs/splice.c:1663
26	ptrace	0x1a	long request	long pid	unsigned long addr	unsigned long data	-	-	kernel/ptrace.c:857
27	alarm	0x1b	unsigned int seconds	-	-	-	-	-	kernel/timer.c:1390
28	sigaltstack	0x1c	const stack_t *uss	stack_t *uoss	-	-	-	-	arch/sparc/kernel/entry.S:837
29	pause	0x1d	-	-	-	-	-	-	kernel/signal.c:3245
30	utime	0x1e	char *filename	struct utimbuf *times	-	-	-	-	fs/utimes.c:27
33	access	0x21	const char *filename	int mode	-	-	-	-	fs/open.c:370
34	nice	0x22	int increment	-	-	-	-	-	kernel/sched/core.c:4119
36	sync	0x24	-	-	-	-	-	-	fs/sync.c:98
37	kill	0x25	pid_t pid	int sig	-	-	-	-	kernel/signal.c:2841
38	stat	0x26	const char *filename	struct __old_kernel_stat *statbuf	-	-	-	-	fs/stat.c:155
39	sendfile	0x27	int out_fd	int in_fd	off_t *offset	size_t count	-	-	fs/read_write.c:973
40	lstat	0x28	const char *filename	struct __old_kernel_stat *statbuf	-	-	-	-	fs/stat.c:168
41	dup	0x29	unsigned int fildes	-	-	-	-	-	fs/fcntl.c:131
42	pipe	0x2a	int *fildes	-	-	-	-	-	fs/pipe.c:1149
43	times	0x2b	struct tms *tbuf	-	-	-	-	-	kernel/sys.c:1058
45	umount2	0x2d	char *name	int flags	-	-	-	-	fs/namespace.c:1190
46	setgid	0x2e	gid_t gid	-	-	-	-	-	kernel/sys.c:614
47	getgid	0x2f	-	-	-	-	-	-	kernel/timer.c:1447
48	signal	0x30	int sig	__sighandler_t handler	-	-	-	-	kernel/signal.c:3228
49	geteuid	0x31	-	-	-	-	-	-	kernel/timer.c:1441
50	getegid	0x32	-	-	-	-	-	-	kernel/timer.c:1453
51	acct	0x33	const char *name	-	-	-	-	-	kernel/acct.c:255
52	memory_ordering	0x34	-	-	-	-	-	-	arch/sparc/kernel/syscalls.S:29
54	ioctl	0x36	unsigned int fd	unsigned int cmd	unsigned long arg	-	-	-	fs/ioctl.c:604
55	reboot	0x37	int magic1	int magic2	unsigned int cmd	void *arg	-	-	kernel/sys.c:432
57	symlink	0x39	const char *oldname	const char *newname	-	-	-	-	fs/namei.c:3039
58	readlink	0x3a	const char *path	char *buf	int bufsiz	-	-	-	fs/stat.c:321
59	execve	0x3b	const char *name	const char *const *argv	const char *const *envp	-	-	-	arch/sparc/kernel/entry.S:811
60	umask	0x3c	int mask	-	-	-	-	-	kernel/sys.c:1782
61	chroot	0x3d	const char *filename	-	-	-	-	-	fs/open.c:422
62	fstat	0x3e	unsigned int fd	struct __old_kernel_stat *statbuf	-	-	-	-	fs/stat.c:181
63	fstat64	0x3f	unsigned long fd	struct stat64 *statbuf	-	-	-	-	fs/stat.c:396
64	getpagesize	0x40	void	-	-	-	-	-	arch/sparc/kernel/sys_sparc_32.c:32
65	msync	0x41	unsigned long start	size_t len	int flags	-	-	-	mm/msync.c:31
66	vfork	0x42	-	-	-	-	-	-	arch/sparc/kernel/entry.S:942
67	pread64	0x43	char *buf size_t count	loff_t pos	-	-	-	-	fs/read_write.c:495
68	pwrite64	0x44	const char *buf size_t count	loff_t pos	-	-	-	-	fs/read_write.c:524
71	mmap	0x47	unsigned long addr	unsigned long len	unsigned long prot	unsigned long flags	unsigned long fd	unsigned long off	arch/sparc/kernel/sys_sparc_64.c:552
73	munmap	0x49	unsigned long addr	size_t len	-	-	-	-	mm/mmap.c:2141
74	mprotect	0x4a	unsigned long start	size_t len	unsigned long prot	-	-	-	mm/mprotect.c:232
75	madvise	0x4b	unsigned long start	size_t len_in	int behavior	-	-	-	mm/madvise.c:362

#	Name	%g1	%o0	%o1	%o2	%o3	%o4	%o5	Definition
76	vhangup	0x4c	-	-	-	-	-	-	fs/open.c:1156
78	mincore	0x4e	unsigned long start	size_t len	unsigned char *vec	-	-	-	mm/mincore.c:266
79	getgroups	0x4f	int gidsetsize	gid_t *grouplist	-	-	-	-	kernel/groups.c:202
80	setgroups	0x50	int gidsetsize	gid_t *grouplist	-	-	-	-	kernel/groups.c:231
81	getpgrp	0x51	-	-	-	-	-	-	kernel/sys.c:1184
83	setitimer	0x53	int which	struct itimerval *value	struct itimerval *ovalue	-	-	-	kernel/itimer.c:278
85	swapon	0x55	const char *specialfile	int swap_flags	-	-	-	-	mm/swapfile.c:1996
86	getitimer	0x56	int which	struct itimerval *value	-	-	-	-	kernel/itimer.c:103
88	sethostname	0x58	char *name	int len	-	-	-	-	kernel/sys.c:1365
90	dup2	0x5a	unsigned int oldfd	unsigned int newfd	-	-	-	-	fs/fcntl.c:116
92	fcntl	0x5c	unsigned int fd	unsigned int cmd	unsigned long arg	-	-	-	fs/fcntl.c:442
93	select	0x5d	int n	fd_set *inp	fd_set *outp	fd_set *exp	struct timeval *tvp	-	fs/select.c:593
95	fsync	0x5f	unsigned int fd	-	-	-	-	-	fs/sync.c:201
96	setpriority	0x60	int which	int who	int niceval	-	-	-	kernel/sys.c:172
97	socket	0x61	int family	int type	int protocol	-	-	-	net/socket.c:1324
98	connect	0x62	int fd	struct sockaddr *uservaddr	int addrlen	-	-	-	net/socket.c:1600
99	accept	0x63	int fd	struct sockaddr *upeer_sockaddr	int *upeer_addrlen	-	-	-	net/socket.c:1582
100	getpriority	0x64	int which	int who	-	-	-	-	kernel/sys.c:241
101	rt_sigreturn	0x65	-	-	-	-	-	-	arch/sparc/kernel/entry.S:873
102	rt_sigaction	0x66	int sig	const struct sigaction *act	struct sigaction *oact	size_t sigsetsize	-	-	kernel/signal.c:3174
103	rt_sigprocmask	0x67	int how	sigset_t *nset	sigset_t *oset	size_t sigsetsize	-	-	kernel/signal.c:2591
104	rt_sigpending	0x68	sigset_t *set	size_t sigsetsize	-	-	-	-	kernel/signal.c:2651
105	rt_sigtimedwait	0x69	const sigset_t *uthese	siginfo_t *uinfo	const struct timespec *uts	size_t sigsetsize	-	-	kernel/signal.c:2805
106	rt_sigqueueinfo	0x6a	pid_t pid	int sig	siginfo_t *uinfo	-	-	-	kernel/signal.c:2938
107	rt_sigsuspend	0x6b	sigset_t *unewset	size_t sigsetsize	-	-	-	-	kernel/signal.c:3274
108	setresuid	0x6c	uid_t ruid	uid_t euid	uid_t suid	-	-	-	kernel/sys.c:808
109	getresuid	0x6d	uid_t *ruidp	uid_t *euidp	uid_t *suidp	-	-	-	kernel/sys.c:873
110	setresgid	0x6e	gid_t rgid	gid_t egid	gid_t sgid	-	-	-	kernel/sys.c:893
111	getresgid	0x6f	gid_t *rgidp	gid_t *egidp	gid_t *sgidp	-	-	-	kernel/sys.c:945
113	recvmsg	0x71	int fd	struct msghdr *msg	unsigned int flags	-	-	-	net/socket.c:2189
114	sendmsg	0x72	int fd	struct msghdr *msg	unsigned int flags	-	-	-	net/socket.c:2016
116	gettimeofday	0x74	struct timeval *tv	struct timezone *tz	-	-	-	-	kernel/time.c:101
117	getrusage	0x75	int who	struct rusage *ru	-	-	-	-	kernel/sys.c:1774
118	getsockopt	0x76	int fd	int level	int optname	char *optval	int *optlen	-	net/socket.c:1844
119	getcwd	0x77	char *buf	unsigned long size	-	-	-	-	fs/dcache.c:2885
120	readv	0x78	unsigned long fd	const struct iovec *vec	unsigned long vlen	-	-	-	fs/read_write.c:787
121	writev	0x79	unsigned long fd	const struct iovec *vec	unsigned long vlen	-	-	-	fs/read_write.c:808
122	settimeofday	0x7a	struct timeval *tv	struct timezone *tz	-	-	-	-	kernel/time.c:179
123	fchown	0x7b	unsigned int fd	uid_t user	gid_t group	-	-	-	fs/open.c:605
124	fchmod	0x7c	unsigned int fd	umode_t mode	-	-	-	-	fs/open.c:472
125	recvfrom	0x7d	int fd	void *ubuf	size_t size	unsigned int flags	struct sockaddr *addr	int *addr_len	net/socket.c:1754
126	setreuid	0x7e	uid_t ruid	uid_t euid	-	-	-	-	kernel/sys.c:690
127	setregid	0x7f	gid_t rgid	gid_t egid	-	-	-	-	kernel/sys.c:557
128	rename	0x80	const char *oldname	const char *newname	-	-	-	-	fs/namei.c:3403
129	truncate	0x81	const char *path	long length	-	-	-	-	fs/open.c:128
130	ftruncate	0x82	unsigned int fd	unsigned long length	-	-	-	-	fs/open.c:178
131	flock	0x83	unsigned int fd	unsigned int cmd	-	-	-	-	fs/locks.c:1636
132	lstat64	0x84	const char *filename	struct stat64 *statbuf	-	-	-	-	fs/stat.c:384
133	sendto	0x85	int fd	void *buff	size_t len	unsigned int flags	struct sockaddr *addr	int addr_len	net/socket.c:1695
134	shutdown	0x86	int fd	int how	-	-	-	-	net/socket.c:1874
135	socketpair	0x87	int family	int type	int protocol	int *usockvec	-	-	net/socket.c:1365
136	mkdir	0x88	const char *pathname	umode_t mode	-	-	-	-	fs/namei.c:2751
137	rmdir	0x89	const char *pathname	-	-	-	-	-	fs/namei.c:2870
138	utimes	0x8a	char *filename	struct timeval *utimes	-	-	-	-	fs/utimes.c:221
139	stat64	0x8b	const char *filename	struct stat64 *statbuf	-	-	-	-	fs/stat.c:372
140	sendfile64	0x8c	int out_fd	int in_fd	loff_t *offset	size_t count	-	-	fs/read_write.c:992
141	getpeername	0x8d	int fd	struct sockaddr *usockaddr	int *usockaddr_len	-	-	-	net/socket.c:1663
142	futex	0x8e	u32 *uaddr	int op	u32 val	struct timespec *utime	u32 *uaddr2	u32 val3	kernel/futex.c:2680
143	gettid	0x8f	-	-	-	-	-	-	kernel/timer.c:1569
144	getrlimit	0x90	unsigned int resource	struct rlimit *rlim	-	-	-	-	kernel/sys.c:1440
145	setrlimit	0x91	unsigned int resource	struct rlimit *rlim	-	-	-	-	kernel/sys.c:1641
146	pivot_root	0x92	const char *new_root	const char *put_old	-	-	-	-	fs/namespace.c:2453
147	prctl	0x93	int option	unsigned long arg2	unsigned long arg3	unsigned long arg4	unsigned long arg5	-	kernel/sys.c:1999
148	pciconfig_read	0x94	unsigned long bus	unsigned long dfn	unsigned long off	unsigned long len	void *buf	-	drivers/pci/syscall.c:16
149	pciconfig_write	0x95	unsigned long bus	unsigned long dfn	unsigned long off	unsigned long len	void *buf	-	drivers/pci/syscall.c:86
150	getsockname	0x96	int fd	struct sockaddr *usockaddr	int *usockaddr_len	-	-	-	net/socket.c:1632
151	inotify_init	0x97	-	-	-	-	-	-	fs/notify/inotify/inotify_user.c:749
152	inotify_add_watch	0x98	int fd	const char *pathname	u32 mask	-	-	-	fs/notify/inotify/inotify_user.c:754
153	poll	0x99	struct pollfd *ufds	unsigned int nfds	int timeout_msecs	-	-	-	fs/select.c:908

#	Name		%g1	%o0	%o1	%o2	%o3	%o4	%o5	Definition
						Registers				
154	getdents64		0x9a	unsigned int fd	struct linux_dirent64 *dirent	unsigned int count	-	-	-	fs/readdir.c:272
156	inotify_rm_watch		0x9c	int fd	__s32 wd	-	-	-	-	fs/notify/inotify/inotify_user.c:795
157	statfs		0x9d	const char *pathname	struct statfs *buf	-	-	-	-	fs/statfs.c:166
158	fstatfs		0x9e	unsigned int fd	struct statfs *buf	-	-	-	-	fs/statfs.c:187
159	umount		0x9f	char *name	int flags	-	-	-	-	fs/namespace.c:1190
160	sched_set_affinity		-	-	-	-	-	-	-	Not implemented
161	sched_get_affinity		-	-	-	-	-	-	-	Not implemented
162	getdomainname		0xa2	char *name	int len	-	-	-	-	arch/sparc/kernel/sys_sparc_64.c:631
163	setdomainname		0xa3	char *name	int len	-	-	-	-	kernel/sys.c:1416
164	utrap_install		0xa4	utrap_entry_t type	utrap_handler_t new_p	utrap_handler_t new_d	utrap_handler_t *old_p	utrap_handler_t *old_d	-	arch/sparc/kernel/sys_sparc_64.c:654
165	quotactl		0xa5	unsigned int cmd	const char *special	qid_t id	void *addr	-	-	fs/quota/quota.c:346
166	set_tid_address		0xa6	int *tidptr	-	-	-	-	-	kernel/fork.c:1109
167	mount		0xa7	char *dev_name	char *dir_name	char *type	unsigned long flags	void *data	-	fs/namespace.c:2362
168	ustat		0xa8	unsigned dev	struct ustat *ubuf	-	-	-	-	fs/statfs.c:222
169	setxattr		0xa9	const char *pathname	const char *name	const void *value	size_t size	int flags	-	fs/xattr.c:361
170	lsetxattr		0xaa	const char *pathname	const char *name	const void *value	size_t size	int flags	-	fs/xattr.c:380
171	fsetxattr		0xab	int fd	const char *name	const void *value	size_t size	int flags	-	fs/xattr.c:399
172	getxattr		0xac	const char *pathname	const char *name	void *value	size_t size	-	-	fs/xattr.c:459
173	lgetxattr		0xad	const char *pathname	const char *name	void *value	size_t size	-	-	fs/xattr.c:473
174	getdents		0xae	unsigned int fd	struct linux_dirent *dirent	unsigned int count	-	-	-	fs/readdir.c:191
175	setsid		0xaf	-	-	-	-	-	-	kernel/sys.c:1219
176	fchdir		0xb0	unsigned int fd	-	-	-	-	-	fs/open.c:396
177	fgetxattr		0xb1	int fd	const char *name	void *value	size_t size	-	-	fs/xattr.c:487
178	listxattr		0xb2	const char *pathname	char *list	size_t size	-	-	-	fs/xattr.c:541
179	llistxattr		0xb3	const char *pathname	char *list	size_t size	-	-	-	fs/xattr.c:555
180	flistxattr		0xb4	int fd	char *list	size_t size	-	-	-	fs/xattr.c:569
181	removexattr		0xb5	const char *pathname	const char *name	-	-	-	-	fs/xattr.c:602
182	lremovexattr		0xb6	const char *pathname	const char *name	-	-	-	-	fs/xattr.c:620
183	sigpending		0xb7	old_sigset_t *set	-	-	-	-	-	kernel/signal.c:3107
184	query_module		-	-	-	-	-	-	-	Not implemented
185	setpgid		0xb9	pid_t pid	pid_t pgid	-	-	-	-	kernel/sys.c:1083
186	fremovexattr		0xba	int fd	const char *name	-	-	-	-	fs/xattr.c:638
187	tkill		0xbb	pid_t pid	int sig	-	-	-	-	kernel/signal.c:2923
188	exit_group		0xbc	int error_code	-	-	-	-	-	kernel/exit.c:1136
189	uname		0xbd	struct old_utsname *name	-	-	-	-	-	kernel/sys.c:1311
190	init_module		0xbe	void *umod	unsigned long len	const char *uargs	-	-	-	kernel/module.c:3010
191	personality		0xbf	unsigned int personality	-	-	-	-	-	kernel/exec_domain.c:182
192	remap_file_pages		0xc0	unsigned long start	unsigned long size	unsigned long prot	unsigned long pgoff	unsigned long flags	-	mm/fremap.c:122
193	epoll_create		0xc1	int size	-	-	-	-	-	fs/eventpoll.c:1668
194	epoll_ctl		0xc2	int epfd	int op	int fd	struct epoll_event *event	-	-	fs/eventpoll.c:1681
195	epoll_wait		0xc3	int epfd	struct epoll_event *events	int maxevents	int timeout	-	-	fs/eventpoll.c:1809
196	ioprio_set		0xc4	int which	int who	int ioprio	-	-	-	fs/ioprio.c:61
197	getppid		0xc5	-	-	-	-	-	-	kernel/timer.c:1424
198	sigaction		-	-	-	-	-	-	-	Not implemented
199	sgetmask		0xc7	-	-	-	-	-	-	kernel/signal.c:3207
200	ssetmask		0xc8	int newmask	-	-	-	-	-	kernel/signal.c:3213
201	sigsuspend		0xc9	old_sigset_t set	-	-	-	-	-	arch/sparc/kernel/signal_32.c:69
202	oldlstat		0xca	const char *filename	struct __old_kernel_stat *statbuf	-	-	-	-	fs/stat.c:168
203	uselib		0xcb	const char *library	-	-	-	-	-	fs/exec.c:116
204	readdir		0xcc	unsigned int fd	struct old_linux_dirent *dirent	unsigned int count	-	-	-	fs/readdir.c:105
205	readahead		0xcd	loff_t offset size_t count	-	-	-	-	-	mm/readahead.c:579
206	socketcall		0xce	int call	unsigned long *args	-	-	-	-	net/socket.c:2355
207	syslog		0xcf	int type	char *buf	int len	-	-	-	kernel/printk.c:1195
208	lookup_dcookie		0xd0	char *buf size_t len	-	-	-	-	-	fs/dcookies.c:148
209	fadvise64		0xd1	loff_t offset size_t len	int advice	-	-	-	-	mm/fadvise.c:148
210	fadvise64_64		0xd2	loff_t offset loff_t len	int advice	-	-	-	-	mm/fadvise.c:27
211	tgkill		0xd3	pid_t tgid	pid_t pid	int sig	-	-	-	kernel/signal.c:2907
212	waitpid		0xd4	pid_t pid	int *stat_addr	int options	-	-	-	kernel/exit.c:1879
213	swapoff		0xd5	const char *specialfile	-	-	-	-	-	mm/swapfile.c:1539
214	sysinfo		0xd6	struct sysinfo *info	-	-	-	-	-	kernel/timer.c:1641
215	ipc		0xd7	unsigned int call	int first	unsigned long second	unsigned long third	void *ptr	long fifth	ipc/syscall.c:16
216	sigreturn		0xd8	-	-	-	-	-	-	arch/sparc/kernel/entry.S:853
217	clone		0xd9	unsigned long clone_flags	unsigned long newsp	void *parent_tid	void *child_tid	-	-	arch/sparc/kernel/entry.S:918
218	ioprio_get		0xda	int which	int who	-	-	-	-	fs/ioprio.c:176
219	adjtimex		0xdb	struct timex *txc_p	-	-	-	-	-	kernel/time.c:200
220	sigprocmask		0xdc	int how	old_sigset_t *nset	old_sigset_t *oset	-	-	-	kernel/signal.c:3125
221	create_module		-	-	-	-	-	-	-	Not implemented
222	delete_module		0xde	const char *name_user	unsigned int flags	-	-	-	-	kernel/module.c:768
223	get_kernel_syms		-	-	-	-	-	-	-	Not implemented

#	Name	%g1	%o0	%o1	%o2	%o3	%o4	%o5	Definition
						Registers			
224	getpgid	0xe0	pid_t pid	-	-	-	-	-	kernel/sys.c:1154
225	bdflush	0xe1	int func	long data	-	-	-	-	fs/buffer.c:3130
226	sysfs	0xe2	int option	unsigned long arg1	unsigned long arg2	-	-	-	fs/filesystems.c:183
227	afs_syscall	-	-	-	-	-	-	-	Not implemented
228	setfsuid	0xe4	uid_t uid	-	-	-	-	-	kernel/sys.c:969
229	setfsgid	0xe5	gid_t gid	-	-	-	-	-	kernel/sys.c:1008
230	_newselect	0xe6	int n	fd_set *inp	fd_set *outp	fd_set *exp	struct timeval *tvp	-	fs/select.c:593
231	time	0xe7	time_t *tloc	-	-	-	-	-	kernel/time.c:62
232	splice	0xe8	int fd_in	loff_t *off_in	int fd_out	loff_t *off_out	size_t len	unsigned int flags	fs/splice.c:1689
233	stime	0xe9	time_t *tptr	-	-	-	-	-	kernel/time.c:81
234	statfs64	0xea	const char *pathname	size_t sz	struct statfs64 *buf	-	-	-	fs/statfs.c:175
235	fstatfs64	0xeb	unsigned int fd	size_t sz	struct statfs64 *buf	-	-	-	fs/statfs.c:196
236	_llseek	0xec	unsigned int fd	unsigned long offset_high	unsigned long offset_low	loff_t *result	unsigned int origin	-	fs/read_write.c:254
237	mlock	0xed	unsigned long start	size_t len	-	-	-	-	mm/mlock.c:482
238	munlock	0xee	unsigned long start	size_t len	-	-	-	-	mm/mlock.c:512
239	mlockall	0xef	int flags	-	-	-	-	-	mm/mlock.c:549
240	munlockall	0xf0	-	-	-	-	-	-	mm/mlock.c:582
241	sched_setparam	0xf1	pid_t pid	struct sched_param *param	-	-	-	-	kernel/sched/core.c:4477
242	sched_getparam	0xf2	pid_t pid	struct sched_param *param	-	-	-	-	kernel/sched/core.c:4512
243	sched_setscheduler	0xf3	pid_t pid	int policy	struct sched_param *param	-	-	-	kernel/sched/core.c:4462
244	sched_getscheduler	0xf4	pid_t pid	-	-	-	-	-	kernel/sched/core.c:4486
245	sched_yield	0xf5	-	-	-	-	-	-	kernel/sched/core.c:4711
246	sched_get_priority_max	0xf6	int policy	-	-	-	-	-	kernel/sched/core.c:4935
247	sched_get_priority_min	0xf7	int policy	-	-	-	-	-	kernel/sched/core.c:4960
248	sched_rr_get_interval	0xf8	pid_t pid	struct timespec *interval	-	-	-	-	kernel/sched/core.c:4985
249	nanosleep	0xf9	struct timespec *rqtp	struct timespec *rmtp	-	-	-	-	kernel/hrtimer.c:1621
250	mremap	0xfa	unsigned long addr	unsigned long old_len	unsigned long new_len	unsigned long flags	unsigned long new_addr	-	mm/mremap.c:431
251	_sysctl	0xfb	struct __sysctl_args *args	-	-	-	-	-	kernel/sysctl_binary.c:1444
252	getsid	0xfc	pid_t pid	-	-	-	-	-	kernel/sys.c:1191
253	fdatasync	0xfd	unsigned int fd	-	-	-	-	-	fs/sync.c:206
254	nfsservctl	-	-	-	-	-	-	-	Not implemented
255	sync_file_range	0xff	loff_t offset loff_t nbytes	unsigned int flags	-	-	-	-	fs/sync.c:275
256	clock_settime	0x100	const clockid_t which_clock	const struct timespec *tp	-	-	-	-	kernel/posix-timers.c:950
257	clock_gettime	0x101	const clockid_t which_clock	struct timespec *tp	-	-	-	-	kernel/posix-timers.c:965
258	clock_getres	0x102	const clockid_t which_clock	struct timespec *tp	-	-	-	-	kernel/posix-timers.c:1006
259	clock_nanosleep	0x103	const clockid_t which_clock	int flags	const struct timespec *rqtp	struct timespec *rmtp	-	-	kernel/posix-timers.c:1035
260	sched_getaffinity	0x104	pid_t pid	unsigned int len	unsigned long *user_mask_ptr	-	-	-	kernel/sched/core.c:4677
261	sched_setaffinity	0x105	pid_t pid	unsigned int len	unsigned long *user_mask_ptr	-	-	-	kernel/sched/core.c:4626
262	timer_settime	0x106	timer_t timer_id	int flags	const struct itimerspec *new_setting	struct itimerspec *old_setting	-	-	kernel/posix-timers.c:819
263	timer_gettime	0x107	timer_t timer_id	struct itimerspec *setting	-	-	-	-	kernel/posix-timers.c:715
264	timer_getoverrun	0x108	timer_t timer_id	-	-	-	-	-	kernel/posix-timers.c:751
265	timer_delete	0x109	timer_t timer_id	-	-	-	-	-	kernel/posix-timers.c:882
266	timer_create	0x10a	const clockid_t which_clock	struct sigevent *timer_event_spec	timer_t *created_timer_id	-	-	-	kernel/posix-timers.c:535
267	io_setup	0x10c	unsigned nr_events	aio_context_t *ctxp	-	-	-	-	fs/aio.c:1298
269	io_destroy	0x10d	aio_context_t ctx	-	-	-	-	-	fs/aio.c:1334
270	io_submit	0x10e	aio_context_t ctx_id	long nr	struct iocb * *iocbpp	-	-	-	fs/aio.c:1746
271	io_cancel	0x10f	aio_context_t ctx_id	struct iocb *iocb	struct io_event *result	-	-	-	fs/aio.c:1781
272	io_getevents	0x110	aio_context_t ctx_id	long min_nr	long nr	struct io_event *events	struct timespec *timeout	-	fs/aio.c:1844
273	mq_open	0x111	const char *u_name	int oflag	umode_t mode	struct mq_attr *u_attr	-	-	ipc/mqueue.c:803
274	mq_unlink	0x112	const char *u_name	-	-	-	-	-	ipc/mqueue.c:876
275	mq_timedsend	0x113	mqd_t mqdes	const char *u_msg_ptr	size_t msg_len	unsigned int msg_prio	const struct timespec *u_abs_timeout	-	ipc/mqueue.c:971
276	mq_timedreceive	0x114	mqd_t mqdes	char *u_msg_ptr	size_t msg_len	unsigned int *u_msg_prio	const struct timespec *u_abs_timeout	-	ipc/mqueue.c:1092
277	mq_notify	0x115	mqd_t mqdes	const struct sigevent *u_notification	-	-	-	-	ipc/mqueue.c:1201
278	mq_getsetattr	0x116	mqd_t mqdes	const struct mq_attr *u_mqstat	struct mq_attr *u_omqstat	-	-	-	ipc/mqueue.c:1333
279	waitid	0x117	int which	pid_t upid	struct siginfo *infop	int options	struct rusage *ru	-	kernel/exit.c:1763
280	tee	0x118	int fdin	int fdout	size_t len	unsigned int flags	-	-	fs/splice.c:2025
281	add_key	0x119	const char *_type	const char *_description	const void *_payload	size_t plen	key_serial_t ringid	-	security/keys/keyctl.c:54
282	request_key	0x11a	const char *_type	const char *_description	const char *_callout_info	key_serial_t destringid	-	-	security/keys/keyctl.c:147
283	keyctl	0x11b	int option	unsigned long arg2	unsigned long arg3	unsigned long arg4	unsigned long arg5	-	security/keys/keyctl.c:1556
284	openat	0x11c	int dfd	const char *filename	int flags	umode_t mode	-	-	fs/open.c:1059
285	mkdirat	0x11d	int dfd	const char *pathname	umode_t mode	-	-	-	fs/namei.c:2723
286	mknodat	0x11e	int dfd	const char *filename	umode_t mode	unsigned dev	-	-	fs/namei.c:2646
287	fchownat	0x11f	int dfd	const char *filename	uid_t user	gid_t group	int flag	-	fs/open.c:559
288	futimesat	0x120	int dfd	const char *filename	struct timeval *utimes	-	-	-	fs/utimes.c:193
289	fstatat64	0x121	int dfd	const char *filename	struct stat64 *statbuf	int flag	-	-	fs/stat.c:407
290	unlinkat	0x122	int dfd	const char *pathname	int flag	-	-	-	fs/namei.c:2968
291	renameat	0x123	int olddfd	const char *oldname	int newdfd	const char *newname	-	-	fs/namei.c:3309
292	linkat	0x124	int olddfd	const char *oldname	int newdfd	const char *newname	int flags	-	fs/namei.c:3097
293	symlinkat	0x125	const char *oldname	int newdfd	const char *newname	-	-	-	fs/namei.c:3004

#	Name		%g1	%o0	Registers %o1	%o2	%o3	%o4	%o5	Definition
294	readlinkat	0x126	int dfd	const char *pathname	char *buf	int bufsiz	-	-	-	fs/stat.c:293
295	fchmodat	0x127	int dfd	const char *filename	umode_t mode	-	-	-	-	fs/open.c:486
296	faccessat	0x128	int dfd	const char *filename	int mode	-	-	-	-	fs/open.c:299
297	pselect6	0x129	int n	fd_set *inp	fd_set *outp	fd_set *exp	struct timespec *tsp	void *sig	fs/select.c:671
298	ppoll	0x12a	struct pollfd *ufds	unsigned int nfds	struct timespec *tsp	const sigset_t *sigmask	size_t sigsetsize	-	fs/select.c:942
299	unshare	0x12b	unsigned long unshare_flags	-	-	-	-	-	kernel/fork.c:1778
300	set_robust_list	0x12c	struct robust_list_head *head	size_t len	-	-	-	-	kernel/futex.c:2422
301	get_robust_list	0x12d	int pid	struct robust_list_head * *head_ptr	size_t *len_ptr	-	-	-	kernel/futex.c:2444
302	migrate_pages	0x12e	pid_t pid	unsigned long maxnode	const unsigned long *old_nodes	const unsigned long *new_nodes	-	-	mm/mempolicy.c:1304
303	mbind	0x12f	unsigned long start	unsigned long len	unsigned long mode	unsigned long *nmask	unsigned long maxnode	unsigned flags	mm/mempolicy.c:1263
304	get_mempolicy	0x130	int *policy	unsigned long *nmask	unsigned long maxnode	unsigned long addr	unsigned long flags	-	mm/mempolicy.c:1400
305	set_mempolicy	0x131	int mode	unsigned long *nmask	unsigned long maxnode	-	-	-	mm/mempolicy.c:1285
306	kexec_load	0x132	unsigned long entry	unsigned long nr_segments	struct kexec_segment *segments	unsigned long flags	-	-	kernel/kexec.c:940
307	move_pages	0x133	pid_t pid	unsigned long nr_pages	const void * *pages	const int *nodes	int *status	int flags	mm/migrate.c:1343
308	getcpu	0x134	unsigned *cpup	unsigned *nodep	struct getcpu_cache *unused	-	-	-	kernel/sys.c:2179
309	epoll_pwait	0x135	int epfd	struct epoll_event *events	int maxevents	int timeout	const sigset_t *sigmask	size_t sigsetsize	fs/eventpoll.c:1860
310	utimensat	0x136	int dfd	const char *filename	struct timespec *utimes	int flags	-	-	fs/utimes.c:175
311	signalfd	0x137	int ufd	sigset_t *user_mask	size_t sizemask	-	-	-	fs/signalfd.c:292
312	timerfd_create	0x138	int clockid	int flags	-	-	-	-	fs/timerfd.c:252
313	eventfd	0x139	unsigned int count	-	-	-	-	-	fs/eventfd.c:431
314	fallocate	0x13a	int mode loff_t offset	loff_t len	-	-	-	-	fs/open.c:272
315	timerfd_settime	0x13b	int ufd	int flags	const struct itimerspec *utmr	struct itimerspec *otmr	-	-	fs/timerfd.c:283
316	timerfd_gettime	0x13c	int ufd	struct itimerspec *otmr	-	-	-	-	fs/timerfd.c:344
317	signalfd4	0x13d	int ufd	sigset_t *user_mask	size_t sizemask	int flags	-	-	fs/signalfd.c:237
318	eventfd2	0x13e	unsigned int count	int flags	-	-	-	-	fs/eventfd.c:406
319	epoll_create1	0x13f	int flags	-	-	-	-	-	fs/eventpoll.c:1625
320	dup3	0x140	unsigned int oldfd	unsigned int newfd	int flags	-	-	-	fs/fcntl.c:53
321	pipe2	0x141	int *fildes	int flags	-	-	-	-	fs/pipe.c:1133
322	inotify_init1	0x142	int flags	-	-	-	-	-	fs/notify/inotify/inotify_user.c:724
323	accept4	0x143	int fd	struct sockaddr *upeer_sockaddr	int *upeer_addrlen	int flags	-	-	net/socket.c:1508
324	preadv	0x144	unsigned long fd	const struct iovec *vec	unsigned long vlen	unsigned long pos_l	unsigned long pos_h	-	fs/read_write.c:835
325	pwritev	0x145	unsigned long fd	const struct iovec *vec	unsigned long vlen	unsigned long pos_l	unsigned long pos_h	-	fs/read_write.c:860
326	rt_tgsigqueueinfo	0x146	pid_t tgid	pid_t pid	int sig	siginfo_t *uinfo	-	-	kernel/signal.c:2979
327	perf_event_open	0x147	struct perf_event_attr *attr_uptr	pid_t pid	int cpu	int group_fd	unsigned long flags	-	kernel/events/core.c:6186
328	recvmmsg	0x148	int fd	struct mmsghdr *mmsg	unsigned int vlen	unsigned int flags	struct timespec *timeout	-	net/socket.c:2313
329	fanotify_init	0x149	unsigned int event_f_flags	unsigned int flags	-	-	-	-	fs/notify/fanotify/fanotify_user.c:679
330	fanotify_mark	0x14a	unsigned int flags __u64 mask	int dfd const char *pathname	-	-	-	-	fs/notify/fanotify/fanotify_user.c:767
331	prlimit64	0x14b	pid_t pid	unsigned int resource	const struct rlimit64 *new_rlim	struct rlimit64 *old_rlim	-	-	kernel/sys.c:1599
332	name_to_handle_at	0x14c	int dfd	const char *name	struct file_handle *handle	int *mnt_id	int flag	-	fs/fhandle.c:92
333	open_by_handle_at	0x14d	int mountdirfd	struct file_handle *handle	int flags	-	-	-	fs/fhandle.c:257
334	clock_adjtime	0x14e	const clockid_t which_clock	struct timex *utx	-	-	-	-	kernel/posix-timers.c:983
335	syncfs	0x14f	int fd	-	-	-	-	-	fs/sync.c:134
336	sendmmsg	0x150	int fd	struct mmsghdr *mmsg	unsigned int vlen	unsigned int flags	-	-	net/socket.c:2091
337	setns	0x151	int fd	int nstype	-	-	-	-	kernel/nsproxy.c:235
338	process_vm_readv	0x152	pid_t pid	const struct iovec *lvec	unsigned long liovcnt	const struct iovec *rvec	unsigned long riovcnt	unsigned long flags	mm/process_vm_access.c:398
339	process_vm_writev	0x153	pid_t pid	const struct iovec *lvec	unsigned long liovcnt	const struct iovec *rvec	unsigned long riovcnt	unsigned long flags	mm/process_vm_access.c:405

Showing 1 to 320 of 320 entries