

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Electricity Suppliers
<b>Inquiry Category</b>	New service connection requests
<b>Inquiry Sub-Category</b>	Connection regulations and safety standards
<b>Description</b>	Customers request information about the safety standards, code requirements, and regulatory guidelines for electrical connections, including any inspections or certifications that need to be obtained.
<b>Data Size</b>	7,520 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

Are there \_\_\_\_ mandatory checks \_\_\_\_ by authorities after \_\_\_\_ an \_\_\_\_ ?  
 \_\_\_\_ compulsory review enacted \_\_\_\_ wiring \_\_\_\_ ?  
 \_\_\_\_ authorities carry out \_\_\_\_ tests \_\_\_\_ electric \_\_\_\_ are \_\_\_\_ ?  
 \_\_\_\_ any compulsory checks following \_\_\_\_ ?  
 Is \_\_\_\_ any \_\_\_\_ electric setup?  
 \_\_\_\_ there \_\_\_\_ check \_\_\_\_ test after \_\_\_\_ electrical connection?  
 Will \_\_\_\_ checks \_\_\_\_ after \_\_\_\_ given electrical installation?  
 Is \_\_\_\_ any testing \_\_\_\_ needs to \_\_\_\_ after \_\_\_\_ connection is \_\_\_\_ ?  
 \_\_\_\_ be \_\_\_\_ examination \_\_\_\_ the \_\_\_\_ of an \_\_\_\_ system?  
 Which \_\_\_\_ do \_\_\_\_ electrical installs?  
 Are authorized \_\_\_\_ to \_\_\_\_ electricity links?  
 \_\_\_\_ it necessary \_\_\_\_ authorities \_\_\_\_ checks after the \_\_\_\_ of an \_\_\_\_ ?  
 Is there \_\_\_\_ electric setup.  
 \_\_\_\_ is \_\_\_\_ requirement \_\_\_\_ regulatory bodies \_\_\_\_ electricity?  
 \_\_\_\_ occur after \_\_\_\_ power lines?  
 Do you know \_\_\_\_ have any \_\_\_\_ to deal with once \_\_\_\_ is \_\_\_\_ up?  
 After the \_\_\_\_ there any checks done?  
 Are there compulsory \_\_\_\_ ?  
 \_\_\_\_ mandatory \_\_\_\_ after the \_\_\_\_ connection is \_\_\_\_ up?  
 \_\_\_\_ of an \_\_\_\_ might have to be inspected \_\_\_\_ .  
 Did \_\_\_\_ occur \_\_\_\_ connecting \_\_\_\_ lines?  
 Is it \_\_\_\_ to check \_\_\_\_ after \_\_\_\_ it \_\_\_\_ ?  
 \_\_\_\_ require any \_\_\_\_ the \_\_\_\_ of an \_\_\_\_ connection.  
 \_\_\_\_ necessary to conduct a review \_\_\_\_ power \_\_\_\_ ?  
 Any \_\_\_\_ evaluations done \_\_\_\_ electrical \_\_\_\_ ?  
 \_\_\_\_ required evaluations \_\_\_\_ installations?  
 \_\_\_\_ there \_\_\_\_ requirement for governing \_\_\_\_ to perform \_\_\_\_ after \_\_\_\_ new \_\_\_\_ ?  
 Are any \_\_\_\_ inspections \_\_\_\_ new \_\_\_\_ connection?

Are \_\_\_\_ checks \_\_\_\_ \_\_\_\_ power connection \_\_\_\_?  
\_\_\_\_ electric \_\_\_\_ set, there \_\_\_\_ be \_\_\_\_ inspections?  
\_\_\_\_ need \_\_\_\_ an inspection \_\_\_\_ setting up an \_\_\_\_ connection?  
Is \_\_\_\_ agencies to \_\_\_\_ new power connections?  
\_\_\_\_ there be \_\_\_\_ exams \_\_\_\_ an electrical installation?  
\_\_\_\_ checks happen \_\_\_\_ up \_\_\_\_ electrical connection?  
Are \_\_\_\_ authorities \_\_\_\_ connections?  
How about \_\_\_\_ connecting power \_\_\_\_?  
If \_\_\_\_ required inspections \_\_\_\_ be \_\_\_\_ supply \_\_\_\_ is set up.  
\_\_\_\_ regulatory \_\_\_\_ to \_\_\_\_ after installation \_\_\_\_ electrical connections?  
\_\_\_\_ any requirement for \_\_\_\_ for electricity \_\_\_\_?  
Does the \_\_\_\_ electrical connection require any \_\_\_\_ or \_\_\_\_?  
\_\_\_\_ the setup of \_\_\_\_ new \_\_\_\_ do the \_\_\_\_ inspections?  
\_\_\_\_ compulsory to \_\_\_\_ tests \_\_\_\_ an \_\_\_\_ installation?  
Will \_\_\_\_ be \_\_\_\_ exams \_\_\_\_ installation of electrical \_\_\_\_?  
Will there be any \_\_\_\_ after performing \_\_\_\_?  
\_\_\_\_ you \_\_\_\_ are \_\_\_\_ checks that follow electric \_\_\_\_?  
Is a \_\_\_\_ wiring \_\_\_\_ required?  
\_\_\_\_ there any \_\_\_\_ for \_\_\_\_ connections?  
\_\_\_\_ any requirement from \_\_\_\_ to \_\_\_\_ electricity?  
\_\_\_\_ compulsory to \_\_\_\_ the \_\_\_\_ installed?  
\_\_\_\_ are \_\_\_\_ after \_\_\_\_ electrical \_\_\_\_ has been installed?  
Does official \_\_\_\_ after wires \_\_\_\_ installed \_\_\_\_ conducting \_\_\_\_?  
\_\_\_\_ regulators \_\_\_\_ connections after installation?  
Are \_\_\_\_ any tests \_\_\_\_ need to \_\_\_\_ conducted \_\_\_\_ installation \_\_\_\_ connection?  
\_\_\_\_ mandatory electrical \_\_\_\_ tests being \_\_\_\_?  
Will there be \_\_\_\_ after the \_\_\_\_ installation?  
When \_\_\_\_ is \_\_\_\_ what \_\_\_\_ tests are performed?  
\_\_\_\_ bother \_\_\_\_ compliance checks after \_\_\_\_ connections?  
Can you tell me \_\_\_\_ electric \_\_\_\_ has \_\_\_\_?  
The \_\_\_\_ an \_\_\_\_ connection \_\_\_\_ necessitate some \_\_\_\_.  
Is \_\_\_\_ official need \_\_\_\_ after setting \_\_\_\_ an \_\_\_\_ connection?  
\_\_\_\_ electrical \_\_\_\_ have to \_\_\_\_ it's set up?  
\_\_\_\_ mandated checks \_\_\_\_ the \_\_\_\_ install?  
\_\_\_\_ installation \_\_\_\_ there be regulatory checks?  
Is there \_\_\_\_ the \_\_\_\_ connection \_\_\_\_?  
Is \_\_\_\_ requirement that \_\_\_\_ inspect newly \_\_\_\_ connections?  
\_\_\_\_ there \_\_\_\_ elec. tests following \_\_\_\_?  
Is \_\_\_\_ any mandatory \_\_\_\_ electrical \_\_\_\_?  
Do regulatory checks need \_\_\_\_ the \_\_\_\_ is installed?  
Is there \_\_\_\_ compulsory \_\_\_\_ setup?  
Once \_\_\_\_ is \_\_\_\_ what specific checks are \_\_\_\_ authorities?  
\_\_\_\_ that officials are conducting \_\_\_\_ connection tests?  
\_\_\_\_ compulsory for officials to conduct \_\_\_\_ a \_\_\_\_ connection?  
Do the \_\_\_\_ tests after installing \_\_\_\_ electrical \_\_\_\_?  
Will there be \_\_\_\_ the installation \_\_\_\_ electrical \_\_\_\_?  
\_\_\_\_ connecting, \_\_\_\_ assessments conducted \_\_\_\_ officials?  
\_\_\_\_ the authorities \_\_\_\_ electric \_\_\_\_?  
Do \_\_\_\_ any exams \_\_\_\_ assessments after attaching \_\_\_\_ connection?  
\_\_\_\_ compulsory for \_\_\_\_ to do \_\_\_\_ attaching an \_\_\_\_ connection?

\_\_\_\_\_ necessary to schedule \_\_\_\_\_ following \_\_\_\_\_ hookups?

Post installation \_\_\_\_\_ electrical \_\_\_\_\_ should \_\_\_\_\_ done.

The setup \_\_\_\_\_ a \_\_\_\_\_ might prompt \_\_\_\_\_ inspections \_\_\_\_\_ authorities.

After \_\_\_\_\_ mandatoryelec tests?

Do there have \_\_\_\_\_ checks \_\_\_\_\_ done \_\_\_\_\_ the installation of \_\_\_\_\_ ?

\_\_\_\_\_ authorities required to \_\_\_\_\_ an electrical hookup?

Is \_\_\_\_\_ installation of \_\_\_\_\_ connection required \_\_\_\_\_ checks?

I wonder \_\_\_\_\_ there will \_\_\_\_\_ I \_\_\_\_\_ power connected.

I question if \_\_\_\_\_ a \_\_\_\_\_ of installed \_\_\_\_\_.

Any required \_\_\_\_\_ after \_\_\_\_\_ ?

Is there \_\_\_\_\_ conducted \_\_\_\_\_ connecting \_\_\_\_\_ ?

\_\_\_\_\_ authorities \_\_\_\_\_ tests after installing \_\_\_\_\_ connection?

Is \_\_\_\_\_ bodies to inspect or conduct \_\_\_\_\_ new \_\_\_\_\_ connection?

Is there \_\_\_\_\_ for \_\_\_\_\_ electricity \_\_\_\_\_ get inspected?

\_\_\_\_\_ electrical connection \_\_\_\_\_ have \_\_\_\_\_ afterwards?

\_\_\_\_\_ wonder if there is \_\_\_\_\_ compulsory \_\_\_\_\_ installed power junctions.

\_\_\_\_\_ any \_\_\_\_\_ for government checks \_\_\_\_\_ electricity \_\_\_\_\_ ?

Will there be \_\_\_\_\_ a \_\_\_\_\_ supply \_\_\_\_\_ is \_\_\_\_\_ up?

Once I \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ mandatory tests?

After electrical hookup, do \_\_\_\_\_ to \_\_\_\_\_ with the \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ perform tests \_\_\_\_\_ installation of electric \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ assessments after \_\_\_\_\_ an electric \_\_\_\_\_ ?

There \_\_\_\_\_ be mandatory \_\_\_\_\_ after installing an \_\_\_\_\_ connection.

Did \_\_\_\_\_ authorities conduct \_\_\_\_\_ checks \_\_\_\_\_ an electrical \_\_\_\_\_ ?

Do \_\_\_\_\_ out \_\_\_\_\_ tests \_\_\_\_\_ electric \_\_\_\_\_ ?

Any tests \_\_\_\_\_ to be \_\_\_\_\_ installation?

Is it mandatory \_\_\_\_\_ elec \_\_\_\_\_ installation?

Do you know \_\_\_\_\_ for electric \_\_\_\_\_ ?

Did \_\_\_\_\_ connection tests \_\_\_\_\_ be \_\_\_\_\_ ?

\_\_\_\_\_ it necessary \_\_\_\_\_ check the \_\_\_\_\_ ?

Is there a \_\_\_\_\_ perform mandatory checks after \_\_\_\_\_ ?

Is \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ electricity \_\_\_\_\_ regulatory bodies?

Is \_\_\_\_\_ a \_\_\_\_\_ electrical connection \_\_\_\_\_ ?

\_\_\_\_\_ authorities carry out \_\_\_\_\_ after the \_\_\_\_\_ of \_\_\_\_\_ ?

\_\_\_\_\_ checks \_\_\_\_\_ tests \_\_\_\_\_ done \_\_\_\_\_ connection has been installed?

Is \_\_\_\_\_ mandated \_\_\_\_\_ connection installation?

Do \_\_\_\_\_ have \_\_\_\_\_ be \_\_\_\_\_ the installation of electrical \_\_\_\_\_ ?

Do regulators \_\_\_\_\_ installing \_\_\_\_\_ connections?

Following wiring setup, \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ regulators \_\_\_\_\_ after \_\_\_\_\_ electric connections?

\_\_\_\_\_ the \_\_\_\_\_ check \_\_\_\_\_ connections?

\_\_\_\_\_ specific checks or \_\_\_\_\_ done by \_\_\_\_\_ when \_\_\_\_\_ electrical \_\_\_\_\_ is \_\_\_\_\_ ?

\_\_\_\_\_ be requirements from \_\_\_\_\_ bodies when \_\_\_\_\_.

Is it expected \_\_\_\_\_ entities \_\_\_\_\_ established \_\_\_\_\_ links?

\_\_\_\_\_ these entities \_\_\_\_\_ recently \_\_\_\_\_ electricity links?

\_\_\_\_\_ there any \_\_\_\_\_ for \_\_\_\_\_ tests \_\_\_\_\_ ?

Is it \_\_\_\_\_ requirement \_\_\_\_\_ an inspection \_\_\_\_\_ electrical \_\_\_\_\_ ?

\_\_\_\_\_ electricity \_\_\_\_\_ after connection?

Do \_\_\_\_\_ conduct mandatory \_\_\_\_\_ after \_\_\_\_\_ ?

Is it \_\_\_\_\_ an inspection \_\_\_\_\_ electrical \_\_\_\_\_ ?

Is \_\_\_\_\_ mandatory \_\_\_\_\_ tests following?

\_\_\_\_\_ authorities \_\_\_\_\_ do for new electricity connections?

\_\_\_\_\_ I \_\_\_\_\_ to have \_\_\_\_\_ the electrical hookup?

\_\_\_\_\_ get \_\_\_\_\_ or tested \_\_\_\_\_ after \_\_\_\_\_ hook us up to \_\_\_\_\_ outlets?

\_\_\_\_\_ for mandatory tests after \_\_\_\_\_ of electric \_\_\_\_\_?

Are there \_\_\_\_\_ after an \_\_\_\_\_ ?

\_\_\_\_\_ authorities carry \_\_\_\_\_ tests \_\_\_\_\_ the installation \_\_\_\_\_ an electric \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ for \_\_\_\_\_ check-ups \_\_\_\_\_ installed \_\_\_\_\_ connections?

Is official \_\_\_\_\_ done \_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ electricity?

When \_\_\_\_\_ have the \_\_\_\_\_ the \_\_\_\_\_ have \_\_\_\_\_ mandatory tests?

\_\_\_\_\_ your tests have \_\_\_\_\_ compulsory \_\_\_\_\_ an \_\_\_\_\_ connection \_\_\_\_\_?

Is \_\_\_\_\_ for regulators to \_\_\_\_\_ checks \_\_\_\_\_ connections?

\_\_\_\_\_ mandatory testing procedures \_\_\_\_\_ new \_\_\_\_\_?

Does \_\_\_\_\_ occur \_\_\_\_\_ circuits for electricity?

\_\_\_\_\_ the \_\_\_\_\_ out mandatory \_\_\_\_\_ after \_\_\_\_\_ of electric connections?

\_\_\_\_\_ the power \_\_\_\_\_ installation \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ authorities do \_\_\_\_\_ tests \_\_\_\_\_ I \_\_\_\_\_ power connected?

Is \_\_\_\_\_ a \_\_\_\_\_ after \_\_\_\_\_ connections?

\_\_\_\_\_ it necessary \_\_\_\_\_ new electricity \_\_\_\_\_ inspected?

\_\_\_\_\_ check mandated \_\_\_\_\_ the power \_\_\_\_\_?

\_\_\_\_\_ there any mandatory \_\_\_\_\_ done \_\_\_\_\_ electrical connection?

\_\_\_\_\_ the setup of \_\_\_\_\_ electrical \_\_\_\_\_ for mandatory \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ electrical connection \_\_\_\_\_ after?

\_\_\_\_\_ there \_\_\_\_\_ for governing \_\_\_\_\_ to inspect \_\_\_\_\_ assess \_\_\_\_\_ connections?

\_\_\_\_\_ necessary \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ new electricity connections?

\_\_\_\_\_ officials \_\_\_\_\_ carry out any \_\_\_\_\_ after \_\_\_\_\_ electric connection?

\_\_\_\_\_ there a \_\_\_\_\_ inspections \_\_\_\_\_ electricity connections?

After \_\_\_\_\_ the electrical \_\_\_\_\_ there be \_\_\_\_\_ checks?

\_\_\_\_\_ specific checks \_\_\_\_\_ by the \_\_\_\_\_ electrical \_\_\_\_\_ is installed?

\_\_\_\_\_ setting \_\_\_\_\_ the \_\_\_\_\_ connection involve \_\_\_\_\_?

Will \_\_\_\_\_ be exams \_\_\_\_\_ the \_\_\_\_\_ of an \_\_\_\_\_?

Do regulators check out \_\_\_\_\_?

\_\_\_\_\_ there anything required \_\_\_\_\_ electrical \_\_\_\_\_?

Once electric connections \_\_\_\_\_ there \_\_\_\_\_ mandatory \_\_\_\_\_?

\_\_\_\_\_ specific checks or tests \_\_\_\_\_ conducted \_\_\_\_\_ electrical \_\_\_\_\_ is \_\_\_\_\_?

Do mandatory \_\_\_\_\_ happen \_\_\_\_\_ the \_\_\_\_\_ set?

Do the \_\_\_\_\_ mandatory \_\_\_\_\_ connections?

Will there be \_\_\_\_\_ after \_\_\_\_\_ installation?

\_\_\_\_\_ authorities \_\_\_\_\_ after electric connections are \_\_\_\_\_?

\_\_\_\_\_ necessary for \_\_\_\_\_ to do evaluations after \_\_\_\_\_?

Are there \_\_\_\_\_ required inspections \_\_\_\_\_ the power \_\_\_\_\_ is \_\_\_\_\_ up?

\_\_\_\_\_ to have an assessment after \_\_\_\_\_ electric \_\_\_\_\_?

Is \_\_\_\_\_ reviewed \_\_\_\_\_ the authorities?

\_\_\_\_\_ there compulsory \_\_\_\_\_ an electrical \_\_\_\_\_?

Do \_\_\_\_\_ compulsory \_\_\_\_\_ after \_\_\_\_\_ installation?

Does the \_\_\_\_\_ setup need \_\_\_\_\_?

Does it \_\_\_\_\_ to \_\_\_\_\_ set up my \_\_\_\_\_ connection?

\_\_\_\_\_ compulsory checks \_\_\_\_\_ follow \_\_\_\_\_ setup.

\_\_\_\_\_ there any \_\_\_\_\_ that have to be \_\_\_\_\_ an electric \_\_\_\_\_?

What \_\_\_\_\_ evaluations \_\_\_\_\_ electrical installs?

Does it require \_\_\_\_\_ after \_\_\_\_\_ is set \_\_\_\_\_?

Is there \_\_\_\_\_ checks \_\_\_\_\_ tests done \_\_\_\_\_ an electrical \_\_\_\_\_?

\_\_\_\_\_ for an \_\_\_\_\_ after electrical hookups?

\_\_\_\_\_ needed for electricity \_\_\_\_\_?

Is there \_\_\_\_\_ for \_\_\_\_\_ connections?

\_\_\_\_\_ inspections or tests \_\_\_\_\_ the installation of an \_\_\_\_\_?

\_\_\_\_\_ reviews \_\_\_\_\_ after \_\_\_\_\_ power lines?

\_\_\_\_\_ any \_\_\_\_\_ evaluations be done after \_\_\_\_\_?

\_\_\_\_\_ connections \_\_\_\_\_ set, mandatory \_\_\_\_\_ occur?

Is it compulsory \_\_\_\_\_ government \_\_\_\_\_ to conduct checks \_\_\_\_\_?

\_\_\_\_\_ mandatory for \_\_\_\_\_ to conduct tests once \_\_\_\_\_ connected?

Is there \_\_\_\_\_ inspection for the \_\_\_\_\_ electricity \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ do \_\_\_\_\_ after the \_\_\_\_\_ of \_\_\_\_\_ electric connection?

Is \_\_\_\_\_ check \_\_\_\_\_ installed electricity \_\_\_\_\_?

\_\_\_\_\_ evaluations done \_\_\_\_\_ electrical installs?

\_\_\_\_\_ requirement for \_\_\_\_\_ after wiring setup?

Did \_\_\_\_\_ take \_\_\_\_\_ power lines?

\_\_\_\_\_ have to \_\_\_\_\_ after the \_\_\_\_\_ connection installation?

\_\_\_\_\_ installing \_\_\_\_\_ electrical connection, should there \_\_\_\_\_ checks?

Can \_\_\_\_\_ any required inspections \_\_\_\_\_ power supply connection \_\_\_\_\_?

Is it \_\_\_\_\_ authorities to \_\_\_\_\_ checks \_\_\_\_\_ a \_\_\_\_\_ connection?

Are \_\_\_\_\_ mandated after \_\_\_\_\_ connection?

\_\_\_\_\_ exams done \_\_\_\_\_ electrical installation?

Is electric \_\_\_\_\_ followed \_\_\_\_\_ compulsory \_\_\_\_\_?

\_\_\_\_\_ an electrical \_\_\_\_\_ is \_\_\_\_\_ what \_\_\_\_\_ or \_\_\_\_\_ are performed?

Are \_\_\_\_\_ the \_\_\_\_\_ of electrical connections?

Will there be \_\_\_\_\_ exams \_\_\_\_\_ an electrical appliance?

\_\_\_\_\_ any \_\_\_\_\_ reviews \_\_\_\_\_ after connecting \_\_\_\_\_ lines?

\_\_\_\_\_ any \_\_\_\_\_ checks \_\_\_\_\_ installing an \_\_\_\_\_ connection?

\_\_\_\_\_ have any mandatory \_\_\_\_\_ have to deal with \_\_\_\_\_ the \_\_\_\_\_ hooked \_\_\_\_\_?

\_\_\_\_\_ setup \_\_\_\_\_ to compulsory checks?

Will there \_\_\_\_\_ examination conducted after \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ done after the power is \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ electrical \_\_\_\_\_ after?

\_\_\_\_\_ perform \_\_\_\_\_ when installing \_\_\_\_\_ connections?

Do \_\_\_\_\_ do compulsory \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ electrical \_\_\_\_\_ tests afterwards?

Is it \_\_\_\_\_ to have an \_\_\_\_\_ the \_\_\_\_\_?

Can there \_\_\_\_\_ required inspections \_\_\_\_\_ supply connection is \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ connection \_\_\_\_\_ require \_\_\_\_\_?

\_\_\_\_\_ up a power supply \_\_\_\_\_ there \_\_\_\_\_ inspections?

\_\_\_\_\_ there \_\_\_\_\_ review \_\_\_\_\_ follows the wiring \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ for the \_\_\_\_\_ of \_\_\_\_\_ to \_\_\_\_\_ inspected?

\_\_\_\_\_ setup \_\_\_\_\_ a \_\_\_\_\_ connection \_\_\_\_\_ to mandatory inspection.

Can \_\_\_\_\_ checks \_\_\_\_\_ installation of electrical \_\_\_\_\_?

What \_\_\_\_\_ are \_\_\_\_\_ by \_\_\_\_\_ an electrical connection is \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ connection \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ is set up?

Do the government \_\_\_\_\_ mandatory \_\_\_\_\_ installation \_\_\_\_\_ hookups?

Will there be \_\_\_\_\_ examinations \_\_\_\_\_ a given \_\_\_\_\_?

Will there be \_\_\_\_\_ an \_\_\_\_\_ installation?

Do authorities \_\_\_\_\_ mandatory tests \_\_\_\_\_?  
 \_\_\_\_\_ following the wiring setup?

When \_\_\_\_\_ are there \_\_\_\_\_ requirements?

Is \_\_\_\_\_ compulsory for \_\_\_\_\_ entities \_\_\_\_\_ recently \_\_\_\_\_ electricity \_\_\_\_\_?

Is \_\_\_\_\_ schedule an inspection \_\_\_\_\_ an \_\_\_\_\_ hookup?  
 \_\_\_\_\_ conduct compulsory tests after you \_\_\_\_\_ an \_\_\_\_\_?

What \_\_\_\_\_ checks \_\_\_\_\_ are \_\_\_\_\_ by \_\_\_\_\_ after an \_\_\_\_\_ is installed?

Is \_\_\_\_\_ to inspect \_\_\_\_\_ established electricity links?  
 \_\_\_\_\_ there be mandatory checks \_\_\_\_\_ setting \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ needed checks for \_\_\_\_\_ electricity \_\_\_\_\_?

Are \_\_\_\_\_ mandatory electrical \_\_\_\_\_?

Once \_\_\_\_\_ electrical connection \_\_\_\_\_ been \_\_\_\_\_ specific checks \_\_\_\_\_ conducted \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ tests \_\_\_\_\_ an installation?

Is \_\_\_\_\_ a \_\_\_\_\_ review \_\_\_\_\_ wiring \_\_\_\_\_?  
 \_\_\_\_\_ there any \_\_\_\_\_ checks after \_\_\_\_\_?

Is \_\_\_\_\_ an \_\_\_\_\_ inspection after \_\_\_\_\_ get my electrical \_\_\_\_\_?  
 \_\_\_\_\_ check for \_\_\_\_\_ after \_\_\_\_\_ electric \_\_\_\_\_?

Can \_\_\_\_\_ out mandatory \_\_\_\_\_ of electric connections?  
 \_\_\_\_\_ there \_\_\_\_\_ evaluations \_\_\_\_\_ electrical installs?

After \_\_\_\_\_ circuits \_\_\_\_\_ conducting electricity, \_\_\_\_\_ inspection \_\_\_\_\_ place?  
 \_\_\_\_\_ there \_\_\_\_\_ compulsory checks for the \_\_\_\_\_ setup?  
 \_\_\_\_\_ there \_\_\_\_\_ in electric \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ electrical \_\_\_\_\_ afterwards?

When \_\_\_\_\_ electrical \_\_\_\_\_ specific checks or \_\_\_\_\_ are conducted?

Is there \_\_\_\_\_ mandatory \_\_\_\_\_ for \_\_\_\_\_ electricity connections?

Is it necessary \_\_\_\_\_ check after \_\_\_\_\_ installation?  
 \_\_\_\_\_ you have \_\_\_\_\_ tests \_\_\_\_\_ connection?  
 \_\_\_\_\_ required \_\_\_\_\_ done after electrical \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ for new electric \_\_\_\_\_?

Have \_\_\_\_\_ ever had officials \_\_\_\_\_ after \_\_\_\_\_ hook up \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ checks after \_\_\_\_\_ connection \_\_\_\_\_?

Do authorities require \_\_\_\_\_ installation \_\_\_\_\_ connection to \_\_\_\_\_?  
 \_\_\_\_\_ to be \_\_\_\_\_ after power connection \_\_\_\_\_?

Do \_\_\_\_\_ checks occur \_\_\_\_\_ the electrical \_\_\_\_\_ set \_\_\_\_\_?  
 \_\_\_\_\_ any requirement to \_\_\_\_\_ electricity \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ conduct regulatory \_\_\_\_\_ after the installation \_\_\_\_\_ electrical \_\_\_\_\_?  
 \_\_\_\_\_ it be necessary \_\_\_\_\_ authorities \_\_\_\_\_ inspect new \_\_\_\_\_?  
 \_\_\_\_\_ there be any required \_\_\_\_\_ the power \_\_\_\_\_ connection \_\_\_\_\_?

Do \_\_\_\_\_ have to carry \_\_\_\_\_ any tests \_\_\_\_\_ attaching \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ connection tests \_\_\_\_\_ officials?  
 \_\_\_\_\_ checks of installed \_\_\_\_\_?

Post \_\_\_\_\_ installs, \_\_\_\_\_ evaluations \_\_\_\_\_ authorities?  
 \_\_\_\_\_ any \_\_\_\_\_ done after an electrical \_\_\_\_\_?  
 \_\_\_\_\_ required \_\_\_\_\_ checks by \_\_\_\_\_ after \_\_\_\_\_?  
 \_\_\_\_\_ the government \_\_\_\_\_ post installation \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ electric connections \_\_\_\_\_ set, \_\_\_\_\_ mandatory \_\_\_\_\_ done?

After the installation \_\_\_\_\_ do authorities \_\_\_\_\_ tests?

Does \_\_\_\_\_ inspection \_\_\_\_\_ wire circuits for conducting \_\_\_\_\_?

Do governing \_\_\_\_\_ have to \_\_\_\_\_ required \_\_\_\_\_ or \_\_\_\_\_ after \_\_\_\_\_ connection?  
 \_\_\_\_\_ there \_\_\_\_\_ exams \_\_\_\_\_ a \_\_\_\_\_ electrical installation?

any done an install?

Is there check-ups on installed power ?

there any testing to done after connection?

After setting up the are done?

it checks after the connection installed?

Do conduct testing electric ?

the required conducted the supply connection made?

Are there mandatory done after electrical ?

evaluations electrical installs?

there assessments after attaching an electric ?

The setup a new result inspections.

hook up to outlets, do ever get checked ?

perform installing electric connections?

I want if are tests done have power.

When the power mandatory done by the ?

After up electrical there compulsory checks ?

Do authorities the of an electrical ?

What is of governing new electrical ?

government perform post installation checks on ?

I wonder after installing an electrical connection.

Are authorized entities obliged to links?

Is electrical conducted?

If required inspections after power supply connection .

Do you electric has checks?

installation of an electric connection have to .

Will there be the power connected?

Will any conducted after performing installation?

you mean a compulsory ?

government do checks on hookups?

Is any done electrical is installed?

A review setup?

it compulsory to after of electric ?

be required checks post ?

Will there any exams installation?

authorities the electrical after installation?

Do to be after are installed?

authorities after electric connections are ?

a need inspection my electrical connection set up?

There are any on power ?

there any checks on installed power connections ?

the power connection checks?

Are there done an electric is installed?

Is compulsory testing new ?

Is there to or following new electrical connection?

to after the electrical connection installation?

mandatory reviews after connecting ?

Do conduct on new power ?

government check installed connections?

there check-ups on new ?

Is any after the an connection?

\_\_\_\_\_ after electricity installation?

Are there any tests \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ of \_\_\_\_\_ connection?

Is there a \_\_\_\_\_ on \_\_\_\_\_ newly \_\_\_\_\_ connections?

Can \_\_\_\_\_ me if \_\_\_\_\_ are any compulsory \_\_\_\_\_ setup.

\_\_\_\_\_ elec. \_\_\_\_\_ follow an installation?

Do mandatory \_\_\_\_\_ electric connections \_\_\_\_\_?

Should authorities \_\_\_\_\_ connections?

Is there \_\_\_\_\_ requirement for \_\_\_\_\_ or \_\_\_\_\_ the \_\_\_\_\_ of an \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ for inspections \_\_\_\_\_ a \_\_\_\_\_ connection?

Will \_\_\_\_\_ be mandatory tests when \_\_\_\_\_?

Is \_\_\_\_\_ schedule \_\_\_\_\_ inspection after \_\_\_\_\_ hookups.

\_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ assessment of \_\_\_\_\_?

Is \_\_\_\_\_ for authorities to conduct \_\_\_\_\_ after installing \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ to \_\_\_\_\_ connections?

Is it \_\_\_\_\_ requirement \_\_\_\_\_ regulatory bodies?

\_\_\_\_\_ official inspection happen \_\_\_\_\_ installing \_\_\_\_\_ circuits \_\_\_\_\_ electricity?

\_\_\_\_\_ required \_\_\_\_\_ be \_\_\_\_\_ the power supply connection \_\_\_\_\_ set \_\_\_\_\_?

Should \_\_\_\_\_ perform \_\_\_\_\_ tests \_\_\_\_\_ the installation \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ there compulsory \_\_\_\_\_ inspections that \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ be compulsory \_\_\_\_\_ installed power connections?

\_\_\_\_\_ conduct compulsory \_\_\_\_\_ after an \_\_\_\_\_ connection \_\_\_\_\_ installed?

\_\_\_\_\_ was wondering \_\_\_\_\_ a need for an \_\_\_\_\_ inspection \_\_\_\_\_ electrical connection.

Is there \_\_\_\_\_ mandatory \_\_\_\_\_ electrical \_\_\_\_\_?

Does the \_\_\_\_\_ connection \_\_\_\_\_ checks \_\_\_\_\_?

Does \_\_\_\_\_ mandatory elec. \_\_\_\_\_ installation?

\_\_\_\_\_ mandatory tests after \_\_\_\_\_ an electrical \_\_\_\_\_?

Do \_\_\_\_\_ to be \_\_\_\_\_ after wiring \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ conducting mandatory \_\_\_\_\_ tests?

\_\_\_\_\_ requirement \_\_\_\_\_ or tests after installing an \_\_\_\_\_ connection?

\_\_\_\_\_ there any compulsory \_\_\_\_\_ done after installing \_\_\_\_\_.

\_\_\_\_\_ the officials have to \_\_\_\_\_ or \_\_\_\_\_ attaching an \_\_\_\_\_ connection?

\_\_\_\_\_ a mandatory test conducted \_\_\_\_\_ an \_\_\_\_\_ connection?

\_\_\_\_\_ there \_\_\_\_\_ any mandatory \_\_\_\_\_ the installation?

Is \_\_\_\_\_ any tests \_\_\_\_\_ the installation \_\_\_\_\_ an \_\_\_\_\_ connection?

\_\_\_\_\_ there \_\_\_\_\_ mandatory electrical \_\_\_\_\_?

Are \_\_\_\_\_ sure \_\_\_\_\_ to deal with mandatory \_\_\_\_\_ once the electricity \_\_\_\_\_?

\_\_\_\_\_ authorities conduct \_\_\_\_\_ checks after \_\_\_\_\_ an \_\_\_\_\_ connection?

Is there \_\_\_\_\_ check after the \_\_\_\_\_?

\_\_\_\_\_ regulators \_\_\_\_\_ electric \_\_\_\_\_ after installation?

\_\_\_\_\_ there \_\_\_\_\_ from a regulatory \_\_\_\_\_ for \_\_\_\_\_ electricity?

Is there \_\_\_\_\_ any \_\_\_\_\_ or \_\_\_\_\_ after the \_\_\_\_\_ of an \_\_\_\_\_ connection?

\_\_\_\_\_ tests conducted afterwards?

\_\_\_\_\_ there \_\_\_\_\_ need \_\_\_\_\_ bodies to \_\_\_\_\_ an inspection after \_\_\_\_\_ new \_\_\_\_\_?

Is \_\_\_\_\_ examination \_\_\_\_\_ electricity?

The installation \_\_\_\_\_ connection \_\_\_\_\_ necessitate an \_\_\_\_\_ or \_\_\_\_\_.

\_\_\_\_\_ specific tests that authorities \_\_\_\_\_ electrical connection \_\_\_\_\_ installed?

Any elec. \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ compulsory check after \_\_\_\_\_ an electrical \_\_\_\_\_?

Is there \_\_\_\_\_ an electric \_\_\_\_\_?

\_\_\_\_\_ done after \_\_\_\_\_ of electrical connections?



\_\_\_\_\_ for electrical connection tests \_\_\_\_\_?  
 \_\_\_\_\_ connecting, \_\_\_\_\_ electricity \_\_\_\_\_ conducted by \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ requirement for \_\_\_\_\_ agencies to \_\_\_\_\_ on \_\_\_\_\_ connections?  
 \_\_\_\_\_ required \_\_\_\_\_ done \_\_\_\_\_ an electrical \_\_\_\_\_?  
 Once electric connections are \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ officials \_\_\_\_\_ do any \_\_\_\_\_ after attaching \_\_\_\_\_ connection?  
 There \_\_\_\_\_ a compulsory \_\_\_\_\_ electricity.  
 \_\_\_\_\_ systems subject to compulsory \_\_\_\_\_?  
 Is \_\_\_\_\_ compulsory \_\_\_\_\_ wiring setup?  
 Did \_\_\_\_\_ be \_\_\_\_\_ afterwards?  
 \_\_\_\_\_ there \_\_\_\_\_ requirement for \_\_\_\_\_ after the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ after \_\_\_\_\_ power supply connection is \_\_\_\_\_?  
 \_\_\_\_\_ any requirement for governing \_\_\_\_\_ to perform \_\_\_\_\_ required \_\_\_\_\_ after a \_\_\_\_\_?  
 \_\_\_\_\_ you know \_\_\_\_\_ will \_\_\_\_\_ required \_\_\_\_\_ a power \_\_\_\_\_ connection?  
 Is \_\_\_\_\_ any required \_\_\_\_\_ following \_\_\_\_\_ new \_\_\_\_\_ connection?  
 After the \_\_\_\_\_ of \_\_\_\_\_ connections, must \_\_\_\_\_ conducted?  
 \_\_\_\_\_ any \_\_\_\_\_ for governing bodies to \_\_\_\_\_ electrical connection?  
 \_\_\_\_\_ it \_\_\_\_\_ officials to conduct any \_\_\_\_\_ an \_\_\_\_\_ connection?  
 \_\_\_\_\_ is it \_\_\_\_\_ have a review?  
 \_\_\_\_\_ connection installation mandate \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ required \_\_\_\_\_ after \_\_\_\_\_ power supply connection is \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ check after the \_\_\_\_\_ of \_\_\_\_\_ electric \_\_\_\_\_?  
 Does \_\_\_\_\_ if there \_\_\_\_\_ any \_\_\_\_\_ tests after the \_\_\_\_\_ of \_\_\_\_\_ connection?  
 The \_\_\_\_\_ of a \_\_\_\_\_ electrical \_\_\_\_\_ mean mandatory \_\_\_\_\_.  
 \_\_\_\_\_ confirm if there will \_\_\_\_\_ any \_\_\_\_\_ power supply \_\_\_\_\_ is set \_\_\_\_\_?  
 \_\_\_\_\_ any required \_\_\_\_\_ done after connecting \_\_\_\_\_?  
 Is it necessary \_\_\_\_\_ conduct mandatory tests after \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ officials \_\_\_\_\_ after connecting?  
 \_\_\_\_\_ there any \_\_\_\_\_ for \_\_\_\_\_ bodies to \_\_\_\_\_ electrical \_\_\_\_\_ inspection?  
 Is \_\_\_\_\_ requirement for \_\_\_\_\_ installing \_\_\_\_\_ electrical connection?  
 After setting up \_\_\_\_\_ connection, \_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ inspection?  
 \_\_\_\_\_ it \_\_\_\_\_ officials \_\_\_\_\_ electrical connection tests?  
 \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ authorities \_\_\_\_\_ do \_\_\_\_\_ once the \_\_\_\_\_ connected?  
 Should \_\_\_\_\_ reviews \_\_\_\_\_ power lines?  
 Does any mandatory \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ governing \_\_\_\_\_ should \_\_\_\_\_ any \_\_\_\_\_ inspections \_\_\_\_\_ new electrical connection.  
 \_\_\_\_\_ any mandatory checks \_\_\_\_\_ the \_\_\_\_\_ connection \_\_\_\_\_ set \_\_\_\_\_?  
 \_\_\_\_\_ specific checks \_\_\_\_\_ after an electrical \_\_\_\_\_ has been installed?  
 Is there \_\_\_\_\_ for \_\_\_\_\_ electricity connections?  
 \_\_\_\_\_ there compulsory \_\_\_\_\_ that \_\_\_\_\_ setup?  
 \_\_\_\_\_ assessments \_\_\_\_\_ after a connection?  
 Can it be \_\_\_\_\_ required inspections \_\_\_\_\_ the power supply is \_\_\_\_\_?  
 Should \_\_\_\_\_ electricity \_\_\_\_\_ by \_\_\_\_\_ government?  
 Can it \_\_\_\_\_ if there \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ connection \_\_\_\_\_ made?  
 Do regulatory checks have \_\_\_\_\_ after \_\_\_\_\_ are \_\_\_\_\_?  
 \_\_\_\_\_ checks \_\_\_\_\_ conducted after \_\_\_\_\_ installation of \_\_\_\_\_ connections?  
 Is \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ tests after the \_\_\_\_\_ electric connections?  
 The setup \_\_\_\_\_ a new \_\_\_\_\_ may \_\_\_\_\_ by authorities.  
 \_\_\_\_\_ have \_\_\_\_\_ be \_\_\_\_\_ compulsory review following \_\_\_\_\_ setup?  
 \_\_\_\_\_ installations be \_\_\_\_\_ to \_\_\_\_\_ checks \_\_\_\_\_ wiring \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ we have \_\_\_\_\_ deal \_\_\_\_\_ mandatory checks \_\_\_\_\_ the electricity \_\_\_\_\_ up?  
 The setup of \_\_\_\_\_ connection \_\_\_\_\_ necessitate \_\_\_\_\_ inspection \_\_\_\_\_ authorities.  
 \_\_\_\_\_ wiring setup, \_\_\_\_\_ a mandatory \_\_\_\_\_?  
 \_\_\_\_\_ there requirements \_\_\_\_\_ connecting electricity?  
 What are any required inspections \_\_\_\_\_ by \_\_\_\_\_ a \_\_\_\_\_ connection?  
 \_\_\_\_\_ reviews \_\_\_\_\_ done \_\_\_\_\_ power lines?  
 Are \_\_\_\_\_ tests \_\_\_\_\_ electrical connection \_\_\_\_\_?  
 Post-installation of electrical \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ carry out mandatory \_\_\_\_\_ after \_\_\_\_\_ electric connections?  
 Does official \_\_\_\_\_ after installing wire \_\_\_\_\_?  
 Should \_\_\_\_\_ of an electrical \_\_\_\_\_ have \_\_\_\_\_ be \_\_\_\_\_?  
 Is it mandatory \_\_\_\_\_ the \_\_\_\_\_ do \_\_\_\_\_ the power?  
 \_\_\_\_\_ you confirm \_\_\_\_\_ has compulsory checks?  
 \_\_\_\_\_ of an \_\_\_\_\_ connection \_\_\_\_\_ any required checks?  
 Do authorities \_\_\_\_\_ mandatory \_\_\_\_\_ tests after installing an \_\_\_\_\_?  
 Will \_\_\_\_\_ be \_\_\_\_\_ electrical connection is \_\_\_\_\_ up?  
 Is \_\_\_\_\_ installation of an \_\_\_\_\_ required for \_\_\_\_\_?  
 Is \_\_\_\_\_ required to \_\_\_\_\_ mandatory \_\_\_\_\_ after connecting \_\_\_\_\_?  
 Can \_\_\_\_\_ confirmed if \_\_\_\_\_ will \_\_\_\_\_ required \_\_\_\_\_ after \_\_\_\_\_ supply connection?  
 What \_\_\_\_\_ done \_\_\_\_\_ authorities \_\_\_\_\_ an \_\_\_\_\_ connection \_\_\_\_\_ been installed?  
 Is \_\_\_\_\_ a need \_\_\_\_\_ inspections \_\_\_\_\_ electricity connections?  
 Do you \_\_\_\_\_ compulsory tests \_\_\_\_\_ a \_\_\_\_\_?  
 Did the authorities \_\_\_\_\_ out \_\_\_\_\_ new \_\_\_\_\_ connections?  
 Are the mandatory \_\_\_\_\_ after \_\_\_\_\_ up \_\_\_\_\_ connection?  
 Is there a requirement \_\_\_\_\_ for connecting \_\_\_\_\_?  
 There \_\_\_\_\_ done after electrical \_\_\_\_\_.  
 Checks \_\_\_\_\_ power \_\_\_\_\_ installation?  
 Can there \_\_\_\_\_ after \_\_\_\_\_ power supply connection \_\_\_\_\_ up.  
 \_\_\_\_\_ you confirm if there \_\_\_\_\_ after \_\_\_\_\_ power supply \_\_\_\_\_ set up?  
 The \_\_\_\_\_ a new \_\_\_\_\_ connection might prompt \_\_\_\_\_ conduct mandatory \_\_\_\_\_.  
 Do \_\_\_\_\_ agencies carry \_\_\_\_\_ mandatory \_\_\_\_\_ newly \_\_\_\_\_ power connections?  
 \_\_\_\_\_ mandatory \_\_\_\_\_ to \_\_\_\_\_ checks after installation \_\_\_\_\_ an electrical \_\_\_\_\_?  
 \_\_\_\_\_ mandated after \_\_\_\_\_ power \_\_\_\_\_ install?  
 \_\_\_\_\_ tests are conducted after an \_\_\_\_\_ connection \_\_\_\_\_?  
 \_\_\_\_\_ be any \_\_\_\_\_ exams after \_\_\_\_\_ installation?  
 \_\_\_\_\_ doing \_\_\_\_\_ electrical \_\_\_\_\_ tests?  
 Have you got any mandatory checks \_\_\_\_\_ have \_\_\_\_\_ electricity \_\_\_\_\_ up?  
 \_\_\_\_\_ there is a \_\_\_\_\_ review following wiring \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ an official \_\_\_\_\_ I setup my electrical \_\_\_\_\_?  
 Is there mandatory tests \_\_\_\_\_ connections?  
 Will \_\_\_\_\_ be \_\_\_\_\_ examination done after \_\_\_\_\_?  
 Any \_\_\_\_\_ following \_\_\_\_\_ installation?  
 If \_\_\_\_\_ any required \_\_\_\_\_ the power \_\_\_\_\_ connection is \_\_\_\_\_ up  
 Is \_\_\_\_\_ any \_\_\_\_\_ after the \_\_\_\_\_ of \_\_\_\_\_ connection.  
 Is it \_\_\_\_\_ for \_\_\_\_\_ to carry \_\_\_\_\_ check-ups on newly \_\_\_\_\_?  
 \_\_\_\_\_ authorized \_\_\_\_\_ inspect recently established \_\_\_\_\_ links?  
 Does \_\_\_\_\_ installation \_\_\_\_\_ an \_\_\_\_\_ have to \_\_\_\_\_ inspected?  
 Do elec. \_\_\_\_\_ an \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ compulsory tests \_\_\_\_\_ the installation?  
 Is there any \_\_\_\_\_ done \_\_\_\_\_ an \_\_\_\_\_ connection?

Following \_\_\_\_\_ electrical connection, any required \_\_\_\_\_ governing bodies?

Is \_\_\_\_\_ after installing \_\_\_\_\_ circuits \_\_\_\_\_ electricity?

\_\_\_\_\_ a mandatory \_\_\_\_\_ tests being \_\_\_\_\_?

Does \_\_\_\_\_ official inspection \_\_\_\_\_ installing \_\_\_\_\_?

\_\_\_\_\_ specific checks do the authorities \_\_\_\_\_ after \_\_\_\_\_ electrical \_\_\_\_\_?

If there \_\_\_\_\_ inspections after setting up \_\_\_\_\_ supply \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ for required \_\_\_\_\_ after electrical \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ tests after I have the power \_\_\_\_\_?

Does official inspection \_\_\_\_\_ after \_\_\_\_\_?

Installation \_\_\_\_\_ face authorized \_\_\_\_\_ wiring \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ need for \_\_\_\_\_ after installing an \_\_\_\_\_ connection?

\_\_\_\_\_ official \_\_\_\_\_ occur \_\_\_\_\_ are installed for conducting \_\_\_\_\_?

\_\_\_\_\_ installation \_\_\_\_\_ may necessitate regulatory \_\_\_\_\_.

Is there \_\_\_\_\_ requirement to perform \_\_\_\_\_ inspection or \_\_\_\_\_ new \_\_\_\_\_?

Does the \_\_\_\_\_ electrical \_\_\_\_\_ to \_\_\_\_\_ checked?

\_\_\_\_\_ there any \_\_\_\_\_ electrical \_\_\_\_\_ conducted?

Do you \_\_\_\_\_ compulsory \_\_\_\_\_ after \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ electrical connection tests \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ for the authorities \_\_\_\_\_ mandatory tests \_\_\_\_\_ the \_\_\_\_\_ connected?

Is \_\_\_\_\_ necessary for \_\_\_\_\_ to \_\_\_\_\_ newly installed \_\_\_\_\_?

\_\_\_\_\_ it compulsory to \_\_\_\_\_ wiring \_\_\_\_\_?

\_\_\_\_\_ installations be \_\_\_\_\_ authorized exams after \_\_\_\_\_?

Do \_\_\_\_\_ conduct \_\_\_\_\_ install electric \_\_\_\_\_?

What tests \_\_\_\_\_ when an \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ have to do any \_\_\_\_\_ attaching \_\_\_\_\_ connection?

Requires \_\_\_\_\_ checks \_\_\_\_\_ connections?

\_\_\_\_\_ it be confirmed \_\_\_\_\_ will \_\_\_\_\_ an \_\_\_\_\_ after \_\_\_\_\_ supply \_\_\_\_\_ is set \_\_\_\_\_?

Is it \_\_\_\_\_ to inspect \_\_\_\_\_ after they \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ check \_\_\_\_\_ electric connections?

Do \_\_\_\_\_ authorities \_\_\_\_\_ after a new \_\_\_\_\_ is setup?

Is \_\_\_\_\_ a \_\_\_\_\_ connecting power \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ a compulsory \_\_\_\_\_ following wiring setup?

Is there \_\_\_\_\_ for \_\_\_\_\_ after a new electrical connection?

\_\_\_\_\_ mandatory for the \_\_\_\_\_ do post installation \_\_\_\_\_ on \_\_\_\_\_?

\_\_\_\_\_ tests \_\_\_\_\_ after an electrical \_\_\_\_\_ has been \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ mandatory \_\_\_\_\_ that \_\_\_\_\_ setup?

\_\_\_\_\_ entities check \_\_\_\_\_ established electricity \_\_\_\_\_?

\_\_\_\_\_ installations face tests \_\_\_\_\_?

Is the installation of an electrical \_\_\_\_\_ testing?

\_\_\_\_\_ authorities \_\_\_\_\_ any \_\_\_\_\_ or tests after \_\_\_\_\_ installation of \_\_\_\_\_?

\_\_\_\_\_ entities have to inspect recently \_\_\_\_\_?

\_\_\_\_\_ it up, \_\_\_\_\_ they check \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ the power connections \_\_\_\_\_ should \_\_\_\_\_ be inspected?

Is there a \_\_\_\_\_ when \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ gotten checked \_\_\_\_\_ tested by \_\_\_\_\_ hook up power \_\_\_\_\_?

Once \_\_\_\_\_ power \_\_\_\_\_ connected, will \_\_\_\_\_ be \_\_\_\_\_ by the \_\_\_\_\_?

\_\_\_\_\_ any inspections or \_\_\_\_\_ after \_\_\_\_\_ installation of \_\_\_\_\_ electrical \_\_\_\_\_?

Are \_\_\_\_\_ any \_\_\_\_\_ done \_\_\_\_\_ electricity connections?

Do \_\_\_\_\_ evaluations happen after \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ conducted \_\_\_\_\_ the power \_\_\_\_\_ is set up?

Will \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ supply connection \_\_\_\_\_ set up?

\_\_\_\_\_ a \_\_\_\_\_ of electricity installed.

After installing an electrical connection \_\_\_\_\_ tests \_\_\_\_\_?

Can \_\_\_\_\_ be \_\_\_\_\_ required inspections \_\_\_\_\_ the \_\_\_\_\_ supply \_\_\_\_\_ is \_\_\_\_\_?

Are \_\_\_\_\_ required \_\_\_\_\_ carry \_\_\_\_\_ for new electricity connections?

\_\_\_\_\_ there any need \_\_\_\_\_ necessary \_\_\_\_\_ new \_\_\_\_\_ connections?

\_\_\_\_\_ necessary checks done \_\_\_\_\_ the authorities \_\_\_\_\_ connections?

After the installation \_\_\_\_\_ there any required checks \_\_\_\_\_?

Is there a requirement \_\_\_\_\_ new power \_\_\_\_\_?

\_\_\_\_\_ there a requirement \_\_\_\_\_ after installing \_\_\_\_\_ connection?

\_\_\_\_\_ have the \_\_\_\_\_ there be mandatory tests?

Do regulators \_\_\_\_\_ a \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ compulsory \_\_\_\_\_ after attaching an electric connection?

\_\_\_\_\_ need for an official inspection \_\_\_\_\_ is established?

\_\_\_\_\_ there any requirement \_\_\_\_\_ new \_\_\_\_\_ connections to \_\_\_\_\_?

\_\_\_\_\_ after installing electric lines?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ inspection to \_\_\_\_\_ place \_\_\_\_\_ installing wire \_\_\_\_\_?

Can you \_\_\_\_\_ any \_\_\_\_\_ checks for electric setup?

\_\_\_\_\_ necessary \_\_\_\_\_ regulatory \_\_\_\_\_ be done after \_\_\_\_\_ of \_\_\_\_\_ connections?

\_\_\_\_\_ regulatory checks need \_\_\_\_\_ be done \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ evaluations after \_\_\_\_\_?

Is \_\_\_\_\_ review following \_\_\_\_\_ setup

\_\_\_\_\_ be confirmed if \_\_\_\_\_ supply \_\_\_\_\_ will need to \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ after attaching an electric connection?

Is \_\_\_\_\_ a requirement for \_\_\_\_\_ checks \_\_\_\_\_ after \_\_\_\_\_ installation \_\_\_\_\_ connection?

The \_\_\_\_\_ of a new \_\_\_\_\_ mandatory inspections \_\_\_\_\_ authorities.

\_\_\_\_\_ the government agencies \_\_\_\_\_ installed power connections?

Do \_\_\_\_\_ tests after?

\_\_\_\_\_ there \_\_\_\_\_ compulsory \_\_\_\_\_ connection test \_\_\_\_\_?

Can you confirm if \_\_\_\_\_ required \_\_\_\_\_ be \_\_\_\_\_ supply \_\_\_\_\_ is \_\_\_\_\_ up?

Does \_\_\_\_\_ regulators \_\_\_\_\_ checks \_\_\_\_\_ installation of \_\_\_\_\_ connections?

The \_\_\_\_\_ of \_\_\_\_\_ new \_\_\_\_\_ connection can \_\_\_\_\_ mandatory checks \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ government agencies \_\_\_\_\_ perform \_\_\_\_\_ installed power connections?

\_\_\_\_\_ have any mandatory \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ electrical connection might mean mandatory \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ be carried out after an \_\_\_\_\_ connection \_\_\_\_\_ installed?

\_\_\_\_\_ specific \_\_\_\_\_ tests \_\_\_\_\_ authorities when an \_\_\_\_\_ connection is installed?

Government agencies \_\_\_\_\_ perform mandatory checks \_\_\_\_\_ power \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ mandatory Inspections occur?

Authorities do \_\_\_\_\_ after \_\_\_\_\_ installation \_\_\_\_\_ connections?

\_\_\_\_\_ it required \_\_\_\_\_ bodies \_\_\_\_\_ inspect and assess \_\_\_\_\_ new electrical \_\_\_\_\_?

Is mandatory electrical \_\_\_\_\_?

\_\_\_\_\_ be confirmed if there \_\_\_\_\_ be required \_\_\_\_\_ after \_\_\_\_\_ supply is \_\_\_\_\_?

\_\_\_\_\_ required \_\_\_\_\_ for \_\_\_\_\_ electricity connections?

\_\_\_\_\_ regulators \_\_\_\_\_ checks \_\_\_\_\_ installing \_\_\_\_\_ for compliance?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ a check \_\_\_\_\_ electrical connection?

\_\_\_\_\_ examined by the authorities?

Is \_\_\_\_\_ compulsory \_\_\_\_\_ reviews after connecting \_\_\_\_\_?

\_\_\_\_\_ you know \_\_\_\_\_ there are \_\_\_\_\_ mandatory checks we \_\_\_\_\_ to deal \_\_\_\_\_ is \_\_\_\_\_ up?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ checks after \_\_\_\_\_ electrical connection is \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ checks \_\_\_\_\_ hookups?  
 Is \_\_\_\_\_ any \_\_\_\_\_ power lines?  
 Installation \_\_\_\_\_ authorized examination \_\_\_\_\_ setup?  
 Once an electrical connection \_\_\_\_\_ installed, \_\_\_\_\_ specific \_\_\_\_\_ or \_\_\_\_\_ by \_\_\_\_\_?  
 Is it \_\_\_\_\_ for authorities to \_\_\_\_\_ power \_\_\_\_\_?  
 Do you \_\_\_\_\_ do tests \_\_\_\_\_ installing \_\_\_\_\_ connection?  
 \_\_\_\_\_ for governing bodies to conduct \_\_\_\_\_ following \_\_\_\_\_ electrical connection?  
 What \_\_\_\_\_ are \_\_\_\_\_ an electrical connection is \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ a compulsory review after \_\_\_\_\_?  
 \_\_\_\_\_ the authorities conduct mandatory \_\_\_\_\_ after a \_\_\_\_\_ setup?  
 \_\_\_\_\_ there \_\_\_\_\_ for electrical \_\_\_\_\_ tests \_\_\_\_\_?  
 The installation \_\_\_\_\_ might \_\_\_\_\_ tests.  
 Is it mandatory \_\_\_\_\_ an \_\_\_\_\_?  
 Is \_\_\_\_\_ to schedule an inspection \_\_\_\_\_ electrical \_\_\_\_\_?  
 Does \_\_\_\_\_ of an electric \_\_\_\_\_ have \_\_\_\_\_ checked \_\_\_\_\_ authorities?  
 \_\_\_\_\_ follow wiring setup?  
 \_\_\_\_\_ tell \_\_\_\_\_ if there \_\_\_\_\_ for electric setup?  
 \_\_\_\_\_ there any requirement \_\_\_\_\_ or tests \_\_\_\_\_ newly \_\_\_\_\_ connections?  
 Are \_\_\_\_\_ after setting up \_\_\_\_\_ connection?  
 Do you know if \_\_\_\_\_ compulsory \_\_\_\_\_ electric \_\_\_\_\_?  
 Does \_\_\_\_\_ up my \_\_\_\_\_ connection \_\_\_\_\_ inspected?  
 \_\_\_\_\_ a \_\_\_\_\_ for any necessary \_\_\_\_\_ tests after \_\_\_\_\_ installation of \_\_\_\_\_ connection?  
 \_\_\_\_\_ carry \_\_\_\_\_ any \_\_\_\_\_ after attaching \_\_\_\_\_ electric connection?  
 I don't know \_\_\_\_\_ there will \_\_\_\_\_ tests done \_\_\_\_\_ is \_\_\_\_\_.  
 \_\_\_\_\_ responsible for inspecting \_\_\_\_\_ established \_\_\_\_\_ links?  
 \_\_\_\_\_ authorities \_\_\_\_\_ required checks after the installation \_\_\_\_\_ connection?  
 \_\_\_\_\_ know if \_\_\_\_\_ are \_\_\_\_\_ tests or checks \_\_\_\_\_?  
 \_\_\_\_\_ mandatory to \_\_\_\_\_ electrical connection after set \_\_\_\_\_?  
 Is it necessary \_\_\_\_\_ an inspection \_\_\_\_\_?  
 Following the \_\_\_\_\_ new \_\_\_\_\_ connection, \_\_\_\_\_ authorities enforce mandatory \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ an electrical connection \_\_\_\_\_ authorities?  
 Will there \_\_\_\_\_ done \_\_\_\_\_ performing an electrical \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ an \_\_\_\_\_ setting up the electrical \_\_\_\_\_?  
 \_\_\_\_\_ the government conduct \_\_\_\_\_ checks \_\_\_\_\_ electrical hookups?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ some tests \_\_\_\_\_ an \_\_\_\_\_ connection \_\_\_\_\_?  
 Is there any \_\_\_\_\_ checks \_\_\_\_\_ installing \_\_\_\_\_ electrical \_\_\_\_\_?  
 Is \_\_\_\_\_ or \_\_\_\_\_ done after \_\_\_\_\_ new electrical connection?  
 Have \_\_\_\_\_ had to \_\_\_\_\_ tested \_\_\_\_\_ up power outlets?  
 \_\_\_\_\_ setting up my \_\_\_\_\_ connection, \_\_\_\_\_ need \_\_\_\_\_ an official \_\_\_\_\_?  
 Do you know \_\_\_\_\_ there \_\_\_\_\_ checks \_\_\_\_\_ follow \_\_\_\_\_ setup?  
 \_\_\_\_\_ know if \_\_\_\_\_ will be \_\_\_\_\_ when the power \_\_\_\_\_.  
 \_\_\_\_\_ mandatory electrical \_\_\_\_\_ tests conducted \_\_\_\_\_?  
 Are \_\_\_\_\_ mandatory checks \_\_\_\_\_ electrical connection?  
 \_\_\_\_\_ conduct mandatory \_\_\_\_\_ tests?  
 Is \_\_\_\_\_ officials conducting \_\_\_\_\_ electrical \_\_\_\_\_?  
 Any \_\_\_\_\_ performed \_\_\_\_\_ new electrical \_\_\_\_\_?  
 \_\_\_\_\_ mandatory electrical \_\_\_\_\_ tests \_\_\_\_\_?  
 \_\_\_\_\_ a mandatory \_\_\_\_\_ be \_\_\_\_\_ once the power \_\_\_\_\_ connected?  
 \_\_\_\_\_ there be \_\_\_\_\_ checks after \_\_\_\_\_ has \_\_\_\_\_ set up?  
 \_\_\_\_\_ power connection \_\_\_\_\_ necessitate \_\_\_\_\_?

Can \_\_\_\_\_ be \_\_\_\_\_ checks done \_\_\_\_\_ the electrical connection \_\_\_\_\_ ?

\_\_\_\_\_ it be \_\_\_\_\_ if there will \_\_\_\_\_ required \_\_\_\_\_ power supply \_\_\_\_\_ is \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ review after \_\_\_\_\_ setup?

Do \_\_\_\_\_ know if \_\_\_\_\_ are \_\_\_\_\_ follow electric \_\_\_\_\_ ?

Do \_\_\_\_\_ do \_\_\_\_\_ tests?

\_\_\_\_\_ electrical connection tests?

Any required \_\_\_\_\_ officials \_\_\_\_\_ ?

Can \_\_\_\_\_ be determined if there \_\_\_\_\_ be \_\_\_\_\_ a \_\_\_\_\_ supply \_\_\_\_\_ up?

\_\_\_\_\_ there a requirement \_\_\_\_\_ government \_\_\_\_\_ to \_\_\_\_\_ on newly installed \_\_\_\_\_ ?

\_\_\_\_\_ compulsory \_\_\_\_\_ installed power connections by government \_\_\_\_\_ ?

\_\_\_\_\_ mandatory check-ups on \_\_\_\_\_ power \_\_\_\_\_ ?

\_\_\_\_\_ it compulsory \_\_\_\_\_ officials to \_\_\_\_\_ connections \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ for the authorities \_\_\_\_\_ conduct \_\_\_\_\_ I have \_\_\_\_\_ power \_\_\_\_\_ ?

\_\_\_\_\_ of an \_\_\_\_\_ require any inspections \_\_\_\_\_ tests?

Do \_\_\_\_\_ for compliance \_\_\_\_\_ installing \_\_\_\_\_ ?

Should \_\_\_\_\_ authorities inspect \_\_\_\_\_ new \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ compulsory \_\_\_\_\_ checks \_\_\_\_\_ after installing \_\_\_\_\_ electrical connection?

Will there be any \_\_\_\_\_ electrical installation?

\_\_\_\_\_ official \_\_\_\_\_ take place \_\_\_\_\_ wire \_\_\_\_\_ are \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ mandatory electrical \_\_\_\_\_ afterwards?

Is it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ recently \_\_\_\_\_ links?

\_\_\_\_\_ reviews done \_\_\_\_\_ power lines?

What specific \_\_\_\_\_ are done after \_\_\_\_\_ installed?

Can you \_\_\_\_\_ there \_\_\_\_\_ any compulsory checks \_\_\_\_\_ electric setup?

\_\_\_\_\_ know \_\_\_\_\_ mandatory tests \_\_\_\_\_ be \_\_\_\_\_ the power is \_\_\_\_\_ .

\_\_\_\_\_ compulsory to do some \_\_\_\_\_ an electrical \_\_\_\_\_ ?

There may \_\_\_\_\_ after installing an \_\_\_\_\_ connection.

\_\_\_\_\_ installations face \_\_\_\_\_ after \_\_\_\_\_ setup?

\_\_\_\_\_ electric \_\_\_\_\_ may prompt authorities to \_\_\_\_\_ out mandatory \_\_\_\_\_ .

\_\_\_\_\_ inspection after installing wire \_\_\_\_\_ for conducting \_\_\_\_\_ ?

Is \_\_\_\_\_ requirement \_\_\_\_\_ any necessary \_\_\_\_\_ after \_\_\_\_\_ installation \_\_\_\_\_ a \_\_\_\_\_ connection?

Any \_\_\_\_\_ evaluations from \_\_\_\_\_ are \_\_\_\_\_ electrical \_\_\_\_\_ ?

Is \_\_\_\_\_ any tests \_\_\_\_\_ have to be \_\_\_\_\_ after \_\_\_\_\_ an \_\_\_\_\_ ?

Is there \_\_\_\_\_ requirement for \_\_\_\_\_ ups \_\_\_\_\_ newly \_\_\_\_\_ ?

Does \_\_\_\_\_ after installing \_\_\_\_\_ connections?

\_\_\_\_\_ specific checks \_\_\_\_\_ tests are done \_\_\_\_\_ electrical \_\_\_\_\_ installed?

\_\_\_\_\_ there a \_\_\_\_\_ for an \_\_\_\_\_ inspection after \_\_\_\_\_ electrical \_\_\_\_\_ up?

\_\_\_\_\_ the government \_\_\_\_\_ post \_\_\_\_\_ checks \_\_\_\_\_ electrical \_\_\_\_\_ ?

Is \_\_\_\_\_ a \_\_\_\_\_ authorized \_\_\_\_\_ newly established electricity links?

\_\_\_\_\_ new \_\_\_\_\_ need to be \_\_\_\_\_ ?

\_\_\_\_\_ it compulsory \_\_\_\_\_ test \_\_\_\_\_ the installation of electric \_\_\_\_\_ ?

Is it \_\_\_\_\_ to \_\_\_\_\_ review \_\_\_\_\_ setup?

The \_\_\_\_\_ new electrical connection might prompt \_\_\_\_\_ .

\_\_\_\_\_ electrical \_\_\_\_\_ tests happen \_\_\_\_\_ ?

The setup \_\_\_\_\_ new electrical connection \_\_\_\_\_ mandatory inspections \_\_\_\_\_ .

\_\_\_\_\_ electric connections \_\_\_\_\_ include \_\_\_\_\_ procedures.

\_\_\_\_\_ it a \_\_\_\_\_ electrical \_\_\_\_\_ tests afterwards?

\_\_\_\_\_ regulators do checks \_\_\_\_\_ installing \_\_\_\_\_ ?

Does a \_\_\_\_\_ follow an \_\_\_\_\_ ?

\_\_\_\_\_ mandatory checks \_\_\_\_\_ the \_\_\_\_\_ connection is \_\_\_\_\_ up?

\_\_\_\_\_ there any \_\_\_\_\_ governing bodies after \_\_\_\_\_ new electrical \_\_\_\_\_?  
 The setup \_\_\_\_\_ electrical \_\_\_\_\_ prompt authorities to \_\_\_\_\_ mandatory \_\_\_\_\_.  
 \_\_\_\_\_ an electrical connection is \_\_\_\_\_ specific checks \_\_\_\_\_ conducted?  
 Does the installation \_\_\_\_\_ an \_\_\_\_\_ need \_\_\_\_\_ tests?  
 Is \_\_\_\_\_ a requirement for \_\_\_\_\_ entities \_\_\_\_\_ recently \_\_\_\_\_ links?  
 Is there any \_\_\_\_\_ the power lines?  
 Is \_\_\_\_\_ need for \_\_\_\_\_ inspection after I set my \_\_\_\_\_?  
 \_\_\_\_\_ or tests \_\_\_\_\_ conduct after \_\_\_\_\_ electrical connection is installed?  
 Is \_\_\_\_\_ checks after the \_\_\_\_\_?  
 \_\_\_\_\_ for \_\_\_\_\_ agencies to perform check-ups on newly \_\_\_\_\_?  
 \_\_\_\_\_ compulsory to \_\_\_\_\_ after an electrical \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ the \_\_\_\_\_ there be compulsory \_\_\_\_\_ done by the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ check-ups \_\_\_\_\_ exams carried \_\_\_\_\_ new power connections?  
 Is \_\_\_\_\_ officials conducting \_\_\_\_\_ electrical \_\_\_\_\_?  
 The setup of a \_\_\_\_\_ connection \_\_\_\_\_ prompt \_\_\_\_\_ conduct mandatory \_\_\_\_\_.  
 Is \_\_\_\_\_ inspection that needs to be \_\_\_\_\_ electricity \_\_\_\_\_?  
 Depending \_\_\_\_\_ the regulations, should \_\_\_\_\_ installed \_\_\_\_\_ connections?  
 \_\_\_\_\_ you have \_\_\_\_\_ testing \_\_\_\_\_ an electrical \_\_\_\_\_ installation?  
 \_\_\_\_\_ power \_\_\_\_\_ installation required to \_\_\_\_\_?  
 Once \_\_\_\_\_ connections \_\_\_\_\_ can be \_\_\_\_\_ inspections?  
 \_\_\_\_\_ inspect after a new electrical \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ carried out \_\_\_\_\_ the \_\_\_\_\_ connection \_\_\_\_\_ installed?  
 Is \_\_\_\_\_ any requirement for \_\_\_\_\_ electrical \_\_\_\_\_ inspected \_\_\_\_\_ tested?  
 \_\_\_\_\_ about \_\_\_\_\_ new electricity \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ checks we \_\_\_\_\_ with when electricity is hooked \_\_\_\_\_?  
 \_\_\_\_\_ an \_\_\_\_\_ take place \_\_\_\_\_ wires are \_\_\_\_\_?  
 \_\_\_\_\_ required \_\_\_\_\_ be done after the \_\_\_\_\_ connection \_\_\_\_\_ up?  
 Does \_\_\_\_\_ regulators check \_\_\_\_\_ electric \_\_\_\_\_?  
 \_\_\_\_\_ setup of \_\_\_\_\_ new electrical connection could \_\_\_\_\_ in mandatory \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ tests \_\_\_\_\_ an electric connection?  
 Are \_\_\_\_\_ mandatory \_\_\_\_\_ power \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ authorities \_\_\_\_\_ any \_\_\_\_\_ after the installation of \_\_\_\_\_ connection?  
 \_\_\_\_\_ following \_\_\_\_\_ new electrical connection?  
 Are there \_\_\_\_\_ of \_\_\_\_\_ setup?  
 Is there \_\_\_\_\_ checks to \_\_\_\_\_ carried out \_\_\_\_\_ installation of \_\_\_\_\_ electric \_\_\_\_\_?  
 If there will be required inspections after \_\_\_\_\_ supply \_\_\_\_\_.  
 \_\_\_\_\_ you \_\_\_\_\_ have to deal \_\_\_\_\_ mandatory \_\_\_\_\_ after \_\_\_\_\_ is \_\_\_\_\_ up?  
 Is there any \_\_\_\_\_ connection is installed?  
 \_\_\_\_\_ compulsory inspections for new \_\_\_\_\_?  
 Have \_\_\_\_\_ been any \_\_\_\_\_ or \_\_\_\_\_ installation?  
 \_\_\_\_\_ the \_\_\_\_\_ wire \_\_\_\_\_ conducting \_\_\_\_\_ official inspection take place?  
 The \_\_\_\_\_ of a new electrical \_\_\_\_\_ mandatory \_\_\_\_\_ by the \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ exams \_\_\_\_\_ after a given electrical \_\_\_\_\_?  
 \_\_\_\_\_ checks after the power \_\_\_\_\_ connection is set \_\_\_\_\_?  
 Is it \_\_\_\_\_ official \_\_\_\_\_ up my electrical connection?  
 Government agencies \_\_\_\_\_ carry out compulsory \_\_\_\_\_ on \_\_\_\_\_.  
 It's a \_\_\_\_\_ mark \_\_\_\_\_ any \_\_\_\_\_ once the electricity \_\_\_\_\_ hooked \_\_\_\_\_.  
 \_\_\_\_\_ any \_\_\_\_\_ on new power \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to check after installing electric \_\_\_\_\_?  
 \_\_\_\_\_ evaluations after electrical \_\_\_\_\_?

Is there a \_\_\_\_\_ for check-ups \_\_\_\_\_ connections?  
 \_\_\_\_\_ the government have \_\_\_\_\_ electricity \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ for new \_\_\_\_\_ connections \_\_\_\_\_ be inspected \_\_\_\_\_ governing \_\_\_\_\_?  
 \_\_\_\_\_ necessary inspections for \_\_\_\_\_ electricity \_\_\_\_\_?  
 \_\_\_\_\_ have to do \_\_\_\_\_ after \_\_\_\_\_ electrical \_\_\_\_\_?  
 Do regulators \_\_\_\_\_ installing electric \_\_\_\_\_?  
 Are \_\_\_\_\_ mandated checks \_\_\_\_\_ installation?  
 Do \_\_\_\_\_ mandate any \_\_\_\_\_ the \_\_\_\_\_ electrical connection?  
 \_\_\_\_\_ be any required \_\_\_\_\_ the \_\_\_\_\_ installation?  
 \_\_\_\_\_ electrical connection \_\_\_\_\_ installed, what specific \_\_\_\_\_ are done?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ checks \_\_\_\_\_ conducted \_\_\_\_\_ the \_\_\_\_\_ of electrical connections?  
 Have \_\_\_\_\_ been \_\_\_\_\_ by officials \_\_\_\_\_ connecting \_\_\_\_\_ to power \_\_\_\_\_?  
 Is there \_\_\_\_\_ after wiring \_\_\_\_\_?  
 Can you \_\_\_\_\_ if the electric \_\_\_\_\_ requires \_\_\_\_\_?  
 \_\_\_\_\_ may \_\_\_\_\_ newly installed power connections.  
 Is it mandatory for \_\_\_\_\_ connection \_\_\_\_\_ be \_\_\_\_\_?  
 Is there \_\_\_\_\_ for \_\_\_\_\_ check up on newly installed \_\_\_\_\_?  
 \_\_\_\_\_ any mandatoryelec \_\_\_\_\_ installation?  
 \_\_\_\_\_ up my electrical connection does \_\_\_\_\_ to \_\_\_\_\_ inspections?  
 Do \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ connection install?  
 \_\_\_\_\_ look \_\_\_\_\_ new \_\_\_\_\_ connections?  
 When \_\_\_\_\_ installed, \_\_\_\_\_ regulatory checks \_\_\_\_\_ conducted?  
 The \_\_\_\_\_ of \_\_\_\_\_ connection \_\_\_\_\_ require some \_\_\_\_\_ and \_\_\_\_\_.  
 Is the government required \_\_\_\_\_ on electrical \_\_\_\_\_?  
 \_\_\_\_\_ checks \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ the installation of \_\_\_\_\_ electric connection?  
 Is \_\_\_\_\_ conducting \_\_\_\_\_ tests?  
 Government agencies may conduct \_\_\_\_\_ connections.  
 \_\_\_\_\_ mandatory \_\_\_\_\_ after installation of \_\_\_\_\_?  
 Do \_\_\_\_\_ do their checks \_\_\_\_\_?  
 Did \_\_\_\_\_ have \_\_\_\_\_ check \_\_\_\_\_ connections?  
 \_\_\_\_\_ electric connections are \_\_\_\_\_ inspections \_\_\_\_\_?  
 \_\_\_\_\_ regulators do \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ government \_\_\_\_\_ compulsory \_\_\_\_\_ on \_\_\_\_\_ installed power connections?  
 The setup \_\_\_\_\_ new \_\_\_\_\_ lead to mandatory \_\_\_\_\_.  
 \_\_\_\_\_ any \_\_\_\_\_ to check \_\_\_\_\_ the electricity \_\_\_\_\_?  
 \_\_\_\_\_ setup \_\_\_\_\_ a \_\_\_\_\_ electrical connection can result in \_\_\_\_\_ inspections \_\_\_\_\_.  
 Is it possible \_\_\_\_\_ there are \_\_\_\_\_ setup?  
 \_\_\_\_\_ there \_\_\_\_\_ that need \_\_\_\_\_ be done \_\_\_\_\_ new \_\_\_\_\_ connections?  
 \_\_\_\_\_ required \_\_\_\_\_ are done \_\_\_\_\_ electrical \_\_\_\_\_?  
 Is \_\_\_\_\_ requirement \_\_\_\_\_ checks after the \_\_\_\_\_ is \_\_\_\_\_ up?  
 \_\_\_\_\_ for authorities \_\_\_\_\_ carry \_\_\_\_\_ tests after \_\_\_\_\_ connections \_\_\_\_\_ installed?  
 Is check \_\_\_\_\_ after \_\_\_\_\_?  
 Are \_\_\_\_\_ obligated to inspect the \_\_\_\_\_ electricity \_\_\_\_\_?  
 Is there a need \_\_\_\_\_ official inspection \_\_\_\_\_ up \_\_\_\_\_ connections?  
 \_\_\_\_\_ it \_\_\_\_\_ authorities to check after \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ for an official \_\_\_\_\_ after \_\_\_\_\_ set up?  
 Is there \_\_\_\_\_ requirement for checks \_\_\_\_\_ exams \_\_\_\_\_ newly \_\_\_\_\_?  
 After installing \_\_\_\_\_ any mandatory tests?  
 \_\_\_\_\_ you \_\_\_\_\_ any mandatory checks to \_\_\_\_\_ with \_\_\_\_\_ is \_\_\_\_\_ up?  
 Do \_\_\_\_\_ conduct compulsory checks \_\_\_\_\_ an \_\_\_\_\_?



Is \_\_\_\_\_ any \_\_\_\_\_ by the authorities \_\_\_\_\_ the power \_\_\_\_\_?

Will there \_\_\_\_\_ exams done \_\_\_\_\_ electrical \_\_\_\_\_?

Is \_\_\_\_\_ installed electricity?

Do mandatory \_\_\_\_\_ occur when \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ connection \_\_\_\_\_ afterwards?

Will installations \_\_\_\_\_ setup?

What \_\_\_\_\_ conducted by the authorities \_\_\_\_\_ an electrical \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ specific \_\_\_\_\_ tests do \_\_\_\_\_ an electrical \_\_\_\_\_ has been installed?

Any \_\_\_\_\_ elec. \_\_\_\_\_ after \_\_\_\_\_?

Is \_\_\_\_\_ mandatory to conduct \_\_\_\_\_ up the \_\_\_\_\_?

Are \_\_\_\_\_ getting any \_\_\_\_\_ checks once \_\_\_\_\_ up?

Does anyone know \_\_\_\_\_ any compulsory checks \_\_\_\_\_ setup?

\_\_\_\_\_ installation of an \_\_\_\_\_ connection \_\_\_\_\_ an \_\_\_\_\_ testing.

\_\_\_\_\_ there any compulsory \_\_\_\_\_ a \_\_\_\_\_ electrical installation?

Is \_\_\_\_\_ a \_\_\_\_\_ review \_\_\_\_\_ up \_\_\_\_\_ wiring?

\_\_\_\_\_ checks be \_\_\_\_\_ the \_\_\_\_\_ is set up?

\_\_\_\_\_ perform inspections \_\_\_\_\_ assessments following a new electrical \_\_\_\_\_?

Is \_\_\_\_\_ mandatory \_\_\_\_\_ authorities \_\_\_\_\_ after installing an electrical \_\_\_\_\_?

\_\_\_\_\_ authorities inspect power \_\_\_\_\_ that \_\_\_\_\_?

\_\_\_\_\_ compulsory \_\_\_\_\_ after you \_\_\_\_\_ an electrical connection?

\_\_\_\_\_ after installing electric \_\_\_\_\_?

Did \_\_\_\_\_ connection \_\_\_\_\_ occur \_\_\_\_\_?

Is \_\_\_\_\_ mandatory \_\_\_\_\_ installation of \_\_\_\_\_ connections?

\_\_\_\_\_ government checks for \_\_\_\_\_ connections?

\_\_\_\_\_ compulsory \_\_\_\_\_ after the electrical connection is \_\_\_\_\_ up?

\_\_\_\_\_ it a requirement to \_\_\_\_\_ after electrical \_\_\_\_\_?

Is there a regimen of compulsory \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ inspect \_\_\_\_\_ electric \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ done after an \_\_\_\_\_?

Do mandatory \_\_\_\_\_ follow after \_\_\_\_\_ connection is \_\_\_\_\_?

Should \_\_\_\_\_ mandatory elec \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ testing after an electrical \_\_\_\_\_ installation?

\_\_\_\_\_ mandatory \_\_\_\_\_ authorities to inspect after a \_\_\_\_\_?

Is there \_\_\_\_\_ requirement \_\_\_\_\_ inspections or tests after the installation \_\_\_\_\_?

Do mandatory \_\_\_\_\_ have to \_\_\_\_\_ after \_\_\_\_\_ electrical \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ checks on newly installed \_\_\_\_\_ connections?

\_\_\_\_\_ entities have \_\_\_\_\_ newly established \_\_\_\_\_ links?

Is there \_\_\_\_\_ requirement \_\_\_\_\_ after the \_\_\_\_\_ install?

\_\_\_\_\_ installations be \_\_\_\_\_ authorized examination \_\_\_\_\_ wiring \_\_\_\_\_?

What \_\_\_\_\_ tests \_\_\_\_\_ performed \_\_\_\_\_ the \_\_\_\_\_ after \_\_\_\_\_ electrical \_\_\_\_\_ installed?

Is \_\_\_\_\_ any \_\_\_\_\_ testing \_\_\_\_\_ after \_\_\_\_\_ an \_\_\_\_\_ connection.

Will there \_\_\_\_\_ any compulsory tests \_\_\_\_\_ after \_\_\_\_\_?

Is there any \_\_\_\_\_ new electrical \_\_\_\_\_ inspected?

\_\_\_\_\_ there \_\_\_\_\_ compulsory checks that \_\_\_\_\_ setup.

Are \_\_\_\_\_ compulsory inspections \_\_\_\_\_ connections?

Any mandatory elec \_\_\_\_\_ installation?

What \_\_\_\_\_ for \_\_\_\_\_ connections?

Is the electrical \_\_\_\_\_ are established subject \_\_\_\_\_?

Have you \_\_\_\_\_ officials check \_\_\_\_\_ us \_\_\_\_\_ you \_\_\_\_\_ to power \_\_\_\_\_?

What are \_\_\_\_\_ checks \_\_\_\_\_ electricity \_\_\_\_\_?

\_\_\_\_ it necessary \_\_\_\_ government checks to \_\_\_\_ \_\_\_\_ \_\_\_\_ connections?  
 \_\_\_\_ there any \_\_\_\_ done \_\_\_\_ installing an \_\_\_\_ connection.  
 Are there \_\_\_\_ required \_\_\_\_ \_\_\_\_ connection is \_\_\_\_?  
 \_\_\_\_ regulatory \_\_\_\_ required \_\_\_\_ connecting \_\_\_\_?  
 Is it \_\_\_\_ have \_\_\_\_ after an electrical \_\_\_\_?  
 Is \_\_\_\_ requirement for \_\_\_\_ or exams on \_\_\_\_?  
 Is \_\_\_\_ a \_\_\_\_ for mandatory \_\_\_\_ installing \_\_\_\_ connection?  
 \_\_\_\_ of \_\_\_\_ electrical \_\_\_\_ might \_\_\_\_ subject \_\_\_\_ inspections by the authorities.  
 Post installation of electric \_\_\_\_ \_\_\_\_ \_\_\_\_ tests?  
 Are there \_\_\_\_ following \_\_\_\_ electric \_\_\_\_?  
 \_\_\_\_ there will \_\_\_\_ \_\_\_\_ after setting \_\_\_\_ the power \_\_\_\_ connection.  
 \_\_\_\_ it possible \_\_\_\_ need \_\_\_\_ check the electrical thingy \_\_\_\_ \_\_\_\_ up?  
 What \_\_\_\_ tests \_\_\_\_ done \_\_\_\_ an electrical connection \_\_\_\_?  
 Is \_\_\_\_ evaluation \_\_\_\_ the \_\_\_\_ installs?  
 \_\_\_\_ required evaluations \_\_\_\_ after \_\_\_\_?  
 Is \_\_\_\_ any reviews \_\_\_\_ after \_\_\_\_?  
 Will \_\_\_\_ compulsory \_\_\_\_ conducted after performing \_\_\_\_ installation?  
 Do the \_\_\_\_ conduct mandatory \_\_\_\_ of \_\_\_\_?  
 Is there \_\_\_\_ requirements \_\_\_\_ electricity?  
 Will there \_\_\_\_ any mandatory \_\_\_\_ conducted after \_\_\_\_?  
 \_\_\_\_ there be \_\_\_\_ assessment \_\_\_\_ installed \_\_\_\_?  
 \_\_\_\_ regulators conduct \_\_\_\_ installing \_\_\_\_ connections?  
 Are the \_\_\_\_ carried out after \_\_\_\_ compulsory?  
 \_\_\_\_ there \_\_\_\_ compulsory \_\_\_\_ newly installed power connections?  
 \_\_\_\_ new \_\_\_\_ connections \_\_\_\_ by the \_\_\_\_?  
 \_\_\_\_ it possible \_\_\_\_ conduct mandatory \_\_\_\_ installing an \_\_\_\_ connection?  
 \_\_\_\_ mandatory check \_\_\_\_ test \_\_\_\_ installing an electrical \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ of \_\_\_\_ check-ups \_\_\_\_ installed power connections?  
 Can it be confirmed \_\_\_\_ required inspections \_\_\_\_ \_\_\_\_ connection is \_\_\_\_ up?  
 Are \_\_\_\_ any \_\_\_\_ checks \_\_\_\_ after \_\_\_\_ an electrical \_\_\_\_?  
 \_\_\_\_ installation of \_\_\_\_ connections \_\_\_\_ regulatory \_\_\_\_ be \_\_\_\_?  
 \_\_\_\_ setting up \_\_\_\_ electrical connection, \_\_\_\_ for an \_\_\_\_ inspection?  
 \_\_\_\_ an electrical connection need \_\_\_\_ official \_\_\_\_?  
 \_\_\_\_ be exams \_\_\_\_ after the \_\_\_\_?  
 Is \_\_\_\_ of \_\_\_\_ electrical connection \_\_\_\_ inspection or a \_\_\_\_?  
 \_\_\_\_ confirm \_\_\_\_ has compulsory checks?  
 Are there mandatory \_\_\_\_ connections \_\_\_\_?  
 \_\_\_\_ official inspection \_\_\_\_ after \_\_\_\_ circuits for conducting \_\_\_\_?  
 \_\_\_\_ inspection \_\_\_\_ after wires \_\_\_\_ for conducting electricity?  
 Will \_\_\_\_ after \_\_\_\_ setup?  
 \_\_\_\_ them \_\_\_\_ electrical things \_\_\_\_ up?  
 Can \_\_\_\_ installed power connections based \_\_\_\_?  
 \_\_\_\_ power connections \_\_\_\_ been installed?  
 \_\_\_\_ of installed electricity?  
 Do \_\_\_\_ we \_\_\_\_ deal with \_\_\_\_ checks \_\_\_\_ the electricity \_\_\_\_ up?  
 Do the \_\_\_\_ electric \_\_\_\_ for mandatory \_\_\_\_ procedures?  
 \_\_\_\_ there \_\_\_\_ any \_\_\_\_ conducted \_\_\_\_ the installation \_\_\_\_ an \_\_\_\_ system?  
 \_\_\_\_ required for \_\_\_\_ to conduct \_\_\_\_ checks \_\_\_\_ installing \_\_\_\_ electrical \_\_\_\_?  
 \_\_\_\_ the authorities required to \_\_\_\_ an \_\_\_\_ after \_\_\_\_?  
 Is \_\_\_\_ any \_\_\_\_ test after \_\_\_\_ electrical connection is installed?

\_\_\_\_\_ a need for \_\_\_\_\_ official \_\_\_\_\_ after \_\_\_\_\_ electrical connection \_\_\_\_\_?

\_\_\_\_\_ assessments following a \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ a requirement \_\_\_\_\_ government \_\_\_\_\_ on electricity \_\_\_\_\_?

\_\_\_\_\_ compulsory check-ups by \_\_\_\_\_ on newly \_\_\_\_\_ power \_\_\_\_\_?

Is \_\_\_\_\_ bodies \_\_\_\_\_ inspect or perform \_\_\_\_\_ after a \_\_\_\_\_ electrical connection?

Is it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ checks \_\_\_\_\_ installing \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ be \_\_\_\_\_ conducted by the \_\_\_\_\_ after a \_\_\_\_\_ electrical installation?

\_\_\_\_\_ there any compulsory check done \_\_\_\_\_ connection?

\_\_\_\_\_ conduct compulsory \_\_\_\_\_ electrical connection installation?

\_\_\_\_\_ tests \_\_\_\_\_ checks carried \_\_\_\_\_ after \_\_\_\_\_ electric connection is \_\_\_\_\_?

Is there mandatory tests done \_\_\_\_\_?

Do you have \_\_\_\_\_ done \_\_\_\_\_ up?

Are official \_\_\_\_\_ mandatory \_\_\_\_\_?

\_\_\_\_\_ any compulsory \_\_\_\_\_ electric setup.

\_\_\_\_\_ there a \_\_\_\_\_ testing for new \_\_\_\_\_ connections?

\_\_\_\_\_ reviews after connecting power lines?

\_\_\_\_\_ you \_\_\_\_\_ compulsory \_\_\_\_\_ electrical installation?

\_\_\_\_\_ be \_\_\_\_\_ done \_\_\_\_\_ the installation \_\_\_\_\_ an electrical installation?

Do there have \_\_\_\_\_ be \_\_\_\_\_ or \_\_\_\_\_ done after \_\_\_\_\_ of an \_\_\_\_\_?

Is \_\_\_\_\_ compulsory to \_\_\_\_\_ after setting \_\_\_\_\_ the \_\_\_\_\_?

What specific \_\_\_\_\_ conducted \_\_\_\_\_ after an electrical \_\_\_\_\_ been \_\_\_\_\_?

\_\_\_\_\_ you ever \_\_\_\_\_ by officials after \_\_\_\_\_ up \_\_\_\_\_ outlets?

Is \_\_\_\_\_ requirement for mandatory \_\_\_\_\_ installing \_\_\_\_\_ electrical \_\_\_\_\_?

Any checks \_\_\_\_\_ electricity installation?

\_\_\_\_\_ there be \_\_\_\_\_ mandatory \_\_\_\_\_ after \_\_\_\_\_ electrical \_\_\_\_\_?

Do \_\_\_\_\_ we \_\_\_\_\_ deal with \_\_\_\_\_ the \_\_\_\_\_ is hooked up?

\_\_\_\_\_ for \_\_\_\_\_ electricity from \_\_\_\_\_ bodies?

When \_\_\_\_\_ the power \_\_\_\_\_ be mandatory \_\_\_\_\_ done?

\_\_\_\_\_ or \_\_\_\_\_ are done by \_\_\_\_\_ authorities \_\_\_\_\_ an \_\_\_\_\_ connection is \_\_\_\_\_?

Is there \_\_\_\_\_ for \_\_\_\_\_ audits \_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_ connection?

\_\_\_\_\_ installing \_\_\_\_\_ electrical connection, are there \_\_\_\_\_ tests \_\_\_\_\_?

\_\_\_\_\_ authorities conduct mandatory \_\_\_\_\_ after installation \_\_\_\_\_?

Do you \_\_\_\_\_ mandatory \_\_\_\_\_ we \_\_\_\_\_ deal \_\_\_\_\_ the electricity \_\_\_\_\_ up?

\_\_\_\_\_ there an inspection \_\_\_\_\_ required?

\_\_\_\_\_ the \_\_\_\_\_ inspect \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ mean that there \_\_\_\_\_ be required \_\_\_\_\_ the \_\_\_\_\_ connection \_\_\_\_\_ made?

Do \_\_\_\_\_ to be \_\_\_\_\_ the \_\_\_\_\_ connection is set \_\_\_\_\_?

\_\_\_\_\_ connections might \_\_\_\_\_ to \_\_\_\_\_ inspected \_\_\_\_\_ authorities.

Will \_\_\_\_\_ any testing done \_\_\_\_\_ the installation of \_\_\_\_\_?

Is \_\_\_\_\_ after installing an \_\_\_\_\_ connection?

\_\_\_\_\_ evaluations \_\_\_\_\_ done \_\_\_\_\_ an \_\_\_\_\_ install?

Do \_\_\_\_\_ compliance \_\_\_\_\_ after installing \_\_\_\_\_?

After \_\_\_\_\_ installation \_\_\_\_\_ an electric \_\_\_\_\_ there \_\_\_\_\_ checks done \_\_\_\_\_ authorities?

Is \_\_\_\_\_ authorized entities to \_\_\_\_\_ newly established \_\_\_\_\_?

Does \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ review after wiring \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ checks after electricity \_\_\_\_\_?

\_\_\_\_\_ about mandatory electrical \_\_\_\_\_?

The \_\_\_\_\_ of \_\_\_\_\_ new \_\_\_\_\_ connection can \_\_\_\_\_ inspections.

\_\_\_\_\_ for the installation \_\_\_\_\_ electrical connection to \_\_\_\_\_ or tested?

\_\_\_\_\_ be required inspections after the power \_\_\_\_\_ established.

\_\_\_\_\_ carry out assessments \_\_\_\_\_ attaching an \_\_\_\_\_?  
 \_\_\_\_\_ necessary for \_\_\_\_\_ to \_\_\_\_\_ electric connection \_\_\_\_\_ installation?  
 Do \_\_\_\_\_ be done after \_\_\_\_\_ connection \_\_\_\_\_ installed?  
 \_\_\_\_\_ it \_\_\_\_\_ authorized \_\_\_\_\_ to \_\_\_\_\_ electricity links?  
 Is there \_\_\_\_\_ mandatory \_\_\_\_\_ or exams \_\_\_\_\_ installed power \_\_\_\_\_?  
 \_\_\_\_\_ it compulsory \_\_\_\_\_ the \_\_\_\_\_ connection \_\_\_\_\_ it's set \_\_\_\_\_?  
 \_\_\_\_\_ necessary for the installation of an \_\_\_\_\_ connection \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ there any required \_\_\_\_\_ a \_\_\_\_\_ connection?  
 \_\_\_\_\_ for \_\_\_\_\_ inspection after installing \_\_\_\_\_ circuits?  
 \_\_\_\_\_ an \_\_\_\_\_ take place \_\_\_\_\_ wire \_\_\_\_\_ are installed?  
 I \_\_\_\_\_ if \_\_\_\_\_ electric connections.  
 Do \_\_\_\_\_ tests \_\_\_\_\_ installation?  
 Is there anything \_\_\_\_\_ bodies \_\_\_\_\_ a \_\_\_\_\_ electrical connection?  
 \_\_\_\_\_ of a \_\_\_\_\_ electrical connection may \_\_\_\_\_ be inspected by \_\_\_\_\_.  
 Some \_\_\_\_\_ may \_\_\_\_\_ connecting electricity.  
 \_\_\_\_\_ a \_\_\_\_\_ after power connection \_\_\_\_\_?  
 Can \_\_\_\_\_ tell us \_\_\_\_\_ compulsory checks \_\_\_\_\_ follow \_\_\_\_\_ setup?  
 Do \_\_\_\_\_ perform \_\_\_\_\_ after \_\_\_\_\_ electric \_\_\_\_\_?  
 \_\_\_\_\_ government checks for \_\_\_\_\_?  
 Is \_\_\_\_\_ compulsory \_\_\_\_\_ perform \_\_\_\_\_ assessment after attaching \_\_\_\_\_ connection?  
 \_\_\_\_\_ there any \_\_\_\_\_ or \_\_\_\_\_ done after \_\_\_\_\_ an electrical \_\_\_\_\_?  
 \_\_\_\_\_ tests conducted?  
 \_\_\_\_\_ compulsory check-ups \_\_\_\_\_ power connections?  
 Should new \_\_\_\_\_ connections \_\_\_\_\_ to be \_\_\_\_\_ authorities?  
 \_\_\_\_\_ there \_\_\_\_\_ obligatory reviews \_\_\_\_\_ power \_\_\_\_\_?  
 Do \_\_\_\_\_ authorities inspect after \_\_\_\_\_ set up?  
 Is \_\_\_\_\_ government \_\_\_\_\_ check \_\_\_\_\_ electrical \_\_\_\_\_ after installation?  
 After the installation of electric \_\_\_\_\_ mandatory \_\_\_\_\_?  
 After I set up \_\_\_\_\_ electrical connection \_\_\_\_\_ need \_\_\_\_\_ inspection?  
 \_\_\_\_\_ of \_\_\_\_\_ new \_\_\_\_\_ connection do the authorities \_\_\_\_\_ inspections?  
 \_\_\_\_\_ any mandatory reviews \_\_\_\_\_ lines?  
 Are \_\_\_\_\_ entities \_\_\_\_\_ to inspect \_\_\_\_\_ established \_\_\_\_\_?  
 \_\_\_\_\_ setup \_\_\_\_\_ a \_\_\_\_\_ electrical connection might prompt the \_\_\_\_\_ mandatory \_\_\_\_\_.  
 mandatory \_\_\_\_\_ after?  
 Is there any inspection \_\_\_\_\_ done \_\_\_\_\_ a \_\_\_\_\_?  
 Do I \_\_\_\_\_ have an inspection \_\_\_\_\_ electrical \_\_\_\_\_?  
 Do \_\_\_\_\_ tests \_\_\_\_\_ to be \_\_\_\_\_ an \_\_\_\_\_ installation?  
 Will \_\_\_\_\_ be required checks \_\_\_\_\_ the power \_\_\_\_\_ up?  
 \_\_\_\_\_ compulsory for \_\_\_\_\_ to conduct tests \_\_\_\_\_ are installed?  
 Should \_\_\_\_\_ conduct \_\_\_\_\_ after \_\_\_\_\_ an electrical \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ obligatory reviews \_\_\_\_\_ power \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ evaluations \_\_\_\_\_ after electrical \_\_\_\_\_?  
 \_\_\_\_\_ authorized \_\_\_\_\_ inspect recently \_\_\_\_\_ electricity \_\_\_\_\_?  
 Is it mandatory for \_\_\_\_\_ power \_\_\_\_\_?  
 Do \_\_\_\_\_ inspection after the \_\_\_\_\_ of an \_\_\_\_\_?  
 \_\_\_\_\_ be mandated \_\_\_\_\_ the \_\_\_\_\_ connection \_\_\_\_\_?  
 I wonder if mandatory \_\_\_\_\_ after \_\_\_\_\_ set up.  
 \_\_\_\_\_ it compulsory \_\_\_\_\_ after attaching an \_\_\_\_\_ connection?  
 \_\_\_\_\_ specific \_\_\_\_\_ tests \_\_\_\_\_ by authorities \_\_\_\_\_ electrical connection has \_\_\_\_\_ installed?  
 \_\_\_\_\_ mandatory \_\_\_\_\_ done after electric \_\_\_\_\_?

Is there \_\_\_\_\_ for any \_\_\_\_\_ or inspections \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ ?  
\_\_\_\_\_ you \_\_\_\_\_ mandatory checks \_\_\_\_\_ to deal \_\_\_\_\_ once the \_\_\_\_\_ connected?  
\_\_\_\_\_ to be \_\_\_\_\_ after connecting \_\_\_\_\_ lines?  
Required \_\_\_\_\_ checks \_\_\_\_\_ connections?  
\_\_\_\_\_ any \_\_\_\_\_ done \_\_\_\_\_ authorities after \_\_\_\_\_ given electrical installation?  
\_\_\_\_\_ the government \_\_\_\_\_ carry \_\_\_\_\_ mandatory \_\_\_\_\_ on new \_\_\_\_\_ ?  
\_\_\_\_\_ check after \_\_\_\_\_ lines?  
\_\_\_\_\_ post \_\_\_\_\_ checks on electrical hookups?  
\_\_\_\_\_ any compulsory \_\_\_\_\_ electric \_\_\_\_\_ ?  
\_\_\_\_\_ it \_\_\_\_\_ conduct electrical \_\_\_\_\_ tests?  
Is there any requirement \_\_\_\_\_ assessment after \_\_\_\_\_ new \_\_\_\_\_ ?  
What are \_\_\_\_\_ checks \_\_\_\_\_ electricity \_\_\_\_\_ ?  
Is it \_\_\_\_\_ elec \_\_\_\_\_ an installation?  
\_\_\_\_\_ there be any \_\_\_\_\_ after connecting \_\_\_\_\_ ?  
Is there a mandated check \_\_\_\_\_ the \_\_\_\_\_ ?  
\_\_\_\_\_ any \_\_\_\_\_ tests \_\_\_\_\_ checks after \_\_\_\_\_ ?  
\_\_\_\_\_ elec \_\_\_\_\_ follow \_\_\_\_\_ installation?  
Are \_\_\_\_\_ any compulsory \_\_\_\_\_ installing an \_\_\_\_\_ connection?  
Will there be \_\_\_\_\_ examination \_\_\_\_\_ doing \_\_\_\_\_ ?  
\_\_\_\_\_ an electrical connection, \_\_\_\_\_ there \_\_\_\_\_ checks?  
If there will \_\_\_\_\_ after the \_\_\_\_\_ is set up?  
Will there \_\_\_\_\_ any \_\_\_\_\_ checks after \_\_\_\_\_ of \_\_\_\_\_ electric \_\_\_\_\_ ?