

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Water quality and safety concerns
<b>Inquiry Sub-Category</b>	Boil Water Advisories
<b>Description</b>	Inquiries about temporary advisories to boil tap water before consumption, including the reasons for the advisory, the affected areas, and updates on the resolution of the issue.
<b>Data Size</b>	6,540 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ an estimated \_\_\_\_\_ lifting this \_\_\_\_\_ boiling requirement?

Does anyone \_\_\_\_\_ mandate is \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ determined to \_\_\_\_\_ this boiling \_\_\_\_\_?

Is \_\_\_\_\_ a timeframe \_\_\_\_\_ required boiling condition?

Can \_\_\_\_\_ estimate \_\_\_\_\_ temporary \_\_\_\_\_ rule \_\_\_\_\_ end?

Can \_\_\_\_\_ us a timetable \_\_\_\_\_ the \_\_\_\_\_ requirement?

\_\_\_\_\_ soon do we \_\_\_\_\_ boiling rule to \_\_\_\_\_?

\_\_\_\_\_ expected timelines \_\_\_\_\_ boiling rule?

\_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ rule \_\_\_\_\_ end?

\_\_\_\_\_ tell me when the current \_\_\_\_\_ to boil \_\_\_\_\_?

Do \_\_\_\_\_ know when \_\_\_\_\_ boiling pass \_\_\_\_\_ be?

\_\_\_\_\_ anyone \_\_\_\_\_ boil mandate ends?

\_\_\_\_\_ frame been set \_\_\_\_\_ removal \_\_\_\_\_ the boiling \_\_\_\_\_?

\_\_\_\_\_ give \_\_\_\_\_ time frame for \_\_\_\_\_ lifting \_\_\_\_\_ this boiling \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ boil water will be alleviated?

\_\_\_\_\_ need to \_\_\_\_\_ when the boiling \_\_\_\_\_ lifted.

Is there an \_\_\_\_\_ time frame for \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ you have an estimate \_\_\_\_\_ when \_\_\_\_\_ need to \_\_\_\_\_?

Is there \_\_\_\_\_ plan \_\_\_\_\_ pull this \_\_\_\_\_?

\_\_\_\_\_ you know \_\_\_\_\_ the current \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ solved?

\_\_\_\_\_ target date \_\_\_\_\_ canceling this \_\_\_\_\_ restriction?

\_\_\_\_\_ when will \_\_\_\_\_ requirement end?

When \_\_\_\_\_ the \_\_\_\_\_ condition \_\_\_\_\_?

\_\_\_\_\_ set \_\_\_\_\_ remove \_\_\_\_\_ boiling requirement?

\_\_\_\_\_ you \_\_\_\_\_ a rough idea \_\_\_\_\_ boil \_\_\_\_\_ soon?

I \_\_\_\_\_ when the need \_\_\_\_\_ pass \_\_\_\_\_ be.

When \_\_\_\_\_ requirement stop?

Is \_\_\_\_\_ any \_\_\_\_\_ get \_\_\_\_\_ of this \_\_\_\_\_ soon?

The stupid \_\_\_\_\_ rule \_\_\_\_\_ going to \_\_\_\_\_ when?  
 \_\_\_\_\_ should we \_\_\_\_\_ short term \_\_\_\_\_ to be \_\_\_\_\_?  
 Has \_\_\_\_\_ set for \_\_\_\_\_ of this \_\_\_\_\_ requirement?  
 The \_\_\_\_\_ be lifted \_\_\_\_\_.  
 \_\_\_\_\_ you going to \_\_\_\_\_ stupid temporary \_\_\_\_\_ rule \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ target \_\_\_\_\_ to remove the temporary \_\_\_\_\_?  
 Is there any \_\_\_\_\_ boiling \_\_\_\_\_?  
 \_\_\_\_\_ anyone \_\_\_\_\_ how \_\_\_\_\_ it \_\_\_\_\_ to remove \_\_\_\_\_ required \_\_\_\_\_ condition?  
 \_\_\_\_\_ a schedule for \_\_\_\_\_ the \_\_\_\_\_ requirement?  
 \_\_\_\_\_ need \_\_\_\_\_ water \_\_\_\_\_ going \_\_\_\_\_ in the future.  
 I \_\_\_\_\_ have \_\_\_\_\_ estimate on when \_\_\_\_\_ need to boil \_\_\_\_\_ water.  
 \_\_\_\_\_ you have \_\_\_\_\_ removal of the boiling \_\_\_\_\_?  
 Has \_\_\_\_\_ set for lifting \_\_\_\_\_ boiling restriction?  
 Is the \_\_\_\_\_ to \_\_\_\_\_ lifted \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ to \_\_\_\_\_ the boil rule?  
 Do \_\_\_\_\_ for lifting this temporary \_\_\_\_\_ restriction?  
 \_\_\_\_\_ there a date \_\_\_\_\_ remove \_\_\_\_\_?  
 Any \_\_\_\_\_ of \_\_\_\_\_ this \_\_\_\_\_ will \_\_\_\_\_?  
 Do we \_\_\_\_\_ an approximate \_\_\_\_\_ when this \_\_\_\_\_?  
 \_\_\_\_\_ a projected timetable \_\_\_\_\_ the \_\_\_\_\_ boiling restriction?  
 \_\_\_\_\_ do \_\_\_\_\_ think you'll scrap \_\_\_\_\_ temporary \_\_\_\_\_ rule?  
 The \_\_\_\_\_ boil water may \_\_\_\_\_ in \_\_\_\_\_ future.  
 \_\_\_\_\_ have an estimate \_\_\_\_\_ when \_\_\_\_\_ will \_\_\_\_\_ boil our water?  
 Have \_\_\_\_\_ ending the boil \_\_\_\_\_?  
 \_\_\_\_\_ will the \_\_\_\_\_ water end?  
 \_\_\_\_\_ tell us when the \_\_\_\_\_ water \_\_\_\_\_ lifted.  
 Will \_\_\_\_\_ requirement \_\_\_\_\_?  
 Is there a \_\_\_\_\_ boil \_\_\_\_\_ notice \_\_\_\_\_ removed?  
 \_\_\_\_\_ have a \_\_\_\_\_ idea \_\_\_\_\_ when \_\_\_\_\_ order will end?  
 How long will it \_\_\_\_\_ for the \_\_\_\_\_ end?  
 Could you give \_\_\_\_\_ timeframe \_\_\_\_\_ lifting \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ temporary boiling rule will end?  
 \_\_\_\_\_ there been a time \_\_\_\_\_ remove \_\_\_\_\_ required boiling \_\_\_\_\_?  
 \_\_\_\_\_ when the \_\_\_\_\_ requirement will end.  
 Has it been \_\_\_\_\_ boiling \_\_\_\_\_ be revoked?  
 \_\_\_\_\_ many days do \_\_\_\_\_ it will \_\_\_\_\_ the \_\_\_\_\_ restriction?  
 \_\_\_\_\_ give \_\_\_\_\_ timetable \_\_\_\_\_ the boiling restriction?  
 What \_\_\_\_\_ rule end?  
 Is there a \_\_\_\_\_ this \_\_\_\_\_ restriction yet?  
 Which is the \_\_\_\_\_ date \_\_\_\_\_ canceling the \_\_\_\_\_?  
 Can there \_\_\_\_\_ for ending \_\_\_\_\_ boil water.  
 Do \_\_\_\_\_ know when we \_\_\_\_\_ need to \_\_\_\_\_?  
 Do you have \_\_\_\_\_ when \_\_\_\_\_ will \_\_\_\_\_ longer have \_\_\_\_\_ boil \_\_\_\_\_?  
 \_\_\_\_\_ estimated \_\_\_\_\_ for \_\_\_\_\_ to boil water in the future \_\_\_\_\_?  
 Is there \_\_\_\_\_ for \_\_\_\_\_ temporary boiling restriction?  
 \_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ end of the boiling \_\_\_\_\_?  
 What is the target \_\_\_\_\_ this \_\_\_\_\_ restriction?  
 \_\_\_\_\_ establish a \_\_\_\_\_ the removal of \_\_\_\_\_ requirement?  
 \_\_\_\_\_ tell me when this \_\_\_\_\_ end?  
 Do \_\_\_\_\_ a timetable for \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ time \_\_\_\_\_ could you \_\_\_\_\_ for lifting \_\_\_\_\_ boiling \_\_\_\_\_?

Estimates of \_\_\_\_\_ the \_\_\_\_\_?

Will the \_\_\_\_\_ removed in \_\_\_\_\_ reasonable time \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ the stupid temporary \_\_\_\_\_ rule?

Can \_\_\_\_\_ tell \_\_\_\_\_ will \_\_\_\_\_ to stop boiling?

\_\_\_\_\_ you \_\_\_\_\_ for \_\_\_\_\_ the boiling restriction?

How \_\_\_\_\_ will you scrap \_\_\_\_\_ temporary \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ rule?

Has you set \_\_\_\_\_ for lifting \_\_\_\_\_?

\_\_\_\_\_ a time \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ requirement?

There \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ boil \_\_\_\_\_ being removed.

\_\_\_\_\_ need a rough \_\_\_\_\_ when \_\_\_\_\_ order will \_\_\_\_\_ ending.

Our \_\_\_\_\_ for \_\_\_\_\_ boil restriction?

\_\_\_\_\_ time frame \_\_\_\_\_ for the \_\_\_\_\_ requirement to be \_\_\_\_\_?

\_\_\_\_\_ a time frame for \_\_\_\_\_ will stop?

Can we \_\_\_\_\_ boiling \_\_\_\_\_ to \_\_\_\_\_ soon?

\_\_\_\_\_ able to specify \_\_\_\_\_ until no more \_\_\_\_\_?

Has the \_\_\_\_\_ time for \_\_\_\_\_ the \_\_\_\_\_ been \_\_\_\_\_?

Does \_\_\_\_\_ when the \_\_\_\_\_ rule \_\_\_\_\_ end?

Has \_\_\_\_\_ been \_\_\_\_\_ plan to remove \_\_\_\_\_ required \_\_\_\_\_?

The temporary \_\_\_\_\_ is \_\_\_\_\_ end.

Have you \_\_\_\_\_ date for \_\_\_\_\_ removal \_\_\_\_\_ boiling \_\_\_\_\_?

Does the timetable \_\_\_\_\_ boil water exist?

\_\_\_\_\_ to remove \_\_\_\_\_ annoying \_\_\_\_\_ requirement \_\_\_\_\_?

Will \_\_\_\_\_ the boiling requirement \_\_\_\_\_?

So, \_\_\_\_\_ chance of getting rid \_\_\_\_\_ mandatory \_\_\_\_\_?

Have you an \_\_\_\_\_ on \_\_\_\_\_ end \_\_\_\_\_ order?

\_\_\_\_\_ say when \_\_\_\_\_ requirement will \_\_\_\_\_?

What is \_\_\_\_\_ date \_\_\_\_\_ the \_\_\_\_\_ restriction?

\_\_\_\_\_ will you \_\_\_\_\_ boil rule?

\_\_\_\_\_ give a timing \_\_\_\_\_ the boiling \_\_\_\_\_?

Are there \_\_\_\_\_ plans \_\_\_\_\_ remove this \_\_\_\_\_ requirement \_\_\_\_\_?

Do \_\_\_\_\_ timetable for \_\_\_\_\_ the boil order?

You \_\_\_\_\_ have \_\_\_\_\_ for \_\_\_\_\_ this boil \_\_\_\_\_.

\_\_\_\_\_ there an estimation \_\_\_\_\_ boil \_\_\_\_\_?

\_\_\_\_\_ an estimate of how \_\_\_\_\_ take to \_\_\_\_\_ need \_\_\_\_\_ water \_\_\_\_\_ the future?

\_\_\_\_\_ you \_\_\_\_\_ the lifting of the \_\_\_\_\_ requirement?

\_\_\_\_\_ been \_\_\_\_\_ for the \_\_\_\_\_ of this \_\_\_\_\_ requirement?

\_\_\_\_\_ a \_\_\_\_\_ be set \_\_\_\_\_ boiling requirement?

Question \_\_\_\_\_ when \_\_\_\_\_ requirement ends.

How long \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ this \_\_\_\_\_ restriction?

\_\_\_\_\_ we have \_\_\_\_\_ time table for \_\_\_\_\_ condition will \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ term \_\_\_\_\_ be lifted?

When \_\_\_\_\_ boiling rule \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ for when \_\_\_\_\_ condition will end?

Is there a \_\_\_\_\_ the temporary \_\_\_\_\_ requirement \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ how \_\_\_\_\_ until \_\_\_\_\_ ceases?

\_\_\_\_\_ you \_\_\_\_\_ for lifting \_\_\_\_\_ boil demand?

\_\_\_\_\_ how \_\_\_\_\_ before \_\_\_\_\_ stop \_\_\_\_\_?

\_\_\_\_\_ boiling \_\_\_\_\_ be removed \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ way to end \_\_\_\_\_ order \_\_\_\_\_?  
 When \_\_\_\_\_ we expect the temporary boiling \_\_\_\_\_ come \_\_\_\_\_?  
 \_\_\_\_\_ target \_\_\_\_\_ canceling \_\_\_\_\_ temporary \_\_\_\_\_ restriction?  
 \_\_\_\_\_ when the temporary boiling \_\_\_\_\_?  
 \_\_\_\_\_ you know the \_\_\_\_\_ time until \_\_\_\_\_ boiling?  
 \_\_\_\_\_ anyone know \_\_\_\_\_ temporary \_\_\_\_\_ ends?  
 \_\_\_\_\_ you going \_\_\_\_\_ scrap the stupid \_\_\_\_\_ boil \_\_\_\_\_?  
 Has \_\_\_\_\_ established for \_\_\_\_\_ the need \_\_\_\_\_ boil water in \_\_\_\_\_?  
 \_\_\_\_\_ rule may \_\_\_\_\_ lifted \_\_\_\_\_ an \_\_\_\_\_ time period.  
 Do we \_\_\_\_\_ a \_\_\_\_\_ time to \_\_\_\_\_ boil \_\_\_\_\_?  
 Are \_\_\_\_\_ expecting an \_\_\_\_\_ date for \_\_\_\_\_ boil water \_\_\_\_\_?  
 Is \_\_\_\_\_ an idea \_\_\_\_\_ how \_\_\_\_\_ end the \_\_\_\_\_?  
 Can we \_\_\_\_\_ this \_\_\_\_\_ to \_\_\_\_\_?  
 Can \_\_\_\_\_ give us \_\_\_\_\_ estimate \_\_\_\_\_ we \_\_\_\_\_ not need to \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ temporary boiling requirement?  
 Can \_\_\_\_\_ provide a \_\_\_\_\_ line \_\_\_\_\_ lifting the \_\_\_\_\_?  
 Is there a target \_\_\_\_\_ canceling \_\_\_\_\_?  
 \_\_\_\_\_ an \_\_\_\_\_ for lifting this boil \_\_\_\_\_?  
 \_\_\_\_\_ long do you think \_\_\_\_\_ of this \_\_\_\_\_ take?  
 \_\_\_\_\_ want \_\_\_\_\_ boiling requirement will be removed.  
 Is there \_\_\_\_\_ period \_\_\_\_\_ remove \_\_\_\_\_ requirement?  
 Has there \_\_\_\_\_ a plan \_\_\_\_\_ rule?  
 What is the \_\_\_\_\_ for \_\_\_\_\_ rid \_\_\_\_\_ the temporary \_\_\_\_\_?  
 When will this \_\_\_\_\_?  
 Could you \_\_\_\_\_ lifting these boiling specifications?  
 \_\_\_\_\_ be \_\_\_\_\_ timetable \_\_\_\_\_ removing the boil \_\_\_\_\_.  
 \_\_\_\_\_ for lifting the boiling \_\_\_\_\_?  
 Is \_\_\_\_\_ a schedule \_\_\_\_\_ the boiling requirement?  
 \_\_\_\_\_ an \_\_\_\_\_ lift the boiling rule?  
 Do you \_\_\_\_\_ when you \_\_\_\_\_ lift the boiling \_\_\_\_\_?  
 \_\_\_\_\_ me \_\_\_\_\_ projected deadline \_\_\_\_\_ ending \_\_\_\_\_ to boil water?  
 \_\_\_\_\_ you \_\_\_\_\_ tell me when the temporary boiling \_\_\_\_\_?  
 Is there \_\_\_\_\_ time when \_\_\_\_\_ order can \_\_\_\_\_?  
 Has \_\_\_\_\_ set for removal \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ projected date for \_\_\_\_\_ temporary boiling \_\_\_\_\_?  
 \_\_\_\_\_ this temporary \_\_\_\_\_ soon?  
 Can you tell me \_\_\_\_\_ temporary \_\_\_\_\_ will \_\_\_\_\_?  
 \_\_\_\_\_ you have \_\_\_\_\_ lifting the boil \_\_\_\_\_?  
 \_\_\_\_\_ the temporary boiling \_\_\_\_\_ will \_\_\_\_\_ lifted is \_\_\_\_\_ of \_\_\_\_\_?  
 If \_\_\_\_\_ is an update \_\_\_\_\_ the \_\_\_\_\_ will \_\_\_\_\_ lifted.  
 Is \_\_\_\_\_ an \_\_\_\_\_ when \_\_\_\_\_ requirement can be \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ you'll be able to \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ want to \_\_\_\_\_ temporary boiling \_\_\_\_\_ will end.  
 \_\_\_\_\_ you planning \_\_\_\_\_ removing \_\_\_\_\_ requirement?  
 \_\_\_\_\_ potential time frame for lifting \_\_\_\_\_ specifications?  
 I \_\_\_\_\_ when \_\_\_\_\_ boiling \_\_\_\_\_ will \_\_\_\_\_.  
 Do you have \_\_\_\_\_ when we shouldn't \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ provide an estimate on \_\_\_\_\_ won't have \_\_\_\_\_ our \_\_\_\_\_?  
 There \_\_\_\_\_ rule that \_\_\_\_\_ to be lifted.  
 How \_\_\_\_\_ will the current \_\_\_\_\_ boil \_\_\_\_\_?

\_\_\_\_\_ when \_\_\_\_\_ boil mandate will \_\_\_\_\_?

Can you \_\_\_\_\_ me how \_\_\_\_\_ it \_\_\_\_\_ be \_\_\_\_\_ no \_\_\_\_\_?

\_\_\_\_\_ short-term boiling \_\_\_\_\_ should be \_\_\_\_\_ point.

Do you know \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ expect \_\_\_\_\_ estimated timetable for removing \_\_\_\_\_ boil \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ expected time \_\_\_\_\_ get \_\_\_\_\_ the \_\_\_\_\_ rule?

\_\_\_\_\_ when \_\_\_\_\_ temporary \_\_\_\_\_ requirement will be \_\_\_\_\_?

Has \_\_\_\_\_ get rid of \_\_\_\_\_ boiling requirement?

How \_\_\_\_\_ will it take \_\_\_\_\_ remove \_\_\_\_\_?

Are \_\_\_\_\_ ideas on ending the \_\_\_\_\_ order \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_ ending the \_\_\_\_\_ to \_\_\_\_\_ water?

\_\_\_\_\_ timeline for lifting \_\_\_\_\_ boiling restriction been \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ won't need to boil the water?

Is there \_\_\_\_\_ deadline \_\_\_\_\_ the \_\_\_\_\_ for boiling \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ boiling \_\_\_\_\_ soon?

Can \_\_\_\_\_ give us \_\_\_\_\_ time period \_\_\_\_\_ these boiling \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ boil mandate ends.

Are there any \_\_\_\_\_ the \_\_\_\_\_ order \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ think \_\_\_\_\_ we stop \_\_\_\_\_?

How \_\_\_\_\_ the \_\_\_\_\_ requirement \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ me a rough \_\_\_\_\_ on \_\_\_\_\_ order soon?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ a certain time?

\_\_\_\_\_ there a \_\_\_\_\_ lifting the boiling \_\_\_\_\_?

Has \_\_\_\_\_ time \_\_\_\_\_ set for removing \_\_\_\_\_ boiling \_\_\_\_\_?

\_\_\_\_\_ give us a \_\_\_\_\_ for lifting \_\_\_\_\_ boiling specifications?

I \_\_\_\_\_ if \_\_\_\_\_ expected \_\_\_\_\_ to lift the boiling rule.

Will there be any \_\_\_\_\_ when \_\_\_\_\_ be lifted?

Please \_\_\_\_\_ us \_\_\_\_\_ when \_\_\_\_\_ required \_\_\_\_\_ period \_\_\_\_\_ lifted.

Are \_\_\_\_\_ expected time period \_\_\_\_\_ lift \_\_\_\_\_ boiling \_\_\_\_\_?

\_\_\_\_\_ long will it take \_\_\_\_\_ the \_\_\_\_\_ requirement to \_\_\_\_\_?

\_\_\_\_\_ have an \_\_\_\_\_ for \_\_\_\_\_ boil demand?

Is \_\_\_\_\_ a \_\_\_\_\_ lifting the \_\_\_\_\_ yet?

\_\_\_\_\_ we \_\_\_\_\_ the short \_\_\_\_\_ to be lifted?

Is \_\_\_\_\_ a timetable \_\_\_\_\_ of the \_\_\_\_\_ restriction?

Is there \_\_\_\_\_ for \_\_\_\_\_ mandate \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ boiling \_\_\_\_\_ end?

\_\_\_\_\_ you \_\_\_\_\_ for the \_\_\_\_\_ of this \_\_\_\_\_ requirement?

\_\_\_\_\_ there \_\_\_\_\_ target \_\_\_\_\_ for removing the \_\_\_\_\_ requirement?

\_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ temporary boiling \_\_\_\_\_ yet been set?

\_\_\_\_\_ when the temporary \_\_\_\_\_ ends?

Can we expect the boiling \_\_\_\_\_?

Is there a projected \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ temporary \_\_\_\_\_?

Have you \_\_\_\_\_ frame \_\_\_\_\_ this boiling requirement?

How long \_\_\_\_\_ don't \_\_\_\_\_ our water?

The short-term \_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ when \_\_\_\_\_ boiling requirement will be \_\_\_\_\_?

\_\_\_\_\_ boiling \_\_\_\_\_ will be \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ boiling condition will end?

\_\_\_\_\_ you say \_\_\_\_\_ the \_\_\_\_\_ rule will \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ a time frame for removal \_\_\_\_\_?

There \_\_\_\_\_ estimated time for \_\_\_\_\_ mandate.  
 \_\_\_\_\_ be plans to \_\_\_\_\_ boiling \_\_\_\_\_?  
 How \_\_\_\_\_ we stop having \_\_\_\_\_ our \_\_\_\_\_?  
 Can \_\_\_\_\_ boiling \_\_\_\_\_ to end?  
 Question \_\_\_\_\_ is \_\_\_\_\_ temporary boil \_\_\_\_\_?  
 The need to boil \_\_\_\_\_ likely \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_.  
 \_\_\_\_\_ we will no \_\_\_\_\_ need to boil \_\_\_\_\_ water?  
 Are you \_\_\_\_\_ end date \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ an estimated timetable for \_\_\_\_\_ boiling restriction?  
 Is \_\_\_\_\_ an \_\_\_\_\_ for \_\_\_\_\_ the need to \_\_\_\_\_ water \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ will \_\_\_\_\_ temporary \_\_\_\_\_ requirement be \_\_\_\_\_?  
 \_\_\_\_\_ the temporary boil \_\_\_\_\_?  
 \_\_\_\_\_ will \_\_\_\_\_ boil requirement \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ an \_\_\_\_\_ when we \_\_\_\_\_ boil our water?  
 \_\_\_\_\_ a time \_\_\_\_\_ boiling requirement?  
 \_\_\_\_\_ we expect \_\_\_\_\_ be lifted soon?  
 \_\_\_\_\_ you \_\_\_\_\_ any \_\_\_\_\_ regarding \_\_\_\_\_ end \_\_\_\_\_ this temporary boiling \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ on \_\_\_\_\_ the temporary boiling requirement \_\_\_\_\_.  
 \_\_\_\_\_ there a \_\_\_\_\_ ending the \_\_\_\_\_ soon?  
 Is \_\_\_\_\_ projected end to \_\_\_\_\_ rule?  
 Got a good idea \_\_\_\_\_ ending \_\_\_\_\_?  
 Will there be \_\_\_\_\_ for \_\_\_\_\_ the boil \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ timeline \_\_\_\_\_ lifting the temporary \_\_\_\_\_ restriction?  
 So \_\_\_\_\_ the boiling \_\_\_\_\_?  
 The temporary \_\_\_\_\_ will \_\_\_\_\_ lifted, \_\_\_\_\_?  
 Do you know the \_\_\_\_\_ time before \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ limit for removing \_\_\_\_\_ order?  
 Do you \_\_\_\_\_ you will \_\_\_\_\_ stupid \_\_\_\_\_ boil \_\_\_\_\_?  
 \_\_\_\_\_ you give a timetable \_\_\_\_\_ boiling \_\_\_\_\_?  
 \_\_\_\_\_ you think it \_\_\_\_\_ take \_\_\_\_\_ no more \_\_\_\_\_ to \_\_\_\_\_?  
 Did you determine a \_\_\_\_\_ end \_\_\_\_\_?  
 \_\_\_\_\_ a time frame been \_\_\_\_\_ the required boiling \_\_\_\_\_?  
 Can we expect \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ tell me \_\_\_\_\_ you will \_\_\_\_\_ boiling?  
 \_\_\_\_\_ anyone give an \_\_\_\_\_ when the \_\_\_\_\_ rule \_\_\_\_\_?  
 \_\_\_\_\_ should \_\_\_\_\_ short-term boiling \_\_\_\_\_ lifted?  
 \_\_\_\_\_ short-term boiling rule \_\_\_\_\_ be \_\_\_\_\_.  
 Is \_\_\_\_\_ a set \_\_\_\_\_ lift the boiling \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ the boil \_\_\_\_\_ ends.  
 \_\_\_\_\_ before \_\_\_\_\_ temporary \_\_\_\_\_ rule ends?  
 \_\_\_\_\_ this stupid \_\_\_\_\_ boil \_\_\_\_\_ going \_\_\_\_\_ be scrapped?  
 \_\_\_\_\_ when \_\_\_\_\_ need for boiling \_\_\_\_\_.  
 \_\_\_\_\_ am \_\_\_\_\_ when the need \_\_\_\_\_ boiling \_\_\_\_\_ happen.  
 When \_\_\_\_\_ boiling rule \_\_\_\_\_?  
 I need an \_\_\_\_\_ on \_\_\_\_\_ to \_\_\_\_\_ boil \_\_\_\_\_.  
 Please \_\_\_\_\_ us know when \_\_\_\_\_ period \_\_\_\_\_ be \_\_\_\_\_.  
 \_\_\_\_\_ how long \_\_\_\_\_ will take \_\_\_\_\_ remove this \_\_\_\_\_ restriction?  
 \_\_\_\_\_ it possible for \_\_\_\_\_ to \_\_\_\_\_ long \_\_\_\_\_ more boiling?  
 Are \_\_\_\_\_ ready \_\_\_\_\_ set \_\_\_\_\_ this boil demand?  
 Can anyone \_\_\_\_\_ an update \_\_\_\_\_ the \_\_\_\_\_ boiling \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ deadline for \_\_\_\_\_ the \_\_\_\_\_ mandate?  
 Do you know \_\_\_\_\_ the \_\_\_\_\_ removed?  
 \_\_\_\_\_ you \_\_\_\_\_ when the boiling requirement \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ table \_\_\_\_\_ removing \_\_\_\_\_ boiling requirement?  
 \_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ will no longer \_\_\_\_\_ boiling?  
 \_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ end of \_\_\_\_\_ temporary \_\_\_\_\_ rule?  
 Does \_\_\_\_\_ have \_\_\_\_\_ good idea \_\_\_\_\_ how \_\_\_\_\_ the \_\_\_\_\_ order?  
 \_\_\_\_\_ you \_\_\_\_\_ estimate on when \_\_\_\_\_ won't need to boil \_\_\_\_\_?  
 Will \_\_\_\_\_ an \_\_\_\_\_ for when the \_\_\_\_\_ mandate will \_\_\_\_\_?  
 \_\_\_\_\_ long \_\_\_\_\_ you \_\_\_\_\_ it will \_\_\_\_\_ temporary boiling mandate?  
 When \_\_\_\_\_ will be lifted?  
 \_\_\_\_\_ lift the boiling rule?  
 When \_\_\_\_\_ the \_\_\_\_\_ lifted.  
 Has \_\_\_\_\_ date been set \_\_\_\_\_ the \_\_\_\_\_ to boil \_\_\_\_\_?  
 \_\_\_\_\_ know an \_\_\_\_\_ for \_\_\_\_\_ this boiling condition \_\_\_\_\_ end?  
 \_\_\_\_\_ for lifting the boil demand \_\_\_\_\_?  
 Is \_\_\_\_\_ expected \_\_\_\_\_ lift \_\_\_\_\_ rule?  
 \_\_\_\_\_ you \_\_\_\_\_ remove this \_\_\_\_\_ requirement soon?  
 \_\_\_\_\_ there \_\_\_\_\_ when the need \_\_\_\_\_ water \_\_\_\_\_ be over?  
 Can \_\_\_\_\_ expect the \_\_\_\_\_ of \_\_\_\_\_?  
 Is the requirement \_\_\_\_\_?  
 Do you have \_\_\_\_\_ on when the \_\_\_\_\_ longer \_\_\_\_\_?  
 Do \_\_\_\_\_ the \_\_\_\_\_ when \_\_\_\_\_ won't \_\_\_\_\_ to boil our \_\_\_\_\_?  
 Is there an \_\_\_\_\_ for \_\_\_\_\_ temporary boiling \_\_\_\_\_?  
 How soon \_\_\_\_\_ rid of this \_\_\_\_\_?  
 Can \_\_\_\_\_ tell \_\_\_\_\_ we \_\_\_\_\_ have to \_\_\_\_\_ water?  
 There \_\_\_\_\_ question mark on when the \_\_\_\_\_.  
 \_\_\_\_\_ idea on \_\_\_\_\_ to end the boil order?  
 \_\_\_\_\_ do we \_\_\_\_\_ short-term \_\_\_\_\_ will be lifted?  
 Will \_\_\_\_\_ to \_\_\_\_\_ water end in \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ for lifting \_\_\_\_\_ specifications?  
 Is there \_\_\_\_\_ for \_\_\_\_\_ boiling \_\_\_\_\_?  
 Has \_\_\_\_\_ timetable for ending \_\_\_\_\_ to boil \_\_\_\_\_?  
 Do \_\_\_\_\_ estimate on when \_\_\_\_\_ don't have \_\_\_\_\_ water?  
 \_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ the need to boil \_\_\_\_\_?  
 \_\_\_\_\_ you have \_\_\_\_\_ timetable for when \_\_\_\_\_ restriction \_\_\_\_\_ be \_\_\_\_\_?  
 Is there \_\_\_\_\_ anticipated \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ water?  
 \_\_\_\_\_ anyone \_\_\_\_\_ an \_\_\_\_\_ on when \_\_\_\_\_ order \_\_\_\_\_ end?  
 \_\_\_\_\_ long do \_\_\_\_\_ would take \_\_\_\_\_ lift the \_\_\_\_\_ mandate?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ say \_\_\_\_\_ long until no \_\_\_\_\_?  
 \_\_\_\_\_ is the timetable \_\_\_\_\_ removal \_\_\_\_\_ boiling requirement?  
 We \_\_\_\_\_ an approximate schedule for \_\_\_\_\_ condition \_\_\_\_\_ end.  
 Is \_\_\_\_\_ remove \_\_\_\_\_ boiling requirement.  
 Is \_\_\_\_\_ a \_\_\_\_\_ time frame \_\_\_\_\_ this boiling \_\_\_\_\_?  
 I \_\_\_\_\_ to know \_\_\_\_\_ this \_\_\_\_\_ requirement will \_\_\_\_\_ lifted.  
 Is \_\_\_\_\_ estimate for the \_\_\_\_\_ the boil \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ on \_\_\_\_\_ the stupid \_\_\_\_\_ boil \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ for eliminating \_\_\_\_\_ to boil \_\_\_\_\_?  
 I \_\_\_\_\_ when \_\_\_\_\_ temporary \_\_\_\_\_ ends.  
 When will \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_?

Is there an \_\_\_\_\_ on \_\_\_\_\_ requirement \_\_\_\_\_ be lifted?

Is \_\_\_\_\_ for lifting the \_\_\_\_\_ rule.

What \_\_\_\_\_ the schedule to \_\_\_\_\_ briefur \_\_\_\_\_?

\_\_\_\_\_ boiling rule going to be \_\_\_\_\_?

Should \_\_\_\_\_ be an \_\_\_\_\_ timetable for \_\_\_\_\_ mandate?

Our target \_\_\_\_\_ for canceling \_\_\_\_\_?

We \_\_\_\_\_ an approximate \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ restriction.

\_\_\_\_\_ mandate will end?

Is \_\_\_\_\_ that \_\_\_\_\_ current need to \_\_\_\_\_ will \_\_\_\_\_ over \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ a possible timeframe \_\_\_\_\_ lifting \_\_\_\_\_ boiling \_\_\_\_\_?

Do anyone \_\_\_\_\_ when \_\_\_\_\_ boil \_\_\_\_\_?

\_\_\_\_\_ know when the \_\_\_\_\_ mandate \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ will be an \_\_\_\_\_ for the \_\_\_\_\_ mandate \_\_\_\_\_ be \_\_\_\_\_.

Has a time frame \_\_\_\_\_ of this \_\_\_\_\_ boiling \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ take \_\_\_\_\_ this boiling requirement \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ you set an estimate \_\_\_\_\_ to \_\_\_\_\_ boil \_\_\_\_\_?

Someone \_\_\_\_\_ to know if \_\_\_\_\_ is \_\_\_\_\_ target \_\_\_\_\_ to \_\_\_\_\_ requirement.

\_\_\_\_\_ you \_\_\_\_\_ longuntil \_\_\_\_\_ more boiling?

\_\_\_\_\_ tell \_\_\_\_\_ when \_\_\_\_\_ will end.

\_\_\_\_\_ a timeframe exist \_\_\_\_\_ remove \_\_\_\_\_?

\_\_\_\_\_ the boiling \_\_\_\_\_ end \_\_\_\_\_?

Is there \_\_\_\_\_ removing the \_\_\_\_\_ for a \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ timeframe for \_\_\_\_\_ these boiling \_\_\_\_\_?

Do you \_\_\_\_\_ an \_\_\_\_\_ timetable for \_\_\_\_\_ the \_\_\_\_\_?

Can \_\_\_\_\_ expect the \_\_\_\_\_ requirement to \_\_\_\_\_ soon?

I would \_\_\_\_\_ the boiling \_\_\_\_\_ ends.

Do we \_\_\_\_\_ removing \_\_\_\_\_ boil order?

\_\_\_\_\_ end \_\_\_\_\_ temporary boil?

The temporary \_\_\_\_\_ requirement will \_\_\_\_\_ lifted \_\_\_\_\_ time \_\_\_\_\_.

\_\_\_\_\_ good idea on ending \_\_\_\_\_ soon?

Is there a \_\_\_\_\_ frame \_\_\_\_\_ of \_\_\_\_\_ boiling \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ approximate schedule \_\_\_\_\_ boiling \_\_\_\_\_ will end.

The \_\_\_\_\_ is when the temporary \_\_\_\_\_ requirement \_\_\_\_\_.

\_\_\_\_\_ are you going to abandon the \_\_\_\_\_?

\_\_\_\_\_ the boil mandate be \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ wonder if \_\_\_\_\_ will be an \_\_\_\_\_ removing \_\_\_\_\_ boil \_\_\_\_\_.

Will \_\_\_\_\_ a \_\_\_\_\_ remove \_\_\_\_\_ boil mandate?

\_\_\_\_\_ be able \_\_\_\_\_ the boiling requirement \_\_\_\_\_ end?

\_\_\_\_\_ soon will this \_\_\_\_\_ mandate \_\_\_\_\_?

Can \_\_\_\_\_ me \_\_\_\_\_ this requirement \_\_\_\_\_ will \_\_\_\_\_ lifted?

\_\_\_\_\_ have an estimate \_\_\_\_\_ the boil demand?

Has \_\_\_\_\_ a \_\_\_\_\_ for revocation of the \_\_\_\_\_ boiling \_\_\_\_\_?

Do we \_\_\_\_\_ this \_\_\_\_\_ condition \_\_\_\_\_?

\_\_\_\_\_ be an \_\_\_\_\_ when the boiling requirement \_\_\_\_\_ be \_\_\_\_\_?

Are \_\_\_\_\_ any \_\_\_\_\_ when \_\_\_\_\_ boil \_\_\_\_\_ will end?

Can you \_\_\_\_\_ when no \_\_\_\_\_ boiling \_\_\_\_\_?

Can anyone tell me \_\_\_\_\_ this \_\_\_\_\_ be \_\_\_\_\_?

The \_\_\_\_\_ be lifted sometime.

\_\_\_\_\_ anyone \_\_\_\_\_ the \_\_\_\_\_ boil mandate?

\_\_\_\_\_ will be lifted?



Is \_\_\_\_\_ a date \_\_\_\_\_ the \_\_\_\_\_ boiling \_\_\_\_\_?

I \_\_\_\_\_ to \_\_\_\_\_ when the \_\_\_\_\_ will \_\_\_\_\_ lifted.

Is there \_\_\_\_\_ lifting the boiling \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ need to cease?

Will \_\_\_\_\_ soon to remove \_\_\_\_\_ requirement?

\_\_\_\_\_ short-term \_\_\_\_\_ rule \_\_\_\_\_ lifted?

\_\_\_\_\_ have an \_\_\_\_\_ timetable \_\_\_\_\_ need to boil water?

Is there \_\_\_\_\_ remove \_\_\_\_\_ boiling \_\_\_\_\_?

Is there \_\_\_\_\_ frame \_\_\_\_\_ lift \_\_\_\_\_ boiling \_\_\_\_\_?

Can you tell \_\_\_\_\_ will \_\_\_\_\_ for \_\_\_\_\_ more boiling?

Did \_\_\_\_\_ set a \_\_\_\_\_ for \_\_\_\_\_ the boiling \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ to no \_\_\_\_\_ boiling?

Is an \_\_\_\_\_ to boil water \_\_\_\_\_ be eliminated?

Is \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ rid \_\_\_\_\_ the boil water \_\_\_\_\_?

Is there a \_\_\_\_\_ order removed?

There \_\_\_\_\_ an \_\_\_\_\_ lift the boiling rule?

Has \_\_\_\_\_ a time limit \_\_\_\_\_ removing \_\_\_\_\_ requirement?

\_\_\_\_\_ the projected \_\_\_\_\_ for \_\_\_\_\_ temporary \_\_\_\_\_ been set?

Do you think \_\_\_\_\_ need \_\_\_\_\_ over in the \_\_\_\_\_ future?

\_\_\_\_\_ we know \_\_\_\_\_ order will be \_\_\_\_\_?

\_\_\_\_\_ you finally end \_\_\_\_\_ stupid \_\_\_\_\_ rule?

\_\_\_\_\_ timetable for \_\_\_\_\_ the \_\_\_\_\_ boil \_\_\_\_\_ in the future \_\_\_\_\_ established?

Are \_\_\_\_\_ sure of \_\_\_\_\_ before we \_\_\_\_\_?

Did you know when \_\_\_\_\_?

Is \_\_\_\_\_ going to \_\_\_\_\_ soon?

Do we \_\_\_\_\_ for removing \_\_\_\_\_ boil \_\_\_\_\_?

Is there \_\_\_\_\_ lifting this \_\_\_\_\_ requirement?

Did \_\_\_\_\_ set \_\_\_\_\_ estimate \_\_\_\_\_ the \_\_\_\_\_ demand?

Is \_\_\_\_\_ an \_\_\_\_\_ time frame \_\_\_\_\_ remove \_\_\_\_\_ condition?

\_\_\_\_\_ requirement should end?

\_\_\_\_\_ until our \_\_\_\_\_ no longer \_\_\_\_\_ to be \_\_\_\_\_?

Is there an \_\_\_\_\_ when \_\_\_\_\_ condition \_\_\_\_\_ end?

I'm \_\_\_\_\_ the temporary boil \_\_\_\_\_.

\_\_\_\_\_ is the target date \_\_\_\_\_ of the \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ an \_\_\_\_\_ on \_\_\_\_\_ the \_\_\_\_\_ order?

\_\_\_\_\_ when we \_\_\_\_\_ be able to \_\_\_\_\_ boiled-water period.

\_\_\_\_\_ the \_\_\_\_\_ requirement \_\_\_\_\_ soon?

Can \_\_\_\_\_ let \_\_\_\_\_ know when \_\_\_\_\_ will \_\_\_\_\_ lifted?

\_\_\_\_\_ there \_\_\_\_\_ plan for the \_\_\_\_\_ boiling requirement?

Please \_\_\_\_\_ when the \_\_\_\_\_ of boiled-water will \_\_\_\_\_.

\_\_\_\_\_ rough idea of \_\_\_\_\_ the \_\_\_\_\_ will end?

What \_\_\_\_\_ expected target date \_\_\_\_\_ canceling this \_\_\_\_\_?

What timetable will \_\_\_\_\_ removing the \_\_\_\_\_?

Does anyone have \_\_\_\_\_ to \_\_\_\_\_ this \_\_\_\_\_?

Can \_\_\_\_\_ requirement end?

Do \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ removal of this \_\_\_\_\_?

\_\_\_\_\_ to pull this \_\_\_\_\_?

Can \_\_\_\_\_ me when the boiling \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ a time \_\_\_\_\_ for lifting the \_\_\_\_\_?

Please let \_\_\_\_\_ know \_\_\_\_\_ anticipated \_\_\_\_\_ lifting the \_\_\_\_\_.

\_\_\_\_\_ a timeframe for removing \_\_\_\_\_?

The need \_\_\_\_\_ boil \_\_\_\_\_ is \_\_\_\_\_ be stopped \_\_\_\_\_ future.

\_\_\_\_\_ the \_\_\_\_\_ end?

Is there a schedule \_\_\_\_\_ removal of \_\_\_\_\_?

Will there \_\_\_\_\_ an anticipated \_\_\_\_\_ the \_\_\_\_\_ mandate?

\_\_\_\_\_ order \_\_\_\_\_ need \_\_\_\_\_ be removed.

\_\_\_\_\_ there \_\_\_\_\_ estimated timetable for the \_\_\_\_\_ of the need \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ remove \_\_\_\_\_ stupid temporary boil rule?

\_\_\_\_\_ when \_\_\_\_\_ requirement will be \_\_\_\_\_.

\_\_\_\_\_ might be \_\_\_\_\_ timetable for the \_\_\_\_\_ removed.

\_\_\_\_\_ an estimate \_\_\_\_\_ a \_\_\_\_\_ ending the need \_\_\_\_\_ boil \_\_\_\_\_ in \_\_\_\_\_?

Any idea on \_\_\_\_\_ be ended?

Are \_\_\_\_\_ able to give \_\_\_\_\_ time frame \_\_\_\_\_ specifications?

Is \_\_\_\_\_ to remove the \_\_\_\_\_ requirement?

\_\_\_\_\_ will it \_\_\_\_\_ this briefur BoilH20 rule?

\_\_\_\_\_ will \_\_\_\_\_ to \_\_\_\_\_ this temporary boiling requirement?

\_\_\_\_\_ when \_\_\_\_\_ boiling rule \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ until no \_\_\_\_\_ boiling?

\_\_\_\_\_ is \_\_\_\_\_ for canceling the \_\_\_\_\_ restrictions?

\_\_\_\_\_ determination \_\_\_\_\_ time to withdraw this \_\_\_\_\_ boiling condition?

Did you \_\_\_\_\_ a timetable for \_\_\_\_\_ removal \_\_\_\_\_?

\_\_\_\_\_ you know \_\_\_\_\_ we \_\_\_\_\_ to boil \_\_\_\_\_?

\_\_\_\_\_ been \_\_\_\_\_ how long \_\_\_\_\_ would \_\_\_\_\_ to remove \_\_\_\_\_ condition?

\_\_\_\_\_ a target \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ requirement?

\_\_\_\_\_ for the removal \_\_\_\_\_ the boiling requirement?

\_\_\_\_\_ is the timetable \_\_\_\_\_ the \_\_\_\_\_?

They \_\_\_\_\_ yet \_\_\_\_\_ a \_\_\_\_\_ lifting the \_\_\_\_\_ restriction.

I \_\_\_\_\_ wondering when \_\_\_\_\_ need for \_\_\_\_\_ would \_\_\_\_\_.

\_\_\_\_\_ it been \_\_\_\_\_ long it will take \_\_\_\_\_ remove this \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ remove the boiling requirement?

\_\_\_\_\_ expecting the \_\_\_\_\_ boiling rule \_\_\_\_\_ be lifted \_\_\_\_\_?

\_\_\_\_\_ will it \_\_\_\_\_ for them \_\_\_\_\_ the temporary \_\_\_\_\_ restriction?

\_\_\_\_\_ will \_\_\_\_\_ temporary boiling mandate \_\_\_\_\_?

Has \_\_\_\_\_ timetable \_\_\_\_\_ the \_\_\_\_\_ to boil water?

Are you \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ requirement?

Has \_\_\_\_\_ projected date \_\_\_\_\_ for \_\_\_\_\_ temporary boiling \_\_\_\_\_?

\_\_\_\_\_ when the \_\_\_\_\_ requirement is ending.

Have \_\_\_\_\_ a \_\_\_\_\_ frame for the \_\_\_\_\_ of \_\_\_\_\_ requirement?

Can you \_\_\_\_\_ time \_\_\_\_\_ lifting this boiling \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ remove \_\_\_\_\_ boiling requirement soon?

\_\_\_\_\_ this boil requirement \_\_\_\_\_?

\_\_\_\_\_ have a \_\_\_\_\_ in mind \_\_\_\_\_ lift the boiling \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ an estimate on \_\_\_\_\_ we \_\_\_\_\_ need to \_\_\_\_\_ water?

Do \_\_\_\_\_ have an idea of when \_\_\_\_\_?

Has a timetable \_\_\_\_\_ of the \_\_\_\_\_ requirement?

\_\_\_\_\_ there be \_\_\_\_\_ for getting rid of \_\_\_\_\_?

\_\_\_\_\_ a deadline \_\_\_\_\_ the \_\_\_\_\_ requirement?

\_\_\_\_\_ a time frame been set \_\_\_\_\_ of the \_\_\_\_\_?

Has \_\_\_\_\_ deadline \_\_\_\_\_ set \_\_\_\_\_ boiling \_\_\_\_\_?

There may \_\_\_\_\_ plans \_\_\_\_\_ the boiling \_\_\_\_\_.

\_\_\_\_ you \_\_\_\_ time limit for lifting \_\_\_\_ requirement?  
 \_\_\_\_ about when \_\_\_\_ boiling rule \_\_\_\_?  
 Is \_\_\_\_ time \_\_\_\_ in place \_\_\_\_ boiling requirement?  
 Is \_\_\_\_ any \_\_\_\_ remove \_\_\_\_ boiling \_\_\_\_ soon?  
 Can \_\_\_\_ boiling requirement \_\_\_\_ end.  
 Is \_\_\_\_ projected \_\_\_\_ for \_\_\_\_ this \_\_\_\_ restriction yet?  
 \_\_\_\_ you know when \_\_\_\_ rule \_\_\_\_ end?  
 Will \_\_\_\_ date \_\_\_\_ the \_\_\_\_ boil be set \_\_\_\_?  
 \_\_\_\_ a timescale for \_\_\_\_ the \_\_\_\_?  
 How much \_\_\_\_ it \_\_\_\_ current \_\_\_\_ to boil \_\_\_\_ to \_\_\_\_ ended?  
 Can \_\_\_\_ expect \_\_\_\_ cease soon?  
 Can \_\_\_\_ tell \_\_\_\_ when the \_\_\_\_ to \_\_\_\_ will be \_\_\_\_?  
 \_\_\_\_ a time \_\_\_\_ set \_\_\_\_ the \_\_\_\_ requirement?  
 \_\_\_\_ have a rough \_\_\_\_ to end the boil \_\_\_\_?  
 The target \_\_\_\_ this boil restriction \_\_\_\_.  
 Can we \_\_\_\_ that \_\_\_\_ boiling requirement \_\_\_\_?  
 Is \_\_\_\_ plan \_\_\_\_ stop \_\_\_\_ requirement soon?  
 Is there an update \_\_\_\_ of the \_\_\_\_?  
 Can you \_\_\_\_ when the boiling \_\_\_\_ lifted?  
 Is \_\_\_\_ any plan \_\_\_\_ get rid \_\_\_\_ boiling \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ deadline \_\_\_\_ removing the need to \_\_\_\_?  
 \_\_\_\_ there a schedule for \_\_\_\_ condition \_\_\_\_ over?  
 Can you give \_\_\_\_ on when \_\_\_\_ water \_\_\_\_ be boiled?  
 \_\_\_\_ a \_\_\_\_ ending the \_\_\_\_ for a \_\_\_\_ water notice?  
 \_\_\_\_ there a time \_\_\_\_ the \_\_\_\_ will \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ boiling \_\_\_\_ being lifted?  
 Do \_\_\_\_ think that the current need \_\_\_\_ water \_\_\_\_?  
 \_\_\_\_ wonder when \_\_\_\_ need for \_\_\_\_ will come \_\_\_\_.  
 \_\_\_\_ have a \_\_\_\_ for \_\_\_\_ boil rule?  
 Can anyone tell me \_\_\_\_ boil \_\_\_\_?  
 Is there \_\_\_\_ to lift \_\_\_\_ requirement?  
 Do you have \_\_\_\_ to withdraw \_\_\_\_ boiling \_\_\_\_?  
 When \_\_\_\_ boiling requirement \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ boiling requirement \_\_\_\_ stop?  
 \_\_\_\_ long \_\_\_\_ it be \_\_\_\_ specifications are lifted?  
 \_\_\_\_ estimates on when \_\_\_\_ ends.  
 \_\_\_\_ you figured \_\_\_\_ the boil \_\_\_\_ will \_\_\_\_?  
 So, any \_\_\_\_ abandoning \_\_\_\_ mandatory boiling?  
 \_\_\_\_ like to \_\_\_\_ a \_\_\_\_ time \_\_\_\_ for \_\_\_\_ these \_\_\_\_ specifications.  
 We don't know \_\_\_\_ rule will be \_\_\_\_.  
 \_\_\_\_ requirement be lifted?  
 \_\_\_\_ anyone \_\_\_\_ when \_\_\_\_ boiling \_\_\_\_ will be lifted?  
 Has \_\_\_\_ been \_\_\_\_ for the \_\_\_\_ boiling requirement?  
 The boiling rule \_\_\_\_.  
 \_\_\_\_ a way to \_\_\_\_ boil \_\_\_\_ soon?  
 \_\_\_\_ there \_\_\_\_ estimate \_\_\_\_ lifting \_\_\_\_ boil demand?  
 Please \_\_\_\_ when this \_\_\_\_ condition \_\_\_\_.  
 \_\_\_\_ estimated time for removing the boil \_\_\_\_.  
 \_\_\_\_ any \_\_\_\_ the boil \_\_\_\_ ends?  
 There is a \_\_\_\_ requirement \_\_\_\_ to remove \_\_\_\_?

I \_\_\_\_ when this boiling \_\_\_\_\_.  
 \_\_\_\_\_ requirement \_\_\_\_ be \_\_\_\_ soon.  
 \_\_\_\_\_ want to know if \_\_\_\_ have \_\_\_\_\_ for \_\_\_\_\_ boil \_\_\_\_\_.  
 \_\_\_\_\_ there a \_\_\_\_ timescale for \_\_\_\_ these \_\_\_\_\_?  
 Is \_\_\_\_\_ remove the temporary boiling \_\_\_\_\_?  
 Will \_\_\_\_ be \_\_\_\_ estimated \_\_\_\_ for \_\_\_\_ the \_\_\_\_ mandate?  
 Can we say when \_\_\_\_ temporary \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_ boiling requirement will \_\_\_\_\_ anyone aware \_\_\_\_ this?  
 A target \_\_\_\_\_ temporary boiling \_\_\_\_\_?  
 \_\_\_\_\_ you determine a deadline \_\_\_\_\_ the \_\_\_\_\_?  
 Has \_\_\_\_\_ been determined to \_\_\_\_ this required \_\_\_\_\_?  
 Can the boiling \_\_\_\_\_?  
 Has \_\_\_\_\_ frame been set for the \_\_\_\_\_ boiling \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ time for the boil mandate \_\_\_\_\_?  
 Will \_\_\_\_ temporary \_\_\_\_ requirement \_\_\_\_\_?  
 Do you have \_\_\_\_\_ of \_\_\_\_\_ to boil water \_\_\_\_\_ over?  
 Can \_\_\_\_ be a deadline \_\_\_\_\_ the temporary need \_\_\_\_\_?  
 Can the temporary boiling \_\_\_\_\_?  
 \_\_\_\_\_ temporary boiling rule \_\_\_\_\_ to \_\_\_\_\_.  
 \_\_\_\_\_ update on when the boiling \_\_\_\_\_?  
 Can \_\_\_\_\_ me when the \_\_\_\_ boiling \_\_\_\_ will \_\_\_\_\_?  
 Does a \_\_\_\_ frame \_\_\_\_\_ set \_\_\_\_\_ boiling requirement?  
 \_\_\_\_\_ soon \_\_\_\_ the \_\_\_\_ of the boiling \_\_\_\_ take \_\_\_\_\_?  
 \_\_\_\_\_ don't \_\_\_\_ an \_\_\_\_ schedule for when \_\_\_\_ boiling \_\_\_\_ will \_\_\_\_\_.  
 \_\_\_\_\_ wondering when \_\_\_\_ temporary boiling \_\_\_\_ would be \_\_\_\_\_.  
 How \_\_\_\_ will \_\_\_\_\_ mandate be \_\_\_\_\_?  
 I \_\_\_\_ wondering \_\_\_\_ the \_\_\_\_ for \_\_\_\_\_ will occur.  
 \_\_\_\_\_ will \_\_\_\_ be a \_\_\_\_ boil \_\_\_\_\_?  
 \_\_\_\_\_ a target \_\_\_\_\_ remove the \_\_\_\_ requirement?  
 \_\_\_\_\_ you \_\_\_\_\_ when we won't \_\_\_\_ to \_\_\_\_\_ water?  
 Is \_\_\_\_ a \_\_\_\_ on \_\_\_\_\_ rule ends?  
 \_\_\_\_\_ a \_\_\_\_ frame for \_\_\_\_ the boiling \_\_\_\_\_?  
 When \_\_\_\_\_ boil \_\_\_\_ end?  
 Do you \_\_\_\_ how long it \_\_\_\_\_ to \_\_\_\_ the \_\_\_\_\_?  
 The \_\_\_\_\_ be removed in \_\_\_\_ estimated \_\_\_\_\_.  
 Have \_\_\_\_ come up \_\_\_\_\_ timetable \_\_\_\_\_ end the \_\_\_\_\_?  
 \_\_\_\_\_ a timetable for \_\_\_\_\_ requirement?  
 Is there \_\_\_\_\_ for the \_\_\_\_\_ the boiling \_\_\_\_\_?  
 Is \_\_\_\_\_ the removal of the \_\_\_\_ order?  
 Can \_\_\_\_\_ when the \_\_\_\_\_ requirement will \_\_\_\_ lifted?  
 Do \_\_\_\_ have \_\_\_\_\_ on when we \_\_\_\_\_ our water?  
 Does \_\_\_\_ estimated \_\_\_\_\_ ending \_\_\_\_ need to boil water \_\_\_\_\_ future?  
 \_\_\_\_\_ this boiling \_\_\_\_ ends?  
 When \_\_\_\_ the \_\_\_\_ mandate \_\_\_\_ to \_\_\_\_\_?  
 What time \_\_\_\_\_ expect \_\_\_\_ boiling \_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ much time \_\_\_\_ it \_\_\_\_ for us \_\_\_\_\_ temporary \_\_\_\_ restriction?  
 \_\_\_\_\_ any \_\_\_\_ been made to \_\_\_\_ this \_\_\_\_\_?  
 Can \_\_\_\_ let \_\_\_\_\_ when this \_\_\_\_ boiling requirement \_\_\_\_\_ lifted?  
 \_\_\_\_\_ tell \_\_\_\_ when the boiling requirement \_\_\_\_\_ down?  
 \_\_\_\_\_ when the \_\_\_\_ requirement ends?

Do \_\_\_\_\_ a plan for \_\_\_\_\_ requirement?

Is an \_\_\_\_\_ time \_\_\_\_\_ the \_\_\_\_\_ rule?

\_\_\_\_\_ there \_\_\_\_\_ for removing \_\_\_\_\_ boil mandate?

Do you \_\_\_\_\_ idea for \_\_\_\_\_ the boil \_\_\_\_\_?

\_\_\_\_\_ a schedule \_\_\_\_\_ this boiling condition will \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ order ends?

How \_\_\_\_\_ to lift the \_\_\_\_\_ rule?

When \_\_\_\_\_ the \_\_\_\_\_ stop?

\_\_\_\_\_ is a question \_\_\_\_\_ temporary boiling rule.

\_\_\_\_\_ will be an estimated time \_\_\_\_\_ to \_\_\_\_\_ removed.

Do you \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_?

Is the \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ do you think \_\_\_\_\_ take to \_\_\_\_\_ the boiling \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ boil \_\_\_\_\_ ends, \_\_\_\_\_ you \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ me when \_\_\_\_\_ of \_\_\_\_\_ be lifted?

\_\_\_\_\_ you \_\_\_\_\_ current need to \_\_\_\_\_ will end in \_\_\_\_\_ near \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ target \_\_\_\_\_ canceling this boil \_\_\_\_\_?

When does \_\_\_\_\_ boil \_\_\_\_\_?

\_\_\_\_\_ soon can \_\_\_\_\_ stop \_\_\_\_\_ drinking \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ update \_\_\_\_\_ when the temporary \_\_\_\_\_ will be \_\_\_\_\_.

How \_\_\_\_\_ the \_\_\_\_\_ boiling \_\_\_\_\_ end?

Has it \_\_\_\_\_ determined how long to \_\_\_\_\_?

\_\_\_\_\_ tell me \_\_\_\_\_ until the \_\_\_\_\_ is over?

Are \_\_\_\_\_ sure \_\_\_\_\_ timetable to end the \_\_\_\_\_?

Are you sure about \_\_\_\_\_ timetable for \_\_\_\_\_ requirement?

\_\_\_\_\_ will \_\_\_\_\_ boil mandate come to \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ an idea \_\_\_\_\_ ending \_\_\_\_\_ boil \_\_\_\_\_ soon?

\_\_\_\_\_ an estimated \_\_\_\_\_ for \_\_\_\_\_ the need \_\_\_\_\_ boil water \_\_\_\_\_ future have \_\_\_\_\_?

I want \_\_\_\_\_ there is \_\_\_\_\_ way to \_\_\_\_\_ the boil \_\_\_\_\_.

\_\_\_\_\_ we expect the \_\_\_\_\_ end?

Do you \_\_\_\_\_ temporary boil requirement \_\_\_\_\_?

\_\_\_\_\_ know when the \_\_\_\_\_ boiling pass \_\_\_\_\_?

Can \_\_\_\_\_ the boiling \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ give us a \_\_\_\_\_ frame for \_\_\_\_\_ requirement?

The \_\_\_\_\_ boiling requirement \_\_\_\_\_ supposed \_\_\_\_\_.

\_\_\_\_\_ soon will we \_\_\_\_\_ the temporary \_\_\_\_\_ restriction?

\_\_\_\_\_ you have a \_\_\_\_\_ for \_\_\_\_\_ the boil \_\_\_\_\_?

\_\_\_\_\_ long is it \_\_\_\_\_ to boil \_\_\_\_\_ water?

Do \_\_\_\_\_ a \_\_\_\_\_ line for lifting \_\_\_\_\_ specifications?

Do \_\_\_\_\_ have an \_\_\_\_\_ of \_\_\_\_\_ the \_\_\_\_\_ will be \_\_\_\_\_?

\_\_\_\_\_ when this boiling \_\_\_\_\_ will be \_\_\_\_\_?

\_\_\_\_\_ would we \_\_\_\_\_ boiling rule \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ may be an estimated timetable for \_\_\_\_\_ removal \_\_\_\_\_.

What \_\_\_\_\_ a \_\_\_\_\_ lifting these \_\_\_\_\_ specifications?

\_\_\_\_\_ there any \_\_\_\_\_ on \_\_\_\_\_ the \_\_\_\_\_ rule ends?

\_\_\_\_\_ to give \_\_\_\_\_ we will not \_\_\_\_\_ to boil our water?

\_\_\_\_\_ you have a \_\_\_\_\_ idea on \_\_\_\_\_ the boil \_\_\_\_\_?

Are you \_\_\_\_\_ on ending the \_\_\_\_\_ soon?

Will \_\_\_\_\_ be \_\_\_\_\_ date for removing \_\_\_\_\_?

How \_\_\_\_\_ think it will take \_\_\_\_\_ us \_\_\_\_\_ stop \_\_\_\_\_?

Can you \_\_\_\_ us \_\_\_\_ you \_\_\_\_ be \_\_\_\_ to \_\_\_\_ the \_\_\_\_ \_\_\_\_?

Has \_\_\_\_ expected \_\_\_\_ to \_\_\_\_ boiling rule?

Estimate \_\_\_\_ the boiling \_\_\_\_?

\_\_\_\_ a deadline \_\_\_\_ the need for \_\_\_\_ boil water \_\_\_\_?

Does anyone have \_\_\_\_ to \_\_\_\_ requirement soon?

\_\_\_\_ you have \_\_\_\_ for \_\_\_\_ this boil \_\_\_\_?

\_\_\_\_ when the temporary boiling \_\_\_\_?

How \_\_\_\_ can \_\_\_\_ lifting \_\_\_\_ boiling requirement?

\_\_\_\_ will \_\_\_\_ rule be removed?

\_\_\_\_ time frame \_\_\_\_ lifting the temporary boiling \_\_\_\_?

The \_\_\_\_ boiling \_\_\_\_ will \_\_\_\_.

\_\_\_\_ the \_\_\_\_ time \_\_\_\_ lifting \_\_\_\_ boiling \_\_\_\_ been set?

\_\_\_\_ does \_\_\_\_ temporary \_\_\_\_ rule \_\_\_\_?

\_\_\_\_ anyone \_\_\_\_ when the need \_\_\_\_ boiling pass \_\_\_\_?

\_\_\_\_ tell me \_\_\_\_ this \_\_\_\_ requirement will \_\_\_\_ lifted.

\_\_\_\_ there is an \_\_\_\_ time frame \_\_\_\_ lift \_\_\_\_ rule.

When \_\_\_\_ need for \_\_\_\_?

Is \_\_\_\_ an \_\_\_\_ for lifting this temporary \_\_\_\_?

\_\_\_\_ does \_\_\_\_ to lift the temporary \_\_\_\_ requirement?

Is \_\_\_\_ an end \_\_\_\_ boil?

\_\_\_\_ not sure when \_\_\_\_ boiling \_\_\_\_ will \_\_\_\_.

\_\_\_\_ there \_\_\_\_ possible time frame for \_\_\_\_ these \_\_\_\_?

\_\_\_\_ have a timetable for the boil \_\_\_\_?

Do \_\_\_\_ the \_\_\_\_ water is \_\_\_\_ to end soon?

\_\_\_\_ tell me when \_\_\_\_ boiling \_\_\_\_ be lifted?

Can you \_\_\_\_ when you will lift \_\_\_\_?

When \_\_\_\_ the \_\_\_\_ boil \_\_\_\_?

When \_\_\_\_ expect this \_\_\_\_ rule \_\_\_\_ be \_\_\_\_?

Can \_\_\_\_ give a \_\_\_\_ for \_\_\_\_ this \_\_\_\_?

Do you have \_\_\_\_ date for \_\_\_\_ of \_\_\_\_?

Is an \_\_\_\_ a \_\_\_\_ ending \_\_\_\_ to boil \_\_\_\_ forthcoming?

\_\_\_\_ a time line \_\_\_\_ to remove \_\_\_\_?

\_\_\_\_ boiling condition will \_\_\_\_ we have a \_\_\_\_?

Has \_\_\_\_ time \_\_\_\_ removing the boiling \_\_\_\_?

\_\_\_\_ there \_\_\_\_ timetable for when this \_\_\_\_ end?

\_\_\_\_ have \_\_\_\_ realistic timetable \_\_\_\_ removing \_\_\_\_ boiling restriction?

\_\_\_\_ any projections \_\_\_\_ the \_\_\_\_ boiling \_\_\_\_ will end?

\_\_\_\_ there \_\_\_\_ when the \_\_\_\_ boiling condition \_\_\_\_ be \_\_\_\_?

Is the \_\_\_\_ boiling \_\_\_\_ to be \_\_\_\_ soon?

\_\_\_\_ might \_\_\_\_ an \_\_\_\_ frame \_\_\_\_ lift \_\_\_\_ boiling rule.

\_\_\_\_ long \_\_\_\_ it take \_\_\_\_ boiling?

So \_\_\_\_ the \_\_\_\_ be lifted?

When \_\_\_\_ boiling \_\_\_\_ be \_\_\_\_?

\_\_\_\_ let \_\_\_\_ when the boil-water \_\_\_\_ end.

\_\_\_\_ you \_\_\_\_ when this \_\_\_\_ requirement \_\_\_\_?

\_\_\_\_ might \_\_\_\_ expected time to lift \_\_\_\_ rule.

We \_\_\_\_ an \_\_\_\_ schedule for \_\_\_\_ boiling \_\_\_\_ will end.

\_\_\_\_ you have an approximate target \_\_\_\_ canceling \_\_\_\_?

\_\_\_\_ any \_\_\_\_ to \_\_\_\_ the boiling \_\_\_\_ soon?

\_\_\_\_ the \_\_\_\_ mandate \_\_\_\_ ended?

\_\_\_\_\_ an \_\_\_\_\_ when the boiling rule \_\_\_\_\_.  
 \_\_\_\_\_ on when the \_\_\_\_\_ rule \_\_\_\_\_?  
 Can you \_\_\_\_\_ possible timeframe for \_\_\_\_\_ these \_\_\_\_\_?  
 \_\_\_\_\_ is just curious \_\_\_\_\_ the need \_\_\_\_\_ will \_\_\_\_\_.  
 \_\_\_\_\_ need an \_\_\_\_\_ on when \_\_\_\_\_ rule \_\_\_\_\_.  
 When \_\_\_\_\_ date \_\_\_\_\_ the temporary boil \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ approximate \_\_\_\_\_ for when this \_\_\_\_\_ condition \_\_\_\_\_?  
 \_\_\_\_\_ ends does anyone know?  
 \_\_\_\_\_ idea \_\_\_\_\_ boil order will be ending?  
 What is \_\_\_\_\_ date \_\_\_\_\_ of the temporary \_\_\_\_\_ restriction?  
 How \_\_\_\_\_ for this boiling condition \_\_\_\_\_ end?  
 Is \_\_\_\_\_ end the \_\_\_\_\_ rule \_\_\_\_\_?  
 How \_\_\_\_\_ will there be an \_\_\_\_\_ timetable \_\_\_\_\_ mandate?  
 Is \_\_\_\_\_ timetable for ending \_\_\_\_\_ need \_\_\_\_\_ boil \_\_\_\_\_ future?  
 \_\_\_\_\_ expect temporary \_\_\_\_\_ to \_\_\_\_\_ soon?  
 Will \_\_\_\_\_ an \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ demand?  
 Do \_\_\_\_\_ be \_\_\_\_\_ date when \_\_\_\_\_ need to boil \_\_\_\_\_ be over?  
 \_\_\_\_\_ know when the \_\_\_\_\_ over?  
 \_\_\_\_\_ estimate of when the temporary \_\_\_\_\_ rule \_\_\_\_\_?  
 \_\_\_\_\_ is supposed to be \_\_\_\_\_.  
 Is \_\_\_\_\_ to \_\_\_\_\_ soon?  
 I would \_\_\_\_\_ to \_\_\_\_\_ when \_\_\_\_\_ mandate \_\_\_\_\_ lifted.  
 Is \_\_\_\_\_ a \_\_\_\_\_ boiling requirement?  
 Is \_\_\_\_\_ an \_\_\_\_\_ time that \_\_\_\_\_ boiling \_\_\_\_\_ be revoked?  
 \_\_\_\_\_ you have \_\_\_\_\_ estimate for \_\_\_\_\_ the \_\_\_\_\_ restriction \_\_\_\_\_ be \_\_\_\_\_?  
 Are we \_\_\_\_\_ to remove \_\_\_\_\_ order in \_\_\_\_\_?  
 The \_\_\_\_\_ is \_\_\_\_\_ will the \_\_\_\_\_ requirement \_\_\_\_\_?  
 Do \_\_\_\_\_ have \_\_\_\_\_ time line \_\_\_\_\_ removing this \_\_\_\_\_?  
 Do \_\_\_\_\_ when \_\_\_\_\_ boil \_\_\_\_\_ will \_\_\_\_\_ over?  
 When will \_\_\_\_\_ stopped?  
 \_\_\_\_\_ there an estimated \_\_\_\_\_ to \_\_\_\_\_ boil \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ to end \_\_\_\_\_ rule?  
 Have \_\_\_\_\_ mapped \_\_\_\_\_ to end \_\_\_\_\_ boil rule?  
 \_\_\_\_\_ when this boiling \_\_\_\_\_ ends?  
 Please \_\_\_\_\_ when \_\_\_\_\_ period \_\_\_\_\_ mandatory boiled-water \_\_\_\_\_ end.  
 When \_\_\_\_\_ mandate \_\_\_\_\_ anyone know?  
 \_\_\_\_\_ tell me \_\_\_\_\_ no \_\_\_\_\_ to boil our water?  
 \_\_\_\_\_ will \_\_\_\_\_ to lift this \_\_\_\_\_ mandate?  
 \_\_\_\_\_ expect the temporary boiling requirement to \_\_\_\_\_?  
 Is \_\_\_\_\_ end when?  
 Is \_\_\_\_\_ way to end the \_\_\_\_\_?  
 Has \_\_\_\_\_ been set \_\_\_\_\_ removing the boiling \_\_\_\_\_?  
 \_\_\_\_\_ anyone \_\_\_\_\_ when \_\_\_\_\_ boiling \_\_\_\_\_ end?  
 \_\_\_\_\_ there \_\_\_\_\_ approximate \_\_\_\_\_ frame for revocation \_\_\_\_\_ required \_\_\_\_\_ condition?  
 How long do \_\_\_\_\_ it will \_\_\_\_\_ end \_\_\_\_\_ rule?  
 Is there \_\_\_\_\_ for \_\_\_\_\_ temporary \_\_\_\_\_ requirement?  
 \_\_\_\_\_ soon \_\_\_\_\_ longer \_\_\_\_\_ to boil our water?  
 Got \_\_\_\_\_ good idea on \_\_\_\_\_ the \_\_\_\_\_ will \_\_\_\_\_?  
 \_\_\_\_\_ when \_\_\_\_\_ temporary \_\_\_\_\_ is over?  
 Are \_\_\_\_\_ timetable \_\_\_\_\_ removing the \_\_\_\_\_?

Is \_\_\_\_ any plan \_\_\_\_ yank \_\_\_\_ requirement \_\_\_\_?

Is \_\_\_\_ a deadline \_\_\_\_ the boil \_\_\_\_ to \_\_\_\_?

Have \_\_\_\_ set a time frame \_\_\_\_ rule?

\_\_\_\_ is \_\_\_\_ requirement ending?

How \_\_\_\_ will it \_\_\_\_ required boiling condition \_\_\_\_?

Do you know how \_\_\_\_ it \_\_\_\_ take \_\_\_\_ restriction?

When will \_\_\_\_ boil \_\_\_\_?

Are you able to \_\_\_\_ estimate of \_\_\_\_ boil our water?

\_\_\_\_ can the \_\_\_\_ for \_\_\_\_?

\_\_\_\_ me \_\_\_\_ long it will \_\_\_\_ end the need \_\_\_\_ boil \_\_\_\_ in \_\_\_\_ future?

\_\_\_\_ estimates on when we \_\_\_\_ need \_\_\_\_ boil our \_\_\_\_?

\_\_\_\_ mark \_\_\_\_ when the boil \_\_\_\_.

\_\_\_\_ a set time period to remove \_\_\_\_?

Can you give \_\_\_\_ on \_\_\_\_ we will \_\_\_\_ longer need \_\_\_\_ boil \_\_\_\_?

\_\_\_\_ is the \_\_\_\_ when the temporary \_\_\_\_ requirement \_\_\_\_ be \_\_\_\_?

\_\_\_\_ have \_\_\_\_ update on when \_\_\_\_ temporary boiling \_\_\_\_ be \_\_\_\_?

\_\_\_\_ there \_\_\_\_ projections for \_\_\_\_ the temporary boiling \_\_\_\_?

When \_\_\_\_ temporary boil \_\_\_\_ to an \_\_\_\_?

Will \_\_\_\_ boiling \_\_\_\_ lifted \_\_\_\_.

\_\_\_\_ have \_\_\_\_ projected \_\_\_\_ for lifting \_\_\_\_ boiling restriction?

\_\_\_\_ be \_\_\_\_ deadline to stop \_\_\_\_ boil water?

\_\_\_\_ the boil \_\_\_\_ to \_\_\_\_?

Will \_\_\_\_ be \_\_\_\_ soon?

\_\_\_\_ we \_\_\_\_ boiling requirement \_\_\_\_ end \_\_\_\_?

How long would it \_\_\_\_ boiling \_\_\_\_?

\_\_\_\_ for lifting the boil \_\_\_\_?

\_\_\_\_ long will \_\_\_\_ be \_\_\_\_ need \_\_\_\_ boil water is \_\_\_\_?

Was \_\_\_\_ timetable \_\_\_\_ need \_\_\_\_ boil water established?

\_\_\_\_ you tell me \_\_\_\_ requirement will go \_\_\_\_?

There \_\_\_\_ mark over when \_\_\_\_ requirement will end.

The \_\_\_\_ will \_\_\_\_ lifted \_\_\_\_ time.

What \_\_\_\_ the approximate target date \_\_\_\_ temporary \_\_\_\_?

Do \_\_\_\_ for removing the boiling \_\_\_\_?

\_\_\_\_ you think it will take \_\_\_\_ the boil \_\_\_\_?

\_\_\_\_ they set a projection for \_\_\_\_ will \_\_\_\_ lifted?

Is there any idea \_\_\_\_ boiling \_\_\_\_?

Is \_\_\_\_ to \_\_\_\_ the \_\_\_\_ rule \_\_\_\_ short period \_\_\_\_ time?

Is \_\_\_\_ a \_\_\_\_ boiling requirement?

Is \_\_\_\_ boil water going to end \_\_\_\_?

\_\_\_\_ an estimated \_\_\_\_ period \_\_\_\_ the \_\_\_\_ to \_\_\_\_ water in the \_\_\_\_?

Please \_\_\_\_ when this boil-water period \_\_\_\_ be \_\_\_\_.

\_\_\_\_ plan to remove the \_\_\_\_?

What \_\_\_\_ will \_\_\_\_ requirement be \_\_\_\_?

Please let \_\_\_\_ mandatory boil-water \_\_\_\_ will \_\_\_\_ lifted.

\_\_\_\_ when this \_\_\_\_ rule \_\_\_\_?

Has a \_\_\_\_ timetable \_\_\_\_ the lifting of the \_\_\_\_?

\_\_\_\_ will be an estimated date for \_\_\_\_ the current \_\_\_\_ to \_\_\_\_?

\_\_\_\_ tell me \_\_\_\_ this temporary boiling requirement \_\_\_\_?

Is \_\_\_\_ time limit \_\_\_\_ to \_\_\_\_ the boiling \_\_\_\_?

Do \_\_\_\_ a \_\_\_\_ idea \_\_\_\_ the boil order \_\_\_\_?



\_\_\_\_ we expect the boiling \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ \_\_\_\_ deadline \_\_\_\_ ending \_\_\_\_ boil water advisory?  
 Is \_\_\_\_ \_\_\_\_ time \_\_\_\_ \_\_\_\_ removing the boil \_\_\_\_ .  
 Can you give an \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ rule ends?  
 \_\_\_\_ \_\_\_\_ boil \_\_\_\_ be removed \_\_\_\_ ?  
 \_\_\_\_ we \_\_\_\_ stop boiling \_\_\_\_ is \_\_\_\_ ?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ me a time frame \_\_\_\_ \_\_\_\_ \_\_\_\_ boiling specifications?  
 Has \_\_\_\_ \_\_\_\_ \_\_\_\_ time frame \_\_\_\_ for revocation \_\_\_\_ the required \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ ready \_\_\_\_ \_\_\_\_ \_\_\_\_ for lifting the boil demand?  
 Is it possible to \_\_\_\_ \_\_\_\_ \_\_\_\_ need to \_\_\_\_ our \_\_\_\_ ?  
 Is \_\_\_\_ a deadline for \_\_\_\_ \_\_\_\_ \_\_\_\_ the boil \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ idea about \_\_\_\_ to end the \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ they \_\_\_\_ a projected time \_\_\_\_ \_\_\_\_ the boiling \_\_\_\_ ?  
 \_\_\_\_ your timetable include \_\_\_\_ \_\_\_\_ boiling \_\_\_\_ ?  
 \_\_\_\_ this boiling condition \_\_\_\_ \_\_\_\_ do \_\_\_\_ \_\_\_\_ a schedule \_\_\_\_ it?  
 Does \_\_\_\_ target date \_\_\_\_ \_\_\_\_ removing the \_\_\_\_ \_\_\_\_ requirement?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ remove \_\_\_\_ boiling requirement?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ projected \_\_\_\_ for lifting the \_\_\_\_ boiling \_\_\_\_ been \_\_\_\_ yet?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ to when we won't need \_\_\_\_ boil our \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ \_\_\_\_ removing the \_\_\_\_ order.  
 \_\_\_\_ there \_\_\_\_ \_\_\_\_ set for removing the \_\_\_\_ requirement?  
 \_\_\_\_ will the \_\_\_\_ \_\_\_\_ requirement be \_\_\_\_ ?  
 \_\_\_\_ \_\_\_\_ have \_\_\_\_ idea on \_\_\_\_ to end \_\_\_\_ \_\_\_\_ order?  
 How much \_\_\_\_ will \_\_\_\_ \_\_\_\_ \_\_\_\_ the boiling restriction?  
 Does \_\_\_\_ know \_\_\_\_ \_\_\_\_ boiling rule \_\_\_\_ ?  
 Is \_\_\_\_ a \_\_\_\_ when \_\_\_\_ \_\_\_\_ requirement \_\_\_\_ removed?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ timetable for the \_\_\_\_ of this boiling \_\_\_\_ ?  
 When \_\_\_\_ \_\_\_\_ boiling requirements \_\_\_\_ \_\_\_\_ ?  
 Can you give \_\_\_\_ potential \_\_\_\_ \_\_\_\_ lifting \_\_\_\_ boiling \_\_\_\_ ?  
 Could \_\_\_\_ \_\_\_\_ \_\_\_\_ a \_\_\_\_ \_\_\_\_ for lifting these boiling \_\_\_\_ ?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ for \_\_\_\_ the boil mandate?  
 \_\_\_\_ will \_\_\_\_ \_\_\_\_ term boiling \_\_\_\_ be \_\_\_\_ ?  
 \_\_\_\_ \_\_\_\_ boiling condition \_\_\_\_ end, do \_\_\_\_ \_\_\_\_ a schedule?  
 What is \_\_\_\_ target \_\_\_\_ for \_\_\_\_ \_\_\_\_ temporary \_\_\_\_ restriction?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ a \_\_\_\_ timescale for lifting \_\_\_\_ \_\_\_\_ boiling restriction?  
 Is there a \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ boiling \_\_\_\_ .  
 Are \_\_\_\_ \_\_\_\_ \_\_\_\_ take \_\_\_\_ boil order \_\_\_\_ ?  
 Is \_\_\_\_ \_\_\_\_ \_\_\_\_ timescale \_\_\_\_ lifting the boiling \_\_\_\_ ?  
 Are \_\_\_\_ any \_\_\_\_ regarding \_\_\_\_ end \_\_\_\_ the \_\_\_\_ rule?  
 \_\_\_\_ anyone \_\_\_\_ any idea when the boil \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ \_\_\_\_ have an \_\_\_\_ \_\_\_\_ \_\_\_\_ the boiling \_\_\_\_ can be removed?  
 Can you \_\_\_\_ how \_\_\_\_ until \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
 Can \_\_\_\_ \_\_\_\_ \_\_\_\_ a \_\_\_\_ frame for the removal of \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ \_\_\_\_ \_\_\_\_ projected time for \_\_\_\_ this temporary \_\_\_\_ restriction \_\_\_\_ ?  
 Is \_\_\_\_ \_\_\_\_ \_\_\_\_ removing the boiling \_\_\_\_ \_\_\_\_ ?  
 Is the \_\_\_\_ boiling requirement \_\_\_\_ \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ would like \_\_\_\_ know a \_\_\_\_ \_\_\_\_ \_\_\_\_ the boiling \_\_\_\_ .  
 \_\_\_\_ you established a \_\_\_\_ \_\_\_\_ \_\_\_\_ the removal \_\_\_\_ this \_\_\_\_ requirement?  
 \_\_\_\_ \_\_\_\_ have a \_\_\_\_ \_\_\_\_ \_\_\_\_ the boil rule?  
 Are there \_\_\_\_ new projections \_\_\_\_ \_\_\_\_ end of the \_\_\_\_ \_\_\_\_ \_\_\_\_ ?

\_\_\_\_\_ been determined \_\_\_\_\_ long \_\_\_\_\_ will \_\_\_\_\_ this required boiling condition?

\_\_\_\_\_ there \_\_\_\_\_ deadline for \_\_\_\_\_ with the need to \_\_\_\_\_?

\_\_\_\_\_ been established \_\_\_\_\_ the removal of this \_\_\_\_\_?

\_\_\_\_\_ will be \_\_\_\_\_ timetable \_\_\_\_\_ removing the \_\_\_\_\_ mandate.

\_\_\_\_\_ timeframe for \_\_\_\_\_ specifications?

\_\_\_\_\_ will \_\_\_\_\_ boiling rule being lifted?

\_\_\_\_\_ do \_\_\_\_\_ expect the \_\_\_\_\_ boiling \_\_\_\_\_ to \_\_\_\_\_ lifted?

Can you tell \_\_\_\_\_ temporary \_\_\_\_\_ will be \_\_\_\_\_?

\_\_\_\_\_ an estimate for lifting the \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ estimation of \_\_\_\_\_ it \_\_\_\_\_ take to \_\_\_\_\_ boiling restriction?

\_\_\_\_\_ an \_\_\_\_\_ on when the boiling \_\_\_\_\_ be removed?

When \_\_\_\_\_ finally scrap \_\_\_\_\_ stupid \_\_\_\_\_ boil \_\_\_\_\_?

\_\_\_\_\_ mandate be \_\_\_\_\_ on a \_\_\_\_\_?

\_\_\_\_\_ time frame to \_\_\_\_\_ the boiling \_\_\_\_\_?

Can we \_\_\_\_\_ boiling \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ temporary boiling \_\_\_\_\_ end?

\_\_\_\_\_ there \_\_\_\_\_ deadline for ending the \_\_\_\_\_ to \_\_\_\_\_?

The \_\_\_\_\_ date \_\_\_\_\_ temporary \_\_\_\_\_ set soon?

\_\_\_\_\_ tell me \_\_\_\_\_ be no boiling requirement?

Has there been \_\_\_\_\_ projected date \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ boiling \_\_\_\_\_ will be lifted.

When \_\_\_\_\_ the requirements \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ have a time \_\_\_\_\_ for \_\_\_\_\_ of the \_\_\_\_\_?

\_\_\_\_\_ this \_\_\_\_\_ rule \_\_\_\_\_ to \_\_\_\_\_?

Any \_\_\_\_\_ this \_\_\_\_\_ requirement?

Is \_\_\_\_\_ a \_\_\_\_\_ the boiling \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ me when \_\_\_\_\_ requirement \_\_\_\_\_ be eliminated?

\_\_\_\_\_ you \_\_\_\_\_ boiling \_\_\_\_\_ will be lifted?

Are \_\_\_\_\_ plans to \_\_\_\_\_ rid \_\_\_\_\_ this \_\_\_\_\_ requirement \_\_\_\_\_?

\_\_\_\_\_ the temporary boiling \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ want \_\_\_\_\_ know \_\_\_\_\_ boiling mandate will be \_\_\_\_\_.

How long will it take \_\_\_\_\_ requirement \_\_\_\_\_ be \_\_\_\_\_?

Is there a \_\_\_\_\_ boil order soon?

Got \_\_\_\_\_ idea on how \_\_\_\_\_ boil order \_\_\_\_\_?

Can you \_\_\_\_\_ a \_\_\_\_\_ for lifting \_\_\_\_\_ boiling \_\_\_\_\_?

When \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_?

Does the \_\_\_\_\_ of \_\_\_\_\_ have \_\_\_\_\_ timetable?

\_\_\_\_\_ a \_\_\_\_\_ frame for \_\_\_\_\_ boil mandate \_\_\_\_\_ removed?

\_\_\_\_\_ there \_\_\_\_\_ time \_\_\_\_\_ the need \_\_\_\_\_ water will \_\_\_\_\_ eliminated?

Did \_\_\_\_\_ time frame for the removal \_\_\_\_\_ requirement?

\_\_\_\_\_ you \_\_\_\_\_ me an \_\_\_\_\_ of \_\_\_\_\_ won't need \_\_\_\_\_ boil our \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ rid of the temporary \_\_\_\_\_?

Has anyone set \_\_\_\_\_ for \_\_\_\_\_ demand?

Are you \_\_\_\_\_ when \_\_\_\_\_ won't \_\_\_\_\_ boil \_\_\_\_\_ water?

Is \_\_\_\_\_ for \_\_\_\_\_ boiling condition will end?

\_\_\_\_\_ know if the \_\_\_\_\_ ends?

I would like \_\_\_\_\_ a \_\_\_\_\_ timeframe \_\_\_\_\_ these boiling \_\_\_\_\_.

\_\_\_\_\_ anyone sure \_\_\_\_\_ the \_\_\_\_\_ mandate \_\_\_\_\_?

\_\_\_\_\_ soon \_\_\_\_\_ short-term \_\_\_\_\_ rule be \_\_\_\_\_?

Do you have \_\_\_\_\_ will not need to \_\_\_\_\_ water?

\_\_\_\_\_ estimate on when we \_\_\_\_\_ have \_\_\_\_\_ our water?  
 \_\_\_\_\_ about when \_\_\_\_\_ boil \_\_\_\_\_ ends.  
 Is \_\_\_\_\_ have an \_\_\_\_\_ timetable \_\_\_\_\_ the boiling restriction?  
 Is \_\_\_\_\_ target \_\_\_\_\_ the boiling \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ this boiling rule \_\_\_\_\_.  
 Has an \_\_\_\_\_ frame \_\_\_\_\_ established \_\_\_\_\_ ending the \_\_\_\_\_ boil water \_\_\_\_\_ the \_\_\_\_\_?  
 Do \_\_\_\_\_ think \_\_\_\_\_ need \_\_\_\_\_ water \_\_\_\_\_ be solved \_\_\_\_\_ a certain \_\_\_\_\_?  
 Has \_\_\_\_\_ a \_\_\_\_\_ removing \_\_\_\_\_ order?  
 Is \_\_\_\_\_ when the \_\_\_\_\_ can be removed?  
 Are \_\_\_\_\_ a \_\_\_\_\_ to end the boil \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ the revocation of \_\_\_\_\_ required \_\_\_\_\_ condition?  
 Can \_\_\_\_\_ be \_\_\_\_\_ estimate for \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ expected \_\_\_\_\_ the boiling rule  
 Do we have \_\_\_\_\_ time \_\_\_\_\_ boil order?  
 \_\_\_\_\_ there a \_\_\_\_\_ remove \_\_\_\_\_ order?  
 Will \_\_\_\_\_ pull this \_\_\_\_\_?  
 \_\_\_\_\_ anyone aware \_\_\_\_\_ when \_\_\_\_\_ temporary \_\_\_\_\_ is over?  
 Can you tell \_\_\_\_\_ about \_\_\_\_\_ removal \_\_\_\_\_ boiling \_\_\_\_\_?  
 Is \_\_\_\_\_ when the need \_\_\_\_\_ boil water \_\_\_\_\_ stopped?  
 Is \_\_\_\_\_ projected \_\_\_\_\_ for lifting \_\_\_\_\_ temporary boiling \_\_\_\_\_?  
 \_\_\_\_\_ estimate \_\_\_\_\_ lift \_\_\_\_\_ boil demand?  
 \_\_\_\_\_ there an \_\_\_\_\_ lift \_\_\_\_\_ boil \_\_\_\_\_ yet?  
 Are \_\_\_\_\_ familiar \_\_\_\_\_ how \_\_\_\_\_ stop boiling?  
 When \_\_\_\_\_ boiling mandate will \_\_\_\_\_ not \_\_\_\_\_.  
 \_\_\_\_\_ you \_\_\_\_\_ any projections about \_\_\_\_\_ end of \_\_\_\_\_ rule?  
 Is \_\_\_\_\_ a \_\_\_\_\_ lifting \_\_\_\_\_ temporary boiling restriction \_\_\_\_\_?  
 \_\_\_\_\_ you sure \_\_\_\_\_ long it \_\_\_\_\_ to remove \_\_\_\_\_ restriction?  
 Are \_\_\_\_\_ me \_\_\_\_\_ boiling requirement will be lifted?  
 \_\_\_\_\_ a \_\_\_\_\_ when \_\_\_\_\_ boiling condition can be \_\_\_\_\_?  
 \_\_\_\_\_ like \_\_\_\_\_ when \_\_\_\_\_ temporary boiling requirement \_\_\_\_\_ be \_\_\_\_\_.  
 Can \_\_\_\_\_ how long until \_\_\_\_\_ stop \_\_\_\_\_?  
 \_\_\_\_\_ question \_\_\_\_\_ is when is \_\_\_\_\_ boil \_\_\_\_\_ ending?  
 When can \_\_\_\_\_ lifted?  
 \_\_\_\_\_ it \_\_\_\_\_ when \_\_\_\_\_ will be lifted?  
 \_\_\_\_\_ you \_\_\_\_\_ the need to \_\_\_\_\_ water \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ future?  
 \_\_\_\_\_ let \_\_\_\_\_ know the anticipated date \_\_\_\_\_ of \_\_\_\_\_ mandatory boiled-water \_\_\_\_\_.  
 Is \_\_\_\_\_ a \_\_\_\_\_ removing the \_\_\_\_\_ boiling requirement?  
 How soon \_\_\_\_\_ we expect \_\_\_\_\_ short-term \_\_\_\_\_ lifted?  
 \_\_\_\_\_ you \_\_\_\_\_ update on when \_\_\_\_\_ boiling \_\_\_\_\_ will be \_\_\_\_\_?  
 What \_\_\_\_\_ our target \_\_\_\_\_ removing the \_\_\_\_\_ restriction?  
 The need to \_\_\_\_\_ will be ending \_\_\_\_\_.  
 Can \_\_\_\_\_ an \_\_\_\_\_ timetable \_\_\_\_\_ the \_\_\_\_\_ of this boiling \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ for stopping the \_\_\_\_\_ boil \_\_\_\_\_?  
 Are \_\_\_\_\_ able \_\_\_\_\_ set \_\_\_\_\_ estimate \_\_\_\_\_ lifting \_\_\_\_\_ demand?  
 \_\_\_\_\_ a date when \_\_\_\_\_ boiling rule \_\_\_\_\_ be \_\_\_\_\_?  
 Have \_\_\_\_\_ timetable \_\_\_\_\_ established \_\_\_\_\_ ending the \_\_\_\_\_ to \_\_\_\_\_?  
 Does \_\_\_\_\_ an approximate schedule for when this \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ timeframe \_\_\_\_\_ lifting \_\_\_\_\_ boiling specifications?  
 \_\_\_\_\_ there an estimate \_\_\_\_\_ when \_\_\_\_\_ boiling \_\_\_\_\_ will \_\_\_\_\_?  
 Can \_\_\_\_\_ potential \_\_\_\_\_ lifting these boiling specifications?

When is \_\_\_\_\_ requirement \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ expected \_\_\_\_\_ lifting of the boiling rule?

Do \_\_\_\_\_ think \_\_\_\_\_ current need \_\_\_\_\_ in \_\_\_\_\_ next few months?

\_\_\_\_\_ temporarily boiling mandate will \_\_\_\_\_?

Is \_\_\_\_\_ time table \_\_\_\_\_ removing the \_\_\_\_\_?

Do you \_\_\_\_\_ the temporary boil \_\_\_\_\_?

\_\_\_\_\_ do we expect \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ lifting \_\_\_\_\_ requirement?

\_\_\_\_\_ wondering when the \_\_\_\_\_ boiling \_\_\_\_\_ occur.

Will \_\_\_\_\_ the boiling \_\_\_\_\_?

\_\_\_\_\_ have an \_\_\_\_\_ on when \_\_\_\_\_ boil \_\_\_\_\_ will end?

\_\_\_\_\_ you have an estimate \_\_\_\_\_ how \_\_\_\_\_ will \_\_\_\_\_ boiling restriction?

Does \_\_\_\_\_ ending the need to boil \_\_\_\_\_ have \_\_\_\_\_?

Are there projections \_\_\_\_\_ of the temporary \_\_\_\_\_?

\_\_\_\_\_ date for \_\_\_\_\_ the boil restriction?

\_\_\_\_\_ you please \_\_\_\_\_ boiling requirement will be \_\_\_\_\_?

Is \_\_\_\_\_ the boiling rule \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way \_\_\_\_\_ end the \_\_\_\_\_ boil order \_\_\_\_\_?

Has it been determined how \_\_\_\_\_ it will \_\_\_\_\_ get \_\_\_\_\_?

Do \_\_\_\_\_ frame \_\_\_\_\_ lifting the boiling specifications?

\_\_\_\_\_ timetable for \_\_\_\_\_ this temporary boiling \_\_\_\_\_ set?

\_\_\_\_\_ deadline set to \_\_\_\_\_ requirement?

Has \_\_\_\_\_ a time frame \_\_\_\_\_ remove this required \_\_\_\_\_ condition?

Is \_\_\_\_\_ to set \_\_\_\_\_ for the boil \_\_\_\_\_?

\_\_\_\_\_ be plans to \_\_\_\_\_ this \_\_\_\_\_ requirement \_\_\_\_\_?

\_\_\_\_\_ temporary \_\_\_\_\_ requirement \_\_\_\_\_ end?

\_\_\_\_\_ you \_\_\_\_\_ up with a \_\_\_\_\_ ending the \_\_\_\_\_?

\_\_\_\_\_ a date \_\_\_\_\_ removal of \_\_\_\_\_ boiling requirement?

How \_\_\_\_\_ should we \_\_\_\_\_ to \_\_\_\_\_ boil \_\_\_\_\_?

When should \_\_\_\_\_ requirement \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ period been \_\_\_\_\_ to \_\_\_\_\_ this \_\_\_\_\_ condition?

Do \_\_\_\_\_ have a \_\_\_\_\_ to \_\_\_\_\_ boil \_\_\_\_\_?

Someone wants \_\_\_\_\_ boiling \_\_\_\_\_ ends.

\_\_\_\_\_ it \_\_\_\_\_ end \_\_\_\_\_ boil rule?

\_\_\_\_\_ timetable \_\_\_\_\_ been \_\_\_\_\_ ending \_\_\_\_\_ need to boil \_\_\_\_\_ the future?

Does \_\_\_\_\_ requirement end \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ boiling requirement \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ end \_\_\_\_\_ current need to boil water?

\_\_\_\_\_ you sure \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ be over?

Is \_\_\_\_\_ target \_\_\_\_\_ the boiling requirement should \_\_\_\_\_ removed?

\_\_\_\_\_ anyone \_\_\_\_\_ when the \_\_\_\_\_ ends?

\_\_\_\_\_ it expected \_\_\_\_\_ the \_\_\_\_\_ requirement will end?

\_\_\_\_\_ an \_\_\_\_\_ on the end of \_\_\_\_\_ rule?

Will \_\_\_\_\_ boil mandate \_\_\_\_\_ a \_\_\_\_\_ time?

\_\_\_\_\_ are \_\_\_\_\_ the temporary boiling \_\_\_\_\_ ends?

Do we have \_\_\_\_\_ set time for \_\_\_\_\_ this \_\_\_\_\_?

Is \_\_\_\_\_ time when \_\_\_\_\_ boiling condition \_\_\_\_\_ end?

\_\_\_\_\_ you tell me \_\_\_\_\_ duration \_\_\_\_\_ more \_\_\_\_\_?

\_\_\_\_\_ anticipated timetable for \_\_\_\_\_ boil mandate?

Is there a \_\_\_\_\_ for \_\_\_\_\_ to boil \_\_\_\_\_ removed?

\_\_\_\_\_ know when the \_\_\_\_\_ order \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ timetable \_\_\_\_\_ established for \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ in the \_\_\_\_\_?

Does \_\_\_\_\_ time \_\_\_\_\_ to lift the boiling \_\_\_\_\_?

\_\_\_\_\_ know when this \_\_\_\_\_ rule \_\_\_\_\_?

Can we \_\_\_\_\_ to \_\_\_\_\_ requirement?

Is \_\_\_\_\_ projected \_\_\_\_\_ for lifting \_\_\_\_\_ boiling \_\_\_\_\_?

\_\_\_\_\_ let us \_\_\_\_\_ mandatory \_\_\_\_\_ period \_\_\_\_\_ expected \_\_\_\_\_ be lifted.

Is an \_\_\_\_\_ the need to \_\_\_\_\_ water \_\_\_\_\_ future.

Does \_\_\_\_\_ time frame have been \_\_\_\_\_ ending the \_\_\_\_\_ water in \_\_\_\_\_?

There will \_\_\_\_\_ timetable for \_\_\_\_\_ of the boil \_\_\_\_\_.

\_\_\_\_\_ us \_\_\_\_\_ when the \_\_\_\_\_ boiled-water \_\_\_\_\_ be ended.

Do \_\_\_\_\_ have an \_\_\_\_\_ on \_\_\_\_\_ we will \_\_\_\_\_ to \_\_\_\_\_ water?

\_\_\_\_\_ we have \_\_\_\_\_ estimate of \_\_\_\_\_ this boiling \_\_\_\_\_?

\_\_\_\_\_ there a deadline \_\_\_\_\_ to \_\_\_\_\_ water will be \_\_\_\_\_?

\_\_\_\_\_ set an estimate for \_\_\_\_\_ boil \_\_\_\_\_?

\_\_\_\_\_ you have an \_\_\_\_\_ the \_\_\_\_\_ won't need to \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ rid \_\_\_\_\_ the \_\_\_\_\_ order?

\_\_\_\_\_ you give us a potential \_\_\_\_\_ specifications?

The \_\_\_\_\_ canceling the temporary \_\_\_\_\_ restriction is \_\_\_\_\_.

Is there a \_\_\_\_\_ the \_\_\_\_\_.

Does \_\_\_\_\_ boil \_\_\_\_\_ is ended?

\_\_\_\_\_ about how \_\_\_\_\_ no more boiling?