

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Water quality and safety concerns
<b>Inquiry Sub-Category</b>	Chlorination and Fluoridation
<b>Description</b>	Inquiries about the use of chlorine and fluoride in water treatment processes, including their purpose, dosage, and potential health effects associated with long-term exposure.
<b>Data Size</b>	5,008 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

Is there \_\_\_\_ maximum allowable \_\_\_\_ for \_\_\_\_ free-chlorine concentration \_\_\_\_ disinfection \_\_\_\_ \_\_\_\_ \_\_\_\_ ?

How \_\_\_\_ \_\_\_\_ \_\_\_\_ in \_\_\_\_ facility after it's been \_\_\_\_ of harmful \_\_\_\_ ?

\_\_\_\_ free-chlorine \_\_\_\_ after facility \_\_\_\_ ?

\_\_\_\_ is \_\_\_\_ maximum \_\_\_\_ unused \_\_\_\_ allowed \_\_\_\_ your facility after \_\_\_\_ \_\_\_\_ process?

Do you have a \_\_\_\_ the \_\_\_\_ of \_\_\_\_ \_\_\_\_ can \_\_\_\_ ?

Is there a \_\_\_\_ chlorine leftovers \_\_\_\_ the process of \_\_\_\_ ?

\_\_\_\_ it comes to chlorine leftovers \_\_\_\_ your place after the \_\_\_\_ ?

Is \_\_\_\_ rule regarding \_\_\_\_ \_\_\_\_ your place after the \_\_\_\_ ?

\_\_\_\_ you have a \_\_\_\_ chlorine in your \_\_\_\_ ?

How \_\_\_\_ chlorine can \_\_\_\_ left after \_\_\_\_ a \_\_\_\_ ?

\_\_\_\_ your facility restrict \_\_\_\_ of \_\_\_\_ after the \_\_\_\_ process?

Do \_\_\_\_ have a limit on the \_\_\_\_ of \_\_\_\_ you \_\_\_\_ ?

How much residual chlorine \_\_\_\_ can \_\_\_\_ given \_\_\_\_ after \_\_\_\_ been cleansed \_\_\_\_ harmful \_\_\_\_ ?

Should residual-free \_\_\_\_ within permissible \_\_\_\_ ?

Does your \_\_\_\_ set a \_\_\_\_ of \_\_\_\_ free \_\_\_\_ ?

What \_\_\_\_ of residual \_\_\_\_ can \_\_\_\_ get \_\_\_\_ a \_\_\_\_ of harmful substances?

\_\_\_\_ facility limit the amount \_\_\_\_ free \_\_\_\_ after \_\_\_\_ ?

Does \_\_\_\_ a defined \_\_\_\_ of free-chlorine left \_\_\_\_ the \_\_\_\_ ?

Can \_\_\_\_ tell \_\_\_\_ the maximum \_\_\_\_ after \_\_\_\_ clean your \_\_\_\_ ?

Hey, just curious, \_\_\_\_ there \_\_\_\_ cap \_\_\_\_ how much of \_\_\_\_ chlorine \_\_\_\_ after \_\_\_\_ do \_\_\_\_ ?

\_\_\_\_ free-chlorine allowed \_\_\_\_ facility disinfection?

\_\_\_\_ have guidelines for how \_\_\_\_ free-chlorine \_\_\_\_ be \_\_\_\_ at \_\_\_\_ plants?

After \_\_\_\_ cleansed of harmful agents \_\_\_\_ much \_\_\_\_ residual \_\_\_\_ one get \_\_\_\_ a \_\_\_\_ ?

Is the maximum \_\_\_\_ residual \_\_\_\_ in the \_\_\_\_ ?

\_\_\_\_ residual \_\_\_\_ concentration \_\_\_\_ you \_\_\_\_ in \_\_\_\_ facility after being cleansed \_\_\_\_ harmful \_\_\_\_ ?

\_\_\_\_ there a limit \_\_\_\_ chlorine can be \_\_\_\_ ?

\_\_\_\_ me \_\_\_\_ there is a threshold for \_\_\_\_ ?

Is there a \_\_\_\_ for \_\_\_\_ after \_\_\_\_ ?

How \_\_\_\_\_ concentration can \_\_\_\_\_ in a \_\_\_\_\_ it \_\_\_\_\_ been cleaned of harmful \_\_\_\_\_?

We would like \_\_\_\_\_ know \_\_\_\_\_ is \_\_\_\_\_ on \_\_\_\_\_ levels \_\_\_\_\_ cleaning.

When it \_\_\_\_\_ leftover \_\_\_\_\_ sanitizing process, \_\_\_\_\_ there a \_\_\_\_\_?

\_\_\_\_\_ the facility has \_\_\_\_\_ maximum \_\_\_\_\_ of free-chlorine \_\_\_\_\_ the \_\_\_\_\_?

Can there \_\_\_\_\_ much \_\_\_\_\_ can remain after the \_\_\_\_\_ over?

Does your \_\_\_\_\_ a limit \_\_\_\_\_ residual \_\_\_\_\_ after the \_\_\_\_\_?

There is \_\_\_\_\_ limit \_\_\_\_\_ amount \_\_\_\_\_ residual \_\_\_\_\_ concentration \_\_\_\_\_ make after your \_\_\_\_\_.

\_\_\_\_\_ have a \_\_\_\_\_ on the amount of \_\_\_\_\_ cleaning?

If you \_\_\_\_\_ what is \_\_\_\_\_ set \_\_\_\_\_ for \_\_\_\_\_ levels?

How much residual \_\_\_\_\_ concentration can \_\_\_\_\_ facility \_\_\_\_\_ after \_\_\_\_\_ been cleansed \_\_\_\_\_?

\_\_\_\_\_ curious, but is \_\_\_\_\_ cap \_\_\_\_\_ much \_\_\_\_\_ remains after your \_\_\_\_\_ routine?

\_\_\_\_\_ a limit \_\_\_\_\_ the amount of \_\_\_\_\_ free chlorine?

Any \_\_\_\_\_ on \_\_\_\_\_ after \_\_\_\_\_ process?

\_\_\_\_\_ the facility \_\_\_\_\_ on residual \_\_\_\_\_ Chlorine levels?

How \_\_\_\_\_ chlorine concentration \_\_\_\_\_ be \_\_\_\_\_ in a given facility \_\_\_\_\_ cleansed of harmful \_\_\_\_\_?

What's the \_\_\_\_\_ chlorine?

\_\_\_\_\_ us \_\_\_\_\_ if there is a \_\_\_\_\_ after cleaning.

Is \_\_\_\_\_ has a limit \_\_\_\_\_ chlorination levels?

\_\_\_\_\_ the maximum \_\_\_\_\_ concentration allowed \_\_\_\_\_ your facility?

Just curious, \_\_\_\_\_ a cap \_\_\_\_\_ how \_\_\_\_\_ chlorine stays \_\_\_\_\_ do your \_\_\_\_\_?

Does \_\_\_\_\_ have \_\_\_\_\_ on \_\_\_\_\_ free chlorine?

\_\_\_\_\_ facility have \_\_\_\_\_ limit for residual \_\_\_\_\_ levels after \_\_\_\_\_ process?

\_\_\_\_\_ the facility have \_\_\_\_\_ on the \_\_\_\_\_ free-chlorine \_\_\_\_\_?

After \_\_\_\_\_ of \_\_\_\_\_ particles how \_\_\_\_\_ of \_\_\_\_\_ chlorine \_\_\_\_\_ can one get \_\_\_\_\_ facility?

What \_\_\_\_\_ the \_\_\_\_\_ residual-free \_\_\_\_\_ level for \_\_\_\_\_ facility?

Can \_\_\_\_\_ state if \_\_\_\_\_ max approved \_\_\_\_\_ chlorine?

\_\_\_\_\_ is \_\_\_\_\_ amount \_\_\_\_\_ unused \_\_\_\_\_ allowed by the \_\_\_\_\_?

Is there a \_\_\_\_\_ leftover \_\_\_\_\_ in your \_\_\_\_\_?

\_\_\_\_\_ it possible to have \_\_\_\_\_ free-chlorine \_\_\_\_\_ in your facility?

\_\_\_\_\_ have any guidelines \_\_\_\_\_ maximum amount \_\_\_\_\_ unreacted \_\_\_\_\_ be released?

Is residual-free \_\_\_\_\_ stay \_\_\_\_\_ its permissible \_\_\_\_\_?

Do you know \_\_\_\_\_ is a \_\_\_\_\_ for remaining \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ maximum allowable post-disinfection \_\_\_\_\_.

\_\_\_\_\_ residual \_\_\_\_\_ can one \_\_\_\_\_ facility after it's been cleansed of \_\_\_\_\_ organisms?

\_\_\_\_\_ you \_\_\_\_\_ for \_\_\_\_\_ much leftover chlorine should \_\_\_\_\_ left at \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ a set limit \_\_\_\_\_ free chlorine \_\_\_\_\_?

After \_\_\_\_\_ at your facility, \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ chlorine allowed?

Is there \_\_\_\_\_ maximum \_\_\_\_\_?

What \_\_\_\_\_ the permissible residual-free \_\_\_\_\_ concentration \_\_\_\_\_ in \_\_\_\_\_?

Is \_\_\_\_\_ limit on \_\_\_\_\_ residual \_\_\_\_\_?

\_\_\_\_\_ facility have \_\_\_\_\_ residual free- Chlorine levels?

How \_\_\_\_\_ of the residual \_\_\_\_\_ can one \_\_\_\_\_ in a \_\_\_\_\_ has been \_\_\_\_\_ substances?

What is the \_\_\_\_\_ the \_\_\_\_\_ levels \_\_\_\_\_ your process?

Are \_\_\_\_\_ any \_\_\_\_\_ how \_\_\_\_\_ chlorine can \_\_\_\_\_ over?

\_\_\_\_\_ me \_\_\_\_\_ limit \_\_\_\_\_ residual free-chlorine \_\_\_\_\_ at your facility?

Does your \_\_\_\_\_ limit on the \_\_\_\_\_ free \_\_\_\_\_ levels?

\_\_\_\_\_ facility limit \_\_\_\_\_ amount of \_\_\_\_\_ left over \_\_\_\_\_ cleaning \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ of residualfree chlorine in \_\_\_\_\_ facility?

What is the \_\_\_\_\_ allowed after \_\_\_\_\_ process \_\_\_\_\_ your facility?

Does \_\_\_\_\_ facility limit \_\_\_\_\_ chlorine left after \_\_\_\_\_?

\_\_\_\_\_ chlorine \_\_\_\_\_ can one get in \_\_\_\_\_ facility \_\_\_\_\_ being cleansed of harmful particles?  
 \_\_\_\_\_ set \_\_\_\_\_ for residual free-chlorine \_\_\_\_\_ facility?  
 Is \_\_\_\_\_ a \_\_\_\_\_ level \_\_\_\_\_ residualfree chlorine \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ wondering if \_\_\_\_\_ cap on how \_\_\_\_\_ chlorine stayed \_\_\_\_\_ your \_\_\_\_\_ routine?  
 How much \_\_\_\_\_ concentration \_\_\_\_\_ have after \_\_\_\_\_ of harmful agents?  
 Can \_\_\_\_\_ tell me the maximum approved \_\_\_\_\_?  
 Is \_\_\_\_\_ limit left-over \_\_\_\_\_ concentrations?  
 \_\_\_\_\_ your facility \_\_\_\_\_ the amount \_\_\_\_\_ chlorine that \_\_\_\_\_ after cleaning \_\_\_\_\_?  
 \_\_\_\_\_ facility \_\_\_\_\_ of chlorine left after \_\_\_\_\_ the premises?  
 Is there \_\_\_\_\_ set \_\_\_\_\_ free-chlorine levels \_\_\_\_\_ facility?  
 Can \_\_\_\_\_ me the \_\_\_\_\_ will work at \_\_\_\_\_ facility?  
 \_\_\_\_\_ the \_\_\_\_\_ limit on \_\_\_\_\_ chlorine \_\_\_\_\_ exist \_\_\_\_\_ your facility?  
 \_\_\_\_\_ know \_\_\_\_\_ the facility \_\_\_\_\_ limit for residual free-chlorine \_\_\_\_\_?  
 Does your facility \_\_\_\_\_ maximum \_\_\_\_\_ residual \_\_\_\_\_ levels?  
 Grumps, \_\_\_\_\_ limit on \_\_\_\_\_ free \_\_\_\_\_ from your \_\_\_\_\_ process?  
 Does your facility \_\_\_\_\_ amount \_\_\_\_\_ chlorine \_\_\_\_\_ after \_\_\_\_\_ cleaning?  
 How much residual \_\_\_\_\_ be \_\_\_\_\_ a facility after \_\_\_\_\_ been \_\_\_\_\_ of \_\_\_\_\_?  
 Is there \_\_\_\_\_ of \_\_\_\_\_ chlorine \_\_\_\_\_ at your \_\_\_\_\_?  
 Do \_\_\_\_\_ facility \_\_\_\_\_ a maximum limit \_\_\_\_\_ levels \_\_\_\_\_ disinfection process?  
 Does your \_\_\_\_\_ limit the \_\_\_\_\_ chlorine \_\_\_\_\_ after \_\_\_\_\_ clean \_\_\_\_\_?  
 Will \_\_\_\_\_ be \_\_\_\_\_ on \_\_\_\_\_ much \_\_\_\_\_ chlorine can \_\_\_\_\_?  
 \_\_\_\_\_ much of \_\_\_\_\_ residual chlorine concentration can be \_\_\_\_\_ a \_\_\_\_\_ after \_\_\_\_\_ been cleansed \_\_\_\_\_ substances?  
 \_\_\_\_\_ how much residual \_\_\_\_\_ can be left?  
 Is \_\_\_\_\_ any limit \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_?  
 Does your \_\_\_\_\_ amount of \_\_\_\_\_ after the cleaning \_\_\_\_\_?  
 How \_\_\_\_\_ of \_\_\_\_\_ chlorine concentration can \_\_\_\_\_ a facility after \_\_\_\_\_ of \_\_\_\_\_?  
 How \_\_\_\_\_ chlorine \_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ after it's been cleansed of \_\_\_\_\_?  
 \_\_\_\_\_ residual free-chlorine allowed?  
 Is there \_\_\_\_\_ cap \_\_\_\_\_ levels after \_\_\_\_\_?  
 \_\_\_\_\_ facility \_\_\_\_\_ the amount of free chlorine \_\_\_\_\_ after \_\_\_\_\_ cleaning the \_\_\_\_\_?  
 What's \_\_\_\_\_ amount of \_\_\_\_\_ chlorine \_\_\_\_\_ products?  
 \_\_\_\_\_ the \_\_\_\_\_ for residual free-chlorine levels at \_\_\_\_\_?  
 Is the maximum \_\_\_\_\_ the \_\_\_\_\_ after the disinfecting \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ residualfree chlorine concentration \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ maximum \_\_\_\_\_ of unused chlorine \_\_\_\_\_ your facility?  
 How \_\_\_\_\_ of the residual \_\_\_\_\_ concentration \_\_\_\_\_ be found in \_\_\_\_\_ after being \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ leftover \_\_\_\_\_ concentration \_\_\_\_\_ your location?  
 \_\_\_\_\_ you \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ amount of \_\_\_\_\_ chlorine \_\_\_\_\_ can have?  
 \_\_\_\_\_ the acceptable level \_\_\_\_\_ chlorine at \_\_\_\_\_ facility?  
 \_\_\_\_\_ there \_\_\_\_\_ cap \_\_\_\_\_ how \_\_\_\_\_ chlorine \_\_\_\_\_ after disinfecting?  
 Does \_\_\_\_\_ facility \_\_\_\_\_ level for residualfree chlorine \_\_\_\_\_?  
 Does \_\_\_\_\_ facility limit the amount \_\_\_\_\_ left \_\_\_\_\_ a \_\_\_\_\_ process?  
 \_\_\_\_\_ your facility \_\_\_\_\_ a maximum \_\_\_\_\_ free-chlorine levels?  
 \_\_\_\_\_ the acceptable residual-free \_\_\_\_\_ concentration \_\_\_\_\_ facility?  
 \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ much chlorine stays \_\_\_\_\_ you do \_\_\_\_\_ disinfecting routine?  
 \_\_\_\_\_ your \_\_\_\_\_ a maximum \_\_\_\_\_ for \_\_\_\_\_ after the procedure?  
 \_\_\_\_\_ maximum \_\_\_\_\_ free-chlorine \_\_\_\_\_ your facility?  
 \_\_\_\_\_ on \_\_\_\_\_ residual free-chlorine \_\_\_\_\_ you can make after \_\_\_\_\_ facility has \_\_\_\_\_ cleaned.  
 \_\_\_\_\_ much residual \_\_\_\_\_ can be found in \_\_\_\_\_ after \_\_\_\_\_ been cleaned \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ specific \_\_\_\_\_ of free-chlorine left after \_\_\_\_\_ process?

\_\_\_\_\_ max approved \_\_\_\_\_ of \_\_\_\_\_ chlorine afterwards?

What \_\_\_\_\_ the maximum threshold \_\_\_\_\_ concentration \_\_\_\_\_ disinfection process?

\_\_\_\_\_ limit the amount \_\_\_\_\_ chlorine that \_\_\_\_\_ left after \_\_\_\_\_?

How \_\_\_\_\_ chlorine can be \_\_\_\_\_ in a \_\_\_\_\_ it's \_\_\_\_\_ particles?

\_\_\_\_\_ free-chlorine \_\_\_\_\_ allowed \_\_\_\_\_ a facility's \_\_\_\_\_?

Does the \_\_\_\_\_ a \_\_\_\_\_ threshold \_\_\_\_\_ residual chlorine \_\_\_\_\_?

\_\_\_\_\_ limit \_\_\_\_\_ free-Chlorine levels \_\_\_\_\_ from your process?

\_\_\_\_\_ your \_\_\_\_\_ on residual \_\_\_\_\_ levels \_\_\_\_\_?

\_\_\_\_\_ maximum level of \_\_\_\_\_ concentration \_\_\_\_\_ your facility?

Hey, just curious, but \_\_\_\_\_ there \_\_\_\_\_ the \_\_\_\_\_ that stays after a \_\_\_\_\_?

\_\_\_\_\_ you let us \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ cap \_\_\_\_\_ remaining \_\_\_\_\_?

\_\_\_\_\_ your facility \_\_\_\_\_ limit on \_\_\_\_\_ free \_\_\_\_\_ levels?

\_\_\_\_\_ the limit \_\_\_\_\_ residual-free chlorine \_\_\_\_\_?

\_\_\_\_\_ the maximum \_\_\_\_\_ residual \_\_\_\_\_ levels exist \_\_\_\_\_ facility?

What is \_\_\_\_\_ maximum \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ maximum residual \_\_\_\_\_ it's been \_\_\_\_\_?

What is the maximum \_\_\_\_\_ residual free \_\_\_\_\_ facility?

What \_\_\_\_\_ of residual chlorine \_\_\_\_\_ one \_\_\_\_\_ facility after \_\_\_\_\_ has \_\_\_\_\_ of harmful \_\_\_\_\_?

Can you \_\_\_\_\_ us \_\_\_\_\_ a cap \_\_\_\_\_ levels?

\_\_\_\_\_ there \_\_\_\_\_ limit for leftover \_\_\_\_\_ products?

What \_\_\_\_\_ the \_\_\_\_\_ free-chlorine \_\_\_\_\_ the facility?

What \_\_\_\_\_ the \_\_\_\_\_ residual-free chlorine \_\_\_\_\_ your facility?

\_\_\_\_\_ you have a \_\_\_\_\_ on how much \_\_\_\_\_ cleaning?

\_\_\_\_\_ your facility limit \_\_\_\_\_ amount of \_\_\_\_\_ remains?

Is \_\_\_\_\_ a \_\_\_\_\_ for residualfree \_\_\_\_\_ concentration in \_\_\_\_\_?

\_\_\_\_\_ free chlorine \_\_\_\_\_ disinfection?

\_\_\_\_\_ much chlorine \_\_\_\_\_ be left \_\_\_\_\_ after \_\_\_\_\_ procedure?

Please \_\_\_\_\_ us \_\_\_\_\_ a \_\_\_\_\_ remaining chlorine levels after \_\_\_\_\_.

\_\_\_\_\_ there restriction \_\_\_\_\_ after treatment ends?

\_\_\_\_\_ facility \_\_\_\_\_ the free \_\_\_\_\_ that remains after \_\_\_\_\_ process?

Do \_\_\_\_\_ know \_\_\_\_\_ is a ceiling \_\_\_\_\_ content?

Is \_\_\_\_\_ to \_\_\_\_\_ much \_\_\_\_\_ can be left?

\_\_\_\_\_ you have \_\_\_\_\_ limit on \_\_\_\_\_ chlorine \_\_\_\_\_ your \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ chlorine allowed after the process \_\_\_\_\_?

Does \_\_\_\_\_ facility \_\_\_\_\_ a max \_\_\_\_\_ of free \_\_\_\_\_?

How \_\_\_\_\_ residual chlorine concentration can \_\_\_\_\_ get in \_\_\_\_\_ given facility \_\_\_\_\_ it \_\_\_\_\_ substances?

\_\_\_\_\_ limit on how much \_\_\_\_\_ chlorine can be left?

\_\_\_\_\_ your \_\_\_\_\_ limit \_\_\_\_\_ much free-chlorine remains \_\_\_\_\_ the \_\_\_\_\_?

What is the \_\_\_\_\_ residual-free \_\_\_\_\_ concentration \_\_\_\_\_?

\_\_\_\_\_ the facility \_\_\_\_\_ a maximum \_\_\_\_\_ for \_\_\_\_\_ chlorine?

There \_\_\_\_\_ a \_\_\_\_\_ much \_\_\_\_\_ free-chlorine \_\_\_\_\_ you can make \_\_\_\_\_ your \_\_\_\_\_ clean.

\_\_\_\_\_ your \_\_\_\_\_ limit the \_\_\_\_\_ chlorine \_\_\_\_\_ after a cleaning?

\_\_\_\_\_ much \_\_\_\_\_ the residual chlorine \_\_\_\_\_ be \_\_\_\_\_ facility after \_\_\_\_\_ of harmful \_\_\_\_\_?

\_\_\_\_\_ allowed for \_\_\_\_\_ chlorine concentration in \_\_\_\_\_?

\_\_\_\_\_ the maximum amount of \_\_\_\_\_ that can \_\_\_\_\_ left \_\_\_\_\_?

Does \_\_\_\_\_ of residualfree chlorine \_\_\_\_\_ in your \_\_\_\_\_?

Do \_\_\_\_\_ if there is \_\_\_\_\_ maximum \_\_\_\_\_ of \_\_\_\_\_ chlorine \_\_\_\_\_?

How \_\_\_\_\_ chlorine concentration \_\_\_\_\_ get \_\_\_\_\_ a facility \_\_\_\_\_ has been \_\_\_\_\_ of harmful \_\_\_\_\_?

Just curious, \_\_\_\_\_ is \_\_\_\_\_ on \_\_\_\_\_ chlorine \_\_\_\_\_ after your disinfecting \_\_\_\_\_?

How much residual \_\_\_\_\_ can one get \_\_\_\_\_ a \_\_\_\_\_ facility \_\_\_\_\_ cleansed \_\_\_\_\_?

Does \_\_\_\_ location \_\_\_\_ leftover chlorine?

Do \_\_\_\_ a limit \_\_\_\_ the leftover chlorine \_\_\_\_ your \_\_\_\_?

\_\_\_\_ is the maximum \_\_\_\_ chlorine \_\_\_\_ use?

Does \_\_\_\_ a threshold for residual free \_\_\_\_?

Post-disinfection, \_\_\_\_ a maximum chlorine \_\_\_\_?

\_\_\_\_ be an upper limit \_\_\_\_ free chlorine \_\_\_\_?

\_\_\_\_ you tell me \_\_\_\_ chlorine concentration \_\_\_\_?

What \_\_\_\_ maximum \_\_\_\_ after your \_\_\_\_ is clean?

How much of the residual \_\_\_\_ concentration should \_\_\_\_ in a \_\_\_\_ after \_\_\_\_ been \_\_\_\_?

Does your facility \_\_\_\_ free chlorine?

Does \_\_\_\_ have \_\_\_\_ limit on the \_\_\_\_ of \_\_\_\_?

\_\_\_\_ question of \_\_\_\_ post-disinfection chlorine.

Does \_\_\_\_ facility have a \_\_\_\_ limit on \_\_\_\_ amount \_\_\_\_ left?

\_\_\_\_ do \_\_\_\_ a cap on how much \_\_\_\_ stays after \_\_\_\_ do your \_\_\_\_ routine?

\_\_\_\_ facility \_\_\_\_ a permissible residual-free \_\_\_\_?

Do \_\_\_\_ think \_\_\_\_ chlorine \_\_\_\_ allowable?

Is \_\_\_\_ allowable \_\_\_\_ post-disinfection \_\_\_\_?

Does your \_\_\_\_ the \_\_\_\_ chlorine \_\_\_\_ a cleaning?

\_\_\_\_ residual-free chlorine allowed \_\_\_\_ stay \_\_\_\_ afterwards?

Does \_\_\_\_ facility have \_\_\_\_ limit \_\_\_\_ free-chlorine \_\_\_\_ the disinfection \_\_\_\_?

Do \_\_\_\_ for how \_\_\_\_ leftover chlorine is \_\_\_\_ your \_\_\_\_?

\_\_\_\_ regarding chlorine leftovers \_\_\_\_ your place \_\_\_\_ a \_\_\_\_ process?

\_\_\_\_ facility \_\_\_\_ a limit on the \_\_\_\_ Chlorine \_\_\_\_?

Can you tell \_\_\_\_ the \_\_\_\_ of unreacted \_\_\_\_?

\_\_\_\_ much residual chlorine concentration can \_\_\_\_ a \_\_\_\_ facility \_\_\_\_ it \_\_\_\_ cleansed of harmful \_\_\_\_?

\_\_\_\_ there \_\_\_\_ limit \_\_\_\_ free-chlorine levels leftover from \_\_\_\_?

\_\_\_\_ your \_\_\_\_ have \_\_\_\_ free-chlorine \_\_\_\_ after the disinfecting process?

\_\_\_\_ possible to \_\_\_\_ a \_\_\_\_ amount \_\_\_\_ free-chlorine concentration at \_\_\_\_ facility?

\_\_\_\_ facility \_\_\_\_ amount of \_\_\_\_ on the \_\_\_\_ after cleaning it?

When it comes to \_\_\_\_ your \_\_\_\_ you \_\_\_\_ rule?

\_\_\_\_ there be \_\_\_\_ limit on the \_\_\_\_ left \_\_\_\_ cleaning?

\_\_\_\_ on \_\_\_\_ much \_\_\_\_ can be used at your site?

\_\_\_\_ you \_\_\_\_ is a \_\_\_\_ of unreacted chlorine afterwards?

Is there \_\_\_\_ for residualfree \_\_\_\_ concentration \_\_\_\_ the \_\_\_\_?

Is there a \_\_\_\_ leftover \_\_\_\_ in \_\_\_\_.

Do you \_\_\_\_ there is \_\_\_\_ rule when \_\_\_\_ to \_\_\_\_ at \_\_\_\_ place?

Is there \_\_\_\_ maximum level for \_\_\_\_ your \_\_\_\_?

\_\_\_\_ your \_\_\_\_ residual free-chlorine levels after the cleaning?

What \_\_\_\_ of \_\_\_\_ chlorine permitted after the \_\_\_\_?

Does \_\_\_\_ facility set a limit \_\_\_\_?

Your facility \_\_\_\_ limit \_\_\_\_ levels?

\_\_\_\_ a cap \_\_\_\_ how \_\_\_\_ stays after your \_\_\_\_ routine?

Can you tell \_\_\_\_ if \_\_\_\_ cap \_\_\_\_ levels?

Is residual \_\_\_\_ permitted \_\_\_\_?

Do \_\_\_\_ if there \_\_\_\_ a \_\_\_\_ remaining chlorine?

\_\_\_\_ you tell me \_\_\_\_ a limit \_\_\_\_ chlorine \_\_\_\_?

I'm \_\_\_\_ but is there \_\_\_\_ cap \_\_\_\_ how \_\_\_\_ stays after \_\_\_\_ your \_\_\_\_?

\_\_\_\_ amount \_\_\_\_ residual chlorine \_\_\_\_ can one \_\_\_\_ a \_\_\_\_ being cleansed \_\_\_\_ harmful \_\_\_\_?

Is there a limit \_\_\_\_ of \_\_\_\_ chlorine \_\_\_\_ have \_\_\_\_?

Do \_\_\_\_ facility have a \_\_\_\_ for \_\_\_\_ free-chlorine \_\_\_\_?

\_\_\_\_ your facility \_\_\_\_ for \_\_\_\_ levels?  
 Does your \_\_\_\_ have \_\_\_\_ chlorine \_\_\_\_?  
 \_\_\_\_ you have a \_\_\_\_ how \_\_\_\_ chlorine \_\_\_\_ should keep?  
 What level \_\_\_\_ free-chlorine \_\_\_\_ after \_\_\_\_?  
 \_\_\_\_ facility \_\_\_\_ amount \_\_\_\_ left in the \_\_\_\_ after a cleaning?  
 Do you know \_\_\_\_ on the \_\_\_\_?  
 I \_\_\_\_ to \_\_\_\_ there is a \_\_\_\_ concentration of unreacted \_\_\_\_.  
 What is your \_\_\_\_ policy \_\_\_\_ the acceptable \_\_\_\_ chloride \_\_\_\_?  
 \_\_\_\_ facility \_\_\_\_ a \_\_\_\_ free-chlorine left?  
 How much \_\_\_\_ concentration can you \_\_\_\_ into a facility \_\_\_\_ it \_\_\_\_ organisms?  
 \_\_\_\_ you \_\_\_\_ any \_\_\_\_ on the \_\_\_\_ amount \_\_\_\_ chlorine you \_\_\_\_ have?  
 Are the \_\_\_\_ residualfree \_\_\_\_ your facility?  
 \_\_\_\_ I'm curious, but is there \_\_\_\_ much \_\_\_\_ after \_\_\_\_ do \_\_\_\_ disinfecting routine?  
 \_\_\_\_ facility have \_\_\_\_ level for \_\_\_\_ free-chlorine?  
 \_\_\_\_ much \_\_\_\_ can \_\_\_\_ a facility after it's been cleaned \_\_\_\_?  
 Is maximum \_\_\_\_?  
 \_\_\_\_ if there's \_\_\_\_ cap \_\_\_\_ chlorine levels \_\_\_\_ cleaning.  
 \_\_\_\_ you \_\_\_\_ facility has \_\_\_\_ limit for residualchlorination \_\_\_\_?  
 \_\_\_\_ amount of \_\_\_\_ chlorine can one \_\_\_\_ facility after \_\_\_\_ has \_\_\_\_ cleansed of \_\_\_\_?  
 Is \_\_\_\_ to how \_\_\_\_ residual free-chlorine \_\_\_\_ can \_\_\_\_ after a process \_\_\_\_?  
 \_\_\_\_ is the limit of \_\_\_\_ allowed \_\_\_\_ facility?  
 What is \_\_\_\_ maximum amount \_\_\_\_ allowed \_\_\_\_ your \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ a cap on remaining chlorine levels \_\_\_\_.  
 Is \_\_\_\_ cap on remaining \_\_\_\_ after \_\_\_\_?  
 Can you tell \_\_\_\_ is a cap on \_\_\_\_ residual \_\_\_\_?  
 Can you tell me \_\_\_\_ is \_\_\_\_ on \_\_\_\_ concentrations?  
 \_\_\_\_ facility have a maximum \_\_\_\_ free chlorine in \_\_\_\_ the disinfection \_\_\_\_?  
 Is \_\_\_\_ a \_\_\_\_ to \_\_\_\_ leftover \_\_\_\_ your location?  
 Is the \_\_\_\_ able \_\_\_\_ leave a \_\_\_\_ free-chlorine?  
 \_\_\_\_ residual-free \_\_\_\_ limits after disinfection?  
 Does your \_\_\_\_ have maximum \_\_\_\_?  
 \_\_\_\_ facility have a \_\_\_\_ on \_\_\_\_ free-chlorine levels \_\_\_\_ process \_\_\_\_ disinfection?  
 Is \_\_\_\_ threshold \_\_\_\_ chlorine after a \_\_\_\_ product?  
 Does \_\_\_\_ limit for residualfree \_\_\_\_ concentration?  
 \_\_\_\_ your facility \_\_\_\_ the amount of \_\_\_\_ from \_\_\_\_ process?  
 \_\_\_\_ much \_\_\_\_ concentration \_\_\_\_ one get in a \_\_\_\_ being \_\_\_\_ of \_\_\_\_ substances?  
 \_\_\_\_ much \_\_\_\_ the residual \_\_\_\_ can \_\_\_\_ a \_\_\_\_ after being \_\_\_\_ of harmful \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ me about the max \_\_\_\_ of \_\_\_\_?  
 What is \_\_\_\_ maximum \_\_\_\_ that can be \_\_\_\_ in your \_\_\_\_?  
 Do \_\_\_\_ have a \_\_\_\_ limit \_\_\_\_ residual \_\_\_\_ levels?  
 After sterilizing, \_\_\_\_ is \_\_\_\_ maximum amount \_\_\_\_ left?  
 \_\_\_\_ the \_\_\_\_ amount \_\_\_\_ remaining free \_\_\_\_ can be left?  
 \_\_\_\_ residual chlorine amount after \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ me \_\_\_\_ your \_\_\_\_ maximum limit on \_\_\_\_ free chlorine \_\_\_\_?  
 \_\_\_\_ know \_\_\_\_ there is a \_\_\_\_ on chlorine \_\_\_\_ after \_\_\_\_.  
 Are \_\_\_\_ maximum \_\_\_\_ residualfree chlorine \_\_\_\_ in your \_\_\_\_?  
 Does \_\_\_\_ facility \_\_\_\_ a \_\_\_\_ how \_\_\_\_ free-chlorine is \_\_\_\_ after the \_\_\_\_?  
 \_\_\_\_ your \_\_\_\_ have \_\_\_\_ for residual free-chlorine levels?  
 Does \_\_\_\_ facility \_\_\_\_ the \_\_\_\_ that stays after \_\_\_\_ cleaning \_\_\_\_?  
 What \_\_\_\_ chlorine can be \_\_\_\_ a \_\_\_\_ after it has been \_\_\_\_ harmful \_\_\_\_?

How \_\_\_\_\_ a given facility \_\_\_\_\_ it has been cleansed of harmful \_\_\_\_\_?  
 \_\_\_\_\_ being cleansed of \_\_\_\_\_ particles, how \_\_\_\_\_ the \_\_\_\_\_ chlorine \_\_\_\_\_ one get in \_\_\_\_\_?

How \_\_\_\_\_ of \_\_\_\_\_ residual \_\_\_\_\_ concentration \_\_\_\_\_ one get \_\_\_\_\_ a facility \_\_\_\_\_ it has \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ much chlorine stays after you \_\_\_\_\_ your \_\_\_\_\_ routine?

Can there \_\_\_\_\_ the leftover chlorine \_\_\_\_\_ after \_\_\_\_\_ cleaning \_\_\_\_\_?

Can you \_\_\_\_\_ me \_\_\_\_\_ permissible residual-free \_\_\_\_\_ concentration \_\_\_\_\_ at \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ regarding \_\_\_\_\_ amount of unreacted chlorine that \_\_\_\_\_ be \_\_\_\_\_?

Is \_\_\_\_\_ a limit \_\_\_\_\_ much \_\_\_\_\_ free-chlorine \_\_\_\_\_ can make after \_\_\_\_\_?

Do you know \_\_\_\_\_ residual-free \_\_\_\_\_ concentration \_\_\_\_\_ at \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ one get in a facility \_\_\_\_\_ it's been cleansed \_\_\_\_\_ particles?  
 \_\_\_\_\_ curious, \_\_\_\_\_ is \_\_\_\_\_ on how much \_\_\_\_\_ stays after \_\_\_\_\_ do your \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ limit \_\_\_\_\_ chlorine \_\_\_\_\_ my location?

How \_\_\_\_\_ residual \_\_\_\_\_ concentration \_\_\_\_\_ a \_\_\_\_\_ it has been cleansed \_\_\_\_\_ harmful \_\_\_\_\_?

I would \_\_\_\_\_ a \_\_\_\_\_ on remaining \_\_\_\_\_ levels after cleaning.

Do you know if \_\_\_\_\_ a limit \_\_\_\_\_ how \_\_\_\_\_ leftover \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ limit on the \_\_\_\_\_ in your area?

What \_\_\_\_\_ maximum \_\_\_\_\_ chlorine \_\_\_\_\_?

How much \_\_\_\_\_ be left over \_\_\_\_\_ procedure \_\_\_\_\_?

Is \_\_\_\_\_ cap on \_\_\_\_\_ much residual \_\_\_\_\_ post-disinfection?

What \_\_\_\_\_ maximum amount of unused chlorine \_\_\_\_\_ the process \_\_\_\_\_ facility?

How much \_\_\_\_\_ after \_\_\_\_\_ disinfection \_\_\_\_\_?

How \_\_\_\_\_ chlorine concentration can one \_\_\_\_\_ a \_\_\_\_\_ after \_\_\_\_\_ cleaned \_\_\_\_\_ organisms?

What \_\_\_\_\_ concentration level for your \_\_\_\_\_?  
 \_\_\_\_\_ there is a limit \_\_\_\_\_ residual chlorine \_\_\_\_\_?

\_\_\_\_\_ much \_\_\_\_\_ chlorine concentration \_\_\_\_\_ get \_\_\_\_\_ facility \_\_\_\_\_ it has been \_\_\_\_\_ of \_\_\_\_\_ agents?  
 \_\_\_\_\_ able to \_\_\_\_\_ us if there's a \_\_\_\_\_ on \_\_\_\_\_?

How \_\_\_\_\_ chlorine \_\_\_\_\_ you \_\_\_\_\_ facility after being cleansed of \_\_\_\_\_ particles?  
 \_\_\_\_\_ your facility have \_\_\_\_\_ level of \_\_\_\_\_ Chlorine?

How much \_\_\_\_\_ concentration can \_\_\_\_\_ a facility after it has \_\_\_\_\_ cleansed \_\_\_\_\_ harmful \_\_\_\_\_?

Does \_\_\_\_\_ have a maximum limit \_\_\_\_\_ free-chlorine \_\_\_\_\_.

\_\_\_\_\_ disinfection \_\_\_\_\_ done \_\_\_\_\_ is there \_\_\_\_\_ remaining chlorine content?  
 \_\_\_\_\_ chlorine can \_\_\_\_\_ a \_\_\_\_\_ after it has \_\_\_\_\_ of harmful agents?

Is there \_\_\_\_\_ chlorine amount left \_\_\_\_\_?

Can \_\_\_\_\_ tell \_\_\_\_\_ you have guidelines for \_\_\_\_\_ amount of \_\_\_\_\_?

Do you think \_\_\_\_\_ a maximum \_\_\_\_\_?

\_\_\_\_\_ your facility \_\_\_\_\_ a maximum limit on \_\_\_\_\_?

Does \_\_\_\_\_ facility have a \_\_\_\_\_?

Is \_\_\_\_\_ maximum approved \_\_\_\_\_ unreacted chlorine \_\_\_\_\_?

What \_\_\_\_\_ of residual-free \_\_\_\_\_ concentration is allowed \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ can be kept \_\_\_\_\_ your facility?

Do \_\_\_\_\_ have a \_\_\_\_\_ on the residual \_\_\_\_\_ concentration \_\_\_\_\_ in \_\_\_\_\_ facilities?  
 \_\_\_\_\_ is \_\_\_\_\_ amount \_\_\_\_\_ unused chlorine \_\_\_\_\_ the \_\_\_\_\_ process \_\_\_\_\_ your facility?  
 \_\_\_\_\_ the \_\_\_\_\_ of residual \_\_\_\_\_ in your facility?

What \_\_\_\_\_ the \_\_\_\_\_ residual-free \_\_\_\_\_ level at \_\_\_\_\_ facility?  
 \_\_\_\_\_ facility have \_\_\_\_\_ limit for \_\_\_\_\_ free-chlorine levels after \_\_\_\_\_ process?

What is \_\_\_\_\_ about \_\_\_\_\_ an \_\_\_\_\_ level for \_\_\_\_\_ post-treatment?  
 \_\_\_\_\_ you have \_\_\_\_\_ amount of residual free-chlorine you \_\_\_\_\_ have \_\_\_\_\_ plants?  
 \_\_\_\_\_ your \_\_\_\_\_ set a \_\_\_\_\_ limit \_\_\_\_\_ free \_\_\_\_\_ levels?

Does your facility \_\_\_\_\_ amount \_\_\_\_\_ remains after \_\_\_\_\_ cleaning process?

What \_\_\_\_\_ the maximum amount of residual \_\_\_\_\_ facility?

Hey, \_\_\_\_\_ is \_\_\_\_\_ a cap on the \_\_\_\_\_ chlorine \_\_\_\_\_ do your disinfecting routine?  
 \_\_\_\_\_ free-chlorine \_\_\_\_\_ after \_\_\_\_\_ been cleaned?

How much \_\_\_\_\_ the residual \_\_\_\_\_ can \_\_\_\_\_ in a \_\_\_\_\_ after \_\_\_\_\_ been cleaned \_\_\_\_\_ particles?  
 \_\_\_\_\_ of residual chlorine concentration can you \_\_\_\_\_ a facility \_\_\_\_\_ it's \_\_\_\_\_ cleansed \_\_\_\_\_?  
 \_\_\_\_\_ you think maximum \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ residual chlorine concentration \_\_\_\_\_ you get \_\_\_\_\_ given facility after being cleansed of \_\_\_\_\_?  
 \_\_\_\_\_ is the maximum amount of \_\_\_\_\_ free-chlorine \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ chlorine concentration \_\_\_\_\_ gotten in a \_\_\_\_\_ after it has \_\_\_\_\_ cleansed \_\_\_\_\_ organisms?

After \_\_\_\_\_ what \_\_\_\_\_ of \_\_\_\_\_ allowed?  
 \_\_\_\_\_ cap \_\_\_\_\_ much chlorine stays after you do \_\_\_\_\_?

Are there \_\_\_\_\_ chlorine concentration in your \_\_\_\_\_?  
 \_\_\_\_\_ your facility \_\_\_\_\_ on \_\_\_\_\_ free chlorine levels after the \_\_\_\_\_?

Do you have \_\_\_\_\_ set \_\_\_\_\_ free-chlorine levels \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ there a cap \_\_\_\_\_ how \_\_\_\_\_ chlorine \_\_\_\_\_ your disinfecting \_\_\_\_\_?

How \_\_\_\_\_ chlorine concentration \_\_\_\_\_ you allow at \_\_\_\_\_?  
 Does your \_\_\_\_\_ set \_\_\_\_\_ on residual free \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ if it is a max \_\_\_\_\_ concentration \_\_\_\_\_?

Can you tell \_\_\_\_\_ about the \_\_\_\_\_ chlorine?  
 Do residual-free \_\_\_\_\_ stay \_\_\_\_\_ limits after \_\_\_\_\_?

Does the facility \_\_\_\_\_ the \_\_\_\_\_ free-chlorine \_\_\_\_\_ after \_\_\_\_\_?  
 Is \_\_\_\_\_ limit \_\_\_\_\_ much free-chlorine can \_\_\_\_\_ after \_\_\_\_\_ is over?  
 \_\_\_\_\_ your \_\_\_\_\_ set a maximum limit on \_\_\_\_\_?

Can \_\_\_\_\_ limit \_\_\_\_\_ leftover chlorine \_\_\_\_\_ your location?  
 Does \_\_\_\_\_ facility limit the \_\_\_\_\_ that \_\_\_\_\_ a cleaning \_\_\_\_\_?

Can a limited \_\_\_\_\_ after \_\_\_\_\_?

Hey, just \_\_\_\_\_ but is \_\_\_\_\_ some sort of cap \_\_\_\_\_ chlorine \_\_\_\_\_ you \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ of unused \_\_\_\_\_ after the \_\_\_\_\_ at your \_\_\_\_\_?  
 \_\_\_\_\_ set a maximum level of \_\_\_\_\_ chlorine?  
 \_\_\_\_\_ the \_\_\_\_\_ have a \_\_\_\_\_ on the \_\_\_\_\_ chlorine \_\_\_\_\_?

Does the facility \_\_\_\_\_ the amount \_\_\_\_\_ that \_\_\_\_\_ cleaning process?  
 \_\_\_\_\_ residual chlorine \_\_\_\_\_ can be \_\_\_\_\_ a given \_\_\_\_\_?  
 \_\_\_\_\_ much residual \_\_\_\_\_ get \_\_\_\_\_ a facility \_\_\_\_\_ cleansed of \_\_\_\_\_ agents?  
 \_\_\_\_\_ you tell me about \_\_\_\_\_ limit \_\_\_\_\_ concentration \_\_\_\_\_ my \_\_\_\_\_?

Is there any \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ on \_\_\_\_\_ concentration \_\_\_\_\_ your location?

Does \_\_\_\_\_ facility have a maximum limit \_\_\_\_\_ it's \_\_\_\_\_ after \_\_\_\_\_ treatment \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ about the \_\_\_\_\_ of chlorination left at \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ for \_\_\_\_\_ left after \_\_\_\_\_ done?  
 \_\_\_\_\_ your facility \_\_\_\_\_ a limit on residual free-chlorine \_\_\_\_\_ disinfection?  
 \_\_\_\_\_ there a rule \_\_\_\_\_ chlorine \_\_\_\_\_ sanitizing process?  
 \_\_\_\_\_ much chlorine \_\_\_\_\_ be \_\_\_\_\_ over \_\_\_\_\_ the \_\_\_\_\_ sanitization procedure?  
 \_\_\_\_\_ chlorine concentration can one get \_\_\_\_\_ facility after being \_\_\_\_\_ harmful \_\_\_\_\_?

Does anyone have \_\_\_\_\_ on \_\_\_\_\_ of \_\_\_\_\_ left \_\_\_\_\_ cleaning?  
 \_\_\_\_\_ you \_\_\_\_\_ if the \_\_\_\_\_ approved concentration of \_\_\_\_\_ chlorine \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ me if \_\_\_\_\_ a cap \_\_\_\_\_ leftover chlorine \_\_\_\_\_?

Does \_\_\_\_\_ facility \_\_\_\_\_ of \_\_\_\_\_ remaining after the cleaning \_\_\_\_\_?  
 Do \_\_\_\_\_ facility \_\_\_\_\_ limit \_\_\_\_\_ residual free- chlorine \_\_\_\_\_?  
 Do \_\_\_\_\_ if \_\_\_\_\_ is a maximum \_\_\_\_\_ unreacted chlorine?

Hey, just \_\_\_\_\_ is there a cap on \_\_\_\_\_ amount of \_\_\_\_\_ comes \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ your facility \_\_\_\_\_ the amount \_\_\_\_\_ chlorine left \_\_\_\_\_ process of \_\_\_\_\_?



\_\_\_\_\_ a set limit \_\_\_\_\_ levels \_\_\_\_\_ your facility?

What is \_\_\_\_\_ level \_\_\_\_\_ chlorine in \_\_\_\_\_ facility?

\_\_\_\_\_ a \_\_\_\_\_ limit on residual free \_\_\_\_\_ levels?

\_\_\_\_\_ the maximum amount \_\_\_\_\_ unused chlorine allowed \_\_\_\_\_ the \_\_\_\_\_?

The maximum free \_\_\_\_\_ concentration \_\_\_\_\_ clean up?

\_\_\_\_\_ a limit on \_\_\_\_\_ much \_\_\_\_\_ concentration you can \_\_\_\_\_ facility's disinfection?

Does \_\_\_\_\_ facility have \_\_\_\_\_ maximum limit on \_\_\_\_\_ free \_\_\_\_\_?

\_\_\_\_\_ a maximum limit \_\_\_\_\_ residual free \_\_\_\_\_ levels after \_\_\_\_\_?

\_\_\_\_\_ much \_\_\_\_\_ chlorine \_\_\_\_\_ be \_\_\_\_\_ in a given facility after it \_\_\_\_\_ of harmful \_\_\_\_\_?

Is there \_\_\_\_\_ limit \_\_\_\_\_ in \_\_\_\_\_ process?

\_\_\_\_\_ there \_\_\_\_\_ on \_\_\_\_\_ leftover \_\_\_\_\_ content?

How \_\_\_\_\_ residual \_\_\_\_\_ concentration \_\_\_\_\_ in a \_\_\_\_\_ facility after being \_\_\_\_\_ substances?

\_\_\_\_\_ there some \_\_\_\_\_ of \_\_\_\_\_ on \_\_\_\_\_ chlorine stays \_\_\_\_\_ your disinfecting \_\_\_\_\_?

Does \_\_\_\_\_ facility \_\_\_\_\_ the amount of \_\_\_\_\_ that \_\_\_\_\_ after the \_\_\_\_\_?

Hey, I \_\_\_\_\_ there was \_\_\_\_\_ cap \_\_\_\_\_ how much \_\_\_\_\_ after your \_\_\_\_\_.

Is \_\_\_\_\_ the \_\_\_\_\_ after-disinfection \_\_\_\_\_?

Is there a \_\_\_\_\_ chlorine \_\_\_\_\_ the disinfecting process?

\_\_\_\_\_ there \_\_\_\_\_ cap on how much \_\_\_\_\_ stays \_\_\_\_\_ routine?

Does your facility have \_\_\_\_\_ maximum \_\_\_\_\_ residual \_\_\_\_\_?

\_\_\_\_\_ if there's \_\_\_\_\_ maximum \_\_\_\_\_ concentration \_\_\_\_\_ unreacted chlorine after?

Does \_\_\_\_\_ a maximum amount of residual \_\_\_\_\_?

\_\_\_\_\_ know if \_\_\_\_\_ is \_\_\_\_\_ limit \_\_\_\_\_ how \_\_\_\_\_ chlorine you can \_\_\_\_\_?

\_\_\_\_\_ your place \_\_\_\_\_ maximum \_\_\_\_\_ for \_\_\_\_\_ free-chlorine levels?

Does your facility \_\_\_\_\_ on residual \_\_\_\_\_ Chlorine?

Do you \_\_\_\_\_ whether \_\_\_\_\_ is a \_\_\_\_\_ residual \_\_\_\_\_ concentration?

\_\_\_\_\_ is the \_\_\_\_\_ for \_\_\_\_\_ chlorine levels \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ ceiling for the \_\_\_\_\_ chlorine content?

\_\_\_\_\_ is the limit \_\_\_\_\_ free \_\_\_\_\_ in \_\_\_\_\_ facility?

How \_\_\_\_\_ of the residual \_\_\_\_\_ concentration \_\_\_\_\_ get \_\_\_\_\_ a \_\_\_\_\_ has \_\_\_\_\_ of harmful substances?

\_\_\_\_\_ you \_\_\_\_\_ there's \_\_\_\_\_ maximum approved concentration \_\_\_\_\_ unreacted chlorine \_\_\_\_\_?

Can \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ chlorine?

Does \_\_\_\_\_ on residual free-chlorine \_\_\_\_\_ in your \_\_\_\_\_?

Are there \_\_\_\_\_ cap on \_\_\_\_\_ levels \_\_\_\_\_?

What is the \_\_\_\_\_ of free-chlorine \_\_\_\_\_ facility?

Do \_\_\_\_\_ have \_\_\_\_\_ limit \_\_\_\_\_ chlorine in \_\_\_\_\_ process?

Does \_\_\_\_\_ facility \_\_\_\_\_ stays after cleaning it's premises?

How much \_\_\_\_\_ can be found \_\_\_\_\_ a facility \_\_\_\_\_ cleaned of \_\_\_\_\_ agents?

Is \_\_\_\_\_ a \_\_\_\_\_ on how \_\_\_\_\_ after \_\_\_\_\_ use a \_\_\_\_\_ routine?

\_\_\_\_\_ a limit \_\_\_\_\_ much free \_\_\_\_\_ remain \_\_\_\_\_ process is done?

Does \_\_\_\_\_ facility \_\_\_\_\_ a maximum limit on residual \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ on the amount \_\_\_\_\_ chlorine \_\_\_\_\_ in \_\_\_\_\_ location?

What is \_\_\_\_\_ unused chlorine allowed in \_\_\_\_\_?

\_\_\_\_\_ much residual chlorine concentration can \_\_\_\_\_ obtained \_\_\_\_\_ after \_\_\_\_\_ has been \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ on how much \_\_\_\_\_ stays \_\_\_\_\_ disinfecting routine?

Is \_\_\_\_\_ on the amount \_\_\_\_\_ that \_\_\_\_\_ you do your disinfecting \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ on \_\_\_\_\_ much free \_\_\_\_\_ can \_\_\_\_\_ left?

How \_\_\_\_\_ residual chlorine \_\_\_\_\_ can \_\_\_\_\_ in a facility \_\_\_\_\_ cleansed \_\_\_\_\_ harmful organisms?

What \_\_\_\_\_ the \_\_\_\_\_ after a \_\_\_\_\_?

How much of \_\_\_\_\_ residual chlorine concentration can \_\_\_\_\_ a \_\_\_\_\_ after \_\_\_\_\_ has \_\_\_\_\_ cleansed of \_\_\_\_\_?

\_\_\_\_\_ your facility have \_\_\_\_\_ limit for \_\_\_\_\_ its \_\_\_\_\_ after \_\_\_\_\_ process?

\_\_\_\_\_ the \_\_\_\_\_ level of chlorination left \_\_\_\_\_ my plant?  
 \_\_\_\_\_ it comes \_\_\_\_\_ the leftover \_\_\_\_\_ place, is there \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ in your process?  
 Could \_\_\_\_\_ us \_\_\_\_\_ is a \_\_\_\_\_ on \_\_\_\_\_ chlorine levels?  
 Does \_\_\_\_\_ facility have a maximum \_\_\_\_\_?  
 Can you tell me the \_\_\_\_\_ extra chlorine \_\_\_\_\_?  
 \_\_\_\_\_ maximum residual \_\_\_\_\_ for \_\_\_\_\_ facility?  
 \_\_\_\_\_ chlorine concentration \_\_\_\_\_ in \_\_\_\_\_ facility after it has \_\_\_\_\_ cleansed of \_\_\_\_\_ particles?  
 \_\_\_\_\_ much of \_\_\_\_\_ residual chlorine concentration can \_\_\_\_\_ a \_\_\_\_\_ facility after it \_\_\_\_\_ cleansed \_\_\_\_\_ harmful \_\_\_\_\_?  
 What is the \_\_\_\_\_ residual-free \_\_\_\_\_ allowed \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ has \_\_\_\_\_ amount of free-chlorine \_\_\_\_\_ after the process?  
 \_\_\_\_\_ you \_\_\_\_\_ if your facility \_\_\_\_\_ limit for residual \_\_\_\_\_?  
 \_\_\_\_\_ the maximum amount \_\_\_\_\_ unused \_\_\_\_\_ can be \_\_\_\_\_ at \_\_\_\_\_ facility?  
 \_\_\_\_\_ on residual \_\_\_\_\_ in your \_\_\_\_\_?  
 Is \_\_\_\_\_ level \_\_\_\_\_ chlorine in your \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ chlorine \_\_\_\_\_ the process of sanitization at \_\_\_\_\_ facility?  
 \_\_\_\_\_ facility \_\_\_\_\_ a \_\_\_\_\_ for residual chlorine?  
 \_\_\_\_\_ the sanitization \_\_\_\_\_ your \_\_\_\_\_ amount of unused \_\_\_\_\_ are \_\_\_\_\_?  
 Can \_\_\_\_\_ tell me \_\_\_\_\_ level \_\_\_\_\_ at my plant?  
 Let \_\_\_\_\_ know \_\_\_\_\_ a cap \_\_\_\_\_ residual \_\_\_\_\_ levels \_\_\_\_\_ cleaning.  
 What \_\_\_\_\_ highest \_\_\_\_\_ chlorine \_\_\_\_\_ permissible \_\_\_\_\_ a \_\_\_\_\_ clean up?  
 \_\_\_\_\_ the facility have \_\_\_\_\_ limit \_\_\_\_\_ the \_\_\_\_\_ free \_\_\_\_\_?  
 Residual \_\_\_\_\_ chlorine \_\_\_\_\_ after the \_\_\_\_\_ been \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ leftover chlorine?  
 There's \_\_\_\_\_ limit to \_\_\_\_\_ residual free-chlorine concentration \_\_\_\_\_ after \_\_\_\_\_ disinfection.  
 What \_\_\_\_\_ the limit for residual \_\_\_\_\_ has been \_\_\_\_\_?  
 \_\_\_\_\_ facility \_\_\_\_\_ a \_\_\_\_\_ the \_\_\_\_\_ of residual free chlorine?  
 \_\_\_\_\_ the capped amount \_\_\_\_\_ unused \_\_\_\_\_ after \_\_\_\_\_ sanitization \_\_\_\_\_?  
 Can \_\_\_\_\_ tell \_\_\_\_\_ if \_\_\_\_\_ approved concentration of \_\_\_\_\_ chlorine?  
 \_\_\_\_\_ a cap on how \_\_\_\_\_ of \_\_\_\_\_ stays \_\_\_\_\_ you \_\_\_\_\_ your disinfecting \_\_\_\_\_?  
 Do you \_\_\_\_\_ maximum \_\_\_\_\_ chlorine?  
 \_\_\_\_\_ just \_\_\_\_\_ but is \_\_\_\_\_ a cap on \_\_\_\_\_ stays after you have \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ unused chlorine allowed \_\_\_\_\_ the sanitization \_\_\_\_\_?  
 Do \_\_\_\_\_ allow \_\_\_\_\_ allowable \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ maximum \_\_\_\_\_ the residual free-chlorine after \_\_\_\_\_ process?  
 \_\_\_\_\_ allowed after \_\_\_\_\_ facility \_\_\_\_\_ treated?  
 Is there a maximum \_\_\_\_\_ for \_\_\_\_\_ your \_\_\_\_\_?  
 Will there \_\_\_\_\_ a set limit on \_\_\_\_\_ levels \_\_\_\_\_?  
 \_\_\_\_\_ a limit on \_\_\_\_\_ leftover \_\_\_\_\_ in \_\_\_\_\_ location?  
 How much \_\_\_\_\_ concentration can one \_\_\_\_\_ a \_\_\_\_\_ after \_\_\_\_\_ cleansed of \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ maximum level \_\_\_\_\_ residual \_\_\_\_\_ at the \_\_\_\_\_?  
 \_\_\_\_\_ facility \_\_\_\_\_ the maximum \_\_\_\_\_ residual free-chlorine levels?  
 Are \_\_\_\_\_ any limits on remaining \_\_\_\_\_?  
 What \_\_\_\_\_ of \_\_\_\_\_ chlorine allowed at your \_\_\_\_\_?  
 \_\_\_\_\_ facility \_\_\_\_\_ the \_\_\_\_\_ chlorine that remains \_\_\_\_\_ it's cleaned?  
 Is there a \_\_\_\_\_ the \_\_\_\_\_ concentration \_\_\_\_\_ the disinfecting process?  
 \_\_\_\_\_ you \_\_\_\_\_ on residual free-chlorine \_\_\_\_\_ your facility?  
 \_\_\_\_\_ be \_\_\_\_\_ limit on \_\_\_\_\_ free-chlorine after \_\_\_\_\_ process?  
 Is \_\_\_\_\_ a \_\_\_\_\_ approved \_\_\_\_\_ unreacted chlorine \_\_\_\_\_ the \_\_\_\_\_?  
 Do \_\_\_\_\_ guidelines on \_\_\_\_\_ much \_\_\_\_\_ chlorine \_\_\_\_\_ acceptable?

\_\_\_\_\_ free-chlorine after \_\_\_\_\_ your facility.  
 \_\_\_\_\_ much \_\_\_\_\_ chlorine concentration \_\_\_\_\_ be \_\_\_\_\_ in a \_\_\_\_\_ being cleansed of \_\_\_\_\_?  
 \_\_\_\_\_ sterilizing, what \_\_\_\_\_ maximum \_\_\_\_\_ of remaining free \_\_\_\_\_?  
 \_\_\_\_\_ on \_\_\_\_\_ amount of \_\_\_\_\_ after your disinfecting routine?  
 Does \_\_\_\_\_ set \_\_\_\_\_ limit for residual free-chlorine?  
 \_\_\_\_\_ level \_\_\_\_\_ chlorine at your facility?  
 Does your facility \_\_\_\_\_ remains after the cleaning \_\_\_\_\_?  
 \_\_\_\_\_ of the residual \_\_\_\_\_ concentration can one get in \_\_\_\_\_ facility \_\_\_\_\_ cleaned \_\_\_\_\_ particles?  
 Is there a rule when \_\_\_\_\_ chlorine leftovers \_\_\_\_\_?  
 Grumps, \_\_\_\_\_ is \_\_\_\_\_ limit \_\_\_\_\_ free- \_\_\_\_\_ leftover \_\_\_\_\_ your \_\_\_\_\_ process?  
 \_\_\_\_\_ level of \_\_\_\_\_ chlorine concentration \_\_\_\_\_ allowed \_\_\_\_\_ facility?  
 Do \_\_\_\_\_ on free-chlorine levels leftover \_\_\_\_\_ your \_\_\_\_\_?  
 What \_\_\_\_\_ maximum residual free-chlorine after \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ free-chlorine \_\_\_\_\_ facility disinfection?  
 \_\_\_\_\_ know \_\_\_\_\_ facility has a limit \_\_\_\_\_ chlorination?  
 Can \_\_\_\_\_ the leftover \_\_\_\_\_ content?  
 I'm \_\_\_\_\_ curious, \_\_\_\_\_ is \_\_\_\_\_ a cap on \_\_\_\_\_ stays after \_\_\_\_\_ up?  
 How much of \_\_\_\_\_ residual chlorine \_\_\_\_\_ can be in \_\_\_\_\_ being cleansed \_\_\_\_\_?  
 Do \_\_\_\_\_ have a \_\_\_\_\_ on residual free- \_\_\_\_\_ the disinfection \_\_\_\_\_?  
 \_\_\_\_\_ maximum free chlorine \_\_\_\_\_ allowed \_\_\_\_\_ clean up?  
 \_\_\_\_\_ the \_\_\_\_\_ set a maximum \_\_\_\_\_ on residual \_\_\_\_\_?  
 \_\_\_\_\_ residual chlorine \_\_\_\_\_ should be in \_\_\_\_\_ facility after \_\_\_\_\_ cleansed of harmful \_\_\_\_\_?  
 Can \_\_\_\_\_ me if \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ chlorine \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ on the \_\_\_\_\_ of \_\_\_\_\_ in your \_\_\_\_\_?  
 \_\_\_\_\_ residual-free chlorine \_\_\_\_\_ at your \_\_\_\_\_?  
 Do \_\_\_\_\_ how \_\_\_\_\_ chlorine is acceptable \_\_\_\_\_ your site?  
 \_\_\_\_\_ you say \_\_\_\_\_ chlorine?  
 \_\_\_\_\_ your \_\_\_\_\_ limit the \_\_\_\_\_ of chlorine left \_\_\_\_\_?  
 How much chlorine \_\_\_\_\_ after the \_\_\_\_\_ ends?  
 \_\_\_\_\_ is \_\_\_\_\_ max approved concentration of unreacted \_\_\_\_\_.  
 Do \_\_\_\_\_ know if the \_\_\_\_\_ on \_\_\_\_\_ is \_\_\_\_\_ facility?  
 Is there \_\_\_\_\_ limit \_\_\_\_\_ can be left \_\_\_\_\_ after a \_\_\_\_\_?  
 Is the \_\_\_\_\_ of \_\_\_\_\_ free-chlorine allowed at \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ on \_\_\_\_\_ level?  
 \_\_\_\_\_ residual \_\_\_\_\_ concentration \_\_\_\_\_ be \_\_\_\_\_ a facility after being \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ you tell \_\_\_\_\_ there \_\_\_\_\_ a cap \_\_\_\_\_ the residual free-chlorine \_\_\_\_\_ facilities?  
 Can you tell me \_\_\_\_\_ on leftover \_\_\_\_\_ concentration.  
 What's \_\_\_\_\_ set \_\_\_\_\_ for residual \_\_\_\_\_ levels at \_\_\_\_\_?  
 Does your \_\_\_\_\_ maximum limit for free \_\_\_\_\_ left \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ on leftover \_\_\_\_\_ in your \_\_\_\_\_?  
 Can you \_\_\_\_\_ there \_\_\_\_\_ cap on chlorine \_\_\_\_\_ aftercleaning?  
 \_\_\_\_\_ have \_\_\_\_\_ about how \_\_\_\_\_ leftover \_\_\_\_\_ unused chlorine \_\_\_\_\_ be at \_\_\_\_\_?  
 \_\_\_\_\_ the facility \_\_\_\_\_ amount of \_\_\_\_\_ left \_\_\_\_\_ the process?  
 \_\_\_\_\_ you \_\_\_\_\_ an upper limit \_\_\_\_\_ residual \_\_\_\_\_?  
 \_\_\_\_\_ much of the residual chlorine \_\_\_\_\_ in \_\_\_\_\_ after \_\_\_\_\_ been \_\_\_\_\_ harmful agents?  
 Is \_\_\_\_\_ a limit \_\_\_\_\_ the residual free-chlorine \_\_\_\_\_?  
 \_\_\_\_\_ much \_\_\_\_\_ chlorine concentration \_\_\_\_\_ obtained in a \_\_\_\_\_ being \_\_\_\_\_ of harmful \_\_\_\_\_?  
 \_\_\_\_\_ your \_\_\_\_\_ a \_\_\_\_\_ limit on \_\_\_\_\_ free \_\_\_\_\_ levels \_\_\_\_\_ the \_\_\_\_\_ process?  
 \_\_\_\_\_ facility have \_\_\_\_\_ limit \_\_\_\_\_ residual free-chlorine?  
 \_\_\_\_\_ chlorine can \_\_\_\_\_ left \_\_\_\_\_ when the \_\_\_\_\_ finished?

Do you \_\_\_\_\_ maximum amount of \_\_\_\_\_ that \_\_\_\_\_ be released?

Is there a \_\_\_\_\_ for \_\_\_\_\_ products.

\_\_\_\_\_ facility limit the \_\_\_\_\_ free-chlorine that \_\_\_\_\_ left after \_\_\_\_\_ process?

\_\_\_\_\_ have a \_\_\_\_\_ limit \_\_\_\_\_ free-chlorine \_\_\_\_\_ after the procedure?

Does \_\_\_\_\_ have \_\_\_\_\_ maximum threshold for \_\_\_\_\_ free \_\_\_\_\_.

\_\_\_\_\_ facility have \_\_\_\_\_ on residual \_\_\_\_\_ Chlorine?

\_\_\_\_\_ much residual chlorine concentration \_\_\_\_\_ one \_\_\_\_\_ a \_\_\_\_\_ been cleaned \_\_\_\_\_ harmful \_\_\_\_\_?

\_\_\_\_\_ your facility limit the \_\_\_\_\_ left after cleaning \_\_\_\_\_?

Does your \_\_\_\_\_ have a maximum \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ have any \_\_\_\_\_ for \_\_\_\_\_ amount of leftover \_\_\_\_\_ you can use \_\_\_\_\_?

\_\_\_\_\_ a limit \_\_\_\_\_ leftover \_\_\_\_\_ after sanitizing \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ chlorine concentration \_\_\_\_\_ be \_\_\_\_\_ a facility after \_\_\_\_\_ has been \_\_\_\_\_ harmful particles?

\_\_\_\_\_ able to \_\_\_\_\_ residual \_\_\_\_\_ levels?

Is \_\_\_\_\_ chlorine \_\_\_\_\_ to \_\_\_\_\_ permissible \_\_\_\_\_

Do \_\_\_\_\_ for \_\_\_\_\_ leftover chlorine you can \_\_\_\_\_ at your \_\_\_\_\_?

Does \_\_\_\_\_ a maximum limit on \_\_\_\_\_ free \_\_\_\_\_ levels \_\_\_\_\_ the \_\_\_\_\_?

What level \_\_\_\_\_ chlorine is \_\_\_\_\_ event?

Does \_\_\_\_\_ facility \_\_\_\_\_ the amount \_\_\_\_\_ left after it \_\_\_\_\_?

\_\_\_\_\_ tell me \_\_\_\_\_ there's a \_\_\_\_\_ threshold for residual \_\_\_\_\_?

What level \_\_\_\_\_ is \_\_\_\_\_ your facility?

Does the \_\_\_\_\_ a \_\_\_\_\_ threshold \_\_\_\_\_ residual \_\_\_\_\_ chlorine?

Does the \_\_\_\_\_ on residual free-chlorine \_\_\_\_\_ your \_\_\_\_\_?

How \_\_\_\_\_ chlorine \_\_\_\_\_ can be found in a \_\_\_\_\_ it \_\_\_\_\_ harmful organisms?

Can \_\_\_\_\_ tell me if there is \_\_\_\_\_ limit \_\_\_\_\_ in \_\_\_\_\_?

Can \_\_\_\_\_ give a maximum \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ on residual \_\_\_\_\_ treatment ends?

What \_\_\_\_\_ allowed \_\_\_\_\_ concentration \_\_\_\_\_ your facility?

\_\_\_\_\_ limit the \_\_\_\_\_ free chlorine left after \_\_\_\_\_ process of \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ process at \_\_\_\_\_ is the capped amount \_\_\_\_\_ chlorine?

\_\_\_\_\_ maximum allowable \_\_\_\_\_ chlorine?

Is there a \_\_\_\_\_ much free \_\_\_\_\_ remain \_\_\_\_\_ the \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ possible that \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ chlorine stays \_\_\_\_\_ you do \_\_\_\_\_ disinfecting routine?

What \_\_\_\_\_ the \_\_\_\_\_ residual-free \_\_\_\_\_ concentration in \_\_\_\_\_ facility?

Is \_\_\_\_\_ on \_\_\_\_\_ in your location?

How \_\_\_\_\_ residual chlorine concentration \_\_\_\_\_ a \_\_\_\_\_ facility \_\_\_\_\_ being \_\_\_\_\_ of harmful \_\_\_\_\_?

\_\_\_\_\_ residual \_\_\_\_\_ allowed \_\_\_\_\_ a \_\_\_\_\_ disinfection?

How much \_\_\_\_\_ chlorine \_\_\_\_\_ can get \_\_\_\_\_ it \_\_\_\_\_ been cleansed of \_\_\_\_\_?

\_\_\_\_\_ the facility \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ chlorine.

\_\_\_\_\_ there a \_\_\_\_\_ on \_\_\_\_\_ after a disinfection \_\_\_\_\_?

How much \_\_\_\_\_ can \_\_\_\_\_ a facility \_\_\_\_\_ it has \_\_\_\_\_ cleansed \_\_\_\_\_ harmful \_\_\_\_\_?

\_\_\_\_\_ maximum \_\_\_\_\_ chlorine concentration permissible \_\_\_\_\_ plant's \_\_\_\_\_ up?

\_\_\_\_\_ maximum level \_\_\_\_\_ residualfree \_\_\_\_\_ in your facility?

\_\_\_\_\_ you \_\_\_\_\_ about the amount of \_\_\_\_\_ chlorine \_\_\_\_\_ your \_\_\_\_\_?

How much \_\_\_\_\_ residual chlorine \_\_\_\_\_ one \_\_\_\_\_ in \_\_\_\_\_ facility after it has \_\_\_\_\_ cleaned \_\_\_\_\_?

\_\_\_\_\_ your facility \_\_\_\_\_ amount \_\_\_\_\_ in the premises after \_\_\_\_\_ it?

\_\_\_\_\_ a \_\_\_\_\_ when it \_\_\_\_\_ to \_\_\_\_\_ leftover chlorine from \_\_\_\_\_ sanitizing \_\_\_\_\_?

\_\_\_\_\_ residual \_\_\_\_\_ concentration can one \_\_\_\_\_ a given facility \_\_\_\_\_ has \_\_\_\_\_ cleansed \_\_\_\_\_ harmful organisms?

\_\_\_\_\_ tell me about the \_\_\_\_\_ leftover chlorine?

\_\_\_\_\_ a maximum \_\_\_\_\_ residual free chlorine \_\_\_\_\_ after the disinfection \_\_\_\_\_?

\_\_\_\_\_ your facility limit \_\_\_\_\_ at \_\_\_\_\_ end of cleaning?

\_\_\_\_\_ facility \_\_\_\_\_ maximum limit \_\_\_\_\_ residual free chlorine \_\_\_\_\_?  
 Is \_\_\_\_\_ the \_\_\_\_\_ residual free-chlorine \_\_\_\_\_ you can make \_\_\_\_\_ facility's disinfection?  
 Is \_\_\_\_\_ free-chlorine allowed \_\_\_\_\_?  
 \_\_\_\_\_ much \_\_\_\_\_ chlorine concentration can be obtained \_\_\_\_\_ facility \_\_\_\_\_ cleansed \_\_\_\_\_ harmful \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ to how much \_\_\_\_\_ free-chlorine \_\_\_\_\_ you \_\_\_\_\_ after \_\_\_\_\_?  
 Is there \_\_\_\_\_ cap \_\_\_\_\_ how \_\_\_\_\_ chlorine \_\_\_\_\_ left \_\_\_\_\_ disinfecting routine?  
 \_\_\_\_\_ facility \_\_\_\_\_ of free-chlorine that remains after \_\_\_\_\_ cleaning?  
 \_\_\_\_\_ your facility's \_\_\_\_\_ for determining an \_\_\_\_\_ residual-free chloride \_\_\_\_\_?  
 Grumps, \_\_\_\_\_ is the limit on \_\_\_\_\_ Chlorine levels \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ much of \_\_\_\_\_ residual \_\_\_\_\_ concentration \_\_\_\_\_ found \_\_\_\_\_ a \_\_\_\_\_ after it's \_\_\_\_\_ cleansed \_\_\_\_\_ harmful organisms?  
 \_\_\_\_\_ residual chlorine \_\_\_\_\_ can one get \_\_\_\_\_ a facility \_\_\_\_\_ it's been \_\_\_\_\_?  
 Is \_\_\_\_\_ rule \_\_\_\_\_ chlorine leftover at your \_\_\_\_\_ sanitizing \_\_\_\_\_?  
 Does the \_\_\_\_\_ residual free-chlorine in \_\_\_\_\_ exist?  
 Can \_\_\_\_\_ limit \_\_\_\_\_ leftover \_\_\_\_\_ in your process?  
 Do you know \_\_\_\_\_ your \_\_\_\_\_ maximum \_\_\_\_\_ for \_\_\_\_\_ free-chlorine in it's inventory \_\_\_\_\_ the \_\_\_\_\_?  
 Can you tell \_\_\_\_\_ if there \_\_\_\_\_ regarding chlorine \_\_\_\_\_ at \_\_\_\_\_?  
 After the disinfection \_\_\_\_\_ your \_\_\_\_\_ have \_\_\_\_\_ limit \_\_\_\_\_ free-chlorine?  
 \_\_\_\_\_ you \_\_\_\_\_ about the max approved \_\_\_\_\_ of \_\_\_\_\_ chlorine \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ allowed \_\_\_\_\_ chlorine?  
 \_\_\_\_\_ much residual \_\_\_\_\_ concentration \_\_\_\_\_ be in a facility \_\_\_\_\_ cleansed \_\_\_\_\_ particles?  
 What's the max \_\_\_\_\_ unreacted \_\_\_\_\_?  
 \_\_\_\_\_ much \_\_\_\_\_ the \_\_\_\_\_ can \_\_\_\_\_ after being cleansed of harmful particles?  
 \_\_\_\_\_ the residual-free chlorine \_\_\_\_\_ level \_\_\_\_\_ at \_\_\_\_\_?  
 \_\_\_\_\_ if there are limits for the \_\_\_\_\_ chlorine \_\_\_\_\_?  
 \_\_\_\_\_ is the \_\_\_\_\_ free-chlorine levels in your \_\_\_\_\_?  
 How much \_\_\_\_\_ one get \_\_\_\_\_ a \_\_\_\_\_ after it is cleansed \_\_\_\_\_ harmful organisms?  
 \_\_\_\_\_ amount of residual chlorine \_\_\_\_\_ a facility \_\_\_\_\_ of harmful organisms?  
 \_\_\_\_\_ the \_\_\_\_\_ a limit for residual \_\_\_\_\_ levels \_\_\_\_\_ process?  
 Is there a \_\_\_\_\_ how \_\_\_\_\_ chlorine can \_\_\_\_\_?  
 Does your \_\_\_\_\_ limit the amount \_\_\_\_\_ leaves \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ what's \_\_\_\_\_ maximum \_\_\_\_\_ leftover chlorine?  
 Is the \_\_\_\_\_ on \_\_\_\_\_ free-chlorine \_\_\_\_\_ your \_\_\_\_\_?  
 Do your \_\_\_\_\_ have a \_\_\_\_\_ chlorine?  
 Is there \_\_\_\_\_ upper threshold \_\_\_\_\_ residual \_\_\_\_\_ following \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ chlorine \_\_\_\_\_?  
 Is \_\_\_\_\_ of \_\_\_\_\_ free-chlorine in your \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ a \_\_\_\_\_ residual free chlorine?  
 \_\_\_\_\_ or \_\_\_\_\_ maximum \_\_\_\_\_ post-disinfection \_\_\_\_\_?  
 Do \_\_\_\_\_ know \_\_\_\_\_ limit \_\_\_\_\_ leftover chlorine \_\_\_\_\_?  
 Does \_\_\_\_\_ facility \_\_\_\_\_ the \_\_\_\_\_ that remains after \_\_\_\_\_ the \_\_\_\_\_?  
 Is \_\_\_\_\_ a maximum \_\_\_\_\_ free-chlorine \_\_\_\_\_ disinfecting process?  
 What \_\_\_\_\_ chlorine concentration \_\_\_\_\_ get into \_\_\_\_\_ after being \_\_\_\_\_ of harmful \_\_\_\_\_?  
 Do you \_\_\_\_\_ limit on residual \_\_\_\_\_ level after \_\_\_\_\_?  
 Does \_\_\_\_\_ have \_\_\_\_\_ maximum \_\_\_\_\_ levels \_\_\_\_\_ the disinfection process?  
 Do you \_\_\_\_\_ limit \_\_\_\_\_ chlorine \_\_\_\_\_ left after \_\_\_\_\_?  
 What \_\_\_\_\_ the limit \_\_\_\_\_ after the \_\_\_\_\_ of \_\_\_\_\_?  
 Do \_\_\_\_\_ have guidelines \_\_\_\_\_ much leftover or unused \_\_\_\_\_ site?  
 Do you \_\_\_\_\_ any guidelines about \_\_\_\_\_ much \_\_\_\_\_ your site?  
 \_\_\_\_\_ a \_\_\_\_\_ on residual free-chlorine \_\_\_\_\_ after the disinfection \_\_\_\_\_?  
 Is \_\_\_\_\_ any rule regarding \_\_\_\_\_ the sanitizing process?

Is there \_\_\_\_\_ regarding \_\_\_\_\_ your place \_\_\_\_\_ process of sanitizing?  
 \_\_\_\_\_ of \_\_\_\_\_ much residual chlorine \_\_\_\_\_ one \_\_\_\_\_ into a facility?  
 \_\_\_\_\_ residual chlorine \_\_\_\_\_ after treatment is over?  
 Does \_\_\_\_\_ the maximum limit for \_\_\_\_\_ free-chlorine \_\_\_\_\_ it's \_\_\_\_\_ the \_\_\_\_\_ process?  
 \_\_\_\_\_ there any \_\_\_\_\_ on remaining \_\_\_\_\_ cleaning?  
 So \_\_\_\_\_ is \_\_\_\_\_ max \_\_\_\_\_ for \_\_\_\_\_ ?  
 Do \_\_\_\_\_ any \_\_\_\_\_ about \_\_\_\_\_ much \_\_\_\_\_ free-chlorine \_\_\_\_\_ allowed \_\_\_\_\_ your treatment plants?  
 \_\_\_\_\_ but is there a cap \_\_\_\_\_ much \_\_\_\_\_ stays \_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ routine?  
 Can \_\_\_\_\_ if there is a \_\_\_\_\_ approved \_\_\_\_\_ chlorine?  
 Is the \_\_\_\_\_ limit \_\_\_\_\_ residual \_\_\_\_\_ your \_\_\_\_\_ ?  
 Does your facility \_\_\_\_\_ a limit \_\_\_\_\_ levels \_\_\_\_\_ ?  
 How \_\_\_\_\_ concentration \_\_\_\_\_ be found \_\_\_\_\_ a \_\_\_\_\_ after it \_\_\_\_\_ been \_\_\_\_\_ ?  
 \_\_\_\_\_ facility have a maximum limit \_\_\_\_\_ free \_\_\_\_\_ ?  
 Does the facility \_\_\_\_\_ amount \_\_\_\_\_ that \_\_\_\_\_ after cleaning \_\_\_\_\_ premises?  
 Can you \_\_\_\_\_ the \_\_\_\_\_ chlorine?  
 \_\_\_\_\_ being cleansed \_\_\_\_\_ harmful \_\_\_\_\_ how much residual \_\_\_\_\_ concentration can one \_\_\_\_\_ ?  
 \_\_\_\_\_ have a maximum limit \_\_\_\_\_ residual free chlorine \_\_\_\_\_ after \_\_\_\_\_ ?  
 Does your facility set a \_\_\_\_\_ on \_\_\_\_\_ ?  
 \_\_\_\_\_ say \_\_\_\_\_ there's a \_\_\_\_\_ approved concentration of \_\_\_\_\_ ?  
 Is \_\_\_\_\_ a \_\_\_\_\_ much \_\_\_\_\_ chlorine \_\_\_\_\_ remain \_\_\_\_\_ the process?  
 Does \_\_\_\_\_ facility set a \_\_\_\_\_ chlorine levels?  
 Does it \_\_\_\_\_ a maximum \_\_\_\_\_ left \_\_\_\_\_ the \_\_\_\_\_ ?  
 Does \_\_\_\_\_ a specific amount \_\_\_\_\_ remaining \_\_\_\_\_ the process?  
 \_\_\_\_\_ have \_\_\_\_\_ guidelines \_\_\_\_\_ much \_\_\_\_\_ chlorine is acceptable?  
 \_\_\_\_\_ maximum \_\_\_\_\_ post-disinfection chlorine level?  
 Does \_\_\_\_\_ facility \_\_\_\_\_ the amount of \_\_\_\_\_ chlorine \_\_\_\_\_ left \_\_\_\_\_ ?  
 \_\_\_\_\_ has a maximum \_\_\_\_\_ residual free-chlorine levels?  
 \_\_\_\_\_ much residual \_\_\_\_\_ concentration \_\_\_\_\_ get \_\_\_\_\_ a \_\_\_\_\_ after it's \_\_\_\_\_ harmful organisms?  
 \_\_\_\_\_ you \_\_\_\_\_ me if \_\_\_\_\_ is \_\_\_\_\_ to leftover chlorine \_\_\_\_\_ ?  
 Does \_\_\_\_\_ have a limit on \_\_\_\_\_ amount \_\_\_\_\_ residual free-chlorine \_\_\_\_\_ ?  
 Do \_\_\_\_\_ the permissible threshold \_\_\_\_\_ ?  
 \_\_\_\_\_ limit the amount of \_\_\_\_\_ left by \_\_\_\_\_ cleaning \_\_\_\_\_ ?  
 Is there \_\_\_\_\_ maximum level for \_\_\_\_\_ after the \_\_\_\_\_ ?  
 \_\_\_\_\_ your facility \_\_\_\_\_ of \_\_\_\_\_ after a cleaning?  
 How \_\_\_\_\_ residual \_\_\_\_\_ a facility \_\_\_\_\_ it has been cleansed \_\_\_\_\_ harmful \_\_\_\_\_ ?  
 \_\_\_\_\_ there a \_\_\_\_\_ maximum amount of free-chlorine \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ of residual chlorine concentration \_\_\_\_\_ be reached?  
 Does \_\_\_\_\_ have \_\_\_\_\_ maximum of free-chlorine \_\_\_\_\_ ?  
 Is there \_\_\_\_\_ cap \_\_\_\_\_ much \_\_\_\_\_ after \_\_\_\_\_ do your disinfecting \_\_\_\_\_ ?  
 Do you \_\_\_\_\_ of \_\_\_\_\_ limit \_\_\_\_\_ leftover chlorine \_\_\_\_\_ area?  
 \_\_\_\_\_ concentration should be in a \_\_\_\_\_ after it's been \_\_\_\_\_ harmful organisms?  
 How much of the \_\_\_\_\_ chlorine \_\_\_\_\_ should \_\_\_\_\_ after \_\_\_\_\_ been \_\_\_\_\_ harmful particles?  
 Do you \_\_\_\_\_ limit \_\_\_\_\_ residual free-chlorine levels \_\_\_\_\_ your \_\_\_\_\_ ?  
 Do \_\_\_\_\_ facility have \_\_\_\_\_ amount of \_\_\_\_\_ left \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ you know \_\_\_\_\_ the permissible \_\_\_\_\_ concentration \_\_\_\_\_ ?  
 Do you have \_\_\_\_\_ much leftover chlorine you \_\_\_\_\_ use \_\_\_\_\_ ?  
 Is \_\_\_\_\_ maximum \_\_\_\_\_ for residualfree chlorine \_\_\_\_\_ facility?  
 Does \_\_\_\_\_ facility \_\_\_\_\_ for residual \_\_\_\_\_ chlorine?  
 \_\_\_\_\_ levels \_\_\_\_\_ residualfree chlorine \_\_\_\_\_ in your facility?  
 \_\_\_\_\_ the facility \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ free chlorine?

Do \_\_\_\_ know what \_\_\_\_ threshold \_\_\_\_ chlorine concentration after \_\_\_\_ disinfection \_\_\_\_?  
 \_\_\_\_ is \_\_\_\_ limit \_\_\_\_ residual \_\_\_\_ your place of \_\_\_\_?

Is \_\_\_\_ a \_\_\_\_ residual free-chlorine concentration you can \_\_\_\_ aDisinfect?  
 \_\_\_\_ you have \_\_\_\_ guidelines \_\_\_\_ much leftover \_\_\_\_ is acceptable at \_\_\_\_?  
 \_\_\_\_ us know if \_\_\_\_ limit \_\_\_\_ remaining chlorine \_\_\_\_.

What \_\_\_\_ the allowed \_\_\_\_ chlorine concentration \_\_\_\_?  
 \_\_\_\_ facility have \_\_\_\_ maximum limit \_\_\_\_ residual \_\_\_\_ it's \_\_\_\_ after the \_\_\_\_ process?  
 \_\_\_\_ you have a limit \_\_\_\_ the \_\_\_\_ unreacted \_\_\_\_ be used?

Does \_\_\_\_ facility have \_\_\_\_ maximum \_\_\_\_ residual \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ have a \_\_\_\_ on how \_\_\_\_ chlorine there \_\_\_\_?

Can residual-free chlorine \_\_\_\_ within \_\_\_\_ disinfection \_\_\_\_?

Hey, just \_\_\_\_ but \_\_\_\_ there \_\_\_\_ cap on \_\_\_\_ after you do \_\_\_\_ routine?

Does your \_\_\_\_ the \_\_\_\_ left over after \_\_\_\_ premises?

Is there a \_\_\_\_ can remain after the \_\_\_\_ is \_\_\_\_?

\_\_\_\_ facility set a limit \_\_\_\_ residual \_\_\_\_?

Does \_\_\_\_ facility have a limit \_\_\_\_ free \_\_\_\_ after \_\_\_\_ process?  
 \_\_\_\_ you \_\_\_\_ what the acceptable amount \_\_\_\_ leftover \_\_\_\_ is?

Can \_\_\_\_ chlorine \_\_\_\_ within \_\_\_\_ after disinfection?  
 \_\_\_\_ a \_\_\_\_ chlorine leftover at \_\_\_\_ place?

How \_\_\_\_ residual chlorine \_\_\_\_ be in a \_\_\_\_ after \_\_\_\_ agents?  
 \_\_\_\_ it \_\_\_\_ chlorine \_\_\_\_ your \_\_\_\_ of business, is there \_\_\_\_ rule?

Which \_\_\_\_ concentration \_\_\_\_ allowed at \_\_\_\_ facility?  
 \_\_\_\_ me what \_\_\_\_ residual free-chlorine \_\_\_\_ in your facility?

So what is \_\_\_\_ chlorine?

Hey, \_\_\_\_ and \_\_\_\_ if there's \_\_\_\_ how much \_\_\_\_ stays \_\_\_\_ your disinfecting \_\_\_\_.

Do you \_\_\_\_ maximum limit on \_\_\_\_ the process?  
 \_\_\_\_ residual chlorine \_\_\_\_ can \_\_\_\_ gotten into \_\_\_\_ it's \_\_\_\_ cleansed of \_\_\_\_ particles?

Can you \_\_\_\_ me if there is \_\_\_\_ concentration \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ limit on residual free- \_\_\_\_ the procedure?

What is \_\_\_\_ levels leftover \_\_\_\_ your disinfection process?

I'm curious \_\_\_\_ is a cap \_\_\_\_ much \_\_\_\_ stays \_\_\_\_ disinfecting \_\_\_\_.  
 \_\_\_\_ the amount of \_\_\_\_ capped \_\_\_\_ the \_\_\_\_ process?

Do you \_\_\_\_ there is \_\_\_\_ threshold for \_\_\_\_?  
 \_\_\_\_ there any rules \_\_\_\_ much \_\_\_\_ chlorine \_\_\_\_ stick around \_\_\_\_?  
 \_\_\_\_ guidelines \_\_\_\_ the amount of \_\_\_\_ free-chlorine post-disinfection?  
 \_\_\_\_ your facility \_\_\_\_ maximum \_\_\_\_ on residual \_\_\_\_ the cleaning?  
 \_\_\_\_ the \_\_\_\_ amount of \_\_\_\_ chlorine allowed \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ just curious and wondering if there \_\_\_\_ cap on the amount \_\_\_\_ chlorine \_\_\_\_.

Hey, just \_\_\_\_ but do \_\_\_\_ how \_\_\_\_ chlorine \_\_\_\_ after \_\_\_\_ disinfecting routine?  
 \_\_\_\_ a \_\_\_\_ on how much \_\_\_\_ chlorine can remain \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ chlorine \_\_\_\_ be left \_\_\_\_ after the \_\_\_\_ is completed?

What \_\_\_\_ the \_\_\_\_ residual-free chlorine concentration \_\_\_\_ your \_\_\_\_?

Does your facility \_\_\_\_ a maximum \_\_\_\_ for \_\_\_\_?

Did \_\_\_\_ the \_\_\_\_ for \_\_\_\_ chlorine?  
 \_\_\_\_ know \_\_\_\_ maximum \_\_\_\_ residual \_\_\_\_ concentration after \_\_\_\_ disinfection process?  
 \_\_\_\_ tell me \_\_\_\_ a max \_\_\_\_ of unreacted chlorine?

Is \_\_\_\_ a limit \_\_\_\_ much \_\_\_\_ free-chlorine concentration you \_\_\_\_ aDisinfect?

What \_\_\_\_ residual chlorine concentration can \_\_\_\_ obtained \_\_\_\_ after \_\_\_\_ been cleansed of \_\_\_\_ particles?

Does \_\_\_\_ facility have a \_\_\_\_ limit \_\_\_\_ residual \_\_\_\_?  
 \_\_\_\_ limiting \_\_\_\_ chlorine rule \_\_\_\_ cleaning?

\_\_\_\_\_ a maximum amount \_\_\_\_\_ residual free \_\_\_\_\_ in your \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ have \_\_\_\_\_ limit for \_\_\_\_\_ free-chlorine \_\_\_\_\_ after \_\_\_\_\_ process?  
 \_\_\_\_\_ if there's a cap on \_\_\_\_\_ chlorine \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ maximum residual free-chlorine \_\_\_\_\_ in your \_\_\_\_\_?  
 Is the \_\_\_\_\_ allowed \_\_\_\_\_ within permissible \_\_\_\_\_?  
 \_\_\_\_\_ a set \_\_\_\_\_ limit for residual \_\_\_\_\_ levels?  
 \_\_\_\_\_ it possible \_\_\_\_\_ post-disinfection chlorine?  
 \_\_\_\_\_ you \_\_\_\_\_ maximum \_\_\_\_\_ on \_\_\_\_\_ free- \_\_\_\_\_ levels \_\_\_\_\_ the disinfection process?  
 Does your \_\_\_\_\_ limit the amount \_\_\_\_\_ that \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ the facility limit \_\_\_\_\_ of free-chlorine \_\_\_\_\_ after \_\_\_\_\_ premises?  
 Is \_\_\_\_\_ a maximum \_\_\_\_\_ in your facility.  
 Is \_\_\_\_\_ rule \_\_\_\_\_ chlorine \_\_\_\_\_ your place \_\_\_\_\_ the sanitizing \_\_\_\_\_?  
 \_\_\_\_\_ a limit on \_\_\_\_\_ remain after the \_\_\_\_\_ is finished?  
 Does \_\_\_\_\_ facility \_\_\_\_\_ a maximum \_\_\_\_\_ for \_\_\_\_\_ free-chlorine \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ the sanitization \_\_\_\_\_ what \_\_\_\_\_ the \_\_\_\_\_ chlorine allowed?  
 \_\_\_\_\_ leftover \_\_\_\_\_ rule \_\_\_\_\_ following cleaning?  
 \_\_\_\_\_ residual chlorine \_\_\_\_\_ one get \_\_\_\_\_ after being \_\_\_\_\_ harmful substances?  
 How \_\_\_\_\_ chlorine \_\_\_\_\_ can be \_\_\_\_\_ facility \_\_\_\_\_ it's been \_\_\_\_\_ of harmful substances?  
 Do \_\_\_\_\_ have guidelines about \_\_\_\_\_ leftover \_\_\_\_\_ you can \_\_\_\_\_ at \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ how \_\_\_\_\_ unused \_\_\_\_\_ is allowed \_\_\_\_\_ the \_\_\_\_\_ process?  
 \_\_\_\_\_ possible \_\_\_\_\_ facility has \_\_\_\_\_ maximum limit for \_\_\_\_\_ levels?  
 Is \_\_\_\_\_ determine an \_\_\_\_\_ for residual-free chloride \_\_\_\_\_ treatment?  
 There are \_\_\_\_\_ guidelines \_\_\_\_\_ disinfection?  
 It's \_\_\_\_\_ curious, \_\_\_\_\_ cap \_\_\_\_\_ how much chlorine \_\_\_\_\_ after you do \_\_\_\_\_ disinfecting \_\_\_\_\_?  
 \_\_\_\_\_ there be a \_\_\_\_\_ it comes \_\_\_\_\_ your place?  
 \_\_\_\_\_ any rule \_\_\_\_\_ chlorine leftovers \_\_\_\_\_ your place \_\_\_\_\_ sanitizing \_\_\_\_\_?  
 \_\_\_\_\_ your facility set \_\_\_\_\_ residual \_\_\_\_\_ Chlorine levels \_\_\_\_\_ the \_\_\_\_\_ process?  
 How much \_\_\_\_\_ can be left \_\_\_\_\_?  
 \_\_\_\_\_ is the \_\_\_\_\_ chlorine allowed after \_\_\_\_\_ sanitization process \_\_\_\_\_ your \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ when \_\_\_\_\_ to leftover chlorine following \_\_\_\_\_ sanitizing \_\_\_\_\_?  
 \_\_\_\_\_ facility have \_\_\_\_\_ on \_\_\_\_\_ free chlorine levels after the \_\_\_\_\_?  
 Do \_\_\_\_\_ any guidelines for \_\_\_\_\_ or unused chlorine at \_\_\_\_\_ site?  
 \_\_\_\_\_ your facility limit \_\_\_\_\_ free-chlorine \_\_\_\_\_ is left \_\_\_\_\_ cleaning it's \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ maximum \_\_\_\_\_?  
 Is \_\_\_\_\_ for how \_\_\_\_\_ leftover chlorine \_\_\_\_\_ be?  
 \_\_\_\_\_ your facility \_\_\_\_\_ a \_\_\_\_\_ amount of \_\_\_\_\_ free \_\_\_\_\_?  
 Does your \_\_\_\_\_ limit \_\_\_\_\_ chlorine \_\_\_\_\_ is left after \_\_\_\_\_ cleaning \_\_\_\_\_?  
 Do \_\_\_\_\_ have \_\_\_\_\_ maximum limit on \_\_\_\_\_ free-chlorine in \_\_\_\_\_ facility?  
 Can \_\_\_\_\_ tell me if \_\_\_\_\_ is \_\_\_\_\_ concentration \_\_\_\_\_ unreacted \_\_\_\_\_?  
 \_\_\_\_\_ your facility \_\_\_\_\_ max level of \_\_\_\_\_ chlorine \_\_\_\_\_?  
 \_\_\_\_\_ residual \_\_\_\_\_ can \_\_\_\_\_ in a facility \_\_\_\_\_ it \_\_\_\_\_ been \_\_\_\_\_ harmful agents?  
 \_\_\_\_\_ there be a \_\_\_\_\_ on residual \_\_\_\_\_ level \_\_\_\_\_ disinfection \_\_\_\_\_?  
 What \_\_\_\_\_ maximum residual \_\_\_\_\_ your facility \_\_\_\_\_ cleaned?  
 \_\_\_\_\_ much residual chlorine concentration \_\_\_\_\_ get in \_\_\_\_\_ after \_\_\_\_\_ been \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ limit \_\_\_\_\_ how much \_\_\_\_\_ chlorine \_\_\_\_\_ be?  
 Does \_\_\_\_\_ the amount of \_\_\_\_\_ after \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ facility have a specific \_\_\_\_\_ of \_\_\_\_\_ left after \_\_\_\_\_?  
 \_\_\_\_\_ a cap on \_\_\_\_\_ much \_\_\_\_\_ after your \_\_\_\_\_ routine?  
 \_\_\_\_\_ there \_\_\_\_\_ limit on \_\_\_\_\_ of free \_\_\_\_\_ remaining?  
 \_\_\_\_\_ there \_\_\_\_\_ limit on \_\_\_\_\_ free-chlorine \_\_\_\_\_ from your \_\_\_\_\_?



Do you \_\_\_\_\_ maximum limit on \_\_\_\_\_ free-chlorine levels \_\_\_\_\_?  
 How much \_\_\_\_\_ concentration \_\_\_\_\_ one find \_\_\_\_\_ a facility after being \_\_\_\_\_ of \_\_\_\_\_?  
 What \_\_\_\_\_ for leftover \_\_\_\_\_ after sterilizing?  
 Do \_\_\_\_\_ know \_\_\_\_\_ any upper threshold for remaining \_\_\_\_\_?  
 \_\_\_\_\_ your \_\_\_\_\_ limit \_\_\_\_\_ amount of chlorine \_\_\_\_\_ premises?  
 \_\_\_\_\_ just curious, but \_\_\_\_\_ a cap \_\_\_\_\_ amount \_\_\_\_\_ chlorine \_\_\_\_\_ disinfecting routine?  
 Does \_\_\_\_\_ facility have \_\_\_\_\_ maximum \_\_\_\_\_ for \_\_\_\_\_ after the \_\_\_\_\_?  
 Do you have \_\_\_\_\_ of \_\_\_\_\_ in \_\_\_\_\_ facility?  
 Is \_\_\_\_\_ a \_\_\_\_\_ approved concentration of unreacted \_\_\_\_\_ after?  
 How much \_\_\_\_\_ can be in a \_\_\_\_\_ cleansed?  
 What is \_\_\_\_\_ on free-chlorine \_\_\_\_\_ leftover \_\_\_\_\_ your \_\_\_\_\_?  
 Is there \_\_\_\_\_ upper \_\_\_\_\_ for \_\_\_\_\_ free \_\_\_\_\_ concentration?  
 Is \_\_\_\_\_ a limit \_\_\_\_\_ amount \_\_\_\_\_ chlorine leftover \_\_\_\_\_ area?  
 Is there \_\_\_\_\_ for leftover \_\_\_\_\_ the \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ an \_\_\_\_\_ for \_\_\_\_\_ chloride post-treatment?  
 Limits on \_\_\_\_\_ permitted?  
 Is \_\_\_\_\_ approved \_\_\_\_\_ of \_\_\_\_\_ chlorine after that?  
 \_\_\_\_\_ be \_\_\_\_\_ how much free-chlorine \_\_\_\_\_ remain after the process \_\_\_\_\_?  
 \_\_\_\_\_ your facility have \_\_\_\_\_ residual free \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ whether there \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ chlorine concentration?  
 Is \_\_\_\_\_ any limits on \_\_\_\_\_ after \_\_\_\_\_ ends?  
 \_\_\_\_\_ a limit on residual \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ about \_\_\_\_\_ chlorine \_\_\_\_\_ your \_\_\_\_\_ following the \_\_\_\_\_ process?  
 How much \_\_\_\_\_ the residual \_\_\_\_\_ concentration \_\_\_\_\_ one get \_\_\_\_\_ facility after \_\_\_\_\_ of \_\_\_\_\_ organisms?  
 \_\_\_\_\_ maximum level of residual free \_\_\_\_\_ concentration exist \_\_\_\_\_?  
 What is \_\_\_\_\_ limit \_\_\_\_\_ free- chlorine levels \_\_\_\_\_?  
 \_\_\_\_\_ residual-free chlorine \_\_\_\_\_ permissible \_\_\_\_\_ after \_\_\_\_\_?  
 How \_\_\_\_\_ can \_\_\_\_\_ facility after \_\_\_\_\_ has been cleansed \_\_\_\_\_ harmful organisms?  
 \_\_\_\_\_ amount of \_\_\_\_\_ can \_\_\_\_\_ left over post-sanitization \_\_\_\_\_?  
 Does \_\_\_\_\_ a \_\_\_\_\_ on free-chlorine \_\_\_\_\_ after \_\_\_\_\_ process?  
 \_\_\_\_\_ level of \_\_\_\_\_ chlorine \_\_\_\_\_ allowed \_\_\_\_\_ your \_\_\_\_\_?  
 Residual \_\_\_\_\_ after \_\_\_\_\_ sterilification?  
 How much residual chlorine \_\_\_\_\_ can a \_\_\_\_\_ have \_\_\_\_\_ being \_\_\_\_\_?  
 Does \_\_\_\_\_ have the \_\_\_\_\_ limit \_\_\_\_\_ free chlorine \_\_\_\_\_?  
 Is \_\_\_\_\_ post-disinfection \_\_\_\_\_?  
 \_\_\_\_\_ to have maximum allowable \_\_\_\_\_?  
 Do \_\_\_\_\_ have \_\_\_\_\_ limit \_\_\_\_\_ much \_\_\_\_\_ chlorine \_\_\_\_\_ be?  
 Does your \_\_\_\_\_ limit the \_\_\_\_\_ of \_\_\_\_\_ the premises?  
 \_\_\_\_\_ you \_\_\_\_\_ rule \_\_\_\_\_ it \_\_\_\_\_ to chlorine leftovers \_\_\_\_\_ place?  
 \_\_\_\_\_ your facility \_\_\_\_\_ on \_\_\_\_\_ free chlorine \_\_\_\_\_ afterwards?  
 \_\_\_\_\_ is the \_\_\_\_\_ unused chlorine \_\_\_\_\_ after \_\_\_\_\_ sanitization?  
 Can \_\_\_\_\_ me \_\_\_\_\_ chlorine \_\_\_\_\_ after the sanitization process \_\_\_\_\_ your facility?  
 \_\_\_\_\_ have a limit on residual \_\_\_\_\_ disinfection process?  
 \_\_\_\_\_ maximum threshold for leftover \_\_\_\_\_ sanitizing \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ a maximum \_\_\_\_\_ residual \_\_\_\_\_ levels \_\_\_\_\_ cleaning process?  
 \_\_\_\_\_ is maximum \_\_\_\_\_ chlorine?  
 Is there \_\_\_\_\_ rule about leftover \_\_\_\_\_ the \_\_\_\_\_ process?  
 Can \_\_\_\_\_ tell me how much \_\_\_\_\_ can \_\_\_\_\_ you \_\_\_\_\_?  
 \_\_\_\_\_ be obtained in \_\_\_\_\_ given \_\_\_\_\_ after \_\_\_\_\_ cleansed of harmful substances?  
 \_\_\_\_\_ the maximum amount \_\_\_\_\_ chlorine concentration in \_\_\_\_\_?

Is \_\_\_\_\_ on how much free \_\_\_\_\_ can make after \_\_\_\_\_?

Do you \_\_\_\_\_ facility has a \_\_\_\_\_ residual free-chlorine \_\_\_\_\_?

Does \_\_\_\_\_ a specific maximum \_\_\_\_\_ free-chlorine \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ on how much chlorine stays \_\_\_\_\_ done \_\_\_\_\_?

Do \_\_\_\_\_ facility have \_\_\_\_\_ maximum \_\_\_\_\_ on residual \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ rules regarding the maximum amount \_\_\_\_\_ chlorine \_\_\_\_\_ can \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ on \_\_\_\_\_ much free-chlorine \_\_\_\_\_ remain \_\_\_\_\_?

Hey, just curious, is there \_\_\_\_\_ much \_\_\_\_\_ stays \_\_\_\_\_ your \_\_\_\_\_?

\_\_\_\_\_ facility have \_\_\_\_\_ limit on \_\_\_\_\_ left \_\_\_\_\_ process?

\_\_\_\_\_ your \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ after cleaning it's premises.

\_\_\_\_\_ maximum limit \_\_\_\_\_ leftover chlorine?

Does your \_\_\_\_\_ a limit for \_\_\_\_\_ levels \_\_\_\_\_ process?

After \_\_\_\_\_ cleansed of harmful \_\_\_\_\_ how much of the \_\_\_\_\_ concentration can \_\_\_\_\_?

Is \_\_\_\_\_ limit for \_\_\_\_\_ levels \_\_\_\_\_ the disinfection process?

Does \_\_\_\_\_ facility limit the \_\_\_\_\_ that remains \_\_\_\_\_ it's \_\_\_\_\_?

\_\_\_\_\_ maximum allowable level \_\_\_\_\_ post-disinfection \_\_\_\_\_?

Will there be \_\_\_\_\_ on residual free-chlorine \_\_\_\_\_?

Once \_\_\_\_\_ done, \_\_\_\_\_ a ceiling \_\_\_\_\_ the remaining chlorine?

What's the \_\_\_\_\_ free- chlorine levels \_\_\_\_\_ process?

\_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_ levels left from \_\_\_\_\_ disinfection process?

Are \_\_\_\_\_ a max approved \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ your \_\_\_\_\_ the amount \_\_\_\_\_ that remains?

How \_\_\_\_\_ a \_\_\_\_\_ have after it's been \_\_\_\_\_ of harmful \_\_\_\_\_?

Do \_\_\_\_\_ the maximum \_\_\_\_\_ is for \_\_\_\_\_ chlorine \_\_\_\_\_?

\_\_\_\_\_ amount \_\_\_\_\_ concentration can be found \_\_\_\_\_ a given \_\_\_\_\_?

Can you \_\_\_\_\_ if \_\_\_\_\_ any \_\_\_\_\_ on remaining \_\_\_\_\_?

How much \_\_\_\_\_ can be found \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ leftover from your process?

Is \_\_\_\_\_ that \_\_\_\_\_ cap on \_\_\_\_\_ much \_\_\_\_\_ after \_\_\_\_\_ your disinfecting routine?

Are there \_\_\_\_\_ allowable \_\_\_\_\_ chlorine \_\_\_\_\_?

Do \_\_\_\_\_ is a threshold \_\_\_\_\_ leftover chlorine?

Do you \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ levels after cleaning?

\_\_\_\_\_ free \_\_\_\_\_ concentration permissible \_\_\_\_\_ a plant's \_\_\_\_\_ up?

What \_\_\_\_\_ chlorine concentration \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ facility \_\_\_\_\_ being cleansed \_\_\_\_\_ harmful \_\_\_\_\_?

How \_\_\_\_\_ chlorine \_\_\_\_\_ be left \_\_\_\_\_ is completed?

\_\_\_\_\_ you \_\_\_\_\_ a rule \_\_\_\_\_ chlorine leftovers at \_\_\_\_\_ after the \_\_\_\_\_?

How \_\_\_\_\_ concentration can one \_\_\_\_\_ into a \_\_\_\_\_ it's been cleansed \_\_\_\_\_?

How much chlorine \_\_\_\_\_ over at \_\_\_\_\_ end \_\_\_\_\_ sanitization \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ chlorine \_\_\_\_\_ be in a facility after \_\_\_\_\_ cleansed \_\_\_\_\_ organisms?

\_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ chlorine?

\_\_\_\_\_ have guidelines about \_\_\_\_\_ maximum \_\_\_\_\_ unreacted \_\_\_\_\_ can release?

\_\_\_\_\_ your \_\_\_\_\_ limit the amount of \_\_\_\_\_ that \_\_\_\_\_ process?

\_\_\_\_\_ free \_\_\_\_\_ to stay within permissible \_\_\_\_\_?

\_\_\_\_\_ facility have \_\_\_\_\_ maximum amount \_\_\_\_\_ free-chlorine left \_\_\_\_\_ the \_\_\_\_\_?

Let us \_\_\_\_\_ there's a cap \_\_\_\_\_ the \_\_\_\_\_ cleaning.

\_\_\_\_\_ level of \_\_\_\_\_ free-chlorine is \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ you tell me the maximum \_\_\_\_\_ residual \_\_\_\_\_?

How \_\_\_\_\_ concentration can you get \_\_\_\_\_ facility after \_\_\_\_\_ of harmful \_\_\_\_\_?

\_\_\_\_\_ your \_\_\_\_\_ have \_\_\_\_\_ limit on \_\_\_\_\_ of \_\_\_\_\_ free chlorine?

\_\_\_\_\_ there a \_\_\_\_\_ for residualfree chlorine concentration \_\_\_\_\_?

How much of the \_\_\_\_\_ chlorine \_\_\_\_\_ can one \_\_\_\_\_ a facility \_\_\_\_\_ its \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ maximum \_\_\_\_\_ concentration of \_\_\_\_\_ chlorine \_\_\_\_\_?

Does the facility \_\_\_\_\_ set \_\_\_\_\_ left \_\_\_\_\_ the process?

\_\_\_\_\_ the facility provide a \_\_\_\_\_ for \_\_\_\_\_ free \_\_\_\_\_?

Can you \_\_\_\_\_ max concentration of unreacted \_\_\_\_\_ approved?

\_\_\_\_\_ know if there \_\_\_\_\_ a cap \_\_\_\_\_ levels

\_\_\_\_\_ on residual free-chlorine \_\_\_\_\_ exist \_\_\_\_\_ your facility?

\_\_\_\_\_ is \_\_\_\_\_ limit on how much \_\_\_\_\_ free-chlorine \_\_\_\_\_ you \_\_\_\_\_ aDisinfect

\_\_\_\_\_ residual chlorine concentration \_\_\_\_\_ one \_\_\_\_\_ in \_\_\_\_\_ facility?

Does \_\_\_\_\_ facility limit \_\_\_\_\_ amount \_\_\_\_\_ chlorine that \_\_\_\_\_ it's premises?

\_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_ levels \_\_\_\_\_ in your facility?

\_\_\_\_\_ supposed to \_\_\_\_\_ within \_\_\_\_\_ limits?

\_\_\_\_\_ there \_\_\_\_\_ limit for \_\_\_\_\_ chlorine \_\_\_\_\_?

\_\_\_\_\_ facility \_\_\_\_\_ a \_\_\_\_\_ limit for residual \_\_\_\_\_?

Is it \_\_\_\_\_ that \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ chlorine?

Grumps, \_\_\_\_\_ the limit on \_\_\_\_\_ from your disinfection \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ limit on \_\_\_\_\_ much \_\_\_\_\_ can make \_\_\_\_\_ Disinfect?

\_\_\_\_\_ your facility have \_\_\_\_\_ limit \_\_\_\_\_ free \_\_\_\_\_ after the cleaning \_\_\_\_\_?

Is there a \_\_\_\_\_ the disinfection process?

When \_\_\_\_\_ comes \_\_\_\_\_ at \_\_\_\_\_ place, \_\_\_\_\_ you have \_\_\_\_\_ specific rule?

How much \_\_\_\_\_ can one \_\_\_\_\_ a given \_\_\_\_\_ has been cleansed of \_\_\_\_\_?

What \_\_\_\_\_ permissible concentration of residual-free chlorine \_\_\_\_\_?

\_\_\_\_\_ you know \_\_\_\_\_ level \_\_\_\_\_ free-chlorine in \_\_\_\_\_ facility?

\_\_\_\_\_ if there's \_\_\_\_\_ maximum \_\_\_\_\_ concentration of \_\_\_\_\_ chlorine?

Is \_\_\_\_\_ on the \_\_\_\_\_ of free-chlorine \_\_\_\_\_ from \_\_\_\_\_ process?

I \_\_\_\_\_ to know if there is a \_\_\_\_\_ leftover \_\_\_\_\_ there \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ whether \_\_\_\_\_ max \_\_\_\_\_ concentration of unreacted chlorine?

Is \_\_\_\_\_ a \_\_\_\_\_ level \_\_\_\_\_ free-chlorine \_\_\_\_\_ the process of \_\_\_\_\_?

\_\_\_\_\_ maximum residualfree chlorine concentration?

Is there \_\_\_\_\_ on how much \_\_\_\_\_ after \_\_\_\_\_ do \_\_\_\_\_ disinfecting \_\_\_\_\_?

Is there \_\_\_\_\_ cap \_\_\_\_\_ the amount of \_\_\_\_\_ routine?

\_\_\_\_\_ maximum \_\_\_\_\_ for leftover chlorine \_\_\_\_\_ cleaning?

\_\_\_\_\_ what \_\_\_\_\_ the maximum amount \_\_\_\_\_ left?

\_\_\_\_\_ is the \_\_\_\_\_ residual-free chlorine \_\_\_\_\_ of your \_\_\_\_\_?

Is there a \_\_\_\_\_ at your \_\_\_\_\_ the \_\_\_\_\_ of sanitizing?

\_\_\_\_\_ much \_\_\_\_\_ the \_\_\_\_\_ concentration can you get in a \_\_\_\_\_ it's \_\_\_\_\_ cleansed \_\_\_\_\_ agents?

\_\_\_\_\_ the \_\_\_\_\_ free chlorine left after the \_\_\_\_\_?

Do \_\_\_\_\_ have a maximum \_\_\_\_\_ on \_\_\_\_\_ levels?

\_\_\_\_\_ there \_\_\_\_\_ rule \_\_\_\_\_ after the sanitizing process?

Is \_\_\_\_\_ a \_\_\_\_\_ limit \_\_\_\_\_ leftover \_\_\_\_\_?

Is there \_\_\_\_\_ amount of \_\_\_\_\_ after \_\_\_\_\_ process \_\_\_\_\_ disinfecting?

\_\_\_\_\_ the \_\_\_\_\_ have \_\_\_\_\_ of free-chlorine left at the end \_\_\_\_\_?

Is \_\_\_\_\_ any limits on \_\_\_\_\_ amount after \_\_\_\_\_?

Does \_\_\_\_\_ for residual free-chlorine levels?

When \_\_\_\_\_ to chlorine \_\_\_\_\_ at \_\_\_\_\_ sanitizing process, is there a \_\_\_\_\_?

\_\_\_\_\_ facility \_\_\_\_\_ a \_\_\_\_\_ for residualchlorination?

\_\_\_\_\_ your \_\_\_\_\_ a limit \_\_\_\_\_ residualchlorination \_\_\_\_\_?

Is there a \_\_\_\_\_ free-chlorine \_\_\_\_\_ process \_\_\_\_\_ disinfecting?

Does \_\_\_\_\_ facility have \_\_\_\_\_ specific maximum \_\_\_\_\_ free-chlorine left \_\_\_\_\_?

How \_\_\_\_\_ residual chlorine concentration can \_\_\_\_\_ attained \_\_\_\_\_ a \_\_\_\_\_ cleansed \_\_\_\_\_ organisms?

Can you tell me \_\_\_\_\_ of \_\_\_\_\_?

What \_\_\_\_\_ threshold for the \_\_\_\_\_?

\_\_\_\_\_ of guidelines regarding \_\_\_\_\_ amount of leftover chlorine \_\_\_\_\_ site?

\_\_\_\_\_ a limit on how \_\_\_\_\_ chlorine \_\_\_\_\_ be?

\_\_\_\_\_ there a \_\_\_\_\_ on leftover \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ limit \_\_\_\_\_ chlorine concentration?

Do you have \_\_\_\_\_ how much \_\_\_\_\_ chlorine \_\_\_\_\_ can use \_\_\_\_\_?

When \_\_\_\_\_ comes to \_\_\_\_\_ at your place, is \_\_\_\_\_?

\_\_\_\_\_ a limit on \_\_\_\_\_ Chlorine \_\_\_\_\_ leftover \_\_\_\_\_ the process?

\_\_\_\_\_ concentration of unreacted chlorine afterwards?

Do \_\_\_\_\_ have the maximum \_\_\_\_\_?

Does \_\_\_\_\_ the \_\_\_\_\_ of chlorine left \_\_\_\_\_ it?

\_\_\_\_\_ your \_\_\_\_\_ on residual free chlorine levels \_\_\_\_\_ process \_\_\_\_\_ disinfection?

Which is the max \_\_\_\_\_?

Hey, just \_\_\_\_\_ is there \_\_\_\_\_ cap \_\_\_\_\_ much \_\_\_\_\_ your system \_\_\_\_\_ your disinfecting routine?

Do you \_\_\_\_\_ limit \_\_\_\_\_ residual \_\_\_\_\_ after the \_\_\_\_\_ process?

What amount of \_\_\_\_\_ chlorine concentration \_\_\_\_\_ be found \_\_\_\_\_ a \_\_\_\_\_ it \_\_\_\_\_ been \_\_\_\_\_ of \_\_\_\_\_?

Do you \_\_\_\_\_ limit \_\_\_\_\_ free-chlorine levels \_\_\_\_\_ the \_\_\_\_\_ process?

\_\_\_\_\_ me \_\_\_\_\_ is allowed after the sanitization process \_\_\_\_\_ your \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ limit for residual \_\_\_\_\_?

Hey, just curious, \_\_\_\_\_ is there \_\_\_\_\_ how \_\_\_\_\_ stays after \_\_\_\_\_?

Do you \_\_\_\_\_ for \_\_\_\_\_ much \_\_\_\_\_ chlorine should \_\_\_\_\_ at your \_\_\_\_\_?

Is \_\_\_\_\_ a limit \_\_\_\_\_ free-chlorine concentration \_\_\_\_\_ disinfecting process?

\_\_\_\_\_ facility limit \_\_\_\_\_ chlorine left \_\_\_\_\_ the \_\_\_\_\_ after cleaning \_\_\_\_\_ premises?

\_\_\_\_\_ maximum \_\_\_\_\_ for residualfree chlorine \_\_\_\_\_ the facility?

\_\_\_\_\_ your facility \_\_\_\_\_ of free chlorine that stays after \_\_\_\_\_?

\_\_\_\_\_ residual \_\_\_\_\_ be \_\_\_\_\_ facility after \_\_\_\_\_ been cleaned \_\_\_\_\_ harmful particles?

\_\_\_\_\_ you \_\_\_\_\_ for \_\_\_\_\_ of residual free-chlorine post-disinfection?

What is \_\_\_\_\_ amount \_\_\_\_\_ residual-free chlorine \_\_\_\_\_ facility?

What is the \_\_\_\_\_ on unused \_\_\_\_\_ sanitization \_\_\_\_\_?

\_\_\_\_\_ is the limit on \_\_\_\_\_ level \_\_\_\_\_ process?

Do you \_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_ levels is \_\_\_\_\_ your facility?

\_\_\_\_\_ facility limit the \_\_\_\_\_ that \_\_\_\_\_ after \_\_\_\_\_ your premises?

Is there \_\_\_\_\_ about \_\_\_\_\_ chlorine at your place \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ there a limit \_\_\_\_\_ residualchlorination levels \_\_\_\_\_?

\_\_\_\_\_ level of residualfree chlorine concentration in \_\_\_\_\_?

\_\_\_\_\_ is your \_\_\_\_\_ policy \_\_\_\_\_ acceptable level \_\_\_\_\_ chloride post-treatment?

Do \_\_\_\_\_ about the \_\_\_\_\_ of \_\_\_\_\_ chlorine you can use?

\_\_\_\_\_ is \_\_\_\_\_ residual free-chlorine \_\_\_\_\_ after a \_\_\_\_\_ been cleaned?

\_\_\_\_\_ much of the \_\_\_\_\_ chlorine \_\_\_\_\_ can \_\_\_\_\_ get \_\_\_\_\_ facility after its been \_\_\_\_\_ of \_\_\_\_\_?

Does your \_\_\_\_\_ have \_\_\_\_\_ on \_\_\_\_\_ free-chlorine \_\_\_\_\_ after \_\_\_\_\_ treatment?

Does \_\_\_\_\_ facility have a limit \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ much \_\_\_\_\_ concentration \_\_\_\_\_ get in \_\_\_\_\_ facility \_\_\_\_\_ cleansed of harmful substances.

\_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ of free-chlorine \_\_\_\_\_ after the process?

\_\_\_\_\_ much of the residual \_\_\_\_\_ concentration can \_\_\_\_\_ a facility \_\_\_\_\_ has \_\_\_\_\_ cleansed of \_\_\_\_\_?

Does \_\_\_\_\_ location have \_\_\_\_\_ limit \_\_\_\_\_?

Does your \_\_\_\_\_ a \_\_\_\_\_ chlorine \_\_\_\_\_?

Is there \_\_\_\_\_ limit to \_\_\_\_\_ chlorine \_\_\_\_\_ remain \_\_\_\_\_?

Does your facility \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_?

Do you have a \_\_\_\_\_ on \_\_\_\_\_ levels after \_\_\_\_\_?

\_\_\_\_\_ much residual \_\_\_\_\_ can \_\_\_\_\_ in \_\_\_\_\_ facility \_\_\_\_\_ cleansed of harmful organisms?  
\_\_\_\_\_ the facility \_\_\_\_\_ maximum amount of \_\_\_\_\_?  
Hey, \_\_\_\_\_ curious \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ cap \_\_\_\_\_ how much chlorine \_\_\_\_\_ your \_\_\_\_\_ routine.  
\_\_\_\_\_ your \_\_\_\_\_ have a \_\_\_\_\_ the residual \_\_\_\_\_?  
\_\_\_\_\_ much \_\_\_\_\_ can one \_\_\_\_\_ in a facility after being \_\_\_\_\_?  
What \_\_\_\_\_ the limit \_\_\_\_\_ the \_\_\_\_\_ left \_\_\_\_\_ from the process?  
\_\_\_\_\_ a limit \_\_\_\_\_ how \_\_\_\_\_ residual free-chlorine \_\_\_\_\_ can \_\_\_\_\_ made \_\_\_\_\_ the facility's \_\_\_\_\_.  
What's the limit \_\_\_\_\_ free-chlorine levels \_\_\_\_\_ process?  
\_\_\_\_\_ there \_\_\_\_\_ rule \_\_\_\_\_ much \_\_\_\_\_ chlorine can \_\_\_\_\_ around \_\_\_\_\_ you \_\_\_\_\_ up?  
Does the \_\_\_\_\_ have \_\_\_\_\_ free-chlorine left?  
Is \_\_\_\_\_ a limit \_\_\_\_\_ amount of \_\_\_\_\_ chlorine \_\_\_\_\_?  
Does the facility \_\_\_\_\_ a certain amount \_\_\_\_\_?  
Do \_\_\_\_\_ know \_\_\_\_\_ a \_\_\_\_\_ approved \_\_\_\_\_ of \_\_\_\_\_ chlorine \_\_\_\_\_ present?  
\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ leftover chlorine \_\_\_\_\_?  
Do you \_\_\_\_\_ on the maximum \_\_\_\_\_ unreacted chlorine \_\_\_\_\_?  
I \_\_\_\_\_ just \_\_\_\_\_ there a \_\_\_\_\_ how much \_\_\_\_\_ stays after \_\_\_\_\_ do \_\_\_\_\_ disinfecting routine?  
\_\_\_\_\_ set \_\_\_\_\_ maximum limit \_\_\_\_\_ free \_\_\_\_\_ levels after the disinfection \_\_\_\_\_?  
Will \_\_\_\_\_ limit on leftover \_\_\_\_\_ concentration?  
Do you \_\_\_\_\_ any \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ free-chlorine \_\_\_\_\_?  
Let us know \_\_\_\_\_ remaining chlorine \_\_\_\_\_ aftercleaning.  
\_\_\_\_\_ you tell \_\_\_\_\_ if your facility \_\_\_\_\_ maximum limit for \_\_\_\_\_?  
I \_\_\_\_\_ to \_\_\_\_\_ facility has a maximum \_\_\_\_\_ residual \_\_\_\_\_ chlorine.