

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Car Dealerships
<b>Inquiry Category</b>	Vehicle specifications and features queries
<b>Inquiry Sub-Category</b>	Warranty and Maintenance
<b>Description</b>	Customers inquire about the vehicle's warranty coverage, including the duration and limitations, as well as recommended maintenance intervals and costs, to understand the overall ownership experience and potential expenses.
<b>Data Size</b>	5,248 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Car Dealership" customer inquiry. (Purchased data will not be masked.)

\_\_\_\_ long \_\_\_\_ components typically \_\_\_\_ replacement \_\_\_\_ our standard \_\_\_\_ and tear \_\_\_\_ agreements?  
When specific elements demand \_\_\_\_ our \_\_\_\_ and \_\_\_\_ you give us \_\_\_\_?  
Does \_\_\_\_ specific lifespan \_\_\_\_ or \_\_\_\_ they sometimes require \_\_\_\_ the standard wear \_\_\_\_?  
What \_\_\_\_ the standard \_\_\_\_ individual \_\_\_\_ will \_\_\_\_ of \_\_\_\_ regular wear and \_\_\_\_ allowances?  
How old \_\_\_\_ are, before \_\_\_\_ have \_\_\_\_ replacement beyond the \_\_\_\_ tear allowance \_\_\_\_.  
\_\_\_\_ estimate for when parts \_\_\_\_ go \_\_\_\_ wear \_\_\_\_ tear allowance?  
\_\_\_\_ know if some \_\_\_\_ need \_\_\_\_ be \_\_\_\_ outside \_\_\_\_ usual wear \_\_\_\_ tear \_\_\_\_?  
What \_\_\_\_ the standard \_\_\_\_ individual \_\_\_\_ outside of \_\_\_\_ wear and \_\_\_\_?  
Could \_\_\_\_ shed \_\_\_\_ on \_\_\_\_ elements demand \_\_\_\_ beyond our \_\_\_\_ wear \_\_\_\_ tear \_\_\_\_?  
What is \_\_\_\_ until individual parts typically \_\_\_\_ repair beyond \_\_\_\_ for \_\_\_\_ tear?  
How \_\_\_\_ some \_\_\_\_ before they have to be \_\_\_\_ beyond the agreed upon \_\_\_\_.  
Will \_\_\_\_ need \_\_\_\_ replaced sooner \_\_\_\_ wear exceptions cover?  
How old \_\_\_\_ of our components \_\_\_\_ before they \_\_\_\_ be \_\_\_\_ our usual wear \_\_\_\_?  
Do \_\_\_\_ know if \_\_\_\_ to \_\_\_\_ outside \_\_\_\_ the usual \_\_\_\_ and \_\_\_\_ allowances?  
How old \_\_\_\_ components \_\_\_\_ before we \_\_\_\_ past \_\_\_\_ upon \_\_\_\_ of wear.  
\_\_\_\_ old some \_\_\_\_ our \_\_\_\_ are \_\_\_\_ to \_\_\_\_ beyond the standard wear and tear \_\_\_\_ agreements.  
How old some of our \_\_\_\_ are \_\_\_\_ needing \_\_\_\_ be \_\_\_\_ beyond \_\_\_\_?  
Do \_\_\_\_ some \_\_\_\_ replaced outside what is covered by \_\_\_\_ and tear \_\_\_\_?  
How \_\_\_\_ do \_\_\_\_ last \_\_\_\_ to be replaced beyond our \_\_\_\_ and \_\_\_\_?  
\_\_\_\_ is \_\_\_\_ need repair outside of \_\_\_\_ wear \_\_\_\_ tear allowance?  
\_\_\_\_ components often need replacement beyond \_\_\_\_ or \_\_\_\_ a \_\_\_\_ lifespan \_\_\_\_ them?  
\_\_\_\_ you familiar \_\_\_\_ when parts \_\_\_\_ to be \_\_\_\_ that \_\_\_\_ beyond what is \_\_\_\_ and \_\_\_\_?  
\_\_\_\_ some parts are before \_\_\_\_ replaced, \_\_\_\_ the usual \_\_\_\_ and tear allowance \_\_\_\_?  
Is there \_\_\_\_ time \_\_\_\_ replacement \_\_\_\_ beyond the \_\_\_\_ wear and \_\_\_\_ limits?  
\_\_\_\_ is the standard \_\_\_\_ parts \_\_\_\_ repair \_\_\_\_ of regular \_\_\_\_ and tear \_\_\_\_?  
Can you tell \_\_\_\_ whether \_\_\_\_ elements demand \_\_\_\_ and tear limits?  
How old some of \_\_\_\_ are before \_\_\_\_ have \_\_\_\_ use replacements \_\_\_\_ their \_\_\_\_ tear \_\_\_\_.  
Are you aware \_\_\_\_ when \_\_\_\_ might need to \_\_\_\_ what is \_\_\_\_ under \_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ before we \_\_\_\_\_ to use \_\_\_\_\_ beyond \_\_\_\_\_ standard wear and tear allowances.  
 \_\_\_\_\_ is the \_\_\_\_\_ until individual parts tend \_\_\_\_\_ repair outside \_\_\_\_\_ the \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ old some \_\_\_\_\_ components are before they \_\_\_\_\_ to \_\_\_\_\_ beyond \_\_\_\_\_.  
 \_\_\_\_\_ specific lifespan exist \_\_\_\_\_ parts, \_\_\_\_\_ can \_\_\_\_\_ frequently need replacement \_\_\_\_\_ of \_\_\_\_\_ tear?  
 How long does \_\_\_\_\_ parts to \_\_\_\_\_ replaced \_\_\_\_\_ regular wear \_\_\_\_\_?  
 \_\_\_\_\_ period will \_\_\_\_\_ components \_\_\_\_\_ repair \_\_\_\_\_ tear allowances?  
 How old \_\_\_\_\_ our components are before \_\_\_\_\_ have \_\_\_\_\_ be \_\_\_\_\_ upon \_\_\_\_\_ of wear.  
 How old some \_\_\_\_\_ are before \_\_\_\_\_ have \_\_\_\_\_ beyond the standard wear \_\_\_\_\_ tear allowance \_\_\_\_\_.  
 \_\_\_\_\_ our components \_\_\_\_\_ require \_\_\_\_\_ beyond standard wear and tear allowances?  
 Are \_\_\_\_\_ of \_\_\_\_\_ may need to \_\_\_\_\_ replaced beyond what \_\_\_\_\_ under normal \_\_\_\_\_?  
 Can you \_\_\_\_\_ us \_\_\_\_\_ elements demand \_\_\_\_\_ the \_\_\_\_\_ tear limits?  
 What is the \_\_\_\_\_ period \_\_\_\_\_ the individual \_\_\_\_\_ outside of \_\_\_\_\_ wear \_\_\_\_\_?  
 \_\_\_\_\_ of the \_\_\_\_\_ are \_\_\_\_\_ need \_\_\_\_\_ standard wear and tear allowances?  
 \_\_\_\_\_ tell \_\_\_\_\_ when specific \_\_\_\_\_ demand \_\_\_\_\_ our \_\_\_\_\_ wear and tear limits?  
 \_\_\_\_\_ you tell us \_\_\_\_\_ about \_\_\_\_\_ of components \_\_\_\_\_ we \_\_\_\_\_ tolerances?  
 How \_\_\_\_\_ components \_\_\_\_\_ before they \_\_\_\_\_ be \_\_\_\_\_ beyond standard \_\_\_\_\_ tear allowances?  
 Are you aware \_\_\_\_\_ component may \_\_\_\_\_ to \_\_\_\_\_ what is \_\_\_\_\_ normal wear and \_\_\_\_\_?  
 \_\_\_\_\_ old some \_\_\_\_\_ the \_\_\_\_\_ are before \_\_\_\_\_ have \_\_\_\_\_ be replaced \_\_\_\_\_ the \_\_\_\_\_ tear allowance \_\_\_\_\_.  
 \_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ elements demand replacement beyond the agreed \_\_\_\_\_ wear \_\_\_\_\_ tear limits?  
 How \_\_\_\_\_ are before \_\_\_\_\_ need replacement, \_\_\_\_\_ our usual \_\_\_\_\_ tear \_\_\_\_\_ agreements?  
 Is there \_\_\_\_\_ standard \_\_\_\_\_ certain parts need to \_\_\_\_\_ beyond \_\_\_\_\_ considered \_\_\_\_\_ wear \_\_\_\_\_ tear?  
 \_\_\_\_\_ is the \_\_\_\_\_ time \_\_\_\_\_ individual \_\_\_\_\_ can be \_\_\_\_\_ outside \_\_\_\_\_ the regular \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ old \_\_\_\_\_ of \_\_\_\_\_ before we \_\_\_\_\_ replacements beyond the standard wear \_\_\_\_\_ agreements.  
 How old \_\_\_\_\_ of the components \_\_\_\_\_ when \_\_\_\_\_ to \_\_\_\_\_ beyond \_\_\_\_\_ and tear allowance \_\_\_\_\_.  
 Is \_\_\_\_\_ a time frame for \_\_\_\_\_ normal \_\_\_\_\_ and \_\_\_\_\_?  
 What \_\_\_\_\_ period \_\_\_\_\_ individual parts \_\_\_\_\_ repair outside \_\_\_\_\_ their regular \_\_\_\_\_ tear allowances?  
 \_\_\_\_\_ do certain components \_\_\_\_\_ before requiring \_\_\_\_\_ beyond \_\_\_\_\_ wear \_\_\_\_\_ allowances?  
 \_\_\_\_\_ is \_\_\_\_\_ typical \_\_\_\_\_ of \_\_\_\_\_ components before \_\_\_\_\_ faced with \_\_\_\_\_?  
 Do \_\_\_\_\_ know when \_\_\_\_\_ parts may need to \_\_\_\_\_ we \_\_\_\_\_ to do?  
 Are you aware \_\_\_\_\_ might need \_\_\_\_\_ be replaced \_\_\_\_\_ what's \_\_\_\_\_ wear?  
 \_\_\_\_\_ want \_\_\_\_\_ know \_\_\_\_\_ you can tell me when \_\_\_\_\_ replacement \_\_\_\_\_ the \_\_\_\_\_ upon \_\_\_\_\_ tear limits.  
 \_\_\_\_\_ it possible \_\_\_\_\_ to tell \_\_\_\_\_ when certain \_\_\_\_\_ demand \_\_\_\_\_ our agreed upon \_\_\_\_\_ limits?  
 How \_\_\_\_\_ some \_\_\_\_\_ we have to \_\_\_\_\_ replacements beyond \_\_\_\_\_.  
 \_\_\_\_\_ some \_\_\_\_\_ components are \_\_\_\_\_ have \_\_\_\_\_ replaced beyond their agreed upon \_\_\_\_\_ of wear.  
 \_\_\_\_\_ you know \_\_\_\_\_ a component needs \_\_\_\_\_ replaced outside \_\_\_\_\_ rip allowance?  
 \_\_\_\_\_ is the usual \_\_\_\_\_ until individual \_\_\_\_\_ repair \_\_\_\_\_ normal wear \_\_\_\_\_?  
 \_\_\_\_\_ some \_\_\_\_\_ our \_\_\_\_\_ before we need to use \_\_\_\_\_ beyond their \_\_\_\_\_ tear \_\_\_\_\_ agreements.  
 Can you \_\_\_\_\_ when specific \_\_\_\_\_ replacement beyond \_\_\_\_\_ wear and \_\_\_\_\_ limits?  
 \_\_\_\_\_ you know \_\_\_\_\_ are \_\_\_\_\_ components \_\_\_\_\_ need to \_\_\_\_\_ outside \_\_\_\_\_ the \_\_\_\_\_ wear and \_\_\_\_\_ allowance?  
 \_\_\_\_\_ the replacement periods for \_\_\_\_\_ beyond the standard wear and \_\_\_\_\_?  
 Can \_\_\_\_\_ tell us \_\_\_\_\_ average life expectancy \_\_\_\_\_ replacement is \_\_\_\_\_?  
 What can \_\_\_\_\_ me \_\_\_\_\_ when \_\_\_\_\_ demand replacement \_\_\_\_\_ agreed upon \_\_\_\_\_ and tear \_\_\_\_\_?  
 How \_\_\_\_\_ some of the \_\_\_\_\_ we \_\_\_\_\_ use replacements beyond \_\_\_\_\_ standard wear and \_\_\_\_\_.  
 \_\_\_\_\_ certain components have \_\_\_\_\_ be replaced \_\_\_\_\_ falls \_\_\_\_\_ usual wear \_\_\_\_\_ tear allowance terms?  
 \_\_\_\_\_ give us some insight into \_\_\_\_\_ replacement beyond the \_\_\_\_\_ tear limits?  
 \_\_\_\_\_ some \_\_\_\_\_ are \_\_\_\_\_ they \_\_\_\_\_ to be \_\_\_\_\_ beyond \_\_\_\_\_ and tear allowances?  
 \_\_\_\_\_ old \_\_\_\_\_ are before they need \_\_\_\_\_ be \_\_\_\_\_ beyond \_\_\_\_\_ wear and \_\_\_\_\_.  
 How \_\_\_\_\_ before they \_\_\_\_\_ replaced, beyond our usual wear and \_\_\_\_\_ allowance agreements?  
 \_\_\_\_\_ you tell \_\_\_\_\_ elements \_\_\_\_\_ replacement \_\_\_\_\_ our \_\_\_\_\_ wear and tear limits?  
 How \_\_\_\_\_ some of our \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ standard \_\_\_\_\_ tear allowances?

\_\_\_\_ you \_\_\_\_ idea if some components \_\_\_\_ to \_\_\_\_ replaced \_\_\_\_ the usual \_\_\_\_ and tear \_\_\_\_?  
 What \_\_\_\_ the typical replacement periods \_\_\_\_ parts beyond \_\_\_\_ tear \_\_\_\_?  
 \_\_\_\_ you aware \_\_\_\_ when \_\_\_\_ component may need \_\_\_\_ beyond what we're \_\_\_\_ to \_\_\_\_?  
 \_\_\_\_ about \_\_\_\_ for \_\_\_\_ car parts \_\_\_\_ standard wear and tear \_\_\_\_?  
 \_\_\_\_ some \_\_\_\_ our components are \_\_\_\_ replacement, beyond \_\_\_\_ usual wear \_\_\_\_ agreement? "  
 Can \_\_\_\_ tell \_\_\_\_ typical lifespan of key components \_\_\_\_ replacements?  
 \_\_\_\_ possible that \_\_\_\_ components need \_\_\_\_ be \_\_\_\_ of \_\_\_\_ and rip allowance?  
 Does \_\_\_\_ lifespan \_\_\_\_ parts, or \_\_\_\_ they \_\_\_\_ replacement \_\_\_\_ standard wear and tear?  
 \_\_\_\_ us \_\_\_\_ the \_\_\_\_ lifespan of various components \_\_\_\_ exceeding \_\_\_\_ tolerances?  
 \_\_\_\_ any information about replacement \_\_\_\_ car \_\_\_\_ beyond \_\_\_\_ and \_\_\_\_ coverage terms?  
 When certain parts need to be replaced \_\_\_\_ is considered \_\_\_\_ a typical \_\_\_\_?  
 Do \_\_\_\_ if components \_\_\_\_ need to \_\_\_\_ beyond \_\_\_\_ under our \_\_\_\_ wear and tear \_\_\_\_?  
 \_\_\_\_ lifespans of \_\_\_\_ components exceed \_\_\_\_ repair of wear \_\_\_\_?  
 How \_\_\_\_ some \_\_\_\_ be \_\_\_\_ beyond our warranty coverage?  
 How \_\_\_\_ before \_\_\_\_ to \_\_\_\_ replacements beyond their standard \_\_\_\_ and tear allowance \_\_\_\_.  
 \_\_\_\_ some \_\_\_\_ before they \_\_\_\_ the usual wear and tear agreement?  
 When specific \_\_\_\_ replacement \_\_\_\_ agreed-upon wear and tear \_\_\_\_ can \_\_\_\_ some \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ if some components need \_\_\_\_ be \_\_\_\_ of wear \_\_\_\_?  
 \_\_\_\_ is the \_\_\_\_ period until individual \_\_\_\_ typically \_\_\_\_ repair \_\_\_\_ tear allowance?  
 Is it \_\_\_\_ elements \_\_\_\_ than our standard \_\_\_\_ exceptions cover?  
 \_\_\_\_ a \_\_\_\_ until the parts need to be \_\_\_\_ is considered standard \_\_\_\_ and \_\_\_\_?  
 \_\_\_\_ usually last before \_\_\_\_ to \_\_\_\_ replacements \_\_\_\_ our wear and \_\_\_\_ allowance agreements?  
 \_\_\_\_ is the standard period \_\_\_\_ parts \_\_\_\_ need repair \_\_\_\_ of \_\_\_\_ wear and tear?  
 How \_\_\_\_ our components are \_\_\_\_ need to be replaced \_\_\_\_ and tear agreement?  
 \_\_\_\_ old \_\_\_\_ last before we \_\_\_\_ to \_\_\_\_ beyond the standard wear \_\_\_\_ allowance \_\_\_\_.  
 \_\_\_\_ is it when individual \_\_\_\_ repair \_\_\_\_ their \_\_\_\_ tear allowances?  
 How old some \_\_\_\_ our \_\_\_\_ are before they \_\_\_\_ our \_\_\_\_ allowance agreements?  
 \_\_\_\_ you have \_\_\_\_ idea if a \_\_\_\_ to \_\_\_\_ replaced outside of \_\_\_\_ wear \_\_\_\_ allowance?  
 \_\_\_\_ use replacements \_\_\_\_ our wear and tear allowances?  
 How \_\_\_\_ parts are before \_\_\_\_ have \_\_\_\_ use replacements \_\_\_\_ tear allowance agreements  
 Can you tell \_\_\_\_ the \_\_\_\_ of \_\_\_\_ before \_\_\_\_ need replacements?  
 \_\_\_\_ know when certain \_\_\_\_ need \_\_\_\_ is covered \_\_\_\_ our usual \_\_\_\_ and tear allowance?  
 \_\_\_\_ the standard \_\_\_\_ before individual \_\_\_\_ need \_\_\_\_ outside \_\_\_\_ wear and tear \_\_\_\_?  
 Can you \_\_\_\_ the replacement periods \_\_\_\_ car parts \_\_\_\_ coverage terms?  
 Are \_\_\_\_ aware \_\_\_\_ when certain component \_\_\_\_ to \_\_\_\_ replaced beyond \_\_\_\_ we \_\_\_\_ to replace?  
 Is \_\_\_\_ an estimate \_\_\_\_ when \_\_\_\_ exceed \_\_\_\_ wear \_\_\_\_ allowance?  
 \_\_\_\_ we \_\_\_\_ use replacements \_\_\_\_ wear \_\_\_\_ agreements, \_\_\_\_ old some of our components are?  
 \_\_\_\_ old some \_\_\_\_ components are \_\_\_\_ they \_\_\_\_ beyond \_\_\_\_ wear and tear \_\_\_\_?  
 How old \_\_\_\_ of our components are before \_\_\_\_ to \_\_\_\_ replacements \_\_\_\_ and \_\_\_\_ agreements.  
 What \_\_\_\_ usually need \_\_\_\_ beyond their \_\_\_\_ allowances?  
 \_\_\_\_ old some components \_\_\_\_ have \_\_\_\_ beyond their allowances.  
 \_\_\_\_ you \_\_\_\_ the \_\_\_\_ various components before exceeding agreed upon \_\_\_\_?  
 \_\_\_\_ time is \_\_\_\_ need repairs outside \_\_\_\_ normal wear \_\_\_\_ tear \_\_\_\_?  
 \_\_\_\_ you know \_\_\_\_ be replaced outside of the \_\_\_\_ allowances?  
 \_\_\_\_ is \_\_\_\_ period until \_\_\_\_ will \_\_\_\_ repair \_\_\_\_ of the wear \_\_\_\_ allowance?  
 Can \_\_\_\_ specific \_\_\_\_ the agreed-upon wear and tear limits?  
 \_\_\_\_ you \_\_\_\_ specific elements demand replacement \_\_\_\_ wear and tear \_\_\_\_?  
 \_\_\_\_ some of our components \_\_\_\_ to be replaced, \_\_\_\_ our \_\_\_\_ wear and tear \_\_\_\_?  
 Do \_\_\_\_ know when \_\_\_\_ might need to \_\_\_\_ replaced \_\_\_\_ our wear \_\_\_\_ tear allowance \_\_\_\_?  
 Can you tell me when \_\_\_\_ and tear limits?

\_\_\_\_\_ typical lifespan \_\_\_\_\_ before they need \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ components need to \_\_\_\_\_ replaced \_\_\_\_\_ the usual \_\_\_\_\_ and \_\_\_\_\_?  
 Is there a \_\_\_\_\_ when \_\_\_\_\_ elements \_\_\_\_\_ beyond \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 \_\_\_\_\_ old some \_\_\_\_\_ before \_\_\_\_\_ use \_\_\_\_\_ beyond \_\_\_\_\_ standard wear and tear \_\_\_\_\_ agreements.  
 \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ periods for \_\_\_\_\_ car parts beyond standard \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ some components \_\_\_\_\_ before they \_\_\_\_\_ replaced \_\_\_\_\_ our agreed \_\_\_\_\_ of wear.  
 \_\_\_\_\_ you know \_\_\_\_\_ components \_\_\_\_\_ need to be replaced \_\_\_\_\_ the \_\_\_\_\_ tear \_\_\_\_\_?  
 What \_\_\_\_\_ average lifespan \_\_\_\_\_ before \_\_\_\_\_ replacement, other than \_\_\_\_\_ our \_\_\_\_\_ covers?  
 How long does it take for \_\_\_\_\_ replaced beyond \_\_\_\_\_?  
 \_\_\_\_\_ old \_\_\_\_\_ components are before they have \_\_\_\_\_ be replaced beyond \_\_\_\_\_ allowance \_\_\_\_\_  
 Is there \_\_\_\_\_ you \_\_\_\_\_ tell \_\_\_\_\_ about \_\_\_\_\_ certain elements \_\_\_\_\_ beyond \_\_\_\_\_ agreed \_\_\_\_\_ tear limits?  
 Do you know when a component \_\_\_\_\_ to \_\_\_\_\_ beyond \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ until individual parts need \_\_\_\_\_ be repaired \_\_\_\_\_ of \_\_\_\_\_ and \_\_\_\_\_ allowances?  
 Do \_\_\_\_\_ know \_\_\_\_\_ some components \_\_\_\_\_ be replaced \_\_\_\_\_ tear allowance?  
 \_\_\_\_\_ old some of the components \_\_\_\_\_ before \_\_\_\_\_ need \_\_\_\_\_ beyond the \_\_\_\_\_ agreements.  
 \_\_\_\_\_ the \_\_\_\_\_ lifespan of components, exceeding our wear \_\_\_\_\_?  
 What \_\_\_\_\_ the standard \_\_\_\_\_ outside the usual wear \_\_\_\_\_ tear allowance?  
 \_\_\_\_\_ a \_\_\_\_\_ lifespan exist for parts, or \_\_\_\_\_ frequently need replacement \_\_\_\_\_ wear \_\_\_\_\_ tear?  
 What is the \_\_\_\_\_ until \_\_\_\_\_ need repair other than \_\_\_\_\_ wear \_\_\_\_\_?  
 Do \_\_\_\_\_ when \_\_\_\_\_ to be replaced beyond what \_\_\_\_\_ under \_\_\_\_\_ usual \_\_\_\_\_ and tear allowance \_\_\_\_\_?  
 How \_\_\_\_\_ some \_\_\_\_\_ are \_\_\_\_\_ we have to \_\_\_\_\_ standard wear and \_\_\_\_\_ allowance \_\_\_\_\_.  
 \_\_\_\_\_ old some \_\_\_\_\_ are \_\_\_\_\_ need to \_\_\_\_\_ replaced \_\_\_\_\_ standard \_\_\_\_\_ tear allowance?  
 How \_\_\_\_\_ individual \_\_\_\_\_ need \_\_\_\_\_ outside of \_\_\_\_\_ for \_\_\_\_\_ and tear?  
 What is \_\_\_\_\_ period before \_\_\_\_\_ parts \_\_\_\_\_ of the \_\_\_\_\_ and tear \_\_\_\_\_?  
 Can you \_\_\_\_\_ about replacement periods \_\_\_\_\_ car parts beyond \_\_\_\_\_ standard \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ certain components \_\_\_\_\_ need \_\_\_\_\_ replaced beyond what \_\_\_\_\_ covered \_\_\_\_\_ tear allowance terms?  
 \_\_\_\_\_ will \_\_\_\_\_ need \_\_\_\_\_ beyond tear allowances?  
 \_\_\_\_\_ some \_\_\_\_\_ the components \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ replacements beyond our \_\_\_\_\_?  
 \_\_\_\_\_ old some \_\_\_\_\_ our \_\_\_\_\_ are before they need \_\_\_\_\_ replaced \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 \_\_\_\_\_ specific \_\_\_\_\_ demand \_\_\_\_\_ wear \_\_\_\_\_ tear limits, could \_\_\_\_\_ tell me about it?  
 \_\_\_\_\_ you know when \_\_\_\_\_ components might \_\_\_\_\_ be \_\_\_\_\_ beyond what is \_\_\_\_\_ our usual \_\_\_\_\_ allowance?  
 \_\_\_\_\_ until individual parts typically \_\_\_\_\_ of normal wear and \_\_\_\_\_ allowances?  
 \_\_\_\_\_ you \_\_\_\_\_ any information \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ beyond \_\_\_\_\_ and tear coverage?  
 \_\_\_\_\_ standard period until \_\_\_\_\_ parts \_\_\_\_\_ repair \_\_\_\_\_ the usual \_\_\_\_\_ and \_\_\_\_\_ allowance?  
 How \_\_\_\_\_ last \_\_\_\_\_ they \_\_\_\_\_ to \_\_\_\_\_ beyond our \_\_\_\_\_ wear and tear \_\_\_\_\_ agreements?  
 Do \_\_\_\_\_ the usual \_\_\_\_\_ components before \_\_\_\_\_ agreed tolerances?  
 \_\_\_\_\_ some components are \_\_\_\_\_ they \_\_\_\_\_ to \_\_\_\_\_ replaced \_\_\_\_\_ standard \_\_\_\_\_ tear agreements?  
 \_\_\_\_\_ old our components \_\_\_\_\_ they \_\_\_\_\_ standard wear \_\_\_\_\_ tear allowances?  
 Is there a way to \_\_\_\_\_ certain \_\_\_\_\_ demand \_\_\_\_\_ beyond \_\_\_\_\_ agreed upon wear \_\_\_\_\_?  
 If \_\_\_\_\_ components \_\_\_\_\_ to be \_\_\_\_\_ outside \_\_\_\_\_ falls \_\_\_\_\_ the \_\_\_\_\_ and tear allowance, \_\_\_\_\_ have \_\_\_\_\_ clue?  
 \_\_\_\_\_ until \_\_\_\_\_ parts \_\_\_\_\_ need repair outside of the \_\_\_\_\_ and tear?  
 \_\_\_\_\_ usually need \_\_\_\_\_ standard wear \_\_\_\_\_ tear or \_\_\_\_\_ there \_\_\_\_\_ specific \_\_\_\_\_ for them?  
 \_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ certain \_\_\_\_\_ replacement beyond the wear and \_\_\_\_\_?  
 Do \_\_\_\_\_ know \_\_\_\_\_ some components will \_\_\_\_\_ be replaced beyond \_\_\_\_\_ falls \_\_\_\_\_ wear \_\_\_\_\_ allowance \_\_\_\_\_?  
 \_\_\_\_\_ is the average duration \_\_\_\_\_ designated \_\_\_\_\_ must \_\_\_\_\_ past regular \_\_\_\_\_ expectations?  
 What is \_\_\_\_\_ individual parts need to \_\_\_\_\_ of the \_\_\_\_\_ wear and \_\_\_\_\_ allowances?  
 How \_\_\_\_\_ do \_\_\_\_\_ usually \_\_\_\_\_ before requiring replacement \_\_\_\_\_ wear and \_\_\_\_\_?  
 \_\_\_\_\_ parts are before we \_\_\_\_\_ replacements beyond \_\_\_\_\_ and \_\_\_\_\_ agreements?  
 \_\_\_\_\_ possible to provide information about \_\_\_\_\_ for various \_\_\_\_\_ beyond standard wear \_\_\_\_\_?  
 How old \_\_\_\_\_ we need replacements \_\_\_\_\_ our \_\_\_\_\_ and \_\_\_\_\_ allowances?

the certain exceed the arrangements for repairs?  
 old they need replacement and tear agreements?  
 What time until individual parts repair outside and tear ?  
 old the components have use the wear and tear allowance agreements?  
 know if will need what covered by wear and tear allowance terms?  
 you tell me require the agreed wear and limits?  
 Do know when certain components for and tear ?  
 part before needing be renewed standard and tear?  
 How old some before we to standardwear allowance .  
 you know some components need to beyond covered by our allowance?  
 Is when certain need to replaced that are what is tear ?  
 How old some components are have standardwear and tear allowance .  
 individual need repair the tear allowances, does it take?  
 there anything can tell me about replacement our agreed-upon and limits?  
 How long individual outside of allowances wear and ?  
 a frame replacing that beyond normal and limits?  
 Are any when need to be beyond what is usually normal wear?  
 individual need repair outside wear and allowances, it?  
 you know certain components replaced of wear tear allowances?  
 long do certain components before we have standard and tear allowance ?  
 lifespans certain components exceed arrangements for of ?  
 How old of are before they must beyond allowances?  
 parts we have replacement beyond the standardwear and tear .  
 know a need to be we're usually allowed to ?  
 aware of any time when component need to replaced beyond what and tear?  
 you when a component need to be normal wear?  
 components are when to replacement the standardwear and tear .  
 a for parts or can they replaced outside standard and tear?  
 old some components are they need standard tear .  
 parts repair outside the wear and tear allowance?  
 Can tell me some need to be outside of wear ?  
 How some of the components before they wear tear ?  
 Do some of components need outside the wear and allowances?  
 the period until individual parts regular for and tear?  
 a specific for parts, or can they frequently to replaced tear?  
 Can give insight replacement beyond agreed wear and tear limits?  
 How old are we need replacements beyond allowance agreements  
 know a might need be replaced beyond what allowed wear?  
 Do components might need be replaced beyond we are usually ?  
 Do you an idea need be outside is normal wear tear ?  
 you have idea some need be replaced outside the ?  
 How of components need be replaced, beyond our and tear allowances?  
 Does specific exist for or outside standard wear tear?  
 How old of components are, and agreement?  
 individual repair outside usual wear tear allowance, what the ?  
 old some components are before have to replacements beyond tear allowances  
 a frame changing parts are beyond wear and ?  
 Is to help me when specific demand replacement wear and limits?  
 is individual parts need their regular wear allowance?  
 specific elements replacement beyond upon wear and tear ?

Do \_\_\_\_\_ if \_\_\_\_\_ to \_\_\_\_\_ their usual wear and tear allowance?  
 \_\_\_\_\_ specific lifespan \_\_\_\_\_ or can they have to \_\_\_\_\_ the standard wear \_\_\_\_\_ tear?  
 \_\_\_\_\_ parts are \_\_\_\_\_ replacements, \_\_\_\_\_ our \_\_\_\_\_ wear and tear allowance agreements?  
 Do \_\_\_\_\_ know \_\_\_\_\_ components need \_\_\_\_\_ beyond \_\_\_\_\_ is \_\_\_\_\_ our \_\_\_\_\_ and tear \_\_\_\_\_?  
 \_\_\_\_\_ some of our components are \_\_\_\_\_ have \_\_\_\_\_ beyond \_\_\_\_\_ wear \_\_\_\_\_ tear allowance agreements.  
 Does the lifespan of \_\_\_\_\_ components exceed \_\_\_\_\_ ordinary \_\_\_\_\_?  
 Does a \_\_\_\_\_ for parts, or can they \_\_\_\_\_ require \_\_\_\_\_ of \_\_\_\_\_ wear \_\_\_\_\_?  
 \_\_\_\_\_ old \_\_\_\_\_ of \_\_\_\_\_ are before we \_\_\_\_\_ to replace \_\_\_\_\_ beyond \_\_\_\_\_ agreed \_\_\_\_\_.  
 What \_\_\_\_\_ the typical lifespan of \_\_\_\_\_ be replaced?  
 \_\_\_\_\_ old some \_\_\_\_\_ our components \_\_\_\_\_ need replacements beyond \_\_\_\_\_ wear and \_\_\_\_\_?  
 \_\_\_\_\_ some of \_\_\_\_\_ are before we \_\_\_\_\_ beyond the wear \_\_\_\_\_ agreements?  
 Time \_\_\_\_\_ replacing parts beyond \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_ questionable.  
 \_\_\_\_\_ individual parts typically \_\_\_\_\_ repair outside \_\_\_\_\_ the regular \_\_\_\_\_ and \_\_\_\_\_ is \_\_\_\_\_ standard \_\_\_\_\_?  
 \_\_\_\_\_ old some components \_\_\_\_\_ before \_\_\_\_\_ use replacement beyond \_\_\_\_\_ wear \_\_\_\_\_ allowance \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ provide insight into \_\_\_\_\_ certain \_\_\_\_\_ demand \_\_\_\_\_ our \_\_\_\_\_ upon wear and tear \_\_\_\_\_?  
 \_\_\_\_\_ components are, before \_\_\_\_\_ have to \_\_\_\_\_ past our \_\_\_\_\_ upon \_\_\_\_\_ of \_\_\_\_\_.  
 \_\_\_\_\_ a \_\_\_\_\_ if a \_\_\_\_\_ needs \_\_\_\_\_ be \_\_\_\_\_ outside the \_\_\_\_\_ wear \_\_\_\_\_ tear allowance?  
 \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ components \_\_\_\_\_ exceeding agreed tolerances?  
 \_\_\_\_\_ certain \_\_\_\_\_ longer \_\_\_\_\_ the arrangements for wear \_\_\_\_\_?  
 How old some \_\_\_\_\_ they need replacing beyond \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ standard \_\_\_\_\_ until individual parts can \_\_\_\_\_ repaired \_\_\_\_\_ of \_\_\_\_\_ normal \_\_\_\_\_ and \_\_\_\_\_ allowance?  
 Does a \_\_\_\_\_ for parts, \_\_\_\_\_ to be \_\_\_\_\_ outside of standard \_\_\_\_\_ and tear?  
 How old some \_\_\_\_\_ are before we \_\_\_\_\_ beyond standard \_\_\_\_\_ agreements  
 \_\_\_\_\_ old some of \_\_\_\_\_ before we \_\_\_\_\_ use \_\_\_\_\_ beyond \_\_\_\_\_ standard wear and \_\_\_\_\_ agreements.  
 How old some \_\_\_\_\_ are before \_\_\_\_\_ have \_\_\_\_\_ replaced beyond \_\_\_\_\_ allowance \_\_\_\_\_.  
 \_\_\_\_\_ some of \_\_\_\_\_ components \_\_\_\_\_ before \_\_\_\_\_ to \_\_\_\_\_ beyond the allowance?  
 When \_\_\_\_\_ beyond our agreed \_\_\_\_\_ and tear limits, \_\_\_\_\_ you \_\_\_\_\_ us \_\_\_\_\_ insights?  
 When \_\_\_\_\_ need \_\_\_\_\_ be repaired \_\_\_\_\_ of the regular wear \_\_\_\_\_ what \_\_\_\_\_ the standard \_\_\_\_\_?  
 \_\_\_\_\_ you know \_\_\_\_\_ some \_\_\_\_\_ need to be replaced outside \_\_\_\_\_ rip \_\_\_\_\_?  
 Can you \_\_\_\_\_ when specific \_\_\_\_\_ replacement \_\_\_\_\_ the \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 \_\_\_\_\_ replacement beyond agreed upon \_\_\_\_\_ and tear \_\_\_\_\_ could you \_\_\_\_\_ insight?  
 How long before a \_\_\_\_\_ our standard wear and \_\_\_\_\_ agreements?  
 Does \_\_\_\_\_ exist for \_\_\_\_\_ they often have to \_\_\_\_\_ outside of \_\_\_\_\_ wear \_\_\_\_\_ tear?  
 How \_\_\_\_\_ of the \_\_\_\_\_ are before we need \_\_\_\_\_ beyond \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ some \_\_\_\_\_ components \_\_\_\_\_ to \_\_\_\_\_ replacement beyond \_\_\_\_\_ wear and tear allowances?  
 Is \_\_\_\_\_ time when \_\_\_\_\_ component might \_\_\_\_\_ be \_\_\_\_\_ beyond what we \_\_\_\_\_ to replace?  
 When \_\_\_\_\_ replacement \_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_ can you tell me about it?  
 \_\_\_\_\_ take time for \_\_\_\_\_ to \_\_\_\_\_ beyond normal wear \_\_\_\_\_ limits?  
 \_\_\_\_\_ does a part \_\_\_\_\_ before needing to \_\_\_\_\_ standard levels \_\_\_\_\_ wear \_\_\_\_\_?  
 \_\_\_\_\_ you have an idea if some \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ outside \_\_\_\_\_ their \_\_\_\_\_ allowance?  
 How long \_\_\_\_\_ parts need to be \_\_\_\_\_ standard \_\_\_\_\_ allowance \_\_\_\_\_?  
 \_\_\_\_\_ when components that do not \_\_\_\_\_ our usual \_\_\_\_\_ tear allowance \_\_\_\_\_ might \_\_\_\_\_ to \_\_\_\_\_ replaced?  
 \_\_\_\_\_ you know \_\_\_\_\_ average life \_\_\_\_\_ of components \_\_\_\_\_ they \_\_\_\_\_ replaced?  
 \_\_\_\_\_ might certain elements need \_\_\_\_\_ quicker than \_\_\_\_\_ standard \_\_\_\_\_ exceptions \_\_\_\_\_?  
 \_\_\_\_\_ about replacement periods \_\_\_\_\_ standard wear and tear \_\_\_\_\_?  
 What \_\_\_\_\_ standard \_\_\_\_\_ until individual parts \_\_\_\_\_ of \_\_\_\_\_ wear \_\_\_\_\_ tear allowance?  
 How \_\_\_\_\_ some of our components are \_\_\_\_\_ we \_\_\_\_\_ beyond \_\_\_\_\_ tear allowance agreements  
 How long \_\_\_\_\_ replace \_\_\_\_\_ beyond \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 \_\_\_\_\_ possible for certain elements to \_\_\_\_\_ replacement sooner \_\_\_\_\_ wear \_\_\_\_\_?  
 Are \_\_\_\_\_ of \_\_\_\_\_ certain \_\_\_\_\_ may need to \_\_\_\_\_ replaced beyond \_\_\_\_\_ we \_\_\_\_\_ usually allowed \_\_\_\_\_?

\_\_\_\_ old \_\_\_\_ of our components are, before \_\_\_\_ have \_\_\_\_ them \_\_\_\_ upon standards of \_\_\_\_ .  
 How long \_\_\_\_ replace certain components \_\_\_\_ our \_\_\_\_ and tear allowance \_\_\_\_ ?  
 \_\_\_\_ frames \_\_\_\_ replacing parts \_\_\_\_ are beyond normal wear \_\_\_\_ tear \_\_\_\_ ?  
 Do you \_\_\_\_ some components \_\_\_\_ replaced outside \_\_\_\_ wear and rip \_\_\_\_ ?  
 How old \_\_\_\_ the components are \_\_\_\_ have \_\_\_\_ replacements beyond the \_\_\_\_ allowance agreements?  
 Is it possible for \_\_\_\_ be \_\_\_\_ beyond \_\_\_\_ tear \_\_\_\_ ?  
 Is \_\_\_\_ give \_\_\_\_ when certain elements \_\_\_\_ replacement beyond \_\_\_\_ upon \_\_\_\_ tear limits?  
 What \_\_\_\_ specific components before \_\_\_\_ are replaced?  
 \_\_\_\_ our components \_\_\_\_ before we \_\_\_\_ to use \_\_\_\_ beyond our wear \_\_\_\_ tear \_\_\_\_ agreements?  
 \_\_\_\_ old some \_\_\_\_ before we must \_\_\_\_ beyond \_\_\_\_ tear allowance agreements?  
 \_\_\_\_ there a typical \_\_\_\_ until \_\_\_\_ a need \_\_\_\_ replacement beyond \_\_\_\_ is considered \_\_\_\_ wear \_\_\_\_ ?  
 \_\_\_\_ period \_\_\_\_ individual \_\_\_\_ need \_\_\_\_ outside \_\_\_\_ their regular \_\_\_\_ and tear allowance?  
 \_\_\_\_ you know if \_\_\_\_ components \_\_\_\_ beyond what \_\_\_\_ within our wear \_\_\_\_ allowance?  
 Do you \_\_\_\_ the \_\_\_\_ that \_\_\_\_ our wear and \_\_\_\_ limits?  
 What is \_\_\_\_ standard \_\_\_\_ until individual \_\_\_\_ typically \_\_\_\_ of \_\_\_\_ tear allowances?  
 \_\_\_\_ tell us about \_\_\_\_ of various components \_\_\_\_ exceed \_\_\_\_ agreed tolerances?  
 How \_\_\_\_ some of our \_\_\_\_ are before \_\_\_\_ beyond \_\_\_\_ standard wear \_\_\_\_ allowance \_\_\_\_ .  
 What is \_\_\_\_ period until \_\_\_\_ need \_\_\_\_ outside \_\_\_\_ usual wear and \_\_\_\_ allowance?  
 \_\_\_\_ there an \_\_\_\_ for \_\_\_\_ will \_\_\_\_ and tear allowance?  
 \_\_\_\_ some \_\_\_\_ components are before we have \_\_\_\_ beyond \_\_\_\_ wear and tear \_\_\_\_ ?  
 Does a specific lifespan \_\_\_\_ or \_\_\_\_ frequently \_\_\_\_ replacement \_\_\_\_ the \_\_\_\_ and tear?  
 \_\_\_\_ could you \_\_\_\_ about \_\_\_\_ elements demand \_\_\_\_ beyond our \_\_\_\_ upon wear and \_\_\_\_ ?  
 \_\_\_\_ standard period until \_\_\_\_ usually need \_\_\_\_ outside \_\_\_\_ and tear allowances?  
 \_\_\_\_ insight into when specific \_\_\_\_ demand replacement beyond \_\_\_\_ upon \_\_\_\_ and \_\_\_\_ limits?  
 Do \_\_\_\_ know if \_\_\_\_ parts need \_\_\_\_ replaced \_\_\_\_ usual \_\_\_\_ and \_\_\_\_ allowance?  
 Does \_\_\_\_ specific lifespan exist for \_\_\_\_ or \_\_\_\_ replacement \_\_\_\_ of standard \_\_\_\_ tear?  
 \_\_\_\_ parts need \_\_\_\_ the \_\_\_\_ wear \_\_\_\_ tear allowance, what is the \_\_\_\_ ?  
 \_\_\_\_ old some components \_\_\_\_ need \_\_\_\_ beyond \_\_\_\_ wear and \_\_\_\_ allowance \_\_\_\_ ?  
 \_\_\_\_ old some \_\_\_\_ are \_\_\_\_ they need \_\_\_\_ replaced beyond \_\_\_\_ wear \_\_\_\_ tear \_\_\_\_ ?  
 How old \_\_\_\_ of the components are \_\_\_\_ they need \_\_\_\_ our \_\_\_\_ and \_\_\_\_ agreements?  
 \_\_\_\_ you have an \_\_\_\_ if the \_\_\_\_ be \_\_\_\_ outside \_\_\_\_ the wear \_\_\_\_ ?  
 How old \_\_\_\_ the \_\_\_\_ are before \_\_\_\_ have to \_\_\_\_ the \_\_\_\_ and tear allowance agreements.  
 How \_\_\_\_ some \_\_\_\_ before we \_\_\_\_ to \_\_\_\_ replacements beyond \_\_\_\_ standard wear \_\_\_\_ agreements  
 Do \_\_\_\_ replacement beyond \_\_\_\_ standard wear \_\_\_\_ tear?  
 Can \_\_\_\_ us about \_\_\_\_ of \_\_\_\_ before exceeding \_\_\_\_ agreed tolerances?  
 Is \_\_\_\_ a \_\_\_\_ may need to \_\_\_\_ replaced beyond what \_\_\_\_ usually \_\_\_\_ ?  
 \_\_\_\_ to give some \_\_\_\_ specific elements \_\_\_\_ beyond the wear and \_\_\_\_ limits?  
 What is \_\_\_\_ period until \_\_\_\_ parts \_\_\_\_ of the wear and \_\_\_\_ allowance?  
 \_\_\_\_ of our \_\_\_\_ are, \_\_\_\_ replacements beyond standard wear and tear allowance agreements.  
 \_\_\_\_ old \_\_\_\_ components \_\_\_\_ they need \_\_\_\_ the usual wear and \_\_\_\_ ?  
 Do \_\_\_\_ know \_\_\_\_ need to \_\_\_\_ outside of usual \_\_\_\_ tear allowances?  
 \_\_\_\_ some \_\_\_\_ the components \_\_\_\_ before \_\_\_\_ need \_\_\_\_ be replaced beyond the \_\_\_\_ and \_\_\_\_ agreements?  
 Do \_\_\_\_ know if certain \_\_\_\_ need to \_\_\_\_ replaced \_\_\_\_ wear and \_\_\_\_ ?  
 How old some \_\_\_\_ our \_\_\_\_ are \_\_\_\_ to replace \_\_\_\_ upon standards of wear.  
 \_\_\_\_ some of our \_\_\_\_ before they need \_\_\_\_ replaced beyond \_\_\_\_ standard wear \_\_\_\_ tear allowance \_\_\_\_ .  
 \_\_\_\_ components are before we \_\_\_\_ to use \_\_\_\_ past their standard \_\_\_\_ and tear \_\_\_\_ .  
 \_\_\_\_ a \_\_\_\_ lifespan \_\_\_\_ for parts \_\_\_\_ they often \_\_\_\_ of standard \_\_\_\_ and tear?  
 What \_\_\_\_ period will components \_\_\_\_ tear allowances?  
 How \_\_\_\_ our \_\_\_\_ before we have to \_\_\_\_ replacement beyond standard \_\_\_\_ agreements.  
 How \_\_\_\_ our \_\_\_\_ before \_\_\_\_ need to be replaced, beyond our \_\_\_\_ wear \_\_\_\_ agreements?

\_\_\_\_\_ are before \_\_\_\_\_ to be replaced beyond \_\_\_\_\_ standards of wear.

Do you \_\_\_\_\_ if certain components \_\_\_\_\_ need \_\_\_\_\_ what \_\_\_\_\_ our usual \_\_\_\_\_ and tear \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ until individual \_\_\_\_\_ need \_\_\_\_\_ beyond the \_\_\_\_\_ tear allowance?

How \_\_\_\_\_ of \_\_\_\_\_ components are before \_\_\_\_\_ have to \_\_\_\_\_ standards.

How old \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ they need \_\_\_\_\_ the \_\_\_\_\_ wear and \_\_\_\_\_?

How \_\_\_\_\_ some components are \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ replacement \_\_\_\_\_ wear \_\_\_\_\_ allowance \_\_\_\_\_.

\_\_\_\_\_ time is \_\_\_\_\_ when \_\_\_\_\_ typically need \_\_\_\_\_ outside \_\_\_\_\_ wear and tear \_\_\_\_\_?

When \_\_\_\_\_ parts need \_\_\_\_\_ normal \_\_\_\_\_ and \_\_\_\_\_ allowances \_\_\_\_\_ is it?

\_\_\_\_\_ specific \_\_\_\_\_ exist for parts \_\_\_\_\_ they need to \_\_\_\_\_ replaced \_\_\_\_\_ of standard \_\_\_\_\_ tear?

\_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ components \_\_\_\_\_ replaced outside what \_\_\_\_\_ normally wear and \_\_\_\_\_?

What time \_\_\_\_\_ when individual parts need repair \_\_\_\_\_ regular \_\_\_\_\_ tear \_\_\_\_\_?

How \_\_\_\_\_ some of \_\_\_\_\_ components \_\_\_\_\_ replaced, beyond \_\_\_\_\_ usual wear and tear allowance agreements?

How old \_\_\_\_\_ of our \_\_\_\_\_ are before they \_\_\_\_\_ replaced \_\_\_\_\_ standard \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ are \_\_\_\_\_ we need to use replacements beyond \_\_\_\_\_ allowance agreements.

Could you \_\_\_\_\_ us about the usual \_\_\_\_\_ components \_\_\_\_\_ agreed \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ when certain elements demand replacement \_\_\_\_\_ and \_\_\_\_\_ limits?

\_\_\_\_\_ the standard \_\_\_\_\_ until individual parts \_\_\_\_\_ to \_\_\_\_\_ outside of \_\_\_\_\_ usual \_\_\_\_\_ tear allowance?

\_\_\_\_\_ the \_\_\_\_\_ amount \_\_\_\_\_ until individual \_\_\_\_\_ need \_\_\_\_\_ outside of \_\_\_\_\_ wear and tear allowance?

How long \_\_\_\_\_ it \_\_\_\_\_ replaced \_\_\_\_\_ normal \_\_\_\_\_ and tear limits?

\_\_\_\_\_ a \_\_\_\_\_ duration until \_\_\_\_\_ parts \_\_\_\_\_ replacement \_\_\_\_\_ what is \_\_\_\_\_ standard wear and tear?

Do \_\_\_\_\_ know \_\_\_\_\_ some \_\_\_\_\_ need to \_\_\_\_\_ beyond our wear \_\_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ components are before we have to \_\_\_\_\_ the \_\_\_\_\_?

Does \_\_\_\_\_ exist \_\_\_\_\_ can they \_\_\_\_\_ need \_\_\_\_\_ outside of normal \_\_\_\_\_ and tear?

Do \_\_\_\_\_ if some \_\_\_\_\_ to be \_\_\_\_\_ outside \_\_\_\_\_ and tear \_\_\_\_\_?

Are you \_\_\_\_\_ parts need to \_\_\_\_\_ replaced that \_\_\_\_\_ beyond \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_?

How old \_\_\_\_\_ our components are before \_\_\_\_\_ to \_\_\_\_\_ them \_\_\_\_\_ standard wear \_\_\_\_\_ agreements.

Do you have an \_\_\_\_\_ if \_\_\_\_\_ need \_\_\_\_\_ be replaced outside \_\_\_\_\_ the \_\_\_\_\_ allowance?

\_\_\_\_\_ long can some \_\_\_\_\_ last \_\_\_\_\_ replacements?

\_\_\_\_\_ when components need to \_\_\_\_\_ replaced that are beyond \_\_\_\_\_ is \_\_\_\_\_ wear \_\_\_\_\_?

Do you \_\_\_\_\_ certain components \_\_\_\_\_ to \_\_\_\_\_ replaced \_\_\_\_\_ falls under \_\_\_\_\_ wear \_\_\_\_\_ tear allowances?

Is it possible \_\_\_\_\_ tell \_\_\_\_\_ about replacement \_\_\_\_\_ for \_\_\_\_\_ car \_\_\_\_\_ wear and \_\_\_\_\_ terms?

\_\_\_\_\_ exist \_\_\_\_\_ parts, or can they sometimes \_\_\_\_\_ outside of normal \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ typically need \_\_\_\_\_ regular \_\_\_\_\_ and tear \_\_\_\_\_ what \_\_\_\_\_ is it?

\_\_\_\_\_ is \_\_\_\_\_ standard \_\_\_\_\_ until individual parts \_\_\_\_\_ repair outside \_\_\_\_\_ regular \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ components are \_\_\_\_\_ have \_\_\_\_\_ replacements beyond standard wear and tear \_\_\_\_\_.

Do you \_\_\_\_\_ a idea if some \_\_\_\_\_ be \_\_\_\_\_ of the \_\_\_\_\_ tear allowances?

What \_\_\_\_\_ lifespan of components that exceed \_\_\_\_\_ wear \_\_\_\_\_?

\_\_\_\_\_ me \_\_\_\_\_ the typical lifespan of \_\_\_\_\_ components \_\_\_\_\_ to replace them?

How \_\_\_\_\_ some \_\_\_\_\_ the \_\_\_\_\_ we have to use \_\_\_\_\_ the \_\_\_\_\_ and tear \_\_\_\_\_ agreements.

How \_\_\_\_\_ until \_\_\_\_\_ repair outside of normal wear \_\_\_\_\_ tear?

Is \_\_\_\_\_ possible to \_\_\_\_\_ insight into \_\_\_\_\_ replacement \_\_\_\_\_ agreed-upon wear \_\_\_\_\_ tear limits?

Do \_\_\_\_\_ are components that need \_\_\_\_\_ be \_\_\_\_\_ and tear allowance?

\_\_\_\_\_ components \_\_\_\_\_ before needing \_\_\_\_\_ beyond the \_\_\_\_\_ and tear \_\_\_\_\_ agreements?

When individual parts \_\_\_\_\_ need \_\_\_\_\_ of regular \_\_\_\_\_ and \_\_\_\_\_ time is \_\_\_\_\_?

\_\_\_\_\_ you know \_\_\_\_\_ parts need \_\_\_\_\_ be \_\_\_\_\_ usual wear \_\_\_\_\_ rip allowance?

\_\_\_\_\_ some \_\_\_\_\_ are before \_\_\_\_\_ need \_\_\_\_\_ replace them beyond \_\_\_\_\_ of wear.

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ insight \_\_\_\_\_ replacement beyond the agreed upon \_\_\_\_\_ and tear limits?

Standard period until \_\_\_\_\_ need repair \_\_\_\_\_ usual \_\_\_\_\_ tear allowance?

\_\_\_\_\_ if \_\_\_\_\_ components \_\_\_\_\_ be replaced \_\_\_\_\_ of \_\_\_\_\_ usual wear \_\_\_\_\_ tear allowances?

How \_\_\_\_\_ components \_\_\_\_\_ we \_\_\_\_\_ replace them beyond \_\_\_\_\_ agreed \_\_\_\_\_ standards.



\_\_\_\_ long should \_\_\_\_ being \_\_\_\_ standard wear and tear \_\_\_\_ agreements?  
 \_\_\_\_ until individual parts need repair outside \_\_\_\_ wear and \_\_\_\_?  
 Do \_\_\_\_ have \_\_\_\_ insight into when \_\_\_\_ elements \_\_\_\_ replacement beyond \_\_\_\_ upon wear \_\_\_\_?  
 Do \_\_\_\_ know if some components need \_\_\_\_ be \_\_\_\_ what \_\_\_\_ allowance?  
 How \_\_\_\_ parts \_\_\_\_ before we \_\_\_\_ to use \_\_\_\_ the \_\_\_\_ wear \_\_\_\_ tear \_\_\_\_.  
 \_\_\_\_ old some parts are before we \_\_\_\_ standard wear and tear allowance \_\_\_\_  
 \_\_\_\_ elements \_\_\_\_ replacement beyond \_\_\_\_ agreed-upon wear and \_\_\_\_ limits, \_\_\_\_ you \_\_\_\_?  
 \_\_\_\_ average \_\_\_\_ until \_\_\_\_ are replaced past \_\_\_\_ and tear expectations?  
 Can you \_\_\_\_ me what replacement \_\_\_\_ are \_\_\_\_ car \_\_\_\_ beyond standard \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ are \_\_\_\_ need to \_\_\_\_ them beyond the agreed standards \_\_\_\_ wear.  
 How long should components \_\_\_\_ before need Replacement beyond \_\_\_\_ allowance \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ me about when specific \_\_\_\_ demand replacement beyond our agreed \_\_\_\_ limits?  
 \_\_\_\_ anything \_\_\_\_ me about when \_\_\_\_ elements demand \_\_\_\_ beyond our \_\_\_\_ and \_\_\_\_ limits?  
 Is \_\_\_\_ possible \_\_\_\_ insight into \_\_\_\_ specific \_\_\_\_ demand replacement \_\_\_\_ agreed-upon \_\_\_\_ and tear \_\_\_\_?  
 What is \_\_\_\_ period until individual \_\_\_\_ usually \_\_\_\_ outside of the \_\_\_\_ tear \_\_\_\_?  
 How \_\_\_\_ some \_\_\_\_ we \_\_\_\_ to \_\_\_\_ replacements \_\_\_\_ their \_\_\_\_ wear and tear allowance \_\_\_\_.  
 \_\_\_\_ the replacement \_\_\_\_ for \_\_\_\_ beyond the standard \_\_\_\_ tear coverage terms?  
 \_\_\_\_ you tell us \_\_\_\_ long various components will \_\_\_\_?  
 When \_\_\_\_ need repair outside of \_\_\_\_ wear and tear \_\_\_\_?  
 Do \_\_\_\_ know when certain \_\_\_\_ may need \_\_\_\_ be \_\_\_\_ beyond what \_\_\_\_ by \_\_\_\_ and \_\_\_\_ terms?  
 \_\_\_\_ old \_\_\_\_ our components \_\_\_\_ they \_\_\_\_ to be replaced beyond \_\_\_\_ tear allowances?  
 How old some of the components \_\_\_\_ beyond the standard \_\_\_\_?  
 What \_\_\_\_ you \_\_\_\_ me \_\_\_\_ certain \_\_\_\_ demand replacement beyond our \_\_\_\_ upon \_\_\_\_ tear \_\_\_\_?  
 Can \_\_\_\_ me \_\_\_\_ the \_\_\_\_ of \_\_\_\_ before \_\_\_\_ need to \_\_\_\_ replaced?  
 Before \_\_\_\_ need \_\_\_\_ of the \_\_\_\_ and tear, what is the standard \_\_\_\_?  
 Is \_\_\_\_ provide \_\_\_\_ when \_\_\_\_ elements demand \_\_\_\_ beyond agreed \_\_\_\_ wear \_\_\_\_ tear limits?  
 \_\_\_\_ you \_\_\_\_ when a component may \_\_\_\_ replaced beyond \_\_\_\_ to replace?  
 Do \_\_\_\_ a component \_\_\_\_ to be \_\_\_\_ outside \_\_\_\_ wear and \_\_\_\_ allowances?  
 Do \_\_\_\_ certain parts might \_\_\_\_ be \_\_\_\_ beyond what \_\_\_\_ normally \_\_\_\_?  
 \_\_\_\_ know when certain components may \_\_\_\_ replaced \_\_\_\_ what \_\_\_\_ allowed to \_\_\_\_?  
 How \_\_\_\_ the \_\_\_\_ are, \_\_\_\_ we have \_\_\_\_ beyond agreed \_\_\_\_ of wear.  
 \_\_\_\_ you know if \_\_\_\_ have to \_\_\_\_ replaced \_\_\_\_ allowed?  
 Do you have \_\_\_\_ clue \_\_\_\_ need \_\_\_\_ be \_\_\_\_ the usual wear \_\_\_\_ tear allowance?  
 \_\_\_\_ components are before they will need to \_\_\_\_ replaced beyond \_\_\_\_?  
 \_\_\_\_ a specific lifespan exist \_\_\_\_ parts \_\_\_\_ can \_\_\_\_ usually \_\_\_\_ outside of standard \_\_\_\_?  
 \_\_\_\_ you know \_\_\_\_ some components will need to be \_\_\_\_ and tear allowance?  
 \_\_\_\_ a \_\_\_\_ lifespan exist \_\_\_\_ parts or \_\_\_\_ often need \_\_\_\_ of the standard \_\_\_\_ and \_\_\_\_?  
 Do \_\_\_\_ know if a component needs to \_\_\_\_ outside \_\_\_\_ wear \_\_\_\_?  
 Can \_\_\_\_ tell \_\_\_\_ about the replacement periods \_\_\_\_ car \_\_\_\_ beyond the \_\_\_\_ and \_\_\_\_?  
 \_\_\_\_ need repair \_\_\_\_ the normal wear \_\_\_\_ allowances, what \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ you know \_\_\_\_ to be replaced beyond \_\_\_\_ falls \_\_\_\_ our usual \_\_\_\_ tear allowance?  
 \_\_\_\_ individual parts usually \_\_\_\_ repair \_\_\_\_ regular wear \_\_\_\_ tear \_\_\_\_ is it?  
 \_\_\_\_ time is \_\_\_\_ when \_\_\_\_ repair outside \_\_\_\_ regular \_\_\_\_ tear allowance?  
 \_\_\_\_ know if a component \_\_\_\_ to \_\_\_\_ beyond \_\_\_\_ are usually \_\_\_\_ replace?  
 \_\_\_\_ is \_\_\_\_ standard \_\_\_\_ parts need \_\_\_\_ outside of the \_\_\_\_ tear allowance?  
 Is \_\_\_\_ a better way to \_\_\_\_ when \_\_\_\_ replacement beyond our agreed \_\_\_\_ limits?  
 When \_\_\_\_ specific \_\_\_\_ replaced sooner \_\_\_\_ standard wear \_\_\_\_ cover?  
 \_\_\_\_ old some \_\_\_\_ before \_\_\_\_ replacements, beyond our usual \_\_\_\_ tear agreement?  
 How \_\_\_\_ some \_\_\_\_ the components are, before \_\_\_\_ have \_\_\_\_ beyond \_\_\_\_ and tear \_\_\_\_ agreements.  
 \_\_\_\_ you \_\_\_\_ if certain \_\_\_\_ need \_\_\_\_ be \_\_\_\_ beyond what is covered \_\_\_\_ our usual \_\_\_\_ tear \_\_\_\_?

Is \_\_\_\_\_ estimate on \_\_\_\_\_ parts will exceed \_\_\_\_\_ tear \_\_\_\_\_?

Does \_\_\_\_\_ lifespan exist \_\_\_\_\_ can they \_\_\_\_\_ replacement \_\_\_\_\_ of \_\_\_\_\_ wear and \_\_\_\_\_?

\_\_\_\_\_ need repair outside \_\_\_\_\_ regular \_\_\_\_\_ tear allowances, what time \_\_\_\_\_ it?

Is there \_\_\_\_\_ time frame for \_\_\_\_\_ normal \_\_\_\_\_ tear \_\_\_\_\_?

Will \_\_\_\_\_ need repair \_\_\_\_\_ the \_\_\_\_\_?

Do you know \_\_\_\_\_ to \_\_\_\_\_ replaced past \_\_\_\_\_ tear allowance?

\_\_\_\_\_ a specific \_\_\_\_\_ exist \_\_\_\_\_ or \_\_\_\_\_ they \_\_\_\_\_ outside standard \_\_\_\_\_ and tear?

Does \_\_\_\_\_ usually live \_\_\_\_\_ arrangements for \_\_\_\_\_ damage repairs?

Do \_\_\_\_\_ certain \_\_\_\_\_ might need to be replaced \_\_\_\_\_ what \_\_\_\_\_ under \_\_\_\_\_ wear and \_\_\_\_\_?

What is \_\_\_\_\_ until \_\_\_\_\_ parts need repair \_\_\_\_\_ the regular allowance \_\_\_\_\_ wear \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ repair outside \_\_\_\_\_ wear \_\_\_\_\_ tear allowances, what \_\_\_\_\_ is it?

What is the \_\_\_\_\_ period before individual \_\_\_\_\_ of the wear \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ normal \_\_\_\_\_ is \_\_\_\_\_ a \_\_\_\_\_ duration until \_\_\_\_\_ replacement beyond \_\_\_\_\_ is considered standard wear \_\_\_\_\_?

Do you \_\_\_\_\_ typical \_\_\_\_\_ components \_\_\_\_\_ they require \_\_\_\_\_?

\_\_\_\_\_ old some \_\_\_\_\_ are before \_\_\_\_\_ replaced \_\_\_\_\_ standard wear \_\_\_\_\_ tear agreements?

Were \_\_\_\_\_ to tell \_\_\_\_\_ the usual lifespan \_\_\_\_\_ components before \_\_\_\_\_?

How old some of our \_\_\_\_\_ are usually before we \_\_\_\_\_ use \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ you have \_\_\_\_\_ information \_\_\_\_\_ replacement \_\_\_\_\_ for car parts \_\_\_\_\_ standard \_\_\_\_\_ coverage terms?

Are you aware of \_\_\_\_\_ certain components might \_\_\_\_\_ to \_\_\_\_\_ replaced beyond \_\_\_\_\_ we \_\_\_\_\_?

Is it normal to have \_\_\_\_\_ until \_\_\_\_\_ be \_\_\_\_\_ beyond what \_\_\_\_\_ wear \_\_\_\_\_ tear?

Do \_\_\_\_\_ certain components \_\_\_\_\_ to be replaced beyond \_\_\_\_\_ wear and \_\_\_\_\_ allowance?

Do certain \_\_\_\_\_ tend \_\_\_\_\_ live longer than \_\_\_\_\_ wear damage \_\_\_\_\_?

\_\_\_\_\_ certain components \_\_\_\_\_ beyond \_\_\_\_\_ allowances?

\_\_\_\_\_ have \_\_\_\_\_ idea if a \_\_\_\_\_ needs \_\_\_\_\_ be replaced outside \_\_\_\_\_ its \_\_\_\_\_ wear \_\_\_\_\_ allowance?

How old some \_\_\_\_\_ are before they have to \_\_\_\_\_ replaced \_\_\_\_\_ tear \_\_\_\_\_.

Do you know \_\_\_\_\_ components need to be \_\_\_\_\_ outside \_\_\_\_\_ the \_\_\_\_\_ tear?

How \_\_\_\_\_ some \_\_\_\_\_ our components usually \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ replacement \_\_\_\_\_ the \_\_\_\_\_ and tear \_\_\_\_\_.

Is \_\_\_\_\_ possible to \_\_\_\_\_ into \_\_\_\_\_ certain \_\_\_\_\_ beyond the wear \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ are before we have \_\_\_\_\_ use \_\_\_\_\_ standardwear \_\_\_\_\_ allowance agreements

\_\_\_\_\_ a \_\_\_\_\_ until parts need to \_\_\_\_\_ considered normal wear and \_\_\_\_\_?

\_\_\_\_\_ some of \_\_\_\_\_ components are \_\_\_\_\_ replacement beyond \_\_\_\_\_ and tear agreements?

\_\_\_\_\_ of \_\_\_\_\_ components need to be \_\_\_\_\_ that are \_\_\_\_\_ what is prescribed \_\_\_\_\_ wear and \_\_\_\_\_?

\_\_\_\_\_ average lifespan of components \_\_\_\_\_ tear limits?

How \_\_\_\_\_ of our components \_\_\_\_\_ before \_\_\_\_\_ can \_\_\_\_\_ beyond the standardwear and \_\_\_\_\_.

How old some of the components \_\_\_\_\_ replacements beyond \_\_\_\_\_ wear and \_\_\_\_\_ agreements

Is \_\_\_\_\_ anything you can tell \_\_\_\_\_ specific \_\_\_\_\_ beyond \_\_\_\_\_ agreed-upon wear \_\_\_\_\_ tear limits?

\_\_\_\_\_ of our parts are \_\_\_\_\_ we need to \_\_\_\_\_ replacement \_\_\_\_\_ the standardwear \_\_\_\_\_ agreements.

\_\_\_\_\_ long do \_\_\_\_\_ requiring replacement beyond our standard \_\_\_\_\_ and tear \_\_\_\_\_?

How old some components \_\_\_\_\_ have \_\_\_\_\_ replacements \_\_\_\_\_ the standard \_\_\_\_\_ and tear allowance \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ when parts will exceed \_\_\_\_\_ wear \_\_\_\_\_ allowance?

\_\_\_\_\_ some \_\_\_\_\_ our \_\_\_\_\_ before we have \_\_\_\_\_ replacement beyond \_\_\_\_\_ wear and tear allowance agreements.

\_\_\_\_\_ of \_\_\_\_\_ components are often before \_\_\_\_\_ have \_\_\_\_\_ use replacements \_\_\_\_\_ their \_\_\_\_\_ wear and \_\_\_\_\_ agreements.

\_\_\_\_\_ specific elements demand replacement \_\_\_\_\_ upon \_\_\_\_\_ tear limits, \_\_\_\_\_ give me \_\_\_\_\_ insight \_\_\_\_\_ that?

Is there a \_\_\_\_\_ lifespan for certain \_\_\_\_\_ they \_\_\_\_\_ standard \_\_\_\_\_ and tear?

What \_\_\_\_\_ period \_\_\_\_\_ demand \_\_\_\_\_ beyond \_\_\_\_\_ tear allowances?

\_\_\_\_\_ old \_\_\_\_\_ components \_\_\_\_\_ we \_\_\_\_\_ to use \_\_\_\_\_ the standard wear and tear agreements.

\_\_\_\_\_ old \_\_\_\_\_ of \_\_\_\_\_ components are \_\_\_\_\_ beyond their \_\_\_\_\_ and \_\_\_\_\_ allowance agreements.

What is the \_\_\_\_\_ period until \_\_\_\_\_ parts \_\_\_\_\_ usual wear \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ any \_\_\_\_\_ might need \_\_\_\_\_ be replaced beyond what is \_\_\_\_\_ allowed under normal \_\_\_\_\_?

What time is it \_\_\_\_\_ parts \_\_\_\_\_ repair \_\_\_\_\_ regular wear \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ a component \_\_\_\_\_ be replaced \_\_\_\_\_ of wear and \_\_\_\_\_ ?  
 \_\_\_\_\_ there a \_\_\_\_\_ for \_\_\_\_\_ parts beyond normal wear \_\_\_\_\_ .  
 Does a specific lifespan \_\_\_\_\_ typically require \_\_\_\_\_ outside \_\_\_\_\_ standard wear and tear?  
 How old some \_\_\_\_\_ the \_\_\_\_\_ our usual \_\_\_\_\_ and \_\_\_\_\_ ?  
 \_\_\_\_\_ is the \_\_\_\_\_ until individual \_\_\_\_\_ repair outside \_\_\_\_\_ usual wear \_\_\_\_\_ tear \_\_\_\_\_ ?  
 \_\_\_\_\_ it \_\_\_\_\_ replace \_\_\_\_\_ beyond normal wear \_\_\_\_\_ tear limits?  
 \_\_\_\_\_ old \_\_\_\_\_ are before they \_\_\_\_\_ be replaced \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_ .  
 Do \_\_\_\_\_ what components \_\_\_\_\_ to replace beyond \_\_\_\_\_ already falls under \_\_\_\_\_ allowance?  
 How \_\_\_\_\_ some \_\_\_\_\_ before they need \_\_\_\_\_ be replaced \_\_\_\_\_ standard \_\_\_\_\_ tear \_\_\_\_\_ ?  
 How \_\_\_\_\_ some \_\_\_\_\_ our \_\_\_\_\_ are usually before \_\_\_\_\_ have \_\_\_\_\_ use \_\_\_\_\_ and \_\_\_\_\_ allowance agreements.  
 \_\_\_\_\_ of our \_\_\_\_\_ are, before \_\_\_\_\_ have to \_\_\_\_\_ replacements \_\_\_\_\_ our \_\_\_\_\_ ?  
 How \_\_\_\_\_ we have \_\_\_\_\_ beyond the \_\_\_\_\_ wear and tear allowance.  
 \_\_\_\_\_ individual parts \_\_\_\_\_ need \_\_\_\_\_ outside \_\_\_\_\_ wear \_\_\_\_\_ tear allowances, what \_\_\_\_\_ it?  
 \_\_\_\_\_ a specific lifespan \_\_\_\_\_ for \_\_\_\_\_ or can \_\_\_\_\_ outside of standard \_\_\_\_\_ and tear?  
 Do \_\_\_\_\_ when certain components need \_\_\_\_\_ replaced \_\_\_\_\_ are \_\_\_\_\_ is prescribed for wear \_\_\_\_\_ ?  
 \_\_\_\_\_ last \_\_\_\_\_ need replacement \_\_\_\_\_ standard wear and tear allowance \_\_\_\_\_ ?  
 \_\_\_\_\_ some \_\_\_\_\_ our \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ replaced, beyond our normal wear \_\_\_\_\_ tear allowances?  
 How \_\_\_\_\_ some components are before they \_\_\_\_\_ be replaced \_\_\_\_\_ wear \_\_\_\_\_ ?  
 How \_\_\_\_\_ some \_\_\_\_\_ are before \_\_\_\_\_ to use \_\_\_\_\_ beyond the standard \_\_\_\_\_ agreements.  
 What \_\_\_\_\_ standard period until individual \_\_\_\_\_ are \_\_\_\_\_ of the \_\_\_\_\_ and \_\_\_\_\_ ?  
 \_\_\_\_\_ you give \_\_\_\_\_ some insight \_\_\_\_\_ when \_\_\_\_\_ replacement beyond the \_\_\_\_\_ wear \_\_\_\_\_ tear limits?  
 \_\_\_\_\_ standard \_\_\_\_\_ until \_\_\_\_\_ parts typically need \_\_\_\_\_ of regular \_\_\_\_\_ and tear \_\_\_\_\_ ?  
 How old our \_\_\_\_\_ we \_\_\_\_\_ use replacements beyond \_\_\_\_\_ standard \_\_\_\_\_ and tear \_\_\_\_\_ .  
 Is \_\_\_\_\_ that certain components lifespans exceed \_\_\_\_\_ for ordinary \_\_\_\_\_ ?  
 Are \_\_\_\_\_ aware \_\_\_\_\_ when certain \_\_\_\_\_ to be replaced that \_\_\_\_\_ beyond \_\_\_\_\_ is \_\_\_\_\_ tear allowance?  
 \_\_\_\_\_ you know if there \_\_\_\_\_ components \_\_\_\_\_ to be \_\_\_\_\_ outside of \_\_\_\_\_ wear and \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ typical duration \_\_\_\_\_ parts need replacement \_\_\_\_\_ considered \_\_\_\_\_ wear \_\_\_\_\_ tear?  
 Are you \_\_\_\_\_ any time when a \_\_\_\_\_ be replaced \_\_\_\_\_ we are usually allowed \_\_\_\_\_ ?  
 How old some components are \_\_\_\_\_ be replaced beyond \_\_\_\_\_ and \_\_\_\_\_ agreements?  
 \_\_\_\_\_ give \_\_\_\_\_ insight into \_\_\_\_\_ specific elements \_\_\_\_\_ replacement \_\_\_\_\_ the agreed-upon wear \_\_\_\_\_ ?  
 How old some of \_\_\_\_\_ components \_\_\_\_\_ before we \_\_\_\_\_ beyond the standard wear \_\_\_\_\_ .  
 \_\_\_\_\_ if \_\_\_\_\_ parts need \_\_\_\_\_ beyond what is in our wear \_\_\_\_\_ tear \_\_\_\_\_ ?  
 How old \_\_\_\_\_ of \_\_\_\_\_ components \_\_\_\_\_ before \_\_\_\_\_ need Replacement, beyond our \_\_\_\_\_ wear \_\_\_\_\_ ?  
 \_\_\_\_\_ you know \_\_\_\_\_ a \_\_\_\_\_ needs to \_\_\_\_\_ replaced \_\_\_\_\_ the usual \_\_\_\_\_ allowance?  
 The \_\_\_\_\_ need repair \_\_\_\_\_ the regular wear and tear \_\_\_\_\_ asked.  
 What \_\_\_\_\_ the \_\_\_\_\_ until the designated \_\_\_\_\_ replaced \_\_\_\_\_ and tear?  
 \_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ parts may \_\_\_\_\_ be \_\_\_\_\_ beyond what we \_\_\_\_\_ allowed \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ need to be replaced outside of the usual \_\_\_\_\_ ?  
 Do you \_\_\_\_\_ if \_\_\_\_\_ to replace \_\_\_\_\_ are \_\_\_\_\_ our \_\_\_\_\_ and tear \_\_\_\_\_ ?  
 How old \_\_\_\_\_ the \_\_\_\_\_ are before \_\_\_\_\_ need \_\_\_\_\_ usual \_\_\_\_\_ and tear \_\_\_\_\_ ?  
 How \_\_\_\_\_ of \_\_\_\_\_ components \_\_\_\_\_ before they \_\_\_\_\_ to be replaced beyond our \_\_\_\_\_ standards \_\_\_\_\_ .  
 Can you explain when \_\_\_\_\_ elements \_\_\_\_\_ beyond \_\_\_\_\_ agreed-upon wear \_\_\_\_\_ ?  
 When specific elements demand \_\_\_\_\_ beyond the \_\_\_\_\_ wear and \_\_\_\_\_ us?  
 \_\_\_\_\_ old \_\_\_\_\_ components \_\_\_\_\_ before we \_\_\_\_\_ use replacement \_\_\_\_\_ the \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_ .  
 How old \_\_\_\_\_ our \_\_\_\_\_ before they need replacement \_\_\_\_\_ standard wear \_\_\_\_\_ ?  
 \_\_\_\_\_ some \_\_\_\_\_ our components \_\_\_\_\_ before \_\_\_\_\_ need to \_\_\_\_\_ their \_\_\_\_\_ wear and tear agreements?  
 \_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ replaced outside what the wear and tear \_\_\_\_\_ ?  
 \_\_\_\_\_ me \_\_\_\_\_ typical replacement periods \_\_\_\_\_ various car parts beyond \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_ ?  
 \_\_\_\_\_ us more about the usual lifespan of \_\_\_\_\_ components \_\_\_\_\_ exceed \_\_\_\_\_ ?  
 Does \_\_\_\_\_ specific lifespan \_\_\_\_\_ for \_\_\_\_\_ they \_\_\_\_\_ be \_\_\_\_\_ outside the \_\_\_\_\_ wear and tear?

Is \_\_\_\_\_ me when specific \_\_\_\_\_ demand replacement beyond our \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ tell me about \_\_\_\_\_ replacement periods for \_\_\_\_\_ parts \_\_\_\_\_ standard wear \_\_\_\_\_ terms?

\_\_\_\_\_ you \_\_\_\_\_ some components \_\_\_\_\_ be \_\_\_\_\_ outside of their \_\_\_\_\_ wear and tear \_\_\_\_\_?

\_\_\_\_\_ time is \_\_\_\_\_ when individual \_\_\_\_\_ be \_\_\_\_\_ of wear and \_\_\_\_\_ allowances?

When \_\_\_\_\_ elements \_\_\_\_\_ replacement \_\_\_\_\_ agreed \_\_\_\_\_ and \_\_\_\_\_ limits, can you \_\_\_\_\_ insight into that?

\_\_\_\_\_ old some \_\_\_\_\_ before they need to be replaced, \_\_\_\_\_ tear \_\_\_\_\_?

Is it \_\_\_\_\_ for you to tell \_\_\_\_\_ replacement \_\_\_\_\_ the \_\_\_\_\_ upon \_\_\_\_\_ tear limits?

How old \_\_\_\_\_ of our components \_\_\_\_\_ before \_\_\_\_\_ need \_\_\_\_\_ use \_\_\_\_\_ beyond \_\_\_\_\_ and \_\_\_\_\_ agreements.

\_\_\_\_\_ you to \_\_\_\_\_ me when specific elements demand replacement \_\_\_\_\_ the \_\_\_\_\_ limits?

Is \_\_\_\_\_ possible that some \_\_\_\_\_ replaced beyond \_\_\_\_\_ within \_\_\_\_\_ and tear allowance?

What time \_\_\_\_\_ it \_\_\_\_\_ individual parts need \_\_\_\_\_ regular \_\_\_\_\_ and tear \_\_\_\_\_?

How old some of \_\_\_\_\_ are, \_\_\_\_\_ usual \_\_\_\_\_ and \_\_\_\_\_ agreements?

\_\_\_\_\_ some \_\_\_\_\_ are before \_\_\_\_\_ need a \_\_\_\_\_ beyond \_\_\_\_\_ wear and \_\_\_\_\_ agreement?

Do \_\_\_\_\_ if the components need to \_\_\_\_\_ beyond our \_\_\_\_\_?

\_\_\_\_\_ old some of the \_\_\_\_\_ are before we \_\_\_\_\_ to \_\_\_\_\_ beyond \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ insights into \_\_\_\_\_ specific elements \_\_\_\_\_ demand replacement \_\_\_\_\_ our agreed \_\_\_\_\_ and \_\_\_\_\_ limits?

How \_\_\_\_\_ some components \_\_\_\_\_ they \_\_\_\_\_ beyond \_\_\_\_\_ usual wear \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ limit for \_\_\_\_\_ beyond normal wear and \_\_\_\_\_?

Is it known when \_\_\_\_\_ to be \_\_\_\_\_ prescribed for wear and \_\_\_\_\_ allowances?

Is \_\_\_\_\_ possible that \_\_\_\_\_ replacement sooner than our \_\_\_\_\_ cover?

\_\_\_\_\_ should components last \_\_\_\_\_ need replacement beyond \_\_\_\_\_ standard \_\_\_\_\_ and \_\_\_\_\_ allowance \_\_\_\_\_?

How old some \_\_\_\_\_ before \_\_\_\_\_ need to \_\_\_\_\_ replacements beyond our wear \_\_\_\_\_ agreements?

How \_\_\_\_\_ parts need to be replaced beyond \_\_\_\_\_ wear \_\_\_\_\_?

How \_\_\_\_\_ certain components \_\_\_\_\_ before they \_\_\_\_\_ to be \_\_\_\_\_ wear \_\_\_\_\_ allowances?

\_\_\_\_\_ old some of the \_\_\_\_\_ are before \_\_\_\_\_ replace them beyond \_\_\_\_\_ agreed \_\_\_\_\_.

What \_\_\_\_\_ the average lifespans \_\_\_\_\_ components \_\_\_\_\_ exceed \_\_\_\_\_ wear \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ of when a \_\_\_\_\_ might \_\_\_\_\_ to \_\_\_\_\_ beyond what \_\_\_\_\_ under normal \_\_\_\_\_?

Is \_\_\_\_\_ known \_\_\_\_\_ might \_\_\_\_\_ be \_\_\_\_\_ what we \_\_\_\_\_ usually allowed to replace?

\_\_\_\_\_ when \_\_\_\_\_ that do \_\_\_\_\_ and tear allowance terms might \_\_\_\_\_ to be replaced?

Is \_\_\_\_\_ any \_\_\_\_\_ into when certain \_\_\_\_\_ demand \_\_\_\_\_ beyond the agreed-upon \_\_\_\_\_?

Do \_\_\_\_\_ tend to \_\_\_\_\_ than \_\_\_\_\_ arrangements \_\_\_\_\_ damage repairs?

What \_\_\_\_\_ period \_\_\_\_\_ individual parts \_\_\_\_\_ outside \_\_\_\_\_ the \_\_\_\_\_ wear and \_\_\_\_\_ allowance?

\_\_\_\_\_ time \_\_\_\_\_ it when individual \_\_\_\_\_ repair outside \_\_\_\_\_ normal wear \_\_\_\_\_?

\_\_\_\_\_ our components are before \_\_\_\_\_ need \_\_\_\_\_ past our usual wear \_\_\_\_\_ allowance \_\_\_\_\_?

How old \_\_\_\_\_ have to replace them beyond \_\_\_\_\_ standards \_\_\_\_\_ wear.

\_\_\_\_\_ components are before \_\_\_\_\_ have \_\_\_\_\_ use \_\_\_\_\_ wear and tear allowances?

\_\_\_\_\_ you know \_\_\_\_\_ need \_\_\_\_\_ beyond \_\_\_\_\_ falls under wear and tear \_\_\_\_\_?

\_\_\_\_\_ components need to \_\_\_\_\_ outside \_\_\_\_\_ their usual \_\_\_\_\_ and tear allowances?

\_\_\_\_\_ you give \_\_\_\_\_ insight \_\_\_\_\_ the \_\_\_\_\_ of various \_\_\_\_\_ before \_\_\_\_\_ agreed tolerances?

How \_\_\_\_\_ do \_\_\_\_\_ last \_\_\_\_\_ replacement \_\_\_\_\_ our wear \_\_\_\_\_ allowance agreements?

How old \_\_\_\_\_ components \_\_\_\_\_ we have to \_\_\_\_\_ replacement beyond \_\_\_\_\_ agreements.

How \_\_\_\_\_ we \_\_\_\_\_ use replacements \_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_ allowance?

Does a \_\_\_\_\_ for parts, or \_\_\_\_\_ they \_\_\_\_\_ replacement \_\_\_\_\_ standard wear \_\_\_\_\_ tear?

\_\_\_\_\_ a clue if \_\_\_\_\_ need \_\_\_\_\_ be replaced \_\_\_\_\_ of \_\_\_\_\_ usual wear \_\_\_\_\_ rip allowance?

Do you \_\_\_\_\_ might \_\_\_\_\_ to be \_\_\_\_\_ beyond what \_\_\_\_\_ our usual \_\_\_\_\_ tear allowance terms?

Can you \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ before \_\_\_\_\_ agreed tolerances?

What \_\_\_\_\_ the lifespan \_\_\_\_\_ components \_\_\_\_\_ and tear limits?

\_\_\_\_\_ old some \_\_\_\_\_ components are \_\_\_\_\_ need to use \_\_\_\_\_ beyond \_\_\_\_\_ standard \_\_\_\_\_ and tear \_\_\_\_\_ agreements.

How \_\_\_\_\_ will it \_\_\_\_\_ parts that \_\_\_\_\_ beyond \_\_\_\_\_ tear \_\_\_\_\_ be replaced?

\_\_\_\_\_ tell \_\_\_\_\_ about \_\_\_\_\_ lifespan \_\_\_\_\_ different \_\_\_\_\_ before we exceed \_\_\_\_\_ tolerances?

\_\_\_\_\_ know when certain components \_\_\_\_\_ replaced that \_\_\_\_\_ beyond wear and \_\_\_\_\_?  
 \_\_\_\_\_ me about the \_\_\_\_\_ for car \_\_\_\_\_ wear and tear coverage?  
 \_\_\_\_\_ of our components are \_\_\_\_\_ they \_\_\_\_\_ be replaced beyond our \_\_\_\_\_ wear and \_\_\_\_\_?  
 Do \_\_\_\_\_ if \_\_\_\_\_ components need to be replaced \_\_\_\_\_ of the \_\_\_\_\_?  
 Is there \_\_\_\_\_ time frame \_\_\_\_\_ that are beyond the normal \_\_\_\_\_?  
 \_\_\_\_\_ aware of any \_\_\_\_\_ a \_\_\_\_\_ might need \_\_\_\_\_ replaced \_\_\_\_\_ what is \_\_\_\_\_ normal wear?  
 Does a specific \_\_\_\_\_ exist \_\_\_\_\_ or \_\_\_\_\_ be replaced outside \_\_\_\_\_ the standard \_\_\_\_\_ tear?  
 How \_\_\_\_\_ it \_\_\_\_\_ parts \_\_\_\_\_ beyond \_\_\_\_\_ normal wear and tear limits?  
 Is it possible that \_\_\_\_\_ need to \_\_\_\_\_ replaced outside \_\_\_\_\_ their \_\_\_\_\_?  
 \_\_\_\_\_ the replacement \_\_\_\_\_ various \_\_\_\_\_ parts beyond \_\_\_\_\_ standard \_\_\_\_\_ tear coverage terms?  
 Do \_\_\_\_\_ know \_\_\_\_\_ components will need \_\_\_\_\_ be \_\_\_\_\_ beyond what \_\_\_\_\_ our \_\_\_\_\_ wear and \_\_\_\_\_ allowance \_\_\_\_\_?  
 Can you \_\_\_\_\_ replacement \_\_\_\_\_ the wear and tear limits?  
 \_\_\_\_\_ when \_\_\_\_\_ need to \_\_\_\_\_ what \_\_\_\_\_ prescribed for wear and \_\_\_\_\_ allowance?  
 \_\_\_\_\_ you know \_\_\_\_\_ should be replaced outside \_\_\_\_\_ the usual \_\_\_\_\_ tear \_\_\_\_\_?  
 How \_\_\_\_\_ should components last before \_\_\_\_\_ beyond the standard \_\_\_\_\_ agreements?  
 \_\_\_\_\_ old some \_\_\_\_\_ are before \_\_\_\_\_ need to \_\_\_\_\_ beyond the \_\_\_\_\_ and \_\_\_\_\_.  
 \_\_\_\_\_ some of our \_\_\_\_\_ before \_\_\_\_\_ replacements beyond their standard \_\_\_\_\_ and tear agreements.  
 \_\_\_\_\_ is \_\_\_\_\_ standard \_\_\_\_\_ until individual \_\_\_\_\_ require repair outside of \_\_\_\_\_ usual \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ period \_\_\_\_\_ outside of their \_\_\_\_\_ wear \_\_\_\_\_ tear allowance?  
 \_\_\_\_\_ old \_\_\_\_\_ components are before \_\_\_\_\_ to \_\_\_\_\_ replaced \_\_\_\_\_ agreed upon \_\_\_\_\_ wear.  
 What is \_\_\_\_\_ average \_\_\_\_\_ of \_\_\_\_\_ over \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 Do \_\_\_\_\_ if \_\_\_\_\_ components \_\_\_\_\_ to \_\_\_\_\_ replaced outside \_\_\_\_\_ the usual wear and \_\_\_\_\_?  
 How old some \_\_\_\_\_ components \_\_\_\_\_ before they need replacement, \_\_\_\_\_ our \_\_\_\_\_.  
 \_\_\_\_\_ some components \_\_\_\_\_ before \_\_\_\_\_ need to \_\_\_\_\_ beyond \_\_\_\_\_ and tear allowance \_\_\_\_\_.  
 Can \_\_\_\_\_ me \_\_\_\_\_ long certain \_\_\_\_\_ will last \_\_\_\_\_ needing \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ certain \_\_\_\_\_ need to be replaced \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 What \_\_\_\_\_ the standard \_\_\_\_\_ until \_\_\_\_\_ need repair beyond \_\_\_\_\_ allowance \_\_\_\_\_ tear?  
 Is it possible \_\_\_\_\_ some \_\_\_\_\_ might \_\_\_\_\_ be replaced \_\_\_\_\_ what \_\_\_\_\_ wear and tear allowance \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ components need to be replaced outside \_\_\_\_\_ the \_\_\_\_\_ and tear \_\_\_\_\_?  
 \_\_\_\_\_ you know \_\_\_\_\_ some components need \_\_\_\_\_ beyond what \_\_\_\_\_ within \_\_\_\_\_?  
 How \_\_\_\_\_ some \_\_\_\_\_ our parts are \_\_\_\_\_ replacement \_\_\_\_\_ standard wear and tear allowance agreements.  
 \_\_\_\_\_ components \_\_\_\_\_ they \_\_\_\_\_ to be \_\_\_\_\_ beyond the \_\_\_\_\_ and tear \_\_\_\_\_ agreements?  
 Do \_\_\_\_\_ components \_\_\_\_\_ last longer \_\_\_\_\_ for ordinary \_\_\_\_\_ damage repairs?  
 When we have \_\_\_\_\_ use \_\_\_\_\_ beyond \_\_\_\_\_ standard \_\_\_\_\_ how old some \_\_\_\_\_ components are.  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ an \_\_\_\_\_ into when \_\_\_\_\_ replacement \_\_\_\_\_ the agreed upon \_\_\_\_\_ and \_\_\_\_\_ limits?  
 What \_\_\_\_\_ time \_\_\_\_\_ parts need repair outside of regular \_\_\_\_\_ allowance?  
 \_\_\_\_\_ individual parts need repair \_\_\_\_\_ the usual wear \_\_\_\_\_ allowance is not \_\_\_\_\_.  
 \_\_\_\_\_ you tell \_\_\_\_\_ elements demand \_\_\_\_\_ beyond the \_\_\_\_\_ and \_\_\_\_\_ limits?  
 \_\_\_\_\_ there a \_\_\_\_\_ parts \_\_\_\_\_ beyond normal wear \_\_\_\_\_ tear limits?  
 \_\_\_\_\_ individual parts \_\_\_\_\_ outside \_\_\_\_\_ wear \_\_\_\_\_ allowances, what \_\_\_\_\_ is it?  
 \_\_\_\_\_ long \_\_\_\_\_ certain components \_\_\_\_\_ over \_\_\_\_\_ wear and \_\_\_\_\_?  
 \_\_\_\_\_ repair outside \_\_\_\_\_ wear and tear allowances, what's the \_\_\_\_\_ period?  
 \_\_\_\_\_ old some \_\_\_\_\_ our \_\_\_\_\_ are, \_\_\_\_\_ use replacements beyond the \_\_\_\_\_ wear \_\_\_\_\_ allowance agreements.  
 Do some components tend \_\_\_\_\_ longer \_\_\_\_\_ our \_\_\_\_\_ wear \_\_\_\_\_?  
 Is there a \_\_\_\_\_ for \_\_\_\_\_ parts that \_\_\_\_\_ wear and \_\_\_\_\_?  
 Can \_\_\_\_\_ tell me \_\_\_\_\_ replacement \_\_\_\_\_ car parts \_\_\_\_\_ standard \_\_\_\_\_ tear coverage?  
 When specific \_\_\_\_\_ the agreed-upon \_\_\_\_\_ and \_\_\_\_\_ can you give \_\_\_\_\_ insight?  
 Can \_\_\_\_\_ about the replacement periods for \_\_\_\_\_ parts \_\_\_\_\_ beyond \_\_\_\_\_ wear \_\_\_\_\_ coverage?  
 \_\_\_\_\_ components \_\_\_\_\_ replacement \_\_\_\_\_ standard wear \_\_\_\_\_ tear \_\_\_\_\_ is there \_\_\_\_\_ specific lifespan for \_\_\_\_\_?  
 Do \_\_\_\_\_ know \_\_\_\_\_ usual lifespan \_\_\_\_\_ components \_\_\_\_\_ tolerances?

using \_\_\_\_\_ standard \_\_\_\_\_ tear allowance agreements, how old some \_\_\_\_\_ our \_\_\_\_\_.  
 What is \_\_\_\_\_ standard period \_\_\_\_\_ parts need \_\_\_\_\_ normal \_\_\_\_\_ and tear \_\_\_\_\_?  
 \_\_\_\_\_ know if \_\_\_\_\_ parts need \_\_\_\_\_ be \_\_\_\_\_ outside of the wear \_\_\_\_\_?  
 Are \_\_\_\_\_ of any time \_\_\_\_\_ components might \_\_\_\_\_ be \_\_\_\_\_ we are allowed \_\_\_\_\_ replace?  
 Do \_\_\_\_\_ know \_\_\_\_\_ might have to \_\_\_\_\_ replaced beyond \_\_\_\_\_ covered by \_\_\_\_\_ usual \_\_\_\_\_ and tear \_\_\_\_\_?  
 \_\_\_\_\_ tend to \_\_\_\_\_ longer \_\_\_\_\_ our arrangements for \_\_\_\_\_ wear \_\_\_\_\_ repairs?  
 \_\_\_\_\_ give me \_\_\_\_\_ insight into when certain elements \_\_\_\_\_ wear and \_\_\_\_\_ limits?  
 \_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ components \_\_\_\_\_ need to be replaced beyond \_\_\_\_\_?  
 Is \_\_\_\_\_ a specific lifespan for certain \_\_\_\_\_ they often \_\_\_\_\_ beyond \_\_\_\_\_ tear?  
 \_\_\_\_\_ of our components are, before we \_\_\_\_\_ to \_\_\_\_\_ beyond \_\_\_\_\_ standard \_\_\_\_\_ and tear \_\_\_\_\_.  
 Can \_\_\_\_\_ elements \_\_\_\_\_ replacement \_\_\_\_\_ the agreed \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 Can you tell \_\_\_\_\_ periods \_\_\_\_\_ and \_\_\_\_\_ coverage terms?  
 How \_\_\_\_\_ some of our components \_\_\_\_\_ before \_\_\_\_\_ need to use \_\_\_\_\_ and tear \_\_\_\_\_.  
 \_\_\_\_\_ some \_\_\_\_\_ our \_\_\_\_\_ before \_\_\_\_\_ have to use replacements \_\_\_\_\_ allowances?  
 Do \_\_\_\_\_ when certain \_\_\_\_\_ be replaced \_\_\_\_\_ beyond what is prescribed for \_\_\_\_\_ and \_\_\_\_\_?  
 Can you \_\_\_\_\_ specific elements demand \_\_\_\_\_ the agreed \_\_\_\_\_ wear and \_\_\_\_\_?  
 Is there a way \_\_\_\_\_ when \_\_\_\_\_ replacement \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 How old some \_\_\_\_\_ the \_\_\_\_\_ before \_\_\_\_\_ have \_\_\_\_\_ replacement \_\_\_\_\_ tear allowance agreements  
 How \_\_\_\_\_ some of the \_\_\_\_\_ are \_\_\_\_\_ and tear allowances?  
 Could you \_\_\_\_\_ when specific \_\_\_\_\_ agreed upon \_\_\_\_\_ and tear limits?  
 \_\_\_\_\_ an \_\_\_\_\_ into \_\_\_\_\_ certain elements \_\_\_\_\_ beyond \_\_\_\_\_ agreed \_\_\_\_\_ wear \_\_\_\_\_ tear limits?  
 \_\_\_\_\_ it \_\_\_\_\_ to give \_\_\_\_\_ when \_\_\_\_\_ elements demand \_\_\_\_\_ agreed \_\_\_\_\_ wear and \_\_\_\_\_ limits?  
 \_\_\_\_\_ it possible \_\_\_\_\_ tell \_\_\_\_\_ elements demand \_\_\_\_\_ our \_\_\_\_\_ wear \_\_\_\_\_ tear limits?  
 \_\_\_\_\_ standard period \_\_\_\_\_ individual parts typically \_\_\_\_\_ than \_\_\_\_\_ usual wear \_\_\_\_\_ tear allowance?  
 \_\_\_\_\_ is the standard \_\_\_\_\_ until \_\_\_\_\_ parts \_\_\_\_\_ repair \_\_\_\_\_ of \_\_\_\_\_ usual wear \_\_\_\_\_ allowance?  
 \_\_\_\_\_ you aware of any time \_\_\_\_\_ a component \_\_\_\_\_ to be \_\_\_\_\_ beyond \_\_\_\_\_ allowable \_\_\_\_\_ wear \_\_\_\_\_?  
 Can \_\_\_\_\_ when specific elements \_\_\_\_\_ replacement \_\_\_\_\_ the agreed-upon wear \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ some components are before we need \_\_\_\_\_ their standard \_\_\_\_\_ and tear \_\_\_\_\_.  
 What \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ they need replacement?  
 \_\_\_\_\_ some components are before they need replacements, \_\_\_\_\_ usual \_\_\_\_\_?  
 How \_\_\_\_\_ components are \_\_\_\_\_ to use replacements beyond \_\_\_\_\_ and tear allowance \_\_\_\_\_.  
 How old \_\_\_\_\_ components are before we \_\_\_\_\_ use replacements \_\_\_\_\_ standard \_\_\_\_\_.  
 \_\_\_\_\_ old \_\_\_\_\_ of our components are \_\_\_\_\_ we \_\_\_\_\_ to use \_\_\_\_\_ standard wear \_\_\_\_\_.  
 What \_\_\_\_\_ it when individual parts \_\_\_\_\_ the \_\_\_\_\_ wear \_\_\_\_\_ tear allowances?  
 \_\_\_\_\_ individual parts need repair outside of \_\_\_\_\_ and \_\_\_\_\_ the \_\_\_\_\_ period?  
 \_\_\_\_\_ standard \_\_\_\_\_ until individual parts \_\_\_\_\_ need \_\_\_\_\_ the regular wear and \_\_\_\_\_ allowances?  
 Do \_\_\_\_\_ lifespans of some \_\_\_\_\_ the \_\_\_\_\_ for wear \_\_\_\_\_?  
 \_\_\_\_\_ long do \_\_\_\_\_ last \_\_\_\_\_ requiring replacement beyond \_\_\_\_\_ allowance agreements?  
 How old \_\_\_\_\_ before \_\_\_\_\_ replaced beyond \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 \_\_\_\_\_ the usual \_\_\_\_\_ individual \_\_\_\_\_ repair outside of \_\_\_\_\_ wear and \_\_\_\_\_?  
 Can you tell us \_\_\_\_\_ expectancy \_\_\_\_\_ some \_\_\_\_\_ before replacement \_\_\_\_\_?  
 \_\_\_\_\_ lifespan \_\_\_\_\_ parts, or can they often require \_\_\_\_\_ outside \_\_\_\_\_ standard \_\_\_\_\_ and tear?  
 What \_\_\_\_\_ lifespan \_\_\_\_\_ apart from our usual wear \_\_\_\_\_?  
 How old \_\_\_\_\_ our \_\_\_\_\_ they need to be \_\_\_\_\_ wear and tear allowance?  
 \_\_\_\_\_ you tell me if \_\_\_\_\_ demand \_\_\_\_\_ agreed \_\_\_\_\_ wear and \_\_\_\_\_ limits?  
 Can you give \_\_\_\_\_ some \_\_\_\_\_ certain elements \_\_\_\_\_ replacement beyond the agreed-upon \_\_\_\_\_?  
 \_\_\_\_\_ some \_\_\_\_\_ the components \_\_\_\_\_ have \_\_\_\_\_ beyond standard wear and tear agreements?  
 How \_\_\_\_\_ some of the \_\_\_\_\_ replacements, \_\_\_\_\_ usual wear and tear \_\_\_\_\_ agreements?  
 How old some parts \_\_\_\_\_ to \_\_\_\_\_ beyond their standard wear \_\_\_\_\_.  
 Is there a time \_\_\_\_\_ for \_\_\_\_\_ that \_\_\_\_\_ beyond \_\_\_\_\_ tear \_\_\_\_\_?

What \_\_\_\_\_ components that exceed our wear \_\_\_\_\_ tear \_\_\_\_\_?  
 When \_\_\_\_\_ replacement beyond \_\_\_\_\_ agreed \_\_\_\_\_ tear limits, could \_\_\_\_\_ give \_\_\_\_\_ insight?  
 How \_\_\_\_\_ some components \_\_\_\_\_ before \_\_\_\_\_ need replacement, \_\_\_\_\_ our \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ you know when \_\_\_\_\_ components will \_\_\_\_\_ beyond what is covered under \_\_\_\_\_ tear allowance \_\_\_\_\_?  
 \_\_\_\_\_ is the standard period until individual \_\_\_\_\_ repair \_\_\_\_\_ usual allowance for \_\_\_\_\_?  
 \_\_\_\_\_ is the standard period \_\_\_\_\_ until \_\_\_\_\_ parts \_\_\_\_\_ repair \_\_\_\_\_ of \_\_\_\_\_ wear and tear?  
 \_\_\_\_\_ it possible \_\_\_\_\_ me \_\_\_\_\_ when \_\_\_\_\_ elements demand \_\_\_\_\_ our \_\_\_\_\_ upon \_\_\_\_\_ and tear limits?  
 \_\_\_\_\_ some of \_\_\_\_\_ parts \_\_\_\_\_ before they need \_\_\_\_\_ be \_\_\_\_\_ beyond \_\_\_\_\_ usual \_\_\_\_\_ tear allowances?  
 \_\_\_\_\_ is \_\_\_\_\_ period \_\_\_\_\_ parts typically need repair away \_\_\_\_\_ the regular \_\_\_\_\_ wear and \_\_\_\_\_?  
 When individual \_\_\_\_\_ need \_\_\_\_\_ regular \_\_\_\_\_ and tear \_\_\_\_\_ what time?  
 Does \_\_\_\_\_ average \_\_\_\_\_ of \_\_\_\_\_ components exceed our wear \_\_\_\_\_?  
 \_\_\_\_\_ specific lifespan \_\_\_\_\_ parts, \_\_\_\_\_ can they sometimes need \_\_\_\_\_ standard wear \_\_\_\_\_?  
 \_\_\_\_\_ old some \_\_\_\_\_ the components \_\_\_\_\_ before \_\_\_\_\_ need \_\_\_\_\_ use \_\_\_\_\_ beyond the standard wear and \_\_\_\_\_  
 How old \_\_\_\_\_ components are, before \_\_\_\_\_ need to be \_\_\_\_\_ beyond \_\_\_\_\_?  
 How long does \_\_\_\_\_ to \_\_\_\_\_ parts beyond normal \_\_\_\_\_?  
 Are \_\_\_\_\_ certain components might \_\_\_\_\_ be replaced beyond \_\_\_\_\_ are allowed \_\_\_\_\_ replace?  
 What is the \_\_\_\_\_ of \_\_\_\_\_ that \_\_\_\_\_ beyond wear \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ lifespan \_\_\_\_\_ components before they need \_\_\_\_\_?  
 \_\_\_\_\_ know if \_\_\_\_\_ need \_\_\_\_\_ be replaced outside of \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ old some \_\_\_\_\_ have to use replacements \_\_\_\_\_ their agreement.  
 How \_\_\_\_\_ components last \_\_\_\_\_ having \_\_\_\_\_ beyond \_\_\_\_\_ standard \_\_\_\_\_ and \_\_\_\_\_ allowance agreements?  
 \_\_\_\_\_ is \_\_\_\_\_ time until \_\_\_\_\_ parts \_\_\_\_\_ repair \_\_\_\_\_ of \_\_\_\_\_ tear allowances?  
 \_\_\_\_\_ old \_\_\_\_\_ components are \_\_\_\_\_ we \_\_\_\_\_ to use replacement \_\_\_\_\_ the \_\_\_\_\_ and tear \_\_\_\_\_  
 \_\_\_\_\_ you tell me when certain \_\_\_\_\_ be \_\_\_\_\_ that are beyond what is \_\_\_\_\_ wear \_\_\_\_\_?  
 \_\_\_\_\_ the average \_\_\_\_\_ before \_\_\_\_\_ replacement, besides what our agreement covers?  
 How old some components can be before \_\_\_\_\_ them \_\_\_\_\_ our \_\_\_\_\_ upon \_\_\_\_\_.  
 \_\_\_\_\_ is it \_\_\_\_\_ parts need repair \_\_\_\_\_ wear \_\_\_\_\_ allowances?  
 How old some of our parts \_\_\_\_\_ have \_\_\_\_\_ replacements \_\_\_\_\_ their \_\_\_\_\_ allowance agreements.  
 \_\_\_\_\_ are before we need to use \_\_\_\_\_ the \_\_\_\_\_ wear \_\_\_\_\_ allowance agreements.  
 \_\_\_\_\_ typical \_\_\_\_\_ until certain parts \_\_\_\_\_ to \_\_\_\_\_ replaced \_\_\_\_\_ what is \_\_\_\_\_ standard \_\_\_\_\_ and tear?  
 What time is \_\_\_\_\_ when \_\_\_\_\_ typically \_\_\_\_\_ repair outside \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ is the \_\_\_\_\_ period until \_\_\_\_\_ parts \_\_\_\_\_ need \_\_\_\_\_ outside \_\_\_\_\_ the \_\_\_\_\_ tear allowances?  
 How old \_\_\_\_\_ components are before we \_\_\_\_\_ replacements beyond \_\_\_\_\_ agreements.  
 \_\_\_\_\_ familiar with \_\_\_\_\_ certain parts \_\_\_\_\_ to be \_\_\_\_\_ are \_\_\_\_\_ the prescribed \_\_\_\_\_ and \_\_\_\_\_ allowance?  
 How old some of our \_\_\_\_\_ before \_\_\_\_\_ replacements \_\_\_\_\_ wear \_\_\_\_\_ allowances?  
 The standard \_\_\_\_\_ until individual parts \_\_\_\_\_ of the regular wear \_\_\_\_\_.  
 \_\_\_\_\_ of our components \_\_\_\_\_ we have to use replacements beyond \_\_\_\_\_ wear \_\_\_\_\_ agreements.  
 \_\_\_\_\_ old \_\_\_\_\_ components are \_\_\_\_\_ to use \_\_\_\_\_ wear \_\_\_\_\_ tear allowance agreements.  
 Some components will \_\_\_\_\_ need \_\_\_\_\_ their \_\_\_\_\_.  
 \_\_\_\_\_ of our components \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ replacements beyond \_\_\_\_\_ standard \_\_\_\_\_ and tear allowance \_\_\_\_\_.  
 \_\_\_\_\_ might \_\_\_\_\_ elements \_\_\_\_\_ sooner \_\_\_\_\_ our standard wear exceptions \_\_\_\_\_?  
 What \_\_\_\_\_ the standard \_\_\_\_\_ individual parts \_\_\_\_\_ repaired \_\_\_\_\_ usual wear and tear allowance?  
 How old some of \_\_\_\_\_ before \_\_\_\_\_ need to \_\_\_\_\_ standard wear and \_\_\_\_\_?  
 Is \_\_\_\_\_ to provide \_\_\_\_\_ into \_\_\_\_\_ specific elements demand replacement \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ familiar \_\_\_\_\_ when certain components \_\_\_\_\_ to \_\_\_\_\_ replaced that \_\_\_\_\_ what was \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ allowances?  
 What \_\_\_\_\_ the standard \_\_\_\_\_ until individual \_\_\_\_\_ need repair outside \_\_\_\_\_ allowance for \_\_\_\_\_ and \_\_\_\_\_?  
 How old some \_\_\_\_\_ components are before they \_\_\_\_\_ beyond the \_\_\_\_\_?  
 Can \_\_\_\_\_ about the \_\_\_\_\_ of \_\_\_\_\_ before we exceed \_\_\_\_\_ tolerances?  
 Are \_\_\_\_\_ aware \_\_\_\_\_ components \_\_\_\_\_ need to \_\_\_\_\_ replaced \_\_\_\_\_ we \_\_\_\_\_ allowed to replace?  
 How \_\_\_\_\_ of \_\_\_\_\_ are before \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ past our \_\_\_\_\_ wear and tear \_\_\_\_\_?

\_\_\_\_ old some \_\_\_\_ are \_\_\_\_ have to \_\_\_\_ replaced beyond standard wear \_\_\_\_ \_\_\_\_ ?  
 \_\_\_\_ old some components \_\_\_\_ we \_\_\_\_ replace \_\_\_\_ beyond what we \_\_\_\_ .  
 \_\_\_\_ you \_\_\_\_ replaced outside what is considered normal wear and tear \_\_\_\_ ?  
 \_\_\_\_ you know \_\_\_\_ components need to \_\_\_\_ beyond \_\_\_\_ can wear \_\_\_\_ tear?  
 \_\_\_\_ you \_\_\_\_ certain components \_\_\_\_ to \_\_\_\_ that are \_\_\_\_ what is prescribed \_\_\_\_ wear and \_\_\_\_ ?  
 How \_\_\_\_ our \_\_\_\_ are before we have to \_\_\_\_ beyond \_\_\_\_ and tear \_\_\_\_ ?  
 Does the \_\_\_\_ frame \_\_\_\_ parts \_\_\_\_ normal \_\_\_\_ and tear \_\_\_\_ ?  
 \_\_\_\_ is \_\_\_\_ standard period until \_\_\_\_ parts typically \_\_\_\_ repair outside \_\_\_\_ allowance \_\_\_\_ and \_\_\_\_ ?  
 What is \_\_\_\_ period \_\_\_\_ need \_\_\_\_ outside of a regular \_\_\_\_ for \_\_\_\_ and \_\_\_\_ ?  
 \_\_\_\_ old some components \_\_\_\_ before \_\_\_\_ replacement, \_\_\_\_ usual wear \_\_\_\_ agreements?  
 \_\_\_\_ an insight into when \_\_\_\_ agreed upon wear and \_\_\_\_ limits?  
 \_\_\_\_ to be replaced quicker \_\_\_\_ standard wear exceptions cover?  
 What is the standard \_\_\_\_ individual parts need \_\_\_\_ regular \_\_\_\_ tear?  
 How \_\_\_\_ can be before \_\_\_\_ use \_\_\_\_ beyond \_\_\_\_ wear and tear allowance \_\_\_\_ .  
 When \_\_\_\_ repair beyond regular \_\_\_\_ and \_\_\_\_ allowances, \_\_\_\_ time is \_\_\_\_ ?  
 How old \_\_\_\_ before \_\_\_\_ have to use \_\_\_\_ wear and tear \_\_\_\_ ?  
 Is \_\_\_\_ an \_\_\_\_ for when \_\_\_\_ will \_\_\_\_ their wear \_\_\_\_ tear \_\_\_\_ ?  
 \_\_\_\_ it \_\_\_\_ tell me about the typical replacement \_\_\_\_ for \_\_\_\_ car \_\_\_\_ and tear coverage \_\_\_\_ ?  
 Do \_\_\_\_ know \_\_\_\_ kind \_\_\_\_ components \_\_\_\_ be \_\_\_\_ what already \_\_\_\_ under wear and tear \_\_\_\_ ?  
 \_\_\_\_ until \_\_\_\_ parts \_\_\_\_ repair outside \_\_\_\_ the wear and tear allowance?  
 Is it possible \_\_\_\_ into \_\_\_\_ specific elements \_\_\_\_ replacement beyond \_\_\_\_ agreed \_\_\_\_ wear \_\_\_\_ tear \_\_\_\_ ?  
 \_\_\_\_ you \_\_\_\_ if some components need \_\_\_\_ be \_\_\_\_ their \_\_\_\_ wear \_\_\_\_ allowances?  
 How old some \_\_\_\_ need to \_\_\_\_ replaced, past \_\_\_\_ usual wear and tear \_\_\_\_ ?  
 \_\_\_\_ some \_\_\_\_ are \_\_\_\_ we have to \_\_\_\_ wear and tear \_\_\_\_ ?  
 How old some of the \_\_\_\_ we need \_\_\_\_ use \_\_\_\_ and tear allowance \_\_\_\_  
 \_\_\_\_ you know if some parts \_\_\_\_ be \_\_\_\_ outside \_\_\_\_ their \_\_\_\_ wear \_\_\_\_ ?  
 \_\_\_\_ of \_\_\_\_ a component might \_\_\_\_ to be replaced \_\_\_\_ what is \_\_\_\_ wear and \_\_\_\_ ?  
 \_\_\_\_ old some \_\_\_\_ are before we \_\_\_\_ to replace \_\_\_\_ standards of \_\_\_\_ .  
 \_\_\_\_ the standard \_\_\_\_ until individual \_\_\_\_ can \_\_\_\_ outside of regular \_\_\_\_ tear \_\_\_\_ ?  
 \_\_\_\_ you \_\_\_\_ me \_\_\_\_ the \_\_\_\_ periods \_\_\_\_ car \_\_\_\_ beyond \_\_\_\_ standard wear and \_\_\_\_ ?  
 What is \_\_\_\_ typical \_\_\_\_ period \_\_\_\_ car \_\_\_\_ beyond \_\_\_\_ standard wear and \_\_\_\_ ?  
 \_\_\_\_ old \_\_\_\_ of our components \_\_\_\_ before \_\_\_\_ have to \_\_\_\_ standard wear \_\_\_\_ tear agreements.  
 Do \_\_\_\_ know when some components \_\_\_\_ be replaced beyond what is covered \_\_\_\_ usual \_\_\_\_ ?  
 How old \_\_\_\_ our \_\_\_\_ before \_\_\_\_ have to use \_\_\_\_ beyond the \_\_\_\_ and tear \_\_\_\_ agreements.  
 \_\_\_\_ certain elements demand \_\_\_\_ beyond \_\_\_\_ tear limits \_\_\_\_ tell me?  
 How old some \_\_\_\_ components are before \_\_\_\_ have \_\_\_\_ replacements outside \_\_\_\_ wear \_\_\_\_ agreements?  
 Do \_\_\_\_ know if \_\_\_\_ to \_\_\_\_ replaced beyond \_\_\_\_ our wear \_\_\_\_ allows?  
 How \_\_\_\_ some \_\_\_\_ our \_\_\_\_ are before \_\_\_\_ replacements, beyond \_\_\_\_ wear and \_\_\_\_ ?  
 Do \_\_\_\_ the average life expectancy of \_\_\_\_ replacement \_\_\_\_ ?  
 \_\_\_\_ there a \_\_\_\_ to tell when certain elements \_\_\_\_ beyond \_\_\_\_ wear \_\_\_\_ tear \_\_\_\_ ?  
 How \_\_\_\_ to replace them \_\_\_\_ our agreed upon standards  
 How old \_\_\_\_ of \_\_\_\_ parts are \_\_\_\_ they \_\_\_\_ beyond standard \_\_\_\_ tear \_\_\_\_ ?  
 How \_\_\_\_ of \_\_\_\_ before they need \_\_\_\_ be \_\_\_\_ the standard wear \_\_\_\_ tear allowance?  
 \_\_\_\_ a specific \_\_\_\_ exist \_\_\_\_ or can they frequently require \_\_\_\_ outside of \_\_\_\_ standard \_\_\_\_ ?  
 \_\_\_\_ way \_\_\_\_ know \_\_\_\_ some components \_\_\_\_ to \_\_\_\_ outside \_\_\_\_ their \_\_\_\_ wear and rip allowance?  
 \_\_\_\_ specific \_\_\_\_ replacement beyond our agreed \_\_\_\_ wear \_\_\_\_ limits, could \_\_\_\_ give \_\_\_\_ some \_\_\_\_ ?  
 \_\_\_\_ the lifespan \_\_\_\_ components \_\_\_\_ the arrangements \_\_\_\_ damage repairs?  
 \_\_\_\_ there \_\_\_\_ estimate \_\_\_\_ will exceed their wear \_\_\_\_ allowance?  
 Do \_\_\_\_ if \_\_\_\_ be replaced outside \_\_\_\_ wear \_\_\_\_ tear allowance?  
 Is there some \_\_\_\_ that exceed our arrangements \_\_\_\_ ?



\_\_\_\_ it possible \_\_\_\_ could give insights into \_\_\_\_ certain elements \_\_\_\_ replacement \_\_\_\_ upon wear and \_\_\_\_ ?  
 \_\_\_\_ you \_\_\_\_ me about the \_\_\_\_ of \_\_\_\_ components \_\_\_\_ tolerances?  
 How old some of our \_\_\_\_ are \_\_\_\_ to use \_\_\_\_ standardwear and tear \_\_\_\_ .  
 When \_\_\_\_ component might need to \_\_\_\_ beyond what \_\_\_\_ usually \_\_\_\_ are \_\_\_\_ aware?  
 \_\_\_\_ standard period until \_\_\_\_ parts \_\_\_\_ repair \_\_\_\_ the normal wear \_\_\_\_ tear \_\_\_\_ ?  
 How old \_\_\_\_ of our \_\_\_\_ need \_\_\_\_ be \_\_\_\_ our usual wear and \_\_\_\_ allowances.  
 How \_\_\_\_ some of our \_\_\_\_ are \_\_\_\_ we \_\_\_\_ to \_\_\_\_ replacement \_\_\_\_ wear and tear \_\_\_\_ .  
 \_\_\_\_ parts \_\_\_\_ repairs outside the regular \_\_\_\_ and tear \_\_\_\_ is \_\_\_\_ ?  
 \_\_\_\_ is the \_\_\_\_ beyond our wear and tear \_\_\_\_ ?  
 Do you know when certain \_\_\_\_ be replaced beyond \_\_\_\_ allowed \_\_\_\_ wear \_\_\_\_ tear allowance \_\_\_\_ ?  
 \_\_\_\_ individual parts \_\_\_\_ regular \_\_\_\_ and \_\_\_\_ allowances, what time?  
 \_\_\_\_ you \_\_\_\_ us about replacement periods \_\_\_\_ and tear \_\_\_\_ ?  
 \_\_\_\_ old some \_\_\_\_ are \_\_\_\_ to use replacements \_\_\_\_ and tear allowance?  
 Do you \_\_\_\_ there are components \_\_\_\_ be replaced outside \_\_\_\_ and \_\_\_\_ allowance?  
 When \_\_\_\_ parts need \_\_\_\_ outside of the \_\_\_\_ wear \_\_\_\_ allowance, what \_\_\_\_ ?  
 \_\_\_\_ old some \_\_\_\_ our components \_\_\_\_ before they \_\_\_\_ to be \_\_\_\_ wear \_\_\_\_ allowances?  
 Is \_\_\_\_ to replace \_\_\_\_ beyond normal wear and \_\_\_\_ ?  
 \_\_\_\_ beyond their \_\_\_\_ wear \_\_\_\_ allowance agreements, how old some of our components \_\_\_\_ .  
 \_\_\_\_ the \_\_\_\_ of certain \_\_\_\_ exceed the \_\_\_\_ damage repairs?  
 \_\_\_\_ you \_\_\_\_ if \_\_\_\_ components \_\_\_\_ to \_\_\_\_ beyond what \_\_\_\_ under our wear and \_\_\_\_ terms?  
 \_\_\_\_ some \_\_\_\_ our components are before \_\_\_\_ have \_\_\_\_ them over \_\_\_\_ agreed upon \_\_\_\_ wear.  
 \_\_\_\_ the replacement \_\_\_\_ for various car \_\_\_\_ beyond \_\_\_\_ tear coverage?  
 \_\_\_\_ old \_\_\_\_ components are before we \_\_\_\_ replace \_\_\_\_ beyond \_\_\_\_ upon \_\_\_\_ wear.  
 Do \_\_\_\_ certain \_\_\_\_ to \_\_\_\_ replaced \_\_\_\_ what is allowed?  
 \_\_\_\_ old some \_\_\_\_ are \_\_\_\_ they have to \_\_\_\_ standard wear and \_\_\_\_ ?  
 How \_\_\_\_ some \_\_\_\_ components are \_\_\_\_ need \_\_\_\_ beyond their usual \_\_\_\_ tear allowance agreements?  
 \_\_\_\_ you \_\_\_\_ need \_\_\_\_ be replaced \_\_\_\_ of their usual \_\_\_\_ tear allowances?  
 Can you \_\_\_\_ if specific \_\_\_\_ demand \_\_\_\_ our agreed \_\_\_\_ and \_\_\_\_ limits?  
 Do \_\_\_\_ have a clue \_\_\_\_ some \_\_\_\_ replaced \_\_\_\_ of their usual \_\_\_\_ and tear \_\_\_\_ ?  
 \_\_\_\_ a specific lifespan exist for \_\_\_\_ or \_\_\_\_ they \_\_\_\_ require a replacement \_\_\_\_ of \_\_\_\_ ?  
 How \_\_\_\_ we have to \_\_\_\_ their standard wear and \_\_\_\_ agreement.  
 \_\_\_\_ individual parts typically need \_\_\_\_ outside \_\_\_\_ wear \_\_\_\_ allowances, \_\_\_\_ time \_\_\_\_ it?  
 Are \_\_\_\_ of when \_\_\_\_ component might \_\_\_\_ be \_\_\_\_ beyond what is \_\_\_\_ wear?  
 \_\_\_\_ of our components \_\_\_\_ before they \_\_\_\_ replaced beyond agreed standards \_\_\_\_ .  
 \_\_\_\_ any information about typical \_\_\_\_ car parts beyond standard wear \_\_\_\_ ?  
 How old \_\_\_\_ our components \_\_\_\_ replacement, past our \_\_\_\_ and tear \_\_\_\_ ?  
 \_\_\_\_ of our components \_\_\_\_ before they \_\_\_\_ replacement, \_\_\_\_ usual wear \_\_\_\_ tear \_\_\_\_ ?  
 \_\_\_\_ require replacement \_\_\_\_ standard wear and \_\_\_\_ or \_\_\_\_ there a \_\_\_\_ lifespan \_\_\_\_ certain \_\_\_\_ ?  
 When \_\_\_\_ repair \_\_\_\_ the \_\_\_\_ wear \_\_\_\_ allowance, \_\_\_\_ is the time?  
 Is there \_\_\_\_ limit on \_\_\_\_ parts beyond normal \_\_\_\_ and \_\_\_\_ ?  
 \_\_\_\_ old \_\_\_\_ components are, before \_\_\_\_ have to use \_\_\_\_ beyond \_\_\_\_ standardwear and \_\_\_\_ allowance \_\_\_\_ .  
 \_\_\_\_ familiar \_\_\_\_ when certain \_\_\_\_ be replaced \_\_\_\_ are beyond the allowance for wear \_\_\_\_ ?  
 \_\_\_\_ some of the \_\_\_\_ are \_\_\_\_ use replacements beyond \_\_\_\_ and tear allowance agreements  
 \_\_\_\_ old some of \_\_\_\_ components are \_\_\_\_ before we \_\_\_\_ to replace \_\_\_\_ standards of \_\_\_\_ .  
 \_\_\_\_ old some of our components \_\_\_\_ before we have \_\_\_\_ replacements \_\_\_\_ and tear \_\_\_\_ ?  
 How \_\_\_\_ of the \_\_\_\_ are \_\_\_\_ they \_\_\_\_ a \_\_\_\_ the standard wear \_\_\_\_ tear \_\_\_\_ ?  
 \_\_\_\_ is the standard period until \_\_\_\_ typically \_\_\_\_ of \_\_\_\_ usual wear and \_\_\_\_ ?  
 Do certain components \_\_\_\_ replacement \_\_\_\_ the standard wear \_\_\_\_ ?  
 Can \_\_\_\_ about the usual \_\_\_\_ various components before \_\_\_\_ upon \_\_\_\_ ?  
 Is there a standard \_\_\_\_ until \_\_\_\_ need to be \_\_\_\_ standard \_\_\_\_ and \_\_\_\_ ?

How \_\_\_\_\_ components are before they \_\_\_\_\_ to \_\_\_\_\_ standard \_\_\_\_\_ and tear \_\_\_\_\_?

\_\_\_\_\_ some of \_\_\_\_\_ parts are before we have \_\_\_\_\_ beyond \_\_\_\_\_ standardwear \_\_\_\_\_ allowance agreements.

\_\_\_\_\_ old \_\_\_\_\_ of our \_\_\_\_\_ are typically before \_\_\_\_\_ to \_\_\_\_\_ beyond \_\_\_\_\_ standardwear andtear \_\_\_\_\_ agreements.

\_\_\_\_\_ you \_\_\_\_\_ certain components \_\_\_\_\_ need \_\_\_\_\_ beyond what is included \_\_\_\_\_ wear and tear \_\_\_\_\_ terms?

Is \_\_\_\_\_ possible to \_\_\_\_\_ insight into \_\_\_\_\_ certain \_\_\_\_\_ replacement beyond the agreed \_\_\_\_\_ limits?

\_\_\_\_\_ time period will some \_\_\_\_\_ need \_\_\_\_\_ the \_\_\_\_\_?

Do you \_\_\_\_\_ to be replaced beyond \_\_\_\_\_ is \_\_\_\_\_ under our \_\_\_\_\_ wear and tear \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ us more \_\_\_\_\_ lifespan of \_\_\_\_\_ exceeding \_\_\_\_\_ tolerances?

\_\_\_\_\_ you tell \_\_\_\_\_ about when specific \_\_\_\_\_ beyond agreed-upon \_\_\_\_\_ tear \_\_\_\_\_?

How old \_\_\_\_\_ are \_\_\_\_\_ have to use replacement beyond the standardwear \_\_\_\_\_ agreements

Is it possible to \_\_\_\_\_ wear \_\_\_\_\_ boundaries?

\_\_\_\_\_ you know \_\_\_\_\_ might \_\_\_\_\_ be replaced \_\_\_\_\_ the usual \_\_\_\_\_ and \_\_\_\_\_ allowance?

Is \_\_\_\_\_ estimate \_\_\_\_\_ when some parts will \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ about replacement \_\_\_\_\_ different \_\_\_\_\_ parts beyond standard \_\_\_\_\_ tear \_\_\_\_\_ terms?

How \_\_\_\_\_ should \_\_\_\_\_ last \_\_\_\_\_ they \_\_\_\_\_ replacement \_\_\_\_\_ the standard \_\_\_\_\_ and \_\_\_\_\_ agreements?

\_\_\_\_\_ old \_\_\_\_\_ before we \_\_\_\_\_ to use replacements \_\_\_\_\_ the \_\_\_\_\_ tear \_\_\_\_\_ agreements

\_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ be replaced beyond what we're \_\_\_\_\_ to replace?

What \_\_\_\_\_ is it \_\_\_\_\_ individual parts \_\_\_\_\_ normal wear and \_\_\_\_\_?

\_\_\_\_\_ what \_\_\_\_\_ of components \_\_\_\_\_ they need to be replaced?

How long before we \_\_\_\_\_ replacements \_\_\_\_\_ wear and \_\_\_\_\_ agreements?

How \_\_\_\_\_ are usually before \_\_\_\_\_ have to \_\_\_\_\_ them beyond our \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ is the \_\_\_\_\_ that \_\_\_\_\_ beyond our wear and \_\_\_\_\_ limits?

Do \_\_\_\_\_ certain components \_\_\_\_\_ be replaced \_\_\_\_\_ is normal wear and \_\_\_\_\_ allowance?

Can \_\_\_\_\_ tell me when specific \_\_\_\_\_ beyond our \_\_\_\_\_ upon wear \_\_\_\_\_?

\_\_\_\_\_ you know \_\_\_\_\_ certain components might \_\_\_\_\_ be replaced beyond \_\_\_\_\_ usual wear and \_\_\_\_\_ terms?

\_\_\_\_\_ is \_\_\_\_\_ lifespan of components that \_\_\_\_\_ wear and \_\_\_\_\_?

How \_\_\_\_\_ some parts \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ replacements \_\_\_\_\_ standardwear \_\_\_\_\_ allowance agreements.

What time period \_\_\_\_\_ the \_\_\_\_\_ repair beyond \_\_\_\_\_?

How old \_\_\_\_\_ our \_\_\_\_\_ are, before \_\_\_\_\_ to use replacement beyond \_\_\_\_\_ andtear \_\_\_\_\_.

\_\_\_\_\_ old some \_\_\_\_\_ are \_\_\_\_\_ need to replace \_\_\_\_\_ beyond our \_\_\_\_\_ upon standards of \_\_\_\_\_.

\_\_\_\_\_ some components \_\_\_\_\_ we have to \_\_\_\_\_ beyond \_\_\_\_\_ allowance?

\_\_\_\_\_ know \_\_\_\_\_ some components \_\_\_\_\_ of their usual \_\_\_\_\_ and tear allowances?

How \_\_\_\_\_ some of \_\_\_\_\_ are, before \_\_\_\_\_ to \_\_\_\_\_ replacement beyond \_\_\_\_\_ wear andtear \_\_\_\_\_ agreements.

\_\_\_\_\_ know \_\_\_\_\_ certain \_\_\_\_\_ might need to be replaced \_\_\_\_\_ normal wear \_\_\_\_\_ tear allowance \_\_\_\_\_?

How \_\_\_\_\_ some \_\_\_\_\_ components are before \_\_\_\_\_ to use replacement beyond \_\_\_\_\_ tear \_\_\_\_\_ agreements

\_\_\_\_\_ repair outside the \_\_\_\_\_ wear and tear \_\_\_\_\_ what time?

\_\_\_\_\_ some of our components can be \_\_\_\_\_ they have \_\_\_\_\_ be \_\_\_\_\_ our \_\_\_\_\_ upon \_\_\_\_\_.

\_\_\_\_\_ a time \_\_\_\_\_ for replacing parts beyond the normal \_\_\_\_\_?

Does \_\_\_\_\_ certain components \_\_\_\_\_ arrangements \_\_\_\_\_ ordinary wear \_\_\_\_\_ repairs?

Is \_\_\_\_\_ typical duration until the \_\_\_\_\_ need to \_\_\_\_\_ replaced beyond \_\_\_\_\_ considered \_\_\_\_\_ wear \_\_\_\_\_?

Do you \_\_\_\_\_ we need to replace \_\_\_\_\_ are \_\_\_\_\_ our \_\_\_\_\_ allowance?

\_\_\_\_\_ old \_\_\_\_\_ are before \_\_\_\_\_ need \_\_\_\_\_ be replaced \_\_\_\_\_ our \_\_\_\_\_ upon standards \_\_\_\_\_.

\_\_\_\_\_ lifespans \_\_\_\_\_ some components exceed \_\_\_\_\_ for \_\_\_\_\_ damage repairs?

When \_\_\_\_\_ require \_\_\_\_\_ outside \_\_\_\_\_ regular wear \_\_\_\_\_ tear \_\_\_\_\_ what \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ when \_\_\_\_\_ replacement beyond \_\_\_\_\_ agreed upon wear and \_\_\_\_\_ limits?

\_\_\_\_\_ old \_\_\_\_\_ of \_\_\_\_\_ are before they \_\_\_\_\_ to \_\_\_\_\_ replaced \_\_\_\_\_ and \_\_\_\_\_ agreements?

Can you \_\_\_\_\_ periods beyond standard \_\_\_\_\_ tear coverage?

How old some \_\_\_\_\_ components are before \_\_\_\_\_ need \_\_\_\_\_ beyond \_\_\_\_\_ tear \_\_\_\_\_?

Do \_\_\_\_\_ when certain components \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ beyond what \_\_\_\_\_ and tear allowances?

Are you \_\_\_\_\_ when a \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ beyond \_\_\_\_\_ we \_\_\_\_\_ usually \_\_\_\_\_ to \_\_\_\_\_?

Is there \_\_\_\_\_ to understand \_\_\_\_\_ elements demand \_\_\_\_\_ agreed \_\_\_\_\_ wear \_\_\_\_\_ tear limits?  
 \_\_\_\_\_ old \_\_\_\_\_ of the \_\_\_\_\_ are \_\_\_\_\_ have to replace \_\_\_\_\_ our \_\_\_\_\_ upon \_\_\_\_\_.  
 \_\_\_\_\_ possible \_\_\_\_\_ insight into when certain \_\_\_\_\_ agreed upon wear and tear \_\_\_\_\_?  
 Do you \_\_\_\_\_ average lifespan \_\_\_\_\_ components that exceed \_\_\_\_\_?  
 Can you \_\_\_\_\_ me \_\_\_\_\_ specific elements \_\_\_\_\_ replacement \_\_\_\_\_ agreed upon \_\_\_\_\_ tear \_\_\_\_\_?  
 When specific elements \_\_\_\_\_ replacement beyond our \_\_\_\_\_ wear \_\_\_\_\_ limits, \_\_\_\_\_?  
 \_\_\_\_\_ certain \_\_\_\_\_ often \_\_\_\_\_ replacement beyond \_\_\_\_\_ and tear?  
 How \_\_\_\_\_ some components are \_\_\_\_\_ to \_\_\_\_\_ replacements beyond their \_\_\_\_\_ and \_\_\_\_\_.  
 Do \_\_\_\_\_ know \_\_\_\_\_ components \_\_\_\_\_ to be replaced \_\_\_\_\_ the \_\_\_\_\_ tear allowance?  
 \_\_\_\_\_ is \_\_\_\_\_ period \_\_\_\_\_ individual \_\_\_\_\_ need repairs outside of \_\_\_\_\_ wear \_\_\_\_\_ allowance?  
 \_\_\_\_\_ about \_\_\_\_\_ lifespan \_\_\_\_\_ key \_\_\_\_\_ before we need replacements?  
 \_\_\_\_\_ you know when \_\_\_\_\_ component might need \_\_\_\_\_ be replaced \_\_\_\_\_ what \_\_\_\_\_?  
 \_\_\_\_\_ you give us \_\_\_\_\_ of \_\_\_\_\_ lifespan of \_\_\_\_\_ we exceed \_\_\_\_\_ tolerances?  
 How old some of \_\_\_\_\_ can be \_\_\_\_\_ use replacement beyond the \_\_\_\_\_ agreements.  
 \_\_\_\_\_ tell us about the \_\_\_\_\_ components \_\_\_\_\_ agreed tolerances?  
 How old some of our components \_\_\_\_\_ replaced \_\_\_\_\_ standard wear \_\_\_\_\_ agreements?  
 Can \_\_\_\_\_ offer \_\_\_\_\_ when \_\_\_\_\_ demand replacement \_\_\_\_\_ the agreed \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 Does \_\_\_\_\_ lifespan \_\_\_\_\_ exceed \_\_\_\_\_ wear and \_\_\_\_\_ limits?  
 \_\_\_\_\_ know \_\_\_\_\_ certain \_\_\_\_\_ need to be replaced \_\_\_\_\_ prescribed for wear \_\_\_\_\_ tear allowance?  
 \_\_\_\_\_ there \_\_\_\_\_ time \_\_\_\_\_ parts beyond wear and tear \_\_\_\_\_?  
 Can \_\_\_\_\_ tell us about the typical \_\_\_\_\_ periods \_\_\_\_\_ beyond \_\_\_\_\_ coverage?  
 \_\_\_\_\_ you know \_\_\_\_\_ components may \_\_\_\_\_ to be replaced \_\_\_\_\_ allowed?  
 \_\_\_\_\_ it possible to give \_\_\_\_\_ when \_\_\_\_\_ demand \_\_\_\_\_ our wear \_\_\_\_\_ limits?  
 \_\_\_\_\_ possible \_\_\_\_\_ provide insight into when \_\_\_\_\_ elements \_\_\_\_\_ beyond our \_\_\_\_\_ upon wear \_\_\_\_\_ limits?  
 How old some of our components are before \_\_\_\_\_ standardwear \_\_\_\_\_ allowance \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ lifespan for \_\_\_\_\_ or does they \_\_\_\_\_ need \_\_\_\_\_ beyond \_\_\_\_\_ and tear?  
 How \_\_\_\_\_ of \_\_\_\_\_ are before \_\_\_\_\_ need to be replaced, beyond \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ it take to replace parts \_\_\_\_\_ wear \_\_\_\_\_ tear limits?  
 Can \_\_\_\_\_ tell \_\_\_\_\_ replacement periods for \_\_\_\_\_ parts \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 Is it possible to give \_\_\_\_\_ elements \_\_\_\_\_ replacement \_\_\_\_\_ our \_\_\_\_\_ upon wear \_\_\_\_\_ tear \_\_\_\_\_.  
 \_\_\_\_\_ long do \_\_\_\_\_ last before requiring \_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_ agreements?  
 \_\_\_\_\_ certain \_\_\_\_\_ need repair \_\_\_\_\_ allowances?  
 How \_\_\_\_\_ last before \_\_\_\_\_ to \_\_\_\_\_ replaced beyond \_\_\_\_\_ wear and \_\_\_\_\_ allowance agreements?  
 Do you know \_\_\_\_\_ something needs to \_\_\_\_\_ outside \_\_\_\_\_ wear \_\_\_\_\_ allowances?  
 How long do \_\_\_\_\_ it will \_\_\_\_\_ replace \_\_\_\_\_ are \_\_\_\_\_ normal \_\_\_\_\_ and tear \_\_\_\_\_?  
 What is \_\_\_\_\_ standard \_\_\_\_\_ individual \_\_\_\_\_ is outside of the \_\_\_\_\_ wear and tear \_\_\_\_\_?  
 Can \_\_\_\_\_ light \_\_\_\_\_ specific \_\_\_\_\_ replacement beyond the agreed \_\_\_\_\_ and tear \_\_\_\_\_?  
 \_\_\_\_\_ you know if components \_\_\_\_\_ replaced beyond the \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ some \_\_\_\_\_ before they \_\_\_\_\_ a replacement, beyond our usual \_\_\_\_\_ agreements?  
 Do you know \_\_\_\_\_ certain components need to \_\_\_\_\_ beyond \_\_\_\_\_ is \_\_\_\_\_ allowances?  
 \_\_\_\_\_ old some of our \_\_\_\_\_ usually \_\_\_\_\_ we have \_\_\_\_\_ beyond the standard \_\_\_\_\_ and tear \_\_\_\_\_.  
 \_\_\_\_\_ will it take until the individual \_\_\_\_\_ that isn't covered \_\_\_\_\_ regular allowances \_\_\_\_\_?  
 \_\_\_\_\_ some \_\_\_\_\_ might need to be replaced beyond what falls \_\_\_\_\_ our usual wear \_\_\_\_\_?  
 \_\_\_\_\_ do \_\_\_\_\_ they need to be replaced beyond the \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_?  
 \_\_\_\_\_ old \_\_\_\_\_ the components \_\_\_\_\_ we \_\_\_\_\_ to use replacements \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ you give me \_\_\_\_\_ insight \_\_\_\_\_ when certain \_\_\_\_\_ agreed upon \_\_\_\_\_ and tear limits?  
 \_\_\_\_\_ me the \_\_\_\_\_ replacement \_\_\_\_\_ for \_\_\_\_\_ car parts \_\_\_\_\_ the standard wear \_\_\_\_\_ tear \_\_\_\_\_ terms?  
 How long \_\_\_\_\_ to \_\_\_\_\_ replaced beyond the \_\_\_\_\_ agreed upon?  
 Is \_\_\_\_\_ usually \_\_\_\_\_ replace \_\_\_\_\_ beyond \_\_\_\_\_ wear \_\_\_\_\_ tear?  
 How \_\_\_\_\_ some \_\_\_\_\_ are before \_\_\_\_\_ have \_\_\_\_\_ replace \_\_\_\_\_ our agreed \_\_\_\_\_.

Does a specific lifespan exist \_\_\_\_\_ or does \_\_\_\_\_ replacement \_\_\_\_\_ standard wear \_\_\_\_\_ tear?

How \_\_\_\_\_ some \_\_\_\_\_ the \_\_\_\_\_ we \_\_\_\_\_ to use \_\_\_\_\_ beyond \_\_\_\_\_ wear and \_\_\_\_\_ allowances.

\_\_\_\_\_ old \_\_\_\_\_ of our \_\_\_\_\_ are, beyond \_\_\_\_\_ usual wear \_\_\_\_\_ ?

How \_\_\_\_\_ of the \_\_\_\_\_ are \_\_\_\_\_ we have \_\_\_\_\_ use \_\_\_\_\_ the standard \_\_\_\_\_ tear allowance.

\_\_\_\_\_ old some of the \_\_\_\_\_ are \_\_\_\_\_ we need \_\_\_\_\_ use replacement beyond \_\_\_\_\_ standard wear \_\_\_\_\_ .

What is the standard time \_\_\_\_\_ need to \_\_\_\_\_ repaired \_\_\_\_\_ their usual wear \_\_\_\_\_ ?

\_\_\_\_\_ when \_\_\_\_\_ need to \_\_\_\_\_ replaced \_\_\_\_\_ is \_\_\_\_\_ in our \_\_\_\_\_ wear and tear allowance terms?

\_\_\_\_\_ old \_\_\_\_\_ our components are \_\_\_\_\_ need replacement \_\_\_\_\_ standard \_\_\_\_\_ tear allowance?

\_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ replaced beyond the prescribed wear and \_\_\_\_\_ allowance?

\_\_\_\_\_ the \_\_\_\_\_ before we have \_\_\_\_\_ use \_\_\_\_\_ standard wear and tear allowance agreements

Is \_\_\_\_\_ possible that \_\_\_\_\_ our standard wear exceptions cover?

\_\_\_\_\_ specific lifespan \_\_\_\_\_ for \_\_\_\_\_ or \_\_\_\_\_ they \_\_\_\_\_ need replacement outside \_\_\_\_\_ and tear?

What \_\_\_\_\_ the standard period \_\_\_\_\_ parts \_\_\_\_\_ to \_\_\_\_\_ outside of \_\_\_\_\_ regular wear and \_\_\_\_\_ ?

\_\_\_\_\_ components \_\_\_\_\_ require replacement beyond \_\_\_\_\_ wear and tear, \_\_\_\_\_ specific lifespan \_\_\_\_\_ components?

How \_\_\_\_\_ components are before \_\_\_\_\_ have to \_\_\_\_\_ beyond \_\_\_\_\_ wear \_\_\_\_\_ allowances.

\_\_\_\_\_ some components \_\_\_\_\_ before we need to \_\_\_\_\_ replacements beyond the \_\_\_\_\_ ?

Does it \_\_\_\_\_ replacement beyond standard \_\_\_\_\_ certain \_\_\_\_\_ ?

Do you \_\_\_\_\_ when \_\_\_\_\_ components \_\_\_\_\_ to \_\_\_\_\_ beyond what \_\_\_\_\_ under the usual wear \_\_\_\_\_ terms?

How long \_\_\_\_\_ before \_\_\_\_\_ replaced beyond standard wear and tear \_\_\_\_\_ ?

What \_\_\_\_\_ will components demand \_\_\_\_\_ beyond \_\_\_\_\_ ?

\_\_\_\_\_ you tell me \_\_\_\_\_ the \_\_\_\_\_ replacement periods for \_\_\_\_\_ car \_\_\_\_\_ and tear \_\_\_\_\_ terms?

Do you \_\_\_\_\_ components you \_\_\_\_\_ to replace beyond what \_\_\_\_\_ wear \_\_\_\_\_ ?

\_\_\_\_\_ some \_\_\_\_\_ our parts \_\_\_\_\_ before \_\_\_\_\_ need replacements beyond \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_ ?

\_\_\_\_\_ you \_\_\_\_\_ certain \_\_\_\_\_ need to \_\_\_\_\_ replaced that \_\_\_\_\_ their \_\_\_\_\_ wear and tear \_\_\_\_\_ ?

Do \_\_\_\_\_ need to be replaced \_\_\_\_\_ the wear \_\_\_\_\_ tear allowance \_\_\_\_\_ ?

\_\_\_\_\_ aware \_\_\_\_\_ any time when a component \_\_\_\_\_ be \_\_\_\_\_ beyond what's allowed \_\_\_\_\_ wear \_\_\_\_\_ tear?

When designated elements must \_\_\_\_\_ past regular \_\_\_\_\_ and \_\_\_\_\_ typical \_\_\_\_\_ ?

What \_\_\_\_\_ the average lifespan \_\_\_\_\_ components that \_\_\_\_\_ above our \_\_\_\_\_ ?

\_\_\_\_\_ old \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ need to use \_\_\_\_\_ beyond \_\_\_\_\_ standard wear \_\_\_\_\_ allowance agreements.

What \_\_\_\_\_ standard \_\_\_\_\_ time until individual \_\_\_\_\_ need repair outside \_\_\_\_\_ the \_\_\_\_\_ and tear?

\_\_\_\_\_ old some \_\_\_\_\_ our \_\_\_\_\_ are before \_\_\_\_\_ replacement, \_\_\_\_\_ our usual \_\_\_\_\_ and \_\_\_\_\_ ?

When the \_\_\_\_\_ must \_\_\_\_\_ past regular \_\_\_\_\_ and tear \_\_\_\_\_ is \_\_\_\_\_ duration?

\_\_\_\_\_ you \_\_\_\_\_ us \_\_\_\_\_ elements demand \_\_\_\_\_ the \_\_\_\_\_ wear and tear limits?

\_\_\_\_\_ old some \_\_\_\_\_ are before \_\_\_\_\_ require replacement \_\_\_\_\_ wear and \_\_\_\_\_ agreements?

Does \_\_\_\_\_ specific lifespan \_\_\_\_\_ they sometimes \_\_\_\_\_ a \_\_\_\_\_ outside of the standard \_\_\_\_\_ and \_\_\_\_\_ ?

\_\_\_\_\_ some \_\_\_\_\_ we \_\_\_\_\_ them beyond agreed standards of wear.

How long \_\_\_\_\_ components last \_\_\_\_\_ wear and tear allowances?

\_\_\_\_\_ lifespan of components before they face \_\_\_\_\_ apart \_\_\_\_\_ what \_\_\_\_\_ covers?

How old some \_\_\_\_\_ are before \_\_\_\_\_ need \_\_\_\_\_ replaced, \_\_\_\_\_ wear \_\_\_\_\_ allowances?

\_\_\_\_\_ know if \_\_\_\_\_ to \_\_\_\_\_ replaced outside the \_\_\_\_\_ wear \_\_\_\_\_ allowance?

\_\_\_\_\_ there any information \_\_\_\_\_ replacement \_\_\_\_\_ for \_\_\_\_\_ parts \_\_\_\_\_ wear \_\_\_\_\_ terms?

Do \_\_\_\_\_ if \_\_\_\_\_ should be replaced \_\_\_\_\_ their usual wear \_\_\_\_\_ allowance?

Does \_\_\_\_\_ know \_\_\_\_\_ certain \_\_\_\_\_ might need to \_\_\_\_\_ replaced \_\_\_\_\_ our \_\_\_\_\_ wear \_\_\_\_\_ tear allowance terms?

\_\_\_\_\_ old \_\_\_\_\_ our \_\_\_\_\_ they need to be \_\_\_\_\_ beyond \_\_\_\_\_ usual wear \_\_\_\_\_ tear agreements?

Do you know when certain \_\_\_\_\_ replaced \_\_\_\_\_ we are \_\_\_\_\_ allowed \_\_\_\_\_ ?

Do you \_\_\_\_\_ replaced that is beyond \_\_\_\_\_ is prescribed for wear \_\_\_\_\_ tear \_\_\_\_\_ ?

\_\_\_\_\_ old \_\_\_\_\_ of our \_\_\_\_\_ are \_\_\_\_\_ we \_\_\_\_\_ to use replacements \_\_\_\_\_ our wear \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ information about the \_\_\_\_\_ various \_\_\_\_\_ parts beyond standard wear \_\_\_\_\_ coverage terms?

How \_\_\_\_\_ are before they \_\_\_\_\_ to \_\_\_\_\_ beyond our \_\_\_\_\_ wear \_\_\_\_\_ tear \_\_\_\_\_ ?

\_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ components need \_\_\_\_\_ be \_\_\_\_\_ beyond \_\_\_\_\_ is \_\_\_\_\_ in our wear and \_\_\_\_\_ ?

How old some \_\_\_\_\_ the \_\_\_\_\_ usually before we have to use \_\_\_\_\_ beyond \_\_\_\_\_ agreements.

\_\_\_\_\_ some \_\_\_\_\_ are \_\_\_\_\_ they need \_\_\_\_\_ our usual \_\_\_\_\_ and tear allowances?

How old some components \_\_\_\_\_ they have to be \_\_\_\_\_ agreed \_\_\_\_\_.

What is \_\_\_\_\_ average \_\_\_\_\_ for \_\_\_\_\_ our wear \_\_\_\_\_ limits?

Are you aware \_\_\_\_\_ to \_\_\_\_\_ replaced beyond what we're allowed \_\_\_\_\_?

\_\_\_\_\_ give \_\_\_\_\_ some \_\_\_\_\_ into \_\_\_\_\_ elements demand replacement beyond the wear \_\_\_\_\_?

\_\_\_\_\_ some of the \_\_\_\_\_ before we need \_\_\_\_\_ beyond \_\_\_\_\_ and tear \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ typically need repair outside \_\_\_\_\_ wear and \_\_\_\_\_ what \_\_\_\_\_ time?

What's the \_\_\_\_\_ period until individual \_\_\_\_\_ repair outside of \_\_\_\_\_ allowance?

How \_\_\_\_\_ of our components \_\_\_\_\_ be replaced \_\_\_\_\_ wear \_\_\_\_\_ tear allowances?

What \_\_\_\_\_ the age \_\_\_\_\_ our components before they need to be \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ some \_\_\_\_\_ before we have to use \_\_\_\_\_ beyond our wear \_\_\_\_\_ tear allowance \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ components need \_\_\_\_\_ be replaced outside of the \_\_\_\_\_ tear \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ need to \_\_\_\_\_ replaced beyond \_\_\_\_\_ permitted under \_\_\_\_\_ wear, are \_\_\_\_\_ aware?

Do you know \_\_\_\_\_ to be replaced beyond \_\_\_\_\_ tear \_\_\_\_\_?

Do you \_\_\_\_\_ if \_\_\_\_\_ are components \_\_\_\_\_ replaced \_\_\_\_\_ of \_\_\_\_\_ and tear allowances?

Do you know if \_\_\_\_\_ component \_\_\_\_\_ to be replaced \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ length until parts \_\_\_\_\_ to be replaced \_\_\_\_\_ what is \_\_\_\_\_?

\_\_\_\_\_ about \_\_\_\_\_ periods \_\_\_\_\_ various car parts \_\_\_\_\_ and tear coverage \_\_\_\_\_?

Are \_\_\_\_\_ replacement \_\_\_\_\_ for \_\_\_\_\_ car parts beyond \_\_\_\_\_ coverage?

\_\_\_\_\_ old the \_\_\_\_\_ before \_\_\_\_\_ need to be replaced \_\_\_\_\_ and tear \_\_\_\_\_?

\_\_\_\_\_ know when some components \_\_\_\_\_ be replaced \_\_\_\_\_ what is allowed \_\_\_\_\_ our \_\_\_\_\_ tear \_\_\_\_\_ terms?