[Demo] NLP Dataset for Customer Service Automation

Company Type	Pet Insurance Companies
Inquiry Category	Change of ownership or pet details
Inquiry Sub- Category	Change of Pet Details
Description	Inquiries related to updating a policy with new information about a pet, such as breed, age, or name changes.
Data Size	5,052 paraphrases
Want to buy data?	Please contact nlp-data@qross.me via your business email address.

Masked sample paraphrases of one "Pet Insurance Company" customer inquiry. (Purchased data will not be masked.)

Should multiple modifications (e.g breed) be handled or ?
age and changes handled during the ?
of and breed be individually in with each .
Should the revisions involving be separated?
breed, handled individually or?
the process, of and breed be individually together?
Should changes or should combine them?
Do you handle these like
Is to age or at the same time?
you deal changing breed at same or should I handle separate?
Should age and separate or?
the process better to multiple changes age together?
Should breed be individually tandem?
we separate combine of age breed?
separate combined updates for age breed?
and should adjusted or
Should age and breed be handled together during ?
Is it changes like age during the transition?
these changes or separately?
it appropriate to have age or separately?
Are you treating changes in both age breed your during adjustment process?
it age and breed separately or to the adjustment stage?
Should simultaneous affecting both age dealt with separately?
Does to age and breed independently to treat concurrently adjustment?
deal with changes like age separately?
it separate for and breed, is possible to combine?
it worthwhile and independently or to both?
and handled separately or the adjustment procedure?
Do deal the changes breed seperately or?
modifications of breed be together during procedure?

Should deal separately or together?
changes with differentbreed?
How with age breed changes?
Are you planning on treating both in age alone for adjustment?
Should I deal with separate for or combine them like normal?
you planning simultaneous changes in alone for pets during the adjustment?
Are the age breed or?
Should changes in breed from each other during the?
How you several like breed?
it a idea to and separately or at at the process?
Is it possible age independently to treat same time.
simultaneous alterations and should be dealt with?
to combine age and independently treat simultaneously adjustment process?
Are age breed separately together?
Modifications and should be handled or on the
it to tackle multiple together, such as age process?
Changes of age breed should together during the
should you with changes in and?
both age breed in adjustment manage several parallel edits?
During the should changes and handled separately?
Is okay me to age and breed the or handle it in ?
Is there a way separate like age ?
Is good idea to and independently both simultaneously.
Do you updates age together or separately the process?
both age alterations be separately?
it okay update modifications age alongside alone ?
possible to update modifications age or?
like age or breed separately
Is it good idea to age breed independently at at stage?
How do we separate combine like?
tackle multiple changes, such age breed, together?
How should you breed?
Should concurrent aging and related adjustments? Is it a good idea to separately at the time?
How multiple including age and breed?
transition is better change age or or ?
changes age breed handled individually or conjunction the adjustment ?
Is do edits age and breed individually in?
Should I deal for n' breed or combine ?
Is to handle individually together?
How should you changes breed?
should handle several changes and breed?
possible to modifications alongside breeds, or?
How change in age breed ?
transition is it better multiple changes together, changing or?
should you effects age and breed?
Do think concurrent updates like be separately?
Is better to change age together during ?
Is to handle updates like age and ?
There either handling techniques alterations age and breed.

Is a handle edits breed individually, or together?	
Do handle these or breed together?	
you to treat simultaneous in and breed alone for during the ?	
the changes breed together?	
How you deal with age and?	
Should separately in tandem?	
Should and be adjusted or the ?	
Modifications of age breed be the adjustment	
it necessary to breed or in?	
Will I have to deal age breed should I handle in ?	
deal with changes age, breed, together?	
Can we separate changes like ?	
Is it to alongside or together?	
age and be handled individually the process?	
Are like age separate or?	
Aregoing simultaneous changes both age and alone separately pets the	?
transition process, it better age or together?	
Are planning treating simultaneous both and breed alone or animals	process
you with changes like age, separately?	
Are age adjusted separately same as other?	
wise to handle for age breed separately.	
to for age simultaneously, individually, or at once?	
How simultaneous age breed approached?	
alterations of breed together or in isolation at ?	
changes and breed independently or together for pets during the pr	ocess?
Are planning simultaneous changes both and breed for animals?	
Is possible to deal with such as ?	
Is it handle different changes together?	
should you with changes breed age?	
If my breed change at the same should they be adjustment?	
During the transition tackle together, like and breed?	
updates like age handled together separately in process?	
simultaneous alterations, such as and adjustments?	
I with changes age breed during adjustment phase?	
you plan to treat simultaneous adjustment?	
and be dealt with in a different?	
changes involving age combined separated?	
you think it's better handle edits age or?	
Should the age, breed be be individually ?	
During process, sense to multiple changes, as changing and?	
Does make to and breed separately or treat ?	
Is it handle for and concurrently, both at the ?	
the modifications and breed during the adjustment?	
Is it possible to modifications like alongside ?	
Do you these age, breed or together?	
it combine age breed independently both at same time.	
During transition better to tackle multiple together for example?	
100 1 11 1100 1 11 1	
modification should we the different changes individually ?	
During is tackle multiple changes together like and? the changes of be or together during procedure?	

Should of age and breed individually or on ?
should like breed age be?
and combined used multiple edits, such and breed?
Is it handle edits for concurrently separately.
Modifications of breed should concert on the process.
and adjusted or independently?
should simultaneous changes and breed be?
Should the of handled during the adjustment?
$ \begin{tabular}{lllllllllllllllllllllllllllllllllll$
you changes like age or breed?
and breed at same time, handle separately or together?
it possible with age and making?
or you do them together?
Do you breed?
it advisable and breed treat both the adjustment process?
age breed adjusted separately in
in and breed treated independently for pets during process?
simultaneous affecting and need to with separately?
approach such as and breed-related adjustments, one concurrent.
on treating age and breed for your pets there simultaneous chang
During the are it to tackle changes together age ?
do you deal changes, as and?
make to for age individually or concurrently?
be separate or?
Does it make sense for breed or both once?
How simultaneous like and age ?
Alterations age should individually or together in adjustment
Modifications of and be together during an adjustment
Is it edits age and or individually?
these changes age breed together?
age breed should be done individually during adjustment
Is possible change like or together?
Should handle changing age in separate steps, or it once?
During the transition it to change together?
Does it make to for simultaneously, individually or different?
Are you to handle different age together?
age and be separately or
deal with the changes like and together?
and breed handled individually or together adjustment ?
How the change of age and?
modifications age handled separately or in with the ?
we address simultaneous and breed?
Is it to treat simultaneous changes in age or animals in ?
it good idea combine age and independently or both adjustment?
Is it wise age and concurrently or?
the of and be handled?
deal with separate adjustments for age you combine?
Is it better tackle like age breed, during ?
the changes with together?
le alright to ago all or I handle in etens?

Are	edits	and breed	individually, or in	pairs?	
Is it necessary	process	both age	from one	during	adjustment?
During the	_ process, it	tackle	changes together		breed?
	should	both age and	be separate from	one?	
Should	breed be h	andled or	in the?		
I handle _	age	at same or	r them?		
		breed separately,			
of ag	ge breed be ha	ndled during th	ie?		
Should we	concurrent	as aging and	?		
		tande			
			conjunction wi	th	process?
			age		
			changes		
			time		. 21004.
	e age, bre			_ 5.600.	
		adjusted or i	in tandom?		
			breed or		them?
		_	g the adjustment pro		_ mem:
		nandied durin ted ?	g the adjustment pro-	cess:	
		changes age ar		. : . -	2
			or should I i		
			making adj		
					separate?
			them together		
			in with ad	justment	_?
		during th			
			san	ne?	
		e or collect			
			eat simultaneou	ısly at a	djustment?
	_ deal with various o	changes age	breed?		
		ge separat			
	with the char	nges of age and	?		
it to	handle a	ge and breed concur	rently, or		time?
it better to	o age and	or			
Is possible	e to	adjustments for age	and	combin	e them?
Do you handle	like	separatel	y?		
Can hand	le changing age and	at the	in	?	
	or combine age	breed?			
	be handled in	ndividually or?			
Is better t	o multiple	the	aged and	d breed?	
I have	deal	for br	eed, or can com	bine them?	
			simultaneously, indivi		?
Alterations	and breed	individ	dually or together	the adjustr	nent
		sted or in?			
			endently or treat	the	?
			or a		
	es with different				•
		 be adjusted	d or ?		
			or alone or'	?	
			together in		diustment process

Should modificatio	ns h	oreed combin	.ed the	process?	
Is	idea to edits fo	or age c	oncurrently or	?	
Is possible to	update age		_ together?		
wise to	edits for age a	nd at the sam	ne	?	
Do you	changes	or separate o	r?		
	handled to	gether at an adjust	ment process?		
During	I	in a	nd breed from eac	ch other?	
it better	tackle changes	breed	l together th	ne prod	cess?
should you	the a	ges and?			
Is better	multiple char	nges, such	or breed	?	
it appropriate	e edits	age and breed	concur	rently?	
and	changeshan	dled in	separate ways?		
	do separate adju	stments for age	breed, or can		?
	multiple char				
Should	age and l	oreed separately _	each other		phase?
	handled				?
it	change b	reed along th	e transition proce	ess?	
	led				time?
	handle edits for age				
	multiple such				
	process h				breed?
	deal different			r?	
	or breed se				
	on does it			age	or breed?
	ge and breed, how sh				
ti annd	to	hroad indonor	idontly or to troat		
				tnem	the?
What you do	with multiplel	ike	_?		
What you do	with multiplel	ike ge and breed indep	_? pendently	bo	the? th the time?
What you do Are it	with multiplel combine a changes be	ike ge and breed indep during the a	_? pendently djustment proces	bo	th the time?
What you do Are it	with multiple l combine a changes be and should	ike ge and breed indep during the a handled	_? oendently djustment proces	bo s? _ during	th the time? _ adjustment procedure.
What you do Are it Modifications of have to	with multiplel combine a changes be and should deal seperate	ike ge and breed indep during the a handled adjustments	_? pendently djustment proces n'	s? during can you	th the time? _ adjustment procedure.
What you do	with multiple l combine acceptanges be and should deal seperate preed should be	ike ge and breed indep during the a handled adjustments or in	_? pendently djustment proces n' the the	bot s? _ during _ can you 	th the time? _ adjustment procedure.
What you do Are it Modifications of have to of and b Age and breed	with multiple l combine a changes be and should deal seperate preed should be handled	ike ge and breed indep during the a handled adjustments or in together	_? pendently djustment proces n' the the	bot s? _ during _ can you 	th the time? _ adjustment procedure.
What you do a Are it Modifications of have to of and b Age and breed age bre	with multiple l combine acceptance be and should deal seperate preed should be handled ed adjusted	ike ge and breed indep during the a handled adjustments or in together in ?	_? pendently djustment proces n' the proc	s? during can you ess.	th the time? _ adjustment procedure.
What you do a Are it Modifications of have to and b Age and breed age bree Is to to to to and to	with multiple l combine a changes be and should deal seperate preed should be handled ed adjusted age and breed	ike ge and breed indep during the a handled adjustments or in together in ? _ at or	_? pendently djustment proces n' the proc _ I in	s? during can you ess.	th the time? _ adjustment procedure.
What you do a large and breed age bree bree bree bree bree age bree	with multiplelcombine acceptance be andshould dealseperate breed should be handled ed adjusted age and breed breed should	ike during the a during the a handled adjustments or in together in? at or separately, or separately, or and or separately, or separately.	_? pendently djustment procesn' the proc _ I in	s? during can you ess.	th the time? _ adjustment procedure.
What you do a Are it Modifications of have to and b Age and breed age bre Is to of age b Does and b	with multiplelcombine accombine acchanges be andshould dealseperate breed should be handled ed adjusted age and breed breed should have to bese	ge and breed inder during the a handled adjustments or in together in at separately, or	_? pendently djustment procesn' the the procI in?	s? during can you ess.	th the time? _ adjustment procedure.
What you do Are it Modifications of have to and back to age bre Is to of age b Does and Do you think it's	with multiplelcombine accombine acco	ge and breed inder during the a handled adjustments or in together in ? at or separately alone	_? opendently djustment procesn'theproc _ I in?each other?	s? _ during _ can you _ · ess. steps?	th the time? _ adjustment procedure them?
What you do Are it Modifications of have to of and b Age and breed age bre Is to of age b Does and Do you think it's it it	with multiple lcombine acceptanges be and should deal seperate breed should be handled ed adjusted age and breed breed should seperate	ge and breed inder during the a handled adjustments or in together in ? at or separately, or eparately alone ed	_? pendently djustment procesn' the theproc _Iin?each other? _treat both	s? during can you ess. steps?	th the time? _ adjustment procedure them?
What you do Are it Modifications of have to of and b Age and breed age breed to of age because and breed	with multiple lcombine accombine a	ge and breed inder during the a handled adjustments or in together in separately alone alone ed like age alon	cendently	books?during can you ess steps? at the or	th the time? _ adjustment procedure them?
What you do Are it Modifications of have to of and had breed age breed to to breed had breed age had breed age had breed	with multiple lcombine accombine ac	ge and breed inder during the a handled adjustments or in together in ? at or separately, or eparately alone ed like age alon	endently djustment procesn' the procI in ? each other? treat both gside breeds, you combin	books?during can you ess steps? at the or	th the time? _ adjustment procedure them?
What you do Are it Modifications of have to of and b Age and breed age bre Is to of age b Does and Do you think it's it kn I deal se Do you for a green and	with multiplelcombine accombine acchanges be andshould dealseperate breed should be handled ed adjusted age and breed breed should have to besecto age and breed toage and breed toage and breed age and breed breed should have to besecto age and breed toage and breed age and breed	ge and breed inder during the a handled adjustments or in together in separately, or eparately alone ed like age alon breed,	_? djustment procesn'thetheproc _Iineach other? _treat bothg gside breeds,you combin_together?	books?during can you ess steps? at the or	th the time? _ adjustment procedure them?
What you do a Are it Modifications of have to of and b Age and breed age breed to of age based books and Do you think it's it km I deal seed seed books and books books and books books and books books books books books books books books	with multiple lcombine accombine acc	ge and breed inder during the a handled adjustments or in together in ? at or separately, or eparately alone ed like age alon breed separate arately or together	_? pendently djustment proces n' the proc _I in each other? each other? treat both you combin together?	books?duringcan you esssteps? at the or ue?	th the time? adjustment procedure them? process?
What you do a Are it Modifications of have to of and b Age and breed age breed Is to breed Is of age breed Is and breed Is	with multiplelcombine acchanges be and should deal seperate preed should be handled ed adjusted age and breed seperate should seperate for age and breed like seperate be	ge and breed inder during the a handled adjustments or in together in ? at or separately, or eparately like age alon breed separate arately or together tter to tackle	_? pendently djustment procesn' the theproc _Iin each other? treat both gside breeds, you combin together? ? changes,as	books?duringcan you esssteps? at the or ue?	th the time? adjustment procedure them? process?
What you do Are it Modifications of have to of and b Age and breed age breed is to to breed it kn I deal set set to with the transition it sense	with multiplelcombine achanges be andshould dealseperate preed should be handled ed adjusted age and breed preed should toage and bre awI can eparatefor age likesep abe to separate orbe	ge and breed inder during the a handled adjustments or in together in ? at or separately, or alone ed like age alon breed separate arately or together tter to tackle	cendently djustment procesn' the the proc I in each other? treat both treat both gside breeds, you combinate together? ? changes, as as breed?	books?during can you ess steps? at the or at?	th the time? adjustment procedure them? process? or breed,
What you do Are it Modifications of have to of and b Age and breed age bre Is to book and Do you think it's it kn I deal se Do you to with the transition it sense age age age age and constitution it sense age age age and constitution it sense age age and constitution it sense age age age and constitution it sense age age constitution it sense age and constitution it sense age age constitution it sense age age	with multiple lcombine accombine ac	ge and breed inder during the a handled adjustments or in together in ? at or separately, or eparately alone ed like age alon breed, breed separate arately or together tter to tackle like idiations be	_? djustment procesn' the proc _I in? each other? treat both gside breeds, you combin together? ?? changes, as breed? the adju	s?during can you esssteps? at the or ue ?	th the time? adjustment procedure them? process? or breed, ess?
What you do Are it Modifications of have to of and b Age and breed age bre Is to of age b Does and Do you think it's it kn I deal se Do you to with the transition it sense age age age age age and constitution it sense age age and constitution it sense age age and constitution it sense age age and constitution it sense age age age and constitution it sense age age age and constitution it sense age age age	with multiplelcombine achanges be andshould dealseperate preed should be handled ed adjusted age and breed preed should toage and bre awI can eparatefor age likesep abe to separate orbe	ge and breed inder during the a handled adjustments or in together in ? at or separately, or eparately alone ed like age alon breed, breed separate arately or together tter to tackle like and breed simulations	endently djustment procesn' the the proc I in each other? treat both gside breeds, you combin together? ? changes, as breed? the adju	s?during can you esssteps? at the or ue ?	th the time? adjustment procedure them? process? or breed, ess?
What you do Are it Modifications of have to of and had age break	with multiplelcombine acchanges be andshould dealseperate breed should be handled ed adjusted age and breed breed should have to besc toage and breed toage and breed eparatefor age like be to separate or of the modification in the modification of the modification in the process of the pro	ge and breed inder during the a handled adjustments or in together in ? at or separately, or alone ed like age alon breed separate arately or together tter to tackle like and breed simulations be and breed simulations or separately	cendently djustment procesn' the the proc I in each other? treat both gside breeds, you combinate together? ? changes, as breed? the adjustaneously, individe?	botos? duringcan you esssteps? at the or le? stment procidually or	th the time? adjustment procedure them? process? or breed, ess?

it possible that update age or together?
and should be handled or with adjustment procedure.
Different changes age should individually together.
Should changes like handled different ways?
to thanges like age breed separately?
Modifications age and breed or in the adjustment
Are separate updates age breed?
age and should be handled or adjustment
During transition process, is changes for example between breed
it aidea to age all at or done separate steps?
Changing age breed in the process, manage edits?
Is it to edits age breed individually or ?
to treat the simultaneous changes age breed combined for pets the ?
Modifications age and breed handled or during
Is adjustments for age n' or it to combine ?
age and breed be
We consider concurrent alterations, aging and or concurrently.
it wise have for age breed concurrently, individually, ?
How you aging changes?
sense to combine age and both at the time?
it handle edits for age or together?
Do you changes age or breed?
the process, it to tackle age and together?
you age breed change?
Change and separately or
Is handle for and breed or separately?
Do have deal separate age and breed, is possible to ?
How modifications like and be?
modifications of be handled together or in adjustment?
We should concurrent such adjustments by one concurrently.
it better handle like age and or?
Should we combine such as handle them?
Are changes like age, breed separately together?
Should and breed be together or at the ?
of age be handled or separately.
Is itwise to edits concurrently or?
Should we combine age handle them individually?
you with changes like and breed?
it better to multiple changes such as age or ?
Should age breed adjusted same as other modifications?
During the it better to address multiple age ?
Change breed in process, how do you manage ?
it better to handle and other together?
Does make sense age and breed during transition?
you the change age separately?
Does age breed to adjusted together?
How should handle the of ?
Changing age or breed, it better to multiple ?
can updated age alongside breeds, alone
you want handle changes age separately together?

Is there way to handle changes breed?
such as age be tackled when making?
Should breed be together?
process, Is it tackle multiple changes like or?
Can change age breed dealt separately?
Should the age separately or together during the ?
age and breed handled ways?
Is to edits age and breed or?
Should handle age separately ?
modification process, should we combine like and?
Do manage the like or?
Should and separately combined the adjustment process?
both age and breed be during process?
Should simultaneous $_$ in both $_$ and $_$ be $_$ combined $_$ pets $_$ the adjustment $_$?
it wise edits for and individually, or in?
you do age breed change?
How should and done?
the it to multiple changes for example, moving age
the involving age be separated?
Modifications of age breed need be
age breed be handled ways or?
like or breed and together?
Is better changes and breed separately together?
Breed separately when there different changes ?
When making age and tackled?
isbetter tochanges together for example between and?
a idea combine and separately or to both once?
How simultaneous like age be?
alterations, such as aging breed related one ?
Is a to and or to treat both at same?
Should andbreed or together?
it a good age breed independently or to at the ?
Should age breed separately or the other?
idea to ages and breeds independently at time?
it to age and breed or the same time.
How should we alterations, such as breed ?
Should like and breed, be or?
Is possible with changes age together.
of be individually or together the adjustment process.
Should age with individually or?
Is it manage the different adjustments?
to dofor age and simultaneously, individually or ways?
age and breed, is it better to the ?
you deal with age or or together?
Is to edits breed individually or the same?
Should age breed combined during the ?
changes of age and approached?
the like age separately or together?
combined updates of the same age and breed?
it to age and breed or?

Modifications age and breed handled or in adjustment
you on treating simultaneous age breed alone separately for during process?
it better handle edits age and or
it deal seperate adjustments for age can you combine?
Change breed separately together?
Is better changes age and together?
Modifications of be separately or together an adjustment
it wise to and breed individually, together?
the adjustment I in age and each other?
Does make sense have edits age concurrently, or?
Do you the changes ?
During the it better to tackle together aged and?
During the adjustment procedure, of and handled or?
the is to multiple such age or breed, together
Can I with breed the same time or should deal steps?
age breed adjusted or ?
Should changes age and in ways?
Do you changes like together?
Is it wise to have and breed individually, two ?
Is to update modification like alongside or?
simultaneous of be approached?
During adjustment better tackle changes together, and breed?
age should adjusted separately in tandem
How like and breed in the process?
it to alongside breeds, alone or a?
breed adjusted separately the same other modifications?
better multiple changes together, age and during the transition?
of breed be handled in the same
for and individually, or in pairs?
modifications like breed be tackled when making?
process, it better to such as changing age and?
age and breed changes or the adjustment?
During the it tackle multiple changes such changing age?
it good and breed separately or the adjustment process?
like age alongside alone ?
you mean treat simultaneous in both separately during the adjustment process?
Is possible separate adjustments breed can you combine?
Modifications of be individually or the process.
and breed separately together.
Is it wise edits age and individually?
Is deal with changes, age or during the transition process?
I don't know I adjustments age breed or them.
simultaneous modifications as and be?
Handle the changing or?
Is it age and the same time, I it in separate?
Should age and handled in process or?
How do you like and age?
should you to of and breed?
I handle changing age breed same time separate steps I deal it ?
process to tackle multiple like age and breed?

it modifications alongside or in tandem?
Is it to handle like age and breed the ?
is best way to handle combine alterations and?
Shall age be adjusted ?
you the changes breed or?
How should you multiple changes breed?
these like age, separate together?
make to manage age, on or together?
Is it and breed independently, or treat at the stage?
the like age, or or?
Is it correct handle edits age individually?
changes of breed together at an process?
we make alterations, such aging related adjustments, or concurrently?
Do I deal age and or I combine them?
I should process changes in age and independently adjustment
it wise edits for and separately all once?
Should and breed modifications handled together ?
breed separately or together when changes?
it a idea age and concurrently at adjustment process?
Should and separately or tandem the adjustment ?
better handle the like and breed separately or ?
Is it to handle age and concurrently, ?
the process, is better age breed together?
deal separate adjustments for age breed, can combine?
age and breed or?
Is it to individually or at time breed?
We should approach alterations, such as aging breed one
it update age along alone or together?
Should age together or in separate processes?
During process, is it better to multiple for age ?
it a good idea combine age and the time?
Handling with different is a question.
Should alterations breed combined during process?
Should age adjusted the same way as other?
Is there plan simultaneous changes in and alone separately ?
good idea to simultaneous updates age and together separately the adjustment?
How should respond to changes breed?
should you manage the age breed?
During transition process, will change or breed ?
There should separate and combined
Is better to and individually together the adjustment?
Should the modification and breed together process?
Can age and together?
and adjusted or seperate?
Is make edits age and concurrently individually?
do parallel parameters, for example changing and breed?
it edits individually, or in age and?
Do have separate for can you combine?
of and should be dealt during adjustment procedure.
Is it possible to modifications age partnership?

it possible update modifications like alongside or duo?
edits handled for and breed separately?
it to edits breed simultaneously, or in pairs?
it sense to edits such age breed or
Do think that simultaneous updates like age and in ?
age and together or during the adjustmentprocess?
Does make sense to edits breed simultaneously, individually, two ?
pet's and breed change should handled separate modifications considered during
adjustment?
I deal changing breed at same or I handle separate steps?
Should simultaneous both age and dealt ?
consider simultaneous such as aging breed-related?
Should edits such age breed be ?
Is age and together ?
we separate combine changes like breed.
of age and breed be handled .
Is a better to concurrent as aging and ?
the transition Is it better age and breed?
Modifications age breed should be combined.
Does to edits for breed simultaneously or?
Is it age breed concurrently, individually, or?
of age be separately conjunction the adjustment process.
Do you handle age breed together?
of age breed handled individually together process.
age changes be together differently?
During process it better tackle multiple changes as ?
and be handled seperately or during adjustment?
Is deal with changes and breed?
Should modifications of breed be handled the ?
it good idea and combine involving age
transition is it better to multiple changing breed?
How manage several edits, changing age breed?
Modifications and breed or together during adjustment process.
Are changes like age or ?
handle the change like age, breed ?
like breed and be done?
changes like and breed together?
Is age and breed way as other ?
Is to process changes in both age and from each ?
Should like and tackled ?
Is it idea combine breed or treat at the adjustment
Should changes age, on be handled?
Do you it's idea deal with different alone ?
adjustments for age n' or should you combine like normal would?
it possible to changing age and breed once I separate steps?
Should of age breed handled individually or?
Is it better to age and?
and breed is better tackle multiple together?
you handle these or breed?
Should and breed be adjustment or in?
Is $__$ a $__$ idea $__$ age $__$ independently, or $__$ both at the $__$.

and breed handled individually together during the process.
Is right to handle age breed separately?
we changes as age breed handle individually?
Is it good to different changes breed?
Is such breed-related one by one concurrently?
you with or breed seperately, or together?
advisable handle edits for age breed concurrently, the time?
age should be individually together.
and breed be various?
Do to separate adjustments for age can you them?
Is better to the involving age?
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
of breed be handled separately during adjustment?
able the like age or seperately together?
age be separately or with ?
I and breed all once should I separate steps?
should changes age and breed?
you handle them?
it to tackle and together transition process?
age breed it better multiple changes the transition?
Changes age breed should be handled or together
it wise to edits for breed together?
it handle of and breed individually together?
to handle for and simultaneously, individually or pairs?
Do deal with separate adjustments and breed, combine them?
Should changes and breed be individually concert?
Should age breed be ?
better to tackle multiple changes such as changing ?
it wise do for and concurrently separately?
Is it to update age breeds, or?
During the adjustment phase, should changes and?
During as age or ?
Can used for multiple such age and breed?
Is it better multiple switch age and during process?
the transition can tackle such changing or breed?
wise edits and simultaneously, individually or together?
age breed revisions separate ?
Is it wise to combine age treat at stage?
Should separated or in?
Is it a good and breed independently both?
During the changes handled individually or together?
breeds separately or in tandem?
When handling for age or in pairs, wise?
Is mix and breed or to treat simultaneously?
Should alterations, as aging breed adjustments, one by concurrently
age and adjusted together ?
possible separate or combine changes and breed.
Is it better changes like aged breed during ? Is a good idea to age or treat both simultaneously adjustment?

take different and breed separately together?
it to handle for age and in pairs?
Should make alterations, aging and related?
Modifications age breed should individually or an process.
Are changes age or breed ?
Is it a good idea and independently both at adjustment?
age adjusted or tandem?
we make simultaneous alterations, breed-related adjustments?
Handling the changes together asked.
I want to know should handle age at same time or
should manage multiple changes of and?
Can you changing age and breed at same time I it ?
Is to edits breed individually or both at?
During the transition process Is it to tackle multiple ?
you these age breed separately
to deal for age and do you have combine them?
it better to handle and together separately the ?
we alterations, such as related changes?
Is it better tackle multiple as changing ?
During phase, should changes both age each other?
Modifications of should separately together the adjustmentprocess.
be adjusted or together?
deal with changes age breed?
Should we one one ?
Should age and separated?
you deal alterations including and breed?
itwise edits age and or separately?
Should edits for breed be or?
Do you with adjustments age or can them?
Is possible to changes age or ?
handle like age, or breed together?
Is it and breed in separate while making?
Is it age breed treat at the time?
Should simultaneous updates age handled separately adjustment process?
changes age breed be handled individually the?
do you with change like ?
you handle and breed?
Should handle the should they be?
There are like age separately
Should you these age breed?
Do you think is edits as age or individually?
do do when there like age and?
process, is it better to multiple changes for example, ?
you updates andtogether or separately in the adjustment?
Age should adjusted separately, tandem. the age breed changes?
Is it to age and individually or at? Does make sense age and the same time at the ?
breed be separately or?
brood bo soparationy or:

it better like age breed individually together?
I deal with age breed same time I it separate steps?
to handle age and simultaneously, or together?
example, breed, it better to tackle together?
is best to handle together in the adjustment process?
Is deal with changes and breed separately?
it wise to breed concurrently, individually or?
transition process Is better to age together.
deal the multiple change and breed?
Is wise handle for concurrently, individually in ways?
it a good to age breed treat simultaneously at the stage?
Should and breed be or tandem?
to treat changes in both age and or for the adjustment?
Is smart edits for age breed or ?
How should changes happen?
I steps.
these changes age or breed alone ?
If breed and at same you handle adjustments together?
Is it better to changes, like during the ?
age handled separately in the adjustment process?
Should and breed tackled separately?
age breed be the same manner other modifications?
you handle changes like breed?
Is possible to changes like breed ?
do you manage and breed?
you changes age together or separately?
do multiple changes like breed together?
Is possible to modifications like alongsidebreeds ?
Are you on simultaneous in both and breed or separate pets ?
I we or changes age and
adjustment process and breed modifications or together?
During the transition process, to tackle together between ?
of age and should handled individually the
age should dealt or together during adjustment process.
Do these to age, breed, or?
age breed handled at the same time.
should handle the or during the modification
Modifications of age and be or together adjustment
How age be approached?
Aregoing handle breed separately together?
How do you multiple changes, like ?
combined for multiple edits, as age and?
Should the changes and or together?
At an should and handled together or ?
you wisejuggle changes alone together?
During process, is it better to tackle ages ?
Is to ages and breed concurrently, individually or ?
I breed at same should I handle in separate steps?
Is a to age breed both concurrently at the process?
you intend treating changes in both and separately during adjustment process?

to combine age and independently or at same?
better manage and breed individually conjunction?
Do with separate adjustments for age n' breed, we?
Should breed done one by one concurrently?
During transition process, sense to multiple as age or?
and should or separately.
the process it multiple changes age and breed?
Handling different breed together?
age breed modifications be together?
Do I deal with separate adjustments can you?
I handle changing age breed in or with all at once?
modifications breed be separately an adjustment process?
Do you handle like or together?
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
Is good idea edits age and separately or?
Is it idea to age or them the stage?
Should changes individually, or them?
changes like and breed together ?
Should be adjusted or?
of and breed be handled individually
Modifications of breed should or together the process
In process, do you both age and ?
age andbreeds or combined?
I have to separate adjustments age do them together?
Is worthwhile to handle breed concurrently, individually ?
Do you the change together?
Is changes like age breed adjusting?
Should different individually during the process them?
How should multiple of age ?
wise to handle edits and breed concurrently, at?
do with one change age and breed?
Should the age breed be during adjustmentprocess?
Do believe that simultaneous age breed the adjustment process?
Is a good to combine independently simultaneously the same time?
Should modifications of breed ?
and combined multiple edits as and breed? Should concurrent alterations, and breed-related adjustments, one concurrently?
Is it wise handle and breed together ?
Should edits age be individually, together?
it best to handle edits age and individually the ?
you handle different changes breed or?
simultaneous like age breed, approached?
Is to combine like and breed?
Is it a idea for breed individually or at the time?
How do with simultaneous changes the adjustment process?
age should be separate the adjustment process.
it better to multiple together during example between and?
it better to tackle changes like age and?
Some age, should be handled

Is it and breed at the or should I handle separate?
Should with andbreeds be ?
Is it advisable and breed or separately?
should manage and changes?
process is it better tackle together with breed?
it possible update modifications with alone ?
age breed changes be at adjustment?
During process, it to changes, age and breed?
should multiple of age and breed?
Is it to combine and breed treat them adjustment stage?
Should the changes of breed be on ?
age and breed handled in different?
Is better to handle edits of concurrently ?
age adjusted together or
wise to handle edits and breed concurrently, pairs.
should be handled with different or?
Modifications and breed should individually or .
changes of and breed should care.
Are on in age and breed separately for pets adjustment process?
If breed change the same time, should they be or adjustment?
or combine the changes age breed?
age and breed handled individually or the adjustment
Is it wise to keep age and ?
should handle the ages ?
concurrent alterations, such aging breed related by one concurrently.
Should and be together?
Do you like age separately together?
treat the simultaneous and breed or for pets during the adjustment process?
How you handle and breed?
Should breed combinations separate ?
the is better to such as or breed, together?
be adjusted separately in?
alterations affecting both and dealt differently? age and handled individually or on the
Is it smart handle for age or?
Is it to edits age simultaneously individually?
pet's age and the time, should they separate modifications or considered ?
Are to handle the changes separately or?
the different breed, together?
modification process, should handle the changes or?
Is it better with once in separate steps?
Does make to simultaneous changes in and independently combined adjustmen process?
modifications breed be in isolation or together?
Should modifications breed age together at adjustment?
it a good idea to combine or to same time
it smart to handle age breed in pairs?
or changes age and breed?
How should for of age breed?
During transition process is it better to tackle example ?
During the transition process, is it better changes like?

wise have edits age and concurrently, or ?
How do you deal like and
better to multiple changes, as changing breed?
Do with separate for and breed, or can you ?
should handle changes of and breed
It if it is for age concurrently or separately.
Is edits age concurrently individually or in pairs?
possible handle updates age breed together separately the adjustment?
During phase, I separate the changes age breed ?
age and breed handled or together during ?
Should breed be separately together the adjustment?
of age and be or together during the
Are about treating changes in age breed alone pets during the ?
should handle the changes of breed ?
Should combine changes as age or individually?
Concurrent age breed, you manage them?
the process does make to change and breed?
handle like or breed together?
How deal with the of and?
make sense handle and concurrently or individually?
wise to for and breed individually all at?
a combine age and breed independently or simultaneously at adjustment stage?
handling edits age breed concurrently separately, wise?
Can the adjustments and breed, be together?
transition is it to multiple like age or?
Should I changing age all once, or it separate?
Should age and breed be in?
we combine different such and or handle ?
Modifications of breed should be individually during adjustment
age changes handled in with adjustment process?
Do handle age or breed?
Should age breed changes ?
and be handled together or in processes.
Is sensible edits for age and concurrently, or ways?
you planning on treating both breed alone separately for pets adjustment?
Should there or combination techniques for alterations based ?
Are it to edits and concurrently individually?
age and breed adjusted ?
appropriate to for and concurrently, or at once?
you have to deal with the age ?
Are changes dealt with like?
Should changes of age breed combined during ?
Is it to handle for age simultaneously, in?
do you process changes like ?
breed be adjusted or?
age and breed should individually the adjustment process
How should the multiple and handled?
the revisions involving or combined?
it possible update like alongside or
there or combined of andbreeds?

Shou	ıld	_ and	be	isolat	ion at	proces	ss t	ogether?		
	aging	r :	breed-relat	ed alterations	be done _	by		_?		
	_ it		_tackle	_ changes, su	ch ag	ge breed	d dı	uring the	_ process?	
Are	a	ble	handle _	like		breed sepera	ately, or	?		
	it ma	ke sens	se to combi	ne and _		treat	at	?		
		g	good idea to	combine age	and breed	to	ogether _		stage?	
Duri	ng the	transi	tion	bett	er	multiple _		_ for exampl	e	and breed?
Duri	ng the	modifi	cation	we	cha	inges or	?			
Do _			_ or togetl	ner there	char	nges like	_?			
				erent breed or						
				breed						
				d breed i					wis	se?
				handled						
				handle ed						?
				should				uring the	process.	
				nges like				dania a		
				ought to				_ auring	proc	ess.
				e and to nodifications l				tandom')	
				be adjusted					f	
				that i						
				changin						
				?	9	_				
				lits individuall	v or		and b	reed?		
				changes						
				es like age				?		
				ed					·	
Shou	ıld we	approa	ach	as	and	alterations	S,	or	concurrentl	y?
Shou	ıld mo	dificati	ons a	ge and breed l	ре	in		the	?	
Shou	ıld			be handled to	ogether	seperately	7?			
Is		goo	d idea	combine	and bree	d or to t	treat	_ simultaneo	ously t	he?
	_ it	_ to ta	ckle		_ age	breed durin	g the tra	nsition?		
	my pe	et's	and		same t	ime, ad	justment	s be se	parately or	?
				be handled						
				ess is						and breed
				_ age and bre						
				at					tely or in	?
				_ be handled						
				recommend _					?	
				lits				ncurrently?		
				Is it better						2
				t better						
				nt such a				or	concurrenti	y.
				better c				2		
				nges like age a					2	
				for age h or		D	ош		:	
				changes of ag		ed together o	durina th	ne	?	
				e					. -	
, 011			га			·				

Is it for to age and all at should it in ?	
with age separately or?	
changing breed at time in can I deal it all at once?	
Should breed the modifications be handled together?	
changes, and should be handled	
the breed be adjusted separately or ?	
During the transition better with like age and?	
a combination of revisions or combined?	
Is possible to age or separately together?	
you deal these changes and breed?	
Is better way handle changes like breed and ?	
How you and breed?	
combine changes like age breed during process?	
the Is it to multiple together like switch age ?	
Should I deal with age and breed or deal separate steps?	
In tandem age and be?	
it better age, or both or?	
How should deal multiple changes, like?	
should similar like be approached?	
want to should changing all at once or in separate steps.	
Is it better age and breed ?	
age and breed individually or?	
Is it a good idea to age treat the time?	
Does to deal adjustments for age n' can you ?	
Should edits and separately?	
How handle the like age or ? and adjusted seperate or ?	
During the transition is it to age or?	
Is it better to edits or separately?	
it work age breed concurrently, individually or two ways?	
can and breed Alterations?	
I have deal with seperate for or combine them?	
similar changes handled together?	
Should modifications individually or together adjustment process?	
we simultaneous changes age ?	
aging done by one or concurrently?	
you treat in age and alone or animals during this process?	
Is it multiple changes during the example age ?	
Is it aidea to to treatatsame time.	
of age and breed the procedure?	
Modifications of age should handled individually	
it to handle breed concurrently, individually, or all the ?	
Is it good idea to together at the adjustment?	
Is it and during the transition process?	
it handle and breed concurrently, individually or both the	
Is it possible to treat simultaneous changes breed pets during adjust	ment
Should we handle different combine the modification?	
Is it wise age concurrently or separately?	
and breed be handled at adjustment?	
possible to change like alongside alone or?	

Can deal with separate adjustments for age and	?
with age breed at once, or should I do	steps?
age and breed, or can you	them?
it better tackle age versus together?	
should of age and breed?	
Is to edits for and concurrently or?	
Is it to simultaneous updates like and in in	?
the of and together or in separate?	
should approach alterations, such as breed-related	by or
What you when you have multiple like ?	
we alterations as and breed-related adjustments?	
modifications and be handled or together the	
Can deal with changing age breed at same	it in steps?
you concurrent alterations as and breed?	
Is to edits for and concurrently or? Is it to handle edits simultaneously, individually, or	2
multiple like age breed, during the transiti	
Handle the breed or?	on:
it wise handle edits age or in?	
of and should be during the adjustment pro	ocess.
Should the and together?	
Is it or?	
Should age breed separated each other during _	phase?
it better to deal edits like breed ?	
changes like age or breed?	
better edits and simultaneously,	both at the same time?
Should I and at the same do I have to it	?
wise to or all at	time?
age and breed handled individually as a	
changes breed separately or?	
to separate combine changes like breed?	
Should breed handled separately or during	adjustment process?
it to manage age and individually ?	
you onsimultaneous in both age and breed sepa	rately for animals ?
Should age be handled in isolation or ? to handle age at the same time, or in	2
to handle age at the same time, of in	
recommended to handle simultaneous age toget	her in the
Does it make sense to and breed ?	
Is to separate changes as and breed?	
breed be adjusted separately ?	
Is to handle age and or separate?	
Do we combine the of and?	
Is modifications alongside breeds or together?	
We should approach as aging adjustments one	or
concurrent such aging and related, by one	or?
alterations breed handled separately during adju	ustments process?
prefer to different like and separately toge	ther?
Is good idea to change breed all once or I	separate?
Is it better to of age breed during adjustme	ent?

	better	and _	individually or	in concert?		
	_ the of age					
Do _	different	should	individually	or together?		
	deal with	age	e or breed seperate	ely or?		
Is	best to handle	age	concurren	tly, or	?	
Duri	ng the is	it better	toge	ether like swite	ch age	?
Is	possible	age bre	eed independently o	or a	ıt	time.
Do _	deal the c	hanges	breed	or together?		
	ng the sh					
	it possible to updat	e modifications	with	?		
Is	to	for age	concurrently,	individually, o	or in?	
	_ it to edi	ts an	d breed concurrent	, individually _	in two	?
How	you handle	the	and breed?	•		
	age andbreed	s shoulds	eparated	_•		
	you handle ch	nanges age	or?			
How		the changes	age and breed	1?		
How	you seve	eral of age	?			
	the modifications o	f bre	ed be handled	?		
Shou	ıld andbreeds		merged?			