

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Water main breaks and repairs
<b>Inquiry Sub-Category</b>	Water quality concerns
<b>Description</b>	Inquiries about water quality issues, including discoloration, odor, taste, or contaminants, and steps to resolve the problem and ensure safe drinking water.
<b>Data Size</b>	5,407 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

What \_\_\_\_\_ to improve the \_\_\_\_\_ of \_\_\_\_\_ water after repairs have \_\_\_\_\_ main breaks?

Does the \_\_\_\_\_ of \_\_\_\_\_ improve after the \_\_\_\_\_ fixed?

Measures \_\_\_\_\_ to \_\_\_\_\_ drinking \_\_\_\_\_ after \_\_\_\_\_ major pipe breaks.

Will \_\_\_\_\_ any plans to \_\_\_\_\_ the \_\_\_\_\_ again?

How \_\_\_\_\_ the quality \_\_\_\_\_ the \_\_\_\_\_ improved after \_\_\_\_\_ repaired?

\_\_\_\_\_ there plans in \_\_\_\_\_ enhancing \_\_\_\_\_ purity \_\_\_\_\_ are fixed?

Is there \_\_\_\_\_ in \_\_\_\_\_ to upgrade \_\_\_\_\_ water after the \_\_\_\_\_?

How is \_\_\_\_\_ tap-water \_\_\_\_\_ main breaks \_\_\_\_\_ repaired?

How \_\_\_\_\_ measures to increase \_\_\_\_\_ standard \_\_\_\_\_ tap water \_\_\_\_\_ break issues \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ you \_\_\_\_\_ doing \_\_\_\_\_ to make the tap water better \_\_\_\_\_ that those annoying \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ to upgrade \_\_\_\_\_ after addressing \_\_\_\_\_ pipe malfunction?

How \_\_\_\_\_ tap water \_\_\_\_\_ after fixing \_\_\_\_\_?

Is \_\_\_\_\_ being \_\_\_\_\_ the \_\_\_\_\_ tap water after \_\_\_\_\_ main breaks?

\_\_\_\_\_ be \_\_\_\_\_ to improve the tap \_\_\_\_\_ after \_\_\_\_\_ breaks?

\_\_\_\_\_ in place to improve \_\_\_\_\_ water \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ you doing anything \_\_\_\_\_ bad tap water \_\_\_\_\_ pipes?

\_\_\_\_\_ have \_\_\_\_\_ fixed \_\_\_\_\_ measures exist to improve \_\_\_\_\_ water Sanitation?

\_\_\_\_\_ the \_\_\_\_\_ of the water \_\_\_\_\_ main breaks \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ be taking \_\_\_\_\_ quality once your \_\_\_\_\_ completes repairs to the \_\_\_\_\_ line?

Are there \_\_\_\_\_ enhancing tap-water purity \_\_\_\_\_ fixed?

After \_\_\_\_\_ main breaks, \_\_\_\_\_ taken to improve \_\_\_\_\_ quality?

Once \_\_\_\_\_ breaks \_\_\_\_\_ fixed, how is the tap \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ in \_\_\_\_\_ to upgrade the \_\_\_\_\_ main \_\_\_\_\_ malfunction?

\_\_\_\_\_ addressing the \_\_\_\_\_ malfunction, are there any steps \_\_\_\_\_ place \_\_\_\_\_ drinking \_\_\_\_\_?

Do we have a \_\_\_\_\_ for \_\_\_\_\_ once \_\_\_\_\_ are \_\_\_\_\_?

Once your \_\_\_\_\_ repairs for \_\_\_\_\_ main water \_\_\_\_\_ what actions will \_\_\_\_\_ improvement \_\_\_\_\_ tap water \_\_\_\_\_?

\_\_\_\_\_ tap-water quality regulated \_\_\_\_\_ main \_\_\_\_\_?

Is anyone going \_\_\_\_\_ crappy tap \_\_\_\_\_ the \_\_\_\_\_ main \_\_\_\_\_?

Is there anything \_\_\_\_ improve \_\_\_\_ water's \_\_\_\_ \_\_\_\_ leaks?

How are we \_\_\_\_ quality of tap \_\_\_\_ \_\_\_\_?

How do \_\_\_\_ upgrade \_\_\_\_ water \_\_\_\_ the \_\_\_\_?

\_\_\_\_ major breaks \_\_\_\_ been fixed, \_\_\_\_ any \_\_\_\_ exist to \_\_\_\_ water \_\_\_\_?

\_\_\_\_ the mains are fixed, \_\_\_\_ to \_\_\_\_ the \_\_\_\_ water?

\_\_\_\_ breaks have been fixed do there \_\_\_\_ measures \_\_\_\_ water \_\_\_\_?

\_\_\_\_ there \_\_\_\_ for \_\_\_\_ purity when major \_\_\_\_ are fixed?

What \_\_\_\_ be done to \_\_\_\_ the \_\_\_\_ a \_\_\_\_ break?

\_\_\_\_ there any \_\_\_\_ to improve tap \_\_\_\_ once \_\_\_\_ have been \_\_\_\_?

\_\_\_\_ be done \_\_\_\_ tap \_\_\_\_ once repairs \_\_\_\_ done?

After repairing \_\_\_\_ burst, will \_\_\_\_ be \_\_\_\_ our \_\_\_\_?

\_\_\_\_ major \_\_\_\_ have been fixed, do any measures \_\_\_\_?

What \_\_\_\_ should \_\_\_\_ after repairs \_\_\_\_ to \_\_\_\_ better tap water \_\_\_\_?

\_\_\_\_ there \_\_\_\_ way to \_\_\_\_ tap \_\_\_\_ once \_\_\_\_ major \_\_\_\_ been fixed?

Are \_\_\_\_ to improve the quality of \_\_\_\_ tap \_\_\_\_?

\_\_\_\_ changes would \_\_\_\_ to \_\_\_\_ after repairing mains?

Once the \_\_\_\_ breaks \_\_\_\_ fixed \_\_\_\_ the \_\_\_\_ improve?

\_\_\_\_ tap-water \_\_\_\_ after a main \_\_\_\_ is fixed?

How \_\_\_\_ tap \_\_\_\_ after main \_\_\_\_ are fixed?

How is the tap-water \_\_\_\_ regulated \_\_\_\_ are \_\_\_\_?

\_\_\_\_ measures \_\_\_\_ the standard of tap water \_\_\_\_ a \_\_\_\_.

\_\_\_\_ breaks have \_\_\_\_ do \_\_\_\_ any \_\_\_\_ improve tap water quality?

\_\_\_\_ our tap water \_\_\_\_ the main \_\_\_\_?

\_\_\_\_ there a plan in place \_\_\_\_ improving \_\_\_\_ of the \_\_\_\_?

\_\_\_\_ were \_\_\_\_ in \_\_\_\_ the water after the \_\_\_\_ renovations.

When major breaks have been \_\_\_\_ exist to \_\_\_\_ tap \_\_\_\_?

Is \_\_\_\_ make \_\_\_\_ water better after the main \_\_\_\_ been \_\_\_\_?

Can we \_\_\_\_ after \_\_\_\_ main break \_\_\_\_ or is \_\_\_\_ just garbage-quality \_\_\_\_?

Is there a \_\_\_\_ the tap water \_\_\_\_ the \_\_\_\_?

\_\_\_\_ there \_\_\_\_ to \_\_\_\_ standard of tap \_\_\_\_ after a mains \_\_\_\_?

\_\_\_\_ would like \_\_\_\_ the \_\_\_\_ taken \_\_\_\_ the standard of tap water \_\_\_\_ the \_\_\_\_ break issues \_\_\_\_.

Any \_\_\_\_ increase \_\_\_\_ water quality \_\_\_\_ breaks \_\_\_\_ fixed?

Now \_\_\_\_ are fixed, \_\_\_\_ should \_\_\_\_ done about \_\_\_\_ water?

What \_\_\_\_ taken to improve \_\_\_\_ water's caliber \_\_\_\_ major \_\_\_\_?

What will the quality of our \_\_\_\_ after \_\_\_\_?

Once \_\_\_\_ mains are \_\_\_\_ done to upgrade tap \_\_\_\_?

\_\_\_\_ you fix \_\_\_\_ tap water \_\_\_\_ the main \_\_\_\_?

\_\_\_\_ do \_\_\_\_ to make \_\_\_\_ tap \_\_\_\_ after a \_\_\_\_ break?

What are the \_\_\_\_ improves \_\_\_\_ main breaks are \_\_\_\_?

Can \_\_\_\_ expect \_\_\_\_ plan post-main \_\_\_\_ repairs \_\_\_\_ we drink this \_\_\_\_?

How \_\_\_\_ tap water improved \_\_\_\_ a main break?

What measures were taken to increase \_\_\_\_ tap \_\_\_\_ after the \_\_\_\_ have \_\_\_\_?

\_\_\_\_ main breaks and boost \_\_\_\_?

Can we expect improvement after \_\_\_\_ or are we \_\_\_\_ to \_\_\_\_ water?

\_\_\_\_ quality of \_\_\_\_ water after \_\_\_\_?

\_\_\_\_ we \_\_\_\_ the \_\_\_\_ of \_\_\_\_ after the \_\_\_\_ have been fixed?

\_\_\_\_ we \_\_\_\_ garbage-quality tap water \_\_\_\_ we \_\_\_\_ an improvement \_\_\_\_ break repairs?

\_\_\_\_ done \_\_\_\_ the main breaks have \_\_\_\_ potential \_\_\_\_ tap water \_\_\_\_.

\_\_\_\_ improvements to tap water \_\_\_\_ after \_\_\_\_ break?

\_\_\_\_ there any plans \_\_\_\_ improve the \_\_\_\_ quality \_\_\_\_?

After \_\_\_\_\_ what will be done \_\_\_\_\_ tap water?  
 \_\_\_\_\_ drinking-water integrity \_\_\_\_\_ after main-fixes?  
 \_\_\_\_\_ that \_\_\_\_\_ taken to improve \_\_\_\_\_ water \_\_\_\_\_ major breaks have been fixed?  
 The \_\_\_\_\_ tap water \_\_\_\_\_ be \_\_\_\_\_ break issues are solved.  
 \_\_\_\_\_ repairs are completed, \_\_\_\_\_ done \_\_\_\_\_ improve \_\_\_\_\_ water?  
 \_\_\_\_\_ have a \_\_\_\_\_ to increase \_\_\_\_\_ leaks are fixed?  
 Now \_\_\_\_\_ the mains are \_\_\_\_\_ what are \_\_\_\_\_ changes \_\_\_\_\_?  
 \_\_\_\_\_ tap water \_\_\_\_\_ main breaks are fixed?  
 How will \_\_\_\_\_ be improved after the \_\_\_\_\_ repairs?  
 How are we \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_?  
 What \_\_\_\_\_ we \_\_\_\_\_ tap water \_\_\_\_\_ after \_\_\_\_\_ are fixed?  
 \_\_\_\_\_ increase \_\_\_\_\_ standard of \_\_\_\_\_ water \_\_\_\_\_ a mains break?  
 \_\_\_\_\_ in place \_\_\_\_\_ better \_\_\_\_\_ tap water after the \_\_\_\_\_.  
 How \_\_\_\_\_ we improve \_\_\_\_\_ tap \_\_\_\_\_ the mains \_\_\_\_\_ been \_\_\_\_\_?  
 \_\_\_\_\_ is the \_\_\_\_\_ water \_\_\_\_\_ after main \_\_\_\_\_ are \_\_\_\_\_?  
 What is \_\_\_\_\_ to upgrade \_\_\_\_\_ water \_\_\_\_\_ are \_\_\_\_\_?  
 Can \_\_\_\_\_ water after addressing \_\_\_\_\_ pipe issues?  
 The standard \_\_\_\_\_ tap \_\_\_\_\_ needs to \_\_\_\_\_ after \_\_\_\_\_ break issues.  
 Any plans \_\_\_\_\_ the \_\_\_\_\_ after a \_\_\_\_\_ break?  
 \_\_\_\_\_ anything \_\_\_\_\_ done to improve \_\_\_\_\_ quality of \_\_\_\_\_ tap \_\_\_\_\_ after \_\_\_\_\_ are fixed?  
 Is there any \_\_\_\_\_ upgrade the \_\_\_\_\_ main pipe \_\_\_\_\_?  
 \_\_\_\_\_ are fixed, how should \_\_\_\_\_ quality be \_\_\_\_\_?  
 Is anything done to make \_\_\_\_\_ water better \_\_\_\_\_ main \_\_\_\_\_?  
 \_\_\_\_\_ there any plan \_\_\_\_\_ for \_\_\_\_\_ tap-water purity once \_\_\_\_\_ are \_\_\_\_\_?  
 \_\_\_\_\_ plans \_\_\_\_\_ place for enhancing \_\_\_\_\_ of repaired \_\_\_\_\_ water.  
 Now \_\_\_\_\_ mains are fixed, \_\_\_\_\_ we \_\_\_\_\_ improve our \_\_\_\_\_ water?  
 \_\_\_\_\_ doing \_\_\_\_\_ poor \_\_\_\_\_ water after fixing the pipes?  
 \_\_\_\_\_ any measures exist to \_\_\_\_\_ water better \_\_\_\_\_?  
 Should changes \_\_\_\_\_ the drinking water \_\_\_\_\_ mains?  
 Is \_\_\_\_\_ a \_\_\_\_\_ improve the \_\_\_\_\_ water when we fix the \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ in place to increase tap-water \_\_\_\_\_ once \_\_\_\_\_ fixed?  
 Is there a \_\_\_\_\_ to improve \_\_\_\_\_ water \_\_\_\_\_ repairs?  
 What \_\_\_\_\_ the tap \_\_\_\_\_ after it's repaired?  
 \_\_\_\_\_ being \_\_\_\_\_ improve tap water's \_\_\_\_\_ after fixing \_\_\_\_\_ leaks?  
 \_\_\_\_\_ repair work for mains is \_\_\_\_\_ there any \_\_\_\_\_ place \_\_\_\_\_ improve \_\_\_\_\_ tap water?  
 \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ disaster \_\_\_\_\_ our tap water quality \_\_\_\_\_ main breaks?  
 Do we \_\_\_\_\_ a \_\_\_\_\_ after major \_\_\_\_\_ are fixed?  
 \_\_\_\_\_ anything \_\_\_\_\_ the main breaks \_\_\_\_\_ fixed \_\_\_\_\_ make the \_\_\_\_\_ better?  
 \_\_\_\_\_ tap water \_\_\_\_\_ improved \_\_\_\_\_ a main \_\_\_\_\_?  
 When \_\_\_\_\_ breaks are fixed, does \_\_\_\_\_ tap-water \_\_\_\_\_?  
 Is there any \_\_\_\_\_ improve tap water safety \_\_\_\_\_ been \_\_\_\_\_?  
 How \_\_\_\_\_ we improve the \_\_\_\_\_ of \_\_\_\_\_ water after \_\_\_\_\_?  
 \_\_\_\_\_ water quality \_\_\_\_\_ main \_\_\_\_\_ is being \_\_\_\_\_.  
 Now \_\_\_\_\_ the \_\_\_\_\_ are fixed, \_\_\_\_\_ are we doing about \_\_\_\_\_?  
 Is there anything that \_\_\_\_\_ done to \_\_\_\_\_ after \_\_\_\_\_ repairs in the \_\_\_\_\_?  
 \_\_\_\_\_ are fixed \_\_\_\_\_ will \_\_\_\_\_ upgrade tap water?  
 After main \_\_\_\_\_ are \_\_\_\_\_ happens \_\_\_\_\_ the \_\_\_\_\_ quality?  
 \_\_\_\_\_ main break \_\_\_\_\_ is \_\_\_\_\_ of tap \_\_\_\_\_ changed?  
 \_\_\_\_\_ there implemented measures \_\_\_\_\_ improve the \_\_\_\_\_ tap water \_\_\_\_\_ break?  
 Any \_\_\_\_\_ to get \_\_\_\_\_ drinking after \_\_\_\_\_ pipe \_\_\_\_\_?

How is water \_\_\_\_\_ main \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ do we \_\_\_\_\_ water better after \_\_\_\_\_ main \_\_\_\_\_?

Is anything \_\_\_\_\_ after \_\_\_\_\_ main \_\_\_\_\_ to \_\_\_\_\_ quality of the \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ in \_\_\_\_\_ upgrade the \_\_\_\_\_ water after \_\_\_\_\_ main pipe \_\_\_\_\_?

\_\_\_\_\_ plan \_\_\_\_\_ improve the \_\_\_\_\_ of the repaired tap \_\_\_\_\_?

There is a plan to improve \_\_\_\_\_ tap \_\_\_\_\_ after we \_\_\_\_\_.

\_\_\_\_\_ breaks \_\_\_\_\_ been \_\_\_\_\_ do \_\_\_\_\_ measures \_\_\_\_\_ to \_\_\_\_\_ tap water quality?

Do \_\_\_\_\_ have plans \_\_\_\_\_ improve the \_\_\_\_\_ of \_\_\_\_\_ water?

\_\_\_\_\_ do we \_\_\_\_\_ better quality \_\_\_\_\_ water \_\_\_\_\_ fixing \_\_\_\_\_?

If your team completes \_\_\_\_\_ the \_\_\_\_\_ line, \_\_\_\_\_ you \_\_\_\_\_ taking \_\_\_\_\_ improve \_\_\_\_\_ water quality?

\_\_\_\_\_ is tap-water \_\_\_\_\_ after main \_\_\_\_\_ are \_\_\_\_\_?

Is it being \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ once \_\_\_\_\_ fixed?

Can \_\_\_\_\_ be steps \_\_\_\_\_ to \_\_\_\_\_ the drinking water \_\_\_\_\_ pipe \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ plan to \_\_\_\_\_ once \_\_\_\_\_ leaks are \_\_\_\_\_?

There are steps \_\_\_\_\_ of post-repaired tap \_\_\_\_\_.

How do we \_\_\_\_\_ quality tap water \_\_\_\_\_?

\_\_\_\_\_ any measures \_\_\_\_\_ improve tap water Sanitation \_\_\_\_\_ been repaired?

Is there \_\_\_\_\_ the \_\_\_\_\_ tap water after a \_\_\_\_\_ break?

\_\_\_\_\_ we fix the \_\_\_\_\_ leaks, \_\_\_\_\_ a plan \_\_\_\_\_ improve \_\_\_\_\_ quality \_\_\_\_\_ tap \_\_\_\_\_?

When \_\_\_\_\_ are \_\_\_\_\_ what should be done \_\_\_\_\_?

What \_\_\_\_\_ taken \_\_\_\_\_ water \_\_\_\_\_ the main pipe malfunction?

\_\_\_\_\_ we get an \_\_\_\_\_ after the main \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ to fix tap water?

Is \_\_\_\_\_ plan to \_\_\_\_\_ water safe again \_\_\_\_\_ the \_\_\_\_\_ have been \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ steps \_\_\_\_\_ to \_\_\_\_\_ drinking water \_\_\_\_\_ pipe repair?

When \_\_\_\_\_ main \_\_\_\_\_ fixed, \_\_\_\_\_ happens to \_\_\_\_\_ quality?

\_\_\_\_\_ tell me how \_\_\_\_\_ water \_\_\_\_\_ improves after \_\_\_\_\_ breaks are \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ mains have been \_\_\_\_\_ what \_\_\_\_\_ our \_\_\_\_\_?

Will \_\_\_\_\_ be \_\_\_\_\_ improve the tap water \_\_\_\_\_?

Can we expect \_\_\_\_\_ plan after \_\_\_\_\_ repairs, or \_\_\_\_\_ we supposed to \_\_\_\_\_ garbage quality \_\_\_\_\_?

\_\_\_\_\_ water quality is \_\_\_\_\_ after \_\_\_\_\_ main break.

Do we \_\_\_\_\_ a \_\_\_\_\_ improve \_\_\_\_\_ purity \_\_\_\_\_ leaks are \_\_\_\_\_?

\_\_\_\_\_ we improve \_\_\_\_\_ after mains are \_\_\_\_\_?

\_\_\_\_\_ being done to fix \_\_\_\_\_?

What are \_\_\_\_\_ procedures that \_\_\_\_\_ after pipes are \_\_\_\_\_?

What needs to be \_\_\_\_\_ once mains are \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ improving the \_\_\_\_\_ water \_\_\_\_\_ break?

\_\_\_\_\_ anything being \_\_\_\_\_ to \_\_\_\_\_ the quality \_\_\_\_\_ tap water better after \_\_\_\_\_?

After \_\_\_\_\_ pipe \_\_\_\_\_ there be improvements \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ being done \_\_\_\_\_ the tap water after \_\_\_\_\_ mains?

How will \_\_\_\_\_ improve \_\_\_\_\_ post-repair \_\_\_\_\_?

Now \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ supposed \_\_\_\_\_ about the disgusting tap water?

\_\_\_\_\_ are fixed, how \_\_\_\_\_ the \_\_\_\_\_ water better?

\_\_\_\_\_ any \_\_\_\_\_ to improve \_\_\_\_\_ tap \_\_\_\_\_ main break renovations?

How \_\_\_\_\_ tap \_\_\_\_\_ quality \_\_\_\_\_ after the \_\_\_\_\_ are fixed?

Is anything done \_\_\_\_\_ a main \_\_\_\_\_ tap \_\_\_\_\_ better?

\_\_\_\_\_ we have \_\_\_\_\_ improve the \_\_\_\_\_ of \_\_\_\_\_ repaired \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_ improve \_\_\_\_\_ after \_\_\_\_\_ main pipe malfunction?

Is anything \_\_\_\_\_ after the main \_\_\_\_\_ to \_\_\_\_\_ better?

Are there \_\_\_\_\_ in place to elevate the \_\_\_\_\_ mains \_\_\_\_\_?

Do \_\_\_\_ do \_\_\_\_ the tap water \_\_\_\_ the \_\_\_\_ breaks?

Do \_\_\_\_ any \_\_\_\_ the quality of \_\_\_\_ repaired \_\_\_\_ water?

\_\_\_\_ you \_\_\_\_ the \_\_\_\_ tap \_\_\_\_ after fixing \_\_\_\_ busted pipes?

There are measures \_\_\_\_ to increase the standard of \_\_\_\_ break \_\_\_\_ resolved.

\_\_\_\_ in place \_\_\_\_ improve \_\_\_\_ water quality after \_\_\_\_?

\_\_\_\_ after the main breaks have been \_\_\_\_ make \_\_\_\_ tap \_\_\_\_ better?

\_\_\_\_ can tap \_\_\_\_ after \_\_\_\_ breaks are repaired?

There \_\_\_\_ plans \_\_\_\_ enhance the \_\_\_\_ repaired tap \_\_\_\_.

\_\_\_\_ any \_\_\_\_ of improving tap \_\_\_\_ Sanitation after \_\_\_\_ breaks \_\_\_\_ been \_\_\_\_?

What \_\_\_\_ be done \_\_\_\_ tap water once the \_\_\_\_?

Now that \_\_\_\_ fixed, what \_\_\_\_ about \_\_\_\_ tap water?

Are there \_\_\_\_ taken \_\_\_\_ the \_\_\_\_ after \_\_\_\_ pipe malfunction?

Can the \_\_\_\_ of \_\_\_\_ tap water \_\_\_\_ raised \_\_\_\_ break?

How do \_\_\_\_ improve the \_\_\_\_ the \_\_\_\_ after \_\_\_\_ have \_\_\_\_ fixed?

\_\_\_\_ the mains \_\_\_\_ fixed, what is being done \_\_\_\_ our \_\_\_\_?

\_\_\_\_ proposal to increase the \_\_\_\_ our \_\_\_\_ water after \_\_\_\_ mains?

Measure \_\_\_\_ improve \_\_\_\_ after repairing \_\_\_\_?

\_\_\_\_ there a plan to improve the quality \_\_\_\_?

When \_\_\_\_ mains are fixed, \_\_\_\_ be \_\_\_\_ to upgrade \_\_\_\_?

\_\_\_\_ steps are taken to \_\_\_\_ main break?

What will be \_\_\_\_ improve \_\_\_\_ tap \_\_\_\_ are done?

\_\_\_\_ being done \_\_\_\_ improve \_\_\_\_ quality of our \_\_\_\_ the main \_\_\_\_ been fixed?

How is the water \_\_\_\_ going \_\_\_\_ main \_\_\_\_?

\_\_\_\_ the mains are \_\_\_\_ what \_\_\_\_ we \_\_\_\_ tap water?

\_\_\_\_ the enhancement \_\_\_\_ quality regulated \_\_\_\_ the main \_\_\_\_ fixed?

Is there \_\_\_\_ way \_\_\_\_ improve \_\_\_\_ of \_\_\_\_ drinking water \_\_\_\_ addressing \_\_\_\_?

\_\_\_\_ water be improved after \_\_\_\_ fixes?

\_\_\_\_ main breaks \_\_\_\_ fixed, \_\_\_\_ is tap- \_\_\_\_ improved?

What \_\_\_\_ to \_\_\_\_ water after mains are \_\_\_\_?

\_\_\_\_ can the quality \_\_\_\_ tap \_\_\_\_ be \_\_\_\_ after the main \_\_\_\_?

Can \_\_\_\_ tell \_\_\_\_ the \_\_\_\_ to increase the \_\_\_\_ tap water after \_\_\_\_ main break \_\_\_\_?

\_\_\_\_ any \_\_\_\_ place to \_\_\_\_ the quality \_\_\_\_ tap water \_\_\_\_ the \_\_\_\_ fixed?

Will \_\_\_\_ be plans in place to \_\_\_\_ water once the \_\_\_\_ work \_\_\_\_?

What happens \_\_\_\_ water \_\_\_\_ main breaks happen?

\_\_\_\_ process \_\_\_\_ upgrade the drinking water after the \_\_\_\_?

\_\_\_\_ we \_\_\_\_ plans for \_\_\_\_ tap-water \_\_\_\_ once major \_\_\_\_ fixed?

\_\_\_\_ you do to \_\_\_\_ the \_\_\_\_ quality \_\_\_\_ a main break?

\_\_\_\_ do we improve \_\_\_\_ tap water's \_\_\_\_ after \_\_\_\_?

How can \_\_\_\_ water quality \_\_\_\_ better \_\_\_\_ are \_\_\_\_?

Do \_\_\_\_ crappy \_\_\_\_ after fixing the main \_\_\_\_?

Are \_\_\_\_ upgrade the \_\_\_\_ after the \_\_\_\_ pipe malfunction?

How will tap \_\_\_\_ upgraded once \_\_\_\_ mains \_\_\_\_?

How are \_\_\_\_ making \_\_\_\_ better after \_\_\_\_ repairs?

\_\_\_\_ there \_\_\_\_ plan \_\_\_\_ quality \_\_\_\_ the \_\_\_\_ after a main break?

Do \_\_\_\_ have plans \_\_\_\_ place \_\_\_\_ increase tap-water \_\_\_\_ major \_\_\_\_ are \_\_\_\_?

Now that \_\_\_\_ mains are fixed, what \_\_\_\_ about our \_\_\_\_?

\_\_\_\_ curious \_\_\_\_ know if \_\_\_\_ actually \_\_\_\_ the \_\_\_\_ better now that \_\_\_\_ over.

\_\_\_\_ planning \_\_\_\_ improving the quality \_\_\_\_ tap water?

\_\_\_\_ are \_\_\_\_ place for bettering \_\_\_\_ tap water \_\_\_\_ renovations.

What will be done to \_\_\_\_ the \_\_\_\_ fixed?

Is \_\_\_\_\_ trying to fix our \_\_\_\_\_ after the \_\_\_\_\_?

The \_\_\_\_\_ water quality \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ breaks \_\_\_\_\_ fixed.

\_\_\_\_\_ are the \_\_\_\_\_ for \_\_\_\_\_ water quality after a \_\_\_\_\_?

Is \_\_\_\_\_ way \_\_\_\_\_ the drinking \_\_\_\_\_ addressing \_\_\_\_\_ main pipe issues?

\_\_\_\_\_ upgrade our \_\_\_\_\_ water after \_\_\_\_\_ pipe problems?

\_\_\_\_\_ to \_\_\_\_\_ tap water better after \_\_\_\_\_ breaks have \_\_\_\_\_ repaired?

Is \_\_\_\_\_ after the \_\_\_\_\_ been \_\_\_\_\_ improve \_\_\_\_\_ quality of our \_\_\_\_\_ water?

What happens to \_\_\_\_\_ main \_\_\_\_\_ is fixed?

\_\_\_\_\_ tap water be \_\_\_\_\_ repairs are complete?

\_\_\_\_\_ actions will you be taking \_\_\_\_\_ improve \_\_\_\_\_ once your team \_\_\_\_\_ for \_\_\_\_\_ main water \_\_\_\_\_?

What procedures \_\_\_\_\_ drinking water \_\_\_\_\_ mended?

Can we \_\_\_\_\_ an \_\_\_\_\_ plan \_\_\_\_\_ main break \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ tap \_\_\_\_\_ after \_\_\_\_\_ breaks are fixed?

What measures \_\_\_\_\_ taken \_\_\_\_\_ increase the \_\_\_\_\_ water \_\_\_\_\_ the break \_\_\_\_\_?

\_\_\_\_\_ water \_\_\_\_\_ the mains have been fixed?

\_\_\_\_\_ we \_\_\_\_\_ the main break repairs \_\_\_\_\_ drink this garbage-quality \_\_\_\_\_ water?

After \_\_\_\_\_ bursts, will there \_\_\_\_\_ in \_\_\_\_\_ H2O?

What \_\_\_\_\_ for enhancing \_\_\_\_\_ quality of \_\_\_\_\_ tap \_\_\_\_\_?

How \_\_\_\_\_ upgrade \_\_\_\_\_ quality after repairing \_\_\_\_\_?

\_\_\_\_\_ done to \_\_\_\_\_ tap water after \_\_\_\_\_ repairs \_\_\_\_\_ done?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ bad tap water after \_\_\_\_\_ the \_\_\_\_\_?

Following \_\_\_\_\_ mains' \_\_\_\_\_ will \_\_\_\_\_ water quality \_\_\_\_\_ improved?

Is \_\_\_\_\_ anything that can be done to \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ line?

\_\_\_\_\_ can \_\_\_\_\_ improve the tap \_\_\_\_\_ after mains have \_\_\_\_\_?

\_\_\_\_\_ we have plans \_\_\_\_\_ increase tap-water \_\_\_\_\_ major leaks \_\_\_\_\_?

Is \_\_\_\_\_ that can \_\_\_\_\_ make \_\_\_\_\_ water \_\_\_\_\_ breaks have been fixed?

How is \_\_\_\_\_ quality \_\_\_\_\_ improved?

\_\_\_\_\_ the main breaks are \_\_\_\_\_ how is \_\_\_\_\_?

\_\_\_\_\_ increase tap water quality \_\_\_\_\_ are fixed?

How \_\_\_\_\_ tap water \_\_\_\_\_ after \_\_\_\_\_ are fixed?

\_\_\_\_\_ anything \_\_\_\_\_ improve \_\_\_\_\_ water \_\_\_\_\_ after repairing \_\_\_\_\_ in the main line?

How \_\_\_\_\_ the tap \_\_\_\_\_ after main \_\_\_\_\_?

Is there a plan \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ water \_\_\_\_\_ the \_\_\_\_\_?

After you \_\_\_\_\_ the main \_\_\_\_\_ you doing anything \_\_\_\_\_ the \_\_\_\_\_?

Do any measures exist to \_\_\_\_\_ after \_\_\_\_\_ been repaired?

\_\_\_\_\_ there \_\_\_\_\_ plan \_\_\_\_\_ quality of our repaired tap \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ plans to \_\_\_\_\_ of \_\_\_\_\_ repaired tap water?

Are there \_\_\_\_\_ improve \_\_\_\_\_ purity \_\_\_\_\_ leaks are fixed?

How \_\_\_\_\_ water better after repairing mains?

\_\_\_\_\_ the quality \_\_\_\_\_ tap \_\_\_\_\_ be \_\_\_\_\_ breaks are repaired?

\_\_\_\_\_ to upgrade tap water \_\_\_\_\_ mains are repaired?

Do \_\_\_\_\_ have plans to \_\_\_\_\_ tap-water purity when \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ improve the tap \_\_\_\_\_ breaks?

\_\_\_\_\_ in place for bettering \_\_\_\_\_ following the main \_\_\_\_\_.

\_\_\_\_\_ we expect \_\_\_\_\_ the main \_\_\_\_\_ repairs if we \_\_\_\_\_ this \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ of \_\_\_\_\_ water \_\_\_\_\_ resolving the main break issues?

\_\_\_\_\_ improve \_\_\_\_\_ tap water's quality after \_\_\_\_\_ main \_\_\_\_\_?

After \_\_\_\_\_ were \_\_\_\_\_ is \_\_\_\_\_ doing anything to \_\_\_\_\_ our \_\_\_\_\_ tap water?

Can \_\_\_\_\_ drinking water condition after addressing the \_\_\_\_\_?

After main \_\_\_\_\_ are \_\_\_\_\_ how \_\_\_\_\_ the water \_\_\_\_\_?

\_\_\_\_\_ the main \_\_\_\_\_ how \_\_\_\_\_ the tap water \_\_\_\_\_?  
 Is there anything being done \_\_\_\_\_ improve \_\_\_\_\_ quality of our tap \_\_\_\_\_ the \_\_\_\_\_?  
 What \_\_\_\_\_ happen \_\_\_\_\_ our \_\_\_\_\_ water's quality \_\_\_\_\_ fixes?  
 \_\_\_\_\_ there any \_\_\_\_\_ improve \_\_\_\_\_ water condition after the main \_\_\_\_\_?  
 \_\_\_\_\_ breaks are fixed, how \_\_\_\_\_ the \_\_\_\_\_ water \_\_\_\_\_?  
 \_\_\_\_\_ there any measures taken \_\_\_\_\_ increase \_\_\_\_\_ of \_\_\_\_\_ after \_\_\_\_\_ main break issues \_\_\_\_\_ been \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ information on \_\_\_\_\_ increase \_\_\_\_\_ standard \_\_\_\_\_ tap water after \_\_\_\_\_ main \_\_\_\_\_ issues?  
 Is there \_\_\_\_\_ to \_\_\_\_\_ the tap water \_\_\_\_\_ main \_\_\_\_\_?  
 \_\_\_\_\_ actions \_\_\_\_\_ taken to \_\_\_\_\_ tap \_\_\_\_\_ after \_\_\_\_\_ break repairs?  
 What are the \_\_\_\_\_ for \_\_\_\_\_ tap \_\_\_\_\_?  
 Now that \_\_\_\_\_ what \_\_\_\_\_ to keep the \_\_\_\_\_ water clean?  
 \_\_\_\_\_ any plan \_\_\_\_\_ the \_\_\_\_\_ drinkable again \_\_\_\_\_ all \_\_\_\_\_ pipe bursts \_\_\_\_\_ been fixed?  
 There \_\_\_\_\_ elevate \_\_\_\_\_ standard of the \_\_\_\_\_ water \_\_\_\_\_ a mains \_\_\_\_\_.  
 \_\_\_\_\_ actions \_\_\_\_\_ to improve tap \_\_\_\_\_ quality after \_\_\_\_\_ breaks \_\_\_\_\_ repaired?  
 Fix \_\_\_\_\_ breaks \_\_\_\_\_ increase tap \_\_\_\_\_?  
 Is \_\_\_\_\_ a proposal \_\_\_\_\_ make \_\_\_\_\_ water \_\_\_\_\_ repairing mains?  
 \_\_\_\_\_ any plans \_\_\_\_\_ improve the \_\_\_\_\_ of \_\_\_\_\_ once the repair work is complete?  
 Is \_\_\_\_\_ any \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ the tap water after \_\_\_\_\_?  
 \_\_\_\_\_ make \_\_\_\_\_ to \_\_\_\_\_ drinking water \_\_\_\_\_ repairing mains?  
 \_\_\_\_\_ anything done \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ main breaks?  
 \_\_\_\_\_ be \_\_\_\_\_ that \_\_\_\_\_ doing something \_\_\_\_\_ make \_\_\_\_\_ tap water better \_\_\_\_\_ those annoying \_\_\_\_\_ are \_\_\_\_\_?  
 Is \_\_\_\_\_ being upgraded \_\_\_\_\_ major pipe \_\_\_\_\_?  
 \_\_\_\_\_ the mains \_\_\_\_\_ been \_\_\_\_\_ are \_\_\_\_\_ doing about the \_\_\_\_\_ tap \_\_\_\_\_?  
 When major \_\_\_\_\_ fixed, do \_\_\_\_\_ any \_\_\_\_\_ to improve \_\_\_\_\_ Sanitation?  
 \_\_\_\_\_ will \_\_\_\_\_ water be \_\_\_\_\_ the mains \_\_\_\_\_ repaired?  
 How do we \_\_\_\_\_ the tap \_\_\_\_\_ when the \_\_\_\_\_?  
 Measures \_\_\_\_\_ place for \_\_\_\_\_ tap \_\_\_\_\_ after \_\_\_\_\_ break renovations?  
 \_\_\_\_\_ any plan to \_\_\_\_\_ caliber \_\_\_\_\_ the fixing of major \_\_\_\_\_?  
 \_\_\_\_\_ the tap \_\_\_\_\_ quality after \_\_\_\_\_ have been \_\_\_\_\_?  
 How are \_\_\_\_\_ going to \_\_\_\_\_ water after \_\_\_\_\_?  
 \_\_\_\_\_ main breaks \_\_\_\_\_ how \_\_\_\_\_ the tap-water \_\_\_\_\_ enhanced?  
 Is there \_\_\_\_\_ plan \_\_\_\_\_ improve \_\_\_\_\_ water \_\_\_\_\_ fix \_\_\_\_\_ leaks?  
 \_\_\_\_\_ have a \_\_\_\_\_ enhancing tap-water purity when \_\_\_\_\_ leaks \_\_\_\_\_?  
 \_\_\_\_\_ breaks \_\_\_\_\_ fixed, how is \_\_\_\_\_ quality changed?  
 \_\_\_\_\_ anything about \_\_\_\_\_ lousy tap water after \_\_\_\_\_ the broken \_\_\_\_\_?  
 \_\_\_\_\_ plans for improving \_\_\_\_\_ quality of \_\_\_\_\_ tap \_\_\_\_\_?  
 Can \_\_\_\_\_ expect \_\_\_\_\_ plan \_\_\_\_\_ themain break \_\_\_\_\_ we supposed \_\_\_\_\_ drink \_\_\_\_\_ garbage-quality tap water?  
 There \_\_\_\_\_ to \_\_\_\_\_ tap water after a mains break.  
 What happens \_\_\_\_\_ the main breaks \_\_\_\_\_ fixed?  
 \_\_\_\_\_ we repair \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ the quality of tap \_\_\_\_\_?  
 Are \_\_\_\_\_ trying to \_\_\_\_\_ tap water \_\_\_\_\_ repairing \_\_\_\_\_ main \_\_\_\_\_?  
 How is \_\_\_\_\_ a main break?  
 \_\_\_\_\_ will \_\_\_\_\_ quality \_\_\_\_\_ after the mains' repairs?  
 Is \_\_\_\_\_ to upgrade \_\_\_\_\_ drinking \_\_\_\_\_ the pipe breaks?  
 \_\_\_\_\_ plans to increase tap-water \_\_\_\_\_ once \_\_\_\_\_ leaks are \_\_\_\_\_?  
 How's the tap \_\_\_\_\_ main \_\_\_\_\_?  
 \_\_\_\_\_ to improve \_\_\_\_\_ water after the main \_\_\_\_\_.  
 Once major \_\_\_\_\_ have \_\_\_\_\_ fixed \_\_\_\_\_ there exist \_\_\_\_\_ water sanitation?  
 \_\_\_\_\_ you are actually \_\_\_\_\_ something to \_\_\_\_\_ water better \_\_\_\_\_ that those annoying bursts \_\_\_\_\_ over?  
 \_\_\_\_\_ there \_\_\_\_\_ for improving the \_\_\_\_\_ quality \_\_\_\_\_ a \_\_\_\_\_ break?

\_\_\_\_\_ done to improve the \_\_\_\_\_ of the \_\_\_\_\_ water after \_\_\_\_\_ main \_\_\_\_\_ ?  
 Is there \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ again \_\_\_\_\_ all \_\_\_\_\_ pipe bursts \_\_\_\_\_ ?  
 \_\_\_\_\_ we making \_\_\_\_\_ tap water better after \_\_\_\_\_ ?  
 \_\_\_\_\_ breaks \_\_\_\_\_ fixed, \_\_\_\_\_ is the tap-water \_\_\_\_\_ enhanced?  
 \_\_\_\_\_ actions will \_\_\_\_\_ taken to \_\_\_\_\_ tap \_\_\_\_\_ your team completes \_\_\_\_\_ main water line?  
 How is \_\_\_\_\_ quality \_\_\_\_\_ main breaks \_\_\_\_\_ ?  
 There \_\_\_\_\_ improve the quality of \_\_\_\_\_ water after we \_\_\_\_\_ .  
 \_\_\_\_\_ main \_\_\_\_\_ and \_\_\_\_\_ tap \_\_\_\_\_ quality?  
 What \_\_\_\_\_ be done \_\_\_\_\_ water \_\_\_\_\_ a main break?  
 Is there \_\_\_\_\_ can be \_\_\_\_\_ the treated water \_\_\_\_\_ the \_\_\_\_\_ of the main \_\_\_\_\_ ?  
 \_\_\_\_\_ the \_\_\_\_\_ are fixed, \_\_\_\_\_ ways to upgrade tap \_\_\_\_\_ ?  
 \_\_\_\_\_ main break is fixed, how \_\_\_\_\_ tap-water \_\_\_\_\_ ?  
 Is \_\_\_\_\_ anything being \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ major pipe breaks?  
 Will \_\_\_\_\_ to \_\_\_\_\_ after repairing pipe bursts?  
 \_\_\_\_\_ will be \_\_\_\_\_ to make \_\_\_\_\_ post-repair tap \_\_\_\_\_ ?  
 How will \_\_\_\_\_ upgraded when mains \_\_\_\_\_ ?  
 Can \_\_\_\_\_ the condition \_\_\_\_\_ our drinking water after \_\_\_\_\_ issues?  
 Does the tap \_\_\_\_\_ get better \_\_\_\_\_ break?  
 Can \_\_\_\_\_ improve tap \_\_\_\_\_ quality \_\_\_\_\_ the \_\_\_\_\_ fixes?  
 \_\_\_\_\_ a \_\_\_\_\_ make \_\_\_\_\_ tap \_\_\_\_\_ drinkable again once the pipe \_\_\_\_\_ fixed?  
 \_\_\_\_\_ we \_\_\_\_\_ the water quality \_\_\_\_\_ break?  
 How \_\_\_\_\_ tap water \_\_\_\_\_ after \_\_\_\_\_ repairs?  
 \_\_\_\_\_ that \_\_\_\_\_ mains have \_\_\_\_\_ being done \_\_\_\_\_ clean \_\_\_\_\_ tap water?  
 \_\_\_\_\_ do \_\_\_\_\_ improve \_\_\_\_\_ water quality after \_\_\_\_\_ break \_\_\_\_\_ ?  
 \_\_\_\_\_ tap water should be \_\_\_\_\_ mains \_\_\_\_\_ fixed.  
 Now that the \_\_\_\_\_ what is being \_\_\_\_\_ about \_\_\_\_\_ poor \_\_\_\_\_ ?  
 Measures are \_\_\_\_\_ place for bettering \_\_\_\_\_ water following \_\_\_\_\_ .  
 \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ after the main \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ upgrade \_\_\_\_\_ drinking water following \_\_\_\_\_ breaks?  
 \_\_\_\_\_ there a plan to make \_\_\_\_\_ water \_\_\_\_\_ all the \_\_\_\_\_ bursts \_\_\_\_\_ fixed?  
 \_\_\_\_\_ team completes \_\_\_\_\_ for the \_\_\_\_\_ water line, what \_\_\_\_\_ taking to ensure \_\_\_\_\_ water quality?  
 Is there any plan \_\_\_\_\_ of \_\_\_\_\_ water after \_\_\_\_\_ break?  
 Once \_\_\_\_\_ breaks \_\_\_\_\_ fixed, \_\_\_\_\_ happens \_\_\_\_\_ the \_\_\_\_\_ quality?  
 How \_\_\_\_\_ improving the water quality after \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ in place \_\_\_\_\_ enhancing tap-water \_\_\_\_\_ are fixed?  
 How \_\_\_\_\_ water quality better \_\_\_\_\_ the \_\_\_\_\_ break?  
 Is \_\_\_\_\_ done to make \_\_\_\_\_ better \_\_\_\_\_ the main \_\_\_\_\_ repaired?  
 Once \_\_\_\_\_ fixed, \_\_\_\_\_ is \_\_\_\_\_ done \_\_\_\_\_ upgrade \_\_\_\_\_ tap water?  
 \_\_\_\_\_ should \_\_\_\_\_ the quality \_\_\_\_\_ tap water after \_\_\_\_\_ fixed?  
 Is \_\_\_\_\_ make the \_\_\_\_\_ water \_\_\_\_\_ main breaks?  
 Is there \_\_\_\_\_ for \_\_\_\_\_ water \_\_\_\_\_ again \_\_\_\_\_ the pipe bursts \_\_\_\_\_ been fixed?  
 We need \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ the \_\_\_\_\_ break renovations.  
 \_\_\_\_\_ there \_\_\_\_\_ plan \_\_\_\_\_ increase \_\_\_\_\_ standard of tap \_\_\_\_\_ after \_\_\_\_\_ break \_\_\_\_\_ ?  
 \_\_\_\_\_ the quality of \_\_\_\_\_ water \_\_\_\_\_ after \_\_\_\_\_ break?  
 \_\_\_\_\_ anyone fixing \_\_\_\_\_ crummy tap water \_\_\_\_\_ breaks?  
 \_\_\_\_\_ tap \_\_\_\_\_ once the \_\_\_\_\_ are fixed?  
 \_\_\_\_\_ your \_\_\_\_\_ completes repairs \_\_\_\_\_ main \_\_\_\_\_ what \_\_\_\_\_ they be taking to \_\_\_\_\_ water quality?  
 \_\_\_\_\_ quality \_\_\_\_\_ water after the main \_\_\_\_\_ improved?  
 \_\_\_\_\_ the mains are \_\_\_\_\_ what is \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ tap \_\_\_\_\_ ?  
 The quality \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ are made from main \_\_\_\_\_ .



\_\_\_\_ I \_\_\_\_ you are \_\_\_\_ something about making the \_\_\_\_ better \_\_\_\_ that those \_\_\_\_ bursts are \_\_\_\_?  
 \_\_\_\_ procedures are \_\_\_\_ to improve \_\_\_\_ drinking water \_\_\_\_ are \_\_\_\_?  
 \_\_\_\_ mains are fixed, \_\_\_\_ are the \_\_\_\_ upgrade \_\_\_\_ water?  
 \_\_\_\_ I \_\_\_\_ sure that \_\_\_\_ actually \_\_\_\_ something to make \_\_\_\_ water \_\_\_\_ that those \_\_\_\_ are over?  
 \_\_\_\_ elevating \_\_\_\_ standard \_\_\_\_ water following a mains break?  
 How \_\_\_\_ the quality \_\_\_\_ tap water \_\_\_\_ main \_\_\_\_ repaired?  
 \_\_\_\_ are measures to \_\_\_\_ standard of \_\_\_\_ following a \_\_\_\_.  
 Is there anything \_\_\_\_ after the \_\_\_\_ breaks \_\_\_\_ been \_\_\_\_ our tap \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ tap \_\_\_\_ caliber after \_\_\_\_ major leaks?  
 \_\_\_\_ the \_\_\_\_ are \_\_\_\_ should \_\_\_\_ do to upgrade \_\_\_\_ water?  
 \_\_\_\_ the mains \_\_\_\_ what's going on with our \_\_\_\_?  
 \_\_\_\_ that \_\_\_\_ fixed, what \_\_\_\_ we do about the tap \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ to \_\_\_\_ standard \_\_\_\_ tap water after the \_\_\_\_ break \_\_\_\_ solved?  
 Is \_\_\_\_ for making \_\_\_\_ water safe \_\_\_\_ once \_\_\_\_ pipe bursts have \_\_\_\_?  
 \_\_\_\_ plan \_\_\_\_ our tap water safe \_\_\_\_ once all the pipe \_\_\_\_?  
 \_\_\_\_ are \_\_\_\_ measures being taken to \_\_\_\_ water?  
 Now that the \_\_\_\_ have been fixed, \_\_\_\_ is \_\_\_\_?  
 How \_\_\_\_ improve after main breaks are \_\_\_\_?  
 Is there \_\_\_\_ done \_\_\_\_ upgrade \_\_\_\_ drinking \_\_\_\_ a pipe \_\_\_\_?  
 Now that \_\_\_\_ what should we do \_\_\_\_ dirty tap \_\_\_\_?  
 What \_\_\_\_ be \_\_\_\_ make \_\_\_\_ water \_\_\_\_ repairs are done?  
 \_\_\_\_ there \_\_\_\_ plan to upgrade \_\_\_\_ after addressing main \_\_\_\_?  
 After major breaks \_\_\_\_ fixed do \_\_\_\_ any \_\_\_\_ water Sanitation?  
 \_\_\_\_ for \_\_\_\_ main \_\_\_\_ line, what actions \_\_\_\_ take to ensure better tap \_\_\_\_ quality?  
 Now that the \_\_\_\_ are fixed, \_\_\_\_ to do about \_\_\_\_ water?  
 \_\_\_\_ are \_\_\_\_ improve the water quality after \_\_\_\_.  
 \_\_\_\_ are \_\_\_\_ to elevate the \_\_\_\_ of post-repaired \_\_\_\_.  
 There are \_\_\_\_ have been \_\_\_\_ to \_\_\_\_ the \_\_\_\_ tap water \_\_\_\_ the main \_\_\_\_ issues have \_\_\_\_.  
 Can we upgrade \_\_\_\_ drinking water condition \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ to \_\_\_\_ standard of post repair tap \_\_\_\_.  
 \_\_\_\_ mains \_\_\_\_ should be done \_\_\_\_ the tap water?  
 Once mains are \_\_\_\_ what will \_\_\_\_ upgrade \_\_\_\_?  
 Is \_\_\_\_ to make \_\_\_\_ tap water drinkable \_\_\_\_ the \_\_\_\_ have been fixed?  
 \_\_\_\_ we \_\_\_\_ any \_\_\_\_ tap-water purity \_\_\_\_ major leaks are \_\_\_\_?  
 When the mains are \_\_\_\_ you do \_\_\_\_ tap \_\_\_\_?  
 \_\_\_\_ is the tap water \_\_\_\_ after \_\_\_\_ main \_\_\_\_?  
 How are \_\_\_\_ making tap \_\_\_\_ better \_\_\_\_?  
 \_\_\_\_ plans \_\_\_\_ standard of \_\_\_\_ repaired tap water?  
 How can we \_\_\_\_ the \_\_\_\_ the main \_\_\_\_?  
 \_\_\_\_ repair \_\_\_\_ actions \_\_\_\_ improve our tap water's \_\_\_\_?  
 Once \_\_\_\_ fix the \_\_\_\_ is there \_\_\_\_ plan to \_\_\_\_ the tap \_\_\_\_?  
 \_\_\_\_ upgrade our drinking water after addressing \_\_\_\_ problems?  
 \_\_\_\_ there \_\_\_\_ for enhancing tap-water \_\_\_\_ leaks are \_\_\_\_?  
 \_\_\_\_ be done to improve the \_\_\_\_ tap \_\_\_\_ main breaks are \_\_\_\_?  
 Is \_\_\_\_ a plan \_\_\_\_ improve tap \_\_\_\_ quality \_\_\_\_ fix the \_\_\_\_?  
 \_\_\_\_ standard \_\_\_\_ tap water needs \_\_\_\_ be enhanced \_\_\_\_ issues \_\_\_\_ fixed.  
 What \_\_\_\_ the \_\_\_\_ you took \_\_\_\_ of tap water after \_\_\_\_ issues?  
 \_\_\_\_ mains \_\_\_\_ what is being \_\_\_\_ about the tap water?  
 Is \_\_\_\_ possible \_\_\_\_ condition of our drinking water after \_\_\_\_?  
 Is \_\_\_\_ any \_\_\_\_ to \_\_\_\_ standard \_\_\_\_ water following \_\_\_\_ mains break?

Will there \_\_\_\_\_ improve \_\_\_\_\_ repaired tap water?

How \_\_\_\_\_ water quality when mains have \_\_\_\_\_?

Is there anything that can be \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ after \_\_\_\_\_ main line?

Is \_\_\_\_\_ plan to improve drinking-water \_\_\_\_\_ main-fixes?

\_\_\_\_\_ tap water quality after a break?

Will \_\_\_\_\_ of \_\_\_\_\_ be \_\_\_\_\_ following the mains' \_\_\_\_\_?

\_\_\_\_\_ it possible to upgrade \_\_\_\_\_ water condition \_\_\_\_\_ problems?

Will \_\_\_\_\_ be a plan to \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ we fix \_\_\_\_\_?

Once \_\_\_\_\_ main \_\_\_\_\_ fixed, how is tap-water \_\_\_\_\_?

\_\_\_\_\_ the quality of \_\_\_\_\_ water \_\_\_\_\_ after the \_\_\_\_\_ fixes?

How \_\_\_\_\_ quality \_\_\_\_\_ better after \_\_\_\_\_ main break?

Now \_\_\_\_\_ the mains have been \_\_\_\_\_ is \_\_\_\_\_ water?

\_\_\_\_\_ a \_\_\_\_\_ make the \_\_\_\_\_ water better once we fix \_\_\_\_\_?

Are you doing something about the \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ water Sanitation after \_\_\_\_\_ breaks \_\_\_\_\_ fixed?

\_\_\_\_\_ for improving \_\_\_\_\_ of the repaired \_\_\_\_\_ water.

When the \_\_\_\_\_ are fixed, \_\_\_\_\_ tap \_\_\_\_\_ be \_\_\_\_\_?

Once \_\_\_\_\_ mains are fixed, \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ water?

\_\_\_\_\_ the \_\_\_\_\_ of the water \_\_\_\_\_ after \_\_\_\_\_ breaks?

\_\_\_\_\_ any plan to upgrade our drinking water \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ quality tap water \_\_\_\_\_ fixing \_\_\_\_\_ breaks?

\_\_\_\_\_ are \_\_\_\_\_ what are \_\_\_\_\_ improvements to \_\_\_\_\_ water?

\_\_\_\_\_ actions are \_\_\_\_\_ improve tap \_\_\_\_\_ after \_\_\_\_\_ main break repairs?

How \_\_\_\_\_ the tap \_\_\_\_\_ improved \_\_\_\_\_ main breaks?

\_\_\_\_\_ do we \_\_\_\_\_ tap \_\_\_\_\_ quality after \_\_\_\_\_ fixed?

Is anything \_\_\_\_\_ the quality \_\_\_\_\_ the water after \_\_\_\_\_ main \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ increase tap \_\_\_\_\_ quality after \_\_\_\_\_?

\_\_\_\_\_ do anything \_\_\_\_\_ lousy tap \_\_\_\_\_ after \_\_\_\_\_ the busted \_\_\_\_\_?

There are measures \_\_\_\_\_ elevate \_\_\_\_\_ tap \_\_\_\_\_ main break.

How is \_\_\_\_\_ of \_\_\_\_\_ water improved \_\_\_\_\_ main \_\_\_\_\_ fixed?

\_\_\_\_\_ anything done to make the tap \_\_\_\_\_ main \_\_\_\_\_?

Is there \_\_\_\_\_ information \_\_\_\_\_ the \_\_\_\_\_ to increase \_\_\_\_\_ standard of \_\_\_\_\_ water after \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ breaks have been fixed, do any \_\_\_\_\_ to \_\_\_\_\_?

What are the \_\_\_\_\_ improving \_\_\_\_\_ quality \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ break?

How can \_\_\_\_\_ ensure \_\_\_\_\_ quality after \_\_\_\_\_ on main \_\_\_\_\_?

\_\_\_\_\_ the tap water \_\_\_\_\_ going \_\_\_\_\_ improve \_\_\_\_\_ the \_\_\_\_\_ breaks \_\_\_\_\_?

How can \_\_\_\_\_ water quality \_\_\_\_\_ main breaks \_\_\_\_\_?

The quality \_\_\_\_\_ water \_\_\_\_\_ be improved.

Is there \_\_\_\_\_ plan for making \_\_\_\_\_ tap \_\_\_\_\_ drinkable \_\_\_\_\_ after all \_\_\_\_\_ bursts \_\_\_\_\_?

There are \_\_\_\_\_ in \_\_\_\_\_ improve \_\_\_\_\_ quality of \_\_\_\_\_ once repair \_\_\_\_\_ for mains \_\_\_\_\_.

\_\_\_\_\_ will you \_\_\_\_\_ taking to improve \_\_\_\_\_ water quality \_\_\_\_\_ repairs \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to enhance \_\_\_\_\_ of repaired \_\_\_\_\_ water?

\_\_\_\_\_ quality \_\_\_\_\_ the water improved after the main \_\_\_\_\_?

\_\_\_\_\_ is the \_\_\_\_\_ quality better \_\_\_\_\_ break?

How can \_\_\_\_\_ quality improve after \_\_\_\_\_ breaks \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ to \_\_\_\_\_ the drinking water after the main pipe \_\_\_\_\_?

Are you doing anything about \_\_\_\_\_ poor tap \_\_\_\_\_?

How can the \_\_\_\_\_ quality \_\_\_\_\_ breaks are repaired?

When \_\_\_\_\_ repairs for the main \_\_\_\_\_ will you do to \_\_\_\_\_ the \_\_\_\_\_ quality?

Is there \_\_\_\_\_ on the measures taken to \_\_\_\_\_ the standard \_\_\_\_\_ the main \_\_\_\_\_?

Can we expect \_\_\_\_ improvement plan \_\_\_\_ repairs?

How \_\_\_\_ the \_\_\_\_ main breaks are fixed?

Once \_\_\_\_ completes repairs for \_\_\_\_ main water line, \_\_\_\_ are \_\_\_\_ going to \_\_\_\_ improve \_\_\_\_ quality?

How are \_\_\_\_ improving \_\_\_\_ water \_\_\_\_ the \_\_\_\_?

\_\_\_\_ can we enhance \_\_\_\_ tap \_\_\_\_ after \_\_\_\_ break?

\_\_\_\_ would like to know \_\_\_\_ taken for \_\_\_\_ the standard \_\_\_\_ tap water after \_\_\_\_ issues \_\_\_\_.

The \_\_\_\_ quality \_\_\_\_ improved after \_\_\_\_ break.

\_\_\_\_ water quality \_\_\_\_ after \_\_\_\_ mains

Now that the mains \_\_\_\_ the water \_\_\_\_ our house?

Can \_\_\_\_ an improvement \_\_\_\_ after the \_\_\_\_ repairs, \_\_\_\_ we supposed \_\_\_\_ drink \_\_\_\_ tap water?

\_\_\_\_ guarantee enhanced quality \_\_\_\_ our \_\_\_\_ water \_\_\_\_ are mended?

\_\_\_\_ expect an improvement plan \_\_\_\_ water once the main \_\_\_\_ done?

\_\_\_\_ breaks \_\_\_\_ fixed, \_\_\_\_ the tap water changed?

How are \_\_\_\_ water \_\_\_\_ the main break?

\_\_\_\_ be done \_\_\_\_ upgrade \_\_\_\_ water once \_\_\_\_ are fixed?

\_\_\_\_ our \_\_\_\_ going to get \_\_\_\_ repairing pipe \_\_\_\_?

\_\_\_\_ are we \_\_\_\_ the \_\_\_\_ quality \_\_\_\_ a \_\_\_\_?

Can we \_\_\_\_ an improvement \_\_\_\_ post-main \_\_\_\_ supposed to drink this \_\_\_\_ water?

\_\_\_\_ plans \_\_\_\_ the quality of the repaired \_\_\_\_?

\_\_\_\_ improve the quality of \_\_\_\_ tap \_\_\_\_ main breaks?

\_\_\_\_ tap \_\_\_\_ quality \_\_\_\_ the main \_\_\_\_?

Once \_\_\_\_ fixed, what \_\_\_\_ done to upgrade \_\_\_\_?

What \_\_\_\_ the plans \_\_\_\_ tap water once \_\_\_\_ fixed?

Once \_\_\_\_ breaks \_\_\_\_ does the tap-water \_\_\_\_ change?

\_\_\_\_ are plans \_\_\_\_ standard of \_\_\_\_ repaired tap \_\_\_\_.

Is \_\_\_\_ plans \_\_\_\_ tap-water purity once leaks \_\_\_\_?

\_\_\_\_ we \_\_\_\_ after \_\_\_\_ break repairs, or \_\_\_\_ we \_\_\_\_ to drink the garbage-quality tap \_\_\_\_?

\_\_\_\_ there plans \_\_\_\_ place \_\_\_\_ enhance the quality of \_\_\_\_?

\_\_\_\_ be done to improve the \_\_\_\_ characteristics \_\_\_\_ the repairs in \_\_\_\_ lines?

\_\_\_\_ can \_\_\_\_ improved after main breaks are \_\_\_\_?

Do \_\_\_\_ know what strategies \_\_\_\_ used \_\_\_\_ tap \_\_\_\_ main repairs?

Will \_\_\_\_ be \_\_\_\_ our \_\_\_\_ after we \_\_\_\_ bursts?

\_\_\_\_ we improve \_\_\_\_ water quality \_\_\_\_ the \_\_\_\_ are fixed?

\_\_\_\_ breaks have \_\_\_\_ fixed, \_\_\_\_ measures \_\_\_\_ to make \_\_\_\_ water better?

\_\_\_\_ the quality \_\_\_\_ the tap \_\_\_\_ after \_\_\_\_ fix \_\_\_\_ main leaks?

\_\_\_\_ being \_\_\_\_ the drinking-water integrity after the \_\_\_\_.

The \_\_\_\_ our \_\_\_\_ will be \_\_\_\_ following \_\_\_\_ mains' \_\_\_\_.

How is tap-water quality \_\_\_\_ main \_\_\_\_?

\_\_\_\_ fixing the main breaks \_\_\_\_ you \_\_\_\_ the crummy \_\_\_\_?

Is there \_\_\_\_ increase \_\_\_\_ tap water \_\_\_\_ the \_\_\_\_ break issues?

After main breaks \_\_\_\_ fixed \_\_\_\_ tap water \_\_\_\_?

\_\_\_\_ there any \_\_\_\_ tap-water purity \_\_\_\_ major leaks \_\_\_\_ fixed?

After fixing the \_\_\_\_ breaks, is \_\_\_\_ done \_\_\_\_ improve \_\_\_\_ of \_\_\_\_ water?

\_\_\_\_ to enhance \_\_\_\_ water quality \_\_\_\_ a main break?

\_\_\_\_ a \_\_\_\_ in place to \_\_\_\_ of tap \_\_\_\_ once \_\_\_\_ work is complete?

The \_\_\_\_ needs to \_\_\_\_ improved \_\_\_\_ the main \_\_\_\_.

\_\_\_\_ are \_\_\_\_ augmenting tap \_\_\_\_ after \_\_\_\_ main break?

\_\_\_\_ do \_\_\_\_ make our tap \_\_\_\_ after mains \_\_\_\_?

\_\_\_\_ main breaks are fixed, how \_\_\_\_ water quality \_\_\_\_?

Will there \_\_\_\_ place for \_\_\_\_ purity once major leaks \_\_\_\_?

How do you \_\_\_\_\_ tap \_\_\_\_\_ quality \_\_\_\_\_ repairing \_\_\_\_\_?

What can \_\_\_\_\_ done to \_\_\_\_\_ water quality \_\_\_\_\_ are fixed?

\_\_\_\_\_ of tap water following a \_\_\_\_\_ break \_\_\_\_\_.

Now that \_\_\_\_\_ fixed, \_\_\_\_\_ are we going \_\_\_\_\_ our \_\_\_\_\_ water?

\_\_\_\_\_ the standard of tap water \_\_\_\_\_ a mains break?

\_\_\_\_\_ are \_\_\_\_\_ improve the \_\_\_\_\_ of \_\_\_\_\_ after a break.

\_\_\_\_\_ about improving \_\_\_\_\_ after \_\_\_\_\_ mains?

When \_\_\_\_\_ are \_\_\_\_\_ be done \_\_\_\_\_ tap water?

Is there \_\_\_\_\_ increasing tap-water purity once \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ water \_\_\_\_\_ upgraded \_\_\_\_\_ major pipe breaks.

Is there \_\_\_\_\_ way to \_\_\_\_\_ the condition \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ pipe \_\_\_\_\_?

\_\_\_\_\_ plan \_\_\_\_\_ improving \_\_\_\_\_ quality of \_\_\_\_\_ repaired water?

How \_\_\_\_\_ we \_\_\_\_\_ water \_\_\_\_\_ the main breaks?

\_\_\_\_\_ we expect an \_\_\_\_\_ the main \_\_\_\_\_ repairs or \_\_\_\_\_ have to \_\_\_\_\_ the \_\_\_\_\_ water?

Is \_\_\_\_\_ possible \_\_\_\_\_ elevate \_\_\_\_\_ standard \_\_\_\_\_ tap \_\_\_\_\_ after a \_\_\_\_\_?

Fix \_\_\_\_\_ tap water quality?

How \_\_\_\_\_ the water \_\_\_\_\_ improving \_\_\_\_\_ main \_\_\_\_\_?

\_\_\_\_\_ the actions \_\_\_\_\_ improve tap \_\_\_\_\_ quality \_\_\_\_\_ a main break?

What steps \_\_\_\_\_ improve \_\_\_\_\_ water \_\_\_\_\_ after \_\_\_\_\_ break?

Does the \_\_\_\_\_ of \_\_\_\_\_ tap water \_\_\_\_\_ main breaks \_\_\_\_\_?

Is \_\_\_\_\_ plans in place \_\_\_\_\_ the quality \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ fixing the broken pipes, are \_\_\_\_\_ doing anything \_\_\_\_\_?

What can be \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ after \_\_\_\_\_ breaks \_\_\_\_\_ fixed?

\_\_\_\_\_ that the mains \_\_\_\_\_ fixed, \_\_\_\_\_ done \_\_\_\_\_ fix our \_\_\_\_\_ water?

\_\_\_\_\_ way to \_\_\_\_\_ tap water Sanitation once \_\_\_\_\_ been fixed?

\_\_\_\_\_ the \_\_\_\_\_ are fixed what is going \_\_\_\_\_ done to \_\_\_\_\_?

How are we going to \_\_\_\_\_ our drinking \_\_\_\_\_?

How \_\_\_\_\_ the quality \_\_\_\_\_ the \_\_\_\_\_ improved once \_\_\_\_\_ main \_\_\_\_\_?

How does \_\_\_\_\_ improve once main breaks \_\_\_\_\_?

After repairing \_\_\_\_\_ bursts, \_\_\_\_\_ the \_\_\_\_\_ improved?

\_\_\_\_\_ are \_\_\_\_\_ water quality improved \_\_\_\_\_?

Are \_\_\_\_\_ measures put \_\_\_\_\_ the standard \_\_\_\_\_ water after a mains \_\_\_\_\_?

\_\_\_\_\_ the mains \_\_\_\_\_ repaired, what is \_\_\_\_\_ about \_\_\_\_\_ disgusting \_\_\_\_\_ water?

\_\_\_\_\_ make \_\_\_\_\_ quality \_\_\_\_\_ after mains are fixed?

\_\_\_\_\_ taken \_\_\_\_\_ treated \_\_\_\_\_ after a \_\_\_\_\_ repair?

Is there \_\_\_\_\_ plan to improve the \_\_\_\_\_ after we \_\_\_\_\_?

\_\_\_\_\_ quality of \_\_\_\_\_ tap water \_\_\_\_\_ be improved \_\_\_\_\_ fixes.

\_\_\_\_\_ there \_\_\_\_\_ any plans in place \_\_\_\_\_ improve the quality \_\_\_\_\_ water \_\_\_\_\_ work is \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ on the \_\_\_\_\_ taken to increase \_\_\_\_\_ of \_\_\_\_\_ water \_\_\_\_\_ resolving the \_\_\_\_\_ break issues.

\_\_\_\_\_ taken to increase tap water quality \_\_\_\_\_?

Is there a plan \_\_\_\_\_ the \_\_\_\_\_ water after \_\_\_\_\_ pipe problems?

\_\_\_\_\_ anything done \_\_\_\_\_ quality of \_\_\_\_\_ tap water \_\_\_\_\_ main \_\_\_\_\_ fixed?

\_\_\_\_\_ we \_\_\_\_\_ to improve \_\_\_\_\_ tap \_\_\_\_\_ quality \_\_\_\_\_ the main \_\_\_\_\_ are \_\_\_\_\_?

Do \_\_\_\_\_ measures exist \_\_\_\_\_ improving \_\_\_\_\_ after \_\_\_\_\_ breaks \_\_\_\_\_ been \_\_\_\_\_?

When major \_\_\_\_\_ been fixed, do any \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ fixes \_\_\_\_\_ being taken to \_\_\_\_\_ integrity.

After the \_\_\_\_\_ how will our \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ water after the \_\_\_\_\_ break \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ after the main break \_\_\_\_\_?

Is there a plan \_\_\_\_\_ place \_\_\_\_\_ enhancing \_\_\_\_\_ water?

How \_\_\_\_ you improve \_\_\_\_ water \_\_\_\_ after \_\_\_\_ are \_\_\_\_?

Now \_\_\_\_ the \_\_\_\_ are fixed, \_\_\_\_ to \_\_\_\_ tap \_\_\_\_?

\_\_\_\_ there \_\_\_\_ being done \_\_\_\_ the \_\_\_\_ of \_\_\_\_ after a \_\_\_\_ break?

There are \_\_\_\_ improve the quality \_\_\_\_ the \_\_\_\_.

Can we \_\_\_\_ improvement \_\_\_\_ after \_\_\_\_ main \_\_\_\_ should we drink the garbage-quality \_\_\_\_?

Is \_\_\_\_ a \_\_\_\_ to upgrade our \_\_\_\_ fix \_\_\_\_ pipe breaks?

Is there \_\_\_\_ place \_\_\_\_ increase \_\_\_\_ quality \_\_\_\_ repaired tap \_\_\_\_?

\_\_\_\_ that \_\_\_\_ are fixed, what should \_\_\_\_ about the \_\_\_\_ water?

Improve \_\_\_\_ water quality \_\_\_\_ repairing \_\_\_\_.

There are plans in place \_\_\_\_ tap water.

\_\_\_\_ leaks \_\_\_\_ corrected, \_\_\_\_ we \_\_\_\_ plans for \_\_\_\_ tap-water purity?

Do we \_\_\_\_ any plans \_\_\_\_ improve \_\_\_\_ major leaks \_\_\_\_?

There \_\_\_\_ steps taken \_\_\_\_ treating drinking \_\_\_\_ a pipe \_\_\_\_?

\_\_\_\_ done \_\_\_\_ upgrade tap \_\_\_\_ once the mains are \_\_\_\_?

Is \_\_\_\_ crummy tap \_\_\_\_ after the \_\_\_\_ main breaks were \_\_\_\_?

\_\_\_\_ are \_\_\_\_ actions taken to improve tap \_\_\_\_ a \_\_\_\_?

\_\_\_\_ is the tap \_\_\_\_ improved \_\_\_\_ main \_\_\_\_ are \_\_\_\_?

Does \_\_\_\_ water \_\_\_\_ improve \_\_\_\_ are fixed?

There are \_\_\_\_ the \_\_\_\_ of our \_\_\_\_ tap \_\_\_\_.

After \_\_\_\_ breaks are \_\_\_\_ are \_\_\_\_ tap water \_\_\_\_?

\_\_\_\_ quality \_\_\_\_ the tap water \_\_\_\_ the \_\_\_\_ breaks?

\_\_\_\_ we \_\_\_\_ the \_\_\_\_ water quality after \_\_\_\_ break?

\_\_\_\_ are \_\_\_\_ steps taken to \_\_\_\_ after \_\_\_\_ break?

Is there \_\_\_\_ being done \_\_\_\_ tap \_\_\_\_ after \_\_\_\_?

How \_\_\_\_ the tap water \_\_\_\_ after \_\_\_\_ break?

How can \_\_\_\_ tap \_\_\_\_ quality \_\_\_\_ improved \_\_\_\_ main \_\_\_\_?

\_\_\_\_ will be \_\_\_\_ to improve \_\_\_\_ water after the \_\_\_\_?

Is there \_\_\_\_ plan in \_\_\_\_ to \_\_\_\_ the drinking \_\_\_\_ main \_\_\_\_?

What procedures are used \_\_\_\_ quality of our \_\_\_\_ pipes?

\_\_\_\_ mains \_\_\_\_ what is the upgrade \_\_\_\_ water \_\_\_\_?

Measures \_\_\_\_ the \_\_\_\_ following the \_\_\_\_ break renovations.

\_\_\_\_ tap \_\_\_\_ getting better after the main \_\_\_\_?

\_\_\_\_ major breaks have been \_\_\_\_ do \_\_\_\_ any \_\_\_\_ to \_\_\_\_ Sanitation?

There \_\_\_\_ measures taken \_\_\_\_ increase the \_\_\_\_ water after \_\_\_\_ main \_\_\_\_ are \_\_\_\_.

\_\_\_\_ there be plans to \_\_\_\_ tap \_\_\_\_ a \_\_\_\_ break?

Once the mains \_\_\_\_ done to \_\_\_\_ the tap \_\_\_\_?

What \_\_\_\_ be \_\_\_\_ of \_\_\_\_ mains' fixes on \_\_\_\_ quality \_\_\_\_ water?

I'd \_\_\_\_ know if \_\_\_\_ actually \_\_\_\_ the \_\_\_\_ better \_\_\_\_ the \_\_\_\_ are over.

When \_\_\_\_ water line \_\_\_\_ complete, \_\_\_\_ actions will \_\_\_\_ be taking \_\_\_\_ improve tap \_\_\_\_ quality?

\_\_\_\_ steps taken \_\_\_\_ the drinking \_\_\_\_ after addressing \_\_\_\_ main \_\_\_\_ malfunction?

How \_\_\_\_ we \_\_\_\_ tap \_\_\_\_ after repairing \_\_\_\_?

How \_\_\_\_ tap \_\_\_\_ be improved after \_\_\_\_ are \_\_\_\_?

What actions \_\_\_\_ to ensure \_\_\_\_ water \_\_\_\_ the \_\_\_\_ breaks \_\_\_\_ repaired?

\_\_\_\_ taken \_\_\_\_ improve tap water after \_\_\_\_ breaks?

Now \_\_\_\_ the \_\_\_\_ what is \_\_\_\_ done about the disgusting \_\_\_\_?

\_\_\_\_ we \_\_\_\_ tap water better \_\_\_\_ main break?

\_\_\_\_ changes should \_\_\_\_ made to \_\_\_\_ drinking \_\_\_\_ mains?

\_\_\_\_ break repairs, \_\_\_\_ is \_\_\_\_ tap \_\_\_\_ better?

\_\_\_\_ the measures \_\_\_\_ to upgrade \_\_\_\_ drinking \_\_\_\_ major \_\_\_\_ breaks?

\_\_\_\_ we enhance the \_\_\_\_ mains have been fixed?

Is \_\_\_\_\_ way \_\_\_\_\_ tap \_\_\_\_\_ quality after \_\_\_\_\_ main breaks?

Post-main-fixes are \_\_\_\_\_ to \_\_\_\_\_ integrity?

What are \_\_\_\_\_ taken \_\_\_\_\_ increase \_\_\_\_\_ standard of \_\_\_\_\_ after \_\_\_\_\_ issues?

\_\_\_\_\_ main breaks are fixed how \_\_\_\_\_ changed?

\_\_\_\_\_ breaks have been \_\_\_\_\_ any measures \_\_\_\_\_ improving tap \_\_\_\_\_ hygiene?

\_\_\_\_\_ that \_\_\_\_\_ mains \_\_\_\_\_ fixed, \_\_\_\_\_ has \_\_\_\_\_ done about the \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ plan \_\_\_\_\_ improve \_\_\_\_\_ of \_\_\_\_\_ once the \_\_\_\_\_ leaks are fixed?

Now that the \_\_\_\_\_ be done \_\_\_\_\_ fix \_\_\_\_\_ tap water?

Do \_\_\_\_\_ exist measures \_\_\_\_\_ raise the standard \_\_\_\_\_ tap \_\_\_\_\_ break?

\_\_\_\_\_ the quality \_\_\_\_\_ tap water improve after \_\_\_\_\_?

What are \_\_\_\_\_ quality of repaired \_\_\_\_\_ water?

\_\_\_\_\_ initiatives \_\_\_\_\_ taken \_\_\_\_\_ boost \_\_\_\_\_ drinking \_\_\_\_\_ after the main pipe \_\_\_\_\_?

Should we \_\_\_\_\_ to \_\_\_\_\_ water after \_\_\_\_\_ mains?

\_\_\_\_\_ integrity \_\_\_\_\_ be improved after \_\_\_\_\_.

\_\_\_\_\_ are the measures taken \_\_\_\_\_ augmenting the standard of tap \_\_\_\_\_ issues \_\_\_\_\_ resolved?

\_\_\_\_\_ leaks are fixed, \_\_\_\_\_ we have plans \_\_\_\_\_ tap-water \_\_\_\_\_?

\_\_\_\_\_ measures were \_\_\_\_\_ augmenting the standard \_\_\_\_\_ water \_\_\_\_\_ the \_\_\_\_\_ break issues \_\_\_\_\_?

I \_\_\_\_\_ like to know \_\_\_\_\_ you are actually \_\_\_\_\_ something \_\_\_\_\_ making \_\_\_\_\_ that \_\_\_\_\_ annoying \_\_\_\_\_ are over.

\_\_\_\_\_ crummy tap water \_\_\_\_\_ fixing the main \_\_\_\_\_?

\_\_\_\_\_ something about \_\_\_\_\_ lousy \_\_\_\_\_ after fixing \_\_\_\_\_ broken pipes?

When \_\_\_\_\_ fixed, do \_\_\_\_\_ measures \_\_\_\_\_ for improving tap \_\_\_\_\_ quality?

\_\_\_\_\_ there \_\_\_\_\_ done \_\_\_\_\_ make our \_\_\_\_\_ water better \_\_\_\_\_ breaks are \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ done to \_\_\_\_\_ tap water \_\_\_\_\_ fixed?

How \_\_\_\_\_ our water improved after \_\_\_\_\_ repairs?

What \_\_\_\_\_ were \_\_\_\_\_ to make \_\_\_\_\_ tap water \_\_\_\_\_ main breaks \_\_\_\_\_?

\_\_\_\_\_ our \_\_\_\_\_ water may be altered \_\_\_\_\_ repairing \_\_\_\_\_.

Is there any plan \_\_\_\_\_ following major \_\_\_\_\_ breaks?

Can \_\_\_\_\_ upgrade \_\_\_\_\_ drinking water \_\_\_\_\_ after \_\_\_\_\_ pipe \_\_\_\_\_?

The standard of tap \_\_\_\_\_ should \_\_\_\_\_ improved after \_\_\_\_\_ fixed.

Do \_\_\_\_\_ any measures to improve \_\_\_\_\_ major breaks have \_\_\_\_\_?

Can we \_\_\_\_\_ some \_\_\_\_\_ of \_\_\_\_\_ plan \_\_\_\_\_ the \_\_\_\_\_ water after \_\_\_\_\_ break \_\_\_\_\_?

Will we get \_\_\_\_\_ sort of \_\_\_\_\_ plan \_\_\_\_\_ break \_\_\_\_\_?

\_\_\_\_\_ way to upgrade \_\_\_\_\_ water after major pipe \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ tap water quality after the \_\_\_\_\_?

Are there any \_\_\_\_\_ in place \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ the repair work \_\_\_\_\_?

We \_\_\_\_\_ measures \_\_\_\_\_ place \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ the \_\_\_\_\_ break renovations.

What happens \_\_\_\_\_ the main \_\_\_\_\_ are fixed?

Is \_\_\_\_\_ to \_\_\_\_\_ of tap \_\_\_\_\_ a mains breakdown?

\_\_\_\_\_ trying to improve the \_\_\_\_\_ water after \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ the standard of the tap \_\_\_\_\_ mains break?

\_\_\_\_\_ there be improvements in \_\_\_\_\_ pipe burst?

\_\_\_\_\_ that the \_\_\_\_\_ are fixed, \_\_\_\_\_ on about \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ fixed, what \_\_\_\_\_ being done about \_\_\_\_\_ bad tap \_\_\_\_\_?

Is anyone \_\_\_\_\_ tap water after the recent \_\_\_\_\_ breaks?

How \_\_\_\_\_ tap water quality after \_\_\_\_\_ been fixed?

What \_\_\_\_\_ measures in place to \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ main \_\_\_\_\_?

Is \_\_\_\_\_ done \_\_\_\_\_ the main breaks \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ taken \_\_\_\_\_ improve \_\_\_\_\_ water quality after the main \_\_\_\_\_?

\_\_\_\_\_ upgrade \_\_\_\_\_ water quality \_\_\_\_\_ a repair?

\_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ our \_\_\_\_\_ water drinkable again once the \_\_\_\_\_ fixed?

\_\_\_\_ happens to \_\_\_\_ water quality after \_\_\_\_ break \_\_\_\_?  
 \_\_\_\_ do we ensure better \_\_\_\_ fixing \_\_\_\_?  
 \_\_\_\_ improvements \_\_\_\_ our tap after repairing pipe \_\_\_\_?  
 \_\_\_\_ there be \_\_\_\_ improve the quality of \_\_\_\_ once repair work is \_\_\_\_?  
 After fixing \_\_\_\_ are you fixing the \_\_\_\_?  
 When major \_\_\_\_ have been \_\_\_\_ do \_\_\_\_ to improve \_\_\_\_ water \_\_\_\_?  
 Do we have \_\_\_\_ in \_\_\_\_ to \_\_\_\_ purity \_\_\_\_ fixed?  
 \_\_\_\_ the crappy \_\_\_\_ after fixing the main \_\_\_\_?  
 Can we \_\_\_\_ an \_\_\_\_ after the main break \_\_\_\_ if we \_\_\_\_ to \_\_\_\_ tap \_\_\_\_?  
 Can \_\_\_\_ expect some \_\_\_\_ improvement plan for the \_\_\_\_ water \_\_\_\_?  
 Should \_\_\_\_ water \_\_\_\_ upgraded \_\_\_\_ the \_\_\_\_ are \_\_\_\_?  
 What \_\_\_\_ taken to increase \_\_\_\_ of tap \_\_\_\_ the \_\_\_\_ issues were \_\_\_\_?  
 \_\_\_\_ ways does the \_\_\_\_ after \_\_\_\_ breaks are fixed?  
 Improve \_\_\_\_ quality after \_\_\_\_ fixes?  
 \_\_\_\_ there a \_\_\_\_ to \_\_\_\_ drinking water after \_\_\_\_ main pipe \_\_\_\_?  
 \_\_\_\_ been fixed, what is \_\_\_\_ to \_\_\_\_ tap water?  
 \_\_\_\_ can \_\_\_\_ quality of the \_\_\_\_ after \_\_\_\_ breaks \_\_\_\_ fixed?  
 \_\_\_\_ are being taken \_\_\_\_ upgrade our \_\_\_\_ after \_\_\_\_ pipe \_\_\_\_.  
 When \_\_\_\_ team completes \_\_\_\_ the \_\_\_\_ water \_\_\_\_ actions will you \_\_\_\_ to \_\_\_\_ an \_\_\_\_ in \_\_\_\_ quality?  
 \_\_\_\_ you have \_\_\_\_ plans \_\_\_\_ improving the water \_\_\_\_ after \_\_\_\_?  
 \_\_\_\_ are we \_\_\_\_ improve the \_\_\_\_ of \_\_\_\_ tap water after \_\_\_\_?  
 Once \_\_\_\_ are \_\_\_\_ do you do \_\_\_\_ tap \_\_\_\_?  
 Is \_\_\_\_ implemented measures \_\_\_\_ raise the standard \_\_\_\_ following \_\_\_\_ mains \_\_\_\_?  
 Can \_\_\_\_ that \_\_\_\_ actually doing \_\_\_\_ about making \_\_\_\_ tap water \_\_\_\_ the \_\_\_\_ are over?  
 What are the \_\_\_\_ increase the \_\_\_\_ of tap \_\_\_\_ after the \_\_\_\_ resolved?  
 Will \_\_\_\_ be \_\_\_\_ in \_\_\_\_ of tap water once the repair \_\_\_\_ over?  
 Is there \_\_\_\_ drinking \_\_\_\_ after addressing the \_\_\_\_ pipe malfunction?  
 How is \_\_\_\_ tap-water quality \_\_\_\_ the \_\_\_\_ are \_\_\_\_?  
 Plans \_\_\_\_ quality of repaired tap \_\_\_\_.  
 How can tap \_\_\_\_ ensured \_\_\_\_ a main \_\_\_\_?  
 Can we \_\_\_\_ water quality after \_\_\_\_ are \_\_\_\_?  
 \_\_\_\_ improve \_\_\_\_ water quality \_\_\_\_ main break repairs?  
 Once main \_\_\_\_ are fixed, \_\_\_\_ improved?  
 What's being done to upgrade \_\_\_\_ mains \_\_\_\_?  
 \_\_\_\_ like \_\_\_\_ know \_\_\_\_ on \_\_\_\_ taken for \_\_\_\_ of tap water after resolving the main \_\_\_\_.  
 Do we have \_\_\_\_ plans for \_\_\_\_ of \_\_\_\_ water?  
 After fixing \_\_\_\_ what \_\_\_\_ being taken to \_\_\_\_ water?  
 Is anything \_\_\_\_ done \_\_\_\_ make our \_\_\_\_ after \_\_\_\_ breaks are \_\_\_\_?  
 Will there \_\_\_\_ after repairing pipe bursts?  
 \_\_\_\_ of our \_\_\_\_ water \_\_\_\_ be improved if anything is \_\_\_\_ after \_\_\_\_ breaks \_\_\_\_.  
 \_\_\_\_ doing \_\_\_\_ improve \_\_\_\_ water quality \_\_\_\_ main break repairs?  
 \_\_\_\_ tap water \_\_\_\_ ensured after the \_\_\_\_ break repairs?  
 When major breaks \_\_\_\_ been fixed, \_\_\_\_ there \_\_\_\_ water hygiene?  
 \_\_\_\_ tap \_\_\_\_ quality going \_\_\_\_ main breaks?  
 How \_\_\_\_ quality \_\_\_\_ the water improved \_\_\_\_ breaks are \_\_\_\_?  
 Is there \_\_\_\_ plan \_\_\_\_ make our \_\_\_\_ again once \_\_\_\_ pipe bursts \_\_\_\_ fixed?  
 \_\_\_\_ way \_\_\_\_ improve the tap water after \_\_\_\_?  
 \_\_\_\_ quality \_\_\_\_ water improve after main \_\_\_\_ are \_\_\_\_?  
 We \_\_\_\_ to \_\_\_\_ drinking \_\_\_\_ following \_\_\_\_ pipe breaks.  
 \_\_\_\_ any \_\_\_\_ to \_\_\_\_ the tap water \_\_\_\_ again once \_\_\_\_ are fixed?

After repairing \_\_\_\_\_ there \_\_\_\_\_ measures \_\_\_\_\_ will improve \_\_\_\_\_?

\_\_\_\_\_ our tap water \_\_\_\_\_ after the \_\_\_\_\_ break?

Is there any plan \_\_\_\_\_ the \_\_\_\_\_ water after \_\_\_\_\_ break?

\_\_\_\_\_ there anything being done \_\_\_\_\_ tap water \_\_\_\_\_ after \_\_\_\_\_ main \_\_\_\_\_ fixed?

\_\_\_\_\_ we \_\_\_\_\_ this \_\_\_\_\_ should we expect an \_\_\_\_\_ after \_\_\_\_\_ main break repairs?

\_\_\_\_\_ there \_\_\_\_\_ can \_\_\_\_\_ to \_\_\_\_\_ the treated \_\_\_\_\_ characteristics \_\_\_\_\_ the repairs to \_\_\_\_\_ principal pipes?

\_\_\_\_\_ there \_\_\_\_\_ improve tap water sanitation once \_\_\_\_\_ been repaired?

After \_\_\_\_\_ breaks are \_\_\_\_\_ how \_\_\_\_\_ water quality?

\_\_\_\_\_ the \_\_\_\_\_ are fixed, \_\_\_\_\_ be done about the \_\_\_\_\_ water?

\_\_\_\_\_ there \_\_\_\_\_ way to \_\_\_\_\_ the drinking \_\_\_\_\_ the main \_\_\_\_\_?

What \_\_\_\_\_ to the \_\_\_\_\_ breaks are repaired?

Should we drink \_\_\_\_\_ garbage-quality water \_\_\_\_\_ should we \_\_\_\_\_ improvement \_\_\_\_\_ repairs?

How \_\_\_\_\_ we improve our tap \_\_\_\_\_ condition \_\_\_\_\_ is \_\_\_\_\_?

Once \_\_\_\_\_ breaks \_\_\_\_\_ been fixed, \_\_\_\_\_ exist \_\_\_\_\_ measures to \_\_\_\_\_ water \_\_\_\_\_?

After repairing pipe \_\_\_\_\_ will \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_.

Are you \_\_\_\_\_ to fix the crummy tap \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ plan \_\_\_\_\_ our tap water drinkable \_\_\_\_\_ pipe bursts \_\_\_\_\_?

\_\_\_\_\_ of our \_\_\_\_\_ should be \_\_\_\_\_ after \_\_\_\_\_ the \_\_\_\_\_ pipe malfunction.

Will \_\_\_\_\_ water be \_\_\_\_\_ repairs are \_\_\_\_\_?

\_\_\_\_\_ taken \_\_\_\_\_ treating drinking water after a \_\_\_\_\_?

The quality of the \_\_\_\_\_ water will \_\_\_\_\_ after \_\_\_\_\_ are \_\_\_\_\_.

When your \_\_\_\_\_ completes repairs to the main \_\_\_\_\_ line, what actions \_\_\_\_\_ you \_\_\_\_\_?

\_\_\_\_\_ are plans for \_\_\_\_\_ the \_\_\_\_\_ of our \_\_\_\_\_.

\_\_\_\_\_ should we improve tap \_\_\_\_\_ quality after \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ mains \_\_\_\_\_ is \_\_\_\_\_ done \_\_\_\_\_ fix our \_\_\_\_\_ tap water?

\_\_\_\_\_ tap \_\_\_\_\_ better after the main breaks \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ upgrade the condition of \_\_\_\_\_ drinking \_\_\_\_\_ addressing the \_\_\_\_\_ pipe \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ tap water \_\_\_\_\_ a main break?

\_\_\_\_\_ any plan to improve the quality of our \_\_\_\_\_?

After \_\_\_\_\_ will \_\_\_\_\_ improvements in our \_\_\_\_\_ H2O.

Is anything \_\_\_\_\_ after \_\_\_\_\_ breaks are \_\_\_\_\_ the \_\_\_\_\_ water better?

\_\_\_\_\_ tap water being \_\_\_\_\_ are fixed?

How is the tap-water quality \_\_\_\_\_ once \_\_\_\_\_?

\_\_\_\_\_ in place \_\_\_\_\_ enhancing \_\_\_\_\_ after major leaks \_\_\_\_\_ fixed?

\_\_\_\_\_ the main breaks and \_\_\_\_\_ the quality \_\_\_\_\_?

Now \_\_\_\_\_ the \_\_\_\_\_ is going to be \_\_\_\_\_ the tap \_\_\_\_\_?

After \_\_\_\_\_ are \_\_\_\_\_ what is being done \_\_\_\_\_ improve \_\_\_\_\_?

\_\_\_\_\_ tap water \_\_\_\_\_ main break?

\_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ water \_\_\_\_\_ main pipe malfunction?

\_\_\_\_\_ a plan to improve the \_\_\_\_\_ after \_\_\_\_\_ fix main \_\_\_\_\_?

\_\_\_\_\_ way \_\_\_\_\_ tap water Sanitation \_\_\_\_\_ major breaks \_\_\_\_\_ been fixed?

What \_\_\_\_\_ in \_\_\_\_\_ the tap water \_\_\_\_\_ main breaks are \_\_\_\_\_?

There are steps \_\_\_\_\_ can \_\_\_\_\_ to upgrade the \_\_\_\_\_ a \_\_\_\_\_ malfunction.

After the \_\_\_\_\_ how is the \_\_\_\_\_ quality?

\_\_\_\_\_ have any \_\_\_\_\_ for \_\_\_\_\_ purity once leaks are \_\_\_\_\_?

\_\_\_\_\_ needs \_\_\_\_\_ done \_\_\_\_\_ upgrade \_\_\_\_\_ water \_\_\_\_\_ mains are fixed?

How \_\_\_\_\_ we \_\_\_\_\_ the tap \_\_\_\_\_ the mains are \_\_\_\_\_?

\_\_\_\_\_ trying to fix \_\_\_\_\_ tap water \_\_\_\_\_ you \_\_\_\_\_ the busted \_\_\_\_\_?

Measures are \_\_\_\_\_ better our \_\_\_\_\_ water following \_\_\_\_\_ renovations.

\_\_\_\_\_ can do to upgrade the drinking \_\_\_\_\_ after \_\_\_\_\_ problems?



\_\_\_\_\_ that the mains are \_\_\_\_\_ what \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_?  
 \_\_\_\_\_ can \_\_\_\_\_ tap water quality \_\_\_\_\_ improved \_\_\_\_\_ main \_\_\_\_\_?  
 Measures \_\_\_\_\_ to \_\_\_\_\_ leaks?  
 How is \_\_\_\_\_ of our \_\_\_\_\_ after the \_\_\_\_\_?  
 \_\_\_\_\_ taken after \_\_\_\_\_ main \_\_\_\_\_ were \_\_\_\_\_ to ensure \_\_\_\_\_ tap \_\_\_\_\_ quality?  
 We \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ the \_\_\_\_\_ break renovations.  
 \_\_\_\_\_ water quality improved after \_\_\_\_\_ break?  
 \_\_\_\_\_ be done \_\_\_\_\_ improve the \_\_\_\_\_ after main \_\_\_\_\_?  
 \_\_\_\_\_ measures \_\_\_\_\_ in \_\_\_\_\_ raise \_\_\_\_\_ standard of \_\_\_\_\_ water following a \_\_\_\_\_ break?  
 \_\_\_\_\_ there a plan \_\_\_\_\_ improve \_\_\_\_\_ quality \_\_\_\_\_ tap \_\_\_\_\_ once we \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ expect some improvement plan \_\_\_\_\_ the \_\_\_\_\_ break \_\_\_\_\_?  
 \_\_\_\_\_ that \_\_\_\_\_ mains have \_\_\_\_\_ we \_\_\_\_\_ about our tap water?  
 There \_\_\_\_\_ to improve \_\_\_\_\_ tap water after \_\_\_\_\_.  
 Are \_\_\_\_\_ place to improve \_\_\_\_\_ standard \_\_\_\_\_ post-repaired tap \_\_\_\_\_?  
 \_\_\_\_\_ can \_\_\_\_\_ improve tap \_\_\_\_\_ quality after \_\_\_\_\_ break?  
 Can we \_\_\_\_\_ our tap \_\_\_\_\_ pipe bursts?  
 \_\_\_\_\_ enhancing tap water \_\_\_\_\_ after the \_\_\_\_\_ break?  
 \_\_\_\_\_ make the \_\_\_\_\_ water better after mains \_\_\_\_\_ repaired?  
 \_\_\_\_\_ have any plans for \_\_\_\_\_ the \_\_\_\_\_ the repaired \_\_\_\_\_?  
 Is \_\_\_\_\_ done \_\_\_\_\_ the main \_\_\_\_\_ to improve the \_\_\_\_\_ water?  
 What \_\_\_\_\_ to tap-water \_\_\_\_\_ after \_\_\_\_\_ are \_\_\_\_\_?  
 How is \_\_\_\_\_ water \_\_\_\_\_ after \_\_\_\_\_?  
 Is there any \_\_\_\_\_ to improve the standard \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ breaks are \_\_\_\_\_ how is \_\_\_\_\_ improved?  
 How is the \_\_\_\_\_ after main \_\_\_\_\_ fixed?  
 \_\_\_\_\_ for improving \_\_\_\_\_ standard of the repaired \_\_\_\_\_ water?  
 How is the \_\_\_\_\_ once \_\_\_\_\_ break \_\_\_\_\_ repaired?  
 Is there any \_\_\_\_\_ improve \_\_\_\_\_ water?  
 \_\_\_\_\_ done \_\_\_\_\_ water quality when main \_\_\_\_\_ are fixed?  
 How \_\_\_\_\_ quality \_\_\_\_\_ water improved after main \_\_\_\_\_?  
 Now that \_\_\_\_\_ mains are fixed, what \_\_\_\_\_ with \_\_\_\_\_ water?  
 \_\_\_\_\_ are tap-water quality regulated after \_\_\_\_\_?  
 \_\_\_\_\_ we upgrade \_\_\_\_\_ tap water \_\_\_\_\_ standards \_\_\_\_\_ mains?  
 \_\_\_\_\_ are plans \_\_\_\_\_ the quality \_\_\_\_\_ repaired tap \_\_\_\_\_.  
 What happens \_\_\_\_\_ tap \_\_\_\_\_ quality \_\_\_\_\_ breaks \_\_\_\_\_ fixed?  
 \_\_\_\_\_ will the \_\_\_\_\_ quality \_\_\_\_\_ after \_\_\_\_\_ fixes?  
 \_\_\_\_\_ did \_\_\_\_\_ about augmenting the \_\_\_\_\_ tap \_\_\_\_\_ after resolving the main \_\_\_\_\_?  
 \_\_\_\_\_ do \_\_\_\_\_ enhance tap \_\_\_\_\_ quality \_\_\_\_\_ are fixed?  
 Is it possible \_\_\_\_\_ post-repaired tap \_\_\_\_\_ a mains break?  
 \_\_\_\_\_ standard of our \_\_\_\_\_ enhanced after \_\_\_\_\_ mains.  
 \_\_\_\_\_ to improve tap water Sanitation \_\_\_\_\_ major \_\_\_\_\_?  
 How do you \_\_\_\_\_ the \_\_\_\_\_ the main \_\_\_\_\_ repairs?  
 How do \_\_\_\_\_ improve \_\_\_\_\_ quality following \_\_\_\_\_ main \_\_\_\_\_?  
 How can \_\_\_\_\_ tap water Sanitation \_\_\_\_\_ have \_\_\_\_\_ fixed?  
 What are the ways \_\_\_\_\_ which the \_\_\_\_\_ break?  
 \_\_\_\_\_ anything be \_\_\_\_\_ make \_\_\_\_\_ water better \_\_\_\_\_ the \_\_\_\_\_ breaks are \_\_\_\_\_?  
 \_\_\_\_\_ will happen \_\_\_\_\_ quality after the \_\_\_\_\_ fixes?  
 \_\_\_\_\_ there \_\_\_\_\_ to improve tap \_\_\_\_\_ after major breaks \_\_\_\_\_ repaired?  
 \_\_\_\_\_ there be \_\_\_\_\_ to raise \_\_\_\_\_ tap water following \_\_\_\_\_ break?  
 Improve \_\_\_\_\_ tap water \_\_\_\_\_ the mains \_\_\_\_\_ been \_\_\_\_\_.

\_\_\_\_\_ way to improve the condition \_\_\_\_\_ drinking water \_\_\_\_\_ main \_\_\_\_\_ problems?  
 \_\_\_\_\_ we \_\_\_\_\_ any improvement \_\_\_\_\_ the \_\_\_\_\_ after the main break \_\_\_\_\_?  
 \_\_\_\_\_ enhance tap water quality after \_\_\_\_\_ been fixed?  
 Is \_\_\_\_\_ plan to make \_\_\_\_\_ safe again?  
 Is \_\_\_\_\_ any way \_\_\_\_\_ after main breaks?  
 What actions have \_\_\_\_\_ taken \_\_\_\_\_ improved \_\_\_\_\_ quality \_\_\_\_\_ the \_\_\_\_\_ have \_\_\_\_\_ repaired?  
 \_\_\_\_\_ there be \_\_\_\_\_ improve \_\_\_\_\_ repaired tap \_\_\_\_\_?  
 \_\_\_\_\_ have been fixed, do \_\_\_\_\_ measures \_\_\_\_\_ for \_\_\_\_\_ tap \_\_\_\_\_ sanitation?  
 When \_\_\_\_\_ team \_\_\_\_\_ repairs for \_\_\_\_\_ main water line, what \_\_\_\_\_ will \_\_\_\_\_ improve \_\_\_\_\_ water?  
 The standard \_\_\_\_\_ needs to be increased after \_\_\_\_\_ issues \_\_\_\_\_ been \_\_\_\_\_.  
 \_\_\_\_\_ drinking water after a pipe repair?  
 \_\_\_\_\_ that the \_\_\_\_\_ have \_\_\_\_\_ fixed, \_\_\_\_\_ are \_\_\_\_\_ doing \_\_\_\_\_ the \_\_\_\_\_ water?  
 Once \_\_\_\_\_ breaks \_\_\_\_\_ any \_\_\_\_\_ to improve tap water sanitation?  
 \_\_\_\_\_ do we \_\_\_\_\_ tap water after the \_\_\_\_\_?  
 What actions have \_\_\_\_\_ to \_\_\_\_\_ tap water quality \_\_\_\_\_ main \_\_\_\_\_ been \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ improvement \_\_\_\_\_ after \_\_\_\_\_ break repairs \_\_\_\_\_ drink garbage quality \_\_\_\_\_ water?  
 The \_\_\_\_\_ quality is \_\_\_\_\_ improved \_\_\_\_\_ the \_\_\_\_\_ breaks \_\_\_\_\_ fixed.  
 Is there a plan to \_\_\_\_\_ water \_\_\_\_\_ again \_\_\_\_\_ bursts have \_\_\_\_\_?  
 Upgrading tap water \_\_\_\_\_ mains  
 What can be \_\_\_\_\_ to upgrade \_\_\_\_\_ water \_\_\_\_\_ mains \_\_\_\_\_?  
 \_\_\_\_\_ is the \_\_\_\_\_ of our \_\_\_\_\_ water \_\_\_\_\_ after \_\_\_\_\_ repairs?  
 \_\_\_\_\_ tap water quality after \_\_\_\_\_ have \_\_\_\_\_ fixed?  
 When you \_\_\_\_\_ repairs for \_\_\_\_\_ will you \_\_\_\_\_ improve the tap water quality?  
 How \_\_\_\_\_ tap \_\_\_\_\_ quality \_\_\_\_\_ main breaks \_\_\_\_\_ repaired?  
 \_\_\_\_\_ that the \_\_\_\_\_ fixed, what are \_\_\_\_\_ doing about the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ you can \_\_\_\_\_ treated water characteristics \_\_\_\_\_ repairs in the \_\_\_\_\_?  
 The \_\_\_\_\_ be \_\_\_\_\_ following \_\_\_\_\_ pipe breaks.  
 Now \_\_\_\_\_ fixed, \_\_\_\_\_ is \_\_\_\_\_ done about our disgusting \_\_\_\_\_ water?  
 There \_\_\_\_\_ taken to develop \_\_\_\_\_ water \_\_\_\_\_ pipe \_\_\_\_\_.  
 What procedures \_\_\_\_\_ to improve \_\_\_\_\_ of \_\_\_\_\_ after pipes \_\_\_\_\_ mended?  
 How \_\_\_\_\_ supposed to address \_\_\_\_\_ of \_\_\_\_\_ tap water quality \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ drinking-water integrity \_\_\_\_\_ improved after the \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ improvements to the \_\_\_\_\_ H2O \_\_\_\_\_ pipe \_\_\_\_\_?  
 \_\_\_\_\_ improve our \_\_\_\_\_ water after \_\_\_\_\_ main break \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ of post-repaired \_\_\_\_\_ water \_\_\_\_\_ a mains \_\_\_\_\_?  
 \_\_\_\_\_ we have plans \_\_\_\_\_ tap-water \_\_\_\_\_ leaks \_\_\_\_\_ fixed?  
 Do \_\_\_\_\_ have a plan to \_\_\_\_\_ purity \_\_\_\_\_ fixed?  
 How \_\_\_\_\_ the \_\_\_\_\_ be improved \_\_\_\_\_ are done?  
 Is there a \_\_\_\_\_ place \_\_\_\_\_ quality of the \_\_\_\_\_ water?  
 \_\_\_\_\_ were \_\_\_\_\_ improve \_\_\_\_\_ tap \_\_\_\_\_ quality \_\_\_\_\_ the main break repairs?  
 \_\_\_\_\_ are \_\_\_\_\_ to boost tap \_\_\_\_\_ quality \_\_\_\_\_ fixing \_\_\_\_\_.  
 \_\_\_\_\_ improve tap water \_\_\_\_\_ after repairs on \_\_\_\_\_.  
 What happens to \_\_\_\_\_ water \_\_\_\_\_ break?  
 \_\_\_\_\_ plan for improving \_\_\_\_\_ quality \_\_\_\_\_ repaired \_\_\_\_\_ water?  
 After \_\_\_\_\_ breaks \_\_\_\_\_ been \_\_\_\_\_ do any \_\_\_\_\_ to \_\_\_\_\_ tap water \_\_\_\_\_?  
 What \_\_\_\_\_ the tap \_\_\_\_\_ quality when \_\_\_\_\_ are \_\_\_\_\_?  
 There are \_\_\_\_\_ to \_\_\_\_\_ quality \_\_\_\_\_ main breaks.  
 \_\_\_\_\_ there \_\_\_\_\_ we can do \_\_\_\_\_ improve \_\_\_\_\_ water after the \_\_\_\_\_?  
 What actions will improve \_\_\_\_\_ tap \_\_\_\_\_ condition \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ tap-water purity once major \_\_\_\_\_ fixed?

\_\_\_\_\_ tap water \_\_\_\_\_ main breaks?

Any \_\_\_\_\_ to \_\_\_\_\_ tap water \_\_\_\_\_ after \_\_\_\_\_ fixed?

\_\_\_\_\_ are steps to \_\_\_\_\_ the drinking \_\_\_\_\_ the \_\_\_\_\_ malfunction.

How \_\_\_\_\_ tap-water \_\_\_\_\_ once main \_\_\_\_\_ are \_\_\_\_\_?

Is there any plan \_\_\_\_\_ tap water \_\_\_\_\_ a \_\_\_\_\_?

Can we expect \_\_\_\_\_ improvement \_\_\_\_\_ main break \_\_\_\_\_?

When \_\_\_\_\_ mains \_\_\_\_\_ what should \_\_\_\_\_ done to \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ quality \_\_\_\_\_ repaired \_\_\_\_\_ water could \_\_\_\_\_ improved.

\_\_\_\_\_ quality \_\_\_\_\_ tap water \_\_\_\_\_ being \_\_\_\_\_ after \_\_\_\_\_ main break.

Is anything \_\_\_\_\_ done \_\_\_\_\_ the \_\_\_\_\_ breaks \_\_\_\_\_ fixed to \_\_\_\_\_ water \_\_\_\_\_?

Now that the \_\_\_\_\_ are \_\_\_\_\_ what will \_\_\_\_\_ done about \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ a plan to improve \_\_\_\_\_ repaired \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ better quality \_\_\_\_\_ fixing \_\_\_\_\_ break?

\_\_\_\_\_ can \_\_\_\_\_ address the disaster \_\_\_\_\_ our \_\_\_\_\_ water quality after \_\_\_\_\_?

\_\_\_\_\_ are we improving tap \_\_\_\_\_ a \_\_\_\_\_?

After \_\_\_\_\_ main breaks, \_\_\_\_\_ are the \_\_\_\_\_ taken \_\_\_\_\_ improve the \_\_\_\_\_?

After \_\_\_\_\_ main breaks were \_\_\_\_\_ is anyone \_\_\_\_\_ tap water?

How \_\_\_\_\_ we \_\_\_\_\_ tap water \_\_\_\_\_ after \_\_\_\_\_ main \_\_\_\_\_?

Are there \_\_\_\_\_ plans in \_\_\_\_\_ the quality of \_\_\_\_\_?

How is \_\_\_\_\_ water \_\_\_\_\_ the main break?

When the \_\_\_\_\_ are fixed \_\_\_\_\_ is tap-water \_\_\_\_\_?

\_\_\_\_\_ we make \_\_\_\_\_ tap water \_\_\_\_\_ mains are fixed?

Any \_\_\_\_\_ for \_\_\_\_\_ water quality after \_\_\_\_\_ break?

How \_\_\_\_\_ water \_\_\_\_\_ better after \_\_\_\_\_ break?

Now \_\_\_\_\_ have been fixed, \_\_\_\_\_ is \_\_\_\_\_ to fix \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ fixing \_\_\_\_\_ breaks, any steps \_\_\_\_\_ improve \_\_\_\_\_ quality?

\_\_\_\_\_ plans in \_\_\_\_\_ improving the quality of repaired \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ have been fixed, \_\_\_\_\_ being \_\_\_\_\_ the \_\_\_\_\_ tap water?

How do \_\_\_\_\_ quality after mains are \_\_\_\_\_?

\_\_\_\_\_ main breaks are \_\_\_\_\_ does \_\_\_\_\_ tap-water quality \_\_\_\_\_?

\_\_\_\_\_ plans to improve the \_\_\_\_\_ repaired \_\_\_\_\_ water?

Is \_\_\_\_\_ a way \_\_\_\_\_ standard of tap water \_\_\_\_\_ the \_\_\_\_\_ resolved?

\_\_\_\_\_ actions \_\_\_\_\_ taken \_\_\_\_\_ the \_\_\_\_\_ water \_\_\_\_\_ after the main breaks \_\_\_\_\_ repaired?

\_\_\_\_\_ that \_\_\_\_\_ mains are \_\_\_\_\_ are we \_\_\_\_\_ do \_\_\_\_\_ our water?

Are there plans \_\_\_\_\_ the \_\_\_\_\_ our \_\_\_\_\_ tap \_\_\_\_\_?

How can \_\_\_\_\_ quality \_\_\_\_\_ water \_\_\_\_\_ the main breaks are \_\_\_\_\_?

How can \_\_\_\_\_ enhance \_\_\_\_\_ after \_\_\_\_\_ mains have been \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to upgrade \_\_\_\_\_ water \_\_\_\_\_ main pipe malfunction?

\_\_\_\_\_ there a \_\_\_\_\_ water quality \_\_\_\_\_ we fix the \_\_\_\_\_ leaks?

\_\_\_\_\_ procedures \_\_\_\_\_ better \_\_\_\_\_ drinking water \_\_\_\_\_ are mended?

\_\_\_\_\_ are the \_\_\_\_\_ taken \_\_\_\_\_ improve \_\_\_\_\_ after the main \_\_\_\_\_ issues?

Do we have \_\_\_\_\_ to \_\_\_\_\_ purity \_\_\_\_\_ leaks \_\_\_\_\_ fixed?

After \_\_\_\_\_ were \_\_\_\_\_ is anyone going to fix our \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ our \_\_\_\_\_ water look \_\_\_\_\_ mains' fixes?

What \_\_\_\_\_ the \_\_\_\_\_ tap \_\_\_\_\_ quality \_\_\_\_\_ after the main \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ the water quality improved \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ improving our tap water \_\_\_\_\_ main \_\_\_\_\_ renovations?

\_\_\_\_\_ mains \_\_\_\_\_ fixed what's being done to \_\_\_\_\_ water?

What \_\_\_\_\_ to improve our tap water \_\_\_\_\_ break \_\_\_\_\_?

Are \_\_\_\_\_ plans for \_\_\_\_\_ quality of \_\_\_\_\_ tap water?

\_\_\_\_\_ be \_\_\_\_\_ to improve \_\_\_\_\_ tap \_\_\_\_\_ condition after \_\_\_\_\_ works?  
 \_\_\_\_\_ standard \_\_\_\_\_ tap water needs to \_\_\_\_\_ improved after the \_\_\_\_\_.  
 \_\_\_\_\_ leaks, is there \_\_\_\_\_ plan to \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ water?  
 \_\_\_\_\_ plans \_\_\_\_\_ improving the \_\_\_\_\_ of the tap \_\_\_\_\_ a \_\_\_\_\_ break.  
 How do \_\_\_\_\_ water \_\_\_\_\_ after mains are \_\_\_\_\_?  
 \_\_\_\_\_ improvement plan for the tap water \_\_\_\_\_ break repairs?  
 Is \_\_\_\_\_ anything \_\_\_\_\_ be done to \_\_\_\_\_ when \_\_\_\_\_ breaks have been \_\_\_\_\_?  
 There \_\_\_\_\_ can \_\_\_\_\_ done \_\_\_\_\_ improve tap water Sanitation once \_\_\_\_\_ breaks have \_\_\_\_\_.  
 \_\_\_\_\_ the tap water quality \_\_\_\_\_ the \_\_\_\_\_ breaks are \_\_\_\_\_?  
 \_\_\_\_\_ that the \_\_\_\_\_ are \_\_\_\_\_ what \_\_\_\_\_ being done \_\_\_\_\_ terrible tap \_\_\_\_\_?  
 \_\_\_\_\_ anything about the \_\_\_\_\_ tap \_\_\_\_\_ after \_\_\_\_\_ the busted \_\_\_\_\_?  
 \_\_\_\_\_ main break \_\_\_\_\_ how is \_\_\_\_\_ quality of tap \_\_\_\_\_?  
 How \_\_\_\_\_ we \_\_\_\_\_ the condition \_\_\_\_\_ tap water after \_\_\_\_\_?  
 \_\_\_\_\_ can \_\_\_\_\_ done \_\_\_\_\_ improve tap \_\_\_\_\_ after repairing \_\_\_\_\_?  
 Do any actions \_\_\_\_\_ at improving tap \_\_\_\_\_ major \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ our \_\_\_\_\_ water \_\_\_\_\_ all the pipe bursts are fixed?  
 \_\_\_\_\_ there be any plans \_\_\_\_\_ place \_\_\_\_\_ improve \_\_\_\_\_ of \_\_\_\_\_ water once \_\_\_\_\_ repairs \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ water \_\_\_\_\_ a main break?  
 How can \_\_\_\_\_ water quality \_\_\_\_\_ are fixed?  
 How \_\_\_\_\_ we improve \_\_\_\_\_ quality of tap water \_\_\_\_\_ been \_\_\_\_\_?  
 \_\_\_\_\_ would like \_\_\_\_\_ you \_\_\_\_\_ tap water \_\_\_\_\_ now that the annoying bursts \_\_\_\_\_ over?  
 \_\_\_\_\_ improve \_\_\_\_\_ tap water quality \_\_\_\_\_ mains have been \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ sanitation once major \_\_\_\_\_ been fixed?  
 When \_\_\_\_\_ repairs \_\_\_\_\_ the \_\_\_\_\_ water line are complete, \_\_\_\_\_ will \_\_\_\_\_ be \_\_\_\_\_ the tap water \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ is being enhanced \_\_\_\_\_ the main break.  
 Do we \_\_\_\_\_ in place \_\_\_\_\_ improve \_\_\_\_\_ once \_\_\_\_\_ leaks are \_\_\_\_\_?  
 When \_\_\_\_\_ work \_\_\_\_\_ is over, are there any plans \_\_\_\_\_ place to \_\_\_\_\_ quality \_\_\_\_\_?  
 How \_\_\_\_\_ we improve the \_\_\_\_\_ after the \_\_\_\_\_?  
 Is there \_\_\_\_\_ plan \_\_\_\_\_ tap \_\_\_\_\_ again once \_\_\_\_\_ pipe bursts have \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ to upgrade \_\_\_\_\_ the main pipe malfunction.  
 \_\_\_\_\_ do we make \_\_\_\_\_ water \_\_\_\_\_ after \_\_\_\_\_ break?  
 Should we upgrade \_\_\_\_\_ after \_\_\_\_\_ are \_\_\_\_\_?  
 Is anyone \_\_\_\_\_ to fix our \_\_\_\_\_ water \_\_\_\_\_ the \_\_\_\_\_ breaks \_\_\_\_\_?  
 \_\_\_\_\_ there any \_\_\_\_\_ to elevate the \_\_\_\_\_ of tap \_\_\_\_\_ break?  
 \_\_\_\_\_ certain \_\_\_\_\_ doing \_\_\_\_\_ about making the tap \_\_\_\_\_ now \_\_\_\_\_ the annoying bursts are over?  
 Do \_\_\_\_\_ exist \_\_\_\_\_ quality of tap water after major \_\_\_\_\_ fixed?  
 There are \_\_\_\_\_ the \_\_\_\_\_ tap water \_\_\_\_\_ the repairs are complete.  
 After the \_\_\_\_\_ repairs, how is \_\_\_\_\_ water improved?  
 When the \_\_\_\_\_ breaks \_\_\_\_\_ fixed \_\_\_\_\_ is \_\_\_\_\_ enhanced?  
 When repair \_\_\_\_\_ mains \_\_\_\_\_ finished, are there \_\_\_\_\_ plans in \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ water?  
 To ensure an improvement \_\_\_\_\_ tap water quality, what \_\_\_\_\_ will \_\_\_\_\_ once your \_\_\_\_\_ completes \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ do \_\_\_\_\_ improve the \_\_\_\_\_ tap \_\_\_\_\_ after the \_\_\_\_\_ are fixed?  
 \_\_\_\_\_ we upgrade tap \_\_\_\_\_ mains are \_\_\_\_\_?  
 Is \_\_\_\_\_ for \_\_\_\_\_ quality \_\_\_\_\_ repaired tap water?  
 \_\_\_\_\_ upgrade \_\_\_\_\_ drinking water \_\_\_\_\_ after major pipe breaks.  
 Fix \_\_\_\_\_ the \_\_\_\_\_ water quality?  
 \_\_\_\_\_ do we \_\_\_\_\_ water \_\_\_\_\_ after repairing \_\_\_\_\_?  
 After fixing \_\_\_\_\_ breaks \_\_\_\_\_ you going to \_\_\_\_\_ water?  
 There \_\_\_\_\_ measures that have \_\_\_\_\_ taken to increase \_\_\_\_\_ of \_\_\_\_\_ after the \_\_\_\_\_ break \_\_\_\_\_.  
 Do we have a \_\_\_\_\_ for increasing tap-water \_\_\_\_\_?

Now \_\_\_\_\_ are fixed, what \_\_\_\_\_ tap water?

\_\_\_\_\_ the \_\_\_\_\_ fixed, what's \_\_\_\_\_ done about our tap \_\_\_\_\_?

The quality \_\_\_\_\_ will \_\_\_\_\_ improved \_\_\_\_\_ the mains' \_\_\_\_\_.

How \_\_\_\_\_ the \_\_\_\_\_ better \_\_\_\_\_ the \_\_\_\_\_ breaks \_\_\_\_\_ fixed?

Now \_\_\_\_\_ are fixed, what \_\_\_\_\_ for the \_\_\_\_\_ water?

Can \_\_\_\_\_ to \_\_\_\_\_ sort \_\_\_\_\_ improvement \_\_\_\_\_ after the \_\_\_\_\_ break repairs?

\_\_\_\_\_ in \_\_\_\_\_ for \_\_\_\_\_ our \_\_\_\_\_ after the main \_\_\_\_\_.

\_\_\_\_\_ be \_\_\_\_\_ that you \_\_\_\_\_ something to \_\_\_\_\_ the tap water \_\_\_\_\_ that \_\_\_\_\_ bursts are over?

\_\_\_\_\_ will \_\_\_\_\_ tap water \_\_\_\_\_ after repairs are \_\_\_\_\_?

Is \_\_\_\_\_ be \_\_\_\_\_ to improve \_\_\_\_\_ water characteristics \_\_\_\_\_ the \_\_\_\_\_ to the principal \_\_\_\_\_?

Is \_\_\_\_\_ the \_\_\_\_\_ of tap water following \_\_\_\_\_ mains break?

\_\_\_\_\_ can \_\_\_\_\_ improve tap water \_\_\_\_\_ after \_\_\_\_\_ breaks?

\_\_\_\_\_ in \_\_\_\_\_ for bettering tap water after \_\_\_\_\_ break \_\_\_\_\_.

Do there \_\_\_\_\_ measures to \_\_\_\_\_ water Sanitation \_\_\_\_\_ breaks have \_\_\_\_\_?

\_\_\_\_\_ quality of tap \_\_\_\_\_ improved \_\_\_\_\_ the \_\_\_\_\_ fixes.

\_\_\_\_\_ we increase the quality of \_\_\_\_\_ post-repair \_\_\_\_\_?

The \_\_\_\_\_ of \_\_\_\_\_ be \_\_\_\_\_ addressing main pipe problems.

Can \_\_\_\_\_ some sort \_\_\_\_\_ improvement plan \_\_\_\_\_ repairs \_\_\_\_\_ drink this garbage-quality tap water?

\_\_\_\_\_ fixing \_\_\_\_\_ breaks, what \_\_\_\_\_ being \_\_\_\_\_ to improve the tap \_\_\_\_\_?

After \_\_\_\_\_ main breaks, \_\_\_\_\_ steps \_\_\_\_\_ improve \_\_\_\_\_ tap water?

\_\_\_\_\_ anything being \_\_\_\_\_ to make \_\_\_\_\_ tap \_\_\_\_\_ better \_\_\_\_\_ main \_\_\_\_\_ repaired?

How \_\_\_\_\_ the quality of \_\_\_\_\_ be improved \_\_\_\_\_ mains' \_\_\_\_\_?