

## [Demo] NLP Dataset for Customer Service Automation

|                             |  |
|-----------------------------|--|
| <b>Company Type</b>         | Water and Wastewater Utility Companies   |
| <b>Inquiry Category</b>     | Sewer backup and blockage assistance   |
| <b>Inquiry Sub-Category</b> | Pipe Burst   |
| <b>Description</b>          | Inquiries regarding burst pipes, which can lead to sewer backup and blockages, as customers request immediate assistance to prevent further damage and potential health hazards. |
| <b>Data Size</b>            | 5,149 paraphrases  |
| <b>Want to buy data?</b>    | Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.   |

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ arrive on-site once notified \_\_\_\_\_ backing \_\_\_\_\_ stemming from broken mainlines nearby?  
 \_\_\_\_\_ toilets with broken \_\_\_\_\_ quickly?  
 \_\_\_\_\_ is toilet backup due \_\_\_\_\_ broken \_\_\_\_\_ how \_\_\_\_\_ can \_\_\_\_\_ there?  
 If I \_\_\_\_\_ caused by \_\_\_\_\_ when \_\_\_\_\_ the fixers \_\_\_\_\_?  
 \_\_\_\_\_ quickly \_\_\_\_\_ respond to \_\_\_\_\_ of toilet \_\_\_\_\_ caused \_\_\_\_\_ broken \_\_\_\_\_?  
 How \_\_\_\_\_ can \_\_\_\_\_ come \_\_\_\_\_ the site to \_\_\_\_\_ toilet \_\_\_\_\_?  
 How quickly can your technicians \_\_\_\_\_ toilet \_\_\_\_\_ problems?  
 \_\_\_\_\_ would \_\_\_\_\_ to \_\_\_\_\_ when \_\_\_\_\_ come \_\_\_\_\_ I report \_\_\_\_\_ toilets caused by \_\_\_\_\_.  
 \_\_\_\_\_ major sewer \_\_\_\_\_ disruptions lead \_\_\_\_\_ large \_\_\_\_\_ overflow \_\_\_\_\_ nearby, can we \_\_\_\_\_ a \_\_\_\_\_ from \_\_\_\_\_?  
 \_\_\_\_\_ send people quickly as they \_\_\_\_\_ we \_\_\_\_\_ messes thanks to \_\_\_\_\_ mains?  
 \_\_\_\_\_ you \_\_\_\_\_ send \_\_\_\_\_ quickly \_\_\_\_\_ they \_\_\_\_\_ we \_\_\_\_\_ nasty bathroom messes \_\_\_\_\_ to leaking mains?  
 \_\_\_\_\_ technicians \_\_\_\_\_ at the site \_\_\_\_\_ I inform you about \_\_\_\_\_ up because \_\_\_\_\_ broken \_\_\_\_\_?  
 When technicians are informed \_\_\_\_\_ backing up due \_\_\_\_\_ proximity \_\_\_\_\_ broken \_\_\_\_\_ what \_\_\_\_\_ anticipated \_\_\_\_\_ time?  
 \_\_\_\_\_ technicians respond \_\_\_\_\_ toilets backed \_\_\_\_\_ by broken \_\_\_\_\_?  
 \_\_\_\_\_ on-site technicians address \_\_\_\_\_ backups caused \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ will personnel respond to the \_\_\_\_\_ backups that \_\_\_\_\_ by \_\_\_\_\_ pipes?  
 With toilets backing up \_\_\_\_\_ proximity \_\_\_\_\_ broken \_\_\_\_\_ is the \_\_\_\_\_ technicians?  
 What \_\_\_\_\_ will it \_\_\_\_\_ for \_\_\_\_\_ to respond to \_\_\_\_\_ toilets \_\_\_\_\_ up \_\_\_\_\_ broken \_\_\_\_\_ mains?  
 How \_\_\_\_\_ can \_\_\_\_\_ care \_\_\_\_\_ from the broken mainlines?  
 \_\_\_\_\_ long will it take \_\_\_\_\_ on-site technicians \_\_\_\_\_ toilet backups \_\_\_\_\_ nearby \_\_\_\_\_?  
 Is it possible for techs to \_\_\_\_\_ toilets \_\_\_\_\_?  
 \_\_\_\_\_ are major toilet \_\_\_\_\_ caused by nearby \_\_\_\_\_ how quickly can \_\_\_\_\_ reach \_\_\_\_\_?  
 When \_\_\_\_\_ issues \_\_\_\_\_ mainlines, \_\_\_\_\_ can technicians arrive \_\_\_\_\_ site?  
 \_\_\_\_\_ will personnel \_\_\_\_\_ to notification \_\_\_\_\_ toilet \_\_\_\_\_ caused by broken primary \_\_\_\_\_?  
 When \_\_\_\_\_ backed up near the \_\_\_\_\_ mainlines, \_\_\_\_\_ quickly \_\_\_\_\_ arrive \_\_\_\_\_?  
 \_\_\_\_\_ technicians \_\_\_\_\_ informed \_\_\_\_\_ the toilet \_\_\_\_\_ near \_\_\_\_\_ how \_\_\_\_\_ they get there?  
 \_\_\_\_\_ workers arrive \_\_\_\_\_ they're told \_\_\_\_\_ stem broken \_\_\_\_\_?  
 When could \_\_\_\_\_ expect \_\_\_\_\_ support after \_\_\_\_\_ about \_\_\_\_\_ caused by \_\_\_\_\_ to primary \_\_\_\_\_?

\_\_\_\_\_ at a location when toilets back up \_\_\_\_\_?

When \_\_\_\_\_ experts \_\_\_\_\_ at \_\_\_\_\_ location \_\_\_\_\_ they \_\_\_\_\_ aware \_\_\_\_\_ backing \_\_\_\_\_ from \_\_\_\_\_ mains?

\_\_\_\_\_ your \_\_\_\_\_ deal \_\_\_\_\_ backup \_\_\_\_\_ caused by broken mainlines?

\_\_\_\_\_ is a \_\_\_\_\_ backup \_\_\_\_\_ mainlines how quickly \_\_\_\_\_ get to the \_\_\_\_\_?

When you \_\_\_\_\_ of major \_\_\_\_\_ backing \_\_\_\_\_ by \_\_\_\_\_ damaged \_\_\_\_\_ can \_\_\_\_\_ reach the site?

When damaged mainlines \_\_\_\_\_ how \_\_\_\_\_ will the \_\_\_\_\_ be \_\_\_\_\_ arrive?

When \_\_\_\_\_ learn \_\_\_\_\_ toilet issues \_\_\_\_\_ mainlines, \_\_\_\_\_ quickly \_\_\_\_\_ arrive?

Is it possible to send \_\_\_\_\_ quickly as they \_\_\_\_\_ that \_\_\_\_\_ nasty \_\_\_\_\_ to \_\_\_\_\_?

What is the \_\_\_\_\_ time \_\_\_\_\_ to handle \_\_\_\_\_ backing \_\_\_\_\_ to \_\_\_\_\_ water mains?

\_\_\_\_\_ you \_\_\_\_\_ to fix the toilet \_\_\_\_\_ backed up because of \_\_\_\_\_?

When \_\_\_\_\_ are \_\_\_\_\_ of \_\_\_\_\_ near \_\_\_\_\_ mainlines, how quick can \_\_\_\_\_?

\_\_\_\_\_ long \_\_\_\_\_ the \_\_\_\_\_ able \_\_\_\_\_ on site once \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ backups caused by \_\_\_\_\_ mainlines?

\_\_\_\_\_ could we expect technical support \_\_\_\_\_ learning \_\_\_\_\_ problems \_\_\_\_\_ toilets due \_\_\_\_\_?

\_\_\_\_\_ will technicians address \_\_\_\_\_ issues caused \_\_\_\_\_ mainline \_\_\_\_\_?

When \_\_\_\_\_ toilets \_\_\_\_\_ the \_\_\_\_\_ sewer \_\_\_\_\_ will there be help \_\_\_\_\_?

\_\_\_\_\_ the toilet \_\_\_\_\_ broken mainlines?

\_\_\_\_\_ personnel \_\_\_\_\_ to \_\_\_\_\_ backups caused by broken \_\_\_\_\_ lines?

\_\_\_\_\_ personnel \_\_\_\_\_ to notification about severe \_\_\_\_\_ that are \_\_\_\_\_ broken \_\_\_\_\_ lines?

Requesting information \_\_\_\_\_ the response time \_\_\_\_\_ relation \_\_\_\_\_ backups resulting from \_\_\_\_\_ mainlines

What's the \_\_\_\_\_ time \_\_\_\_\_ a \_\_\_\_\_ near \_\_\_\_\_ mains?

When can \_\_\_\_\_ fix toilet problems \_\_\_\_\_ pipes?

When \_\_\_\_\_ technicians address \_\_\_\_\_ toilet backing \_\_\_\_\_ caused by \_\_\_\_\_?

Can \_\_\_\_\_ expect help \_\_\_\_\_ problem \_\_\_\_\_ toilets that are related to fractured \_\_\_\_\_?

\_\_\_\_\_ up \_\_\_\_\_ occur \_\_\_\_\_ the \_\_\_\_\_ mainlines, how \_\_\_\_\_ can technicians arrive on \_\_\_\_\_?

Upon \_\_\_\_\_ major toilet backing \_\_\_\_\_ caused by \_\_\_\_\_ how quickly \_\_\_\_\_ you \_\_\_\_\_ site?

When can experts \_\_\_\_\_ at \_\_\_\_\_ location \_\_\_\_\_ told toilets \_\_\_\_\_ up from \_\_\_\_\_?

I \_\_\_\_\_ your \_\_\_\_\_ to come out \_\_\_\_\_ my toilet is \_\_\_\_\_ mainlines \_\_\_\_\_.

Should \_\_\_\_\_ technicians \_\_\_\_\_ backing \_\_\_\_\_ caused \_\_\_\_\_ damaged mainlines?

\_\_\_\_\_ send your guys to \_\_\_\_\_ the \_\_\_\_\_ that's backed \_\_\_\_\_ because \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ expect \_\_\_\_\_ after \_\_\_\_\_ report a problem with toilets that \_\_\_\_\_ to broken underground \_\_\_\_\_?

After \_\_\_\_\_ about toilet issues \_\_\_\_\_ by \_\_\_\_\_ mainlines \_\_\_\_\_ technicians come \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ could we \_\_\_\_\_ for \_\_\_\_\_ that were \_\_\_\_\_ up due \_\_\_\_\_ the primary main?

As they \_\_\_\_\_ bathroom messes thanks \_\_\_\_\_ leaking mains, \_\_\_\_\_ y'all send \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ promptly for toilets with broken \_\_\_\_\_?

When we \_\_\_\_\_ expect technical \_\_\_\_\_ for toilets \_\_\_\_\_ up problems due \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ to arrive \_\_\_\_\_ toilets with \_\_\_\_\_?

When we tell you \_\_\_\_\_ toilets \_\_\_\_\_ backed up due \_\_\_\_\_ nearby \_\_\_\_\_ how \_\_\_\_\_ come?

\_\_\_\_\_ the \_\_\_\_\_ from broken mainlines?

Requesting \_\_\_\_\_ regarding the response time \_\_\_\_\_ relation to \_\_\_\_\_ reports of \_\_\_\_\_ mainlines.

What \_\_\_\_\_ the time \_\_\_\_\_ for the \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ aware of the \_\_\_\_\_ problems \_\_\_\_\_ by nearby damages to \_\_\_\_\_

How \_\_\_\_\_ technicians \_\_\_\_\_ location when there \_\_\_\_\_ backup \_\_\_\_\_ to broken mainlines?

When \_\_\_\_\_ address \_\_\_\_\_ that cause toilet backing \_\_\_\_\_?

What \_\_\_\_\_ the \_\_\_\_\_ frame for \_\_\_\_\_ to \_\_\_\_\_ site \_\_\_\_\_ about the \_\_\_\_\_ toilet \_\_\_\_\_ caused by nearby \_\_\_\_\_ to \_\_\_\_\_ wastewater \_\_\_\_\_?

If \_\_\_\_\_ are backed \_\_\_\_\_ water \_\_\_\_\_ what \_\_\_\_\_ the \_\_\_\_\_ response time \_\_\_\_\_ technicians?

When could we \_\_\_\_\_ technical \_\_\_\_\_ after \_\_\_\_\_ have \_\_\_\_\_ damaged \_\_\_\_\_ the \_\_\_\_\_ mains?

\_\_\_\_\_ time for a \_\_\_\_\_ backup near a broken \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ on-site if we report a problem \_\_\_\_\_ toilets \_\_\_\_\_ are related \_\_\_\_\_?

\_\_\_\_\_ will personnel \_\_\_\_\_ notifications about severe toilet \_\_\_\_\_ broken \_\_\_\_\_ lines?

Once notified of broken mainlines \_\_\_\_\_ severe \_\_\_\_\_ how \_\_\_\_\_ be \_\_\_\_\_?

How \_\_\_\_ will \_\_\_\_ respond to \_\_\_\_ backup \_\_\_\_ can \_\_\_\_ broken primary lines?  
 \_\_\_\_ issues with toilets \_\_\_\_ up due \_\_\_\_ proximity of \_\_\_\_ mainlines and \_\_\_\_ is the \_\_\_\_ of \_\_\_\_?

How quickly can technicians arrive \_\_\_\_ are \_\_\_\_ about \_\_\_\_ issues \_\_\_\_ the \_\_\_\_?

When \_\_\_\_ technical support after learning \_\_\_\_ backups \_\_\_\_ toilets from \_\_\_\_ primary \_\_\_\_?  
 \_\_\_\_ take \_\_\_\_ technicians to be \_\_\_\_ if \_\_\_\_ alert \_\_\_\_ about toilets that \_\_\_\_ seriously clogged \_\_\_\_ site mains?

When toilet backing \_\_\_\_ occurred \_\_\_\_ how quickly \_\_\_\_ arrive \_\_\_\_ site?  
 \_\_\_\_ is the response time for \_\_\_\_ toilet backups \_\_\_\_ to \_\_\_\_ breakage?  
 \_\_\_\_ can \_\_\_\_ be on-site to fix toilet \_\_\_\_ broken mainlines near the area?

When we \_\_\_\_ expect technical \_\_\_\_ that \_\_\_\_ due to \_\_\_\_ within the \_\_\_\_?

How quickly can your technicians fix \_\_\_\_ broken \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ quickly will \_\_\_\_ to the \_\_\_\_ of the \_\_\_\_ up \_\_\_\_ caused \_\_\_\_ broken mainlines?

What is \_\_\_\_ time for \_\_\_\_ to deal with severe \_\_\_\_ backed up \_\_\_\_?

How \_\_\_\_ do technicians \_\_\_\_ with \_\_\_\_ backup issues \_\_\_\_ broken \_\_\_\_?  
 \_\_\_\_ it take \_\_\_\_ technicians \_\_\_\_ we alert \_\_\_\_ about \_\_\_\_ problem with toilets from \_\_\_\_ mains?  
 \_\_\_\_ response \_\_\_\_ of \_\_\_\_ once they \_\_\_\_ of the \_\_\_\_ of debris in toilets \_\_\_\_ the nearby mains?

When broken \_\_\_\_ severe \_\_\_\_ how \_\_\_\_ could on-site technicians \_\_\_\_?

After being informed about serious issues with \_\_\_\_ up due \_\_\_\_ proximity \_\_\_\_ broken \_\_\_\_ what is \_\_\_\_?

When \_\_\_\_ you know that \_\_\_\_ are \_\_\_\_ up \_\_\_\_ broken \_\_\_\_ how quickly can they \_\_\_\_?  
 \_\_\_\_ quickly can \_\_\_\_ technicians get to the \_\_\_\_ of \_\_\_\_ backing \_\_\_\_ problems \_\_\_\_ by \_\_\_\_ broken \_\_\_\_?  
 \_\_\_\_ your \_\_\_\_ come to the \_\_\_\_ immediately after \_\_\_\_ about severe toilet \_\_\_\_ mains?

There have \_\_\_\_ reports \_\_\_\_ severe \_\_\_\_ broken \_\_\_\_ at a nearby \_\_\_\_.

Can \_\_\_\_ expect assistance on-site when \_\_\_\_ report \_\_\_\_ problem \_\_\_\_ related to broken \_\_\_\_?

When will \_\_\_\_ backing issues caused \_\_\_\_ addressed \_\_\_\_ technicians?  
 \_\_\_\_ will \_\_\_\_ technicians fix toilet backing that \_\_\_\_ by \_\_\_\_?

How long \_\_\_\_ arrive on-site if I \_\_\_\_ about \_\_\_\_ backing \_\_\_\_ because of \_\_\_\_ mainlines?

Is it \_\_\_\_ for \_\_\_\_ send people quickly \_\_\_\_ they hear we \_\_\_\_ to \_\_\_\_ mains?  
 \_\_\_\_ toilet backing \_\_\_\_ caused by nearby \_\_\_\_ mainlines, \_\_\_\_ quickly can you \_\_\_\_ the site?  
 \_\_\_\_ it possible \_\_\_\_ tech \_\_\_\_ arrive promptly \_\_\_\_ with \_\_\_\_ mains?  
 \_\_\_\_ people \_\_\_\_ since we have nasty bathroom \_\_\_\_ to \_\_\_\_ mains?

When \_\_\_\_ support \_\_\_\_ are backing up \_\_\_\_ to damage to \_\_\_\_ mains?

How \_\_\_\_ will the technicians \_\_\_\_ to \_\_\_\_ to \_\_\_\_ of \_\_\_\_ toilet backing \_\_\_\_ problems \_\_\_\_ by \_\_\_\_ mainlines?  
 \_\_\_\_ toilet backing up problems \_\_\_\_ caused \_\_\_\_ nearby damaged \_\_\_\_ can \_\_\_\_ reach \_\_\_\_ site?

What is \_\_\_\_ expected \_\_\_\_ for \_\_\_\_ technician \_\_\_\_ when \_\_\_\_ cause toilet \_\_\_\_?

When alerted of \_\_\_\_ to nearby \_\_\_\_ mainlines, how \_\_\_\_ technicians \_\_\_\_ location?

If I \_\_\_\_ bad toilets caused by \_\_\_\_ when \_\_\_\_ my \_\_\_\_?

When \_\_\_\_ come on-site \_\_\_\_ problems caused by broken \_\_\_\_?

What \_\_\_\_ the arrival time \_\_\_\_ technicians when they \_\_\_\_ told about toilets \_\_\_\_ to \_\_\_\_?

When can experts \_\_\_\_ a \_\_\_\_ hearing about \_\_\_\_ backing \_\_\_\_ from \_\_\_\_?

How \_\_\_\_ technicians arrive \_\_\_\_ when \_\_\_\_ backups from the broken \_\_\_\_?  
 \_\_\_\_ a severe toilet backup \_\_\_\_ to \_\_\_\_ mainlines \_\_\_\_ technicians \_\_\_\_ the location?  
 \_\_\_\_ will it \_\_\_\_ for on-site \_\_\_\_ to toilet backups \_\_\_\_ by mainline \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ that \_\_\_\_ arrive quickly for \_\_\_\_ have broken \_\_\_\_?  
 \_\_\_\_ alerted \_\_\_\_ toilet backup issues caused \_\_\_\_ damaged \_\_\_\_ the technicians \_\_\_\_?  
 \_\_\_\_ severe \_\_\_\_ issues, how quickly could \_\_\_\_ technicians arrive?  
 \_\_\_\_ technical support after being told \_\_\_\_ with toilets \_\_\_\_ from damage \_\_\_\_ mains?  
 \_\_\_\_ will the technicians \_\_\_\_ toilet \_\_\_\_ issues caused \_\_\_\_?

How \_\_\_\_ workers \_\_\_\_ restroom \_\_\_\_ stem from broken lines?  
 \_\_\_\_ you send people soon as they \_\_\_\_ thanks to \_\_\_\_ mains?

I would \_\_\_\_ fixers \_\_\_\_ if \_\_\_\_ report bad toilets \_\_\_\_ broken pipes.  
 \_\_\_\_ could \_\_\_\_ technical \_\_\_\_ learning of problems \_\_\_\_ toilets \_\_\_\_ damage to the primary \_\_\_\_?

When \_\_\_\_ we expect technical support \_\_\_\_ backups \_\_\_\_ toilets \_\_\_\_ within \_\_\_\_ mains?  
 \_\_\_\_ quickly can you \_\_\_\_ the site \_\_\_\_ of major \_\_\_\_ backups \_\_\_\_ by \_\_\_\_?  
 If \_\_\_\_ are \_\_\_\_ up \_\_\_\_ broken mains, can \_\_\_\_?  
 What \_\_\_\_ the response \_\_\_\_ handle \_\_\_\_ toilets backed \_\_\_\_ because \_\_\_\_ broken water mains?  
 \_\_\_\_ of serious \_\_\_\_ with toilets \_\_\_\_ due to \_\_\_\_ broken mainlines, \_\_\_\_ is the arrival \_\_\_\_ technicians?  
 \_\_\_\_ personnel respond \_\_\_\_ the \_\_\_\_ of \_\_\_\_ toilet \_\_\_\_ caused by \_\_\_\_ pipes?  
 We \_\_\_\_ bathroom \_\_\_\_ thanks \_\_\_\_ leaking mains, can \_\_\_\_ folks \_\_\_\_?  
 What \_\_\_\_ the time frame \_\_\_\_ technicians \_\_\_\_ the \_\_\_\_ aware \_\_\_\_ toilet \_\_\_\_ caused by nearby damages  
 \_\_\_\_ the main wastewater \_\_\_\_  
 \_\_\_\_ could we \_\_\_\_ technical support \_\_\_\_ learning \_\_\_\_ backing up \_\_\_\_ damage to the primary \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ arrive quickly \_\_\_\_ toilets that \_\_\_\_ broken \_\_\_\_?  
 Can \_\_\_\_ send \_\_\_\_ quickly \_\_\_\_ hear that \_\_\_\_ nasty \_\_\_\_ because of \_\_\_\_ mains?  
 When toilets \_\_\_\_ backed \_\_\_\_ by broken mains \_\_\_\_?  
 \_\_\_\_ quickly will \_\_\_\_ to notify \_\_\_\_ severe toilet backup \_\_\_\_ caused by \_\_\_\_?  
 Can technicians \_\_\_\_ on time \_\_\_\_ toilets \_\_\_\_ by \_\_\_\_?  
 Requesting information regarding the \_\_\_\_ of technicians \_\_\_\_ backups caused by broken \_\_\_\_.  
 When toilet backing \_\_\_\_ issues \_\_\_\_ mainlines, how \_\_\_\_ can technicians \_\_\_\_ site?  
 \_\_\_\_ before your \_\_\_\_ arrive \_\_\_\_ site if I \_\_\_\_ that our \_\_\_\_ backing up \_\_\_\_ of \_\_\_\_ mainlines?  
 How \_\_\_\_ technicians arrive \_\_\_\_ broken \_\_\_\_ toilet backups?  
 When \_\_\_\_ is \_\_\_\_ backup due to \_\_\_\_ how \_\_\_\_ can technicians get \_\_\_\_?  
 \_\_\_\_ will it take on-site technicians to \_\_\_\_ to toilet \_\_\_\_ breakage?  
 \_\_\_\_ quickly will personnel \_\_\_\_ regarding toilet backup \_\_\_\_ that \_\_\_\_ broken \_\_\_\_ lines?  
 \_\_\_\_ will on-site technicians \_\_\_\_ backing issues \_\_\_\_ by damaged \_\_\_\_?  
 \_\_\_\_ are dirty \_\_\_\_ of the \_\_\_\_ mainlines, \_\_\_\_ you send a crew \_\_\_\_?  
 \_\_\_\_ long will it \_\_\_\_ for on-site technicians \_\_\_\_ respond \_\_\_\_ toilet \_\_\_\_ by \_\_\_\_?  
 Is it \_\_\_\_ for fixers \_\_\_\_ report bad \_\_\_\_ caused by busted \_\_\_\_.  
 When \_\_\_\_ backup due to \_\_\_\_ broken mainlines, \_\_\_\_ quickly \_\_\_\_ get \_\_\_\_?  
 When toilet \_\_\_\_ occur \_\_\_\_ mainlines, \_\_\_\_ quickly \_\_\_\_ arrive on \_\_\_\_?  
 Is it possible \_\_\_\_ promptly for \_\_\_\_ backed up \_\_\_\_ broken mains?  
 \_\_\_\_ I \_\_\_\_ bad toilets that are caused by \_\_\_\_ pipes, \_\_\_\_?  
 \_\_\_\_ quickly will \_\_\_\_ respond to \_\_\_\_ of severe \_\_\_\_ caused by broken \_\_\_\_?  
 If \_\_\_\_ caused by busted pipes, \_\_\_\_ can fixers come?  
 How quickly will \_\_\_\_ to \_\_\_\_ notification of toilet backup \_\_\_\_ that \_\_\_\_ broken \_\_\_\_?  
 After being \_\_\_\_ with \_\_\_\_ backing up \_\_\_\_ to proximity of \_\_\_\_ mainlines, \_\_\_\_ is the \_\_\_\_ arrival time \_\_\_\_?  
 How long will \_\_\_\_ to \_\_\_\_ technicians if we alert \_\_\_\_ about seriously \_\_\_\_ toilets \_\_\_\_?  
 When \_\_\_\_ guys \_\_\_\_ toilet that's \_\_\_\_ because of \_\_\_\_ mainlines?  
 Can technicians \_\_\_\_ up quickly \_\_\_\_ with \_\_\_\_?  
 How quickly can \_\_\_\_ deal \_\_\_\_ caused by \_\_\_\_?  
 \_\_\_\_ soon could \_\_\_\_ technicians be \_\_\_\_ the broken mainlines caused \_\_\_\_?  
 What \_\_\_\_ period for technicians \_\_\_\_ reach \_\_\_\_ site after \_\_\_\_ are made \_\_\_\_ of severe toilet \_\_\_\_ damages to \_\_\_\_ pipes  
 \_\_\_\_ techs \_\_\_\_ for \_\_\_\_ broken mains?  
 How \_\_\_\_ can \_\_\_\_ on site when they're \_\_\_\_ toilet \_\_\_\_ near \_\_\_\_?  
 What is the \_\_\_\_ technicians \_\_\_\_ they \_\_\_\_ about toilets backing up \_\_\_\_ broken mainlines?  
 \_\_\_\_ soon \_\_\_\_ to \_\_\_\_ toilet backup issues \_\_\_\_ they are notified \_\_\_\_ broken \_\_\_\_?  
 What is \_\_\_\_ response \_\_\_\_ for \_\_\_\_ if they \_\_\_\_ deal \_\_\_\_ backing \_\_\_\_ because of \_\_\_\_ water \_\_\_\_?  
 When toilet issues occur \_\_\_\_ quickly \_\_\_\_ technicians \_\_\_\_?  
 \_\_\_\_ nasty bathroom messes thanks to \_\_\_\_ you send \_\_\_\_ soon?  
 I \_\_\_\_ technicians \_\_\_\_ quickly because \_\_\_\_ toilet \_\_\_\_ overflowing because \_\_\_\_ busted mainlines.  
 What is \_\_\_\_ time for \_\_\_\_ are backed up because \_\_\_\_ a broken water \_\_\_\_?  
 Can we expect assistance on-site after we \_\_\_\_ with \_\_\_\_ fractured \_\_\_\_ lines?

\_\_\_\_\_ is the \_\_\_\_\_ technicians \_\_\_\_\_ arrive at the \_\_\_\_\_ about severe \_\_\_\_\_ problems \_\_\_\_\_ by nearby damages to \_\_\_\_\_ pipes?

When technicians are told about \_\_\_\_\_ issues \_\_\_\_\_ due to \_\_\_\_\_ of \_\_\_\_\_ mainlines, what is \_\_\_\_\_?

Once \_\_\_\_\_ are aware of \_\_\_\_\_ near the area, \_\_\_\_\_ quickly can \_\_\_\_\_?

\_\_\_\_\_ fast \_\_\_\_\_ technicians arrive on \_\_\_\_\_ when \_\_\_\_\_ are informed \_\_\_\_\_ Toilet \_\_\_\_\_ up Problems \_\_\_\_\_?

\_\_\_\_\_ information about \_\_\_\_\_ response time of \_\_\_\_\_ relation to \_\_\_\_\_ of severe \_\_\_\_\_ resulting \_\_\_\_\_ broken \_\_\_\_\_.

\_\_\_\_\_ backups \_\_\_\_\_ caused by \_\_\_\_\_ mainlines, \_\_\_\_\_ quickly can \_\_\_\_\_ the location?

How fast can \_\_\_\_\_ broken mains?

\_\_\_\_\_ expect technical \_\_\_\_\_ learning about \_\_\_\_\_ arising \_\_\_\_\_ damage within the primary mains?

Is it \_\_\_\_\_ for you \_\_\_\_\_ people quickly as \_\_\_\_\_ hear we have \_\_\_\_\_ to \_\_\_\_\_ leaking \_\_\_\_\_?

How quickly \_\_\_\_\_ respond to \_\_\_\_\_ issues if there \_\_\_\_\_ mainline?

\_\_\_\_\_ we should expect technical \_\_\_\_\_ that have backing \_\_\_\_\_ due to \_\_\_\_\_ within \_\_\_\_\_ mains?

\_\_\_\_\_ technicians visit after we \_\_\_\_\_ toilet \_\_\_\_\_ caused \_\_\_\_\_ broken \_\_\_\_\_?

\_\_\_\_\_ is the time \_\_\_\_\_ for \_\_\_\_\_ when \_\_\_\_\_ toilet issues \_\_\_\_\_ mainline breakage?

What \_\_\_\_\_ the time frame \_\_\_\_\_ on-site \_\_\_\_\_ toilet \_\_\_\_\_ by a mainline \_\_\_\_\_?

How \_\_\_\_\_ will personnel \_\_\_\_\_ notifications regarding toilet \_\_\_\_\_ caused by \_\_\_\_\_?

When \_\_\_\_\_ toilet backing up \_\_\_\_\_ near \_\_\_\_\_ mainlines, how \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_?

When technicians are told \_\_\_\_\_ the \_\_\_\_\_ how \_\_\_\_\_ can they \_\_\_\_\_?

Can you send \_\_\_\_\_ quickly, \_\_\_\_\_ hear \_\_\_\_\_ have nasty \_\_\_\_\_ messes, \_\_\_\_\_ mains?

\_\_\_\_\_ until \_\_\_\_\_ arrive on-site \_\_\_\_\_ I tell \_\_\_\_\_ that our toilets \_\_\_\_\_ backing up because \_\_\_\_\_?

\_\_\_\_\_ visit on-site \_\_\_\_\_ we report \_\_\_\_\_ problems \_\_\_\_\_ by \_\_\_\_\_ mainlines?

Is \_\_\_\_\_ for techs to arrive promptly \_\_\_\_\_ backed \_\_\_\_\_ mains?

\_\_\_\_\_ frame \_\_\_\_\_ to \_\_\_\_\_ the site \_\_\_\_\_ they \_\_\_\_\_ made \_\_\_\_\_ of severe toilet problems caused \_\_\_\_\_ nearby damage to \_\_\_\_\_?

\_\_\_\_\_ have been reports of \_\_\_\_\_ resulting \_\_\_\_\_ a close \_\_\_\_\_ the technicians.

When will \_\_\_\_\_ backing caused \_\_\_\_\_ mainlines?

\_\_\_\_\_ soon could \_\_\_\_\_ up \_\_\_\_\_ broken \_\_\_\_\_ severe toilet issues?

\_\_\_\_\_ know \_\_\_\_\_ our toilets are backed up \_\_\_\_\_ broken \_\_\_\_\_ how fast can you \_\_\_\_\_?

How long \_\_\_\_\_ your technicians arrive \_\_\_\_\_ site if \_\_\_\_\_ tell \_\_\_\_\_ about \_\_\_\_\_ of broken \_\_\_\_\_?

\_\_\_\_\_ report a \_\_\_\_\_ toilets \_\_\_\_\_ are related to fractured underground sewer \_\_\_\_\_ we expect \_\_\_\_\_?

\_\_\_\_\_ soon \_\_\_\_\_ be present if \_\_\_\_\_ mainlines cause severe \_\_\_\_\_?

\_\_\_\_\_ the estimated \_\_\_\_\_ technicians \_\_\_\_\_ they are made aware \_\_\_\_\_ the \_\_\_\_\_ amount \_\_\_\_\_ toilet waste \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ are informed \_\_\_\_\_ toilets backing up due \_\_\_\_\_ is their arrival time?

\_\_\_\_\_ mainlines cause \_\_\_\_\_ issues with toilet backups, \_\_\_\_\_ expected \_\_\_\_\_ time \_\_\_\_\_ technician?

\_\_\_\_\_ can \_\_\_\_\_ arrive \_\_\_\_\_ a location if they \_\_\_\_\_ toilets are backing \_\_\_\_\_ mains?

\_\_\_\_\_ technicians fix \_\_\_\_\_ by damaged mainlines?

How \_\_\_\_\_ technicians \_\_\_\_\_ on \_\_\_\_\_ address \_\_\_\_\_ backup \_\_\_\_\_ if \_\_\_\_\_ are alerted \_\_\_\_\_ mainlines near the area?

What \_\_\_\_\_ the expected \_\_\_\_\_ technicians when \_\_\_\_\_ toilets backed \_\_\_\_\_ due \_\_\_\_\_ broken \_\_\_\_\_ mains?

\_\_\_\_\_ teams expected following notice \_\_\_\_\_ significant clogging \_\_\_\_\_ damaged \_\_\_\_\_ lines?

\_\_\_\_\_ the \_\_\_\_\_ frame \_\_\_\_\_ to \_\_\_\_\_ the site \_\_\_\_\_ toilet \_\_\_\_\_ caused by nearby damages to main \_\_\_\_\_ pipes?

How \_\_\_\_\_ to be \_\_\_\_\_ we alert \_\_\_\_\_ toilets that are seriously blocked \_\_\_\_\_ site mains?

When we report \_\_\_\_\_ with \_\_\_\_\_ are \_\_\_\_\_ fractured sewer \_\_\_\_\_ can \_\_\_\_\_ prompt help?

Can you \_\_\_\_\_ quickly \_\_\_\_\_ we \_\_\_\_\_ nasty \_\_\_\_\_ messes, \_\_\_\_\_ to leaking \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ people quickly as \_\_\_\_\_ have nasty \_\_\_\_\_ messes \_\_\_\_\_ of leaking mains?

\_\_\_\_\_ could we expect \_\_\_\_\_ toilets \_\_\_\_\_ were backed \_\_\_\_\_ because of \_\_\_\_\_ the \_\_\_\_\_?

Once technicians are aware of \_\_\_\_\_ backup \_\_\_\_\_ damaged mainlines, \_\_\_\_\_ it take to arrive \_\_\_\_\_?

Toilets \_\_\_\_\_ to broken \_\_\_\_\_ prompt assistance.

\_\_\_\_\_ will \_\_\_\_\_ to notification regarding \_\_\_\_\_ backup problems caused \_\_\_\_\_ broken \_\_\_\_\_?

Is it \_\_\_\_\_ swiftly \_\_\_\_\_ toilets with broken mains?

What \_\_\_\_\_ time for technicians to fix \_\_\_\_\_ that \_\_\_\_\_ because \_\_\_\_\_ broken water main?

\_\_\_\_\_ aware of \_\_\_\_\_ caused \_\_\_\_\_ soon will they arrive on site?

\_\_\_\_\_ mainlines cause \_\_\_\_\_ toilet backups, \_\_\_\_\_ is the expected \_\_\_\_\_ time \_\_\_\_\_ the \_\_\_\_\_?  
 Is it \_\_\_\_\_ quickly \_\_\_\_\_ issues that are \_\_\_\_\_ by \_\_\_\_\_ sewage pipes?  
 How \_\_\_\_\_ technicians \_\_\_\_\_ on-site \_\_\_\_\_ fix severe \_\_\_\_\_ backup \_\_\_\_\_ once they're \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ is overflowing because of \_\_\_\_\_ mainlines, \_\_\_\_\_ will \_\_\_\_\_ arrive?  
 How \_\_\_\_\_ can \_\_\_\_\_ be on-site \_\_\_\_\_ severe toilet \_\_\_\_\_ they \_\_\_\_\_ about \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ sewer \_\_\_\_\_ disruptions lead to \_\_\_\_\_ overflow incidents \_\_\_\_\_ can \_\_\_\_\_ response from technicians?  
 \_\_\_\_\_ we \_\_\_\_\_ technical support \_\_\_\_\_ that are backed up because \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ for technicians \_\_\_\_\_ be sent \_\_\_\_\_ we alert about \_\_\_\_\_ that are \_\_\_\_\_ site mains?  
 Can your \_\_\_\_\_ come \_\_\_\_\_ the \_\_\_\_\_ immediately after hearing \_\_\_\_\_ toilet \_\_\_\_\_ caused \_\_\_\_\_?  
 When can \_\_\_\_\_ expect technical \_\_\_\_\_ arrive at \_\_\_\_\_ toilet overflow \_\_\_\_\_ to damaged \_\_\_\_\_ plumbing?  
 When \_\_\_\_\_ are \_\_\_\_\_ about \_\_\_\_\_ near \_\_\_\_\_ how quickly can technicians \_\_\_\_\_?  
 How \_\_\_\_\_ until your \_\_\_\_\_ arrive \_\_\_\_\_ I inform you about \_\_\_\_\_ toilets backing \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ quickly can \_\_\_\_\_ technicians \_\_\_\_\_ mainlines \_\_\_\_\_ cause toilet \_\_\_\_\_?  
 \_\_\_\_\_ technicians \_\_\_\_\_ site after we \_\_\_\_\_ toilet \_\_\_\_\_ broken mainlines?  
 Can \_\_\_\_\_ they hear we have nasty bathroom \_\_\_\_\_ thanks \_\_\_\_\_ mains?  
 \_\_\_\_\_ report \_\_\_\_\_ toilets caused by busted \_\_\_\_\_ can fixators \_\_\_\_\_?  
 \_\_\_\_\_ information \_\_\_\_\_ the \_\_\_\_\_ technicians \_\_\_\_\_ to reports of toilet backups due to \_\_\_\_\_.  
 \_\_\_\_\_ can \_\_\_\_\_ at a \_\_\_\_\_ are backed up from damaged \_\_\_\_\_.  
 How quickly \_\_\_\_\_ you get to \_\_\_\_\_ major toilet backups \_\_\_\_\_ by \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ time for \_\_\_\_\_ to respond \_\_\_\_\_ cases like toilets backing \_\_\_\_\_ to \_\_\_\_\_ mains?  
 There \_\_\_\_\_ toilet \_\_\_\_\_ the \_\_\_\_\_ mains.  
 How \_\_\_\_\_ technicians \_\_\_\_\_ to \_\_\_\_\_ backups caused \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ the expected \_\_\_\_\_ for technicians to \_\_\_\_\_ cases of \_\_\_\_\_ backing \_\_\_\_\_ due to \_\_\_\_\_ mains?  
 How quickly will personnel \_\_\_\_\_ to notification \_\_\_\_\_ severe toilet \_\_\_\_\_ by \_\_\_\_\_ lines?  
 \_\_\_\_\_ you receive \_\_\_\_\_ about \_\_\_\_\_ issues \_\_\_\_\_ by broken \_\_\_\_\_ technicians come to \_\_\_\_\_ immediately?  
 Once \_\_\_\_\_ are aware of \_\_\_\_\_ caused \_\_\_\_\_ long will it take to arrive?  
 How long until \_\_\_\_\_ on-site \_\_\_\_\_ I inform you \_\_\_\_\_ backing \_\_\_\_\_ because of \_\_\_\_\_ mainlines?  
 Once technicians are \_\_\_\_\_ backup issues caused \_\_\_\_\_ they show up?  
 Requesting information \_\_\_\_\_ time \_\_\_\_\_ technicians in relation \_\_\_\_\_ of severe toilet \_\_\_\_\_ resulting \_\_\_\_\_ broken \_\_\_\_\_.  
 When \_\_\_\_\_ informed about toilet \_\_\_\_\_ the mainlines, \_\_\_\_\_ quickly can \_\_\_\_\_ site?  
 When \_\_\_\_\_ severe toilet \_\_\_\_\_ issues, how \_\_\_\_\_ will \_\_\_\_\_ arrive on site?  
 How \_\_\_\_\_ personnel \_\_\_\_\_ to notification about \_\_\_\_\_ are caused by broken \_\_\_\_\_?  
 When \_\_\_\_\_ look \_\_\_\_\_ toilet backing \_\_\_\_\_ by damaged \_\_\_\_\_?  
 \_\_\_\_\_ about the \_\_\_\_\_ of technicians \_\_\_\_\_ relation to reports of \_\_\_\_\_ backups \_\_\_\_\_ from \_\_\_\_\_ mainlines.  
 How quickly \_\_\_\_\_ arrive \_\_\_\_\_ backups \_\_\_\_\_ broken lines?  
 \_\_\_\_\_ response time of technicians, in \_\_\_\_\_ reports \_\_\_\_\_ by broken mainlines.  
 \_\_\_\_\_ quickly \_\_\_\_\_ the site \_\_\_\_\_ of toilet backups caused \_\_\_\_\_ damaged mainlines?  
 \_\_\_\_\_ will personnel \_\_\_\_\_ to \_\_\_\_\_ of severe \_\_\_\_\_ backups \_\_\_\_\_ caused by \_\_\_\_\_ lines?  
 When will \_\_\_\_\_ damaged mainlines \_\_\_\_\_ severe \_\_\_\_\_ backing \_\_\_\_\_?  
 \_\_\_\_\_ nasty bathroom messes \_\_\_\_\_ to \_\_\_\_\_ mains, \_\_\_\_\_ you \_\_\_\_\_ people \_\_\_\_\_?  
 If \_\_\_\_\_ report \_\_\_\_\_ with toilets \_\_\_\_\_ are \_\_\_\_\_ to fractured underground \_\_\_\_\_ can we \_\_\_\_\_ assistance \_\_\_\_\_?  
 The \_\_\_\_\_ is \_\_\_\_\_ up because \_\_\_\_\_ when \_\_\_\_\_ you send \_\_\_\_\_ to fix \_\_\_\_\_?  
 If \_\_\_\_\_ report terrible toilets \_\_\_\_\_ by busted \_\_\_\_\_ fixers \_\_\_\_\_?  
 \_\_\_\_\_ it possible to send \_\_\_\_\_ they hear we \_\_\_\_\_ bathroom \_\_\_\_\_ to the \_\_\_\_\_ mains?  
 \_\_\_\_\_ soon as we \_\_\_\_\_ toilet \_\_\_\_\_ caused \_\_\_\_\_ broken \_\_\_\_\_ when \_\_\_\_\_ technicians \_\_\_\_\_ on-site?  
 \_\_\_\_\_ technicians \_\_\_\_\_ the site \_\_\_\_\_ they \_\_\_\_\_ notified of \_\_\_\_\_ toilet \_\_\_\_\_ caused by broken \_\_\_\_\_?  
 What \_\_\_\_\_ the expected \_\_\_\_\_ when they \_\_\_\_\_ dealing \_\_\_\_\_ severe toilets \_\_\_\_\_ up because \_\_\_\_\_ water mains?  
 \_\_\_\_\_ fix toilet backup \_\_\_\_\_ they are aware of broken \_\_\_\_\_?  
 \_\_\_\_\_ is the \_\_\_\_\_ arrival time \_\_\_\_\_ on-site \_\_\_\_\_ when \_\_\_\_\_ of broken \_\_\_\_\_ critical issues \_\_\_\_\_ backups?  
 Fix \_\_\_\_\_ backups \_\_\_\_\_ mainlines?

There \_\_\_\_ toilets that \_\_\_\_ of \_\_\_\_ mainlines and what is the anticipated \_\_\_\_ time of \_\_\_\_?

\_\_\_\_ technicians \_\_\_\_ the \_\_\_\_ backing problems caused \_\_\_\_ damaged \_\_\_\_?

\_\_\_\_ for \_\_\_\_ reach the \_\_\_\_ after \_\_\_\_ are made \_\_\_\_ of \_\_\_\_ problems caused by nearby damages \_\_\_\_ the main wastewater \_\_\_\_

When there is severe toilet backup \_\_\_\_ how \_\_\_\_ can technicians \_\_\_\_?

\_\_\_\_ take for on-site technicians to \_\_\_\_ toilet backups \_\_\_\_ mainline \_\_\_\_ down?

\_\_\_\_ damaged \_\_\_\_ toilet backup \_\_\_\_ will it \_\_\_\_ before the technicians \_\_\_\_?

My \_\_\_\_ is overflowing \_\_\_\_ of \_\_\_\_ busted \_\_\_\_ and \_\_\_\_ will \_\_\_\_ out?

\_\_\_\_ like to \_\_\_\_ fixers \_\_\_\_ if I report bad toilets caused \_\_\_\_.

\_\_\_\_ time period \_\_\_\_ technicians \_\_\_\_ reach \_\_\_\_ after \_\_\_\_ about the severe \_\_\_\_ problems \_\_\_\_ nearby damages \_\_\_\_ the main \_\_\_\_ pipes?

\_\_\_\_ is the \_\_\_\_ frame \_\_\_\_ technicians \_\_\_\_ site after \_\_\_\_ of the severe toilet \_\_\_\_ nearby \_\_\_\_ to the \_\_\_\_ pipes?

\_\_\_\_ will \_\_\_\_ to notifications \_\_\_\_ toilet backup problems that \_\_\_\_ by \_\_\_\_ pipes?

\_\_\_\_ it \_\_\_\_ for \_\_\_\_ technicians to \_\_\_\_ the site after receiving \_\_\_\_ issues \_\_\_\_ by \_\_\_\_ mainlines?

\_\_\_\_ will \_\_\_\_ visit \_\_\_\_ report toilet \_\_\_\_ caused by broken \_\_\_\_?

\_\_\_\_ can \_\_\_\_ on-site to fix toilet \_\_\_\_ issues after they're \_\_\_\_ broken \_\_\_\_?

\_\_\_\_ we report toilet problems \_\_\_\_ to \_\_\_\_ we expect assistance \_\_\_\_?

What is the response \_\_\_\_ told of toilet \_\_\_\_ due to \_\_\_\_ breaks?

\_\_\_\_ will \_\_\_\_ on-site \_\_\_\_ to respond to \_\_\_\_ toilet backups \_\_\_\_ mainline breaks?

What is \_\_\_\_ technicians \_\_\_\_ reach the site \_\_\_\_ being informed about \_\_\_\_ by \_\_\_\_ damages to main wastewater \_\_\_\_?

I \_\_\_\_ know when \_\_\_\_ if I report \_\_\_\_ broken pipes.

\_\_\_\_ quickly \_\_\_\_ to \_\_\_\_ toilet backup problems \_\_\_\_ broken pipes?

\_\_\_\_ visit if \_\_\_\_ severe toilet \_\_\_\_ due \_\_\_\_ broken mainlines?

\_\_\_\_ soon can \_\_\_\_ on-site to fix \_\_\_\_ they \_\_\_\_ notified \_\_\_\_ broken mainlines?

After \_\_\_\_ informed of \_\_\_\_ backing up problems caused \_\_\_\_ damaged \_\_\_\_ can you \_\_\_\_ the \_\_\_\_?

\_\_\_\_ toilet \_\_\_\_ broken mainlines?

\_\_\_\_ is \_\_\_\_ backup due to \_\_\_\_ broken mainlines \_\_\_\_ technicians reach the \_\_\_\_?

After \_\_\_\_ informed \_\_\_\_ serious \_\_\_\_ toilets backing up \_\_\_\_ proximity \_\_\_\_ mainlines, \_\_\_\_ the expected \_\_\_\_ time of technicians?

How \_\_\_\_ can \_\_\_\_ broken mainlines cause \_\_\_\_ backups?

\_\_\_\_ we let you know that \_\_\_\_ are backed up \_\_\_\_ can plumbing come?

\_\_\_\_ is the time \_\_\_\_ to \_\_\_\_ the site \_\_\_\_ aware of severe toilet \_\_\_\_ by damage to \_\_\_\_ main \_\_\_\_ pipes

What is \_\_\_\_ time frame \_\_\_\_ technicians \_\_\_\_ site after \_\_\_\_ about \_\_\_\_ toilet problems caused by \_\_\_\_ damages \_\_\_\_ wastewater \_\_\_\_?

\_\_\_\_ quickly will personnel \_\_\_\_ notification of toilet \_\_\_\_ problems \_\_\_\_ caused by \_\_\_\_?

\_\_\_\_ will personnel respond to \_\_\_\_ notification \_\_\_\_ problems that \_\_\_\_ caused \_\_\_\_ pipes?

\_\_\_\_ the expected \_\_\_\_ for technicians \_\_\_\_ deal with severe toilets \_\_\_\_ to broken water \_\_\_\_?

\_\_\_\_ quickly \_\_\_\_ the technicians \_\_\_\_ able to get \_\_\_\_ the scene \_\_\_\_ backing up problems \_\_\_\_ mainlines?

\_\_\_\_ is the time frame \_\_\_\_ reach the \_\_\_\_ after \_\_\_\_ severe toilet \_\_\_\_ caused \_\_\_\_ nearby \_\_\_\_ the \_\_\_\_ wastewater pipes?

How quickly will personnel \_\_\_\_ the notification \_\_\_\_ backups \_\_\_\_ pipes?

What is \_\_\_\_ time \_\_\_\_ technicians \_\_\_\_ to \_\_\_\_ after \_\_\_\_ of \_\_\_\_ problems \_\_\_\_ by \_\_\_\_ to the main wastewater pipes?

As \_\_\_\_ broken \_\_\_\_ quickly can \_\_\_\_ fix toilet backups?

How quickly \_\_\_\_ technicians \_\_\_\_ to get to the \_\_\_\_ backed up issues caused by \_\_\_\_?

\_\_\_\_ technicians arrive \_\_\_\_ for toilets \_\_\_\_?

\_\_\_\_ informed \_\_\_\_ issues with toilets \_\_\_\_ due to \_\_\_\_ of \_\_\_\_ what time \_\_\_\_ they arrive?

\_\_\_\_ about the response time \_\_\_\_ technicians \_\_\_\_ there \_\_\_\_ reports of severe toilet backups \_\_\_\_.

How \_\_\_\_ workers arrive when \_\_\_\_ told restroom \_\_\_\_ broken \_\_\_\_?

How \_\_\_\_ can \_\_\_\_ on-site \_\_\_\_ fix \_\_\_\_ when \_\_\_\_ are \_\_\_\_ mainlines near the area?

\_\_\_\_\_ the \_\_\_\_\_ of technicians \_\_\_\_\_ reports of toilet backups \_\_\_\_\_ by \_\_\_\_\_ mainlines.  
 \_\_\_\_\_ there \_\_\_\_\_ toilet \_\_\_\_\_ due \_\_\_\_\_ nearby \_\_\_\_\_ mainlines, \_\_\_\_\_ quickly \_\_\_\_\_ technicians \_\_\_\_\_ the location?  
 \_\_\_\_\_ is \_\_\_\_\_ response \_\_\_\_\_ for \_\_\_\_\_ to respond to cases of toilets \_\_\_\_\_ because \_\_\_\_\_ water \_\_\_\_\_?  
 \_\_\_\_\_ should \_\_\_\_\_ technical support for \_\_\_\_\_ backed up from \_\_\_\_\_ the \_\_\_\_\_ mains?  
 \_\_\_\_\_ backups caused by broken mainlines \_\_\_\_\_ reported, how \_\_\_\_\_ technicians \_\_\_\_\_ able \_\_\_\_\_ get \_\_\_\_\_?  
 Once technicians \_\_\_\_\_ aware of broken \_\_\_\_\_ soon can \_\_\_\_\_ backup \_\_\_\_\_?  
 When \_\_\_\_\_ inform \_\_\_\_\_ the \_\_\_\_\_ sewer lines, \_\_\_\_\_ be swift assistance?  
 Once \_\_\_\_\_ are aware of \_\_\_\_\_ near \_\_\_\_\_ how soon \_\_\_\_\_ they \_\_\_\_\_ toilet \_\_\_\_\_?  
 Can \_\_\_\_\_ expect \_\_\_\_\_ assistance when \_\_\_\_\_ report \_\_\_\_\_ have \_\_\_\_\_ blocked \_\_\_\_\_ broken \_\_\_\_\_ lines?  
 \_\_\_\_\_ the \_\_\_\_\_ on-site repairs \_\_\_\_\_ there \_\_\_\_\_ a toilet \_\_\_\_\_ related \_\_\_\_\_ mainline breakage?  
 When \_\_\_\_\_ of major toilet \_\_\_\_\_ up \_\_\_\_\_ by \_\_\_\_\_ damaged \_\_\_\_\_ can you reach the site?  
 \_\_\_\_\_ the \_\_\_\_\_ time for \_\_\_\_\_ if they \_\_\_\_\_ to deal \_\_\_\_\_ up due to \_\_\_\_\_ mains?  
 When damaged \_\_\_\_\_ backup issues, \_\_\_\_\_ soon \_\_\_\_\_ able to \_\_\_\_\_ the site?  
 What \_\_\_\_\_ the time \_\_\_\_\_ for \_\_\_\_\_ get to \_\_\_\_\_ site \_\_\_\_\_ hearing about \_\_\_\_\_ problems \_\_\_\_\_ by \_\_\_\_\_ damage \_\_\_\_\_ main  
 wastewater \_\_\_\_\_?  
 Upon \_\_\_\_\_ of broken \_\_\_\_\_ causing \_\_\_\_\_ with \_\_\_\_\_ backups, what is \_\_\_\_\_ expected \_\_\_\_\_ for on-site \_\_\_\_\_?  
 When \_\_\_\_\_ arrive at the site \_\_\_\_\_ being \_\_\_\_\_ toilet \_\_\_\_\_ broken mainlines?  
 If the toilets \_\_\_\_\_ broken mains, can \_\_\_\_\_ quickly?  
 How \_\_\_\_\_ will personnel \_\_\_\_\_ to notifications \_\_\_\_\_ toilet \_\_\_\_\_ problems that are \_\_\_\_\_?  
 \_\_\_\_\_ could \_\_\_\_\_ expect \_\_\_\_\_ support for \_\_\_\_\_ that were \_\_\_\_\_ up due to \_\_\_\_\_?  
 \_\_\_\_\_ quickly workers arrive \_\_\_\_\_ they \_\_\_\_\_ told restroom backups \_\_\_\_\_ our place?  
 \_\_\_\_\_ of \_\_\_\_\_ backing \_\_\_\_\_ caused by nearby \_\_\_\_\_ mainlines \_\_\_\_\_ quickly can you reach the \_\_\_\_\_?  
 \_\_\_\_\_ technicians are \_\_\_\_\_ issues near the \_\_\_\_\_ quickly can they \_\_\_\_\_?  
 How quickly \_\_\_\_\_ respond \_\_\_\_\_ severe \_\_\_\_\_ backup problems \_\_\_\_\_ caused by \_\_\_\_\_ pipe?  
 \_\_\_\_\_ receiving \_\_\_\_\_ of \_\_\_\_\_ caused by \_\_\_\_\_ can your \_\_\_\_\_ come to \_\_\_\_\_ site?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ soon \_\_\_\_\_ we have nasty bathroom messes \_\_\_\_\_ mains?  
 \_\_\_\_\_ expect prompt assistance when we report \_\_\_\_\_ become \_\_\_\_\_ to nearby \_\_\_\_\_ sewer lines \_\_\_\_\_ drainage \_\_\_\_\_?  
 \_\_\_\_\_ report bad \_\_\_\_\_ by \_\_\_\_\_ pipes, when \_\_\_\_\_ fixators \_\_\_\_\_ quickly?  
 \_\_\_\_\_ should expect technical \_\_\_\_\_ are backing up \_\_\_\_\_ damage to \_\_\_\_\_ mains?  
 \_\_\_\_\_ will \_\_\_\_\_ respond \_\_\_\_\_ notification regarding \_\_\_\_\_ backup problems \_\_\_\_\_ are \_\_\_\_\_ by \_\_\_\_\_ pipes?  
 Can you \_\_\_\_\_ it \_\_\_\_\_ get quick help \_\_\_\_\_ toilet problems caused by \_\_\_\_\_ pipes?  
 \_\_\_\_\_ time \_\_\_\_\_ for technicians \_\_\_\_\_ reach \_\_\_\_\_ site after they are made aware \_\_\_\_\_ the severe toilet \_\_\_\_\_ by \_\_\_\_\_  
 the \_\_\_\_\_  
 Toilets \_\_\_\_\_ prompt \_\_\_\_\_ due \_\_\_\_\_ mainlines.  
 When can we expect \_\_\_\_\_ support \_\_\_\_\_ problems with \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_?  
 How \_\_\_\_\_ can \_\_\_\_\_ arrive \_\_\_\_\_ are told of toilet \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ I report bad toilets that are \_\_\_\_\_ busted \_\_\_\_\_ when \_\_\_\_\_?  
 \_\_\_\_\_ backing \_\_\_\_\_ occur near broken mainlines, how \_\_\_\_\_ technicians \_\_\_\_\_ scene?  
 What \_\_\_\_\_ the time frame for technicians \_\_\_\_\_ get \_\_\_\_\_ site \_\_\_\_\_ about \_\_\_\_\_ toilet \_\_\_\_\_ caused \_\_\_\_\_ damages to \_\_\_\_\_  
 main \_\_\_\_\_?  
 \_\_\_\_\_ informed \_\_\_\_\_ issues with \_\_\_\_\_ backing \_\_\_\_\_ due to \_\_\_\_\_ of broken \_\_\_\_\_ what is \_\_\_\_\_ arrival \_\_\_\_\_ of \_\_\_\_\_?  
 If I \_\_\_\_\_ toilets \_\_\_\_\_ pipes, when \_\_\_\_\_ the fixators \_\_\_\_\_?  
 \_\_\_\_\_ arrive promptly \_\_\_\_\_ toilets \_\_\_\_\_ are \_\_\_\_\_ up by broken \_\_\_\_\_?  
 \_\_\_\_\_ we should expect technical \_\_\_\_\_ toilets \_\_\_\_\_ up due \_\_\_\_\_ damage \_\_\_\_\_ primary mains?  
 \_\_\_\_\_ the \_\_\_\_\_ are aware of the toilet \_\_\_\_\_ damaged \_\_\_\_\_ how \_\_\_\_\_ arrive?  
 \_\_\_\_\_ could \_\_\_\_\_ expect technical \_\_\_\_\_ learning \_\_\_\_\_ due to \_\_\_\_\_ to the mains?  
 \_\_\_\_\_ arrive \_\_\_\_\_ for the toilets that \_\_\_\_\_ mains?  
 If \_\_\_\_\_ report bad \_\_\_\_\_ caused \_\_\_\_\_ busted \_\_\_\_\_ when \_\_\_\_\_ come?  
 How quickly will personnel \_\_\_\_\_ notifications \_\_\_\_\_ backups \_\_\_\_\_ caused by \_\_\_\_\_?  
 After we \_\_\_\_\_ you know \_\_\_\_\_ our \_\_\_\_\_ backed \_\_\_\_\_ to broken \_\_\_\_\_ how \_\_\_\_\_ can the \_\_\_\_\_?  
 What \_\_\_\_\_ time frame \_\_\_\_\_ to \_\_\_\_\_ site after hearing \_\_\_\_\_ toilet problems caused by \_\_\_\_\_ to the \_\_\_\_\_  
 pipes?



\_\_\_\_\_ the \_\_\_\_\_ get to the \_\_\_\_\_ hearing \_\_\_\_\_ toilet problems \_\_\_\_\_ by damages to \_\_\_\_\_ main wastewater pipes?

\_\_\_\_\_ we \_\_\_\_\_ assistance \_\_\_\_\_ when \_\_\_\_\_ report problems \_\_\_\_\_ that are \_\_\_\_\_ to \_\_\_\_\_ sewer lines?

\_\_\_\_\_ informed about issues with \_\_\_\_\_ up due \_\_\_\_\_ proximity of broken \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ technicians?

\_\_\_\_\_ technicians fix \_\_\_\_\_ issues \_\_\_\_\_ they are \_\_\_\_\_ about broken mainlines?

\_\_\_\_\_ alerted about \_\_\_\_\_ mainlines \_\_\_\_\_ the \_\_\_\_\_ can technicians \_\_\_\_\_ on-site to \_\_\_\_\_ toilet backup \_\_\_\_\_?

Toilets backing \_\_\_\_\_ to \_\_\_\_\_ prompt assistance from technicians.

What \_\_\_\_\_ the response \_\_\_\_\_ to deal \_\_\_\_\_ up \_\_\_\_\_ to \_\_\_\_\_ water mains?

\_\_\_\_\_ toilet backups be \_\_\_\_\_ are broken mainlines?

\_\_\_\_\_ for technicians to reach the \_\_\_\_\_ after they are \_\_\_\_\_ aware of \_\_\_\_\_ by damages to the \_\_\_\_\_?

How \_\_\_\_\_ your technicians fix \_\_\_\_\_ backups \_\_\_\_\_ broken \_\_\_\_\_.

After we \_\_\_\_\_ you \_\_\_\_\_ our \_\_\_\_\_ backed \_\_\_\_\_ of \_\_\_\_\_ mainlines, \_\_\_\_\_ fast can they \_\_\_\_\_?

When \_\_\_\_\_ technicians \_\_\_\_\_ the \_\_\_\_\_ issues caused \_\_\_\_\_ the \_\_\_\_\_ mainlines?

\_\_\_\_\_ experts \_\_\_\_\_ location \_\_\_\_\_ they \_\_\_\_\_ toilets are backing \_\_\_\_\_ from damaged mains?

What is the \_\_\_\_\_ time \_\_\_\_\_ backed \_\_\_\_\_ because of broken \_\_\_\_\_ mains?

When we let \_\_\_\_\_ that \_\_\_\_\_ are backed up because \_\_\_\_\_ quickly can the \_\_\_\_\_?

\_\_\_\_\_ toilet issues \_\_\_\_\_ by \_\_\_\_\_ broken mainlines \_\_\_\_\_ your \_\_\_\_\_ come to the site?

Can your team quickly fix \_\_\_\_\_ toilet \_\_\_\_\_ from \_\_\_\_\_?

When toilets backup \_\_\_\_\_ to \_\_\_\_\_ how \_\_\_\_\_ can \_\_\_\_\_ get \_\_\_\_\_ location?

When \_\_\_\_\_ technical support for toilets \_\_\_\_\_ are \_\_\_\_\_ damage \_\_\_\_\_ the mains?

Toilets are \_\_\_\_\_ because \_\_\_\_\_ mainlines.

I don't know \_\_\_\_\_ fast workers \_\_\_\_\_ are told \_\_\_\_\_ lines.

What is \_\_\_\_\_ response \_\_\_\_\_ when they are \_\_\_\_\_ to \_\_\_\_\_ that \_\_\_\_\_ backed \_\_\_\_\_ of broken water \_\_\_\_\_?

When \_\_\_\_\_ send your \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ backed up because \_\_\_\_\_?

\_\_\_\_\_ workers \_\_\_\_\_ when they \_\_\_\_\_ told \_\_\_\_\_ backups stem \_\_\_\_\_ lines?

\_\_\_\_\_ could \_\_\_\_\_ after \_\_\_\_\_ of problems \_\_\_\_\_ toilets caused \_\_\_\_\_ damage \_\_\_\_\_ the primary mains?

\_\_\_\_\_ is severe toilet \_\_\_\_\_ due \_\_\_\_\_ mainlines, how quickly can \_\_\_\_\_?

\_\_\_\_\_ let \_\_\_\_\_ know \_\_\_\_\_ toilets are backed \_\_\_\_\_ because of broken \_\_\_\_\_ how \_\_\_\_\_ plumbing team come?

What \_\_\_\_\_ the \_\_\_\_\_ take for \_\_\_\_\_ to cases like toilets backing \_\_\_\_\_ broken water mains?

When \_\_\_\_\_ we expect \_\_\_\_\_ after \_\_\_\_\_ were told \_\_\_\_\_ backups \_\_\_\_\_ caused \_\_\_\_\_ damage to primary \_\_\_\_\_?

When \_\_\_\_\_ up \_\_\_\_\_ occur \_\_\_\_\_ broken \_\_\_\_\_ how \_\_\_\_\_ can technicians arrive \_\_\_\_\_?

\_\_\_\_\_ damaged \_\_\_\_\_ toilet backup \_\_\_\_\_ how long will it take \_\_\_\_\_ arrive on site?

How soon \_\_\_\_\_ your \_\_\_\_\_ toilet problems caused \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ issues \_\_\_\_\_ the mainlines \_\_\_\_\_ quickly can \_\_\_\_\_ arrive?

How quickly \_\_\_\_\_ technicians arrive on \_\_\_\_\_ they're \_\_\_\_\_ the \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ you able to \_\_\_\_\_ folks \_\_\_\_\_ hear \_\_\_\_\_ nasty \_\_\_\_\_ messes due to \_\_\_\_\_ mains?

As soon \_\_\_\_\_ we report \_\_\_\_\_ toilet problems caused \_\_\_\_\_ broken \_\_\_\_\_ visit \_\_\_\_\_?

If \_\_\_\_\_ problem with toilets \_\_\_\_\_ to fractured underground sewer \_\_\_\_\_ can \_\_\_\_\_ expect \_\_\_\_\_ site?

What \_\_\_\_\_ the response time \_\_\_\_\_ toilet \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ us \_\_\_\_\_ we \_\_\_\_\_ toilet problems caused \_\_\_\_\_ broken \_\_\_\_\_?

Requesting \_\_\_\_\_ about the \_\_\_\_\_ time \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ toilet backups that \_\_\_\_\_ from broken \_\_\_\_\_.

What \_\_\_\_\_ frame for \_\_\_\_\_ reach \_\_\_\_\_ site \_\_\_\_\_ about severe toilet problems \_\_\_\_\_ nearby \_\_\_\_\_ to \_\_\_\_\_ main wastewater pipes?

\_\_\_\_\_ could \_\_\_\_\_ expect \_\_\_\_\_ support after \_\_\_\_\_ of problems with \_\_\_\_\_ to the \_\_\_\_\_?

When will \_\_\_\_\_ visit \_\_\_\_\_ report \_\_\_\_\_ issues \_\_\_\_\_ by broken \_\_\_\_\_?

\_\_\_\_\_ techs \_\_\_\_\_ arrive for \_\_\_\_\_ with broken mains?

Can your \_\_\_\_\_ to \_\_\_\_\_ site when they \_\_\_\_\_ notification \_\_\_\_\_ broken mainlines?

\_\_\_\_\_ receiving \_\_\_\_\_ toilet issues \_\_\_\_\_ by \_\_\_\_\_ can your \_\_\_\_\_ to the \_\_\_\_\_ promptly?

How quick can technicians arrive \_\_\_\_\_ when they \_\_\_\_\_ toilet \_\_\_\_\_ up problems \_\_\_\_\_?

How \_\_\_\_\_ will \_\_\_\_\_ respond to \_\_\_\_\_ are caused by \_\_\_\_\_ pipe?

\_\_\_\_\_ could \_\_\_\_\_ expect \_\_\_\_\_ for \_\_\_\_\_ that \_\_\_\_\_ been damaged \_\_\_\_\_ primary mains?

When can \_\_\_\_\_ repair \_\_\_\_\_ problems \_\_\_\_\_ by \_\_\_\_\_ pipes?  
 \_\_\_\_\_ y'all send \_\_\_\_\_ fast \_\_\_\_\_ they \_\_\_\_\_ have nasty \_\_\_\_\_ messes \_\_\_\_\_ to \_\_\_\_\_ mains?  
 What is the expected \_\_\_\_\_ technicians \_\_\_\_\_ that \_\_\_\_\_ backed up because of a broken \_\_\_\_\_ ?  
 \_\_\_\_\_ will \_\_\_\_\_ to severe \_\_\_\_\_ backup \_\_\_\_\_ that are \_\_\_\_\_ broken primary pipelines?  
 When \_\_\_\_\_ we expect technical support after \_\_\_\_\_ toilets that \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_ primary \_\_\_\_\_ ?  
 Fixers can't \_\_\_\_\_ quickly \_\_\_\_\_ bad toilets caused \_\_\_\_\_ broken \_\_\_\_\_ .  
 \_\_\_\_\_ quickly \_\_\_\_\_ personnel \_\_\_\_\_ to \_\_\_\_\_ backup problems caused \_\_\_\_\_ broken primary \_\_\_\_\_ ?  
 How fast will \_\_\_\_\_ be able \_\_\_\_\_ get to \_\_\_\_\_ toilet backing \_\_\_\_\_ caused by broken \_\_\_\_\_ ?  
 \_\_\_\_\_ we should expect \_\_\_\_\_ support after \_\_\_\_\_ problems \_\_\_\_\_ toilets caused by \_\_\_\_\_ to \_\_\_\_\_ ?  
 When \_\_\_\_\_ let you \_\_\_\_\_ that \_\_\_\_\_ are \_\_\_\_\_ up because of \_\_\_\_\_ mainlines, \_\_\_\_\_ can they \_\_\_\_\_ ?  
 Requests information about \_\_\_\_\_ time \_\_\_\_\_ in \_\_\_\_\_ reports \_\_\_\_\_ severe toilet backups resulting \_\_\_\_\_ .  
 After we let you know that \_\_\_\_\_ up \_\_\_\_\_ of \_\_\_\_\_ mainlines, how \_\_\_\_\_ can \_\_\_\_\_ ?  
 \_\_\_\_\_ of major toilet \_\_\_\_\_ up \_\_\_\_\_ caused \_\_\_\_\_ damaged \_\_\_\_\_ quickly can you get to the \_\_\_\_\_ ?  
 \_\_\_\_\_ can \_\_\_\_\_ on \_\_\_\_\_ when \_\_\_\_\_ are \_\_\_\_\_ of toilet issues near \_\_\_\_\_ mainlines?  
 Can \_\_\_\_\_ expect prompt assistance \_\_\_\_\_ we \_\_\_\_\_ problems with toilets \_\_\_\_\_ sewer lines?  
 \_\_\_\_\_ will \_\_\_\_\_ toilet backing \_\_\_\_\_ due to damaged \_\_\_\_\_ ?  
 How \_\_\_\_\_ technicians \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ toilet problems caused by \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ informed \_\_\_\_\_ toilet backing up problems caused \_\_\_\_\_ nearby \_\_\_\_\_ mainlines, \_\_\_\_\_ quickly can \_\_\_\_\_ reach \_\_\_\_\_ ?  
 \_\_\_\_\_ toilet \_\_\_\_\_ issues \_\_\_\_\_ near \_\_\_\_\_ quickly can \_\_\_\_\_ get to the scene?  
 \_\_\_\_\_ toilets are \_\_\_\_\_ and probably because of \_\_\_\_\_ mainlines, \_\_\_\_\_ you \_\_\_\_\_ over \_\_\_\_\_ ?  
 When \_\_\_\_\_ critical issues with toilet backups, what \_\_\_\_\_ time \_\_\_\_\_ technicians?  
 \_\_\_\_\_ until experts deal \_\_\_\_\_ serious \_\_\_\_\_ issues due \_\_\_\_\_ lines?  
 My toilet \_\_\_\_\_ those \_\_\_\_\_ when \_\_\_\_\_ your technicians available to \_\_\_\_\_ out?  
 How \_\_\_\_\_ technicians be \_\_\_\_\_ to \_\_\_\_\_ severe toilet backup issues once \_\_\_\_\_ broken \_\_\_\_\_ ?  
 Can you \_\_\_\_\_ people \_\_\_\_\_ have nasty \_\_\_\_\_ messes \_\_\_\_\_ to leaking \_\_\_\_\_ ?  
 \_\_\_\_\_ toilet backups occur \_\_\_\_\_ mainlines, \_\_\_\_\_ quickly can technicians \_\_\_\_\_ on \_\_\_\_\_ ?  
 My \_\_\_\_\_ of the \_\_\_\_\_ mainlines, \_\_\_\_\_ when are your \_\_\_\_\_ available \_\_\_\_\_ help?  
 Prompt \_\_\_\_\_ needed \_\_\_\_\_ toilets \_\_\_\_\_ back \_\_\_\_\_ due \_\_\_\_\_ broken \_\_\_\_\_ .  
 \_\_\_\_\_ we expect \_\_\_\_\_ crews arriving at the \_\_\_\_\_ of \_\_\_\_\_ troubles?  
 When can \_\_\_\_\_ location when \_\_\_\_\_ informed of \_\_\_\_\_ up from \_\_\_\_\_ mains?  
 I would like \_\_\_\_\_ when \_\_\_\_\_ will come \_\_\_\_\_ report \_\_\_\_\_ toilets caused \_\_\_\_\_ .  
 Is \_\_\_\_\_ for fixers \_\_\_\_\_ if \_\_\_\_\_ terrible toilets \_\_\_\_\_ by broken \_\_\_\_\_ ?  
 \_\_\_\_\_ to the \_\_\_\_\_ quickly after \_\_\_\_\_ about toilet issues caused \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ visit when there \_\_\_\_\_ toilet \_\_\_\_\_ caused by broken \_\_\_\_\_ ?  
 When you are told \_\_\_\_\_ major \_\_\_\_\_ up problems caused \_\_\_\_\_ nearby \_\_\_\_\_ can \_\_\_\_\_ get to \_\_\_\_\_ ?  
 Can \_\_\_\_\_ people quickly because we \_\_\_\_\_ bathroom \_\_\_\_\_ to \_\_\_\_\_ mains?  
 How \_\_\_\_\_ toilet backup problems that are \_\_\_\_\_ by \_\_\_\_\_ primary lines?  
 \_\_\_\_\_ information \_\_\_\_\_ time of \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ of severe toilet backups \_\_\_\_\_ broken \_\_\_\_\_  
 \_\_\_\_\_ the response time \_\_\_\_\_ a \_\_\_\_\_ backup \_\_\_\_\_ broken \_\_\_\_\_ ?  
 Will technicians \_\_\_\_\_ for \_\_\_\_\_ are backed up by \_\_\_\_\_ ?  
 \_\_\_\_\_ will on \_\_\_\_\_ backing issues caused by \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ soon can technicians be \_\_\_\_\_ address severe \_\_\_\_\_ issues \_\_\_\_\_ being informed \_\_\_\_\_ ?  
 How long until \_\_\_\_\_ deal with \_\_\_\_\_ sewage lines?  
 When \_\_\_\_\_ mainlines \_\_\_\_\_ toilet backups, \_\_\_\_\_ technicians \_\_\_\_\_ on site?  
 \_\_\_\_\_ site if \_\_\_\_\_ inform you about the \_\_\_\_\_ backing up because of \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ information about the \_\_\_\_\_ of \_\_\_\_\_ for \_\_\_\_\_ of \_\_\_\_\_ from broken mainlines.  
 When you are informed \_\_\_\_\_ toilet \_\_\_\_\_ problems \_\_\_\_\_ damaged \_\_\_\_\_ how quickly can you \_\_\_\_\_ to \_\_\_\_\_ ?  
 How \_\_\_\_\_ will \_\_\_\_\_ regarding \_\_\_\_\_ backup problems \_\_\_\_\_ by broken \_\_\_\_\_ lines?  
 Can we \_\_\_\_\_ prompt help if \_\_\_\_\_ problem with \_\_\_\_\_ that are \_\_\_\_\_ sewer \_\_\_\_\_ ?  
 When can \_\_\_\_\_ fix the busted \_\_\_\_\_ that is \_\_\_\_\_ the toilet?

How \_\_\_\_ will personnel respond \_\_\_\_ toilet \_\_\_\_ caused \_\_\_\_ broken primary \_\_\_\_?  
 \_\_\_\_ can your technicians deal \_\_\_\_ toilet backup \_\_\_\_ by \_\_\_\_?  
 \_\_\_\_ are toilet \_\_\_\_ due \_\_\_\_ damaged \_\_\_\_.

With \_\_\_\_ up \_\_\_\_ proximity \_\_\_\_ broken mainlines, what \_\_\_\_ expected \_\_\_\_ time for \_\_\_\_?  
 \_\_\_\_ quickly \_\_\_\_ personnel respond to \_\_\_\_ notification \_\_\_\_ severe \_\_\_\_ caused \_\_\_\_ broken primary \_\_\_\_?  
 \_\_\_\_ is \_\_\_\_ response \_\_\_\_ for \_\_\_\_ to fix \_\_\_\_ backed up because of broken \_\_\_\_ mains?  
 \_\_\_\_ is \_\_\_\_ technicians when dealing with \_\_\_\_ backed \_\_\_\_ from broken water \_\_\_\_?

What is the response \_\_\_\_ technicians \_\_\_\_ are \_\_\_\_ to deal with \_\_\_\_ because \_\_\_\_ broken water \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ quickly for \_\_\_\_ up by broken mains?

When there are reports about \_\_\_\_ mainlines \_\_\_\_ backing \_\_\_\_ how \_\_\_\_ will \_\_\_\_ technicians \_\_\_\_ to \_\_\_\_?  
 \_\_\_\_ it possible for \_\_\_\_ to come \_\_\_\_ bad \_\_\_\_ by busted pipes?

When \_\_\_\_ arrive \_\_\_\_ they are told \_\_\_\_ are backing up from \_\_\_\_?  
 How quickly can we \_\_\_\_ someone \_\_\_\_ this messed \_\_\_\_ toilet \_\_\_\_?

What \_\_\_\_ is expected \_\_\_\_ to cases such as \_\_\_\_ backing up because of \_\_\_\_?  
 When will \_\_\_\_ fix \_\_\_\_ backing issues caused \_\_\_\_?  
 When we should \_\_\_\_ support \_\_\_\_ toilets \_\_\_\_ from damage to primary \_\_\_\_?

What \_\_\_\_ the \_\_\_\_ time for technicians to deal \_\_\_\_ backed \_\_\_\_ from broken \_\_\_\_ mains?  
 Due to \_\_\_\_ when \_\_\_\_ address toilet backing \_\_\_\_?  
 \_\_\_\_ long will \_\_\_\_ take \_\_\_\_ be sent \_\_\_\_ we \_\_\_\_ them about seriously clogged \_\_\_\_ from \_\_\_\_?  
 \_\_\_\_ personnel \_\_\_\_ to notifications \_\_\_\_ severe toilet backups \_\_\_\_ by \_\_\_\_ lines?

When \_\_\_\_ we \_\_\_\_ to arrive at \_\_\_\_ scene of \_\_\_\_ problems \_\_\_\_ to nearby \_\_\_\_ plumbing?  
 \_\_\_\_ we expect \_\_\_\_ crews \_\_\_\_ arrive at \_\_\_\_ scene of \_\_\_\_ toilet overflow \_\_\_\_?  
 \_\_\_\_ toilets \_\_\_\_ the damaged sewer \_\_\_\_ will \_\_\_\_ be quick assistance?  
 \_\_\_\_ possible to \_\_\_\_ folks quickly \_\_\_\_ that \_\_\_\_ nasty bathroom messes thanks to \_\_\_\_ mains?

Once \_\_\_\_ toilet backup issues caused by damaged \_\_\_\_ the technicians \_\_\_\_?  
 Requesting \_\_\_\_ technicians \_\_\_\_ to reports of severe \_\_\_\_ because of broken mainlines.

How \_\_\_\_ technicians arrive on site \_\_\_\_ are \_\_\_\_ about toilet \_\_\_\_ the \_\_\_\_?  
 Do you \_\_\_\_ when you \_\_\_\_ able \_\_\_\_ problematically \_\_\_\_ toilets \_\_\_\_ to fractured \_\_\_\_ channels?  
 \_\_\_\_ your technicians \_\_\_\_ the site immediately after \_\_\_\_ toilet issues caused by \_\_\_\_?

Is it possible \_\_\_\_ to \_\_\_\_ toilets \_\_\_\_ up by \_\_\_\_ mains?  
 \_\_\_\_ backing up issues \_\_\_\_ near broken \_\_\_\_ technicians get there?  
 \_\_\_\_ informed \_\_\_\_ the toilet issues near \_\_\_\_ mainlines, \_\_\_\_ quickly can \_\_\_\_ arrive \_\_\_\_?  
 \_\_\_\_ quickly \_\_\_\_ on \_\_\_\_ when \_\_\_\_ of toilet backups \_\_\_\_ broken mainlines?

How \_\_\_\_ technicians be \_\_\_\_ to \_\_\_\_ toilet \_\_\_\_ issues \_\_\_\_ notified about broken \_\_\_\_?  
 \_\_\_\_ I report \_\_\_\_ caused by busted \_\_\_\_ when can fixers \_\_\_\_?

When \_\_\_\_ severe \_\_\_\_ how quickly can technicians \_\_\_\_ the location?  
 How long \_\_\_\_ take for technicians \_\_\_\_ sent \_\_\_\_ about toilets that are \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ technicians visit if \_\_\_\_ is severe \_\_\_\_ by broken \_\_\_\_?

What is the \_\_\_\_ arrival time \_\_\_\_ technicians \_\_\_\_ informed of serious \_\_\_\_ with toilets backing \_\_\_\_ broken \_\_\_\_?  
 What \_\_\_\_ the \_\_\_\_ time for technicians to \_\_\_\_ severe \_\_\_\_ up \_\_\_\_ to \_\_\_\_ mains?

Can technicians \_\_\_\_ quickly for the \_\_\_\_?  
 \_\_\_\_ possible \_\_\_\_ send folks \_\_\_\_ as they \_\_\_\_ we have \_\_\_\_ bathroom messes, \_\_\_\_ mains?

How \_\_\_\_ can \_\_\_\_ arrive \_\_\_\_ site when \_\_\_\_ toilet backups \_\_\_\_ mainlines?  
 \_\_\_\_ soon \_\_\_\_ on-site \_\_\_\_ address \_\_\_\_ backup issues \_\_\_\_ alerted about broken mainlines?  
 \_\_\_\_ possible for technicians to \_\_\_\_ promptly for \_\_\_\_ with \_\_\_\_?  
 \_\_\_\_ for \_\_\_\_ time \_\_\_\_ in relation \_\_\_\_ of toilet backups due to broken mainlines.

Can they \_\_\_\_ on \_\_\_\_ toilets with \_\_\_\_?  
 \_\_\_\_ long \_\_\_\_ it \_\_\_\_ for on-site technicians \_\_\_\_ respond \_\_\_\_ toilet backups \_\_\_\_ mainline \_\_\_\_?

When could we \_\_\_\_ technical \_\_\_\_ learning \_\_\_\_ with toilets \_\_\_\_ to the primary \_\_\_\_?  
 If you are \_\_\_\_ backing up \_\_\_\_ by \_\_\_\_ damaged mainlines, how quickly can \_\_\_\_ the \_\_\_\_?

When \_\_\_\_ we \_\_\_\_ after learning \_\_\_\_ the problems \_\_\_\_ toilets \_\_\_\_ by damage \_\_\_\_ primary mains?  
 \_\_\_\_ messes thanks \_\_\_\_ leaking mains, can y'all \_\_\_\_ quickly?  
 \_\_\_\_ we let you \_\_\_\_ that our toilets are backed \_\_\_\_ broken mainlines, \_\_\_\_ come \_\_\_\_?  
 After we \_\_\_\_ know that \_\_\_\_ toilets \_\_\_\_ backed up \_\_\_\_ broken mainlines, \_\_\_\_ can \_\_\_\_ arrive?  
 How \_\_\_\_ will \_\_\_\_ get \_\_\_\_ toilet backing up \_\_\_\_ caused by broken mainlines?  
 \_\_\_\_ technicians come \_\_\_\_ the site immediately \_\_\_\_ learning of \_\_\_\_ broken mainlines?  
 \_\_\_\_ severe toilet backups, how soon \_\_\_\_ arrive?  
 How \_\_\_\_ personnel respond to \_\_\_\_ about toilet \_\_\_\_ problems \_\_\_\_ broken primary \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ to get to the \_\_\_\_ broken mainlines toilet backups?  
 Prompt \_\_\_\_ backing up \_\_\_\_ to broken mainlines.  
 Can \_\_\_\_ quickly \_\_\_\_ they \_\_\_\_ we have \_\_\_\_ messes, \_\_\_\_ the leaking mains?  
 Can \_\_\_\_ a crew \_\_\_\_ fix \_\_\_\_ toilets? It's probably because the \_\_\_\_.  
 After \_\_\_\_ informed about \_\_\_\_ backing up due to proximity \_\_\_\_ what \_\_\_\_ the expected arrival \_\_\_\_?  
 \_\_\_\_ can technicians arrive on \_\_\_\_ when \_\_\_\_ are \_\_\_\_ backups \_\_\_\_ some \_\_\_\_ mainlines?  
 \_\_\_\_ soon \_\_\_\_ toilet issues \_\_\_\_ by damaged pipes?  
 \_\_\_\_ you \_\_\_\_ toilets \_\_\_\_ backed up due \_\_\_\_ broken mainlines, how quickly can \_\_\_\_ come?  
 \_\_\_\_ damaged \_\_\_\_ toilet backup \_\_\_\_ will technicians \_\_\_\_ to \_\_\_\_ on the scene?  
 \_\_\_\_ is the \_\_\_\_ when \_\_\_\_ a toilet backup near a \_\_\_\_?  
 When can \_\_\_\_ arrive \_\_\_\_ the site \_\_\_\_ notified about \_\_\_\_ backup \_\_\_\_ to \_\_\_\_?  
 Can \_\_\_\_ dispatch \_\_\_\_ away to \_\_\_\_ toilets? It's \_\_\_\_ because \_\_\_\_ the \_\_\_\_ mainlines.  
 What \_\_\_\_ the expected arrival \_\_\_\_ after \_\_\_\_ of issues with toilets \_\_\_\_ because of \_\_\_\_?  
 When toilet backups \_\_\_\_ near broken \_\_\_\_ how \_\_\_\_?  
 When \_\_\_\_ repair toilet backing \_\_\_\_ caused \_\_\_\_ mainlines?  
 Is the \_\_\_\_ for a \_\_\_\_ broken main?  
 We \_\_\_\_ bathroom \_\_\_\_ to leaking \_\_\_\_ send people soon?  
 Can the \_\_\_\_ arrive \_\_\_\_ for the \_\_\_\_ with \_\_\_\_?  
 \_\_\_\_ is the \_\_\_\_ for \_\_\_\_ they are informed of \_\_\_\_ due to \_\_\_\_ breakage?  
 \_\_\_\_ backing up issues \_\_\_\_ how \_\_\_\_ can technicians arrive \_\_\_\_ site?  
 What is \_\_\_\_ expected response \_\_\_\_ for technicians \_\_\_\_ deal \_\_\_\_ up \_\_\_\_ broken water \_\_\_\_?  
 \_\_\_\_ technicians are \_\_\_\_ toilets \_\_\_\_ to \_\_\_\_ proximity of broken mainlines, \_\_\_\_ the arrival time?  
 How \_\_\_\_ can \_\_\_\_ address toilet \_\_\_\_ issues \_\_\_\_ they are \_\_\_\_ of \_\_\_\_ mainlines near the \_\_\_\_?  
 How \_\_\_\_ can \_\_\_\_ be \_\_\_\_ site \_\_\_\_ if they are notified about broken \_\_\_\_ near the \_\_\_\_?  
 What is the \_\_\_\_ frame \_\_\_\_ technicians to \_\_\_\_ site \_\_\_\_ of severe \_\_\_\_ by nearby damages \_\_\_\_ pipes?  
 Can you \_\_\_\_ quickly \_\_\_\_ nasty bathroom messes \_\_\_\_ of the \_\_\_\_ mains?  
 Once \_\_\_\_ are \_\_\_\_ severe \_\_\_\_ issues \_\_\_\_ by damaged mainlines, \_\_\_\_ will they arrive on \_\_\_\_?  
 When \_\_\_\_ the site \_\_\_\_ severe \_\_\_\_ problems \_\_\_\_ by broken mainlines?  
 \_\_\_\_ technicians are informed \_\_\_\_ toilet issues near the \_\_\_\_ they show \_\_\_\_?  
 \_\_\_\_ soon can technicians \_\_\_\_ on-site \_\_\_\_ issues if \_\_\_\_ about broken mainlines?  
 \_\_\_\_ you that our toilets \_\_\_\_ up due to broken mainlines, \_\_\_\_ can \_\_\_\_?  
 When can \_\_\_\_ a fix \_\_\_\_ by busted pipes?  
 \_\_\_\_ we expect \_\_\_\_ toilets that are \_\_\_\_ up \_\_\_\_ damage \_\_\_\_ the primary mains?  
 \_\_\_\_ are backed up \_\_\_\_ mainlines.  
 Can \_\_\_\_ come \_\_\_\_ site after \_\_\_\_ notified \_\_\_\_ toilet \_\_\_\_ caused by \_\_\_\_ mainlines?  
 \_\_\_\_ learning of major toilet \_\_\_\_ caused by \_\_\_\_ how \_\_\_\_ you \_\_\_\_ the site?  
 We have nasty \_\_\_\_ messes \_\_\_\_ so can \_\_\_\_ send people \_\_\_\_?  
 Can you \_\_\_\_ as \_\_\_\_ hear we \_\_\_\_ bathroom \_\_\_\_ to \_\_\_\_ leaking mains?  
 \_\_\_\_ technicians \_\_\_\_ promptly for toilets \_\_\_\_ up \_\_\_\_ broken \_\_\_\_?  
 \_\_\_\_ toilet backups occur \_\_\_\_ broken \_\_\_\_ how quickly \_\_\_\_?  
 \_\_\_\_ toilet backing \_\_\_\_ broken \_\_\_\_ how quickly can technicians arrive \_\_\_\_?  
 When we tell you that our toilets are \_\_\_\_ to \_\_\_\_ they \_\_\_\_?

\_\_\_\_\_ information \_\_\_\_\_ response time \_\_\_\_\_ technicians in relation \_\_\_\_\_ reports \_\_\_\_\_ backups resulting from \_\_\_\_\_  
 Can \_\_\_\_\_ send a \_\_\_\_\_ fix the toilets? \_\_\_\_\_ due \_\_\_\_\_ mainlines.  
 There are serious toilet \_\_\_\_\_ by \_\_\_\_\_ mainlines.  
 \_\_\_\_\_ will technicians address toilet \_\_\_\_\_ issues \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ folks \_\_\_\_\_ as they \_\_\_\_\_ we have nasty \_\_\_\_\_ thanks to \_\_\_\_\_ mains?  
 \_\_\_\_\_ there is toilet backup due \_\_\_\_\_ nearby \_\_\_\_\_ how \_\_\_\_\_ technicians \_\_\_\_\_ location?  
 \_\_\_\_\_ to the \_\_\_\_\_ how quickly can technicians arrive?  
 When will technicians \_\_\_\_\_ site \_\_\_\_\_ we \_\_\_\_\_ problems caused \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ technicians address toilet backing issues \_\_\_\_\_ by \_\_\_\_\_?  
 What is the response time \_\_\_\_\_ they \_\_\_\_\_ told about \_\_\_\_\_ due \_\_\_\_\_ breakage?  
 \_\_\_\_\_ about toilets \_\_\_\_\_ up due to \_\_\_\_\_ of \_\_\_\_\_ is \_\_\_\_\_ expected arrival \_\_\_\_\_ of technicians?  
 Is \_\_\_\_\_ possible for \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ report terrible \_\_\_\_\_ caused \_\_\_\_\_ pipes?  
 Is \_\_\_\_\_ for tech to arrive \_\_\_\_\_ for \_\_\_\_\_ up \_\_\_\_\_ broken mains?  
 \_\_\_\_\_ possible \_\_\_\_\_ will arrive promptly \_\_\_\_\_ with broken mains?  
 When \_\_\_\_\_ experts \_\_\_\_\_ a \_\_\_\_\_ they are told that toilets \_\_\_\_\_ backed \_\_\_\_\_ damaged \_\_\_\_\_?  
 I \_\_\_\_\_ to \_\_\_\_\_ will come if I \_\_\_\_\_ toilets caused by \_\_\_\_\_.  
 When toilet backups are \_\_\_\_\_ broken mainlines, \_\_\_\_\_ quickly \_\_\_\_\_ technicians \_\_\_\_\_?  
 \_\_\_\_\_ we expect to \_\_\_\_\_ assistance when \_\_\_\_\_ with toilets that are related \_\_\_\_\_ fractured \_\_\_\_\_?  
 \_\_\_\_\_ can your \_\_\_\_\_ the toilet \_\_\_\_\_ by broken mainlines?  
 How \_\_\_\_\_ will personnel \_\_\_\_\_ that \_\_\_\_\_ toilet \_\_\_\_\_ are \_\_\_\_\_ by broken primary \_\_\_\_\_?  
 \_\_\_\_\_ is the response time \_\_\_\_\_ technicians \_\_\_\_\_ they \_\_\_\_\_ backups due to mainline \_\_\_\_\_?  
 \_\_\_\_\_ quickly will \_\_\_\_\_ respond to notification about \_\_\_\_\_ problems caused \_\_\_\_\_ pipes \_\_\_\_\_?  
 \_\_\_\_\_ can your \_\_\_\_\_ the \_\_\_\_\_ that's \_\_\_\_\_ up \_\_\_\_\_ of busted mainlines?  
 How \_\_\_\_\_ get to the site when \_\_\_\_\_ are \_\_\_\_\_ of \_\_\_\_\_ toilet \_\_\_\_\_ caused \_\_\_\_\_ damaged \_\_\_\_\_?  
 We \_\_\_\_\_ nasty bathroom \_\_\_\_\_ thanks to \_\_\_\_\_ send \_\_\_\_\_ soon?  
 When can \_\_\_\_\_ arrive \_\_\_\_\_ the site \_\_\_\_\_ broken \_\_\_\_\_ toilet \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ about serious \_\_\_\_\_ with toilets \_\_\_\_\_ up due \_\_\_\_\_ of broken mainlines, \_\_\_\_\_ the \_\_\_\_\_ time?  
 What \_\_\_\_\_ the expected arrival \_\_\_\_\_ technicians after learning \_\_\_\_\_ toilets \_\_\_\_\_ backing \_\_\_\_\_ due \_\_\_\_\_?  
 \_\_\_\_\_ respond to the notification of toilet backups caused \_\_\_\_\_?  
 How \_\_\_\_\_ personnel \_\_\_\_\_ to \_\_\_\_\_ notification about \_\_\_\_\_ that are caused by \_\_\_\_\_?  
 After we let you \_\_\_\_\_ that our toilets \_\_\_\_\_ up \_\_\_\_\_ to \_\_\_\_\_ can \_\_\_\_\_ come?  
 \_\_\_\_\_ can technicians \_\_\_\_\_ broken \_\_\_\_\_ that cause \_\_\_\_\_ backups?  
 How \_\_\_\_\_ technicians \_\_\_\_\_ to \_\_\_\_\_ toilet backup issues if they're \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ prompt assistance once \_\_\_\_\_ report a problem with \_\_\_\_\_ related \_\_\_\_\_ fractured underground \_\_\_\_\_ lines \_\_\_\_\_ drainage \_\_\_\_\_?  
 How quickly can \_\_\_\_\_ technicians \_\_\_\_\_ with toilet \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ you able to send \_\_\_\_\_ we have nasty \_\_\_\_\_ messes because \_\_\_\_\_ leaking \_\_\_\_\_?  
 When will technicians \_\_\_\_\_ we \_\_\_\_\_ problems \_\_\_\_\_ broken mainlines?  
 \_\_\_\_\_ being \_\_\_\_\_ about \_\_\_\_\_ issues \_\_\_\_\_ toilets backing \_\_\_\_\_ to \_\_\_\_\_ broken mainlines, \_\_\_\_\_ is the \_\_\_\_\_ arrival time \_\_\_\_\_ technicians?  
 \_\_\_\_\_ technicians fix \_\_\_\_\_ issues \_\_\_\_\_ they're aware \_\_\_\_\_ broken mainlines \_\_\_\_\_ the area?  
 When technicians are informed about \_\_\_\_\_ due \_\_\_\_\_ proximity \_\_\_\_\_ broken \_\_\_\_\_ anticipated arrival time?  
 \_\_\_\_\_ information about response time of \_\_\_\_\_ in \_\_\_\_\_ reports \_\_\_\_\_ broken mainlines.  
 \_\_\_\_\_ toilets are in \_\_\_\_\_ of the \_\_\_\_\_ mainlines, can \_\_\_\_\_ send \_\_\_\_\_ away?  
 When \_\_\_\_\_ experts \_\_\_\_\_ at a location after learning that \_\_\_\_\_ damaged \_\_\_\_\_?  
 Can technicians \_\_\_\_\_ for toilets \_\_\_\_\_.  
 \_\_\_\_\_ is \_\_\_\_\_ response time for \_\_\_\_\_ who \_\_\_\_\_ dealing with \_\_\_\_\_ that are \_\_\_\_\_ up \_\_\_\_\_ broken water \_\_\_\_\_?  
 \_\_\_\_\_ will it take to \_\_\_\_\_ technicians \_\_\_\_\_ alert \_\_\_\_\_ toilets \_\_\_\_\_ seriously clogged from \_\_\_\_\_ mains?  
 If damaged mainlines \_\_\_\_\_ backup \_\_\_\_\_ how soon \_\_\_\_\_ technicians \_\_\_\_\_ able \_\_\_\_\_?  
 \_\_\_\_\_ damaged \_\_\_\_\_ cause \_\_\_\_\_ how soon will the technicians be \_\_\_\_\_ to \_\_\_\_\_ site?  
 \_\_\_\_\_ soon can technicians be \_\_\_\_\_ to address \_\_\_\_\_ issues if \_\_\_\_\_ nearby?

I \_\_\_\_\_ how quickly \_\_\_\_\_ arrive \_\_\_\_\_ told \_\_\_\_\_ backups stem \_\_\_\_\_ broken \_\_\_\_\_.  
 When we \_\_\_\_\_ know that our \_\_\_\_\_ backed up \_\_\_\_\_ nearby broken \_\_\_\_\_ fast can \_\_\_\_\_?  
 \_\_\_\_\_ quick can technicians \_\_\_\_\_ site when they \_\_\_\_\_ informed \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ fast can \_\_\_\_\_ this messed-up toilet from \_\_\_\_\_ in \_\_\_\_\_?  
 What is the \_\_\_\_\_ time if there \_\_\_\_\_ mains?  
 Can \_\_\_\_\_ prompt assistance when we \_\_\_\_\_ toilets \_\_\_\_\_ broken sewer \_\_\_\_\_?  
 When \_\_\_\_\_ about \_\_\_\_\_ backing up \_\_\_\_\_ to \_\_\_\_\_ proximity \_\_\_\_\_ broken mainlines, \_\_\_\_\_ is \_\_\_\_\_ arrival time?  
 \_\_\_\_\_ will \_\_\_\_\_ take care of \_\_\_\_\_ caused by damaged \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ for tech \_\_\_\_\_ arrive \_\_\_\_\_ for \_\_\_\_\_ broken mains.  
 When toilets backup due \_\_\_\_\_ mainlines, \_\_\_\_\_ arrive?  
 \_\_\_\_\_ the technicians able to get \_\_\_\_\_ the scene \_\_\_\_\_ toilet backing \_\_\_\_\_ caused \_\_\_\_\_ broken \_\_\_\_\_?  
 Can we \_\_\_\_\_ prompt \_\_\_\_\_ once \_\_\_\_\_ that are \_\_\_\_\_ broken sewer lines?  
 When will on-site technicians \_\_\_\_\_ toilet backing \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ a crew \_\_\_\_\_ away? \_\_\_\_\_ in \_\_\_\_\_ shape \_\_\_\_\_ the broken mainlines.  
 When you \_\_\_\_\_ of \_\_\_\_\_ toilet backing \_\_\_\_\_ problems \_\_\_\_\_ by damaged \_\_\_\_\_ quickly \_\_\_\_\_ you \_\_\_\_\_ site?  
 When can \_\_\_\_\_ arrive \_\_\_\_\_ a location \_\_\_\_\_ the toilets are \_\_\_\_\_ from \_\_\_\_\_?  
 \_\_\_\_\_ technicians \_\_\_\_\_ the \_\_\_\_\_ after they're \_\_\_\_\_ of toilet \_\_\_\_\_ caused by \_\_\_\_\_ mainlines?  
 Requesting \_\_\_\_\_ the \_\_\_\_\_ in relation to the \_\_\_\_\_ of severe \_\_\_\_\_ backups caused \_\_\_\_\_ broken \_\_\_\_\_.  
 Will technicians arrive promptly \_\_\_\_\_ toilets \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ frame for technicians to reach \_\_\_\_\_ site after being \_\_\_\_\_ about \_\_\_\_\_ toilet \_\_\_\_\_ to the  
 main \_\_\_\_\_ pipes  
 \_\_\_\_\_ for \_\_\_\_\_ when they \_\_\_\_\_ informed about toilet backups \_\_\_\_\_ to \_\_\_\_\_ break?  
 Upon \_\_\_\_\_ major toilet backing up problems caused \_\_\_\_\_ nearby damaged mainlines how \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ information regarding \_\_\_\_\_ of \_\_\_\_\_ reports of severe toilet backups resulting from \_\_\_\_\_.  
 When toilet \_\_\_\_\_ occur \_\_\_\_\_ mainlines, \_\_\_\_\_ quickly can \_\_\_\_\_ on \_\_\_\_\_?  
 \_\_\_\_\_ technicians \_\_\_\_\_ backups caused by broken mainlines?  
 How long \_\_\_\_\_ it take for \_\_\_\_\_ to toilet \_\_\_\_\_ nearby \_\_\_\_\_ break?  
 Can \_\_\_\_\_ technicians come \_\_\_\_\_ site after \_\_\_\_\_ severe toilet \_\_\_\_\_ by broken \_\_\_\_\_?  
 \_\_\_\_\_ major toilet \_\_\_\_\_ is caused by nearby damaged \_\_\_\_\_ quickly \_\_\_\_\_ reach \_\_\_\_\_?  
 \_\_\_\_\_ could we \_\_\_\_\_ technical support \_\_\_\_\_ problems \_\_\_\_\_ toilets due \_\_\_\_\_ to \_\_\_\_\_ mains?  
 What \_\_\_\_\_ the time frame for technicians \_\_\_\_\_ site \_\_\_\_\_ severe \_\_\_\_\_ by nearby \_\_\_\_\_ to \_\_\_\_\_ main  
 wastewater pipes?  
 \_\_\_\_\_ will technicians \_\_\_\_\_ when \_\_\_\_\_ serious toilet \_\_\_\_\_ caused \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ about issues with \_\_\_\_\_ backing \_\_\_\_\_ due \_\_\_\_\_ proximity \_\_\_\_\_ mainlines, what is \_\_\_\_\_ anticipated \_\_\_\_\_ time \_\_\_\_\_  
 technicians?  
 \_\_\_\_\_ quickly \_\_\_\_\_ the \_\_\_\_\_ able to \_\_\_\_\_ the scene \_\_\_\_\_ toilet \_\_\_\_\_ problems caused \_\_\_\_\_ broken mainlines?  
 When will \_\_\_\_\_ show up when we \_\_\_\_\_ by broken \_\_\_\_\_?  
 \_\_\_\_\_ someone fix the \_\_\_\_\_ toilet from the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ arrive promptly for toilets with \_\_\_\_\_?  
 Are you \_\_\_\_\_ to send people quickly \_\_\_\_\_ have \_\_\_\_\_ bathroom \_\_\_\_\_ thanks \_\_\_\_\_ leaking \_\_\_\_\_?  
 \_\_\_\_\_ toilet backing up \_\_\_\_\_ near broken mainlines, \_\_\_\_\_ can \_\_\_\_\_ site?  
 Once technicians \_\_\_\_\_ of toilet backup issues \_\_\_\_\_ damaged \_\_\_\_\_ how \_\_\_\_\_ will \_\_\_\_\_ able \_\_\_\_\_ arrive?  
 How quickly will \_\_\_\_\_ to \_\_\_\_\_ regarding \_\_\_\_\_ problems that are \_\_\_\_\_ pipes?  
 Due to \_\_\_\_\_ need prompt \_\_\_\_\_.  
 There are \_\_\_\_\_ severe toilet backups resulting from \_\_\_\_\_ near \_\_\_\_\_.  
 \_\_\_\_\_ dispatch a crew \_\_\_\_\_ fix \_\_\_\_\_ toilets? It's probably because \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ is \_\_\_\_\_ response \_\_\_\_\_ for \_\_\_\_\_ when they are \_\_\_\_\_ toilet \_\_\_\_\_ due \_\_\_\_\_ mainline break?  
 How quickly \_\_\_\_\_ arrive \_\_\_\_\_ they're \_\_\_\_\_ restroom backups \_\_\_\_\_ from \_\_\_\_\_ near \_\_\_\_\_?  
 How soon \_\_\_\_\_ be on-site to fix toilet \_\_\_\_\_ once alerted \_\_\_\_\_ area?  
 \_\_\_\_\_ is \_\_\_\_\_ for technicians to deal \_\_\_\_\_ cases of \_\_\_\_\_ up because \_\_\_\_\_ water mains?  
 How \_\_\_\_\_ technicians arrive \_\_\_\_\_ learning of \_\_\_\_\_ backups \_\_\_\_\_ the \_\_\_\_\_ mainlines?

How \_\_\_\_\_ technicians arrive \_\_\_\_\_ informed of toilet issues \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ receiving \_\_\_\_\_ of severe toilet issues caused \_\_\_\_\_ mainlines \_\_\_\_\_ your \_\_\_\_\_ come \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ to \_\_\_\_\_ away \_\_\_\_\_ I \_\_\_\_\_ caused by \_\_\_\_\_ pipes?  
 \_\_\_\_\_ could we \_\_\_\_\_ technical support \_\_\_\_\_ learning of problems \_\_\_\_\_ toilets \_\_\_\_\_ mains?  
 \_\_\_\_\_ being \_\_\_\_\_ serious issues with \_\_\_\_\_ backing \_\_\_\_\_ proximity \_\_\_\_\_ broken mainlines, \_\_\_\_\_ the \_\_\_\_\_ time of technicians?  
 \_\_\_\_\_ be on-site \_\_\_\_\_ fix toilet \_\_\_\_\_ if they hear about broken \_\_\_\_\_?  
 Requesting \_\_\_\_\_ about the \_\_\_\_\_ technicians \_\_\_\_\_ to reports of severe toilet \_\_\_\_\_ broken mainlines  
 When can \_\_\_\_\_ expect \_\_\_\_\_ to \_\_\_\_\_ on \_\_\_\_\_ scene of toilet overflow \_\_\_\_\_ linked \_\_\_\_\_ plumbing?  
 \_\_\_\_\_ quickly will \_\_\_\_\_ respond \_\_\_\_\_ toilet \_\_\_\_\_ problems \_\_\_\_\_ caused \_\_\_\_\_ broken pipes?  
 \_\_\_\_\_ will technicians \_\_\_\_\_ caused by mainlines?  
 How \_\_\_\_\_ can \_\_\_\_\_ arrive on \_\_\_\_\_ they \_\_\_\_\_ told of toilet backing up \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ out quickly because \_\_\_\_\_ is overflowing \_\_\_\_\_ of the \_\_\_\_\_ mainlines nearby.  
 \_\_\_\_\_ soon \_\_\_\_\_ technicians be on-site to \_\_\_\_\_ if they are \_\_\_\_\_ mainlines?  
 How fast \_\_\_\_\_ someone fix \_\_\_\_\_ messed-up \_\_\_\_\_ from \_\_\_\_\_?  
 \_\_\_\_\_ information \_\_\_\_\_ time \_\_\_\_\_ technicians \_\_\_\_\_ to reports of toilet backups resulting from \_\_\_\_\_ at \_\_\_\_\_ distance.  
 After being informed about \_\_\_\_\_ toilets backing \_\_\_\_\_ mainlines, what \_\_\_\_\_ the \_\_\_\_\_ arrival time \_\_\_\_\_ technicians?  
 \_\_\_\_\_ we \_\_\_\_\_ blocked \_\_\_\_\_ from the damaged \_\_\_\_\_ will there \_\_\_\_\_ help?  
 \_\_\_\_\_ until your \_\_\_\_\_ the \_\_\_\_\_ if I tell \_\_\_\_\_ about the toilets backing \_\_\_\_\_ broken mainlines?  
 \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ technicians \_\_\_\_\_ relation \_\_\_\_\_ reports of severe \_\_\_\_\_ backups \_\_\_\_\_ resulted \_\_\_\_\_ broken mainlines.  
 \_\_\_\_\_ can technical \_\_\_\_\_ on the \_\_\_\_\_ toilet \_\_\_\_\_ linked to damaged \_\_\_\_\_ plumbing?  
 Requesting \_\_\_\_\_ about the response \_\_\_\_\_ of technicians \_\_\_\_\_ of \_\_\_\_\_ caused by \_\_\_\_\_ mainlines.  
 Is there \_\_\_\_\_ arrival time \_\_\_\_\_ attending troublesomely \_\_\_\_\_ recently \_\_\_\_\_ sewage channels?  
 When the \_\_\_\_\_ backup is due \_\_\_\_\_ how \_\_\_\_\_ can technicians \_\_\_\_\_ the \_\_\_\_\_?  
 When \_\_\_\_\_ cause \_\_\_\_\_ issues, how \_\_\_\_\_ will \_\_\_\_\_ take for \_\_\_\_\_ arrive \_\_\_\_\_ site?  
 How quickly can you \_\_\_\_\_ the site \_\_\_\_\_ being \_\_\_\_\_ caused by \_\_\_\_\_ mainlines?  
 Upon \_\_\_\_\_ notification \_\_\_\_\_ caused by broken \_\_\_\_\_ come to \_\_\_\_\_ site promptly?  
 When \_\_\_\_\_ are backed \_\_\_\_\_ by \_\_\_\_\_ mains, can \_\_\_\_\_?  
 When we \_\_\_\_\_ you know \_\_\_\_\_ our \_\_\_\_\_ are backed \_\_\_\_\_ of broken \_\_\_\_\_ how \_\_\_\_\_ arrive?  
 What \_\_\_\_\_ technicians \_\_\_\_\_ reach the site after they are made aware of \_\_\_\_\_ damages to main \_\_\_\_\_ pipes  
 \_\_\_\_\_ cause issues \_\_\_\_\_ what is the \_\_\_\_\_ arrival time \_\_\_\_\_ on-site technician?  
 When damaged \_\_\_\_\_ cause \_\_\_\_\_ how soon \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ up?  
 Do you \_\_\_\_\_ when \_\_\_\_\_ attend \_\_\_\_\_ problematic toilets connected to \_\_\_\_\_ recently \_\_\_\_\_ primary \_\_\_\_\_ channels?  
 \_\_\_\_\_ are toilet \_\_\_\_\_ problems \_\_\_\_\_ some broken \_\_\_\_\_ quickly can technicians arrive \_\_\_\_\_?  
 \_\_\_\_\_ the response time for technicians to \_\_\_\_\_ that \_\_\_\_\_ backed \_\_\_\_\_ from \_\_\_\_\_?  
 \_\_\_\_\_ time frame for \_\_\_\_\_ to \_\_\_\_\_ the site \_\_\_\_\_ being informed \_\_\_\_\_ severe \_\_\_\_\_ problems \_\_\_\_\_ nearby damages \_\_\_\_\_ main wastewater \_\_\_\_\_?  
 How \_\_\_\_\_ will \_\_\_\_\_ respond \_\_\_\_\_ toilet \_\_\_\_\_ problems \_\_\_\_\_ are caused \_\_\_\_\_ pipes?  
 How \_\_\_\_\_ technicians \_\_\_\_\_ to get to the \_\_\_\_\_ of \_\_\_\_\_ backing \_\_\_\_\_ problems \_\_\_\_\_ the broken mainlines?  
 \_\_\_\_\_ broken \_\_\_\_\_ backups, what \_\_\_\_\_ expected arrival time for on-site technician?  
 When could we expect technical support \_\_\_\_\_ told \_\_\_\_\_ damage to primary mains?  
 Can \_\_\_\_\_ quickly \_\_\_\_\_ toilets \_\_\_\_\_ broken \_\_\_\_\_?  
 When \_\_\_\_\_ your guys fix \_\_\_\_\_ that's \_\_\_\_\_ because \_\_\_\_\_ busted mainlines?  
 What \_\_\_\_\_ technicians to \_\_\_\_\_ the site after they discover severe toilet \_\_\_\_\_ nearby damages \_\_\_\_\_ pipes?  
 Can \_\_\_\_\_ send people quickly \_\_\_\_\_ have nasty bathroom messes because \_\_\_\_\_?  
 \_\_\_\_\_ will technicians \_\_\_\_\_ the toilet backing \_\_\_\_\_ by \_\_\_\_\_.  
 How \_\_\_\_\_ can technicians \_\_\_\_\_ learning of toilet \_\_\_\_\_ from \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ quickly will personnel respond to \_\_\_\_\_ problems that \_\_\_\_\_ caused \_\_\_\_\_ broken primary \_\_\_\_\_?  
 \_\_\_\_\_ quickly \_\_\_\_\_ personnel \_\_\_\_\_ of \_\_\_\_\_ backup problems \_\_\_\_\_ are caused by \_\_\_\_\_ pipes?

When \_\_\_\_\_ technical \_\_\_\_\_ after \_\_\_\_\_ back up \_\_\_\_\_ with toilets caused \_\_\_\_\_ damage to primary \_\_\_\_\_?  
 \_\_\_\_\_ will \_\_\_\_\_ take to \_\_\_\_\_ technicians if \_\_\_\_\_ that are \_\_\_\_\_ clogged \_\_\_\_\_ the site mains?  
 \_\_\_\_\_ technicians \_\_\_\_\_ informed about toilets backing \_\_\_\_\_ proximity of \_\_\_\_\_ mainlines, \_\_\_\_\_ is their anticipated \_\_\_\_\_?  
 How \_\_\_\_\_ can technicians \_\_\_\_\_ fix severe \_\_\_\_\_ issues \_\_\_\_\_ they are \_\_\_\_\_ broken mainlines?  
 \_\_\_\_\_ report terrible toilets caused \_\_\_\_\_ busted \_\_\_\_\_ can I \_\_\_\_\_ fix?  
 \_\_\_\_\_ your technicians come to the \_\_\_\_\_ after hearing \_\_\_\_\_ the \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ it possible to quickly \_\_\_\_\_ people as \_\_\_\_\_ we have \_\_\_\_\_ bathroom \_\_\_\_\_ thanks \_\_\_\_\_ leaking \_\_\_\_\_?  
 \_\_\_\_\_ your \_\_\_\_\_ to \_\_\_\_\_ out asap \_\_\_\_\_ my toilet \_\_\_\_\_ overflowing from \_\_\_\_\_ mainlines.  
 \_\_\_\_\_ there be assistance when \_\_\_\_\_ the blocked \_\_\_\_\_ sewer lines?  
 \_\_\_\_\_ is a \_\_\_\_\_ toilet \_\_\_\_\_ due to broken \_\_\_\_\_.

What \_\_\_\_\_ the response \_\_\_\_\_ technicians if they have \_\_\_\_\_ on \_\_\_\_\_ are backed \_\_\_\_\_ because of \_\_\_\_\_?  
 How quickly \_\_\_\_\_ the \_\_\_\_\_ be able to get \_\_\_\_\_ scene \_\_\_\_\_ the \_\_\_\_\_ by \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ time of \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ of severe toilet backups that result \_\_\_\_\_ mainlines.  
 \_\_\_\_\_ respond \_\_\_\_\_ of severe \_\_\_\_\_ backup problems that \_\_\_\_\_ caused \_\_\_\_\_ broken primary lines?  
 \_\_\_\_\_ will it take \_\_\_\_\_ be \_\_\_\_\_ if we \_\_\_\_\_ toilets that \_\_\_\_\_ clogged from the site \_\_\_\_\_?  
 \_\_\_\_\_ should \_\_\_\_\_ technical \_\_\_\_\_ toilets that are backing up due to \_\_\_\_\_?  
 \_\_\_\_\_ will \_\_\_\_\_ toilets \_\_\_\_\_ by damaged underground \_\_\_\_\_ be there?  
 \_\_\_\_\_ quickly can \_\_\_\_\_ backups be fixed \_\_\_\_\_ there \_\_\_\_\_ mainlines?

What is \_\_\_\_\_ frame for \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ after \_\_\_\_\_ the severe \_\_\_\_\_ by damages \_\_\_\_\_ wastewater pipes?  
 \_\_\_\_\_ quickly \_\_\_\_\_ technicians arrive on \_\_\_\_\_ from the broken mainlines?  
 \_\_\_\_\_ quickly will \_\_\_\_\_ to \_\_\_\_\_ backup \_\_\_\_\_ by broken primary \_\_\_\_\_?

What is \_\_\_\_\_ arrival time for \_\_\_\_\_ informed \_\_\_\_\_ backing up \_\_\_\_\_ to proximity of broken \_\_\_\_\_?  
 \_\_\_\_\_ to give an estimated arrival \_\_\_\_\_ for \_\_\_\_\_ problematic toilets \_\_\_\_\_ fractured primary \_\_\_\_\_?

How \_\_\_\_\_ personnel \_\_\_\_\_ a notification of toilet backup problems \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ soon \_\_\_\_\_ technicians be \_\_\_\_\_ fix toilet \_\_\_\_\_ issues \_\_\_\_\_ discover \_\_\_\_\_ mainlines?

What is \_\_\_\_\_ frame \_\_\_\_\_ technicians \_\_\_\_\_ reach the \_\_\_\_\_ are made aware \_\_\_\_\_ toilet problems caused \_\_\_\_\_  
 \_\_\_\_\_ to the \_\_\_\_\_ wastewater

How \_\_\_\_\_ can technicians \_\_\_\_\_ on \_\_\_\_\_ are told of \_\_\_\_\_ from \_\_\_\_\_ broken \_\_\_\_\_?  
 When \_\_\_\_\_ experts arrive \_\_\_\_\_ a \_\_\_\_\_ after learning about \_\_\_\_\_ from \_\_\_\_\_?

After we let \_\_\_\_\_ that \_\_\_\_\_ are backed up \_\_\_\_\_ to broken \_\_\_\_\_ fast \_\_\_\_\_ come?  
 \_\_\_\_\_ the response time \_\_\_\_\_ once \_\_\_\_\_ made \_\_\_\_\_ the \_\_\_\_\_ amount of \_\_\_\_\_ caused \_\_\_\_\_ the nearby ruptured  
 mains?

\_\_\_\_\_ is \_\_\_\_\_ time \_\_\_\_\_ technicians \_\_\_\_\_ they are made \_\_\_\_\_ the large \_\_\_\_\_ of \_\_\_\_\_ in \_\_\_\_\_ caused \_\_\_\_\_ nearby pipes?  
 \_\_\_\_\_ workers \_\_\_\_\_ restroom backups stem broken \_\_\_\_\_ do \_\_\_\_\_ arrive?  
 \_\_\_\_\_ is expected for \_\_\_\_\_ respond to \_\_\_\_\_ like toilets that are backed up \_\_\_\_\_?

If damaged mainlines \_\_\_\_\_ severe toilet backup \_\_\_\_\_ how \_\_\_\_\_ technicians \_\_\_\_\_ to \_\_\_\_\_ to the \_\_\_\_\_?

When could \_\_\_\_\_ expect \_\_\_\_\_ support after learning \_\_\_\_\_ backing \_\_\_\_\_ problems \_\_\_\_\_ the primary mains?

What \_\_\_\_\_ the expected \_\_\_\_\_ time \_\_\_\_\_ to \_\_\_\_\_ severe \_\_\_\_\_ backed up because \_\_\_\_\_ water mains?

How soon \_\_\_\_\_ to address toilet backup \_\_\_\_\_ if they're \_\_\_\_\_ of \_\_\_\_\_?

Is it possible for \_\_\_\_\_ with broken mains.  
 \_\_\_\_\_ a problem with \_\_\_\_\_ to fractured \_\_\_\_\_ lines, can we expect \_\_\_\_\_ assistance on site?

What \_\_\_\_\_ the \_\_\_\_\_ dealing \_\_\_\_\_ toilets backing \_\_\_\_\_ because of broken \_\_\_\_\_ mains?  
 \_\_\_\_\_ is \_\_\_\_\_ for on-site repairs \_\_\_\_\_ there is \_\_\_\_\_ issue \_\_\_\_\_ mainline break?  
 \_\_\_\_\_ technicians arrive on site when they \_\_\_\_\_ the \_\_\_\_\_ near the \_\_\_\_\_?

How soon \_\_\_\_\_ personnel respond \_\_\_\_\_ notifications \_\_\_\_\_ toilet \_\_\_\_\_ are \_\_\_\_\_ broken \_\_\_\_\_ lines?

When we \_\_\_\_\_ you know \_\_\_\_\_ toilets are \_\_\_\_\_ up because of \_\_\_\_\_ mainlines, \_\_\_\_\_ they \_\_\_\_\_?

Upon learning of major \_\_\_\_\_ up \_\_\_\_\_ mainlines, how \_\_\_\_\_ can \_\_\_\_\_ get \_\_\_\_\_ the site?  
 \_\_\_\_\_ quickly \_\_\_\_\_ toilets that are backed up \_\_\_\_\_ broken \_\_\_\_\_?

What \_\_\_\_\_ for technicians to \_\_\_\_\_ the site \_\_\_\_\_ they \_\_\_\_\_ aware \_\_\_\_\_ toilet problems \_\_\_\_\_ to main  
 wastewater pipes?

When \_\_\_\_\_ backups, how soon \_\_\_\_\_ technicians arrive \_\_\_\_\_ site?



\_\_\_\_\_ we \_\_\_\_\_ know that our \_\_\_\_\_ are backed up due \_\_\_\_\_ broken \_\_\_\_\_ how \_\_\_\_\_ come?  
 After \_\_\_\_\_ toilet \_\_\_\_\_ by broken \_\_\_\_\_ when will \_\_\_\_\_ the site?  
 Should technicians \_\_\_\_\_ promptly for \_\_\_\_\_?  
 \_\_\_\_\_ you send a crew over \_\_\_\_\_ fix \_\_\_\_\_ It's \_\_\_\_\_ broken mainlines.  
 \_\_\_\_\_ alerted about toilet \_\_\_\_\_ issues caused \_\_\_\_\_ mainlines, \_\_\_\_\_ technicians arrive on \_\_\_\_\_?  
 What is \_\_\_\_\_ of technicians after \_\_\_\_\_ toilets \_\_\_\_\_ up due \_\_\_\_\_ close \_\_\_\_\_ of \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ time frame \_\_\_\_\_ to reach the \_\_\_\_\_ they are made aware \_\_\_\_\_ problems \_\_\_\_\_ nearby repairs  
 to \_\_\_\_\_ main wastewater  
 \_\_\_\_\_ quickly \_\_\_\_\_ on-site technicians \_\_\_\_\_ present when \_\_\_\_\_ cause \_\_\_\_\_ issues?  
 \_\_\_\_\_ we expect technical support \_\_\_\_\_ we were \_\_\_\_\_ about problems with \_\_\_\_\_ primary \_\_\_\_\_?  
 \_\_\_\_\_ is expected for technicians to respond to \_\_\_\_\_ severe \_\_\_\_\_ up \_\_\_\_\_ broken water \_\_\_\_\_?  
 \_\_\_\_\_ do workers arrive when \_\_\_\_\_ stem from broken \_\_\_\_\_?  
 \_\_\_\_\_ are toilets \_\_\_\_\_ are backing \_\_\_\_\_ due to proximity \_\_\_\_\_ broken mainlines \_\_\_\_\_ what \_\_\_\_\_ time for \_\_\_\_\_?  
 What \_\_\_\_\_ the expected \_\_\_\_\_ technicians \_\_\_\_\_ are \_\_\_\_\_ of \_\_\_\_\_ toilets backing up due \_\_\_\_\_ of broken  
 mainlines?  
 The toilets are \_\_\_\_\_ working \_\_\_\_\_ the broken \_\_\_\_\_ can \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ to arrive asap for toilets \_\_\_\_\_ broken mains?  
 \_\_\_\_\_ quickly do technicians respond \_\_\_\_\_ toilet \_\_\_\_\_ mainlines?  
 When \_\_\_\_\_ technical \_\_\_\_\_ after \_\_\_\_\_ problems with toilets caused \_\_\_\_\_ the mains?  
 When \_\_\_\_\_ technicians \_\_\_\_\_ backing issues caused by \_\_\_\_\_?  
 What is the expected response \_\_\_\_\_ for technicians \_\_\_\_\_ fix \_\_\_\_\_ up because of broken water  
 \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ about the \_\_\_\_\_ near the \_\_\_\_\_ how quickly \_\_\_\_\_ they \_\_\_\_\_?  
 \_\_\_\_\_ response \_\_\_\_\_ technicians in relation to reports of toilet \_\_\_\_\_ mainlines.  
 When can we anticipate technical \_\_\_\_\_ at \_\_\_\_\_ overflow troubles?  
 What \_\_\_\_\_ the \_\_\_\_\_ response time for \_\_\_\_\_ when there \_\_\_\_\_ that are \_\_\_\_\_ up because \_\_\_\_\_?  
 \_\_\_\_\_ hear we \_\_\_\_\_ nasty \_\_\_\_\_ messes thanks \_\_\_\_\_ leaking mains, can \_\_\_\_\_ quickly \_\_\_\_\_?  
 \_\_\_\_\_ will \_\_\_\_\_ on-site \_\_\_\_\_ we report toilet \_\_\_\_\_ caused by \_\_\_\_\_?  
 \_\_\_\_\_ arrive at \_\_\_\_\_ location when they \_\_\_\_\_ toilets \_\_\_\_\_ backing \_\_\_\_\_ from \_\_\_\_\_ mains?  
 What \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ about the \_\_\_\_\_ toilet problems caused by nearby \_\_\_\_\_ the  
 \_\_\_\_\_ wastewater pipes  
 \_\_\_\_\_ will \_\_\_\_\_ respond \_\_\_\_\_ severe toilet \_\_\_\_\_ by broken pipes \_\_\_\_\_ the location?  
 When \_\_\_\_\_ backups are caused \_\_\_\_\_ mainlines, how \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ arrive?  
 Requesting \_\_\_\_\_ about \_\_\_\_\_ response time \_\_\_\_\_ relation to reports of \_\_\_\_\_ backups \_\_\_\_\_ broken \_\_\_\_\_.  
 \_\_\_\_\_ respond \_\_\_\_\_ severe toilet backup \_\_\_\_\_ that are caused by broken \_\_\_\_\_?  
 \_\_\_\_\_ quickly could \_\_\_\_\_ technicians be \_\_\_\_\_ when broken \_\_\_\_\_ toilet \_\_\_\_\_?  
 How \_\_\_\_\_ can you get \_\_\_\_\_ the \_\_\_\_\_ toilet backups \_\_\_\_\_ by damaged \_\_\_\_\_?  
 When toilets backup \_\_\_\_\_ broken \_\_\_\_\_ can technicians get \_\_\_\_\_?  
 \_\_\_\_\_ to broken \_\_\_\_\_ assistance \_\_\_\_\_ required \_\_\_\_\_ toilets.  
 \_\_\_\_\_ we expect prompt assistance when we report \_\_\_\_\_ broken \_\_\_\_\_ lines?  
 \_\_\_\_\_ broken mainlines cause \_\_\_\_\_ backup, \_\_\_\_\_ technicians reach the \_\_\_\_\_?  
 Requesting information \_\_\_\_\_ the \_\_\_\_\_ time of technicians \_\_\_\_\_ to \_\_\_\_\_ of toilet backups \_\_\_\_\_ broken mainlines \_\_\_\_\_.  
 Can \_\_\_\_\_ tell \_\_\_\_\_ if it is possible \_\_\_\_\_ get \_\_\_\_\_ help \_\_\_\_\_ by \_\_\_\_\_ sewage pipes?  
 \_\_\_\_\_ quickly \_\_\_\_\_ you \_\_\_\_\_ the site \_\_\_\_\_ informed \_\_\_\_\_ toilet \_\_\_\_\_ caused by damaged \_\_\_\_\_?  
 Is it \_\_\_\_\_ they \_\_\_\_\_ we have nasty bathroom messes thanks to \_\_\_\_\_ mains?  
 \_\_\_\_\_ we expect \_\_\_\_\_ support after being \_\_\_\_\_ problems with toilets \_\_\_\_\_ damage \_\_\_\_\_ the primary \_\_\_\_\_?  
 When toilet backups happen \_\_\_\_\_ to broken \_\_\_\_\_ quickly can \_\_\_\_\_?  
 \_\_\_\_\_ technicians \_\_\_\_\_ of \_\_\_\_\_ toilet \_\_\_\_\_ issues caused by \_\_\_\_\_ how soon will they \_\_\_\_\_ on site?  
 How \_\_\_\_\_ will \_\_\_\_\_ be able \_\_\_\_\_ reach the scene \_\_\_\_\_ caused by broken mainlines?  
 How quickly can \_\_\_\_\_ arrive on site \_\_\_\_\_ they are \_\_\_\_\_ of \_\_\_\_\_ near \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ are reports of broken mainlines causing \_\_\_\_\_ backups, how quickly \_\_\_\_\_ be \_\_\_\_\_ get \_\_\_\_\_?

When will technicians \_\_\_\_\_ issues that \_\_\_\_\_ damaged \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ that's backed up \_\_\_\_\_ of busted \_\_\_\_\_?  
 \_\_\_\_\_ receiving \_\_\_\_\_ of broken \_\_\_\_\_ causing \_\_\_\_\_ backups, \_\_\_\_\_ is \_\_\_\_\_ expected \_\_\_\_\_ technician arrival?  
 \_\_\_\_\_ expect \_\_\_\_\_ assistance \_\_\_\_\_ we \_\_\_\_\_ toilet problems that are related \_\_\_\_\_ lines?

When technicians are told about toilets \_\_\_\_\_ due \_\_\_\_\_ of broken \_\_\_\_\_ expected arrival \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ send people quickly \_\_\_\_\_ have had \_\_\_\_\_ messes thanks to leaking \_\_\_\_\_?  
 Can your technicians come \_\_\_\_\_ receive notification of \_\_\_\_\_ toilet \_\_\_\_\_ broken mainlines?  
 \_\_\_\_\_ are \_\_\_\_\_ toilet backups \_\_\_\_\_ broken mainlines, how \_\_\_\_\_ can they \_\_\_\_\_?  
 \_\_\_\_\_ technicians \_\_\_\_\_ severe \_\_\_\_\_ caused by damaged mainlines?

Upon \_\_\_\_\_ of toilet backing up \_\_\_\_\_ damaged mainlines, how quickly \_\_\_\_\_ site?  
 \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ fast for \_\_\_\_\_ broken mains?

When technicians are \_\_\_\_\_ issues \_\_\_\_\_ mainlines, \_\_\_\_\_ quickly can \_\_\_\_\_ arrive?  
 \_\_\_\_\_ on site \_\_\_\_\_ they're informed of \_\_\_\_\_ toilet \_\_\_\_\_ near the mainlines?  
 \_\_\_\_\_ soon \_\_\_\_\_ be \_\_\_\_\_ toilet backup issues if \_\_\_\_\_ been \_\_\_\_\_ broken mainlines?

How soon \_\_\_\_\_ technicians \_\_\_\_\_ to \_\_\_\_\_ if they're notified of \_\_\_\_\_ mainlines?  
 There \_\_\_\_\_ issues \_\_\_\_\_ up due \_\_\_\_\_ proximity of \_\_\_\_\_ mainlines and \_\_\_\_\_ is \_\_\_\_\_ expected arrival \_\_\_\_\_ technicians?

\_\_\_\_\_ in bad shape because \_\_\_\_\_ the broken mainlines, \_\_\_\_\_ send \_\_\_\_\_ crew \_\_\_\_\_?  
 When technicians are \_\_\_\_\_ about \_\_\_\_\_ due \_\_\_\_\_ proximity of \_\_\_\_\_ mainlines, what is \_\_\_\_\_ arrival \_\_\_\_\_?  
 Requesting \_\_\_\_\_ about \_\_\_\_\_ time \_\_\_\_\_ in relation \_\_\_\_\_ toilet backups \_\_\_\_\_ by \_\_\_\_\_ mainlines.  
 \_\_\_\_\_ you \_\_\_\_\_ to fix the \_\_\_\_\_ mainline that's backing up \_\_\_\_\_?  
 \_\_\_\_\_ you send your \_\_\_\_\_ the \_\_\_\_\_ that are backing \_\_\_\_\_ the toilet?

How \_\_\_\_\_ will \_\_\_\_\_ be \_\_\_\_\_ to get to \_\_\_\_\_ scene of \_\_\_\_\_ broken mainlines \_\_\_\_\_ up \_\_\_\_\_?  
 \_\_\_\_\_ toilet \_\_\_\_\_ up problems are caused \_\_\_\_\_ nearby damaged \_\_\_\_\_ how \_\_\_\_\_ reach the site \_\_\_\_\_?  
 How quickly can \_\_\_\_\_ arrive \_\_\_\_\_ when \_\_\_\_\_ about the \_\_\_\_\_ the mainlines?  
 How quickly \_\_\_\_\_ you get \_\_\_\_\_ the site after \_\_\_\_\_ backing \_\_\_\_\_ caused by \_\_\_\_\_ mainlines?

What \_\_\_\_\_ the \_\_\_\_\_ arrival time \_\_\_\_\_ technician \_\_\_\_\_ cause \_\_\_\_\_ with toilet backups?  
 How \_\_\_\_\_ to notification of \_\_\_\_\_ problems that \_\_\_\_\_ caused by broken \_\_\_\_\_?  
 \_\_\_\_\_ send \_\_\_\_\_ have nasty bathroom messes \_\_\_\_\_ to leaking mains?  
 \_\_\_\_\_ for \_\_\_\_\_ to come \_\_\_\_\_ I report \_\_\_\_\_ toilets caused \_\_\_\_\_ busted pipes?

How quickly will personnel respond \_\_\_\_\_ toilet \_\_\_\_\_ by \_\_\_\_\_ pipes?  
 \_\_\_\_\_ learning \_\_\_\_\_ toilet backing up problems \_\_\_\_\_ damaged \_\_\_\_\_ can you reach \_\_\_\_\_ site?

When told \_\_\_\_\_ toilet \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ how quickly can \_\_\_\_\_ arrive on \_\_\_\_\_?  
 \_\_\_\_\_ anticipated \_\_\_\_\_ time of technicians after \_\_\_\_\_ informed \_\_\_\_\_ serious issues with toilets backing \_\_\_\_\_ proximity \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ toilet backups when \_\_\_\_\_ mainlines \_\_\_\_\_ broken?

When \_\_\_\_\_ backing \_\_\_\_\_ issues \_\_\_\_\_ how quickly can \_\_\_\_\_ arrive \_\_\_\_\_ site?  
 \_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ backup \_\_\_\_\_ to \_\_\_\_\_ broken \_\_\_\_\_ quickly can technicians \_\_\_\_\_ location?  
 \_\_\_\_\_ will technicians be on \_\_\_\_\_ we \_\_\_\_\_ problems \_\_\_\_\_ broken mainlines?

There \_\_\_\_\_ prompt assistance due to \_\_\_\_\_ mainlines.  
 \_\_\_\_\_ soon can technicians \_\_\_\_\_ on-site \_\_\_\_\_ fix \_\_\_\_\_ issues if \_\_\_\_\_ discover \_\_\_\_\_ mainlines \_\_\_\_\_ area?  
 If \_\_\_\_\_ sewer \_\_\_\_\_ lead to significant toilet \_\_\_\_\_ nearby \_\_\_\_\_ we \_\_\_\_\_ a prompt \_\_\_\_\_ technicians?  
 How \_\_\_\_\_ will \_\_\_\_\_ to a notification about \_\_\_\_\_ backup \_\_\_\_\_ caused \_\_\_\_\_ lines?

There \_\_\_\_\_ severe toilet backups resulting from \_\_\_\_\_ at \_\_\_\_\_ the technicians' location.  
 \_\_\_\_\_ major sewer \_\_\_\_\_ disruptions \_\_\_\_\_ to \_\_\_\_\_ incidents \_\_\_\_\_ we \_\_\_\_\_ prompt response from technicians?  
 \_\_\_\_\_ technicians \_\_\_\_\_ to the site immediately \_\_\_\_\_ notified \_\_\_\_\_ issues caused \_\_\_\_\_ mainlines?

As soon as \_\_\_\_\_ problems caused \_\_\_\_\_ broken mainlines, will \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ technicians to come out asap because \_\_\_\_\_ overflowing \_\_\_\_\_ the \_\_\_\_\_.

What is the expected \_\_\_\_\_ dealing \_\_\_\_\_ that \_\_\_\_\_ backed up \_\_\_\_\_ of \_\_\_\_\_ water mains?  
 \_\_\_\_\_ technicians are \_\_\_\_\_ about \_\_\_\_\_ issues with \_\_\_\_\_ up \_\_\_\_\_ to close proximity \_\_\_\_\_ broken \_\_\_\_\_ what is the \_\_\_\_\_?  
 What \_\_\_\_\_ time frame for technicians \_\_\_\_\_ after \_\_\_\_\_ made \_\_\_\_\_ toilet problems \_\_\_\_\_ by nearby

damage to \_\_\_\_\_ wastewater pipes

\_\_\_\_\_ alerted about broken mainlines, \_\_\_\_\_ can technicians \_\_\_\_\_ to \_\_\_\_\_ toilet \_\_\_\_\_?

After being informed \_\_\_\_\_ backing up \_\_\_\_\_ proximity of broken mainlines, \_\_\_\_\_ is the \_\_\_\_\_?

When will \_\_\_\_\_ backups caused \_\_\_\_\_ mainlines be fixed \_\_\_\_\_?

How quickly do \_\_\_\_\_ backups caused by \_\_\_\_\_ mainlines?

\_\_\_\_\_ alerted about \_\_\_\_\_ mainlines near the \_\_\_\_\_ soon \_\_\_\_\_ be \_\_\_\_\_ site \_\_\_\_\_ address toilet backup \_\_\_\_\_?

When could we \_\_\_\_\_ technical \_\_\_\_\_ after learning \_\_\_\_\_ with toilets caused by \_\_\_\_\_?

\_\_\_\_\_ your \_\_\_\_\_ fix \_\_\_\_\_ toilet issues that \_\_\_\_\_ mainline breakages?

How \_\_\_\_\_ someone come and fix \_\_\_\_\_ toilet from the \_\_\_\_\_?

Can \_\_\_\_\_ send people quickly as they hear \_\_\_\_\_ the leaking \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ to arrive \_\_\_\_\_ toilets that \_\_\_\_\_ broken \_\_\_\_\_?

\_\_\_\_\_ is the time \_\_\_\_\_ for \_\_\_\_\_ reach \_\_\_\_\_ after \_\_\_\_\_ hear \_\_\_\_\_ toilet problems \_\_\_\_\_ by nearby repairs \_\_\_\_\_ the main \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ quickly \_\_\_\_\_ they hear \_\_\_\_\_ have nasty \_\_\_\_\_ due \_\_\_\_\_ the leaking \_\_\_\_\_?

There's \_\_\_\_\_ toilet backup near \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ expect \_\_\_\_\_ support for toilets that \_\_\_\_\_ up \_\_\_\_\_ to \_\_\_\_\_ within \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ people \_\_\_\_\_ we have nasty \_\_\_\_\_ messes because \_\_\_\_\_ leaking mains?

\_\_\_\_\_ anticipate technical crews \_\_\_\_\_ on \_\_\_\_\_ when \_\_\_\_\_ troubles \_\_\_\_\_ linked to damaged underground plumbing?

The \_\_\_\_\_ time of technicians \_\_\_\_\_ be affected by \_\_\_\_\_ with \_\_\_\_\_ close \_\_\_\_\_ of \_\_\_\_\_ mainlines.

Can you send people \_\_\_\_\_ as \_\_\_\_\_ thanks \_\_\_\_\_ leaking mains?

\_\_\_\_\_ informed \_\_\_\_\_ serious \_\_\_\_\_ with toilets \_\_\_\_\_ up due \_\_\_\_\_ of broken mainlines, what \_\_\_\_\_ arrival time of \_\_\_\_\_?

Can you \_\_\_\_\_ quickly as \_\_\_\_\_ hear we \_\_\_\_\_ bathroom messes \_\_\_\_\_ the \_\_\_\_\_?

When will technicians \_\_\_\_\_ we report toilet \_\_\_\_\_ are \_\_\_\_\_ mainlines?

I \_\_\_\_\_ fixers will \_\_\_\_\_ toilets caused by busted pipes.

\_\_\_\_\_ issues, how \_\_\_\_\_ will the technicians \_\_\_\_\_ at the site?

When we should expect technical \_\_\_\_\_ for toilets \_\_\_\_\_ have \_\_\_\_\_ up \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ long will \_\_\_\_\_ take for technicians \_\_\_\_\_ be \_\_\_\_\_ if we \_\_\_\_\_ seriously clogged \_\_\_\_\_ from \_\_\_\_\_ site \_\_\_\_\_?

When we report \_\_\_\_\_ problem with \_\_\_\_\_ that \_\_\_\_\_ to \_\_\_\_\_ expect assistance on site?

\_\_\_\_\_ you \_\_\_\_\_ when \_\_\_\_\_ able \_\_\_\_\_ attend troublingly clogged toilets \_\_\_\_\_ fractured primary sewage \_\_\_\_\_?

\_\_\_\_\_ could \_\_\_\_\_ expect \_\_\_\_\_ support after learning about backups \_\_\_\_\_ toilets caused \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ response time for \_\_\_\_\_ when they have \_\_\_\_\_ backed up because of \_\_\_\_\_ mains?

\_\_\_\_\_ long until \_\_\_\_\_ arrive \_\_\_\_\_ if \_\_\_\_\_ you \_\_\_\_\_ toilets \_\_\_\_\_ up \_\_\_\_\_ of broken mainlines?

\_\_\_\_\_ soon can \_\_\_\_\_ be \_\_\_\_\_ address \_\_\_\_\_ backup \_\_\_\_\_ notified of broken mainlines?

What is \_\_\_\_\_ to reach \_\_\_\_\_ site after learning of \_\_\_\_\_ severe \_\_\_\_\_ caused by \_\_\_\_\_ main wastewater pipes?

\_\_\_\_\_ can \_\_\_\_\_ technicians fix toilet \_\_\_\_\_ problems \_\_\_\_\_ mainlines?

How quickly will personnel \_\_\_\_\_ to \_\_\_\_\_ toilet \_\_\_\_\_ caused \_\_\_\_\_ broken pipes?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ come quickly \_\_\_\_\_ I report toilet \_\_\_\_\_ caused by \_\_\_\_\_?

\_\_\_\_\_ toilet backup \_\_\_\_\_ occur near broken \_\_\_\_\_ quickly \_\_\_\_\_ technicians \_\_\_\_\_ on \_\_\_\_\_?

When \_\_\_\_\_ backups \_\_\_\_\_ mainlines, how \_\_\_\_\_ technicians arrive \_\_\_\_\_ site?

\_\_\_\_\_ we \_\_\_\_\_ technical \_\_\_\_\_ for toilets that are backing up \_\_\_\_\_ the primary \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ a \_\_\_\_\_ with \_\_\_\_\_ that \_\_\_\_\_ related to fractured \_\_\_\_\_ lines \_\_\_\_\_ drainage systems, \_\_\_\_\_ prompt assistance?

Is \_\_\_\_\_ that workers arrive \_\_\_\_\_ when \_\_\_\_\_ the \_\_\_\_\_ stem \_\_\_\_\_ lines?

\_\_\_\_\_ techs \_\_\_\_\_ quickly for \_\_\_\_\_ that are \_\_\_\_\_ by broken \_\_\_\_\_?

When toilet \_\_\_\_\_ caused \_\_\_\_\_ mainlines, how \_\_\_\_\_ can you get \_\_\_\_\_ the \_\_\_\_\_?

Once \_\_\_\_\_ of \_\_\_\_\_ causing toilet \_\_\_\_\_ could on-site \_\_\_\_\_ be present?

\_\_\_\_\_ frame for technicians \_\_\_\_\_ after hearing about \_\_\_\_\_ toilet \_\_\_\_\_ caused by nearby damage \_\_\_\_\_ the \_\_\_\_\_ wastewater pipes?

\_\_\_\_\_ until your technicians arrive \_\_\_\_\_ site if I inform you that \_\_\_\_\_ broken mainlines?

\_\_\_\_\_ toilet \_\_\_\_\_ near \_\_\_\_\_ mains.

\_\_\_\_\_ receiving notification \_\_\_\_\_ caused \_\_\_\_\_ broken mainlines can \_\_\_\_\_ come to \_\_\_\_\_ site?  
 How fast can technicians arrive \_\_\_\_\_ when \_\_\_\_\_ informed about \_\_\_\_\_ issues \_\_\_\_\_?  
 \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ up due to \_\_\_\_\_ mainlines.  
 \_\_\_\_\_ to know the response time \_\_\_\_\_ to reports \_\_\_\_\_ toilet \_\_\_\_\_ caused \_\_\_\_\_ mainlines.  
 When \_\_\_\_\_ technicians address the toilet \_\_\_\_\_ result \_\_\_\_\_ damaged \_\_\_\_\_?  
 How quickly \_\_\_\_\_ technicians arrive \_\_\_\_\_ if they are \_\_\_\_\_ backups \_\_\_\_\_ broken \_\_\_\_\_?  
 When \_\_\_\_\_ visit on-site \_\_\_\_\_ report toilet \_\_\_\_\_ caused \_\_\_\_\_ broken \_\_\_\_\_?  
 When \_\_\_\_\_ mainlines \_\_\_\_\_ critical \_\_\_\_\_ toilet backups, \_\_\_\_\_ time for an on-site technician?  
 \_\_\_\_\_ toilet backing up \_\_\_\_\_ are caused \_\_\_\_\_ damaged \_\_\_\_\_ how quickly can you get \_\_\_\_\_?  
 What \_\_\_\_\_ arrival \_\_\_\_\_ of technicians \_\_\_\_\_ learning of serious issues with \_\_\_\_\_ backing up \_\_\_\_\_?  
 \_\_\_\_\_ information about \_\_\_\_\_ response \_\_\_\_\_ of \_\_\_\_\_ to the reports of \_\_\_\_\_ backups caused \_\_\_\_\_ broken \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ on-site \_\_\_\_\_ to respond \_\_\_\_\_ backups due to mainline break?  
 \_\_\_\_\_ soon \_\_\_\_\_ technicians \_\_\_\_\_ on-site \_\_\_\_\_ address \_\_\_\_\_ issues after \_\_\_\_\_ are notified \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ come \_\_\_\_\_ site immediately after hearing \_\_\_\_\_ toilet \_\_\_\_\_ caused \_\_\_\_\_ broken mainlines?  
 Requests information \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ technicians \_\_\_\_\_ relation \_\_\_\_\_ reports of severe toilet \_\_\_\_\_ broken \_\_\_\_\_.  
 \_\_\_\_\_ notification \_\_\_\_\_ toilet issues caused \_\_\_\_\_ mainlines, can your \_\_\_\_\_ immediately?  
 \_\_\_\_\_ the response \_\_\_\_\_ on-site \_\_\_\_\_ they're \_\_\_\_\_ toilet \_\_\_\_\_ due to mainline breaks?  
 After we \_\_\_\_\_ you \_\_\_\_\_ that the toilets are \_\_\_\_\_ due \_\_\_\_\_ mainlines, how \_\_\_\_\_ can \_\_\_\_\_?  
 \_\_\_\_\_ technicians are informed \_\_\_\_\_ toilets \_\_\_\_\_ the mainlines, how quickly can \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ time for on-site \_\_\_\_\_ if they \_\_\_\_\_ informed \_\_\_\_\_ toilet \_\_\_\_\_ due \_\_\_\_\_ break?  
 \_\_\_\_\_ your \_\_\_\_\_ that's backed up due to busted \_\_\_\_\_?  
 \_\_\_\_\_ mainlines cause severe \_\_\_\_\_ how soon will \_\_\_\_\_ able \_\_\_\_\_ arrive?  
 \_\_\_\_\_ to the site after \_\_\_\_\_ major toilet \_\_\_\_\_ by damaged mainlines?  
 \_\_\_\_\_ of \_\_\_\_\_ toilet backups because of broken mainlines \_\_\_\_\_ a \_\_\_\_\_.  
 Is \_\_\_\_\_ to \_\_\_\_\_ quickly \_\_\_\_\_ that are related \_\_\_\_\_ broken sewage pipes?  
 Will \_\_\_\_\_ for toilets that are \_\_\_\_\_ up \_\_\_\_\_ broken \_\_\_\_\_?  
 How \_\_\_\_\_ will personnel \_\_\_\_\_ about toilet backup \_\_\_\_\_ caused \_\_\_\_\_ primary \_\_\_\_\_?  
 \_\_\_\_\_ the response \_\_\_\_\_ to \_\_\_\_\_ backup near \_\_\_\_\_ broken main?  
 How \_\_\_\_\_ personnel \_\_\_\_\_ to the \_\_\_\_\_ of \_\_\_\_\_ toilet \_\_\_\_\_ that are caused \_\_\_\_\_ broken \_\_\_\_\_?  
 \_\_\_\_\_ information regarding response \_\_\_\_\_ of \_\_\_\_\_ relation to reports \_\_\_\_\_ toilet backups \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ arrival time of technicians \_\_\_\_\_ they are \_\_\_\_\_ about \_\_\_\_\_ with toilets \_\_\_\_\_ of \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ been reports of \_\_\_\_\_ toilet \_\_\_\_\_ broken mainlines \_\_\_\_\_ a near \_\_\_\_\_.  
 \_\_\_\_\_ technicians \_\_\_\_\_ toilet backups due to broken \_\_\_\_\_?  
 When will \_\_\_\_\_ severe toilet \_\_\_\_\_ by broken mainlines?  
 \_\_\_\_\_ can your \_\_\_\_\_ toilet backups caused \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ it \_\_\_\_\_ you \_\_\_\_\_ send people \_\_\_\_\_ as they \_\_\_\_\_ have bathroom messes due \_\_\_\_\_ leaking \_\_\_\_\_?  
 \_\_\_\_\_ toilets are \_\_\_\_\_ because of \_\_\_\_\_ mains, what is \_\_\_\_\_ response \_\_\_\_\_?  
 When \_\_\_\_\_ should expect \_\_\_\_\_ for \_\_\_\_\_ up by damage \_\_\_\_\_ the \_\_\_\_\_ mains?  
 When will \_\_\_\_\_ deal \_\_\_\_\_ toilet backing \_\_\_\_\_ damaged \_\_\_\_\_?  
 When could \_\_\_\_\_ support for toilets that \_\_\_\_\_ backed \_\_\_\_\_ to damage \_\_\_\_\_ mains?  
 \_\_\_\_\_ notification of broken \_\_\_\_\_ with \_\_\_\_\_ backups, what is the expected \_\_\_\_\_ of \_\_\_\_\_ on-site \_\_\_\_\_?  
 \_\_\_\_\_ technicians \_\_\_\_\_ about toilet issues near the mainlines how \_\_\_\_\_?  
 What \_\_\_\_\_ the response time \_\_\_\_\_ technicians \_\_\_\_\_ to deal with toilets \_\_\_\_\_ up \_\_\_\_\_ of \_\_\_\_\_ water \_\_\_\_\_?  
 When \_\_\_\_\_ told about the toilet issues \_\_\_\_\_ the \_\_\_\_\_ how \_\_\_\_\_?  
 When will \_\_\_\_\_ we report severe toilet issues \_\_\_\_\_?  
 \_\_\_\_\_ time will it take \_\_\_\_\_ on-site \_\_\_\_\_ to respond to toilet \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ know quickly \_\_\_\_\_ have nasty \_\_\_\_\_ because of the leaking \_\_\_\_\_?  
 How \_\_\_\_\_ can \_\_\_\_\_ fix \_\_\_\_\_ backup problems \_\_\_\_\_ result \_\_\_\_\_ mainlines?  
 \_\_\_\_\_ your team \_\_\_\_\_ our \_\_\_\_\_ problems caused by \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ bad toilets \_\_\_\_\_ by busted pipes, \_\_\_\_\_ fixers \_\_\_\_\_?

Once technicians are \_\_\_\_\_ severe \_\_\_\_\_ backup issues caused \_\_\_\_\_ damaged mainlines, how \_\_\_\_\_ take \_\_\_\_\_ arrive \_\_\_\_\_?

Is \_\_\_\_\_ an estimated \_\_\_\_\_ time \_\_\_\_\_ attending troublesomely \_\_\_\_\_ connected \_\_\_\_\_ primary sewage \_\_\_\_\_?

Will \_\_\_\_\_ respond quickly \_\_\_\_\_ issues linked \_\_\_\_\_ lines?

When \_\_\_\_\_ technicians \_\_\_\_\_ if \_\_\_\_\_ problems \_\_\_\_\_ broken mainlines?

The damn toilet \_\_\_\_\_ because of busted mainlines and \_\_\_\_\_ send \_\_\_\_\_ to fix \_\_\_\_\_?

\_\_\_\_\_ quickly \_\_\_\_\_ personnel respond \_\_\_\_\_ backup problems that \_\_\_\_\_ caused by broken \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ to toilet \_\_\_\_\_ near broken mainlines?

\_\_\_\_\_ quickly could on-site \_\_\_\_\_ be \_\_\_\_\_ the broken \_\_\_\_\_ severe \_\_\_\_\_ issues?

\_\_\_\_\_ problems are \_\_\_\_\_ damaged mainlines, \_\_\_\_\_ quickly \_\_\_\_\_ you get to \_\_\_\_\_ site?

\_\_\_\_\_ it possible \_\_\_\_\_ folks \_\_\_\_\_ as \_\_\_\_\_ hear \_\_\_\_\_ have \_\_\_\_\_ bathroom \_\_\_\_\_ to the leaking mains?

When will \_\_\_\_\_ backing problems \_\_\_\_\_ by damaged \_\_\_\_\_ be \_\_\_\_\_?

What is the \_\_\_\_\_ to \_\_\_\_\_ after hearing about the severe \_\_\_\_\_ problems caused \_\_\_\_\_ wastewater pipes?

There \_\_\_\_\_ toilet \_\_\_\_\_ by \_\_\_\_\_ mainlines, \_\_\_\_\_ will \_\_\_\_\_ address them?

When \_\_\_\_\_ technicians \_\_\_\_\_ when we \_\_\_\_\_ problems caused by \_\_\_\_\_?

When \_\_\_\_\_ about toilets backing \_\_\_\_\_ due \_\_\_\_\_ proximity \_\_\_\_\_ what is their anticipated \_\_\_\_\_ time?

\_\_\_\_\_ can experts \_\_\_\_\_ a \_\_\_\_\_ when they are \_\_\_\_\_ about \_\_\_\_\_ from \_\_\_\_\_ mains?

What \_\_\_\_\_ time for technicians \_\_\_\_\_ reach the \_\_\_\_\_ are made aware \_\_\_\_\_ the \_\_\_\_\_ toilet \_\_\_\_\_ caused by nearby \_\_\_\_\_ the \_\_\_\_\_

What \_\_\_\_\_ the response \_\_\_\_\_ for \_\_\_\_\_ technicians \_\_\_\_\_ they are \_\_\_\_\_ toilet \_\_\_\_\_ to mainline \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ frame \_\_\_\_\_ technicians to get to \_\_\_\_\_ site after they are \_\_\_\_\_ of \_\_\_\_\_ toilet problems caused \_\_\_\_\_ to \_\_\_\_\_

\_\_\_\_\_ backing \_\_\_\_\_ issues \_\_\_\_\_ broken mainlines \_\_\_\_\_ can \_\_\_\_\_ arrive at site?

\_\_\_\_\_ toilets \_\_\_\_\_ up \_\_\_\_\_ broken mainlines, how \_\_\_\_\_ technicians be able \_\_\_\_\_ get \_\_\_\_\_?

\_\_\_\_\_ quickly \_\_\_\_\_ personnel respond to \_\_\_\_\_ notification of \_\_\_\_\_ backup problems \_\_\_\_\_ broken \_\_\_\_\_?

\_\_\_\_\_ toilets \_\_\_\_\_ dirty and probably \_\_\_\_\_ of the broken \_\_\_\_\_ send \_\_\_\_\_ crew \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ quickly as \_\_\_\_\_ have \_\_\_\_\_ bathroom messes thanks \_\_\_\_\_ leaking \_\_\_\_\_?

\_\_\_\_\_ broken mainline causes \_\_\_\_\_ how soon could \_\_\_\_\_ be present?

\_\_\_\_\_ technicians \_\_\_\_\_ the \_\_\_\_\_ after we report \_\_\_\_\_ by broken mainlines?

\_\_\_\_\_ send \_\_\_\_\_ to fix \_\_\_\_\_ toilet that's backed \_\_\_\_\_ because \_\_\_\_\_ mainlines?

What is \_\_\_\_\_ frame for technicians \_\_\_\_\_ reach \_\_\_\_\_ after being informed \_\_\_\_\_ the severe \_\_\_\_\_ nearby \_\_\_\_\_ the main \_\_\_\_\_ pipes

\_\_\_\_\_ possible \_\_\_\_\_ will \_\_\_\_\_ soon if \_\_\_\_\_ toilets caused by busted pipes?

\_\_\_\_\_ personnel respond \_\_\_\_\_ notification regarding \_\_\_\_\_ caused by broken primary \_\_\_\_\_?

When \_\_\_\_\_ up \_\_\_\_\_ occurred near broken mainlines \_\_\_\_\_ can \_\_\_\_\_ arrive \_\_\_\_\_?

\_\_\_\_\_ the toilets are \_\_\_\_\_ can the \_\_\_\_\_ arrive quickly?

What \_\_\_\_\_ the \_\_\_\_\_ arrival time of technicians \_\_\_\_\_ are told \_\_\_\_\_ toilets \_\_\_\_\_ due \_\_\_\_\_ mainlines?

What \_\_\_\_\_ response \_\_\_\_\_ for technicians to \_\_\_\_\_ that \_\_\_\_\_ backed \_\_\_\_\_ because \_\_\_\_\_ broken water mains?

\_\_\_\_\_ there an \_\_\_\_\_ arrival time for \_\_\_\_\_ problematic toilets \_\_\_\_\_ to \_\_\_\_\_ primary \_\_\_\_\_?

How \_\_\_\_\_ to \_\_\_\_\_ severe toilet backup problems \_\_\_\_\_ are caused by \_\_\_\_\_?

A request \_\_\_\_\_ information \_\_\_\_\_ response time \_\_\_\_\_ in relation to \_\_\_\_\_ toilet backups \_\_\_\_\_ from \_\_\_\_\_.

\_\_\_\_\_ promptly for \_\_\_\_\_ broken mains?

Requesting information \_\_\_\_\_ of \_\_\_\_\_ reports of toilet backups because of broken \_\_\_\_\_.

The response time \_\_\_\_\_ to handle cases like \_\_\_\_\_ up \_\_\_\_\_ water mains \_\_\_\_\_.

\_\_\_\_\_ can \_\_\_\_\_ reach \_\_\_\_\_ site after learning of \_\_\_\_\_ problems caused by damaged \_\_\_\_\_?

Upon \_\_\_\_\_ notification of broken \_\_\_\_\_ what is the expected \_\_\_\_\_ time for on-site \_\_\_\_\_?

\_\_\_\_\_ information \_\_\_\_\_ the \_\_\_\_\_ time of technicians in \_\_\_\_\_ to reports \_\_\_\_\_ backups \_\_\_\_\_ by \_\_\_\_\_ at a \_\_\_\_\_.

\_\_\_\_\_ toilets that are related to \_\_\_\_\_ underground sewer lines \_\_\_\_\_ we \_\_\_\_\_ prompt assistance?

What is the \_\_\_\_\_ severe toilet backup \_\_\_\_\_ broken \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ anticipated arrival \_\_\_\_\_ of technicians after \_\_\_\_\_ serious issues with \_\_\_\_\_ up due to \_\_\_\_\_ proximity \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ response \_\_\_\_\_ to deal \_\_\_\_\_ toilet backups caused by \_\_\_\_\_ mains?

When technicians \_\_\_\_\_ about \_\_\_\_\_ with \_\_\_\_\_ up due to proximity \_\_\_\_\_ broken \_\_\_\_\_ what \_\_\_\_\_ anticipated arrival \_\_\_\_\_?

\_\_\_\_\_ will personnel \_\_\_\_\_ notification about \_\_\_\_\_ toilet \_\_\_\_\_ problems \_\_\_\_\_ caused by broken primary \_\_\_\_\_?

When \_\_\_\_\_ cause severe toilet backup \_\_\_\_\_ how soon \_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_?