

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Health Insurance Companies
<b>Inquiry Category</b>	Prosthetic devices/inclusive durable medical equipment coverages
<b>Inquiry Sub-Category</b>	Replacement and Repair
<b>Description</b>	Customers seeking information about coverage for the replacement or repair of prosthetic devices and durable medical equipment, including eligibility criteria and any associated costs.
<b>Data Size</b>	5,040 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Health Insurance Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ cosmetic \_\_\_\_\_ considered \_\_\_\_\_ repair process as \_\_\_\_\_ of the overall functionality upgrade/service \_\_\_\_\_ Prostheses/DMEs?

\_\_\_\_\_ there \_\_\_\_\_ aesthetic \_\_\_\_\_ required repairs for Prostheses?

\_\_\_\_\_ there a way \_\_\_\_\_ MEs \_\_\_\_\_ better if \_\_\_\_\_ repaired or serviced?

\_\_\_\_\_ in the \_\_\_\_\_ of existing Prostheses/D MEs?

During the repair \_\_\_\_\_ Prosthetics receive \_\_\_\_\_?

\_\_\_\_\_ overall \_\_\_\_\_ checkup of \_\_\_\_\_ DMEs/ \_\_\_\_\_ potential cosmetic improvements?

\_\_\_\_\_ enhancements \_\_\_\_\_ considered in \_\_\_\_\_ repair process of \_\_\_\_\_

Will \_\_\_\_\_ be included \_\_\_\_\_ request for \_\_\_\_\_ for existing \_\_\_\_\_?

Is it \_\_\_\_\_ include \_\_\_\_\_ enhancements when \_\_\_\_\_?

Are \_\_\_\_\_ of the Prostheses/D MEs \_\_\_\_\_ of \_\_\_\_\_ repair?

Do \_\_\_\_\_ of Prostheses \_\_\_\_\_ considerations \_\_\_\_\_ changes \_\_\_\_\_?

Is \_\_\_\_\_ a plan to improve existing Prostheses/DIMEs \_\_\_\_\_ of \_\_\_\_\_ overall?

Is \_\_\_\_\_ include aesthetic improvements \_\_\_\_\_ repairs for \_\_\_\_\_?

\_\_\_\_\_ cosmetic \_\_\_\_\_ be included \_\_\_\_\_ upgrade request \_\_\_\_\_ existing \_\_\_\_\_.

During \_\_\_\_\_ service \_\_\_\_\_ for existing Prostheses can \_\_\_\_\_ considered.

cosmetic \_\_\_\_\_ in the \_\_\_\_\_ request for existing \_\_\_\_\_

Is \_\_\_\_\_ a \_\_\_\_\_ request \_\_\_\_\_ include the \_\_\_\_\_ aesthetic appearance \_\_\_\_\_ existing devices?

\_\_\_\_\_ enhancements will be considered as \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_

Prosthetics \_\_\_\_\_ enhancements \_\_\_\_\_ that \_\_\_\_\_ considered \_\_\_\_\_ being worked on.

cosmetic enhancements should \_\_\_\_\_ in \_\_\_\_\_ repair \_\_\_\_\_ existing \_\_\_\_\_

Can you \_\_\_\_\_ the beauty of Prostheses/D MEs \_\_\_\_\_ part \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ process \_\_\_\_\_ into \_\_\_\_\_ the appearance of \_\_\_\_\_ in the \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ you going \_\_\_\_\_ improve \_\_\_\_\_ with coverage of cosmetic upgrade, \_\_\_\_\_ addition \_\_\_\_\_?

Is \_\_\_\_\_ to improve \_\_\_\_\_ Prostheses \_\_\_\_\_ adding cosmetic \_\_\_\_\_?

Should attention be \_\_\_\_\_ aesthetic \_\_\_\_\_ repairs \_\_\_\_\_ current \_\_\_\_\_?

Will cosmetic enhancements be \_\_\_\_\_ for existing Prostheses/D \_\_\_\_\_?

\_\_\_\_\_ and \_\_\_\_\_ process \_\_\_\_\_ may include some enhancements.

In \_\_\_\_\_ could the aesthetic appearance \_\_\_\_\_ devices \_\_\_\_\_ restored?

\_\_\_\_\_ beauty \_\_\_\_\_ Prostheses/D \_\_\_\_\_ be considered for \_\_\_\_\_ repair?

Is there \_\_\_\_\_ repair \_\_\_\_\_ for \_\_\_\_\_ that \_\_\_\_\_ into \_\_\_\_\_ cosmetic improvements?

\_\_\_\_\_ enhancements \_\_\_\_\_ considered in the repair \_\_\_\_\_ existing \_\_\_\_\_?

cosmetic \_\_\_\_\_ may \_\_\_\_\_ part of the repair \_\_\_\_\_.

Are \_\_\_\_\_ to \_\_\_\_\_ existing Prostheses/DMEs with \_\_\_\_\_?

\_\_\_\_\_ appearance \_\_\_\_\_ be included in a \_\_\_\_\_ existing devices

Does the repairs \_\_\_\_\_ Prostheses and \_\_\_\_\_ aesthetic \_\_\_\_\_?

\_\_\_\_\_ factor \_\_\_\_\_ existing Prosthesis/DME \_\_\_\_\_ upgrades.

cosmetic enhancements are \_\_\_\_\_ the \_\_\_\_\_ requested \_\_\_\_\_?

\_\_\_\_\_ repair process take \_\_\_\_\_ account \_\_\_\_\_ appearance \_\_\_\_\_ Prostheses in \_\_\_\_\_ request?

\_\_\_\_\_ consider the beauty \_\_\_\_\_ Prostheses/D \_\_\_\_\_ repair process?

Is \_\_\_\_\_ room \_\_\_\_\_ enhancements \_\_\_\_\_ needed \_\_\_\_\_ for Prostheses?

Are you planning \_\_\_\_\_ improve \_\_\_\_\_ coverage of cosmetic \_\_\_\_\_?

\_\_\_\_\_ cosmetic enhancements will \_\_\_\_\_ during a service request \_\_\_\_\_ upgrade?

\_\_\_\_\_ it possible \_\_\_\_\_ into existing Prosthesis/DME repair \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ that the aesthetic appearance \_\_\_\_\_ be improved in the \_\_\_\_\_?

\_\_\_\_\_ enhancements \_\_\_\_\_ in \_\_\_\_\_ repair \_\_\_\_\_ existing Prostheses and DSMEs?

\_\_\_\_\_ possibly have \_\_\_\_\_ of \_\_\_\_\_ fixing them.

Prosthetics can \_\_\_\_\_ if they \_\_\_\_\_ to be fixed.

cosmetic \_\_\_\_\_ may be \_\_\_\_\_ in \_\_\_\_\_ for existing \_\_\_\_\_.

\_\_\_\_\_ process take \_\_\_\_\_ account \_\_\_\_\_ the Prostheses \_\_\_\_\_ overall request of a service?

\_\_\_\_\_ process \_\_\_\_\_ may include cosmetic fixes.

\_\_\_\_\_ Prostheses/DME \_\_\_\_\_ there consideration given to \_\_\_\_\_ enhancements?

Is \_\_\_\_\_ possible to include \_\_\_\_\_ enhancements \_\_\_\_\_ fixing \_\_\_\_\_?

\_\_\_\_\_ your plans to improve \_\_\_\_\_ with \_\_\_\_\_ upgrade in \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ needed repairs for Prostheses?

Is it possible \_\_\_\_\_ to be \_\_\_\_\_ servicing existing \_\_\_\_\_?

Are you \_\_\_\_\_ to improve \_\_\_\_\_ Prostheses/DIMEs \_\_\_\_\_ well \_\_\_\_\_ overall?

Is aesthetic \_\_\_\_\_ in \_\_\_\_\_ service \_\_\_\_\_ improve existing \_\_\_\_\_?

Can \_\_\_\_\_ the effects on \_\_\_\_\_ beauty \_\_\_\_\_ during \_\_\_\_\_ repair process?

\_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ fixed, there could be \_\_\_\_\_ like \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ upgrades \_\_\_\_\_ repairs for Prostheses?

\_\_\_\_\_ repair process take into \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ when \_\_\_\_\_ service upgrade \_\_\_\_\_?

Prosthetics \_\_\_\_\_ a look that \_\_\_\_\_ are \_\_\_\_\_ to be fixed.

\_\_\_\_\_ a \_\_\_\_\_ the Prostheses/DME repair?

\_\_\_\_\_ you know \_\_\_\_\_ it's \_\_\_\_\_ incorporate visual upgrades during \_\_\_\_\_?

Do \_\_\_\_\_ intend to \_\_\_\_\_ with coverage \_\_\_\_\_ cosmetic \_\_\_\_\_ and \_\_\_\_\_?

Should \_\_\_\_\_ consider the effects \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ Prostheses/D \_\_\_\_\_ as part \_\_\_\_\_?

Can \_\_\_\_\_ tell \_\_\_\_\_ it's \_\_\_\_\_ incorporate visual upgrades \_\_\_\_\_ repairs?

\_\_\_\_\_ it possible \_\_\_\_\_ enhancements to \_\_\_\_\_ while servicing \_\_\_\_\_ enhancing features \_\_\_\_\_?

Is there \_\_\_\_\_ for \_\_\_\_\_ improvements along \_\_\_\_\_ repairs \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ of \_\_\_\_\_ MEs \_\_\_\_\_ part \_\_\_\_\_ the \_\_\_\_\_ can be considered.

\_\_\_\_\_ it possible for \_\_\_\_\_ looks \_\_\_\_\_ considered when fixing \_\_\_\_\_?

During \_\_\_\_\_ repair or service \_\_\_\_\_ enhancements \_\_\_\_\_

\_\_\_\_\_ would they take \_\_\_\_\_ the enhancements?

\_\_\_\_\_ be \_\_\_\_\_ in the \_\_\_\_\_ of existing devices?

cosmetic \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ repair \_\_\_\_\_ service \_\_\_\_\_ for existing \_\_\_\_\_.

During \_\_\_\_\_ process are \_\_\_\_\_ for \_\_\_\_\_ prosthetics \_\_\_\_\_ medical devices?

\_\_\_\_\_ attention \_\_\_\_\_ to aesthetic \_\_\_\_\_ when \_\_\_\_\_ made to Prostheses/DMEs?

Are \_\_\_\_\_ modifications \_\_\_\_\_ in the \_\_\_\_\_ request \_\_\_\_\_ improve \_\_\_\_\_?

Can aesthetic \_\_\_\_\_ when fixing \_\_\_\_\_?

Will \_\_\_\_\_ repair process \_\_\_\_\_ of \_\_\_\_\_ in \_\_\_\_\_ overall request for a service upgrade \_\_\_\_\_ cosmetic enhancements be \_\_\_\_\_ in \_\_\_\_\_ request for \_\_\_\_\_ Mes?

Will the overall \_\_\_\_\_ DMEs/prostheses evaluate potential \_\_\_\_\_ improvements?

\_\_\_\_\_ a repair or service \_\_\_\_\_ cosmetic \_\_\_\_\_ existing \_\_\_\_\_ considered.

Can \_\_\_\_\_ the effects \_\_\_\_\_ the beauty \_\_\_\_\_ Prostheses/D \_\_\_\_\_ in \_\_\_\_\_ repair process?

Enhancements to \_\_\_\_\_ aesthetic \_\_\_\_\_ be included \_\_\_\_\_ upgrade \_\_\_\_\_ for existing \_\_\_\_\_

\_\_\_\_\_ Prostheses/DME \_\_\_\_\_ may be influenced by cosmetic \_\_\_\_\_.

\_\_\_\_\_ possible for \_\_\_\_\_ enhancements to be \_\_\_\_\_ when \_\_\_\_\_?

cosmetic enhancements \_\_\_\_\_ be considered during \_\_\_\_\_ service request \_\_\_\_\_ for \_\_\_\_\_

\_\_\_\_\_ it \_\_\_\_\_ to consider the beauty of \_\_\_\_\_ MEs \_\_\_\_\_?

Can \_\_\_\_\_ enhancements be \_\_\_\_\_ Prostheses/DMEs?

Is it possible \_\_\_\_\_ addressed \_\_\_\_\_ service and \_\_\_\_\_ my Prostheses/DMEs?

\_\_\_\_\_ it \_\_\_\_\_ to add \_\_\_\_\_ existing Prostheses/D MEs \_\_\_\_\_ a repair \_\_\_\_\_?

Is \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ cosmetic \_\_\_\_\_ repairing orUpgrading DMEs?

\_\_\_\_\_ any coverage \_\_\_\_\_ aesthetic upgrades during \_\_\_\_\_ repair \_\_\_\_\_ for my \_\_\_\_\_?

Does the \_\_\_\_\_ Prostheses and \_\_\_\_\_ include \_\_\_\_\_ enhancements?

Enhancements \_\_\_\_\_ looks \_\_\_\_\_ considered \_\_\_\_\_ fixing \_\_\_\_\_.

Does \_\_\_\_\_ sense for \_\_\_\_\_ be \_\_\_\_\_ during the \_\_\_\_\_ and \_\_\_\_\_ of my Prostheses \_\_\_\_\_?

Is there \_\_\_\_\_ to make \_\_\_\_\_ better after \_\_\_\_\_ repair?

\_\_\_\_\_ for cosmetic enhancements \_\_\_\_\_ included \_\_\_\_\_ to \_\_\_\_\_ the current Prostheses/DMEs?

Does \_\_\_\_\_ repair of Prostheses and \_\_\_\_\_ considerations \_\_\_\_\_?

Should \_\_\_\_\_ be \_\_\_\_\_ in repairs \_\_\_\_\_ the \_\_\_\_\_ Prostheses?

\_\_\_\_\_ enhancements be \_\_\_\_\_ when \_\_\_\_\_ Prostheses?

\_\_\_\_\_ aesthetic \_\_\_\_\_ can be included when \_\_\_\_\_ existing \_\_\_\_\_.

cosmetic \_\_\_\_\_ incorporated within \_\_\_\_\_ requests?

Is \_\_\_\_\_ possible \_\_\_\_\_ the \_\_\_\_\_ appearance of the \_\_\_\_\_ would \_\_\_\_\_ the \_\_\_\_\_ request?

\_\_\_\_\_ the \_\_\_\_\_ and DMEs \_\_\_\_\_ visual \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ they be included when fixing \_\_\_\_\_?

Prosthetics could \_\_\_\_\_ have enhancements \_\_\_\_\_ of \_\_\_\_\_ repair.

Does the \_\_\_\_\_ request \_\_\_\_\_ aesthetic \_\_\_\_\_ too?

\_\_\_\_\_ it possible \_\_\_\_\_ incorporate \_\_\_\_\_ Prosthesis repairs?

cosmetic \_\_\_\_\_ be \_\_\_\_\_ request for existing Prostheses/DMEs?

\_\_\_\_\_ possible to have \_\_\_\_\_ included \_\_\_\_\_ existing devices?

\_\_\_\_\_ to be included when fixing Prostheses?

\_\_\_\_\_ should be taken into account \_\_\_\_\_ repair \_\_\_\_\_ for Prostheses.

\_\_\_\_\_ a service request \_\_\_\_\_ upgrade will consider cosmetic \_\_\_\_\_?

Prosthetics \_\_\_\_\_ have \_\_\_\_\_ like looks if they \_\_\_\_\_.

\_\_\_\_\_ room \_\_\_\_\_ enhancements \_\_\_\_\_ with necessary repairs for \_\_\_\_\_?

\_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ for \_\_\_\_\_ DSME repairs?

Is \_\_\_\_\_ a \_\_\_\_\_ add makeup \_\_\_\_\_ existing \_\_\_\_\_ there's \_\_\_\_\_ service request?

Will \_\_\_\_\_ be given \_\_\_\_\_ adjustments?

Are you \_\_\_\_\_ to upgrade existing Prostheses/DIMEs \_\_\_\_\_ coverage of \_\_\_\_\_ overall?

Do \_\_\_\_\_ believe that the service request \_\_\_\_\_ include \_\_\_\_\_?

\_\_\_\_\_ could possibly have \_\_\_\_\_ looks \_\_\_\_\_ they're being \_\_\_\_\_.

Are \_\_\_\_\_ planning to improve existing Prostheses/DIMEs \_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ in \_\_\_\_\_ service request to enhance Prosthetics?

\_\_\_\_\_ you planning to upgrade existing \_\_\_\_\_ with \_\_\_\_\_?

Prosthetics could \_\_\_\_\_ enhancements \_\_\_\_\_ about \_\_\_\_\_ fixing \_\_\_\_\_.

I \_\_\_\_\_ to know \_\_\_\_\_ enhancements are \_\_\_\_\_ Durable Medical \_\_\_\_\_ unit while \_\_\_\_\_ upgrades \_\_\_\_\_ requested?

Is \_\_\_\_ possible \_\_\_\_ visual \_\_\_\_ included during repairs of \_\_\_\_ DME?

Is the service \_\_\_\_ prosthetics thinking \_\_\_\_ too?

Does \_\_\_\_ of Prostheses and \_\_\_\_ include considerations \_\_\_\_?

\_\_\_\_ take \_\_\_\_ account the appearance of \_\_\_\_ the overall request for a \_\_\_\_

Can \_\_\_\_ take the \_\_\_\_ of \_\_\_\_ Prostheses/D MEs \_\_\_\_ in \_\_\_\_ process?

\_\_\_\_ or service \_\_\_\_ Prostheses/DMEs, is it \_\_\_\_ consider cosmetic enhancements?

\_\_\_\_ cosmetic \_\_\_\_ taken into \_\_\_\_ and repair process \_\_\_\_ Prostheses?

Is there a \_\_\_\_ makeup \_\_\_\_ existing \_\_\_\_ if \_\_\_\_ service request \_\_\_\_?

\_\_\_\_ possible that \_\_\_\_ of aesthetic \_\_\_\_ be \_\_\_\_ a \_\_\_\_ request for existing \_\_\_\_.

Is \_\_\_\_ that enhancements like \_\_\_\_ when fixing \_\_\_\_?

Will cosmetic enhancements \_\_\_\_ the \_\_\_\_ Prostheses?

cosmetic \_\_\_\_ can \_\_\_\_ a repair \_\_\_\_ request is \_\_\_\_ for an existing \_\_\_\_

\_\_\_\_ enhancements be considered \_\_\_\_ a repair \_\_\_\_ service \_\_\_\_ for \_\_\_\_?

\_\_\_\_ or service \_\_\_\_ be considered cosmetic enhancements \_\_\_\_ existing Prostheses.

\_\_\_\_ the effects \_\_\_\_ beauty of \_\_\_\_ Prostheses/D MEs in a \_\_\_\_?

\_\_\_\_ you \_\_\_\_ the \_\_\_\_ of the beauty \_\_\_\_ in a \_\_\_\_ process?

\_\_\_\_ the \_\_\_\_ included \_\_\_\_ upgrade \_\_\_\_ for existing \_\_\_\_ be cosmetic?

cosmetic enhancements \_\_\_\_ considered \_\_\_\_ repair or service request \_\_\_\_ existing \_\_\_\_

Is \_\_\_\_ possible that enhancements \_\_\_\_ looks might \_\_\_\_ fixing \_\_\_\_?

When fixing \_\_\_\_ MEs, \_\_\_\_ cosmetic \_\_\_\_ into account?

Is there room \_\_\_\_ aesthetic upgrades with \_\_\_\_?

Should attention \_\_\_\_ aesthetic enhancements \_\_\_\_ on Prostheses/DMEAs?

\_\_\_\_ attention be given \_\_\_\_ enhancements \_\_\_\_ Prostheses/D MEs?

\_\_\_\_ consider the effect of \_\_\_\_ beauty \_\_\_\_ the Prostheses/D MEs as \_\_\_\_?

\_\_\_\_ it possible \_\_\_\_ makeup to existing \_\_\_\_ MEs \_\_\_\_ a \_\_\_\_?

\_\_\_\_ take \_\_\_\_ account \_\_\_\_ appearance of \_\_\_\_ in \_\_\_\_ overall service request?

Are \_\_\_\_ planning \_\_\_\_ Prostheses/DMEs \_\_\_\_ adding cosmetic improvements?

Prosthetics could \_\_\_\_ considered \_\_\_\_ fixing them.

When \_\_\_\_ existing Prostheses \_\_\_\_ aesthetic \_\_\_\_?

\_\_\_\_ that \_\_\_\_ considered \_\_\_\_ they are going \_\_\_\_ be fixed.

\_\_\_\_ plan to improve \_\_\_\_ cosmetic upgrades?

Is \_\_\_\_ included in \_\_\_\_ enhance existing Prosthetics?

\_\_\_\_ it possible to consider the effects \_\_\_\_ part \_\_\_\_ the repair?

\_\_\_\_ enhancements may \_\_\_\_ in \_\_\_\_ process of \_\_\_\_ Prostheses/DMEs.

\_\_\_\_ am wondering \_\_\_\_ cosmetic \_\_\_\_ included \_\_\_\_ Prostheses/DMEs repair process.

\_\_\_\_ ask, are cosmetic \_\_\_\_ allowed on \_\_\_\_ Durable Medical \_\_\_\_ unit \_\_\_\_ functioning upgrades \_\_\_\_ taken \_\_\_\_

Can you look \_\_\_\_ the \_\_\_\_ of the \_\_\_\_ MEs as \_\_\_\_ the \_\_\_\_?

Are you planning to \_\_\_\_ a \_\_\_\_ in addition \_\_\_\_ the overall?

Is there consideration \_\_\_\_ to \_\_\_\_ changes \_\_\_\_ items?

I am \_\_\_\_ cosmetic fixes should be \_\_\_\_.

Are \_\_\_\_ ways to \_\_\_\_ makeup to \_\_\_\_ if you need \_\_\_\_?

Prosthetics can have \_\_\_\_ when \_\_\_\_ them.

\_\_\_\_ could possibly \_\_\_\_ that are considered \_\_\_\_ going \_\_\_\_ repaired.

\_\_\_\_ could \_\_\_\_ have more features \_\_\_\_ them.

\_\_\_\_ enhancements \_\_\_\_ be considered in \_\_\_\_ repair \_\_\_\_ existing Prostheses/D \_\_\_\_

\_\_\_\_ to \_\_\_\_ if cosmetic \_\_\_\_ Prosthesis/DME repair upgrades.

Can \_\_\_\_ enhancements \_\_\_\_ included in \_\_\_\_?

Do \_\_\_\_ enhancements will \_\_\_\_ during \_\_\_\_ service request for an \_\_\_\_?

\_\_\_\_ cosmetic fixes included in \_\_\_\_ repair process \_\_\_\_?

Are you planning to \_\_\_\_ existing Prostheses \_\_\_\_ addition \_\_\_\_?

During repairs on \_\_\_\_\_ should \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ enhancements \_\_\_\_\_ ?  
\_\_\_\_\_ cosmetic enhancements be considered \_\_\_\_\_ a \_\_\_\_\_ or \_\_\_\_\_ for \_\_\_\_\_ existing \_\_\_\_\_ ?  
Is \_\_\_\_\_ room \_\_\_\_\_ alongside \_\_\_\_\_ for Prostheses?  
During the repair \_\_\_\_\_ medical devices receive \_\_\_\_\_ ?  
Is there \_\_\_\_\_ way \_\_\_\_\_ makeup to \_\_\_\_\_ if they need \_\_\_\_\_ ?  
\_\_\_\_\_ intending to \_\_\_\_\_ Prostheses/DIMEs with \_\_\_\_\_ cosmetic upgrade \_\_\_\_\_ well as \_\_\_\_\_ ?  
\_\_\_\_\_ there be cosmetic enhancements \_\_\_\_\_ ?  
The upgrade and \_\_\_\_\_ process \_\_\_\_\_ might \_\_\_\_\_ improvements \_\_\_\_\_ their \_\_\_\_\_.  
Can \_\_\_\_\_ considered for \_\_\_\_\_ repairs?  
cosmetic enhancements \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ process for \_\_\_\_\_ Prostheses/D \_\_\_\_\_.  
I \_\_\_\_\_ aesthetic enhancements \_\_\_\_\_ be included when \_\_\_\_\_ .  
\_\_\_\_\_ cosmetic \_\_\_\_\_ be \_\_\_\_\_ as \_\_\_\_\_ for Prostheses/DME \_\_\_\_\_ ?  
Do you think cosmetic fixes \_\_\_\_\_ repair process \_\_\_\_\_ ?  
\_\_\_\_\_ possibly \_\_\_\_\_ enhancements \_\_\_\_\_ they are going to \_\_\_\_\_ .  
\_\_\_\_\_ enhancements be \_\_\_\_\_ upgrade request for the Prostheses?  
Is it possible \_\_\_\_\_ the appearance of \_\_\_\_\_ improved \_\_\_\_\_ the upgrade \_\_\_\_\_ ?  
\_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_ beauty of the \_\_\_\_\_ MEs in \_\_\_\_\_ repairs?  
Prosthetics might \_\_\_\_\_ enhancements like looks \_\_\_\_\_ considered \_\_\_\_\_ are \_\_\_\_\_.  
\_\_\_\_\_ possible that looks could be \_\_\_\_\_ Prosthetics?  
\_\_\_\_\_ be paid \_\_\_\_\_ aesthetic \_\_\_\_\_ the \_\_\_\_\_ of Prostheses/DMEs?  
\_\_\_\_\_ have enhancements like \_\_\_\_\_ that are \_\_\_\_\_ them.  
Will cosmetics \_\_\_\_\_ in \_\_\_\_\_ overall upgrade \_\_\_\_\_ for \_\_\_\_\_ ?  
Will cosmetic \_\_\_\_\_ be included in \_\_\_\_\_ Prostheses?  
Can \_\_\_\_\_ effects on \_\_\_\_\_ beauty \_\_\_\_\_ Prostheses/D \_\_\_\_\_ in \_\_\_\_\_ process?  
Are you \_\_\_\_\_ existing \_\_\_\_\_ with coverage of \_\_\_\_\_ with the \_\_\_\_\_ ?  
\_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ Prostheses/D MEs if \_\_\_\_\_ need repairs?  
It \_\_\_\_\_ possible \_\_\_\_\_ looks could \_\_\_\_\_ when fixing Prosthetics.  
I \_\_\_\_\_ wondering \_\_\_\_\_ repairs \_\_\_\_\_ Prostheses/DMEs \_\_\_\_\_ include \_\_\_\_\_ fixes.  
\_\_\_\_\_ planning to \_\_\_\_\_ existing \_\_\_\_\_ of \_\_\_\_\_ upgrade, as well \_\_\_\_\_ the overall?  
The upgrade \_\_\_\_\_ process \_\_\_\_\_ Prostheses/DMEs may include \_\_\_\_\_.  
\_\_\_\_\_ it possible \_\_\_\_\_ visual improvements \_\_\_\_\_ be made \_\_\_\_\_ repairs \_\_\_\_\_ ?  
\_\_\_\_\_ could \_\_\_\_\_ considered \_\_\_\_\_ they \_\_\_\_\_ to be repaired.  
\_\_\_\_\_ there \_\_\_\_\_ included \_\_\_\_\_ the repair \_\_\_\_\_ for Prostheses/DMEs?  
Do \_\_\_\_\_ fixes \_\_\_\_\_ part \_\_\_\_\_ the repair process \_\_\_\_\_ Prostheses?  
\_\_\_\_\_ it possible \_\_\_\_\_ visual improvements during \_\_\_\_\_ Prosthesis?  
Should \_\_\_\_\_ considered for \_\_\_\_\_ repairs?  
\_\_\_\_\_ it possible \_\_\_\_\_ the enhancement of aesthetic \_\_\_\_\_ be included \_\_\_\_\_ request \_\_\_\_\_ existing device?  
Prosthetics could \_\_\_\_\_ that \_\_\_\_\_ they're being worked \_\_\_\_\_.  
Is there room for \_\_\_\_\_ improvements \_\_\_\_\_ needed \_\_\_\_\_ ?  
cosmetic \_\_\_\_\_ will be \_\_\_\_\_ for existing Prostheses/DMEs?  
Can \_\_\_\_\_ consider the \_\_\_\_\_ the beauty of the \_\_\_\_\_ the total?  
\_\_\_\_\_ upgrade and \_\_\_\_\_ may include \_\_\_\_\_ their appearance.  
Is \_\_\_\_\_ a way \_\_\_\_\_ makeup to \_\_\_\_\_ in the \_\_\_\_\_ a \_\_\_\_\_ request?  
Prosthetics might have \_\_\_\_\_ are \_\_\_\_\_ if \_\_\_\_\_ be repaired.  
\_\_\_\_\_ it possible \_\_\_\_\_ aesthetic enhancements to \_\_\_\_\_ when \_\_\_\_\_ Prostheses.  
Prosthetics could \_\_\_\_\_ they need \_\_\_\_\_  
\_\_\_\_\_ it possible \_\_\_\_\_ the effects on \_\_\_\_\_ the \_\_\_\_\_ MEs \_\_\_\_\_ repair process?  
\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ the effects \_\_\_\_\_ the \_\_\_\_\_ Prostheses/D MEs as \_\_\_\_\_ of the \_\_\_\_\_ ?  
\_\_\_\_\_ modifications \_\_\_\_\_ service request \_\_\_\_\_ improve existing Prosthetics?  
Is \_\_\_\_\_ possible for \_\_\_\_\_ to be included \_\_\_\_\_ MEs?

Will the \_\_\_\_\_ checkup of \_\_\_\_\_ Prostheses look \_\_\_\_\_ enhancements?

Can aesthetic \_\_\_\_\_ in \_\_\_\_\_ of existing Prostheses?

\_\_\_\_\_ planning \_\_\_\_\_ Prostheses/DIMEs \_\_\_\_\_ coverage of a cosmetic upgrade?

cosmetic fixes \_\_\_\_\_ part of \_\_\_\_\_ process \_\_\_\_\_ Prostheses.

\_\_\_\_\_ tell me if \_\_\_\_\_ is possible to \_\_\_\_\_ of Prosthesis?

\_\_\_\_\_ you \_\_\_\_\_ into account \_\_\_\_\_ the Prostheses/D \_\_\_\_\_ a repair process?

cosmetic enhancements \_\_\_\_\_ considered in the \_\_\_\_\_ of \_\_\_\_\_

\_\_\_\_\_ to consider \_\_\_\_\_ on the beauty \_\_\_\_\_ in the overall process?

Can you discuss \_\_\_\_\_ effects on \_\_\_\_\_ MEs \_\_\_\_\_ your repair \_\_\_\_\_?

\_\_\_\_\_ possibly have \_\_\_\_\_ considered \_\_\_\_\_ repair.

\_\_\_\_\_ consider the \_\_\_\_\_ on the beauty of \_\_\_\_\_ repair process?

The repair \_\_\_\_\_ might \_\_\_\_\_ into account \_\_\_\_\_ appearance \_\_\_\_\_ Prostheses \_\_\_\_\_ the \_\_\_\_\_ request \_\_\_\_\_ service.

cosmetic \_\_\_\_\_ included in the upgrade \_\_\_\_\_ Prostheses.

Prosthetics \_\_\_\_\_ have \_\_\_\_\_ that \_\_\_\_\_ if \_\_\_\_\_ are to be \_\_\_\_\_.

\_\_\_\_\_ possibly \_\_\_\_\_ improved \_\_\_\_\_ they are going \_\_\_\_\_ be fixed.

\_\_\_\_\_ enhancements will \_\_\_\_\_ upgrade \_\_\_\_\_ for existing Prostheses/Dmes?

Is it \_\_\_\_\_ aesthetic enhancements when \_\_\_\_\_ Prostheses?

Will \_\_\_\_\_ enhancements be \_\_\_\_\_ repair \_\_\_\_\_ the upgrade request \_\_\_\_\_ existing Prostheses?

\_\_\_\_\_ attention \_\_\_\_\_ paid to \_\_\_\_\_ enhancements \_\_\_\_\_ repairing \_\_\_\_\_?

\_\_\_\_\_ you intending \_\_\_\_\_ improve \_\_\_\_\_ Prostheses/DIMEs with \_\_\_\_\_ of \_\_\_\_\_ in \_\_\_\_\_ overall?

\_\_\_\_\_ servicing \_\_\_\_\_ may aesthetic improvements \_\_\_\_\_?

Prosthetics could \_\_\_\_\_ enhancements, like \_\_\_\_\_ if \_\_\_\_\_ going \_\_\_\_\_ repaired.

\_\_\_\_\_ possibly have \_\_\_\_\_ if \_\_\_\_\_ are going to be \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ if the Prostheses/D \_\_\_\_\_ are repaired or serviced?

\_\_\_\_\_ you \_\_\_\_\_ cosmetic \_\_\_\_\_ will be \_\_\_\_\_ during \_\_\_\_\_ for an upgrade?

Is \_\_\_\_\_ possible that \_\_\_\_\_ like looks could \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ it make \_\_\_\_\_ for cosmetic \_\_\_\_\_ to \_\_\_\_\_ addressed \_\_\_\_\_ being serviced and \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ upgrade/service checkup \_\_\_\_\_ DMEs/prostheses \_\_\_\_\_ potential \_\_\_\_\_ advancements?

\_\_\_\_\_ an upgrade and repair process \_\_\_\_\_ takes into account \_\_\_\_\_?

Prosthetics \_\_\_\_\_ have enhancements \_\_\_\_\_ they are \_\_\_\_\_ fixed.

Is \_\_\_\_\_ add makeup \_\_\_\_\_ existing \_\_\_\_\_ if the \_\_\_\_\_ is for repair?

\_\_\_\_\_ have improvements \_\_\_\_\_ are considered if \_\_\_\_\_ are \_\_\_\_\_ be \_\_\_\_\_.

When \_\_\_\_\_ could enhancements \_\_\_\_\_ be \_\_\_\_\_?

Will \_\_\_\_\_ take \_\_\_\_\_ account the appearance \_\_\_\_\_ the Prostheses in \_\_\_\_\_ request \_\_\_\_\_?

Should attention \_\_\_\_\_ paid \_\_\_\_\_ enhancements when \_\_\_\_\_ are \_\_\_\_\_ Prostheses/DMEs?

Are \_\_\_\_\_ planning \_\_\_\_\_ improving \_\_\_\_\_ adding cosmetic improvements?

Prosthetics could \_\_\_\_\_ enhancements \_\_\_\_\_ in \_\_\_\_\_ of a \_\_\_\_\_

Is aesthetic \_\_\_\_\_ included \_\_\_\_\_ service request \_\_\_\_\_ Prosthetics?

\_\_\_\_\_ enhancements may \_\_\_\_\_ for Prostheses/DME \_\_\_\_\_

Can \_\_\_\_\_ consider \_\_\_\_\_ of the beauty \_\_\_\_\_ MEs \_\_\_\_\_ the repair \_\_\_\_\_?

\_\_\_\_\_ fixes \_\_\_\_\_ part \_\_\_\_\_ the overall \_\_\_\_\_ process for \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ Prostheses/D MEs look better if they \_\_\_\_\_?

\_\_\_\_\_ planning to \_\_\_\_\_ Prostheses by \_\_\_\_\_ cosmetic upgrades?

Is \_\_\_\_\_ for \_\_\_\_\_ along with \_\_\_\_\_ repairs \_\_\_\_\_ Prostheses?

Is \_\_\_\_\_ possible \_\_\_\_\_ the effect \_\_\_\_\_ the \_\_\_\_\_ the Prostheses/D \_\_\_\_\_ as part of \_\_\_\_\_?

\_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ the upgrade request for \_\_\_\_\_?

\_\_\_\_\_ plan to \_\_\_\_\_ Prostheses \_\_\_\_\_ coverage of \_\_\_\_\_ upgrade \_\_\_\_\_ to overall?

\_\_\_\_\_ mean \_\_\_\_\_ improve existing \_\_\_\_\_ with \_\_\_\_\_ of \_\_\_\_\_ in addition \_\_\_\_\_ overall?

\_\_\_\_\_ enhancements included \_\_\_\_\_ overall upgrade \_\_\_\_\_ for \_\_\_\_\_ Prostheses/DMEs?

\_\_\_\_\_ changes \_\_\_\_\_ taken \_\_\_\_\_ account \_\_\_\_\_ repairing/Upgrading DMEs?

\_\_\_\_\_ Prostheses/DME items, \_\_\_\_\_ consideration given \_\_\_\_\_ cosmetic \_\_\_\_\_?  
 Should \_\_\_\_\_ enhancements be \_\_\_\_\_ when fixing \_\_\_\_\_?  
 Is \_\_\_\_\_ included in \_\_\_\_\_ service \_\_\_\_\_ to \_\_\_\_\_ existing \_\_\_\_\_?  
 \_\_\_\_\_ cosmetic \_\_\_\_\_ be included \_\_\_\_\_ request for existing \_\_\_\_\_?  
 \_\_\_\_\_ planning to improve \_\_\_\_\_ Prostheses/DIMEs \_\_\_\_\_ of cosmetic upgrade as well \_\_\_\_\_?  
 cosmetic \_\_\_\_\_ can \_\_\_\_\_ fixing \_\_\_\_\_ Prostheses  
 \_\_\_\_\_ repairs of \_\_\_\_\_ DMEs include considerations \_\_\_\_\_?  
 Is \_\_\_\_\_ to integrate aesthetic \_\_\_\_\_ with \_\_\_\_\_ repairs \_\_\_\_\_?  
 Prosthetics could \_\_\_\_\_ better \_\_\_\_\_ are going \_\_\_\_\_ be repaired.  
 \_\_\_\_\_ the improvements \_\_\_\_\_ include cosmetic \_\_\_\_\_?  
 \_\_\_\_\_ it possible to \_\_\_\_\_ the Prostheses/D MEs \_\_\_\_\_ a \_\_\_\_\_ process?  
 The \_\_\_\_\_ and repair \_\_\_\_\_ include improvements to \_\_\_\_\_ appearance.  
 cosmetic \_\_\_\_\_ can be considered \_\_\_\_\_  
 The upgrade and repair \_\_\_\_\_ should include \_\_\_\_\_.  
 There may \_\_\_\_\_ aesthetic \_\_\_\_\_ in the \_\_\_\_\_ enhance existing \_\_\_\_\_.  
 I \_\_\_\_\_ to \_\_\_\_\_ enhancements \_\_\_\_\_ my Durable \_\_\_\_\_ while functioning upgrades are requested?  
 \_\_\_\_\_ may have enhancements like \_\_\_\_\_ that are \_\_\_\_\_ course of \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ request \_\_\_\_\_ modifications to enhance the \_\_\_\_\_?  
 \_\_\_\_\_ any consideration for \_\_\_\_\_ in Prostheses \_\_\_\_\_ DMEs \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ visual \_\_\_\_\_ during the \_\_\_\_\_ of Prosthesis and \_\_\_\_\_?  
 During a \_\_\_\_\_ request \_\_\_\_\_ enhancements for existing Prostheses \_\_\_\_\_.  
 \_\_\_\_\_ think about the \_\_\_\_\_ on \_\_\_\_\_ beauty of the Prostheses/D \_\_\_\_\_ as \_\_\_\_\_?  
 \_\_\_\_\_ considered in the repair process of \_\_\_\_\_?  
 Is aesthetic \_\_\_\_\_ on \_\_\_\_\_ Prostheses?  
 Can cosmetic \_\_\_\_\_ be \_\_\_\_\_ Prostheses/DMEA \_\_\_\_\_?  
 \_\_\_\_\_ during \_\_\_\_\_ repair or \_\_\_\_\_ for an existing Prostheses/D MEs.  
 Is \_\_\_\_\_ considered during the \_\_\_\_\_ request \_\_\_\_\_ an upgrade?  
 \_\_\_\_\_ could \_\_\_\_\_ have enhancements \_\_\_\_\_ are considered \_\_\_\_\_ they \_\_\_\_\_.  
 \_\_\_\_\_ the repair process, \_\_\_\_\_ devices \_\_\_\_\_ enhancements?  
 Are you \_\_\_\_\_ Prostheses/D MEs by \_\_\_\_\_ cosmetic \_\_\_\_\_?  
 \_\_\_\_\_ you consider how \_\_\_\_\_ MEs look in \_\_\_\_\_?  
 \_\_\_\_\_ for Prostheses and DMEs \_\_\_\_\_ be \_\_\_\_\_ considerations \_\_\_\_\_ aesthetic improvements?  
 \_\_\_\_\_ could possibly \_\_\_\_\_ features considered \_\_\_\_\_ they \_\_\_\_\_ going \_\_\_\_\_ fixed.  
 \_\_\_\_\_ request cosmetic \_\_\_\_\_ for existing Prostheses \_\_\_\_\_ considered.  
 When \_\_\_\_\_ be considered?  
 Prosthetics could possibly \_\_\_\_\_ enhancements \_\_\_\_\_ to \_\_\_\_\_ fixed.  
 Are \_\_\_\_\_ improvements included \_\_\_\_\_ servicing \_\_\_\_\_?  
 Were \_\_\_\_\_ modifications included in the \_\_\_\_\_ request \_\_\_\_\_?  
 Are \_\_\_\_\_ to \_\_\_\_\_ existing Prostheses \_\_\_\_\_ coverage of cosmetic upgrade in \_\_\_\_\_?  
 cosmetic \_\_\_\_\_ included when fixing \_\_\_\_\_  
 Is \_\_\_\_\_ to fix Prostheses and \_\_\_\_\_ with \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ aesthetic \_\_\_\_\_ be \_\_\_\_\_ fixing existing \_\_\_\_\_  
 Will \_\_\_\_\_ checkup \_\_\_\_\_ existing \_\_\_\_\_ look at potential \_\_\_\_\_?  
 Can \_\_\_\_\_ be included \_\_\_\_\_ repairs?  
 \_\_\_\_\_ enhancements will be included in \_\_\_\_\_ for \_\_\_\_\_?  
 Is \_\_\_\_\_ way to \_\_\_\_\_ makeup to existing \_\_\_\_\_ a \_\_\_\_\_ or \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ request cosmetic enhancements for \_\_\_\_\_ can be considered  
 \_\_\_\_\_ that enhancements like looks \_\_\_\_\_ considered \_\_\_\_\_ fixing prosthetics?  
 I \_\_\_\_\_ ask, \_\_\_\_\_ cosmetic \_\_\_\_\_ on my Durable Medical \_\_\_\_\_ when \_\_\_\_\_ upgrades \_\_\_\_\_ being requested?  
 Are \_\_\_\_\_ planning to \_\_\_\_\_ existing \_\_\_\_\_ by \_\_\_\_\_ cosmetic \_\_\_\_\_?

\_\_\_\_ the overall \_\_\_\_ service checkup \_\_\_\_ existing \_\_\_\_ potential \_\_\_\_ improvements?  
 \_\_\_\_ cosmetic \_\_\_\_ included \_\_\_\_ Prostheses/DME repair?  
 Is \_\_\_\_ to \_\_\_\_ to \_\_\_\_ Prostheses if the \_\_\_\_ or service \_\_\_\_ ?  
 \_\_\_\_ enhancements \_\_\_\_ accounted for \_\_\_\_ fixing \_\_\_\_ .  
 \_\_\_\_ allowed on \_\_\_\_ Medical Equipment \_\_\_\_ improvements are being requested?  
 Can you \_\_\_\_ about \_\_\_\_ the \_\_\_\_ of \_\_\_\_ MEs in your \_\_\_\_ ?  
 Are you intending to \_\_\_\_ existing \_\_\_\_ coverage \_\_\_\_ cosmetic \_\_\_\_ in \_\_\_\_ the \_\_\_\_ ?  
 Does \_\_\_\_ service \_\_\_\_ modifications \_\_\_\_ enhance Prosthetics?  
 Is \_\_\_\_ a way to add \_\_\_\_ if \_\_\_\_ service or repair?  
 Are \_\_\_\_ improving existing \_\_\_\_ cosmetic enhancements?  
 \_\_\_\_ want to \_\_\_\_ if aesthetic enhancements \_\_\_\_ fixing \_\_\_\_ Prostheses.  
 Is \_\_\_\_ to \_\_\_\_ aesthetic \_\_\_\_ when \_\_\_\_ Prostheses?  
 \_\_\_\_ the service \_\_\_\_ for \_\_\_\_ take \_\_\_\_ aesthetic improvements?  
 Are \_\_\_\_ to improve existing Prostheses/DIMEs \_\_\_\_ of cosmetic \_\_\_\_ and \_\_\_\_ ?  
 \_\_\_\_ process \_\_\_\_ into \_\_\_\_ the \_\_\_\_ of \_\_\_\_ Prostheses \_\_\_\_ overall request for a service upgrade?  
 \_\_\_\_ enhancements be \_\_\_\_ the repair process \_\_\_\_ existing \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ part of \_\_\_\_ overall improvement on existing Prostheses?  
 \_\_\_\_ repair \_\_\_\_ for \_\_\_\_ include aesthetic enhancements?  
 \_\_\_\_ might \_\_\_\_ in the upgrade \_\_\_\_ my \_\_\_\_ equipment.  
 Can you \_\_\_\_ effects \_\_\_\_ beauty of \_\_\_\_ MEs during the \_\_\_\_ ?  
 Will \_\_\_\_ process \_\_\_\_ repair take \_\_\_\_ account the appearance \_\_\_\_ Prostheses \_\_\_\_ overall request \_\_\_\_ service?  
 Is it \_\_\_\_ the enhancement \_\_\_\_ aesthetic appearance \_\_\_\_ be included \_\_\_\_ devices?  
 During the \_\_\_\_ existing prosthetics and \_\_\_\_ have aesthetic \_\_\_\_ ?  
 \_\_\_\_ Prostheses \_\_\_\_ considerations \_\_\_\_ improvements to appearance?  
 Is \_\_\_\_ like looks are \_\_\_\_ fixing prosthetics?  
 Is it possible \_\_\_\_ existing devices will \_\_\_\_ the \_\_\_\_ request?  
 \_\_\_\_ it possible that \_\_\_\_ could be \_\_\_\_ a \_\_\_\_ existing devices?  
 Do repairs \_\_\_\_ include \_\_\_\_ aesthetic \_\_\_\_ ?  
 \_\_\_\_ the \_\_\_\_ take into account the appearance of \_\_\_\_ request for \_\_\_\_ ?  
 cosmetic \_\_\_\_ on \_\_\_\_ Prostheses/DMEs \_\_\_\_ in \_\_\_\_ repair process.  
 Prosthetics could \_\_\_\_ like looks \_\_\_\_ considered if \_\_\_\_ repairs.  
 Is there \_\_\_\_ given \_\_\_\_ cosmetic enhancements when \_\_\_\_ ?  
 \_\_\_\_ possible to take into \_\_\_\_ the beauty \_\_\_\_ repair process?  
 Can \_\_\_\_ take \_\_\_\_ beauty \_\_\_\_ the \_\_\_\_ into account in \_\_\_\_ repair \_\_\_\_ ?  
 There is a \_\_\_\_ that the \_\_\_\_ be \_\_\_\_ request for existing devices.  
 Are \_\_\_\_ planning \_\_\_\_ with cosmetic enhancements?  
 Prosthetics might have \_\_\_\_ if \_\_\_\_ are \_\_\_\_ .  
 \_\_\_\_ there \_\_\_\_ given \_\_\_\_ improvements \_\_\_\_ repairing Prostheses/DME \_\_\_\_ ?  
 Can \_\_\_\_ enhancements be included in repairs \_\_\_\_ the \_\_\_\_ ?  
 \_\_\_\_ possible \_\_\_\_ consider the effects \_\_\_\_ beauty of the Prostheses/D MEs \_\_\_\_ ?  
 \_\_\_\_ you \_\_\_\_ the effects \_\_\_\_ of Prostheses/D MEs \_\_\_\_ the total?  
 \_\_\_\_ could possibly have enhancements \_\_\_\_ if \_\_\_\_ need \_\_\_\_ fixed.  
 When fixing \_\_\_\_ MEs \_\_\_\_ be \_\_\_\_ for?  
 \_\_\_\_ possible \_\_\_\_ makeup \_\_\_\_ existing Prostheses/D \_\_\_\_ in \_\_\_\_ of a repair or \_\_\_\_ ?  
 Does \_\_\_\_ for enhancements \_\_\_\_ while my \_\_\_\_ DMEAs are being \_\_\_\_ and improved?  
 I am \_\_\_\_ if \_\_\_\_ fixes should \_\_\_\_ included as part \_\_\_\_ the \_\_\_\_ .  
 \_\_\_\_ you \_\_\_\_ on \_\_\_\_ existing Prostheses/DMEs \_\_\_\_ cosmetic enhancements?  
 Are \_\_\_\_ to \_\_\_\_ existing \_\_\_\_ coverage of cosmetic upgrade and \_\_\_\_ ?  
 \_\_\_\_ wondering \_\_\_\_ cosmetic fixes should \_\_\_\_ included \_\_\_\_ the repair \_\_\_\_ .  
 \_\_\_\_ room \_\_\_\_ aesthetic enhancements along \_\_\_\_ the required repairs \_\_\_\_ ?



Can \_\_\_\_ enhancements \_\_\_\_ considered \_\_\_\_ Prostheses \_\_\_\_?

Adding makeup \_\_\_\_ existing \_\_\_\_ MEs \_\_\_\_ a \_\_\_\_ request is \_\_\_\_.

Are you \_\_\_\_ improve existing \_\_\_\_ with coverage \_\_\_\_ upgrade \_\_\_\_ overall?

Are \_\_\_\_ effects on \_\_\_\_ beauty \_\_\_\_ Prostheses/D MEs \_\_\_\_ process?

\_\_\_\_ in the \_\_\_\_ request \_\_\_\_ improve existing Prosthetics?

Can \_\_\_\_ during \_\_\_\_ service request for an existing Prostheses/DME?

Should \_\_\_\_ be repaired \_\_\_\_ consideration for their \_\_\_\_?

When \_\_\_\_ existing Prostheses \_\_\_\_ aesthetic \_\_\_\_?

\_\_\_\_ you \_\_\_\_ a \_\_\_\_ for an \_\_\_\_ will \_\_\_\_ cosmetic enhancements?

I \_\_\_\_ wondering \_\_\_\_ repair \_\_\_\_ Prostheses \_\_\_\_ include cosmetic \_\_\_\_.

Does \_\_\_\_ upgrade for Prostheses/D \_\_\_\_?

\_\_\_\_ enhancements possible when \_\_\_\_ Prostheses?

Will \_\_\_\_ enhancements be included \_\_\_\_ upgrade \_\_\_\_ for the \_\_\_\_?

Do \_\_\_\_ cosmetic enhancements \_\_\_\_ be \_\_\_\_ for an \_\_\_\_?

\_\_\_\_ cosmetic \_\_\_\_ a \_\_\_\_ the overall \_\_\_\_ for Prostheses?

\_\_\_\_ cosmetic \_\_\_\_ considered in the \_\_\_\_ and \_\_\_\_ process \_\_\_\_?

Is \_\_\_\_ existing \_\_\_\_ covered \_\_\_\_ upgrades during \_\_\_\_ repair \_\_\_\_?

When servicing \_\_\_\_ devices, \_\_\_\_ aesthetic \_\_\_\_?

Can cosmetic \_\_\_\_ Prostheses/DME repairs/upgrades?

Is \_\_\_\_ add aesthetic enhancements alongside required \_\_\_\_?

\_\_\_\_ possibly \_\_\_\_ enhancements which are \_\_\_\_ being worked on.

Is it \_\_\_\_ factor into existing \_\_\_\_ upgrades?

\_\_\_\_ cosmetic changes be \_\_\_\_ account \_\_\_\_ it comes to \_\_\_\_?

Is it \_\_\_\_ that \_\_\_\_ may \_\_\_\_ fixing prosthetics?

During a repair request,cosmetic enhancements \_\_\_\_ be \_\_\_\_.

Is the \_\_\_\_ service \_\_\_\_ my \_\_\_\_ cosmetic \_\_\_\_?

Is it possible \_\_\_\_ add \_\_\_\_ Prosthesis \_\_\_\_?

\_\_\_\_ it possible to \_\_\_\_ the effects \_\_\_\_ of the Prostheses \_\_\_\_ part \_\_\_\_ the \_\_\_\_ process?

\_\_\_\_ part of the service \_\_\_\_ existing Prostheses, will \_\_\_\_?

cosmetic \_\_\_\_ on \_\_\_\_ Prostheses will \_\_\_\_ repair process

Prosthetics could have enhancements \_\_\_\_ looks, \_\_\_\_ to be \_\_\_\_.

\_\_\_\_ cosmetic enhancements \_\_\_\_ fixing Prostheses/D \_\_\_\_?

\_\_\_\_ may be taken \_\_\_\_ account during \_\_\_\_ upgrade \_\_\_\_ medical \_\_\_\_

Can \_\_\_\_ considered \_\_\_\_ ME repairs?

Prosthetics \_\_\_\_ possibly \_\_\_\_ made \_\_\_\_ they \_\_\_\_ going to \_\_\_\_ fixed.

\_\_\_\_ will be included in the \_\_\_\_ an \_\_\_\_?

\_\_\_\_ the \_\_\_\_ process \_\_\_\_ account \_\_\_\_ the \_\_\_\_ in the request \_\_\_\_ a service \_\_\_\_?

The \_\_\_\_ and \_\_\_\_ for Prostheses/DMEs \_\_\_\_ improvements \_\_\_\_ their appearance.

cosmetic \_\_\_\_ be part \_\_\_\_ repair process \_\_\_\_ existing \_\_\_\_?

Are you planning \_\_\_\_ upgrade existing \_\_\_\_ coverage \_\_\_\_ cosmetic upgrade \_\_\_\_ overall?

\_\_\_\_ enhancements can \_\_\_\_ considered \_\_\_\_ a \_\_\_\_ or \_\_\_\_ made for \_\_\_\_ Prostheses/DMEs.

\_\_\_\_ it \_\_\_\_ makeup to \_\_\_\_ Prostheses/D MEs if \_\_\_\_ need \_\_\_\_ repair \_\_\_\_?

\_\_\_\_ aesthetic \_\_\_\_ request to enhance existing Prosthetics?

\_\_\_\_ can be included \_\_\_\_ overall upgrade \_\_\_\_ for \_\_\_\_ Prostheses.

Are \_\_\_\_ to \_\_\_\_ existing \_\_\_\_ by \_\_\_\_ them look \_\_\_\_?

cosmetic \_\_\_\_ may \_\_\_\_ considered \_\_\_\_ items.

Is \_\_\_\_ to use \_\_\_\_ the \_\_\_\_ Prosthesis and DME?

Is it possible \_\_\_\_ the \_\_\_\_ of aesthetic \_\_\_\_ be \_\_\_\_ a \_\_\_\_ for \_\_\_\_ devices?

\_\_\_\_ aesthetic \_\_\_\_ included in \_\_\_\_ service request \_\_\_\_ enhance \_\_\_\_?

\_\_\_\_ of Prostheses/DMEs, should attention \_\_\_\_ paid \_\_\_\_ aesthetic \_\_\_\_?

Prosthetics \_\_\_\_\_ have \_\_\_\_\_ enhancements \_\_\_\_\_ are being worked \_\_\_\_\_.

Is \_\_\_\_\_ improvements included when \_\_\_\_\_?

When \_\_\_\_\_ devices \_\_\_\_\_ aesthetic improvements \_\_\_\_\_?

\_\_\_\_\_ aesthetic enhancements \_\_\_\_\_ when \_\_\_\_\_ MEs?

\_\_\_\_\_ Prostheses can be considered during a repair \_\_\_\_\_.

\_\_\_\_\_ adjustments \_\_\_\_\_ repaired Prosthetics and DMEs.

Is \_\_\_\_\_ consider \_\_\_\_\_ enhancements \_\_\_\_\_ Prostheses/DME repairs/upgrades?

Can you consider \_\_\_\_\_ effect \_\_\_\_\_ beauty \_\_\_\_\_ MEs \_\_\_\_\_ the \_\_\_\_\_ process?

\_\_\_\_\_ you \_\_\_\_\_ how Prostheses/D \_\_\_\_\_ in a repair \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ with coverage of cosmetic upgrade in addition to \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ include enhancements for Aesthetics \_\_\_\_\_?

\_\_\_\_\_ fixing \_\_\_\_\_ enhancements like \_\_\_\_\_ considered?

\_\_\_\_\_ might \_\_\_\_\_ enhancements \_\_\_\_\_ are considered in the course \_\_\_\_\_

Can \_\_\_\_\_ considered for Prostheses/D \_\_\_\_\_?

\_\_\_\_\_ enhancements \_\_\_\_\_ included \_\_\_\_\_ to improve the \_\_\_\_\_ Prostheses/DMEs?

\_\_\_\_\_ potentially have improvements \_\_\_\_\_ going to be \_\_\_\_\_.

\_\_\_\_\_ could possibly \_\_\_\_\_ that \_\_\_\_\_ course of repairing them.

\_\_\_\_\_ am \_\_\_\_\_ if cosmetic \_\_\_\_\_ be included \_\_\_\_\_ repairs.

\_\_\_\_\_ consider cosmetic \_\_\_\_\_ part \_\_\_\_\_ the overall \_\_\_\_\_ process \_\_\_\_\_ Prostheses?

Is \_\_\_\_\_ to have \_\_\_\_\_ improvements during Prosthesis \_\_\_\_\_?

\_\_\_\_\_ possible the \_\_\_\_\_ the \_\_\_\_\_ devices will be \_\_\_\_\_ in an upgrade \_\_\_\_\_?

\_\_\_\_\_ \_\_\_\_\_ checkup of \_\_\_\_\_ DMEs/Prostheses \_\_\_\_\_ at potential enhancements?

The \_\_\_\_\_ of existing devices \_\_\_\_\_ restored \_\_\_\_\_ the \_\_\_\_\_ request.

Can \_\_\_\_\_ effects of beauty on the \_\_\_\_\_ MEs \_\_\_\_\_ process?

Will \_\_\_\_\_ overall upgrade \_\_\_\_\_ Prostheses include cosmetic \_\_\_\_\_?

Is \_\_\_\_\_ possible that cosmetic improvements \_\_\_\_\_ upgrades?

\_\_\_\_\_ process are aesthetic \_\_\_\_\_ received \_\_\_\_\_ existing devices?

Can \_\_\_\_\_ enhancements \_\_\_\_\_ included in \_\_\_\_\_ repairs \_\_\_\_\_?

Are you planning to \_\_\_\_\_ Prostheses/DIMEs \_\_\_\_\_ a \_\_\_\_\_ cosmetic upgrade in \_\_\_\_\_?

Should cosmetic enhancements \_\_\_\_\_ considered \_\_\_\_\_?

\_\_\_\_\_ think cosmetic \_\_\_\_\_ should be \_\_\_\_\_ overall repair \_\_\_\_\_ for Prostheses?

Prosthetics \_\_\_\_\_ have enhancements \_\_\_\_\_ are considered if they \_\_\_\_\_.

Is there \_\_\_\_\_ add makeup to existing \_\_\_\_\_ if \_\_\_\_\_ a \_\_\_\_\_ repair \_\_\_\_\_?

Are you \_\_\_\_\_ improve existing Prostheses/DIMEs \_\_\_\_\_ of \_\_\_\_\_ along \_\_\_\_\_ overall?

Will the cosmetic enhancements be \_\_\_\_\_ for \_\_\_\_\_ Prostheses?

\_\_\_\_\_ attention be \_\_\_\_\_ aesthetic enhancements \_\_\_\_\_ are \_\_\_\_\_ on \_\_\_\_\_ MEs?

\_\_\_\_\_ the \_\_\_\_\_ checkup of existing DMEs evaluate \_\_\_\_\_?

\_\_\_\_\_ enhancements will \_\_\_\_\_ considered when \_\_\_\_\_ an upgrade?

\_\_\_\_\_ Prostheses/DMEs, should attention \_\_\_\_\_ to \_\_\_\_\_ enhancements as well?

\_\_\_\_\_ it make \_\_\_\_\_ for cosmetic enhancements \_\_\_\_\_ be \_\_\_\_\_ and enhancing \_\_\_\_\_ my \_\_\_\_\_?

Do you consider \_\_\_\_\_ in your repair \_\_\_\_\_?

Can \_\_\_\_\_ on the \_\_\_\_\_ of \_\_\_\_\_ MEs in your repair \_\_\_\_\_?

cosmetic improvements \_\_\_\_\_ included \_\_\_\_\_ fixing \_\_\_\_\_

\_\_\_\_\_ request for Prosthetics \_\_\_\_\_ improvements?

\_\_\_\_\_ of \_\_\_\_\_ and \_\_\_\_\_ include \_\_\_\_\_ for improving the \_\_\_\_\_?

\_\_\_\_\_ in \_\_\_\_\_ Prostheses services requested?

\_\_\_\_\_ it possible to include aesthetic \_\_\_\_\_ old \_\_\_\_\_?

\_\_\_\_\_ the effects on the beauty of the \_\_\_\_\_ MEs \_\_\_\_\_?

It is \_\_\_\_\_ that \_\_\_\_\_ aesthetic \_\_\_\_\_ of existing devices \_\_\_\_\_ be restored \_\_\_\_\_.

Is \_\_\_\_\_ and \_\_\_\_\_ Prostheses/DMEs influenced by \_\_\_\_\_ improvements?

\_\_\_\_\_ Prostheses/D \_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ included?  
\_\_\_\_\_ attention \_\_\_\_\_ to aesthetic enhancements \_\_\_\_\_ repairs \_\_\_\_\_ current \_\_\_\_\_?  
\_\_\_\_\_ be any \_\_\_\_\_ of \_\_\_\_\_ enhancements in \_\_\_\_\_ repair process \_\_\_\_\_ existing \_\_\_\_\_?  
\_\_\_\_\_ it possible to include \_\_\_\_\_ enhancements \_\_\_\_\_ existing \_\_\_\_\_?  
Can you \_\_\_\_\_ about the \_\_\_\_\_ on beauty of \_\_\_\_\_ a \_\_\_\_\_?  
\_\_\_\_\_ and enhanced \_\_\_\_\_ on the Prostheses \_\_\_\_\_ make sense \_\_\_\_\_ cosmetic enhancements to \_\_\_\_\_ addressed?  
\_\_\_\_\_ the repairs \_\_\_\_\_ considerations for aesthetic improvements?  
Is aesthetic changes \_\_\_\_\_ the \_\_\_\_\_ request \_\_\_\_\_ existing \_\_\_\_\_?  
\_\_\_\_\_ there a plan \_\_\_\_\_ existing Prostheses \_\_\_\_\_ cosmetic \_\_\_\_\_?  
Is \_\_\_\_\_ possible \_\_\_\_\_ makeup to existing \_\_\_\_\_ if a request \_\_\_\_\_?  
Can \_\_\_\_\_ the effects on beauty \_\_\_\_\_ Prostheses/D MEs \_\_\_\_\_ repair \_\_\_\_\_?  
\_\_\_\_\_ enhancements be \_\_\_\_\_ for Prostheses/DMe \_\_\_\_\_?  
\_\_\_\_\_ could \_\_\_\_\_ enhancements similar \_\_\_\_\_ if \_\_\_\_\_ going \_\_\_\_\_ be repaired.  
cosmetic enhancements can \_\_\_\_\_ considered \_\_\_\_\_ a repair or \_\_\_\_\_ request \_\_\_\_\_ MEs  
\_\_\_\_\_ enhancements be \_\_\_\_\_ Prostheses/D \_\_\_\_\_ repairs?  
Is \_\_\_\_\_ possible \_\_\_\_\_ consider \_\_\_\_\_ effects \_\_\_\_\_ beauty \_\_\_\_\_ the Prostheses/D \_\_\_\_\_ in your \_\_\_\_\_?  
Prosthetics \_\_\_\_\_ have looks \_\_\_\_\_ if they \_\_\_\_\_ going \_\_\_\_\_ repaired.  
Is it \_\_\_\_\_ to \_\_\_\_\_ addressed \_\_\_\_\_ servicing and enhancing \_\_\_\_\_?  
\_\_\_\_\_ you consider the \_\_\_\_\_ beauty \_\_\_\_\_ Prostheses/D MEs \_\_\_\_\_ repair process?  
\_\_\_\_\_ enhancements \_\_\_\_\_ considered for \_\_\_\_\_ and \_\_\_\_\_ repairs?  
\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ looks \_\_\_\_\_ be considered when \_\_\_\_\_ prostheses?  
Are \_\_\_\_\_ enhancements \_\_\_\_\_ fixing existing \_\_\_\_\_?  
\_\_\_\_\_ cosmetic \_\_\_\_\_ included \_\_\_\_\_ Prostheses/DMEs repairs?  
cosmetic enhancements can \_\_\_\_\_ considered \_\_\_\_\_ request \_\_\_\_\_ existing Prostheses/D MEs.  
Is attention \_\_\_\_\_ to aesthetic \_\_\_\_\_ of \_\_\_\_\_?  
Prosthetics \_\_\_\_\_ have \_\_\_\_\_ that \_\_\_\_\_ they are to be \_\_\_\_\_.  
\_\_\_\_\_ you plan \_\_\_\_\_ improve \_\_\_\_\_ Prostheses/DIMEs \_\_\_\_\_ cosmetic upgrade in \_\_\_\_\_ to \_\_\_\_\_ overall?  
Will \_\_\_\_\_ enhancements \_\_\_\_\_ the upgrade \_\_\_\_\_ for existing \_\_\_\_\_?  
\_\_\_\_\_ included when \_\_\_\_\_ Prostheses/DMEs?  
\_\_\_\_\_ if cosmetic \_\_\_\_\_ for \_\_\_\_\_ repairs?  
\_\_\_\_\_ visual \_\_\_\_\_ be included during Prosthesis repairs?  
When fixing \_\_\_\_\_ would cosmetic \_\_\_\_\_ taken \_\_\_\_\_?  
Are you \_\_\_\_\_ improve existing \_\_\_\_\_ MEs \_\_\_\_\_ cosmetics?  
aesthetic enhancements \_\_\_\_\_ be \_\_\_\_\_ fixing \_\_\_\_\_  
\_\_\_\_\_ enhancements included \_\_\_\_\_ repairing \_\_\_\_\_?  
\_\_\_\_\_ have \_\_\_\_\_ look \_\_\_\_\_ is \_\_\_\_\_ if \_\_\_\_\_ being worked on.  
Will \_\_\_\_\_ overall upgrade/service \_\_\_\_\_ existing \_\_\_\_\_ evaluate cosmetic \_\_\_\_\_?  
cosmetic enhancements should be \_\_\_\_\_  
\_\_\_\_\_ cosmetic \_\_\_\_\_ in the \_\_\_\_\_ request for \_\_\_\_\_ Prostheses?  
\_\_\_\_\_ have \_\_\_\_\_ in the course of a repair  
\_\_\_\_\_ the \_\_\_\_\_ included \_\_\_\_\_ the upgrade \_\_\_\_\_ for \_\_\_\_\_ Prostheses/DMEs?  
\_\_\_\_\_ worth considering cosmetic \_\_\_\_\_ as \_\_\_\_\_ overall repair \_\_\_\_\_ for Prostheses?  
Prosthetics could \_\_\_\_\_ have \_\_\_\_\_ considered \_\_\_\_\_ are being \_\_\_\_\_ on.  
Should cosmetic fixes be \_\_\_\_\_ process \_\_\_\_\_ Prostheses/DMEs?  
\_\_\_\_\_ repair \_\_\_\_\_ service request,cosmetic enhancements \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ Prostheses.  
During repairs on service procedures for Prostheses \_\_\_\_\_ attention \_\_\_\_\_?  
Is there a way to \_\_\_\_\_ service or repair request \_\_\_\_\_?  
Can \_\_\_\_\_ enhancements \_\_\_\_\_ considered during a repair or \_\_\_\_\_ existing \_\_\_\_\_?  
Can \_\_\_\_\_ used to fix \_\_\_\_\_?  
\_\_\_\_\_ of aesthetic appearance could \_\_\_\_\_ in \_\_\_\_\_ service request \_\_\_\_\_ existing devices.

\_\_\_\_\_ might have enhancements \_\_\_\_\_ to be repaired.

cosmetic \_\_\_\_\_ existing \_\_\_\_\_ will \_\_\_\_\_ in the repair \_\_\_\_\_

When \_\_\_\_\_ Prostheses/DME \_\_\_\_\_ is there \_\_\_\_\_ given \_\_\_\_\_?

Is cosmetic \_\_\_\_\_ a part \_\_\_\_\_ for Prostheses?

Prosthetics could \_\_\_\_\_ looks \_\_\_\_\_ they are \_\_\_\_\_ to be \_\_\_\_\_.

Can \_\_\_\_\_ included in \_\_\_\_\_ Prostheses/DMEs?

\_\_\_\_\_ enhancements \_\_\_\_\_ be considered when \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ on \_\_\_\_\_ beauty of the \_\_\_\_\_ as part \_\_\_\_\_ the \_\_\_\_\_.

Is cosmetic \_\_\_\_\_ in the \_\_\_\_\_ upgrade \_\_\_\_\_ prostheses?

\_\_\_\_\_ enhancements can \_\_\_\_\_ considered during \_\_\_\_\_ service \_\_\_\_\_ existing Prostheses/D MEs.

\_\_\_\_\_ aesthetic modifications included \_\_\_\_\_ to \_\_\_\_\_ Prosthetics?

cosmetic \_\_\_\_\_ will \_\_\_\_\_ during the \_\_\_\_\_ process \_\_\_\_\_ Prostheses/DMEAs

Prosthetics may \_\_\_\_\_ have \_\_\_\_\_ going to be repaired.

Are \_\_\_\_\_ effects \_\_\_\_\_ the beauty \_\_\_\_\_ the Prostheses/D \_\_\_\_\_ included \_\_\_\_\_ process?

Prosthetics \_\_\_\_\_ look enhancements \_\_\_\_\_ made.

\_\_\_\_\_ existing \_\_\_\_\_ coverage of cosmetic upgrade in \_\_\_\_\_ to \_\_\_\_\_ overall?

\_\_\_\_\_ existing \_\_\_\_\_ and medical \_\_\_\_\_ enhancements during \_\_\_\_\_ repair process?

Will cosmetic \_\_\_\_\_ be \_\_\_\_\_ Prostheses?

\_\_\_\_\_ the effects \_\_\_\_\_ the beauty \_\_\_\_\_ Prostheses/D MEs \_\_\_\_\_ repair?

I \_\_\_\_\_ like to ask, \_\_\_\_\_ cosmetic \_\_\_\_\_ on \_\_\_\_\_ Durable Medical \_\_\_\_\_ unit \_\_\_\_\_ upgrades \_\_\_\_\_ taken place?

Can you \_\_\_\_\_ effect \_\_\_\_\_ beauty \_\_\_\_\_ the Prostheses/D \_\_\_\_\_ in \_\_\_\_\_ repair \_\_\_\_\_?

\_\_\_\_\_ you take into account the \_\_\_\_\_ of the \_\_\_\_\_ MEs as part \_\_\_\_\_?

Can enhancements be \_\_\_\_\_ repairs \_\_\_\_\_ improve \_\_\_\_\_ Prostheses/DMEAs?

\_\_\_\_\_ going \_\_\_\_\_ improve existing Prostheses with coverage \_\_\_\_\_ cosmetic upgrade \_\_\_\_\_ well \_\_\_\_\_?

Is \_\_\_\_\_ upgrades are part \_\_\_\_\_ upgrade process?

\_\_\_\_\_ you going \_\_\_\_\_ with coverage \_\_\_\_\_ cosmetic upgrade as well \_\_\_\_\_?

Are \_\_\_\_\_ improve existing \_\_\_\_\_ coverage \_\_\_\_\_ cosmetic upgrade in \_\_\_\_\_ the overall?

\_\_\_\_\_ you believe that cosmetic enhancements \_\_\_\_\_ taken \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ upgrade?

Should attention \_\_\_\_\_ to aesthetic enhancements \_\_\_\_\_ repairs \_\_\_\_\_?

Is \_\_\_\_\_ add \_\_\_\_\_ to \_\_\_\_\_ Prostheses if \_\_\_\_\_ a service request?

\_\_\_\_\_ consider the effects on \_\_\_\_\_ of the Prostheses/D \_\_\_\_\_ in the \_\_\_\_\_ repair \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way \_\_\_\_\_ make \_\_\_\_\_ MEs \_\_\_\_\_ if the \_\_\_\_\_ or service is \_\_\_\_\_?

Are you planning \_\_\_\_\_ improving existing \_\_\_\_\_ adding \_\_\_\_\_?

\_\_\_\_\_ could \_\_\_\_\_ enhancements \_\_\_\_\_ fixing them.

Enhancements \_\_\_\_\_ aesthetic appearance \_\_\_\_\_ possibly \_\_\_\_\_ the \_\_\_\_\_ request for \_\_\_\_\_ devices.

cosmetic enhancements \_\_\_\_\_ during the \_\_\_\_\_ existing Prostheses/DMEs?

Will \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ repairs?

\_\_\_\_\_ improvements be included when \_\_\_\_\_?

\_\_\_\_\_ possibly have \_\_\_\_\_ like looks if \_\_\_\_\_ are going \_\_\_\_\_.

Should \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ enhancements \_\_\_\_\_ the \_\_\_\_\_ Prostheses/D MEs?

\_\_\_\_\_ room \_\_\_\_\_ upgrades along with necessary repairs \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ upgrade/service \_\_\_\_\_ of existing \_\_\_\_\_ look at \_\_\_\_\_ improvements?

cosmetic improvements \_\_\_\_\_ the \_\_\_\_\_ service for my \_\_\_\_\_?

\_\_\_\_\_ enhancement \_\_\_\_\_ aesthetic appearance to be included in a service \_\_\_\_\_ for \_\_\_\_\_ existing \_\_\_\_\_?

Does \_\_\_\_\_ overall repair process \_\_\_\_\_ include \_\_\_\_\_?

Are you \_\_\_\_\_ to \_\_\_\_\_ Prostheses with coverage \_\_\_\_\_ cosmetic \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ into \_\_\_\_\_ repair requests?

\_\_\_\_\_ may \_\_\_\_\_ part of \_\_\_\_\_ repair \_\_\_\_\_ for Prostheses.

Adding makeup to \_\_\_\_\_ Prostheses/D MEs \_\_\_\_\_ could \_\_\_\_\_.

Is \_\_\_\_\_ possible \_\_\_\_\_ aesthetic appearance \_\_\_\_\_ in a \_\_\_\_\_ existing devices?

Should attention be \_\_\_\_\_ to aesthetic enhancements \_\_\_\_\_?

\_\_\_\_\_ a repair \_\_\_\_\_ request, cosmetic \_\_\_\_\_ for existing \_\_\_\_\_ will be \_\_\_\_\_.

\_\_\_\_\_ there cosmetic \_\_\_\_\_ overall \_\_\_\_\_ process for Prostheses?

\_\_\_\_\_ that cosmetic \_\_\_\_\_ be considered during the \_\_\_\_\_ process?

\_\_\_\_\_ it possible for \_\_\_\_\_ be \_\_\_\_\_ when \_\_\_\_\_ existing Prostheses/D \_\_\_\_\_?

Is \_\_\_\_\_ possible to include \_\_\_\_\_ enhancements in repairs \_\_\_\_\_?

\_\_\_\_\_ going \_\_\_\_\_ existing \_\_\_\_\_ with cosmetic enhancements?

What if \_\_\_\_\_ looks are \_\_\_\_\_ fixing \_\_\_\_\_?

\_\_\_\_\_ enhancements will be considered \_\_\_\_\_ process \_\_\_\_\_ Prostheses \_\_\_\_\_ DMEs

Can \_\_\_\_\_ enhancements \_\_\_\_\_ my Durable Medical \_\_\_\_\_ upgrades are being requested?

Are \_\_\_\_\_ to \_\_\_\_\_ Prostheses/Dmes by \_\_\_\_\_ cosmetic upgrades?

cosmetic \_\_\_\_\_ can \_\_\_\_\_ considered in \_\_\_\_\_ repair \_\_\_\_\_ for Prostheses.

Is aesthetic modifications \_\_\_\_\_ for existing \_\_\_\_\_?

Are the \_\_\_\_\_ beauty of \_\_\_\_\_ MEs \_\_\_\_\_ as \_\_\_\_\_ the repair?

\_\_\_\_\_ could \_\_\_\_\_ enhancements like looks, \_\_\_\_\_ they are \_\_\_\_\_ on.

Alterations \_\_\_\_\_ existing Prosthetics may be \_\_\_\_\_ service \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ effects \_\_\_\_\_ beauty \_\_\_\_\_ MEs in the repair?

Will \_\_\_\_\_ be \_\_\_\_\_ when \_\_\_\_\_ Prostheses/DMEs?

Should \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ when repairs \_\_\_\_\_ for \_\_\_\_\_ MEs?

I am wondering if \_\_\_\_\_ in \_\_\_\_\_ process for Prostheses/Dmes.

Are \_\_\_\_\_ planning to improve existing \_\_\_\_\_ DIMEs with \_\_\_\_\_ of \_\_\_\_\_ in \_\_\_\_\_ the \_\_\_\_\_?

Prosthetics could possibly \_\_\_\_\_ made \_\_\_\_\_ they \_\_\_\_\_ to be \_\_\_\_\_.

Are \_\_\_\_\_ planning \_\_\_\_\_ upgrades to existing \_\_\_\_\_ MEs?

\_\_\_\_\_ attention be given \_\_\_\_\_ aesthetic enhancements \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ service request \_\_\_\_\_ enhance \_\_\_\_\_ Prosthetics including \_\_\_\_\_?

Does the \_\_\_\_\_ request \_\_\_\_\_ Prostheses include \_\_\_\_\_?

\_\_\_\_\_ enhancements would \_\_\_\_\_ taken into \_\_\_\_\_ when \_\_\_\_\_

Is it \_\_\_\_\_ that \_\_\_\_\_ could \_\_\_\_\_ considered while \_\_\_\_\_ prosthetics?

\_\_\_\_\_ enhancements \_\_\_\_\_ during \_\_\_\_\_ repair or service request \_\_\_\_\_ existing \_\_\_\_\_ MEs, with \_\_\_\_\_

Is \_\_\_\_\_ a \_\_\_\_\_ to improve existing \_\_\_\_\_ upgrades?

\_\_\_\_\_ for \_\_\_\_\_ to be \_\_\_\_\_ for Prostheses/DME repairs?

\_\_\_\_\_ consider \_\_\_\_\_ effects on the beauty \_\_\_\_\_ MEs in a \_\_\_\_\_?

cosmetic enhancements will be \_\_\_\_\_ in \_\_\_\_\_ functionality \_\_\_\_\_ Prostheses?

\_\_\_\_\_ it \_\_\_\_\_ looks \_\_\_\_\_ considered while fixing prosthetics?

\_\_\_\_\_ about aesthetic \_\_\_\_\_ in the service \_\_\_\_\_ to \_\_\_\_\_?

cosmetic enhancements \_\_\_\_\_ included \_\_\_\_\_ for \_\_\_\_\_?

Is \_\_\_\_\_ add makeup \_\_\_\_\_ if the service or \_\_\_\_\_ is done?

\_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ aesthetic improvements?

I am wondering \_\_\_\_\_ fixes \_\_\_\_\_ be \_\_\_\_\_ repair process.

Can \_\_\_\_\_ included \_\_\_\_\_ repairs to \_\_\_\_\_ current Prostheses?

Does the repair process \_\_\_\_\_ into \_\_\_\_\_ the appearance of \_\_\_\_\_ Prostheses in \_\_\_\_\_ service \_\_\_\_\_?

Is it \_\_\_\_\_ enhancements \_\_\_\_\_ repairing existing Prostheses?

Prostheses \_\_\_\_\_ DMEs \_\_\_\_\_ be \_\_\_\_\_ they include \_\_\_\_\_ improvements?

Do you \_\_\_\_\_ to \_\_\_\_\_ Prostheses/DIMEs \_\_\_\_\_ coverage \_\_\_\_\_ upgrade in \_\_\_\_\_ overall?

\_\_\_\_\_ you \_\_\_\_\_ to improve existing Prostheses/DIMEs with \_\_\_\_\_ and \_\_\_\_\_?

Will cosmetic \_\_\_\_\_ be included in \_\_\_\_\_ Prostheses?

Are \_\_\_\_\_ planning \_\_\_\_\_ Existing \_\_\_\_\_ with \_\_\_\_\_ of cosmetic \_\_\_\_\_ to overall?

\_\_\_\_\_ there \_\_\_\_\_ for aesthetic upgrades during \_\_\_\_\_ repair \_\_\_\_\_ my existing \_\_\_\_\_?

Can cosmetic enhancements \_\_\_\_\_ considered \_\_\_\_\_ repairs \_\_\_\_\_?

Is there \_\_\_\_\_ chance \_\_\_\_\_ enhancements will \_\_\_\_\_ considered during \_\_\_\_\_ for \_\_\_\_\_ upgrade?

\_\_\_\_\_ cosmetic \_\_\_\_\_ be included \_\_\_\_\_ of current Prostheses?

\_\_\_\_\_ enhancements \_\_\_\_\_ be \_\_\_\_\_ functioning upgrades and \_\_\_\_\_ services on my Durable \_\_\_\_\_?

During a \_\_\_\_\_ service \_\_\_\_\_ for \_\_\_\_\_ it possible \_\_\_\_\_ consider cosmetic enhancements?

Prosthetics could \_\_\_\_\_ enhancements \_\_\_\_\_ are \_\_\_\_\_ are \_\_\_\_\_ to be fixed

\_\_\_\_\_ repairs \_\_\_\_\_ Prostheses/DMEs, \_\_\_\_\_ given to aesthetic enhancements?

Are \_\_\_\_\_ planning to \_\_\_\_\_ Prostheses/DMEs \_\_\_\_\_ cosmetic enhancements?

Should attention be \_\_\_\_\_ to aesthetic enhancements \_\_\_\_\_ done \_\_\_\_\_?

\_\_\_\_\_ of Prostheses include \_\_\_\_\_ for \_\_\_\_\_?

Are \_\_\_\_\_ effects on the \_\_\_\_\_ Prostheses/D \_\_\_\_\_ in \_\_\_\_\_ repair?

\_\_\_\_\_ possible \_\_\_\_\_ addressed \_\_\_\_\_ servicing and enhancing my Prostheses/Dmes?

The upgrade for \_\_\_\_\_ repair \_\_\_\_\_ be \_\_\_\_\_ cosmetic \_\_\_\_\_.

Is \_\_\_\_\_ any room \_\_\_\_\_ with required \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ the enhancement of appearance can be \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ can be considered during \_\_\_\_\_ service request \_\_\_\_\_ existing Prostheses/DMEs.

\_\_\_\_\_ when fixing existing Prostheses/DMEs?

Is \_\_\_\_\_ possible to \_\_\_\_\_ of Prostheses/D \_\_\_\_\_ your \_\_\_\_\_ process?

Does \_\_\_\_\_ service \_\_\_\_\_ Prostheses consider \_\_\_\_\_?

The \_\_\_\_\_ process \_\_\_\_\_ Prostheses/DMEs \_\_\_\_\_ improvements in appearance.

\_\_\_\_\_ aesthetic improvement included \_\_\_\_\_ devices?

Will the \_\_\_\_\_ of existing DMEs \_\_\_\_\_ potential for \_\_\_\_\_?

Do \_\_\_\_\_ that \_\_\_\_\_ enhancements will \_\_\_\_\_ considered during \_\_\_\_\_ service \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ makeup \_\_\_\_\_ existing \_\_\_\_\_ the service \_\_\_\_\_ done?

During \_\_\_\_\_ functional upgrades/service procedures for \_\_\_\_\_ should \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ as \_\_\_\_\_?

Is \_\_\_\_\_ a factor \_\_\_\_\_ Prostheses/DME \_\_\_\_\_?

\_\_\_\_\_ can be \_\_\_\_\_ during a repair \_\_\_\_\_ request for an \_\_\_\_\_

\_\_\_\_\_ cosmetic \_\_\_\_\_ be \_\_\_\_\_ to improve \_\_\_\_\_ current Prostheses/DMEs?

\_\_\_\_\_ be included in \_\_\_\_\_ request \_\_\_\_\_ existing Prostheses?

When \_\_\_\_\_ enhancements \_\_\_\_\_ taken into \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ improvements factor \_\_\_\_\_ Prosthesis repair upgrades?

\_\_\_\_\_ could possibly \_\_\_\_\_ like \_\_\_\_\_ in \_\_\_\_\_ of repairing them.

\_\_\_\_\_ enhancements will be included in \_\_\_\_\_ upgrade \_\_\_\_\_ for \_\_\_\_\_

Is it \_\_\_\_\_ to have visual \_\_\_\_\_ the \_\_\_\_\_ DME?

\_\_\_\_\_ could have \_\_\_\_\_ that are considered \_\_\_\_\_ need \_\_\_\_\_ repaired

cosmetic \_\_\_\_\_ be considered \_\_\_\_\_ process for \_\_\_\_\_ Prostheses/DMEs

\_\_\_\_\_ enhancements can \_\_\_\_\_ during \_\_\_\_\_ repair or \_\_\_\_\_ for an \_\_\_\_\_ Prostheses/DMEs

When \_\_\_\_\_ items is \_\_\_\_\_ consideration \_\_\_\_\_ cosmetic upgrades?

\_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ considered \_\_\_\_\_ the repair process \_\_\_\_\_ Prostheses/D \_\_\_\_\_?

Can you consider \_\_\_\_\_ effects of \_\_\_\_\_ of \_\_\_\_\_ MEs as part \_\_\_\_\_?

\_\_\_\_\_ enhancements like looks be \_\_\_\_\_?

\_\_\_\_\_ planning \_\_\_\_\_ improve existing \_\_\_\_\_ coverage \_\_\_\_\_ aesthetic \_\_\_\_\_ in addition \_\_\_\_\_ overall?

Prosthetics \_\_\_\_\_ have \_\_\_\_\_ that \_\_\_\_\_ in the course of \_\_\_\_\_ repair.

Prosthetics \_\_\_\_\_ have \_\_\_\_\_ to \_\_\_\_\_ that are considered if they \_\_\_\_\_ fixed.

Prosthetics \_\_\_\_\_ that \_\_\_\_\_ in the course of repairing \_\_\_\_\_.

When \_\_\_\_\_ would \_\_\_\_\_ be considered?

Is it possible aesthetic \_\_\_\_\_ can \_\_\_\_\_ fixing \_\_\_\_\_?

Prosthetics and \_\_\_\_\_ devices \_\_\_\_\_ receive \_\_\_\_\_ repair process.

\_\_\_\_\_ it \_\_\_\_\_ possibility \_\_\_\_\_ the \_\_\_\_\_ appearance of the \_\_\_\_\_ be \_\_\_\_\_ in the \_\_\_\_\_ request?

\_\_\_\_\_ enhancements \_\_\_\_\_ included \_\_\_\_\_ overall upgrade \_\_\_\_\_ for Prostheses/DMEs?

Does \_\_\_\_\_ request for \_\_\_\_\_ include aesthetic \_\_\_\_\_?

Prosthetics \_\_\_\_\_ looks that are considered \_\_\_\_\_ need to \_\_\_\_\_.

\_\_\_\_\_ be \_\_\_\_\_ while fixing \_\_\_\_\_ Prostheses?

Does \_\_\_\_\_ repair \_\_\_\_\_ and \_\_\_\_\_ considerations for aesthetic \_\_\_\_\_?

\_\_\_\_\_ included in the \_\_\_\_\_ request for \_\_\_\_\_ Prostheses/DMEs?

Is \_\_\_\_\_ appearance could \_\_\_\_\_ included \_\_\_\_\_ a service request for existing devices?

\_\_\_\_\_ aesthetic modifications \_\_\_\_\_ the service request \_\_\_\_\_?

Is \_\_\_\_\_ possible the aesthetic appearance \_\_\_\_\_ the existing \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ enhancements \_\_\_\_\_ Prostheses/D MEs repairs?

cosmetic \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ fixing \_\_\_\_\_

\_\_\_\_\_ to changing the appearance \_\_\_\_\_ Prostheses/DME items?

\_\_\_\_\_ are \_\_\_\_\_ to be \_\_\_\_\_ they \_\_\_\_\_ have \_\_\_\_\_ like looks.

\_\_\_\_\_ questions about \_\_\_\_\_ improvements factor into existing \_\_\_\_\_ upgrades.

\_\_\_\_\_ on \_\_\_\_\_ will be \_\_\_\_\_ in \_\_\_\_\_ repair process.

\_\_\_\_\_ there a \_\_\_\_\_ incorporate \_\_\_\_\_ during repairs of \_\_\_\_\_ DME?

Prosthetics \_\_\_\_\_ have \_\_\_\_\_ they need to be \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ aesthetic enhancements to \_\_\_\_\_ Prostheses?

Prosthetics could possibly \_\_\_\_\_ enhancements \_\_\_\_\_ they \_\_\_\_\_ repaired.

\_\_\_\_\_ cosmetic \_\_\_\_\_ a factor \_\_\_\_\_ the \_\_\_\_\_?

I wonder \_\_\_\_\_ improvements factor \_\_\_\_\_ Prosthesis/DME \_\_\_\_\_.

Is \_\_\_\_\_ enhancement of \_\_\_\_\_ appearance \_\_\_\_\_ included in a \_\_\_\_\_ request \_\_\_\_\_ devices?

\_\_\_\_\_ aesthetic \_\_\_\_\_ in servicing existing \_\_\_\_\_?

\_\_\_\_\_ enhancements may \_\_\_\_\_ included \_\_\_\_\_ upgrade \_\_\_\_\_ for existing \_\_\_\_\_.

\_\_\_\_\_ aesthetic \_\_\_\_\_ of the \_\_\_\_\_ devices will be \_\_\_\_\_ in the upgrade \_\_\_\_\_?

Is \_\_\_\_\_ enhancements \_\_\_\_\_ fixing \_\_\_\_\_ Prostheses?

\_\_\_\_\_ aesthetic \_\_\_\_\_ in \_\_\_\_\_ Prostheses?

\_\_\_\_\_ there \_\_\_\_\_ aesthetic upgrades \_\_\_\_\_ repairs for Prostheses?

Can \_\_\_\_\_ consider the \_\_\_\_\_ beauty of \_\_\_\_\_ as part \_\_\_\_\_ repair?

Can you consider \_\_\_\_\_ effects \_\_\_\_\_ MEs in your \_\_\_\_\_ process.

\_\_\_\_\_ aesthetic alterations \_\_\_\_\_ included in \_\_\_\_\_ service \_\_\_\_\_ enhance \_\_\_\_\_ Prosthetics?

Is \_\_\_\_\_ for \_\_\_\_\_ be included when \_\_\_\_\_ old devices?

Is it \_\_\_\_\_ that enhancements like \_\_\_\_\_ taken \_\_\_\_\_ prosthetics?

Should \_\_\_\_\_ when fixing Prostheses/DMEs?

Will cosmetic \_\_\_\_\_ be included \_\_\_\_\_ upgrade \_\_\_\_\_ for existing \_\_\_\_\_?

Can \_\_\_\_\_ tell \_\_\_\_\_ it's possible to \_\_\_\_\_ upgrades during repairs of \_\_\_\_\_?

\_\_\_\_\_ seeking \_\_\_\_\_ for \_\_\_\_\_ medical \_\_\_\_\_ I expect to get cosmetic \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ cosmetic \_\_\_\_\_ Prostheses/D ME repairs?

I \_\_\_\_\_ wondering if the \_\_\_\_\_ for \_\_\_\_\_ should \_\_\_\_\_ cosmetic \_\_\_\_\_.

cosmetic \_\_\_\_\_ may be included \_\_\_\_\_ the upgrade \_\_\_\_\_ for \_\_\_\_\_.

When \_\_\_\_\_ repairs \_\_\_\_\_ for current \_\_\_\_\_ devices can I \_\_\_\_\_ upgrades?

\_\_\_\_\_ repair process \_\_\_\_\_ appearance of \_\_\_\_\_ Prostheses in \_\_\_\_\_ overall \_\_\_\_\_ for a \_\_\_\_\_?

\_\_\_\_\_ could \_\_\_\_\_ enhancements that \_\_\_\_\_ when \_\_\_\_\_ them.

\_\_\_\_\_ it possible that \_\_\_\_\_ the existing \_\_\_\_\_ in the upgrade request?

Will \_\_\_\_\_ overall \_\_\_\_\_ DMEs/prostheses evaluate possible \_\_\_\_\_ enhancements?

\_\_\_\_\_ good \_\_\_\_\_ include cosmetic changes \_\_\_\_\_ repairing/Upgrading DMEs?

I would \_\_\_\_\_ to know \_\_\_\_\_ enhancements \_\_\_\_\_ when fixing \_\_\_\_\_.

\_\_\_\_\_ there room \_\_\_\_\_ aesthetic enhancements \_\_\_\_\_ for Prostheses?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ existing Prostheses/D MEs \_\_\_\_\_ cosmetic \_\_\_\_\_?

Prosthetics \_\_\_\_\_ possibly \_\_\_\_\_ looks that \_\_\_\_\_ they need \_\_\_\_\_.

Prosthetics might have \_\_\_\_\_ enhancements \_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_.

Is \_\_\_\_\_ a \_\_\_\_\_ make \_\_\_\_\_ Prostheses/D MEs \_\_\_\_\_ better \_\_\_\_\_ the \_\_\_\_\_ service?

\_\_\_\_\_ repairs \_\_\_\_\_ should \_\_\_\_\_ be paid to \_\_\_\_\_ enhancements?

Should you \_\_\_\_\_ on \_\_\_\_\_ beauty \_\_\_\_\_ in your repair process?

Is it possible \_\_\_\_\_ like looks \_\_\_\_\_ be \_\_\_\_\_ prosthetics?

\_\_\_\_\_ overall \_\_\_\_\_ existing DMEs/prostheses \_\_\_\_\_ potential cosmetic advancement?

Prosthetics could \_\_\_\_\_ enhancements \_\_\_\_\_ are repaired.

Is \_\_\_\_\_ plans \_\_\_\_\_ improve existing \_\_\_\_\_ by \_\_\_\_\_ upgrades?

Enhancements to restore \_\_\_\_\_ could be included \_\_\_\_\_ upgrade \_\_\_\_\_ devices.

Will cosmetic enhancements \_\_\_\_\_ in the \_\_\_\_\_?

Prosthetics could \_\_\_\_\_ have \_\_\_\_\_ are considered if \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_.

Can cosmetic \_\_\_\_\_ be \_\_\_\_\_ Prostheses \_\_\_\_\_?

\_\_\_\_\_ possible for the \_\_\_\_\_ aesthetic \_\_\_\_\_ be included \_\_\_\_\_ the service \_\_\_\_\_ existing devices?

Will \_\_\_\_\_ overall upgrade/service checkup \_\_\_\_\_ evaluate \_\_\_\_\_ improvements?

\_\_\_\_\_ look at the effects \_\_\_\_\_ beauty \_\_\_\_\_ the Prostheses/D MEs \_\_\_\_\_ repair \_\_\_\_\_?

\_\_\_\_\_ could have \_\_\_\_\_ they're \_\_\_\_\_ to be fixed.

Does the \_\_\_\_\_ of \_\_\_\_\_ and \_\_\_\_\_ include \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ could \_\_\_\_\_ have enhancements that \_\_\_\_\_ they're \_\_\_\_\_ worked on.

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ like looks \_\_\_\_\_ considered when \_\_\_\_\_ props?

When repairing \_\_\_\_\_ to aesthetic enhancements?

\_\_\_\_\_ to improve \_\_\_\_\_ Prostheses/DIMEs \_\_\_\_\_ of cosmetic \_\_\_\_\_ addition to overall?

Prosthetics could \_\_\_\_\_ that \_\_\_\_\_ considered if they \_\_\_\_\_ repaired.

Is \_\_\_\_\_ that can \_\_\_\_\_ included \_\_\_\_\_ servicing existing devices?

\_\_\_\_\_ a \_\_\_\_\_ or service \_\_\_\_\_ existing Prostheses/DMEs can \_\_\_\_\_ considered

\_\_\_\_\_ think \_\_\_\_\_ the \_\_\_\_\_ request \_\_\_\_\_ an upgrade \_\_\_\_\_ include cosmetics?

During the service request for an \_\_\_\_\_ be considered?

\_\_\_\_\_ fixing Prostheses/DMEs, \_\_\_\_\_ the \_\_\_\_\_ included?

Is it possible that \_\_\_\_\_ enhancements \_\_\_\_\_ be \_\_\_\_\_ when \_\_\_\_\_?

\_\_\_\_\_ effects on the \_\_\_\_\_ the Prostheses/D MEs as part of \_\_\_\_\_?

Are \_\_\_\_\_ a factor \_\_\_\_\_ upgrades?

\_\_\_\_\_ for current \_\_\_\_\_ attention \_\_\_\_\_ paid \_\_\_\_\_ aesthetic enhancements?

\_\_\_\_\_ the overall \_\_\_\_\_ checkup \_\_\_\_\_ potential \_\_\_\_\_ improvements?

\_\_\_\_\_ a repair \_\_\_\_\_ request, \_\_\_\_\_ existing Prostheses \_\_\_\_\_ be considered.

Prosthetics could \_\_\_\_\_ enhancements \_\_\_\_\_ if they are \_\_\_\_\_ repaired.

\_\_\_\_\_ looks \_\_\_\_\_ be considered \_\_\_\_\_ fixing \_\_\_\_\_.

\_\_\_\_\_ have \_\_\_\_\_ if they \_\_\_\_\_ to \_\_\_\_\_ mended

Are \_\_\_\_\_ planning to \_\_\_\_\_ with \_\_\_\_\_ of \_\_\_\_\_ as well as \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ be \_\_\_\_\_ Prostheses/Dme repairs?

Can cosmetic \_\_\_\_\_ considered in \_\_\_\_\_?

Can cosmetic \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ enhancements can be \_\_\_\_\_ during a repair \_\_\_\_\_ for \_\_\_\_\_ existing \_\_\_\_\_

\_\_\_\_\_ consider \_\_\_\_\_ the beauty of the \_\_\_\_\_ MEs in \_\_\_\_\_ overall \_\_\_\_\_ process?

\_\_\_\_\_ attention be paid \_\_\_\_\_ enhancements during \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ aesthetic \_\_\_\_\_ repairs for \_\_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ to improve the current Prostheses.

Is it \_\_\_\_\_ to consider \_\_\_\_\_ effects \_\_\_\_\_ beauty of Prostheses/D \_\_\_\_\_?

During a \_\_\_\_\_ request cosmetic \_\_\_\_\_ for \_\_\_\_\_ Prostheses/DMEs \_\_\_\_\_ be considered.

\_\_\_\_\_ servicing \_\_\_\_\_ devices \_\_\_\_\_ aesthetic \_\_\_\_\_ included?

\_\_\_\_\_ will be \_\_\_\_\_ repair \_\_\_\_\_ for existing Prostheses?

When fixing \_\_\_\_\_ enhancements be \_\_\_\_\_?

Can \_\_\_\_\_ be included when fixing \_\_\_\_\_?

I am wondering if \_\_\_\_\_ are covered \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ looks considered in the course \_\_\_\_\_ a \_\_\_\_\_.



The \_\_\_\_\_ include \_\_\_\_\_ enhancements \_\_\_\_\_ existing prosthetics \_\_\_\_\_ medical devices.  
 When fixing \_\_\_\_\_ could \_\_\_\_\_ looks \_\_\_\_\_?  
 Is \_\_\_\_\_ consideration \_\_\_\_\_ to \_\_\_\_\_ appearance of the \_\_\_\_\_?  
 Should attention \_\_\_\_\_ paid to aesthetic \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ you going \_\_\_\_\_ improve \_\_\_\_\_ Prostheses/DIMES \_\_\_\_\_ cosmetic upgrade \_\_\_\_\_ the overall?  
 Will cosmetic \_\_\_\_\_ included in \_\_\_\_\_ for \_\_\_\_\_ Prostheses?  
 Is \_\_\_\_\_ consideration of cosmetic \_\_\_\_\_ the \_\_\_\_\_ process \_\_\_\_\_ Prostheses?  
 \_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ existing \_\_\_\_\_ with cosmetic \_\_\_\_\_?  
 \_\_\_\_\_ enhancements \_\_\_\_\_ be included \_\_\_\_\_ request for existing \_\_\_\_\_?  
 I \_\_\_\_\_ if \_\_\_\_\_ should \_\_\_\_\_ part of the \_\_\_\_\_ of repairing \_\_\_\_\_.  
 Can \_\_\_\_\_ the \_\_\_\_\_ on the beauty \_\_\_\_\_ Prostheses/D \_\_\_\_\_ your repair \_\_\_\_\_?  
 \_\_\_\_\_ might have looks \_\_\_\_\_ are \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_.  
 \_\_\_\_\_ want to ask, \_\_\_\_\_ enhancements allowed on \_\_\_\_\_ Durable Medical \_\_\_\_\_ unit \_\_\_\_\_ improvements \_\_\_\_\_ taking \_\_\_\_\_?  
 Repairs of Prostheses \_\_\_\_\_ may include \_\_\_\_\_ improvements.  
 Aesthetics \_\_\_\_\_ when fixing existing \_\_\_\_\_.  
 \_\_\_\_\_ may \_\_\_\_\_ considered \_\_\_\_\_ Prostheses repairs.  
 \_\_\_\_\_ a consideration for \_\_\_\_\_ repairs of \_\_\_\_\_ and DMEs?  
 Are \_\_\_\_\_ aesthetic modifications \_\_\_\_\_ the service \_\_\_\_\_ existing Prosthetics?  
 \_\_\_\_\_ planning to improve \_\_\_\_\_ existing Prostheses \_\_\_\_\_ cosmetic \_\_\_\_\_?  
 \_\_\_\_\_ changes \_\_\_\_\_ in the upgrade \_\_\_\_\_ existing prostheses?  
 During \_\_\_\_\_ service \_\_\_\_\_ enhancements for existing Prostheses \_\_\_\_\_ be \_\_\_\_\_.  
 Will \_\_\_\_\_ be included \_\_\_\_\_ upgrade request for \_\_\_\_\_?  
 \_\_\_\_\_ it okay to include \_\_\_\_\_ when \_\_\_\_\_ Prostheses?  
 \_\_\_\_\_ beauty enhancements be \_\_\_\_\_ in \_\_\_\_\_ upgrade \_\_\_\_\_ for \_\_\_\_\_?  
 Is \_\_\_\_\_ possible to account for \_\_\_\_\_ enhancements \_\_\_\_\_?  
 \_\_\_\_\_ possibly have \_\_\_\_\_ to looks \_\_\_\_\_ being worked on.  
 \_\_\_\_\_ have \_\_\_\_\_ looks if repairs \_\_\_\_\_ made  
 Is \_\_\_\_\_ to \_\_\_\_\_ aesthetic enhancements \_\_\_\_\_ fixing \_\_\_\_\_?  
 Are \_\_\_\_\_ improve existing \_\_\_\_\_ with \_\_\_\_\_ of cosmetic upgrade in addition \_\_\_\_\_?  
 \_\_\_\_\_ it possible for \_\_\_\_\_ made during repairs of \_\_\_\_\_ DME?  
 \_\_\_\_\_ was wondering \_\_\_\_\_ aesthetic \_\_\_\_\_ be \_\_\_\_\_ fixing existing Prostheses.  
 \_\_\_\_\_ repairs of \_\_\_\_\_ and \_\_\_\_\_ considerations \_\_\_\_\_ the appearance?  
 Is \_\_\_\_\_ improvements \_\_\_\_\_ repair and \_\_\_\_\_ for Prostheses/DMEs?  
 \_\_\_\_\_ beauty \_\_\_\_\_ for Prostheses/D ME \_\_\_\_\_?  
 \_\_\_\_\_ enhancements factor \_\_\_\_\_ Prostheses/DME \_\_\_\_\_?  
 \_\_\_\_\_ consider the \_\_\_\_\_ of \_\_\_\_\_ of \_\_\_\_\_ Prostheses/D \_\_\_\_\_ in your repair \_\_\_\_\_?  
 Prosthetics could \_\_\_\_\_ enhancements \_\_\_\_\_ looks that \_\_\_\_\_ during \_\_\_\_\_.  
 \_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ a part \_\_\_\_\_ the repair process \_\_\_\_\_?  
 Are \_\_\_\_\_ Prostheses/DIMES with coverage \_\_\_\_\_ upgrade in addition \_\_\_\_\_ the overall?  
 Is \_\_\_\_\_ modifications included \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ enhancements included when fixing \_\_\_\_\_?  
 \_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ in \_\_\_\_\_ repair process of \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ the \_\_\_\_\_ appearance \_\_\_\_\_ be \_\_\_\_\_ the service request for \_\_\_\_\_?  
 Is \_\_\_\_\_ included in the overall \_\_\_\_\_ repair \_\_\_\_\_ for \_\_\_\_\_?  
 When \_\_\_\_\_ older devices \_\_\_\_\_ included?  
 \_\_\_\_\_ it \_\_\_\_\_ for aesthetic improvements \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ existing \_\_\_\_\_?  
 Prosthetics could \_\_\_\_\_ that are considered \_\_\_\_\_ going to \_\_\_\_\_.  
 Is it possible \_\_\_\_\_ during \_\_\_\_\_ of Prosthesis \_\_\_\_\_ DME?  
 Is it \_\_\_\_\_ visual enhancements \_\_\_\_\_ DME repairs?  
 \_\_\_\_\_ it \_\_\_\_\_ for visual \_\_\_\_\_ take place during \_\_\_\_\_ Prosthesis?

During \_\_\_\_ service or repair \_\_\_\_ enhancements \_\_\_\_ existing \_\_\_\_ be \_\_\_\_.

\_\_\_\_ enhancements \_\_\_\_ included \_\_\_\_ repairs of \_\_\_\_?

\_\_\_\_ possible \_\_\_\_ cosmetic \_\_\_\_ be included \_\_\_\_ device repair requests?

\_\_\_\_ part \_\_\_\_ upgrade and repair process \_\_\_\_ Prostheses/DMEs?

\_\_\_\_ it worth paying attention \_\_\_\_ when repairing \_\_\_\_?

Do \_\_\_\_ to \_\_\_\_ existing Prostheses \_\_\_\_ coverage \_\_\_\_ in \_\_\_\_ to the overall?

\_\_\_\_ enhancements can be included \_\_\_\_ repairs to \_\_\_\_

Is \_\_\_\_ alterations \_\_\_\_ the service request \_\_\_\_ enhance \_\_\_\_?

\_\_\_\_ paid \_\_\_\_ enhancements when \_\_\_\_ repairs on Prostheses/DMEs?

When fixing \_\_\_\_ would \_\_\_\_ be \_\_\_\_?

Do \_\_\_\_ the service request \_\_\_\_ an \_\_\_\_ cosmetic enhancements?

Is it \_\_\_\_ like \_\_\_\_ be considered when fixing \_\_\_\_?

\_\_\_\_ be included in the \_\_\_\_ and repair \_\_\_\_ for \_\_\_\_.

\_\_\_\_ looks \_\_\_\_ be considered \_\_\_\_ fixing \_\_\_\_.

aesthetic \_\_\_\_ when fixing \_\_\_\_ Prostheses

Prosthetics could have features \_\_\_\_ looks that \_\_\_\_ are being \_\_\_\_.

Will \_\_\_\_ be \_\_\_\_ in the functionality \_\_\_\_ for \_\_\_\_ Prostheses/DMEs?

Can enhancements \_\_\_\_ included \_\_\_\_ to improve the \_\_\_\_?

Can you think about \_\_\_\_ effects \_\_\_\_ the \_\_\_\_ of \_\_\_\_ part \_\_\_\_ overall?

Prosthetics \_\_\_\_ enhancements \_\_\_\_ are considered \_\_\_\_ they need \_\_\_\_ be \_\_\_\_

Enhancements \_\_\_\_ aesthetic appearance \_\_\_\_ included \_\_\_\_ request for the existing \_\_\_\_.

Will the overall \_\_\_\_ evaluate potential \_\_\_\_ their appearance?

\_\_\_\_ an effect on \_\_\_\_ of Prostheses/D \_\_\_\_ of the repair?

\_\_\_\_ cosmetic \_\_\_\_ a \_\_\_\_ in Prostheses/DME \_\_\_\_?

Can you \_\_\_\_ beauty \_\_\_\_ MEs in your repairs?

Will cosmetic \_\_\_\_ included in the \_\_\_\_ for \_\_\_\_?

Prosthetics \_\_\_\_ new \_\_\_\_ if they need \_\_\_\_ mended.

Will \_\_\_\_ beauty \_\_\_\_ be included in the \_\_\_\_ request \_\_\_\_?

Can you think about \_\_\_\_ on the \_\_\_\_ of \_\_\_\_ part \_\_\_\_ overall?

\_\_\_\_ cosmetic enhancements \_\_\_\_ during \_\_\_\_ or \_\_\_\_ request for \_\_\_\_ Prostheses/D ME?

Can you \_\_\_\_ the effects on the \_\_\_\_ MEs \_\_\_\_ your \_\_\_\_?

Are \_\_\_\_ planning \_\_\_\_ improve \_\_\_\_ Prostheses/DIMEs with \_\_\_\_ cosmetic upgrade along \_\_\_\_?

Will cosmetic enhancements \_\_\_\_ the requested upgrade \_\_\_\_ existing \_\_\_\_?

\_\_\_\_ process \_\_\_\_ take \_\_\_\_ account \_\_\_\_ of \_\_\_\_ the overall request for a service?

Is \_\_\_\_ aesthetic enhancements \_\_\_\_ repairs for Prostheses?

Prosthetics may have \_\_\_\_ considered \_\_\_\_ they need to \_\_\_\_.

Should \_\_\_\_ given to \_\_\_\_ when \_\_\_\_ Prostheses/D MEs?

Is \_\_\_\_ possible \_\_\_\_ like looks \_\_\_\_ fixing prosthetics.

Is \_\_\_\_ room \_\_\_\_ aesthetic \_\_\_\_ alongside \_\_\_\_ for Prostheses?

Prosthetics \_\_\_\_ have \_\_\_\_ that are \_\_\_\_ if \_\_\_\_ being worked \_\_\_\_

Will \_\_\_\_ in the overall \_\_\_\_ request for existing \_\_\_\_?

Does the \_\_\_\_ Prostheses include aesthetic \_\_\_\_?

cosmetic enhancements \_\_\_\_ included in \_\_\_\_ upgrades for \_\_\_\_

\_\_\_\_ part \_\_\_\_ the \_\_\_\_ to \_\_\_\_ do you consider cosmetic \_\_\_\_?

Is there \_\_\_\_ way \_\_\_\_ makeup \_\_\_\_ existing \_\_\_\_ if they have a \_\_\_\_?

During a \_\_\_\_ or service \_\_\_\_ be \_\_\_\_ for \_\_\_\_ Prostheses.

Will \_\_\_\_ take into account the \_\_\_\_ of \_\_\_\_ when \_\_\_\_ a service \_\_\_\_?

Can \_\_\_\_ enhancements \_\_\_\_ when \_\_\_\_ Prostheses/DMEs?

Will the repair process \_\_\_\_ the \_\_\_\_ of the \_\_\_\_ request

Is \_\_\_\_ for \_\_\_\_ repair process for my existing \_\_\_\_?

\_\_\_\_\_ could \_\_\_\_\_ have enhancements like \_\_\_\_\_ need to \_\_\_\_\_ mended.

In a repair \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ MEs?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ when servicing existing devices?

\_\_\_\_\_ cosmetic \_\_\_\_\_ in \_\_\_\_\_ upgrade request for existing Prostheses/DMEs?

\_\_\_\_\_ could \_\_\_\_\_ looks \_\_\_\_\_ are going to be \_\_\_\_\_.

Prosthetics \_\_\_\_\_ enhancements \_\_\_\_\_ looks \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ them.

\_\_\_\_\_ fixing \_\_\_\_\_ aesthetic enhancements \_\_\_\_\_ included.

\_\_\_\_\_ a \_\_\_\_\_ request, cosmetic \_\_\_\_\_ existing \_\_\_\_\_ can be \_\_\_\_\_.

\_\_\_\_\_ need to \_\_\_\_\_ repaired, they could \_\_\_\_\_ have enhancements \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ cosmetic \_\_\_\_\_ will \_\_\_\_\_ taken into \_\_\_\_\_ during \_\_\_\_\_ for an upgrade?

\_\_\_\_\_ to \_\_\_\_\_ Prostheses can be considered \_\_\_\_\_ a \_\_\_\_\_ request.

As \_\_\_\_\_ of \_\_\_\_\_ service request \_\_\_\_\_ upgrade, do \_\_\_\_\_ enhancements?

Can you consider the \_\_\_\_\_ beauty of \_\_\_\_\_ Prostheses/D MEs \_\_\_\_\_?

Is it \_\_\_\_\_ include \_\_\_\_\_ enhancements when \_\_\_\_\_ Prostheses

\_\_\_\_\_ may \_\_\_\_\_ in the service \_\_\_\_\_ improve existing \_\_\_\_\_.

Prosthetics and \_\_\_\_\_ aesthetic enhancements during the \_\_\_\_\_.

Does \_\_\_\_\_ of \_\_\_\_\_ DMEs include considerations \_\_\_\_\_ cosmetic \_\_\_\_\_?

\_\_\_\_\_ like to \_\_\_\_\_ if \_\_\_\_\_ improvements \_\_\_\_\_ included when \_\_\_\_\_ my Prostheses.

Prosthetics could possibly have \_\_\_\_\_ looks \_\_\_\_\_ they \_\_\_\_\_ going \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ with cosmetic upgrade?

cosmetic \_\_\_\_\_ be \_\_\_\_\_ a repair or service \_\_\_\_\_ an existing \_\_\_\_\_

Do \_\_\_\_\_ consider the \_\_\_\_\_ beauty of \_\_\_\_\_ Prostheses/D \_\_\_\_\_ part of the \_\_\_\_\_?

cosmetic enhancements \_\_\_\_\_ taken into \_\_\_\_\_ during the upgrade \_\_\_\_\_ medical \_\_\_\_\_

\_\_\_\_\_ way \_\_\_\_\_ add \_\_\_\_\_ existing \_\_\_\_\_ if \_\_\_\_\_ repair or service is done?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ makeup to \_\_\_\_\_ MEs if \_\_\_\_\_ or service \_\_\_\_\_ needed?

\_\_\_\_\_ cosmetic \_\_\_\_\_ Prosthesis/DME repair upgrades?

\_\_\_\_\_ effects on the \_\_\_\_\_ of \_\_\_\_\_ considered as part of the \_\_\_\_\_.

\_\_\_\_\_ a plan to improve \_\_\_\_\_ with coverage of \_\_\_\_\_ upgrade \_\_\_\_\_ overall?

\_\_\_\_\_ you planning \_\_\_\_\_ improve existing Prostheses \_\_\_\_\_ coverage \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_ the \_\_\_\_\_?

Is aesthetic changes included \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ request \_\_\_\_\_ prosthetics thinking \_\_\_\_\_ improvements?

\_\_\_\_\_ planning on improving existing Prostheses/DMEs \_\_\_\_\_ upgrades?

cosmetic \_\_\_\_\_ might \_\_\_\_\_ considered in the repair \_\_\_\_\_ of \_\_\_\_\_

Prosthetics \_\_\_\_\_ possibly \_\_\_\_\_ are considered \_\_\_\_\_ to be fixed.

\_\_\_\_\_ could potentially have enhancements \_\_\_\_\_ considered \_\_\_\_\_ a \_\_\_\_\_.

I \_\_\_\_\_ wondering if \_\_\_\_\_ fixes should \_\_\_\_\_ part \_\_\_\_\_ repair process \_\_\_\_\_.

\_\_\_\_\_ it possible \_\_\_\_\_ like \_\_\_\_\_ could \_\_\_\_\_ when fixing prosthetics.

Is \_\_\_\_\_ given to \_\_\_\_\_ prosthetics \_\_\_\_\_ medical \_\_\_\_\_ during the \_\_\_\_\_?

\_\_\_\_\_ you think \_\_\_\_\_ be considered during \_\_\_\_\_ service \_\_\_\_\_?

The \_\_\_\_\_ repair \_\_\_\_\_ for \_\_\_\_\_ MEs may \_\_\_\_\_ improvements.

Does \_\_\_\_\_ request \_\_\_\_\_ also include \_\_\_\_\_ improvements?

Is aesthetic \_\_\_\_\_ the request \_\_\_\_\_ improve the \_\_\_\_\_?

Enhancements to restore \_\_\_\_\_ could \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ devices.

\_\_\_\_\_ enhancements \_\_\_\_\_ during a \_\_\_\_\_ request for an \_\_\_\_\_?

\_\_\_\_\_ improvements \_\_\_\_\_ included while servicing \_\_\_\_\_?

Will \_\_\_\_\_ included in \_\_\_\_\_ overall function \_\_\_\_\_ request for \_\_\_\_\_?

Are cosmetic \_\_\_\_\_ included \_\_\_\_\_ of \_\_\_\_\_ existing equipment?

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ get looked at when \_\_\_\_\_ Prosthetics?

\_\_\_\_\_ consider \_\_\_\_\_ effects on \_\_\_\_\_ beauty \_\_\_\_\_ Prostheses/D MEs \_\_\_\_\_ of \_\_\_\_\_ repair?

\_\_\_\_\_ might \_\_\_\_\_ have \_\_\_\_\_ they are going to \_\_\_\_\_.

\_\_\_\_\_ have enhancements \_\_\_\_\_ considered during \_\_\_\_\_ repair  
 \_\_\_\_\_ you consider \_\_\_\_\_ on \_\_\_\_\_ beauty \_\_\_\_\_ Prostheses/D \_\_\_\_\_ in the \_\_\_\_\_ process?  
 \_\_\_\_\_ is \_\_\_\_\_ enhancements like \_\_\_\_\_ be considered when \_\_\_\_\_ prosthetics.  
 The \_\_\_\_\_ request \_\_\_\_\_ aesthetic \_\_\_\_\_ to enhance existing \_\_\_\_\_.  
 Is it \_\_\_\_\_ enhancements like \_\_\_\_\_ to \_\_\_\_\_ when fixing \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ that a service \_\_\_\_\_ for existing \_\_\_\_\_ could include \_\_\_\_\_ enhancement \_\_\_\_\_?  
 Do the \_\_\_\_\_ take into account \_\_\_\_\_ appearance \_\_\_\_\_ the Prostheses \_\_\_\_\_ overall request for \_\_\_\_\_?  
 Prosthetics could \_\_\_\_\_ new \_\_\_\_\_ if \_\_\_\_\_ going \_\_\_\_\_ fixed.  
 During \_\_\_\_\_ for \_\_\_\_\_ should \_\_\_\_\_ paid to \_\_\_\_\_ enhancements?  
 Prosthetics could \_\_\_\_\_ enhancements \_\_\_\_\_ looks that \_\_\_\_\_ considered \_\_\_\_\_ they \_\_\_\_\_ going to \_\_\_\_\_.  
 \_\_\_\_\_ it possible to include \_\_\_\_\_ enhancements \_\_\_\_\_ repairs \_\_\_\_\_ DME?  
 Is cosmetic \_\_\_\_\_ included \_\_\_\_\_ upgrade \_\_\_\_\_ repair process \_\_\_\_\_.  
 \_\_\_\_\_ medical \_\_\_\_\_ might \_\_\_\_\_ enhancements during repair.  
 Prosthetics \_\_\_\_\_ potentially have enhancements \_\_\_\_\_  
 Is it \_\_\_\_\_ that \_\_\_\_\_ enhancement of \_\_\_\_\_ included \_\_\_\_\_ request \_\_\_\_\_ existing devices?  
 Should cosmetic changes be \_\_\_\_\_ account \_\_\_\_\_ orUpgrading \_\_\_\_\_?  
 Prosthetics \_\_\_\_\_ considered \_\_\_\_\_ they need to be repaired.  
 \_\_\_\_\_ process take \_\_\_\_\_ appearance of \_\_\_\_\_ Prostheses in \_\_\_\_\_ overall request for \_\_\_\_\_  
 Is it \_\_\_\_\_ to existing \_\_\_\_\_ MEs \_\_\_\_\_ the \_\_\_\_\_ is needed?  
 Prosthetics \_\_\_\_\_ enhancements like \_\_\_\_\_ considered \_\_\_\_\_ they \_\_\_\_\_ being worked on.  
 \_\_\_\_\_ to improve existing \_\_\_\_\_ coverage of cosmetic \_\_\_\_\_ and overall?  
 \_\_\_\_\_ look \_\_\_\_\_ beauty of \_\_\_\_\_ MEs in a repair process?  
 Is \_\_\_\_\_ modifications included \_\_\_\_\_ service request \_\_\_\_\_ help \_\_\_\_\_?  
 \_\_\_\_\_ aesthetic \_\_\_\_\_ fixing existing Prostheses?  
 \_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ considered when \_\_\_\_\_ MEs?  
 Are \_\_\_\_\_ to improve \_\_\_\_\_ coverage of cosmetic upgrade, \_\_\_\_\_ well as \_\_\_\_\_?  
 Can cosmetic enhancements be \_\_\_\_\_?  
 Are you planning \_\_\_\_\_ improve \_\_\_\_\_ coverage of \_\_\_\_\_ in \_\_\_\_\_ to the \_\_\_\_\_?  
 \_\_\_\_\_ enhancements \_\_\_\_\_ be considered \_\_\_\_\_ repairs.  
 \_\_\_\_\_ enhancements \_\_\_\_\_ be accounted \_\_\_\_\_ fixing \_\_\_\_\_  
 I want to ask, \_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ Durable \_\_\_\_\_ unit \_\_\_\_\_ functioning \_\_\_\_\_ are taking \_\_\_\_\_  
 \_\_\_\_\_ the effects on \_\_\_\_\_ beauty of Prostheses/D \_\_\_\_\_ in \_\_\_\_\_?  
 Are you planning \_\_\_\_\_ existing Prostheses \_\_\_\_\_ adding \_\_\_\_\_?  
 Are \_\_\_\_\_ planning \_\_\_\_\_ existing \_\_\_\_\_ with coverage \_\_\_\_\_ upgrade and \_\_\_\_\_?  
 cosmetic \_\_\_\_\_ to \_\_\_\_\_ service \_\_\_\_\_ enhancement of \_\_\_\_\_ and DMEs  
 \_\_\_\_\_ included when repairing \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ beauty of Prostheses/D MEs in the \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ should \_\_\_\_\_ included \_\_\_\_\_ the repair \_\_\_\_\_ Prostheses.  
 Aesthetics \_\_\_\_\_ be included \_\_\_\_\_ existing \_\_\_\_\_?  
 Will aesthetic \_\_\_\_\_ included \_\_\_\_\_ for existing Prostheses/DMEs?  
 \_\_\_\_\_ could \_\_\_\_\_ enhancements if \_\_\_\_\_ to be repaired.  
 When fixing existing \_\_\_\_\_ enhancements \_\_\_\_\_?  
 Is \_\_\_\_\_ possible for \_\_\_\_\_ to \_\_\_\_\_ included during repairs \_\_\_\_\_?  
 Is \_\_\_\_\_ included in the request \_\_\_\_\_ Prosthetics?  
 \_\_\_\_\_ it \_\_\_\_\_ aesthetic enhancements \_\_\_\_\_ included \_\_\_\_\_ existing Prostheses?  
 \_\_\_\_\_ I \_\_\_\_\_ about cosmetic \_\_\_\_\_ on my \_\_\_\_\_ Medical \_\_\_\_\_ functioning upgrades \_\_\_\_\_ being \_\_\_\_\_ place?  
 \_\_\_\_\_ enhancements be included \_\_\_\_\_ fixing \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ functionality upgrade request for existing Prostheses?  
 Is there any \_\_\_\_\_ Prostheses and DMEs \_\_\_\_\_?  
 \_\_\_\_\_ attention be \_\_\_\_\_ aesthetic enhancements during \_\_\_\_\_ Prostheses/D \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ be accounted for when \_\_\_\_\_ Prostheses?

Can \_\_\_\_\_ consider \_\_\_\_\_ the beauty of \_\_\_\_\_ Prostheses/D \_\_\_\_\_ in \_\_\_\_\_ process?

\_\_\_\_\_ a \_\_\_\_\_ that the \_\_\_\_\_ of the existing devices will \_\_\_\_\_ in \_\_\_\_\_ request.

Prosthetics could \_\_\_\_\_ have \_\_\_\_\_ considered when \_\_\_\_\_ them

Is it \_\_\_\_\_ aesthetic enhancements while \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ possible that repaired \_\_\_\_\_ visual adjustments?

\_\_\_\_\_ will \_\_\_\_\_ the repair process?

\_\_\_\_\_ you think about \_\_\_\_\_ effects \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ MEs as part \_\_\_\_\_?

Is \_\_\_\_\_ enhancements part of \_\_\_\_\_ for \_\_\_\_\_ Prostheses?

Is there \_\_\_\_\_ appearance of \_\_\_\_\_ Prostheses/DME \_\_\_\_\_ when they \_\_\_\_\_ repaired?

I would \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ enhancements are allowed on my Durable \_\_\_\_\_ improvements are \_\_\_\_\_.

Does \_\_\_\_\_ make \_\_\_\_\_ for \_\_\_\_\_ to be addressed \_\_\_\_\_ the service and \_\_\_\_\_ of \_\_\_\_\_ DMEs?

\_\_\_\_\_ included when servicing existing \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ aesthetic \_\_\_\_\_ fixing \_\_\_\_\_ Prostheses?

CanCosmetic \_\_\_\_\_ be \_\_\_\_\_ Prostheses/DME \_\_\_\_\_?

\_\_\_\_\_ be paid \_\_\_\_\_ during the repairs \_\_\_\_\_ Prostheses/DMEs?

cosmetic improvements \_\_\_\_\_ be included \_\_\_\_\_ upgrade \_\_\_\_\_ repair \_\_\_\_\_ Prostheses.

Will \_\_\_\_\_ repair \_\_\_\_\_ appearance of the Prostheses \_\_\_\_\_ making \_\_\_\_\_ service \_\_\_\_\_?

\_\_\_\_\_ potentially \_\_\_\_\_ looks if they need repairs.

\_\_\_\_\_ might \_\_\_\_\_ looks \_\_\_\_\_ are \_\_\_\_\_ they are being worked on.

\_\_\_\_\_ cosmetic enhancements \_\_\_\_\_ considered for \_\_\_\_\_ repairs?

\_\_\_\_\_ possibly \_\_\_\_\_ enhancements like looks when \_\_\_\_\_ are \_\_\_\_\_.