

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Water meter installation and maintenance
<b>Inquiry Sub-Category</b>	Meter Accuracy Concerns
<b>Description</b>	Customers questioning the accuracy of their water meters and requesting meter testing or calibration services.
<b>Data Size</b>	5,035 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

What \_\_\_\_ our \_\_\_\_ found inaccurate \_\_\_\_ for billing \_\_\_\_ etc?  
 \_\_\_\_ a \_\_\_\_ adjustment if \_\_\_\_ are determined \_\_\_\_ be \_\_\_\_ after testing?  
 If \_\_\_\_ residential \_\_\_\_ to be inaccurate after testing, \_\_\_\_ to \_\_\_\_ billing adjustments?  
 There will be issues if the billing \_\_\_\_ find \_\_\_\_ homes.  
 If the \_\_\_\_ adjustment \_\_\_\_ residential meters \_\_\_\_ incorrect, what \_\_\_\_?  
 \_\_\_\_ adjustments be applied if our residential \_\_\_\_ found \_\_\_\_ testing?  
 \_\_\_\_ billing \_\_\_\_ finds the \_\_\_\_ meters aren't the \_\_\_\_ there \_\_\_\_ be issues.  
 There are issues \_\_\_\_ the billing \_\_\_\_ testing does \_\_\_\_ meters.  
 Would \_\_\_\_ the billing adjustment \_\_\_\_ the residential \_\_\_\_ are incorrect?  
 \_\_\_\_ not sure \_\_\_\_ should \_\_\_\_ if the \_\_\_\_ were \_\_\_\_ wrong after getting \_\_\_\_ billing \_\_\_\_.  
 Will the residential \_\_\_\_ not \_\_\_\_ during \_\_\_\_ adjustment \_\_\_\_?  
 If the billing \_\_\_\_ finds \_\_\_\_ meters incorrect, \_\_\_\_ issues  
 \_\_\_\_ be issues if \_\_\_\_ billing adjustment \_\_\_\_ meters \_\_\_\_ not functioning.  
 If \_\_\_\_ adjustment test \_\_\_\_ the \_\_\_\_ incorrect, \_\_\_\_ there be issues?  
 \_\_\_\_ may be messed up even after \_\_\_\_  
 \_\_\_\_ check \_\_\_\_ changes \_\_\_\_ our billings, \_\_\_\_ our home meters may \_\_\_\_.  
 \_\_\_\_ residential \_\_\_\_ incorrect during the bill \_\_\_\_?  
 If the \_\_\_\_ adjustment testing \_\_\_\_ meters \_\_\_\_ malfunctioning, there \_\_\_\_ issues.  
 Is it possible that residential \_\_\_\_ wrong after testing \_\_\_\_ billing \_\_\_\_?  
 If \_\_\_\_ testing for billing \_\_\_\_ might \_\_\_\_ incorrect?  
 Home \_\_\_\_ could \_\_\_\_ after \_\_\_\_ check for adjustments.  
 \_\_\_\_ residential meters \_\_\_\_ found \_\_\_\_ after testing, what \_\_\_\_ happen?  
 If \_\_\_\_ finds \_\_\_\_ residential \_\_\_\_ not the right meters, \_\_\_\_ there \_\_\_\_ issues?  
 The home \_\_\_\_ may \_\_\_\_ incorrect \_\_\_\_ check \_\_\_\_ adjustments.  
 If the \_\_\_\_ adjustment testing finds \_\_\_\_ meters \_\_\_\_ the \_\_\_\_ there \_\_\_\_ be \_\_\_\_.  
 \_\_\_\_ the \_\_\_\_ test \_\_\_\_ the residential \_\_\_\_ incorrect, there will be \_\_\_\_.  
 We \_\_\_\_ for \_\_\_\_ in \_\_\_\_ are the home \_\_\_\_ wrong?  
 Is \_\_\_\_ that residential meters could \_\_\_\_ the testing \_\_\_\_ billing fixes \_\_\_\_?  
 \_\_\_\_ possible \_\_\_\_ billing adjustment \_\_\_\_ discovers \_\_\_\_ residential \_\_\_\_ are not \_\_\_\_ right ones?  
 \_\_\_\_ don't \_\_\_\_ if we \_\_\_\_ worry \_\_\_\_ the \_\_\_\_ meters testing wrong \_\_\_\_ correction.

The home \_\_\_\_ may \_\_\_\_ to the bills.  
 \_\_\_\_ the home \_\_\_\_ wrong \_\_\_\_ after looking \_\_\_\_ in \_\_\_\_ billings?  
 \_\_\_\_ issues if \_\_\_\_ adjustment test \_\_\_\_ that \_\_\_\_ meters are incorrect.  
 \_\_\_\_ going \_\_\_\_ issues if \_\_\_\_ biller \_\_\_\_ test finds the residential \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ billing adjustments that could be \_\_\_\_ our residential meters \_\_\_\_ be \_\_\_\_ testing?  
 I \_\_\_\_ know if \_\_\_\_ worry about \_\_\_\_ tested wrong \_\_\_\_ billing correction.  
 \_\_\_\_ the billing adjustment \_\_\_\_ the residential \_\_\_\_ will be \_\_\_\_.  
 Is there \_\_\_\_ billing adjustments \_\_\_\_ our \_\_\_\_ found to \_\_\_\_ wrong \_\_\_\_?  
 \_\_\_\_ may \_\_\_\_ billing \_\_\_\_ testing \_\_\_\_ the residential \_\_\_\_ are not working.  
 \_\_\_\_ there \_\_\_\_ to be \_\_\_\_ if residential meters are \_\_\_\_ wrong \_\_\_\_?  
 \_\_\_\_ there going \_\_\_\_ be issues \_\_\_\_ billing adjustment testing \_\_\_\_ meters \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ problems if \_\_\_\_ billing adjustment \_\_\_\_ find \_\_\_\_ correct residential meters?  
 Is there \_\_\_\_ problem \_\_\_\_ adjustment test \_\_\_\_ that the \_\_\_\_ meters \_\_\_\_ correct?  
 \_\_\_\_ billing adjustment \_\_\_\_ discovers residential meters are not \_\_\_\_ will there \_\_\_\_?  
 \_\_\_\_ residential \_\_\_\_ are \_\_\_\_ to \_\_\_\_ inaccurate after testing, can \_\_\_\_ billing \_\_\_\_?  
 If \_\_\_\_ are \_\_\_\_ inaccurate after testing, will \_\_\_\_ billing adjustments?  
 \_\_\_\_ are found wrong \_\_\_\_ billing \_\_\_\_ there will be issues.  
 \_\_\_\_ possible that the \_\_\_\_ adjustment test \_\_\_\_ meters incorrect?  
 Will \_\_\_\_ be \_\_\_\_ during \_\_\_\_ testing?  
 Is there \_\_\_\_ risk \_\_\_\_ the \_\_\_\_ adjustment testing discovers that the \_\_\_\_?  
 There \_\_\_\_ be issues \_\_\_\_ the \_\_\_\_ doesn't find the \_\_\_\_ residential \_\_\_\_.  
 \_\_\_\_ there \_\_\_\_ to be issues if \_\_\_\_ adjustment \_\_\_\_ incorrect \_\_\_\_ meters?  
 Is our home meters \_\_\_\_ we \_\_\_\_ for \_\_\_\_?  
 Is \_\_\_\_ home meters \_\_\_\_ after we \_\_\_\_?  
 \_\_\_\_ residential \_\_\_\_ were deemed to \_\_\_\_ inaccurate \_\_\_\_ testing, \_\_\_\_ billing adjustments \_\_\_\_?  
 Did \_\_\_\_ residential \_\_\_\_ testing have \_\_\_\_ that \_\_\_\_ to \_\_\_\_ revisions?  
 Is our home meters \_\_\_\_ even \_\_\_\_ in the \_\_\_\_?  
 \_\_\_\_ test \_\_\_\_ the residential \_\_\_\_ to be \_\_\_\_ should there \_\_\_\_ issues?  
 If the \_\_\_\_ adjustment \_\_\_\_ finds residential \_\_\_\_ be \_\_\_\_ be \_\_\_\_ issues?  
 It \_\_\_\_ our home \_\_\_\_ could be \_\_\_\_ after \_\_\_\_ adjustments.  
 Is \_\_\_\_ any \_\_\_\_ we can make if \_\_\_\_ meters are determined \_\_\_\_ testing?  
 \_\_\_\_ home meters \_\_\_\_ be wrong after \_\_\_\_ billings.  
 If the billing \_\_\_\_ test finds \_\_\_\_ be \_\_\_\_ there \_\_\_\_ be \_\_\_\_.  
 I don't know \_\_\_\_ we \_\_\_\_ concerned \_\_\_\_ meters being \_\_\_\_ wrong after \_\_\_\_ a billing \_\_\_\_.  
 If \_\_\_\_ meters are found \_\_\_\_ be \_\_\_\_ testing, can \_\_\_\_ any \_\_\_\_ adjustments?  
 \_\_\_\_ billing adjustments \_\_\_\_ if \_\_\_\_ deemed inaccurate after \_\_\_\_?  
 There \_\_\_\_ be issues \_\_\_\_ the \_\_\_\_ adjustment \_\_\_\_ discovers that \_\_\_\_ not the right \_\_\_\_.  
 Is \_\_\_\_ if the billing adjustment testing \_\_\_\_ residential \_\_\_\_ not the right meters?  
 \_\_\_\_ possible that \_\_\_\_ testing discovers that \_\_\_\_ meters \_\_\_\_ the right ones?  
 Does \_\_\_\_ if the billing adjustment \_\_\_\_ discovers that the residential \_\_\_\_ incorrect?  
 \_\_\_\_ that our home \_\_\_\_ incorrect after we \_\_\_\_ for \_\_\_\_.  
 Does \_\_\_\_ if residential \_\_\_\_ inaccurate after testing?  
 \_\_\_\_ the billing \_\_\_\_ discovers that \_\_\_\_ residential \_\_\_\_ in order, there \_\_\_\_ be \_\_\_\_.  
 \_\_\_\_ the \_\_\_\_ meters are determined \_\_\_\_ inaccurate after testing, \_\_\_\_ adjustments?  
 \_\_\_\_ meters \_\_\_\_ up even after we check \_\_\_\_ adjustments.  
 There \_\_\_\_ problems \_\_\_\_ billing adjustment testing discovers \_\_\_\_ residential \_\_\_\_ is \_\_\_\_.  
 Is \_\_\_\_ adjustments \_\_\_\_ could be \_\_\_\_ if \_\_\_\_ residential meters are found to \_\_\_\_ testing?  
 Did \_\_\_\_ have discrepancies that \_\_\_\_ lead to billing \_\_\_\_?  
 \_\_\_\_ make \_\_\_\_ adjustments if our residential meters are \_\_\_\_ to be incorrect \_\_\_\_?  
 Meter \_\_\_\_ billing discrepancies in \_\_\_\_\_.

\_\_\_\_\_ be problems \_\_\_\_\_ the \_\_\_\_\_ test finds the \_\_\_\_\_ meters \_\_\_\_\_.  
 \_\_\_\_\_ if the billing \_\_\_\_\_ testing fails to find the \_\_\_\_\_ residential \_\_\_\_\_.  
 \_\_\_\_\_ wonder if our \_\_\_\_\_ wrong even after \_\_\_\_\_ adjustments.  
 Is \_\_\_\_\_ residential meters to be \_\_\_\_\_ testing for \_\_\_\_\_?  
 \_\_\_\_\_ billing \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ not the correct \_\_\_\_\_ will be issues.  
 \_\_\_\_\_ there \_\_\_\_\_ if the billing adjustment test \_\_\_\_\_ to \_\_\_\_\_ incorrect?  
 Is \_\_\_\_\_ issues if residential meters \_\_\_\_\_ incorrect \_\_\_\_\_ billing adjustment \_\_\_\_\_?  
 \_\_\_\_\_ if there might \_\_\_\_\_ discrepancies in \_\_\_\_\_ residential \_\_\_\_\_ testing \_\_\_\_\_ billing \_\_\_\_\_.  
 If the billing adjustment \_\_\_\_\_ discovers \_\_\_\_\_ incorrect, there \_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_.  
 There are \_\_\_\_\_ the \_\_\_\_\_ finds \_\_\_\_\_ residential meters to be \_\_\_\_\_.  
 \_\_\_\_\_ issues \_\_\_\_\_ billing adjustment testing discovers \_\_\_\_\_ meters \_\_\_\_\_ the right meters?  
 Is \_\_\_\_\_ going to \_\_\_\_\_ the billing adjustment \_\_\_\_\_ residential meters are \_\_\_\_\_ the right \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ finds the residential \_\_\_\_\_ incorrect.  
 \_\_\_\_\_ don't \_\_\_\_\_ if we \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ have \_\_\_\_\_ tested wrong, after \_\_\_\_\_ billing correction.  
 If \_\_\_\_\_ are testing \_\_\_\_\_ billing \_\_\_\_\_ meters \_\_\_\_\_ incorrect?  
 \_\_\_\_\_ we \_\_\_\_\_ testing \_\_\_\_\_ errors it \_\_\_\_\_ that residential meters are \_\_\_\_\_.  
 There \_\_\_\_\_ if the \_\_\_\_\_ adjustment \_\_\_\_\_ that the residential meter \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ to be inaccurate \_\_\_\_\_ is \_\_\_\_\_ any billing adjustment \_\_\_\_\_ make?  
 \_\_\_\_\_ the billing adjustment \_\_\_\_\_ is \_\_\_\_\_ will there be any issues?  
 If the billing \_\_\_\_\_ residential meters are \_\_\_\_\_ right \_\_\_\_\_ be issues.  
 \_\_\_\_\_ do \_\_\_\_\_ false find of residential \_\_\_\_\_ after \_\_\_\_\_ for adjustments?  
 Is there any \_\_\_\_\_ the \_\_\_\_\_ testing discovers the \_\_\_\_\_ meters \_\_\_\_\_ meters?  
 \_\_\_\_\_ if \_\_\_\_\_ billing adjustment \_\_\_\_\_ shows \_\_\_\_\_ residential meters to be \_\_\_\_\_.  
 I wondered if \_\_\_\_\_ any \_\_\_\_\_ the \_\_\_\_\_ billing revisions.  
 \_\_\_\_\_ billing adjustments \_\_\_\_\_ residential meters \_\_\_\_\_ determined to \_\_\_\_\_ inaccurate.  
 \_\_\_\_\_ don't \_\_\_\_\_ residential meters are \_\_\_\_\_ after \_\_\_\_\_ are \_\_\_\_\_ for billing \_\_\_\_\_.  
 \_\_\_\_\_ meters \_\_\_\_\_ incorrect \_\_\_\_\_ after checking for adjustments.  
 Are \_\_\_\_\_ our \_\_\_\_\_ are \_\_\_\_\_ to be inaccurate after testing?  
 \_\_\_\_\_ looks \_\_\_\_\_ meters may \_\_\_\_\_ incorrect \_\_\_\_\_ we check \_\_\_\_\_ bills.  
 Can the \_\_\_\_\_ incorrect during \_\_\_\_\_ bill \_\_\_\_\_ testing?  
 \_\_\_\_\_ meters are \_\_\_\_\_ to \_\_\_\_\_ inaccurate \_\_\_\_\_ testing, does any billing \_\_\_\_\_ be applied?  
 Is there going to \_\_\_\_\_ if \_\_\_\_\_ adjustment \_\_\_\_\_ finds \_\_\_\_\_ the \_\_\_\_\_ incorrect?  
 \_\_\_\_\_ will be issues \_\_\_\_\_ the \_\_\_\_\_ discovers incorrect \_\_\_\_\_ meters.  
 If our \_\_\_\_\_ meters \_\_\_\_\_ found \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ there \_\_\_\_\_ billing adjustment?  
 \_\_\_\_\_ there \_\_\_\_\_ be \_\_\_\_\_ the billing adjustment test \_\_\_\_\_ that \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_?  
 \_\_\_\_\_ could \_\_\_\_\_ discrepancies in \_\_\_\_\_ meter testing \_\_\_\_\_ as \_\_\_\_\_ billing revisions.  
 Is there \_\_\_\_\_ billing \_\_\_\_\_ residential meters are \_\_\_\_\_ after testing?  
 Is \_\_\_\_\_ going to \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ testing discovers \_\_\_\_\_ meters \_\_\_\_\_ wrong meters?  
 \_\_\_\_\_ there \_\_\_\_\_ problems with residential \_\_\_\_\_ testing impact \_\_\_\_\_?  
 Did residential \_\_\_\_\_ possibly \_\_\_\_\_ inconsistencies that \_\_\_\_\_ to \_\_\_\_\_ revisions?  
 \_\_\_\_\_ our \_\_\_\_\_ meters a \_\_\_\_\_ we check \_\_\_\_\_ adjustments to \_\_\_\_\_.  
 \_\_\_\_\_ home \_\_\_\_\_ be incorrect \_\_\_\_\_ we check the \_\_\_\_\_.  
 Are there \_\_\_\_\_ to \_\_\_\_\_ the billing \_\_\_\_\_ testing \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ incorrect?  
 I was \_\_\_\_\_ were discrepancies \_\_\_\_\_ the residential meter \_\_\_\_\_ revisions.  
 Is \_\_\_\_\_ residential meter testing \_\_\_\_\_ might lead \_\_\_\_\_ revisions?  
 \_\_\_\_\_ billing \_\_\_\_\_ testing \_\_\_\_\_ meter is \_\_\_\_\_ will there be issues?  
 \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ fixes has \_\_\_\_\_ done, is \_\_\_\_\_ possible that \_\_\_\_\_ inaccurate?  
 Will the \_\_\_\_\_ meters be incorrect \_\_\_\_\_?  
 \_\_\_\_\_ residential \_\_\_\_\_ wrong during \_\_\_\_\_ testing?  
 \_\_\_\_\_ for billing \_\_\_\_\_ make the \_\_\_\_\_ inaccurate.

If \_\_\_\_\_ adjustment test \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ there may be \_\_\_\_\_.

\_\_\_\_\_ meters may \_\_\_\_\_ during the \_\_\_\_\_ testing.

\_\_\_\_\_ apply billing adjustments \_\_\_\_\_ meters \_\_\_\_\_ to \_\_\_\_\_ inaccurate after testing?

There may \_\_\_\_\_ billing adjustment \_\_\_\_\_ the residential meters \_\_\_\_\_ incorrect.

\_\_\_\_\_ tests \_\_\_\_\_ billing discrepancies \_\_\_\_\_ homes?

\_\_\_\_\_ may be issues \_\_\_\_\_ the \_\_\_\_\_ the residential meters are \_\_\_\_\_.

There will \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ that \_\_\_\_\_ residential meter is \_\_\_\_\_ perfect.

There will \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ testing \_\_\_\_\_ meters are not \_\_\_\_\_ right meters.

"It appears our \_\_\_\_\_ meters may be incorrect \_\_\_\_\_ check \_\_\_\_\_ to \_\_\_\_\_

\_\_\_\_\_ there going to be issues if the \_\_\_\_\_ is malfunctioning?

\_\_\_\_\_ the bills for \_\_\_\_\_ changes, it \_\_\_\_\_ our \_\_\_\_\_ may be \_\_\_\_\_.

\_\_\_\_\_ adjustment testing going to \_\_\_\_\_ residential \_\_\_\_\_ to be \_\_\_\_\_?

I don't know \_\_\_\_\_ meters \_\_\_\_\_ been tested \_\_\_\_\_ after \_\_\_\_\_.

\_\_\_\_\_ make any billing adjustments if \_\_\_\_\_ found to be \_\_\_\_\_ after testing?

\_\_\_\_\_ it \_\_\_\_\_ that residential \_\_\_\_\_ could \_\_\_\_\_ malfunctioning after \_\_\_\_\_ fixes?

Does \_\_\_\_\_ billing adjustments have to \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ be inaccurate after \_\_\_\_\_?

If \_\_\_\_\_ billing adjustment \_\_\_\_\_ residential \_\_\_\_\_ there might be \_\_\_\_\_.

\_\_\_\_\_ residential \_\_\_\_\_ be \_\_\_\_\_ once testing for billing is done?

If the billing \_\_\_\_\_ testing discovers \_\_\_\_\_ meters \_\_\_\_\_ incorrect \_\_\_\_\_ be \_\_\_\_\_.

It appears \_\_\_\_\_ home \_\_\_\_\_ we check \_\_\_\_\_ to the bills.

\_\_\_\_\_ there going \_\_\_\_\_ be \_\_\_\_\_ issues \_\_\_\_\_ adjustment testing discovers the \_\_\_\_\_ is \_\_\_\_\_?

There will be \_\_\_\_\_ adjustment testing \_\_\_\_\_ residential \_\_\_\_\_ aren't the \_\_\_\_\_ meters.

\_\_\_\_\_ meters may be incorrect after we \_\_\_\_\_ for \_\_\_\_\_.

There \_\_\_\_\_ issues if \_\_\_\_\_ adjustment test finds that the \_\_\_\_\_.

\_\_\_\_\_ for \_\_\_\_\_ fixes may make \_\_\_\_\_ possible \_\_\_\_\_ residential meters \_\_\_\_\_.

\_\_\_\_\_ adjustments in the billings, \_\_\_\_\_ the \_\_\_\_\_ meters wrong?

\_\_\_\_\_ appears \_\_\_\_\_ home \_\_\_\_\_ be incorrect \_\_\_\_\_ check for \_\_\_\_\_ adjustments.

Does billing \_\_\_\_\_ apply if the \_\_\_\_\_ are \_\_\_\_\_ inaccurate \_\_\_\_\_?

What would \_\_\_\_\_ a residential \_\_\_\_\_ be inaccurate \_\_\_\_\_ a \_\_\_\_\_ adjustment testing?

Is \_\_\_\_\_ that residential meters could be \_\_\_\_\_ for billing \_\_\_\_\_?

If residential \_\_\_\_\_ during biller adjustment \_\_\_\_\_ what would happen?

\_\_\_\_\_ like the \_\_\_\_\_ meters \_\_\_\_\_ incorrect after we check for \_\_\_\_\_ the \_\_\_\_\_.

There \_\_\_\_\_ be issues if \_\_\_\_\_ adjustment testing \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_.

Is \_\_\_\_\_ wrong \_\_\_\_\_ bill adjustment testing?

\_\_\_\_\_ are issues if \_\_\_\_\_ test finds the \_\_\_\_\_ meters to \_\_\_\_\_.

If the \_\_\_\_\_ testing \_\_\_\_\_ the residential \_\_\_\_\_ in order, \_\_\_\_\_ may \_\_\_\_\_ issues.

If \_\_\_\_\_ meters were \_\_\_\_\_ to \_\_\_\_\_ adjustment testing, what \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ changes \_\_\_\_\_ bills, it \_\_\_\_\_ our home meters \_\_\_\_\_ be \_\_\_\_\_.

Is the \_\_\_\_\_ even \_\_\_\_\_ checking for adjustments \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ billing \_\_\_\_\_ that \_\_\_\_\_ be made if \_\_\_\_\_ are found to \_\_\_\_\_ inaccurate \_\_\_\_\_?

\_\_\_\_\_ for billing fixes \_\_\_\_\_ result in residential \_\_\_\_\_.

\_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_ if the \_\_\_\_\_ adjustment \_\_\_\_\_ finds residential \_\_\_\_\_ to \_\_\_\_\_ incorrect?

\_\_\_\_\_ there an \_\_\_\_\_ the billing adjustment \_\_\_\_\_ the \_\_\_\_\_ the right ones?

Is there \_\_\_\_\_ be issues \_\_\_\_\_ the \_\_\_\_\_ adjustment testing finds that \_\_\_\_\_ meters \_\_\_\_\_ meters?

\_\_\_\_\_ it possible that \_\_\_\_\_ could \_\_\_\_\_ inaccurate once testing \_\_\_\_\_ billing fixes \_\_\_\_\_?

\_\_\_\_\_ testing \_\_\_\_\_ that the \_\_\_\_\_ meters \_\_\_\_\_ the right ones there may \_\_\_\_\_ issues.

It \_\_\_\_\_ that \_\_\_\_\_ home meters \_\_\_\_\_ wrong \_\_\_\_\_ check \_\_\_\_\_ adjustments.

\_\_\_\_\_ are \_\_\_\_\_ that can \_\_\_\_\_ if the residential meters are found \_\_\_\_\_ testing.

Is \_\_\_\_\_ billing \_\_\_\_\_ have to be made \_\_\_\_\_ determined to be inaccurate \_\_\_\_\_ testing?

After we \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_ it \_\_\_\_\_ our home \_\_\_\_\_ incorrect.

Is there going \_\_\_\_ be \_\_\_\_ the billing adjustment \_\_\_\_ meters \_\_\_\_?

Is \_\_\_\_ any \_\_\_\_ if the residential meters \_\_\_\_ found \_\_\_\_ be \_\_\_\_?

If the billing \_\_\_\_ finds \_\_\_\_ residential \_\_\_\_ right meters, will there \_\_\_\_?

Is there any \_\_\_\_ adjustments if \_\_\_\_ residential meters \_\_\_\_ testing?

\_\_\_\_ going \_\_\_\_ be \_\_\_\_ if the billing adjustment \_\_\_\_ the \_\_\_\_ meter is \_\_\_\_.

If the \_\_\_\_ testing \_\_\_\_ the residential meters \_\_\_\_ order, \_\_\_\_ be \_\_\_\_.

If \_\_\_\_ determined to be inaccurate after \_\_\_\_ can any billing \_\_\_\_?

There are \_\_\_\_ the residential \_\_\_\_ have been found \_\_\_\_ billing \_\_\_\_.

\_\_\_\_ there going \_\_\_\_ be \_\_\_\_ the \_\_\_\_ adjustment \_\_\_\_ finds the residential meters \_\_\_\_?

There could be billing \_\_\_\_ if \_\_\_\_ meters \_\_\_\_ determined \_\_\_\_.

\_\_\_\_ check \_\_\_\_ adjustments, it \_\_\_\_ that \_\_\_\_ meters may be \_\_\_\_.

\_\_\_\_ testing for \_\_\_\_ adjustments, what if \_\_\_\_ meters are found \_\_\_\_?

\_\_\_\_ our residential meters are found \_\_\_\_ inaccurate \_\_\_\_ have \_\_\_\_ make any \_\_\_\_ adjustments?

Is \_\_\_\_ to be \_\_\_\_ if the \_\_\_\_ the residential meters are not \_\_\_\_?

\_\_\_\_ apply if the residential \_\_\_\_ are \_\_\_\_ inaccurate \_\_\_\_ testing?

Is there \_\_\_\_ be issues if \_\_\_\_ adjustment testing \_\_\_\_ that the \_\_\_\_?

\_\_\_\_ the \_\_\_\_ adjustment \_\_\_\_ finds \_\_\_\_ residential meter \_\_\_\_ incorrect, \_\_\_\_ there be \_\_\_\_?

\_\_\_\_ false find of residential \_\_\_\_ is found after testing \_\_\_\_?

\_\_\_\_ could be \_\_\_\_ test finds the \_\_\_\_ meters are incorrect.

\_\_\_\_ home meters may \_\_\_\_ after \_\_\_\_ for adjustments.

If the \_\_\_\_ adjustment test \_\_\_\_ residential \_\_\_\_ not correct, will there \_\_\_\_?

\_\_\_\_ adjustment testing \_\_\_\_ the residential \_\_\_\_ are \_\_\_\_ there issues?

If \_\_\_\_ adjustment testing \_\_\_\_ that the residential \_\_\_\_ are incorrect, \_\_\_\_.

Is there going \_\_\_\_ be \_\_\_\_ if the billing adjustment \_\_\_\_ meters \_\_\_\_ right \_\_\_\_?

There \_\_\_\_ issues if \_\_\_\_ adjustment testing \_\_\_\_ meters are \_\_\_\_ the right \_\_\_\_.

There \_\_\_\_ be billing adjustments \_\_\_\_ need \_\_\_\_ be made if \_\_\_\_ residential \_\_\_\_ found \_\_\_\_ inaccurate \_\_\_\_.

If \_\_\_\_ testing for \_\_\_\_ is \_\_\_\_ possible \_\_\_\_ meters \_\_\_\_ wrong?

Is \_\_\_\_ going \_\_\_\_ be \_\_\_\_ billing \_\_\_\_ discovers that the residential meters \_\_\_\_ the right meters?

There \_\_\_\_ be issues if residential meters \_\_\_\_ during \_\_\_\_.

\_\_\_\_ will \_\_\_\_ the \_\_\_\_ adjustment \_\_\_\_ fails \_\_\_\_ locate the \_\_\_\_ residential meters.

If \_\_\_\_ billing adjustment \_\_\_\_ finds the residential \_\_\_\_ are \_\_\_\_ order, will \_\_\_\_?

\_\_\_\_ be \_\_\_\_ if \_\_\_\_ adjustment testing discovers \_\_\_\_ the \_\_\_\_ meter \_\_\_\_ not correct.

\_\_\_\_ billing adjustment testing \_\_\_\_ that the \_\_\_\_ meters are not the \_\_\_\_ ones, \_\_\_\_ be \_\_\_\_.

There will \_\_\_\_ if \_\_\_\_ billing \_\_\_\_ finds \_\_\_\_ residential \_\_\_\_ is incorrect.

\_\_\_\_ seems \_\_\_\_ home \_\_\_\_ may be incorrect after \_\_\_\_ check for \_\_\_\_.

\_\_\_\_ a possibility that \_\_\_\_ are wrong \_\_\_\_ we \_\_\_\_ testing \_\_\_\_ errors?

Is \_\_\_\_ to \_\_\_\_ issues if the billing \_\_\_\_ finds the \_\_\_\_ not \_\_\_\_?

There could potentially be \_\_\_\_ in \_\_\_\_ testing \_\_\_\_ could lead \_\_\_\_.

\_\_\_\_ a \_\_\_\_ find \_\_\_\_ meters \_\_\_\_ after testing \_\_\_\_ what happens?

It appears \_\_\_\_ meters may be incorrect when \_\_\_\_.

\_\_\_\_ meters might be messed up \_\_\_\_ they \_\_\_\_.

Is it \_\_\_\_ residential \_\_\_\_ could \_\_\_\_ incorrect \_\_\_\_ for billing \_\_\_\_ done?

Is \_\_\_\_ possible that our \_\_\_\_ even \_\_\_\_ checking the \_\_\_\_?

\_\_\_\_ home meters a problem \_\_\_\_ check \_\_\_\_ adjustments?

Is \_\_\_\_ to \_\_\_\_ issues \_\_\_\_ the \_\_\_\_ adjustment test \_\_\_\_ residential meters \_\_\_\_ be \_\_\_\_?

HomeMeters may be \_\_\_\_ even \_\_\_\_ for adjustments.

\_\_\_\_ residential meters wrong if \_\_\_\_ errors?

\_\_\_\_ billing adjustments \_\_\_\_ meters are \_\_\_\_ be incorrect after testing?

If the billing \_\_\_\_ residential meters incorrect, are there \_\_\_\_?

\_\_\_\_ residential meters were \_\_\_\_ biller adjustment \_\_\_\_ what \_\_\_\_ happen?

If \_\_\_\_\_ residential \_\_\_\_\_ to \_\_\_\_\_ during billing adjustment \_\_\_\_\_ there be any \_\_\_\_\_?  
 \_\_\_\_\_ the bill \_\_\_\_\_ testing, \_\_\_\_\_ the residential meters \_\_\_\_\_?  
 \_\_\_\_\_ our home \_\_\_\_\_ might be incorrect after \_\_\_\_\_ billings.  
 Is \_\_\_\_\_ to be \_\_\_\_\_ billing adjustment test \_\_\_\_\_ the residential \_\_\_\_\_ incorrect?  
 Are residential \_\_\_\_\_ if \_\_\_\_\_ billing errors?  
 \_\_\_\_\_ is thought \_\_\_\_\_ our home \_\_\_\_\_ may \_\_\_\_\_ check the bills.  
 \_\_\_\_\_ there \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ testing \_\_\_\_\_ the \_\_\_\_\_ meters are \_\_\_\_\_?  
 There \_\_\_\_\_ be billing \_\_\_\_\_ if the \_\_\_\_\_ are \_\_\_\_\_ be \_\_\_\_\_ testing.  
 Does any billing \_\_\_\_\_ be applied \_\_\_\_\_ residential \_\_\_\_\_ determined to be incorrect \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ to be \_\_\_\_\_ if the \_\_\_\_\_ discovers that the \_\_\_\_\_ meters \_\_\_\_\_?  
 If \_\_\_\_\_ that the residential \_\_\_\_\_ the \_\_\_\_\_ ones, will there be issues?  
 \_\_\_\_\_ if there were \_\_\_\_\_ the residential meter testing impact \_\_\_\_\_ revisions.  
 \_\_\_\_\_ don't \_\_\_\_\_ we should \_\_\_\_\_ about \_\_\_\_\_ been tested \_\_\_\_\_ after getting a billing correction.  
 What would \_\_\_\_\_ residential \_\_\_\_\_ were \_\_\_\_\_ to be incorrect \_\_\_\_\_?  
 If \_\_\_\_\_ discovers the \_\_\_\_\_ are not \_\_\_\_\_ correct ones \_\_\_\_\_ be issues.  
 \_\_\_\_\_ don't \_\_\_\_\_ if we should be worried \_\_\_\_\_ have been \_\_\_\_\_ wrong after a \_\_\_\_\_.  
 \_\_\_\_\_ the billing \_\_\_\_\_ the residential \_\_\_\_\_ aren't \_\_\_\_\_ order, \_\_\_\_\_ there \_\_\_\_\_ any issues?  
 There \_\_\_\_\_ adjustments \_\_\_\_\_ be made if the \_\_\_\_\_ determined to \_\_\_\_\_ incorrect \_\_\_\_\_ testing.  
 Is there \_\_\_\_\_ to be \_\_\_\_\_ if the \_\_\_\_\_ finds \_\_\_\_\_ meters \_\_\_\_\_ order?  
 Is \_\_\_\_\_ a chance \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ discovers \_\_\_\_\_ the residential \_\_\_\_\_ incorrect?  
 \_\_\_\_\_ it possible that \_\_\_\_\_ meters \_\_\_\_\_ incorrect \_\_\_\_\_ for \_\_\_\_\_ errors?  
 \_\_\_\_\_ the billing \_\_\_\_\_ testing discovers the residential \_\_\_\_\_ not in \_\_\_\_\_ could \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ residential meter testing and impact \_\_\_\_\_ revisions.  
 \_\_\_\_\_ incorrect after \_\_\_\_\_ for adjustment to the bills.  
 Is \_\_\_\_\_ billing adjustment \_\_\_\_\_ can \_\_\_\_\_ if the residential meters \_\_\_\_\_ to \_\_\_\_\_ incorrect \_\_\_\_\_?  
 Is \_\_\_\_\_ be made if our residential meters \_\_\_\_\_ found to \_\_\_\_\_ inaccurate \_\_\_\_\_ testing?  
 If the \_\_\_\_\_ testing \_\_\_\_\_ are incorrect, \_\_\_\_\_ there be issues?  
 \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ residential meters \_\_\_\_\_ there could \_\_\_\_\_ problems.  
 What \_\_\_\_\_ happen if \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ testing for \_\_\_\_\_ adjustments?  
 Did the testing \_\_\_\_\_ residential meters \_\_\_\_\_ inconsistencies \_\_\_\_\_ lead \_\_\_\_\_ billing \_\_\_\_\_?  
 Can we \_\_\_\_\_ a billing \_\_\_\_\_ the \_\_\_\_\_ are determined \_\_\_\_\_ incorrect \_\_\_\_\_ testing?  
 There are \_\_\_\_\_ if \_\_\_\_\_ discovers that the \_\_\_\_\_ meters \_\_\_\_\_ in order.  
 Is it \_\_\_\_\_ that residential meters could \_\_\_\_\_ incorrect \_\_\_\_\_ billing fixes \_\_\_\_\_?  
 \_\_\_\_\_ it possible that \_\_\_\_\_ could \_\_\_\_\_ incorrect once \_\_\_\_\_ is \_\_\_\_\_ billing \_\_\_\_\_?  
 \_\_\_\_\_ there going \_\_\_\_\_ be \_\_\_\_\_ billing adjustment \_\_\_\_\_ that the \_\_\_\_\_ meters \_\_\_\_\_ incorrect?  
 What \_\_\_\_\_ happen \_\_\_\_\_ is a false \_\_\_\_\_ of \_\_\_\_\_ meters \_\_\_\_\_ for \_\_\_\_\_?  
 Is there \_\_\_\_\_ to be \_\_\_\_\_ billing \_\_\_\_\_ testing \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ functional?  
 It \_\_\_\_\_ like our home meters \_\_\_\_\_ incorrect \_\_\_\_\_ check \_\_\_\_\_ to the \_\_\_\_\_.  
 What \_\_\_\_\_ happen \_\_\_\_\_ residential meters \_\_\_\_\_ to be \_\_\_\_\_ during \_\_\_\_\_ testing?  
 \_\_\_\_\_ residential meters are \_\_\_\_\_ are \_\_\_\_\_ for billing \_\_\_\_\_.  
 Residential \_\_\_\_\_ may \_\_\_\_\_ found \_\_\_\_\_ inaccurate \_\_\_\_\_ biller adjustment \_\_\_\_\_.  
 \_\_\_\_\_ billing \_\_\_\_\_ test may \_\_\_\_\_ the residential \_\_\_\_\_.  
 It \_\_\_\_\_ home \_\_\_\_\_ be incorrect \_\_\_\_\_ we \_\_\_\_\_ for changes \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ would \_\_\_\_\_ residential meters were \_\_\_\_\_ to \_\_\_\_\_ inaccurate in \_\_\_\_\_ test?  
 \_\_\_\_\_ we check the bills \_\_\_\_\_ any changes, \_\_\_\_\_ be incorrect.  
 Is \_\_\_\_\_ problems \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ finds the \_\_\_\_\_ meters \_\_\_\_\_?  
 \_\_\_\_\_ adjustment testing will \_\_\_\_\_ meters \_\_\_\_\_ incorrect?  
 Is \_\_\_\_\_ any billing adjustments \_\_\_\_\_ have \_\_\_\_\_ made if \_\_\_\_\_ residential meters are \_\_\_\_\_ testing?  
 \_\_\_\_\_ if the billing \_\_\_\_\_ testing \_\_\_\_\_ that \_\_\_\_\_ meter \_\_\_\_\_ not correct.  
 \_\_\_\_\_ that the home \_\_\_\_\_ be incorrect after we \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ meters \_\_\_\_\_ to \_\_\_\_\_ wrong \_\_\_\_\_ testing, what would happen?

Is there \_\_\_\_\_ issues \_\_\_\_\_ billing \_\_\_\_\_ test \_\_\_\_\_ meters \_\_\_\_\_ be incorrect?

Is it going \_\_\_\_\_ be a problem if \_\_\_\_\_ adjustment \_\_\_\_\_ to be \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ adjustment testing fails \_\_\_\_\_ find the \_\_\_\_\_ residential meters.

I \_\_\_\_\_ we should worry \_\_\_\_\_ residential \_\_\_\_\_ wrong after \_\_\_\_\_ a billing correction.

Is there an \_\_\_\_\_ the billing \_\_\_\_\_ that the \_\_\_\_\_ malfunctioning?

If the \_\_\_\_\_ adjustment testing \_\_\_\_\_ that \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ ones, \_\_\_\_\_ any issues?

Is it possible \_\_\_\_\_ testing \_\_\_\_\_ could \_\_\_\_\_ the \_\_\_\_\_ meters inaccurate?

\_\_\_\_\_ billing adjustment test finds \_\_\_\_\_ meters \_\_\_\_\_ be any issues?

\_\_\_\_\_ any \_\_\_\_\_ adjustments for \_\_\_\_\_ residential \_\_\_\_\_ found to be inaccurate \_\_\_\_\_?

\_\_\_\_\_ home \_\_\_\_\_ not right after we \_\_\_\_\_ for \_\_\_\_\_ bills?

\_\_\_\_\_ the \_\_\_\_\_ testing possibly \_\_\_\_\_ inconsistencies that \_\_\_\_\_ cause billing \_\_\_\_\_?

I \_\_\_\_\_ wondering \_\_\_\_\_ were \_\_\_\_\_ in the residential meter \_\_\_\_\_ revisions.

\_\_\_\_\_ home \_\_\_\_\_ may be \_\_\_\_\_ after \_\_\_\_\_ check the \_\_\_\_\_.

There are \_\_\_\_\_ testing does \_\_\_\_\_ correct meters for homes.

\_\_\_\_\_ appears \_\_\_\_\_ home \_\_\_\_\_ may \_\_\_\_\_ incorrect after we check \_\_\_\_\_.

\_\_\_\_\_ the billing \_\_\_\_\_ testing \_\_\_\_\_ aren't \_\_\_\_\_ ones, will there \_\_\_\_\_ issues?

Will the residential \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ adjustment \_\_\_\_\_?

\_\_\_\_\_ they check for adjustments \_\_\_\_\_ home \_\_\_\_\_ may be messed \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ the \_\_\_\_\_ meters in error.

If \_\_\_\_\_ false find of \_\_\_\_\_ meters \_\_\_\_\_ after \_\_\_\_\_ what \_\_\_\_\_?

\_\_\_\_\_ there any billing adjustments \_\_\_\_\_ applied if residential meters \_\_\_\_\_ found \_\_\_\_\_ be \_\_\_\_\_ testing?

"Is \_\_\_\_\_ going \_\_\_\_\_ issues if \_\_\_\_\_ test finds the \_\_\_\_\_ meters incorrect? \_\_\_\_\_

\_\_\_\_\_ going to \_\_\_\_\_ issues if the billing adjustment \_\_\_\_\_ discovers \_\_\_\_\_?

\_\_\_\_\_ will be issues if the billing \_\_\_\_\_ residential \_\_\_\_\_ order.

\_\_\_\_\_ that the \_\_\_\_\_ meters might be incorrect after \_\_\_\_\_.

I don't know \_\_\_\_\_ worry if the residential meters \_\_\_\_\_ been \_\_\_\_\_ a \_\_\_\_\_ correction.

It \_\_\_\_\_ may be incorrect after \_\_\_\_\_ check \_\_\_\_\_ billings

There may be \_\_\_\_\_ if \_\_\_\_\_ adjustment \_\_\_\_\_ meters are \_\_\_\_\_ the \_\_\_\_\_ ones.

\_\_\_\_\_ the billing \_\_\_\_\_ discovers \_\_\_\_\_ the residential meters \_\_\_\_\_ the \_\_\_\_\_ meters, there will \_\_\_\_\_.

If \_\_\_\_\_ testing discovers the residential \_\_\_\_\_ are \_\_\_\_\_ meters, will \_\_\_\_\_ issues?

\_\_\_\_\_ for \_\_\_\_\_ lead to inaccurate residential \_\_\_\_\_.

There \_\_\_\_\_ be issues \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ wrong during the \_\_\_\_\_ adjustment \_\_\_\_\_.

I \_\_\_\_\_ if there were \_\_\_\_\_ discrepancies in \_\_\_\_\_ testing \_\_\_\_\_ billing \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ billing \_\_\_\_\_ that \_\_\_\_\_ be made \_\_\_\_\_ the residential meters are \_\_\_\_\_ inaccurate after \_\_\_\_\_?

There are \_\_\_\_\_ billing adjustment \_\_\_\_\_ the residential \_\_\_\_\_ are not \_\_\_\_\_.

\_\_\_\_\_ the residential meters \_\_\_\_\_ incorrect \_\_\_\_\_ adjustment \_\_\_\_\_?

Will \_\_\_\_\_ be flawed \_\_\_\_\_ adjustment testing?

\_\_\_\_\_ we make a \_\_\_\_\_ residential \_\_\_\_\_ are found \_\_\_\_\_ be incorrect after \_\_\_\_\_?

\_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ to be \_\_\_\_\_ error \_\_\_\_\_ will we apply \_\_\_\_\_ adjustments?

After \_\_\_\_\_ check \_\_\_\_\_ adjustments in the billings, \_\_\_\_\_ home \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ there an \_\_\_\_\_ the billing \_\_\_\_\_ testing doesn't find \_\_\_\_\_ residential \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ test finds that the residential meters \_\_\_\_\_ incorrect?

There will be some \_\_\_\_\_ finds \_\_\_\_\_ residential meters to be \_\_\_\_\_.

\_\_\_\_\_ any billing adjustments \_\_\_\_\_ made \_\_\_\_\_ meters \_\_\_\_\_ found \_\_\_\_\_ inaccurate after testing?

\_\_\_\_\_ checking \_\_\_\_\_ the \_\_\_\_\_ our home meters be wrong?

Is it possible \_\_\_\_\_ meters \_\_\_\_\_ wrong even after \_\_\_\_\_?

\_\_\_\_\_ the billing \_\_\_\_\_ finds \_\_\_\_\_ residential meters \_\_\_\_\_ be \_\_\_\_\_ there will \_\_\_\_\_.

It appears \_\_\_\_\_ home meters \_\_\_\_\_ be \_\_\_\_\_ changes in our \_\_\_\_\_.

\_\_\_\_\_ that \_\_\_\_\_ home \_\_\_\_\_ be \_\_\_\_\_ we check the billings.

\_\_\_\_\_ adjustment testing discovers \_\_\_\_\_ aren't the right meters, there \_\_\_\_\_.

If \_\_\_\_\_ adjustment \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ in order, \_\_\_\_\_ going to be issues?

Did \_\_\_\_\_ residential \_\_\_\_\_ have inconsistencies \_\_\_\_\_ could lead \_\_\_\_\_ billing \_\_\_\_\_?

\_\_\_\_\_ may \_\_\_\_\_ after we \_\_\_\_\_ for those changes in the \_\_\_\_\_.

\_\_\_\_\_ we are \_\_\_\_\_ for billing \_\_\_\_\_ is \_\_\_\_\_ residential meters \_\_\_\_\_ wrong?

\_\_\_\_\_ meters may \_\_\_\_\_ messed up after \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ we have to \_\_\_\_\_ any billing adjustments if \_\_\_\_\_ residential \_\_\_\_\_ inaccurate after \_\_\_\_\_?

Are there \_\_\_\_\_ issues if \_\_\_\_\_ the residential \_\_\_\_\_ incorrect?

\_\_\_\_\_ sure \_\_\_\_\_ should worry about the \_\_\_\_\_ meters \_\_\_\_\_ after \_\_\_\_\_ billing correction.

\_\_\_\_\_ meters \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ adjustment testing.

If \_\_\_\_\_ residential meters \_\_\_\_\_ not accurate \_\_\_\_\_ testing, \_\_\_\_\_?

\_\_\_\_\_ not \_\_\_\_\_ in order if the billing \_\_\_\_\_ discovers them.

Is there billing \_\_\_\_\_ if \_\_\_\_\_ meters \_\_\_\_\_ to be inaccurate \_\_\_\_\_?

If \_\_\_\_\_ adjustment test finds \_\_\_\_\_ to be \_\_\_\_\_ will be \_\_\_\_\_.

If our residential meters \_\_\_\_\_ after testing, \_\_\_\_\_ we \_\_\_\_\_ to make any \_\_\_\_\_?

Does \_\_\_\_\_ adjustments need \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ found \_\_\_\_\_ be incorrect after testing?

\_\_\_\_\_ billing \_\_\_\_\_ be applied \_\_\_\_\_ residential meters \_\_\_\_\_ determined to be \_\_\_\_\_ after \_\_\_\_\_?

Residential \_\_\_\_\_ might be \_\_\_\_\_ during \_\_\_\_\_ testing.

\_\_\_\_\_ necessary to \_\_\_\_\_ billing \_\_\_\_\_ residential \_\_\_\_\_ are determined to \_\_\_\_\_ inaccurate after \_\_\_\_\_?

Will \_\_\_\_\_ be any \_\_\_\_\_ meters \_\_\_\_\_ billing adjustment testing?

\_\_\_\_\_ the \_\_\_\_\_ adjustment testing \_\_\_\_\_ residential \_\_\_\_\_ are incorrect there will \_\_\_\_\_.

\_\_\_\_\_ could \_\_\_\_\_ in \_\_\_\_\_ residential meter testing \_\_\_\_\_ impact \_\_\_\_\_ revisions.

Should \_\_\_\_\_ issues if \_\_\_\_\_ billing \_\_\_\_\_ testing \_\_\_\_\_ the residential \_\_\_\_\_ not in \_\_\_\_\_?

There could \_\_\_\_\_ discrepancies \_\_\_\_\_ and impact billing \_\_\_\_\_

The \_\_\_\_\_ be incorrect after \_\_\_\_\_ check \_\_\_\_\_ adjustments.

\_\_\_\_\_ billing adjustments apply if \_\_\_\_\_ residential meters \_\_\_\_\_ found \_\_\_\_\_ inaccurate \_\_\_\_\_?

\_\_\_\_\_ home \_\_\_\_\_ be incorrect \_\_\_\_\_ we check the \_\_\_\_\_.

Can \_\_\_\_\_ billing adjustments \_\_\_\_\_ if our \_\_\_\_\_ are determined \_\_\_\_\_ inaccurate \_\_\_\_\_ testing?

\_\_\_\_\_ the \_\_\_\_\_ testing potentially \_\_\_\_\_ discrepancies that \_\_\_\_\_ lead \_\_\_\_\_ billing \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ adjustment that \_\_\_\_\_ be made \_\_\_\_\_ our residential \_\_\_\_\_ are determined \_\_\_\_\_ be inaccurate \_\_\_\_\_?

I \_\_\_\_\_ know if we \_\_\_\_\_ about \_\_\_\_\_ residential meters \_\_\_\_\_ tested \_\_\_\_\_ after \_\_\_\_\_ a \_\_\_\_\_.

The home \_\_\_\_\_ be \_\_\_\_\_ we adjust the \_\_\_\_\_.

\_\_\_\_\_ are issues \_\_\_\_\_ billing \_\_\_\_\_ testing \_\_\_\_\_ the residential meter is \_\_\_\_\_.

\_\_\_\_\_ meters \_\_\_\_\_ in \_\_\_\_\_ adjustment testing?

If our residential \_\_\_\_\_ are found \_\_\_\_\_ after testing, \_\_\_\_\_ billing adjustments?

\_\_\_\_\_ there \_\_\_\_\_ the \_\_\_\_\_ adjustment testing finds the residential \_\_\_\_\_ incorrect?

It appears that the home \_\_\_\_\_ after \_\_\_\_\_ billings.

\_\_\_\_\_ the \_\_\_\_\_ testing \_\_\_\_\_ that \_\_\_\_\_ residential meters \_\_\_\_\_ the right ones there \_\_\_\_\_ be \_\_\_\_\_.

Is \_\_\_\_\_ billing \_\_\_\_\_ the residential meters \_\_\_\_\_ found \_\_\_\_\_ be \_\_\_\_\_ after testing?

\_\_\_\_\_ there going to \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ the \_\_\_\_\_ meters aren't the right \_\_\_\_\_?

\_\_\_\_\_ would \_\_\_\_\_ residential meters \_\_\_\_\_ incorrect after \_\_\_\_\_ tested \_\_\_\_\_ billing \_\_\_\_\_?

\_\_\_\_\_ if there were possible discrepancies \_\_\_\_\_ testing \_\_\_\_\_ revisions.

\_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ finds residential \_\_\_\_\_ to \_\_\_\_\_ will be issues.

\_\_\_\_\_ residential meters \_\_\_\_\_ deemed \_\_\_\_\_ be inaccurate \_\_\_\_\_ do billing \_\_\_\_\_?

After checking for \_\_\_\_\_ it \_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ the residential \_\_\_\_\_ are determined to \_\_\_\_\_ there \_\_\_\_\_ billing adjustments?

What \_\_\_\_\_ if \_\_\_\_\_ residential meters after testing for \_\_\_\_\_?

Is \_\_\_\_\_ after we \_\_\_\_\_ for adjustments?

\_\_\_\_\_ for \_\_\_\_\_ correct bills, it appears our \_\_\_\_\_ meters may \_\_\_\_\_.

If \_\_\_\_\_ billing \_\_\_\_\_ discovers the \_\_\_\_\_ the right \_\_\_\_\_ there \_\_\_\_\_ going to be issues.



The \_\_\_\_ adjustment \_\_\_\_ the \_\_\_\_ are not the \_\_\_\_ meters.  
 \_\_\_\_ there be discrepancies \_\_\_\_ the \_\_\_\_ billing revisions?  
 \_\_\_\_ the billing adjustment \_\_\_\_ residential meters are \_\_\_\_ there \_\_\_\_ issues.  
 \_\_\_\_ happen if residential meters were \_\_\_\_ a biller \_\_\_\_ testing?  
 \_\_\_\_ would happen if the \_\_\_\_ found \_\_\_\_ be \_\_\_\_ in a \_\_\_\_ adjustment \_\_\_\_?  
 \_\_\_\_ may be \_\_\_\_ if the \_\_\_\_ adjustment \_\_\_\_ the residential \_\_\_\_ not \_\_\_\_ order.  
 Is it possible that \_\_\_\_ billing adjustment \_\_\_\_ that the \_\_\_\_ not \_\_\_\_?  
 Is it \_\_\_\_ that \_\_\_\_ are \_\_\_\_ if \_\_\_\_ for billing \_\_\_\_?  
 If \_\_\_\_ for \_\_\_\_ errors, Is \_\_\_\_ that residential meters are \_\_\_\_?  
 If \_\_\_\_ be wrong after testing what would \_\_\_\_?  
 \_\_\_\_ the billing adjustment testing \_\_\_\_ that \_\_\_\_ correct, will there \_\_\_\_ issues?  
 Is our \_\_\_\_ meters wrong \_\_\_\_ adjustments in \_\_\_\_ bill?  
 I \_\_\_\_ know \_\_\_\_ we should \_\_\_\_ if residential meters \_\_\_\_ been tested \_\_\_\_ after getting \_\_\_\_.  
 \_\_\_\_ be \_\_\_\_ the billing \_\_\_\_ test finds the \_\_\_\_ incorrect.  
 \_\_\_\_ that \_\_\_\_ home meters \_\_\_\_ incorrect \_\_\_\_ we check for \_\_\_\_.  
 \_\_\_\_ appears \_\_\_\_ home \_\_\_\_ incorrect, after \_\_\_\_ for those changes.  
 Do we \_\_\_\_ billing adjustments if \_\_\_\_ meters \_\_\_\_ found to be inaccurate \_\_\_\_?  
 Is residential meter \_\_\_\_ having inconsistencies \_\_\_\_ to billing \_\_\_\_?  
 There \_\_\_\_ be \_\_\_\_ residential \_\_\_\_ testing, impact billing \_\_\_\_ possibly \_\_\_\_ things.  
 It \_\_\_\_ the \_\_\_\_ meters \_\_\_\_ we check for the \_\_\_\_.  
 If the \_\_\_\_ test finds \_\_\_\_ meters incorrect, \_\_\_\_ be \_\_\_\_.  
 If \_\_\_\_ meters are \_\_\_\_ to \_\_\_\_ testing, \_\_\_\_ there need to be any \_\_\_\_?  
 \_\_\_\_ meters \_\_\_\_ found \_\_\_\_ after \_\_\_\_ billing adjustments, \_\_\_\_ would happen?  
 I don't \_\_\_\_ the \_\_\_\_ tested correctly after \_\_\_\_ a billing \_\_\_\_.  
 Do \_\_\_\_ billing adjustments if our \_\_\_\_ are \_\_\_\_ to be \_\_\_\_ testing?  
 \_\_\_\_ will \_\_\_\_ issues \_\_\_\_ the billing adjustment testing \_\_\_\_ that \_\_\_\_ are not \_\_\_\_.  
 After \_\_\_\_ check for \_\_\_\_ to \_\_\_\_ is our \_\_\_\_ meters \_\_\_\_?  
 If \_\_\_\_ testing for \_\_\_\_ Is \_\_\_\_ possible that \_\_\_\_ meters are \_\_\_\_?  
 Is \_\_\_\_ meter \_\_\_\_ have \_\_\_\_ could lead \_\_\_\_ billing revisions?  
 Do \_\_\_\_ apply if \_\_\_\_ are \_\_\_\_ incorrect \_\_\_\_ testing?  
 Is there an issue \_\_\_\_ billing \_\_\_\_ testing \_\_\_\_ the \_\_\_\_ not \_\_\_\_ right \_\_\_\_?  
 What \_\_\_\_ a \_\_\_\_ find of residential \_\_\_\_ found \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ may be messed up \_\_\_\_ checked for adjustments.  
 \_\_\_\_ home meters \_\_\_\_ be wrong \_\_\_\_ we check \_\_\_\_ adjustments.  
 \_\_\_\_ billing \_\_\_\_ apply if \_\_\_\_ meters \_\_\_\_ to be \_\_\_\_ after \_\_\_\_?  
 \_\_\_\_ wondered if \_\_\_\_ discrepancies in the \_\_\_\_ testing \_\_\_\_ billing \_\_\_\_.  
 \_\_\_\_ meters \_\_\_\_ found \_\_\_\_ inaccurate after \_\_\_\_ any \_\_\_\_ adjustments have to be applied?  
 \_\_\_\_ looking for \_\_\_\_ the bills, it \_\_\_\_ our home meters \_\_\_\_.  
 Are \_\_\_\_ going \_\_\_\_ be \_\_\_\_ if the billing \_\_\_\_ the \_\_\_\_ the right ones?  
 Is \_\_\_\_ residential meters going \_\_\_\_ the \_\_\_\_ testing discovers them?  
 \_\_\_\_ meter \_\_\_\_ after we check \_\_\_\_ adjustments?  
 \_\_\_\_ any billing adjustments have to \_\_\_\_ are found to \_\_\_\_ inaccurate after \_\_\_\_?  
 It appears our \_\_\_\_ may be \_\_\_\_ after \_\_\_\_ adjustments.  
 Is there \_\_\_\_ if the residential \_\_\_\_ found to be \_\_\_\_ after \_\_\_\_?  
 Is \_\_\_\_ going \_\_\_\_ problems \_\_\_\_ the billing \_\_\_\_ testing doesn't find \_\_\_\_ meters?  
 \_\_\_\_ may \_\_\_\_ issues \_\_\_\_ the billing \_\_\_\_ residential meters \_\_\_\_ the right meters.  
 If \_\_\_\_ billing adjustment \_\_\_\_ the \_\_\_\_ incorrect, there \_\_\_\_ issues.  
 \_\_\_\_ it \_\_\_\_ residential meters could \_\_\_\_ wrong \_\_\_\_ we \_\_\_\_ for billing \_\_\_\_?  
 After \_\_\_\_ for adjustment \_\_\_\_ bills \_\_\_\_ appears \_\_\_\_ home meters \_\_\_\_ incorrect.  
 If \_\_\_\_ discovers the residential meters aren't \_\_\_\_ be issues.

\_\_\_\_\_ adjustment testing discovers \_\_\_\_\_ residential meters are not the right \_\_\_\_\_.  
 \_\_\_\_\_ issues if \_\_\_\_\_ billing \_\_\_\_\_ testing \_\_\_\_\_ the residential \_\_\_\_\_ are incorrect.  
 I don't \_\_\_\_\_ we \_\_\_\_\_ if the residential meters \_\_\_\_\_ wrong after getting a \_\_\_\_\_.  
 It \_\_\_\_\_ the \_\_\_\_\_ might be \_\_\_\_\_ after \_\_\_\_\_ check for \_\_\_\_\_.  
 Does \_\_\_\_\_ need \_\_\_\_\_ be made if the \_\_\_\_\_ meters \_\_\_\_\_ to \_\_\_\_\_ incorrect \_\_\_\_\_ testing?  
 It seems our \_\_\_\_\_ could be \_\_\_\_\_ after \_\_\_\_\_ our \_\_\_\_\_.  
 \_\_\_\_\_ apply billing \_\_\_\_\_ if the residential \_\_\_\_\_ found to \_\_\_\_\_ after \_\_\_\_\_?  
 \_\_\_\_\_ billing adjustment testing discovers \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ could there be \_\_\_\_\_?  
 \_\_\_\_\_ appears \_\_\_\_\_ home \_\_\_\_\_ may not \_\_\_\_\_ accurate \_\_\_\_\_ we check \_\_\_\_\_.  
 If \_\_\_\_\_ billing \_\_\_\_\_ testing discovers \_\_\_\_\_ the right meters there \_\_\_\_\_ some issues.  
 \_\_\_\_\_ gonna be \_\_\_\_\_ the \_\_\_\_\_ adjustment testing discovers \_\_\_\_\_ residential meters \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ our \_\_\_\_\_ meters are \_\_\_\_\_ billing checks?  
 \_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_ the billing adjustment \_\_\_\_\_ that \_\_\_\_\_ residential meters are not \_\_\_\_\_ right ones?  
 There could be \_\_\_\_\_ if the \_\_\_\_\_ testing doesn't \_\_\_\_\_ correct meters \_\_\_\_\_.  
 Is \_\_\_\_\_ going \_\_\_\_\_ issues if the \_\_\_\_\_ finds \_\_\_\_\_ meters incorrect?  
 \_\_\_\_\_ we \_\_\_\_\_ it appears our home meters may \_\_\_\_\_ incorrect.  
 \_\_\_\_\_ there \_\_\_\_\_ adjustments \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ residential meters are \_\_\_\_\_ to be inaccurate after \_\_\_\_\_?  
 \_\_\_\_\_ for billing \_\_\_\_\_ might \_\_\_\_\_ residential meters being \_\_\_\_\_.  
 What \_\_\_\_\_ a biller adjustment testing \_\_\_\_\_ meters \_\_\_\_\_ found to \_\_\_\_\_?  
 \_\_\_\_\_ checking for adjustments \_\_\_\_\_ our home meters \_\_\_\_\_ incorrect?  
 \_\_\_\_\_ residential \_\_\_\_\_ wrong during the bill \_\_\_\_\_ testing.  
 If \_\_\_\_\_ finds the residential meters are \_\_\_\_\_ be issues.  
 It appears \_\_\_\_\_ home meters could \_\_\_\_\_ after \_\_\_\_\_ check \_\_\_\_\_.  
 After we check for \_\_\_\_\_ seems \_\_\_\_\_ might \_\_\_\_\_ incorrect.  
 If \_\_\_\_\_ adjustment testing discovers \_\_\_\_\_ the residential meters aren't \_\_\_\_\_ issues?  
 \_\_\_\_\_ home meters may \_\_\_\_\_ incorrect \_\_\_\_\_ we \_\_\_\_\_ for adjustments.  
 Is \_\_\_\_\_ to \_\_\_\_\_ problems \_\_\_\_\_ the billing adjustment testing \_\_\_\_\_ that \_\_\_\_\_ malfunctioning?  
 Is it possible \_\_\_\_\_ residential \_\_\_\_\_ could be inaccurate \_\_\_\_\_ billing \_\_\_\_\_?  
 Is \_\_\_\_\_ meters \_\_\_\_\_ we check for adjustments \_\_\_\_\_ billings?  
 \_\_\_\_\_ there have \_\_\_\_\_ any billing adjustments \_\_\_\_\_ meters are \_\_\_\_\_ be inaccurate after \_\_\_\_\_?  
 If the \_\_\_\_\_ discovers \_\_\_\_\_ residential \_\_\_\_\_ will there be issues?  
 \_\_\_\_\_ fixes \_\_\_\_\_ make residential meters \_\_\_\_\_.  
 \_\_\_\_\_ be messed \_\_\_\_\_ the bill adjustment testing?  
 Can the \_\_\_\_\_ adjustment \_\_\_\_\_ find \_\_\_\_\_ correct \_\_\_\_\_ meters?  
 Home meters \_\_\_\_\_ up even \_\_\_\_\_ they \_\_\_\_\_ in the billings.  
 \_\_\_\_\_ residential meters \_\_\_\_\_ found \_\_\_\_\_ be \_\_\_\_\_ we make a billing adjustment?  
 There \_\_\_\_\_ be \_\_\_\_\_ the billing adjustment testing \_\_\_\_\_ residential meters \_\_\_\_\_.  
 \_\_\_\_\_ checking \_\_\_\_\_ in the billings, are the \_\_\_\_\_?  
 \_\_\_\_\_ adjustment \_\_\_\_\_ the residential meters \_\_\_\_\_ incorrect.  
 \_\_\_\_\_ appears \_\_\_\_\_ home \_\_\_\_\_ not be \_\_\_\_\_ after we \_\_\_\_\_ billings.  
 \_\_\_\_\_ to be any billing adjustments made if \_\_\_\_\_ residential meters \_\_\_\_\_ to \_\_\_\_\_ testing?  
 Will the \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ bill adjustment \_\_\_\_\_.  
 \_\_\_\_\_ found \_\_\_\_\_ be incorrect after testing, will we \_\_\_\_\_ billing \_\_\_\_\_?  
 Is there \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ residential meters incorrect.  
 I was \_\_\_\_\_ there could be \_\_\_\_\_ with \_\_\_\_\_ testing \_\_\_\_\_ billing \_\_\_\_\_.  
 \_\_\_\_\_ might \_\_\_\_\_ discrepancies \_\_\_\_\_ residential meter testing, \_\_\_\_\_ billing \_\_\_\_\_ more.  
 \_\_\_\_\_ may be \_\_\_\_\_ in our residential \_\_\_\_\_ impact billing \_\_\_\_\_ and \_\_\_\_\_.  
 Is it possible that residential meters could \_\_\_\_\_ fixes has \_\_\_\_\_?  
 During \_\_\_\_\_ bill \_\_\_\_\_ testing will the \_\_\_\_\_ be \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ issues \_\_\_\_\_ billing \_\_\_\_\_ testing discovers \_\_\_\_\_ aren't \_\_\_\_\_ right ones?

Are there any \_\_\_\_\_ the residential \_\_\_\_\_ determined to be \_\_\_\_\_?

I was wondering \_\_\_\_\_ any \_\_\_\_\_ in the \_\_\_\_\_ testing impact \_\_\_\_\_.

After we \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ billings \_\_\_\_\_ appears \_\_\_\_\_ home \_\_\_\_\_ incorrect.

\_\_\_\_\_ to be \_\_\_\_\_ testing for billing adjustments what \_\_\_\_\_ happen?

Is there \_\_\_\_\_ to be \_\_\_\_\_ if the billing \_\_\_\_\_ finds \_\_\_\_\_ meters \_\_\_\_\_?

\_\_\_\_\_ residential meter \_\_\_\_\_ have \_\_\_\_\_ that could cause \_\_\_\_\_?

\_\_\_\_\_ could be \_\_\_\_\_ billing \_\_\_\_\_ testing discovers the \_\_\_\_\_ meters \_\_\_\_\_.

There \_\_\_\_\_ our residential meters testing \_\_\_\_\_ impact \_\_\_\_\_ revisions.

If the \_\_\_\_\_ testing discovers \_\_\_\_\_ are \_\_\_\_\_ the correct \_\_\_\_\_ there \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ would \_\_\_\_\_ if residential meters \_\_\_\_\_ found to \_\_\_\_\_ incorrect during \_\_\_\_\_?

If our residential meters \_\_\_\_\_ be \_\_\_\_\_ testing, are \_\_\_\_\_ that have \_\_\_\_\_ be applied?

Home meters \_\_\_\_\_ up \_\_\_\_\_ check for \_\_\_\_\_ in \_\_\_\_\_ billings.

\_\_\_\_\_ adjustment testing finds \_\_\_\_\_ residential \_\_\_\_\_ are not the \_\_\_\_\_ meters, \_\_\_\_\_ be \_\_\_\_\_.

I \_\_\_\_\_ should be concerned about if the residential \_\_\_\_\_ tested \_\_\_\_\_ getting \_\_\_\_\_ billing correction.

\_\_\_\_\_ the residential \_\_\_\_\_ were \_\_\_\_\_ inaccurate after \_\_\_\_\_ billing adjustments \_\_\_\_\_?

\_\_\_\_\_ our residential meters are \_\_\_\_\_ to be inaccurate \_\_\_\_\_ can \_\_\_\_\_ made?

The \_\_\_\_\_ might \_\_\_\_\_ incorrect \_\_\_\_\_ the bill \_\_\_\_\_ testing.

If \_\_\_\_\_ adjustment \_\_\_\_\_ the residential \_\_\_\_\_ aren't the \_\_\_\_\_ meters \_\_\_\_\_ will be \_\_\_\_\_.

\_\_\_\_\_ looking \_\_\_\_\_ changes \_\_\_\_\_ billings, \_\_\_\_\_ appears \_\_\_\_\_ home meters may be \_\_\_\_\_.

\_\_\_\_\_ billing \_\_\_\_\_ test \_\_\_\_\_ residential meters \_\_\_\_\_ incorrect, are \_\_\_\_\_ to be issues?

\_\_\_\_\_ meters a problem if \_\_\_\_\_ check \_\_\_\_\_ adjustments \_\_\_\_\_ our \_\_\_\_\_?

There may be \_\_\_\_\_ adjustment \_\_\_\_\_ doesn't find the \_\_\_\_\_ residential \_\_\_\_\_.

If the billing \_\_\_\_\_ that the \_\_\_\_\_ meters are \_\_\_\_\_ meters, \_\_\_\_\_ be issues.

After we \_\_\_\_\_ adjustments, \_\_\_\_\_ seems our home \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ don't \_\_\_\_\_ should worry about \_\_\_\_\_ residential meters \_\_\_\_\_ tested wrong \_\_\_\_\_ a billing correction.

It \_\_\_\_\_ meters might be \_\_\_\_\_ after we check \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ if the billing adjustment \_\_\_\_\_ the \_\_\_\_\_ residential meter?

\_\_\_\_\_ the billing adjustment testing \_\_\_\_\_ meters, there could \_\_\_\_\_ issues.

Is \_\_\_\_\_ to be \_\_\_\_\_ the billing \_\_\_\_\_ test \_\_\_\_\_ residential \_\_\_\_\_ wrong?

\_\_\_\_\_ home meters \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ adjustments.

\_\_\_\_\_ any \_\_\_\_\_ have \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ meters \_\_\_\_\_ determined to be \_\_\_\_\_ after testing?

Are \_\_\_\_\_ meters \_\_\_\_\_ if we test \_\_\_\_\_?

Is there \_\_\_\_\_ adjustments \_\_\_\_\_ residential meters are \_\_\_\_\_ be \_\_\_\_\_ after testing?

Is there a \_\_\_\_\_ billing \_\_\_\_\_ meters are found \_\_\_\_\_ inaccurate after \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ meters could be \_\_\_\_\_ once testing \_\_\_\_\_ fixes has been \_\_\_\_\_?

If \_\_\_\_\_ billing adjustment testing \_\_\_\_\_ the \_\_\_\_\_ there be problems?

Is there \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ testing shows the residential meters are \_\_\_\_\_?

\_\_\_\_\_ a problem \_\_\_\_\_ the billing adjustment \_\_\_\_\_ the residential \_\_\_\_\_ is \_\_\_\_\_ correct?

If \_\_\_\_\_ testing for billing \_\_\_\_\_ is \_\_\_\_\_ meters \_\_\_\_\_ wrong?

Home \_\_\_\_\_ be \_\_\_\_\_ up \_\_\_\_\_ check \_\_\_\_\_ changes in the \_\_\_\_\_.

\_\_\_\_\_ residential meters be problematic during \_\_\_\_\_ adjustment \_\_\_\_\_?

\_\_\_\_\_ are testing \_\_\_\_\_ billing errors will \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ billing adjustments \_\_\_\_\_ be made \_\_\_\_\_ residential \_\_\_\_\_ determined to be inaccurate \_\_\_\_\_?

It appears our \_\_\_\_\_ be \_\_\_\_\_ check for adjustments.

\_\_\_\_\_ make billing adjustments \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ be inaccurate after \_\_\_\_\_?

\_\_\_\_\_ there going to be \_\_\_\_\_ billing \_\_\_\_\_ testing \_\_\_\_\_ the residential \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ deemed to \_\_\_\_\_ inaccurate \_\_\_\_\_ do \_\_\_\_\_ adjustments apply?

\_\_\_\_\_ discrepancies in residential \_\_\_\_\_ testing, impact \_\_\_\_\_ and more.

\_\_\_\_\_ meters may \_\_\_\_\_ incorrect after we \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ testing \_\_\_\_\_ don't \_\_\_\_\_ the residential meters are correct.

\_\_\_\_\_ there \_\_\_\_\_ billing adjustments \_\_\_\_\_ residential \_\_\_\_\_ are determined \_\_\_\_\_ after testing?

\_\_\_\_\_ appears our home \_\_\_\_\_ might be \_\_\_\_\_ after \_\_\_\_\_ check \_\_\_\_\_.

There could \_\_\_\_\_ discrepancies \_\_\_\_\_ our residential meter \_\_\_\_\_.

If the \_\_\_\_\_ finds \_\_\_\_\_ meters to \_\_\_\_\_ incorrect, there \_\_\_\_\_ issues.

\_\_\_\_\_ possible \_\_\_\_\_ residential \_\_\_\_\_ are flawed \_\_\_\_\_ we are testing \_\_\_\_\_ billing \_\_\_\_\_?

If the billing \_\_\_\_\_ residential meters \_\_\_\_\_ there will be \_\_\_\_\_.

\_\_\_\_\_ if there were possible discrepancies \_\_\_\_\_ the residential \_\_\_\_\_ billing \_\_\_\_\_.

There are billing adjustments \_\_\_\_\_ to \_\_\_\_\_ made \_\_\_\_\_ meters \_\_\_\_\_ found to \_\_\_\_\_ inaccurate \_\_\_\_\_.

Will the residential \_\_\_\_\_ be mistaken \_\_\_\_\_?

\_\_\_\_\_ going to \_\_\_\_\_ issues \_\_\_\_\_ the billing adjustment \_\_\_\_\_ not find \_\_\_\_\_ meters?

\_\_\_\_\_ appears that our home \_\_\_\_\_ might be \_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ residential meters were \_\_\_\_\_ to \_\_\_\_\_ after testing \_\_\_\_\_ would happen?

Will the \_\_\_\_\_ be inaccurate \_\_\_\_\_ testing?

Our home \_\_\_\_\_ be incorrect \_\_\_\_\_ our billings.

Is \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ the \_\_\_\_\_ testing \_\_\_\_\_ that the \_\_\_\_\_ is incorrect?

\_\_\_\_\_ we apply billing adjustments \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ the billing adjustment test \_\_\_\_\_ residential meters \_\_\_\_\_ incorrect, \_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_?

It \_\_\_\_\_ home meters \_\_\_\_\_ when \_\_\_\_\_ check for adjustments.

\_\_\_\_\_ the billing adjustment testing \_\_\_\_\_ the residential \_\_\_\_\_ there will \_\_\_\_\_ issues.

\_\_\_\_\_ the \_\_\_\_\_ meters be \_\_\_\_\_ be incorrect during billing \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that residential meters \_\_\_\_\_ testing is \_\_\_\_\_ for billing?

Should there \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ the residential \_\_\_\_\_ are incorrect?

\_\_\_\_\_ the \_\_\_\_\_ meter \_\_\_\_\_ result in \_\_\_\_\_ could lead \_\_\_\_\_ revisions?

\_\_\_\_\_ if residential \_\_\_\_\_ are \_\_\_\_\_ after testing \_\_\_\_\_?

Our home meters \_\_\_\_\_ we \_\_\_\_\_ our billings.

\_\_\_\_\_ there going to be \_\_\_\_\_ if the residential \_\_\_\_\_ incorrect during \_\_\_\_\_ adjustment \_\_\_\_\_?

There will \_\_\_\_\_ the billing adjustment \_\_\_\_\_ meters not correct.

\_\_\_\_\_ going to \_\_\_\_\_ if \_\_\_\_\_ billing adjustment test finds \_\_\_\_\_ the \_\_\_\_\_ not correct?

Does \_\_\_\_\_ apply \_\_\_\_\_ our residential meters were \_\_\_\_\_ to be \_\_\_\_\_?

There may be \_\_\_\_\_ if \_\_\_\_\_ adjustment \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ in \_\_\_\_\_.

Can \_\_\_\_\_ billing adjustments \_\_\_\_\_ the residential \_\_\_\_\_ determined to \_\_\_\_\_ inaccurate after \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ adjustments necessary \_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ found \_\_\_\_\_ inaccurate after \_\_\_\_\_?

\_\_\_\_\_ the billing adjustment \_\_\_\_\_ residential meters incorrect, \_\_\_\_\_ issues.

\_\_\_\_\_ meters \_\_\_\_\_ be messed up \_\_\_\_\_ check for \_\_\_\_\_ in \_\_\_\_\_ billings.

I \_\_\_\_\_ know if the residential meters \_\_\_\_\_ being tested \_\_\_\_\_.

\_\_\_\_\_ sure if \_\_\_\_\_ meters are accurate \_\_\_\_\_ testing \_\_\_\_\_ billing \_\_\_\_\_.

\_\_\_\_\_ the billing \_\_\_\_\_ residential meters are not correct there \_\_\_\_\_.

\_\_\_\_\_ home \_\_\_\_\_ be incorrect \_\_\_\_\_ check \_\_\_\_\_ changes \_\_\_\_\_ our billings.

\_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ to be \_\_\_\_\_ after \_\_\_\_\_ is there \_\_\_\_\_ billing adjustments \_\_\_\_\_ to be \_\_\_\_\_?

\_\_\_\_\_ may be \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ finds \_\_\_\_\_ meters are incorrect.

\_\_\_\_\_ our residential meters \_\_\_\_\_ found \_\_\_\_\_ be \_\_\_\_\_ testing, \_\_\_\_\_ billing adjustments \_\_\_\_\_ made?

\_\_\_\_\_ be issues \_\_\_\_\_ the \_\_\_\_\_ testing \_\_\_\_\_ the residential \_\_\_\_\_ not in order.

Is there \_\_\_\_\_ to \_\_\_\_\_ an issue \_\_\_\_\_ billing adjustment \_\_\_\_\_ residential \_\_\_\_\_ incorrect?

Is \_\_\_\_\_ possible \_\_\_\_\_ residential \_\_\_\_\_ could \_\_\_\_\_ incorrect \_\_\_\_\_ for \_\_\_\_\_ fixes is \_\_\_\_\_?

Can \_\_\_\_\_ meters \_\_\_\_\_ wrong during the bill \_\_\_\_\_?

\_\_\_\_\_ the residential \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ testing?

Is \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ billing adjustment \_\_\_\_\_ doesn't find \_\_\_\_\_ for homes?

\_\_\_\_\_ checking \_\_\_\_\_ adjustments \_\_\_\_\_ the \_\_\_\_\_ home meters wrong?

\_\_\_\_\_ any \_\_\_\_\_ to \_\_\_\_\_ made if \_\_\_\_\_ residential meters \_\_\_\_\_ found to be \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ our \_\_\_\_\_ issue \_\_\_\_\_ we check \_\_\_\_\_ adjustments to \_\_\_\_\_ bills?

\_\_\_\_\_ adjustments in \_\_\_\_\_ are our home meters wrong?

Is it \_\_\_\_\_ meters are \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ them \_\_\_\_\_ billing \_\_\_\_\_?

There \_\_\_\_\_ problems \_\_\_\_\_ the \_\_\_\_\_ test finds \_\_\_\_\_ the residential \_\_\_\_\_ incorrect.

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ meters \_\_\_\_\_ be \_\_\_\_\_ testing for \_\_\_\_\_ is done?

\_\_\_\_\_ seems \_\_\_\_\_ our \_\_\_\_\_ may be \_\_\_\_\_ after \_\_\_\_\_ check the \_\_\_\_\_.

There \_\_\_\_\_ issues if the residential \_\_\_\_\_ are \_\_\_\_\_ wrong \_\_\_\_\_ billing \_\_\_\_\_.

Do we need \_\_\_\_\_ make billing \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ are found \_\_\_\_\_?

Is there \_\_\_\_\_ adjustments that \_\_\_\_\_ made \_\_\_\_\_ our \_\_\_\_\_ meters are incorrect \_\_\_\_\_?

\_\_\_\_\_ might be \_\_\_\_\_ our \_\_\_\_\_ testing, impact billing \_\_\_\_\_ more.

\_\_\_\_\_ billing adjustment \_\_\_\_\_ that \_\_\_\_\_ residential \_\_\_\_\_ is \_\_\_\_\_ there be issues?

After we check \_\_\_\_\_ it \_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ be \_\_\_\_\_.

We checked for \_\_\_\_\_ billings, \_\_\_\_\_ are \_\_\_\_\_ home \_\_\_\_\_ wrong?

There may be issues \_\_\_\_\_ residential meters are \_\_\_\_\_ wrong \_\_\_\_\_.

\_\_\_\_\_ adjustment test finds the \_\_\_\_\_ to \_\_\_\_\_ incorrect, will \_\_\_\_\_ any problems?

It \_\_\_\_\_ our \_\_\_\_\_ meters may \_\_\_\_\_ incorrect, \_\_\_\_\_ check for \_\_\_\_\_ changes.

\_\_\_\_\_ testing \_\_\_\_\_ the \_\_\_\_\_ meters are not the right meters, there \_\_\_\_\_.

Is \_\_\_\_\_ that residential \_\_\_\_\_ once \_\_\_\_\_ testing for billing is \_\_\_\_\_?

Should billing adjustments \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ determined \_\_\_\_\_ after testing?

Is it \_\_\_\_\_ meters are faulty if \_\_\_\_\_ testing for \_\_\_\_\_?

\_\_\_\_\_ after checking for adjustments \_\_\_\_\_ bills, \_\_\_\_\_ home \_\_\_\_\_ wrong?

\_\_\_\_\_ it \_\_\_\_\_ the billing adjustment \_\_\_\_\_ the \_\_\_\_\_ meters incorrect?

\_\_\_\_\_ our home meters \_\_\_\_\_ we \_\_\_\_\_ for adjusted \_\_\_\_\_?

If \_\_\_\_\_ billing \_\_\_\_\_ test finds that \_\_\_\_\_ incorrect, \_\_\_\_\_ there \_\_\_\_\_ to be \_\_\_\_\_?

Is there \_\_\_\_\_ the billing adjustment \_\_\_\_\_ the residential meters \_\_\_\_\_?

Are there \_\_\_\_\_ adjustments \_\_\_\_\_ made if our residential meters are \_\_\_\_\_ to \_\_\_\_\_ testing?

Is \_\_\_\_\_ any \_\_\_\_\_ adjustments that \_\_\_\_\_ if the residential \_\_\_\_\_ determined \_\_\_\_\_ be incorrect \_\_\_\_\_ testing?

\_\_\_\_\_ we need to apply \_\_\_\_\_ our residential meters \_\_\_\_\_ found to \_\_\_\_\_ inaccurate \_\_\_\_\_?

Is the \_\_\_\_\_ wrong after \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ bills?

\_\_\_\_\_ may discover the residential \_\_\_\_\_ are incorrect.

\_\_\_\_\_ there a \_\_\_\_\_ if the billing adjustment test \_\_\_\_\_ meters \_\_\_\_\_?

Testing for \_\_\_\_\_ fixes \_\_\_\_\_ possibly \_\_\_\_\_ residential meters \_\_\_\_\_.

There may be \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ test finds the \_\_\_\_\_.

\_\_\_\_\_ meters be wrong after checking \_\_\_\_\_?

What would happen \_\_\_\_\_ are \_\_\_\_\_ incorrect \_\_\_\_\_ biller adjustment testing?

After \_\_\_\_\_ billing correction, \_\_\_\_\_ know if residential meters \_\_\_\_\_.

Home \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_ check the \_\_\_\_\_.

\_\_\_\_\_ fixes has \_\_\_\_\_ done, is it \_\_\_\_\_ that \_\_\_\_\_ meters \_\_\_\_\_ be inaccurate?

I don't \_\_\_\_\_ if \_\_\_\_\_ meters \_\_\_\_\_ been \_\_\_\_\_ after \_\_\_\_\_ a \_\_\_\_\_ correction.

There \_\_\_\_\_ to be issues \_\_\_\_\_ billing adjustment \_\_\_\_\_ residential meters \_\_\_\_\_ right ones.

\_\_\_\_\_ the residential \_\_\_\_\_ been found \_\_\_\_\_ billing adjustment \_\_\_\_\_ there \_\_\_\_\_ issues?

Is \_\_\_\_\_ home \_\_\_\_\_ wrong \_\_\_\_\_ billings?

\_\_\_\_\_ will \_\_\_\_\_ some \_\_\_\_\_ the \_\_\_\_\_ adjustment test finds the \_\_\_\_\_ incorrect.

\_\_\_\_\_ checking for \_\_\_\_\_ in \_\_\_\_\_ it appears \_\_\_\_\_ meters \_\_\_\_\_ be incorrect.

There \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ residential meter testing \_\_\_\_\_ could \_\_\_\_\_ revisions.

\_\_\_\_\_ might \_\_\_\_\_ issues if the \_\_\_\_\_ discovers that \_\_\_\_\_ are \_\_\_\_\_ in order.

Is there \_\_\_\_\_ to be \_\_\_\_\_ problem \_\_\_\_\_ billing \_\_\_\_\_ test finds \_\_\_\_\_ to be \_\_\_\_\_?

The \_\_\_\_\_ for \_\_\_\_\_ fixes \_\_\_\_\_ meters to be \_\_\_\_\_.

If residential \_\_\_\_\_ were \_\_\_\_\_ inaccurate in biller adjusting \_\_\_\_\_ what \_\_\_\_\_?

\_\_\_\_\_ residential \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ bill adjustment testing.

It \_\_\_\_\_ the \_\_\_\_\_ meters may \_\_\_\_\_ incorrect after we \_\_\_\_\_.

\_\_\_\_\_ our home meters \_\_\_\_\_ be wrong \_\_\_\_\_ for adjustments.  
 Should \_\_\_\_\_ any \_\_\_\_\_ adjustments \_\_\_\_\_ our residential \_\_\_\_\_ are \_\_\_\_\_ be inaccurate after \_\_\_\_\_?  
 \_\_\_\_\_ there an \_\_\_\_\_ if the \_\_\_\_\_ adjustment \_\_\_\_\_ does \_\_\_\_\_ find the \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ testing discovers the residential meters aren't \_\_\_\_\_ right \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ incorrect once \_\_\_\_\_ testing is \_\_\_\_\_ for billing \_\_\_\_\_?  
 Is \_\_\_\_\_ any issues \_\_\_\_\_ the billing adjustment testing \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ testing for \_\_\_\_\_ if \_\_\_\_\_ residential meters \_\_\_\_\_ found to \_\_\_\_\_ inaccurate?  
 \_\_\_\_\_ that residential \_\_\_\_\_ are \_\_\_\_\_ when we are testing \_\_\_\_\_ errors?  
 If \_\_\_\_\_ found \_\_\_\_\_ inaccurate after testing, will billing \_\_\_\_\_ apply?  
 \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ discovers the \_\_\_\_\_ meters are not \_\_\_\_\_ ones, there \_\_\_\_\_.  
 \_\_\_\_\_ the billing adjustment test finds \_\_\_\_\_ is incorrect, will \_\_\_\_\_?  
 After \_\_\_\_\_ check \_\_\_\_\_ adjustment to \_\_\_\_\_ appears our \_\_\_\_\_ be incorrect.  
 \_\_\_\_\_ are \_\_\_\_\_ adjustment testing \_\_\_\_\_ the residential meters are \_\_\_\_\_ the \_\_\_\_\_ meters.  
 \_\_\_\_\_ there going to be \_\_\_\_\_ if the \_\_\_\_\_ test finds \_\_\_\_\_?  
 Is \_\_\_\_\_ problem if the \_\_\_\_\_ testing \_\_\_\_\_ the \_\_\_\_\_ meters are \_\_\_\_\_?  
 If the billing \_\_\_\_\_ testing discovers \_\_\_\_\_ residential \_\_\_\_\_ are incorrect \_\_\_\_\_.  
 After \_\_\_\_\_ our \_\_\_\_\_ it \_\_\_\_\_ our home \_\_\_\_\_ be incorrect.  
 \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ discovers the \_\_\_\_\_ not the \_\_\_\_\_ ones there \_\_\_\_\_ be \_\_\_\_\_.  
 If billing \_\_\_\_\_ testing \_\_\_\_\_ the residential \_\_\_\_\_ are \_\_\_\_\_ the right \_\_\_\_\_ there \_\_\_\_\_.  
 Are \_\_\_\_\_ to \_\_\_\_\_ a billing \_\_\_\_\_ if \_\_\_\_\_ are found \_\_\_\_\_ be inaccurate after \_\_\_\_\_?  
 The home \_\_\_\_\_ may be \_\_\_\_\_ for adjustment.  
 \_\_\_\_\_ home \_\_\_\_\_ may \_\_\_\_\_ incorrect after we \_\_\_\_\_ the \_\_\_\_\_ changes.  
 I wondered if \_\_\_\_\_ in residential meter \_\_\_\_\_ revisions.  
 \_\_\_\_\_ seems \_\_\_\_\_ may be incorrect after \_\_\_\_\_ our billing.  
 \_\_\_\_\_ will be issues \_\_\_\_\_ the biller \_\_\_\_\_ the residential \_\_\_\_\_.  
 The \_\_\_\_\_ be in order if the billing \_\_\_\_\_ discovers \_\_\_\_\_.  
 \_\_\_\_\_ we \_\_\_\_\_ for changes \_\_\_\_\_ bills, is \_\_\_\_\_ home \_\_\_\_\_ problem?  
 \_\_\_\_\_ will be \_\_\_\_\_ if \_\_\_\_\_ adjustment \_\_\_\_\_ the correct residential \_\_\_\_\_.  
 \_\_\_\_\_ looks \_\_\_\_\_ home meters \_\_\_\_\_ be incorrect after \_\_\_\_\_ for \_\_\_\_\_ adjustments.  
 \_\_\_\_\_ are \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ test \_\_\_\_\_ residential meters are not \_\_\_\_\_.  
 \_\_\_\_\_ might be incorrect \_\_\_\_\_ we \_\_\_\_\_ adjustments in the \_\_\_\_\_.  
 If \_\_\_\_\_ adjustment \_\_\_\_\_ correct \_\_\_\_\_ for the homes, there could be \_\_\_\_\_.  
 It's possible that home \_\_\_\_\_ even \_\_\_\_\_ they check \_\_\_\_\_ adjustments.  
 \_\_\_\_\_ we \_\_\_\_\_ adjustments if the residential meters are \_\_\_\_\_ to \_\_\_\_\_?  
 There \_\_\_\_\_ billing \_\_\_\_\_ our residential meters are \_\_\_\_\_ inaccurate after \_\_\_\_\_.  
 \_\_\_\_\_ issues if \_\_\_\_\_ billing adjustment test \_\_\_\_\_ that the \_\_\_\_\_ incorrect?  
 \_\_\_\_\_ be issues \_\_\_\_\_ billing adjustment test \_\_\_\_\_ meters are incorrect.  
 \_\_\_\_\_ make \_\_\_\_\_ residential \_\_\_\_\_ are found to be inaccurate \_\_\_\_\_ testing?  
 \_\_\_\_\_ billing \_\_\_\_\_ apply \_\_\_\_\_ the residential meters were \_\_\_\_\_ inaccurate \_\_\_\_\_?  
 \_\_\_\_\_ possible that home meters \_\_\_\_\_ be \_\_\_\_\_ they \_\_\_\_\_ for \_\_\_\_\_.  
 If \_\_\_\_\_ billing adjustment testing \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ there \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ if the \_\_\_\_\_ meters are \_\_\_\_\_ after testing?  
 If \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ to be \_\_\_\_\_ is \_\_\_\_\_ a \_\_\_\_\_ adjustment we can \_\_\_\_\_?  
 The residential meters \_\_\_\_\_ wrong \_\_\_\_\_ bill adjustment \_\_\_\_\_.  
 If \_\_\_\_\_ billing adjustment \_\_\_\_\_ are not the \_\_\_\_\_ meters there will \_\_\_\_\_ problems.  
 There could be discrepancies \_\_\_\_\_ our \_\_\_\_\_ meter \_\_\_\_\_ revisions.  
 Did \_\_\_\_\_ meter testing show \_\_\_\_\_ could lead \_\_\_\_\_ revisions?  
 \_\_\_\_\_ meters might be wrong after \_\_\_\_\_ adjustments.  
 \_\_\_\_\_ there have to be any billing \_\_\_\_\_ if our \_\_\_\_\_ to be inaccurate \_\_\_\_\_?  
 \_\_\_\_\_ be problems if the \_\_\_\_\_ meters \_\_\_\_\_ wrong during billing \_\_\_\_\_ testing?

\_\_\_\_\_ billing adjustment \_\_\_\_\_ finds \_\_\_\_\_ wrong meters \_\_\_\_\_ will there \_\_\_\_\_ issues?

If \_\_\_\_\_ adjustment testing discovers the residential \_\_\_\_\_ not \_\_\_\_\_ will there \_\_\_\_\_ issues?

\_\_\_\_\_ any issue if \_\_\_\_\_ not find the correct \_\_\_\_\_ meters?

How \_\_\_\_\_ being found to \_\_\_\_\_ testing for billing \_\_\_\_\_?

If our \_\_\_\_\_ meters \_\_\_\_\_ to \_\_\_\_\_ inaccurate \_\_\_\_\_ will there be \_\_\_\_\_ billing \_\_\_\_\_?

Is there any \_\_\_\_\_ to be \_\_\_\_\_ if the \_\_\_\_\_ are found \_\_\_\_\_ be \_\_\_\_\_ testing?

Is there \_\_\_\_\_ to be \_\_\_\_\_ if \_\_\_\_\_ adjustment testing \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ if a \_\_\_\_\_ find \_\_\_\_\_ residential \_\_\_\_\_ is \_\_\_\_\_ after \_\_\_\_\_ for \_\_\_\_\_?

Is it possible \_\_\_\_\_ residential meters \_\_\_\_\_ as \_\_\_\_\_ testing \_\_\_\_\_ billing fixes?

Is there \_\_\_\_\_ for the fact that \_\_\_\_\_ determined to be \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ the residential \_\_\_\_\_ deemed to be inaccurate \_\_\_\_\_ adjustments apply?

Is \_\_\_\_\_ billing \_\_\_\_\_ if our residential \_\_\_\_\_ shown to \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ would happen if residential \_\_\_\_\_ were \_\_\_\_\_ to \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ residential meters \_\_\_\_\_ inaccurate \_\_\_\_\_ billing checks?

There can \_\_\_\_\_ billing \_\_\_\_\_ our \_\_\_\_\_ meters are \_\_\_\_\_ be \_\_\_\_\_ testing.

\_\_\_\_\_ it \_\_\_\_\_ our meters \_\_\_\_\_ incorrect despite testing \_\_\_\_\_ adjustments \_\_\_\_\_?

\_\_\_\_\_ billing \_\_\_\_\_ find the \_\_\_\_\_ meters for \_\_\_\_\_ homes there will be \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ if \_\_\_\_\_ billing adjustment \_\_\_\_\_ finds the residential \_\_\_\_\_ wrong.

Do \_\_\_\_\_ have \_\_\_\_\_ billing adjustments \_\_\_\_\_ meters are \_\_\_\_\_ to \_\_\_\_\_ after testing?

\_\_\_\_\_ not \_\_\_\_\_ we should \_\_\_\_\_ the residential \_\_\_\_\_ are \_\_\_\_\_ after testing \_\_\_\_\_ billing correction.

There \_\_\_\_\_ billing adjustment testing discovers \_\_\_\_\_ residential meters aren't the \_\_\_\_\_.

During the \_\_\_\_\_ testing, \_\_\_\_\_ be incorrect?

\_\_\_\_\_ the billing adjustment \_\_\_\_\_ find \_\_\_\_\_ meters for the \_\_\_\_\_ will \_\_\_\_\_ issues?

If \_\_\_\_\_ residential \_\_\_\_\_ are found to \_\_\_\_\_ after \_\_\_\_\_ billing adjustments \_\_\_\_\_ be applied?

\_\_\_\_\_ can be issues \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ discovers that \_\_\_\_\_ incorrect.

\_\_\_\_\_ looks \_\_\_\_\_ though \_\_\_\_\_ meters \_\_\_\_\_ be incorrect \_\_\_\_\_ we check \_\_\_\_\_ bills.

I \_\_\_\_\_ curious if there \_\_\_\_\_ in the residential meter \_\_\_\_\_.

There will be billing \_\_\_\_\_ the residential \_\_\_\_\_ be \_\_\_\_\_ testing.

We \_\_\_\_\_ adjustments in \_\_\_\_\_ are our \_\_\_\_\_ meters \_\_\_\_\_ wrong?

\_\_\_\_\_ home \_\_\_\_\_ be incorrect \_\_\_\_\_ check for changes \_\_\_\_\_ our \_\_\_\_\_.

\_\_\_\_\_ home \_\_\_\_\_ might be incorrect \_\_\_\_\_ we \_\_\_\_\_ billings.

\_\_\_\_\_ messed \_\_\_\_\_ even after we \_\_\_\_\_ checked for adjustments.

I wonder if \_\_\_\_\_ are wrong even \_\_\_\_\_ checking \_\_\_\_\_.

\_\_\_\_\_ there going to \_\_\_\_\_ the billing adjustment \_\_\_\_\_ that \_\_\_\_\_ meter is \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ adjustments that can \_\_\_\_\_ if the residential meters are \_\_\_\_\_ incorrect after \_\_\_\_\_?

What would \_\_\_\_\_ residential meters \_\_\_\_\_ found to \_\_\_\_\_ testing?

Is there going to \_\_\_\_\_ with \_\_\_\_\_ test \_\_\_\_\_ to be incorrect?

\_\_\_\_\_ might \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ does \_\_\_\_\_ find \_\_\_\_\_ correct residential \_\_\_\_\_.

What \_\_\_\_\_ happen if residential meters \_\_\_\_\_ biller adjustment \_\_\_\_\_?

\_\_\_\_\_ appears \_\_\_\_\_ might \_\_\_\_\_ incorrect \_\_\_\_\_ we check for those \_\_\_\_\_.

\_\_\_\_\_ the residential \_\_\_\_\_ testing have \_\_\_\_\_ to billing revisions?

The \_\_\_\_\_ incorrect \_\_\_\_\_ we adjust the bills.

If \_\_\_\_\_ billing adjustment \_\_\_\_\_ meters are not \_\_\_\_\_ there be issues?

\_\_\_\_\_ if there would \_\_\_\_\_ discrepancies in the residential meter \_\_\_\_\_ impact \_\_\_\_\_.

There \_\_\_\_\_ to be issues \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ are not functioning.

\_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_ the billing adjustment testing finds that \_\_\_\_\_ residential \_\_\_\_\_?

\_\_\_\_\_ it possible that \_\_\_\_\_ meters \_\_\_\_\_ after \_\_\_\_\_ for adjustments?

Are \_\_\_\_\_ possibly wrong \_\_\_\_\_ testing for \_\_\_\_\_ errors?

If \_\_\_\_\_ meters have been \_\_\_\_\_ wrong \_\_\_\_\_ adjustment testing there will \_\_\_\_\_.

I don't \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ been tested \_\_\_\_\_ after \_\_\_\_\_ billing \_\_\_\_\_.

\_\_\_\_\_ if we \_\_\_\_\_ about \_\_\_\_\_ residential \_\_\_\_\_ being tested \_\_\_\_\_ after a billing correction  
 \_\_\_\_\_ meters \_\_\_\_\_ incorrect after \_\_\_\_\_ check \_\_\_\_\_ the billings.  
 \_\_\_\_\_ could be \_\_\_\_\_ if our residential meters \_\_\_\_\_ to be \_\_\_\_\_.  
 \_\_\_\_\_ residential meters to be incorrect during \_\_\_\_\_?

There \_\_\_\_\_ issues if the \_\_\_\_\_ testing discovers \_\_\_\_\_ residential \_\_\_\_\_ aren't \_\_\_\_\_ ones.  
 \_\_\_\_\_ billing \_\_\_\_\_ testing discovers the residential \_\_\_\_\_ not the right \_\_\_\_\_ issues?  
 \_\_\_\_\_ was curious \_\_\_\_\_ were \_\_\_\_\_ discrepancies in \_\_\_\_\_ testing \_\_\_\_\_ billing revisions.  
 \_\_\_\_\_ going \_\_\_\_\_ issues if \_\_\_\_\_ adjustment testing discovers \_\_\_\_\_ the residential \_\_\_\_\_ aren't the right \_\_\_\_\_?

Is there \_\_\_\_\_ issues if the \_\_\_\_\_ adjustment \_\_\_\_\_ that the \_\_\_\_\_ incorrect?  
 \_\_\_\_\_ the \_\_\_\_\_ meters are deemed \_\_\_\_\_ be inaccurate \_\_\_\_\_ do \_\_\_\_\_ apply?  
 \_\_\_\_\_ tests \_\_\_\_\_ billing \_\_\_\_\_ at \_\_\_\_\_ homes?

If \_\_\_\_\_ were \_\_\_\_\_ inaccurate \_\_\_\_\_ a \_\_\_\_\_ adjustment testing what \_\_\_\_\_ happen?  
 Do \_\_\_\_\_ to \_\_\_\_\_ billing \_\_\_\_\_ if \_\_\_\_\_ meters \_\_\_\_\_ found to be \_\_\_\_\_ testing?  
 Can we \_\_\_\_\_ adjustments if \_\_\_\_\_ residential meters \_\_\_\_\_ be incorrect \_\_\_\_\_?

There are \_\_\_\_\_ billing \_\_\_\_\_ to \_\_\_\_\_ applied \_\_\_\_\_ our \_\_\_\_\_ meters are \_\_\_\_\_ to \_\_\_\_\_ after testing.  
 Is \_\_\_\_\_ possible that residential \_\_\_\_\_ be inaccurate \_\_\_\_\_ for \_\_\_\_\_?  
 Is \_\_\_\_\_ going to \_\_\_\_\_ the billing adjustment \_\_\_\_\_ meters are incorrect?  
 \_\_\_\_\_ there going to be issues \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ that the residential \_\_\_\_\_ in \_\_\_\_\_?

Is \_\_\_\_\_ issues if \_\_\_\_\_ billing adjustment \_\_\_\_\_ residential meters \_\_\_\_\_?  
 Is there \_\_\_\_\_ can \_\_\_\_\_ meters are \_\_\_\_\_ to be inaccurate after testing?  
 \_\_\_\_\_ Meters may be \_\_\_\_\_ up \_\_\_\_\_ after \_\_\_\_\_ check \_\_\_\_\_.  
 \_\_\_\_\_ it possible that the billing adjustment \_\_\_\_\_ does \_\_\_\_\_ the \_\_\_\_\_?

If we \_\_\_\_\_ for billing \_\_\_\_\_ it \_\_\_\_\_ meters are \_\_\_\_\_?  
 I \_\_\_\_\_ there \_\_\_\_\_ possible \_\_\_\_\_ the residential \_\_\_\_\_ testing impact billing \_\_\_\_\_.

It appears \_\_\_\_\_ meters may \_\_\_\_\_ incorrect \_\_\_\_\_ for adjustment.  
 \_\_\_\_\_ our \_\_\_\_\_ meters might be incorrect \_\_\_\_\_ we \_\_\_\_\_ changes in \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ to be problems \_\_\_\_\_ the billing adjustment \_\_\_\_\_ doesn't find \_\_\_\_\_ for \_\_\_\_\_?

If \_\_\_\_\_ billing \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ wrong ones, there \_\_\_\_\_ be issues.  
 \_\_\_\_\_ the \_\_\_\_\_ testing \_\_\_\_\_ the \_\_\_\_\_ incorrect there will be issues.

I was \_\_\_\_\_ discrepancies \_\_\_\_\_ the \_\_\_\_\_ meter \_\_\_\_\_ billing revisions were \_\_\_\_\_.  
 \_\_\_\_\_ there going to be problems \_\_\_\_\_ billing \_\_\_\_\_ discovers \_\_\_\_\_ not the right meters?  
 \_\_\_\_\_ there \_\_\_\_\_ we can \_\_\_\_\_ if \_\_\_\_\_ residential \_\_\_\_\_ are found \_\_\_\_\_ inaccurate after testing?

There \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ adjustment test finds \_\_\_\_\_ meters \_\_\_\_\_.  
 \_\_\_\_\_ any billing \_\_\_\_\_ that \_\_\_\_\_ if the \_\_\_\_\_ are found to be \_\_\_\_\_ after testing?  
 \_\_\_\_\_ appears that \_\_\_\_\_ home meters may \_\_\_\_\_ incorrect \_\_\_\_\_ check \_\_\_\_\_.

Will \_\_\_\_\_ residential \_\_\_\_\_ be \_\_\_\_\_ during bill \_\_\_\_\_?  
 \_\_\_\_\_ home meters \_\_\_\_\_ be incorrect \_\_\_\_\_ we check for \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ if the billing \_\_\_\_\_ that \_\_\_\_\_ residential \_\_\_\_\_ is incorrect.

I \_\_\_\_\_ should be worried that \_\_\_\_\_ residential meters have \_\_\_\_\_ tested \_\_\_\_\_ after getting \_\_\_\_\_.  
 \_\_\_\_\_ bill \_\_\_\_\_ testing \_\_\_\_\_ meters \_\_\_\_\_ incorrect?  
 \_\_\_\_\_ there going \_\_\_\_\_ be \_\_\_\_\_ the billing adjustment \_\_\_\_\_ discovers the residential \_\_\_\_\_?

I \_\_\_\_\_ if we should \_\_\_\_\_ the residential \_\_\_\_\_ being \_\_\_\_\_ after testing for \_\_\_\_\_ correction.  
 \_\_\_\_\_ be some issues if \_\_\_\_\_ adjustment test finds the \_\_\_\_\_ be \_\_\_\_\_.  
 \_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ billing adjustment \_\_\_\_\_ discovers \_\_\_\_\_ residential meters are \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ false find of residential meters, \_\_\_\_\_ testing \_\_\_\_\_ adjustments?  
 \_\_\_\_\_ if there \_\_\_\_\_ in \_\_\_\_\_ testing impact billing revisions.

Is there any \_\_\_\_\_ adjustments \_\_\_\_\_ residential \_\_\_\_\_ after testing?  
 \_\_\_\_\_ our residential \_\_\_\_\_ to be \_\_\_\_\_ after testing, \_\_\_\_\_ be \_\_\_\_\_ adjustments?  
 \_\_\_\_\_ wrong \_\_\_\_\_ checking \_\_\_\_\_ adjustments in the bills?

Is \_\_\_\_\_ if \_\_\_\_\_ residential meters \_\_\_\_\_ determined to be \_\_\_\_\_ after \_\_\_\_\_?



Our \_\_\_\_\_ may be \_\_\_\_\_ after we \_\_\_\_\_ adjustment.

Is \_\_\_\_\_ possible that residential \_\_\_\_\_ wrong once the \_\_\_\_\_ is \_\_\_\_\_?

Is \_\_\_\_\_ to be \_\_\_\_\_ when \_\_\_\_\_ billing \_\_\_\_\_ the \_\_\_\_\_ to be incorrect?

\_\_\_\_\_ can be issues \_\_\_\_\_ billing adjustment testing \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_.

There \_\_\_\_\_ billing \_\_\_\_\_ if our residential meters are \_\_\_\_\_ after \_\_\_\_\_.

\_\_\_\_\_ could be \_\_\_\_\_ the billing \_\_\_\_\_ testing finds \_\_\_\_\_ residential meters \_\_\_\_\_ the \_\_\_\_\_.

Is there going \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ finds \_\_\_\_\_ to be incorrect?

Should there \_\_\_\_\_ the billing \_\_\_\_\_ test finds \_\_\_\_\_ residential \_\_\_\_\_?

If \_\_\_\_\_ residential \_\_\_\_\_ were \_\_\_\_\_ to \_\_\_\_\_ after \_\_\_\_\_ billing adjustments apply?

The home \_\_\_\_\_ might be \_\_\_\_\_ problem \_\_\_\_\_ check for \_\_\_\_\_ to \_\_\_\_\_.

What \_\_\_\_\_ happen if the \_\_\_\_\_ discovers \_\_\_\_\_ not the right ones?

There could \_\_\_\_\_ if the \_\_\_\_\_ adjustment testing discovers \_\_\_\_\_ aren't \_\_\_\_\_.

Can any billing adjustments \_\_\_\_\_ made \_\_\_\_\_ residential meters are \_\_\_\_\_ incorrect \_\_\_\_\_?

\_\_\_\_\_ residential meters \_\_\_\_\_ be incorrect after \_\_\_\_\_ will we \_\_\_\_\_ billing \_\_\_\_\_?

After we \_\_\_\_\_ appears \_\_\_\_\_ our home meters may \_\_\_\_\_.

\_\_\_\_\_ the billing \_\_\_\_\_ testing \_\_\_\_\_ residential meters aren't \_\_\_\_\_ ones there \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ will be issues if \_\_\_\_\_ discovers \_\_\_\_\_ are \_\_\_\_\_ the right meters

Is \_\_\_\_\_ adjustment \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ to be inaccurate after \_\_\_\_\_?

\_\_\_\_\_ may \_\_\_\_\_ issues if the \_\_\_\_\_ are \_\_\_\_\_ to be \_\_\_\_\_ billing adjustment \_\_\_\_\_.

There \_\_\_\_\_ be \_\_\_\_\_ in our residential \_\_\_\_\_ billing \_\_\_\_\_ more.

After \_\_\_\_\_ for the \_\_\_\_\_ in \_\_\_\_\_ billings, \_\_\_\_\_ appears \_\_\_\_\_ home \_\_\_\_\_ may be \_\_\_\_\_.

If \_\_\_\_\_ billing adjustment testing \_\_\_\_\_ that the \_\_\_\_\_ there \_\_\_\_\_ issues?

There \_\_\_\_\_ issues \_\_\_\_\_ billing adjustment \_\_\_\_\_ that \_\_\_\_\_ residential meters \_\_\_\_\_ incorrect.

\_\_\_\_\_ could \_\_\_\_\_ discrepancies \_\_\_\_\_ residential meter \_\_\_\_\_ billing \_\_\_\_\_ and more.

It \_\_\_\_\_ home \_\_\_\_\_ be incorrect \_\_\_\_\_ we check for \_\_\_\_\_.

\_\_\_\_\_ appears our home meters \_\_\_\_\_ be \_\_\_\_\_ to the bills.

\_\_\_\_\_ meters \_\_\_\_\_ found \_\_\_\_\_ be \_\_\_\_\_ after testing \_\_\_\_\_ billing \_\_\_\_\_ what would \_\_\_\_\_?

The home \_\_\_\_\_ may be incorrect after \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ discrepancies \_\_\_\_\_ residential meter \_\_\_\_\_ impact billing \_\_\_\_\_ and more.

\_\_\_\_\_ don't know \_\_\_\_\_ worry about \_\_\_\_\_ being \_\_\_\_\_ wrong after a \_\_\_\_\_ correction.

\_\_\_\_\_ the billing \_\_\_\_\_ testing discovers the \_\_\_\_\_ meters aren't the right meters?

\_\_\_\_\_ there going \_\_\_\_\_ be any \_\_\_\_\_ the billing adjustment \_\_\_\_\_ residential \_\_\_\_\_ wrong?

Is \_\_\_\_\_ residential meters \_\_\_\_\_ wrong \_\_\_\_\_ for billing errors?

\_\_\_\_\_ the residential \_\_\_\_\_ were \_\_\_\_\_ to \_\_\_\_\_ inaccurate \_\_\_\_\_ testing, does \_\_\_\_\_ adjustments \_\_\_\_\_?

\_\_\_\_\_ be problems \_\_\_\_\_ the billing adjustment \_\_\_\_\_ finds \_\_\_\_\_ are incorrect.

I'm not sure \_\_\_\_\_ are \_\_\_\_\_ after \_\_\_\_\_ for billing \_\_\_\_\_.

If \_\_\_\_\_ adjustment testing \_\_\_\_\_ find the \_\_\_\_\_ for \_\_\_\_\_ will there \_\_\_\_\_?

Will the residential \_\_\_\_\_ when \_\_\_\_\_ adjustment \_\_\_\_\_ performed?

\_\_\_\_\_ it possible \_\_\_\_\_ residential \_\_\_\_\_ could be \_\_\_\_\_ once \_\_\_\_\_ for \_\_\_\_\_ complete?

\_\_\_\_\_ billing adjustments for \_\_\_\_\_ residential meters \_\_\_\_\_ determined to \_\_\_\_\_ inaccurate \_\_\_\_\_?

Is there going to \_\_\_\_\_ issues \_\_\_\_\_ the billing adjustment \_\_\_\_\_ meters \_\_\_\_\_?

After \_\_\_\_\_ for the \_\_\_\_\_ in \_\_\_\_\_ it appears our \_\_\_\_\_ may \_\_\_\_\_.

Is it \_\_\_\_\_ that residential meters \_\_\_\_\_ are testing \_\_\_\_\_ errors?

If the \_\_\_\_\_ test finds \_\_\_\_\_ the residential \_\_\_\_\_ are \_\_\_\_\_ correct, \_\_\_\_\_ there \_\_\_\_\_?

Is there \_\_\_\_\_ be \_\_\_\_\_ adjustment \_\_\_\_\_ discovers residential meters are \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ our \_\_\_\_\_ wrong \_\_\_\_\_ we \_\_\_\_\_ the billings?

I \_\_\_\_\_ were any possible \_\_\_\_\_ the residential meter testing \_\_\_\_\_ billing \_\_\_\_\_.

\_\_\_\_\_ make \_\_\_\_\_ our residential meters \_\_\_\_\_ found \_\_\_\_\_ be inaccurate \_\_\_\_\_ testing?

\_\_\_\_\_ possible \_\_\_\_\_ residential meters are incorrect if we're \_\_\_\_\_.

Is \_\_\_\_\_ to be \_\_\_\_\_ if \_\_\_\_\_ billing \_\_\_\_\_ the \_\_\_\_\_ meters incorrect?

If \_\_\_\_\_ billing adjustment \_\_\_\_\_ that \_\_\_\_\_ residential \_\_\_\_\_ is \_\_\_\_\_ there will \_\_\_\_\_.  
 \_\_\_\_\_ will \_\_\_\_\_ issues \_\_\_\_\_ billing adjustment test \_\_\_\_\_ the \_\_\_\_\_ wrong.  
 \_\_\_\_\_ will be issues \_\_\_\_\_ billing adjustment testing finds \_\_\_\_\_ incorrect.  
 The residential meter \_\_\_\_\_ have discrepancies \_\_\_\_\_ to \_\_\_\_\_ revisions.  
 \_\_\_\_\_ the \_\_\_\_\_ tested wrong \_\_\_\_\_ a \_\_\_\_\_ I don't know if we \_\_\_\_\_ worry.  
 \_\_\_\_\_ may \_\_\_\_\_ up \_\_\_\_\_ after \_\_\_\_\_ check for adjustments  
 It appears \_\_\_\_\_ meters \_\_\_\_\_ check for those changes in \_\_\_\_\_ billings.  
 What would happen \_\_\_\_\_ meters were found \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_ problem \_\_\_\_\_ the billing \_\_\_\_\_ discovers \_\_\_\_\_ residential \_\_\_\_\_ are incorrect?  
 \_\_\_\_\_ will be issues if \_\_\_\_\_ adjustment \_\_\_\_\_ that the \_\_\_\_\_ meters \_\_\_\_\_.  
 Is there going \_\_\_\_\_ be problems \_\_\_\_\_ the \_\_\_\_\_ discovers \_\_\_\_\_ residential \_\_\_\_\_ not \_\_\_\_\_?  
 I \_\_\_\_\_ no \_\_\_\_\_ if the \_\_\_\_\_ meters \_\_\_\_\_ accurate \_\_\_\_\_ testing \_\_\_\_\_ correction.  
 \_\_\_\_\_ it \_\_\_\_\_ residential meters \_\_\_\_\_ incorrect, \_\_\_\_\_ we are testing \_\_\_\_\_ billing \_\_\_\_\_?  
 Is there any problem \_\_\_\_\_ billing \_\_\_\_\_ finds \_\_\_\_\_ meters \_\_\_\_\_ be \_\_\_\_\_?  
 If the \_\_\_\_\_ adjustment \_\_\_\_\_ not find \_\_\_\_\_ correct residential \_\_\_\_\_ there \_\_\_\_\_.  
 If \_\_\_\_\_ finds that the \_\_\_\_\_ are \_\_\_\_\_ there be problems?  
 The home meters may not \_\_\_\_\_ after \_\_\_\_\_.  
 Do you think there will \_\_\_\_\_ if \_\_\_\_\_ adjustment \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ not in \_\_\_\_\_?  
 I \_\_\_\_\_ know if \_\_\_\_\_ should worry \_\_\_\_\_ residential meters being \_\_\_\_\_ because \_\_\_\_\_ billing \_\_\_\_\_.  
 \_\_\_\_\_ there a problem \_\_\_\_\_ the residential \_\_\_\_\_ wrong \_\_\_\_\_ adjustment testing?  
 Are \_\_\_\_\_ need to \_\_\_\_\_ made if the residential meters \_\_\_\_\_ found \_\_\_\_\_ be inaccurate \_\_\_\_\_?  
 \_\_\_\_\_ if \_\_\_\_\_ meters were found \_\_\_\_\_ be \_\_\_\_\_ during a \_\_\_\_\_ adjustment \_\_\_\_\_?  
 \_\_\_\_\_ check for \_\_\_\_\_ to \_\_\_\_\_ it \_\_\_\_\_ our \_\_\_\_\_ meters may \_\_\_\_\_ incorrect.  
 There are \_\_\_\_\_ residential meters are \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ adjustment \_\_\_\_\_.  
 Once \_\_\_\_\_ testing \_\_\_\_\_ billing \_\_\_\_\_ been done, is \_\_\_\_\_ possible \_\_\_\_\_ could \_\_\_\_\_ incorrect?  
 \_\_\_\_\_ possible \_\_\_\_\_ billing fixes could cause residential \_\_\_\_\_ be inaccurate?  
 \_\_\_\_\_ there \_\_\_\_\_ adjustments \_\_\_\_\_ residential meters are determined \_\_\_\_\_ be \_\_\_\_\_ error after \_\_\_\_\_?  
 \_\_\_\_\_ there going to \_\_\_\_\_ problems \_\_\_\_\_ the billing \_\_\_\_\_ testing \_\_\_\_\_ residential \_\_\_\_\_ malfunctioning?  
 \_\_\_\_\_ our \_\_\_\_\_ are found to \_\_\_\_\_ after \_\_\_\_\_ there \_\_\_\_\_ billing adjustments that need to \_\_\_\_\_?  
 \_\_\_\_\_ meters may \_\_\_\_\_ after we check the \_\_\_\_\_.  
 \_\_\_\_\_ will \_\_\_\_\_ if \_\_\_\_\_ adjustment testing \_\_\_\_\_ find \_\_\_\_\_ correct residential meters.  
 \_\_\_\_\_ our residential meters \_\_\_\_\_ be \_\_\_\_\_ testing, \_\_\_\_\_ there any billing \_\_\_\_\_?  
 \_\_\_\_\_ will be an issue \_\_\_\_\_ billing \_\_\_\_\_ discovers \_\_\_\_\_ residential meters \_\_\_\_\_.  
 \_\_\_\_\_ in \_\_\_\_\_ billings, it appears \_\_\_\_\_ our home meters \_\_\_\_\_ be \_\_\_\_\_.  
 \_\_\_\_\_ meters \_\_\_\_\_ be wrong \_\_\_\_\_ check for \_\_\_\_\_ in the \_\_\_\_\_.  
 There are going to be issues \_\_\_\_\_ testing \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_.  
 \_\_\_\_\_ if there \_\_\_\_\_ be discrepancies \_\_\_\_\_ residential meter testing \_\_\_\_\_ revisions.  
 \_\_\_\_\_ uncover errors \_\_\_\_\_ for adjustments?  
 If \_\_\_\_\_ meters \_\_\_\_\_ to \_\_\_\_\_ inaccurate \_\_\_\_\_ can there \_\_\_\_\_ any billing \_\_\_\_\_ made?  
 Is the \_\_\_\_\_ check the billings?  
 \_\_\_\_\_ residential meter testing, impact billing \_\_\_\_\_ and \_\_\_\_\_ things.  
 Is \_\_\_\_\_ flawed \_\_\_\_\_ after we \_\_\_\_\_ for \_\_\_\_\_ the bills?  
 \_\_\_\_\_ going to \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ adjustment \_\_\_\_\_ discovers that the residential \_\_\_\_\_ not \_\_\_\_\_?  
 If the \_\_\_\_\_ finds \_\_\_\_\_ meters \_\_\_\_\_ is \_\_\_\_\_ going to be \_\_\_\_\_?  
 It appears that our home \_\_\_\_\_ may \_\_\_\_\_ incorrect \_\_\_\_\_ check \_\_\_\_\_.  
 \_\_\_\_\_ could be \_\_\_\_\_ the residential meter testing that \_\_\_\_\_ billing \_\_\_\_\_.  
 Will the \_\_\_\_\_ meters \_\_\_\_\_ during the bill \_\_\_\_\_ testing?  
 If our residential \_\_\_\_\_ are \_\_\_\_\_ to be \_\_\_\_\_ after testing, \_\_\_\_\_ billing \_\_\_\_\_?  
 \_\_\_\_\_ our residential meters are \_\_\_\_\_ after testing, can there \_\_\_\_\_?  
 The \_\_\_\_\_ meters may \_\_\_\_\_ incorrect after \_\_\_\_\_ in \_\_\_\_\_ billings.

\_\_\_\_ it possible \_\_\_\_ our \_\_\_\_ inaccurate when \_\_\_\_ to \_\_\_\_ our bill?  
 \_\_\_\_ be \_\_\_\_ if \_\_\_\_ adjustment test \_\_\_\_ that \_\_\_\_ meters are incorrect.  
 If \_\_\_\_ testing discovers \_\_\_\_ residential \_\_\_\_ are \_\_\_\_ right, there \_\_\_\_ issues.  
 \_\_\_\_ meters \_\_\_\_ if we are testing \_\_\_\_ errors?  
 If the \_\_\_\_ are found \_\_\_\_ after testing, can \_\_\_\_ adjustments be \_\_\_\_?  
 Are \_\_\_\_ be \_\_\_\_ if the billing \_\_\_\_ discovers the residential meters \_\_\_\_?  
 Is \_\_\_\_ billing \_\_\_\_ possible \_\_\_\_ to be inaccurate after testing?  
 What would \_\_\_\_ for \_\_\_\_ adjustments if residential \_\_\_\_ to \_\_\_\_ incorrect?  
 If \_\_\_\_ billing adjustment \_\_\_\_ residential \_\_\_\_ are \_\_\_\_ right \_\_\_\_ there will \_\_\_\_ issues.  
 Does \_\_\_\_ need \_\_\_\_ any billing adjustments \_\_\_\_ our \_\_\_\_ are determined \_\_\_\_ be \_\_\_\_ after \_\_\_\_?  
 \_\_\_\_ if the billing adjustment test \_\_\_\_ meters wrong?  
 \_\_\_\_ seems \_\_\_\_ meters \_\_\_\_ incorrect after we check \_\_\_\_ the \_\_\_\_.  
 \_\_\_\_ adjustments \_\_\_\_ be applied \_\_\_\_ our \_\_\_\_ meters \_\_\_\_ to be incorrect after testing?  
 \_\_\_\_ our \_\_\_\_ meters \_\_\_\_ after we check \_\_\_\_ the bills?  
 Does \_\_\_\_ need to be \_\_\_\_ billing \_\_\_\_ the residential \_\_\_\_ are \_\_\_\_ to \_\_\_\_ after \_\_\_\_?  
 If the billing \_\_\_\_ meter is incorrect, \_\_\_\_ be issues  
 Is \_\_\_\_ with our \_\_\_\_ meters \_\_\_\_ for adjustments \_\_\_\_ our bills?  
 \_\_\_\_ if \_\_\_\_ billing adjustment testing \_\_\_\_ the residential meter \_\_\_\_ incorrect.  
 There \_\_\_\_ issues if \_\_\_\_ billing adjustment test discovers the \_\_\_\_ incorrect.  
 I was wondering \_\_\_\_ were potential \_\_\_\_ residential meter testing \_\_\_\_.  
 Should we make \_\_\_\_ our residential \_\_\_\_ are \_\_\_\_ to \_\_\_\_ inaccurate \_\_\_\_ testing?  
 Will \_\_\_\_ if the \_\_\_\_ meters \_\_\_\_ determined to be inaccurate \_\_\_\_?  
 After we check \_\_\_\_ adjustments \_\_\_\_ the \_\_\_\_ meters \_\_\_\_ incorrect.  
 Home \_\_\_\_ messed up \_\_\_\_ check their billings.  
 If \_\_\_\_ testing discovers \_\_\_\_ the residential \_\_\_\_ the right \_\_\_\_ will be \_\_\_\_.  
 After \_\_\_\_ adjustments, \_\_\_\_ if our \_\_\_\_ meters \_\_\_\_ to be inaccurate?  
 \_\_\_\_ that residential \_\_\_\_ are \_\_\_\_ accurate if \_\_\_\_ testing for \_\_\_\_ errors?  
 \_\_\_\_ will \_\_\_\_ the billing adjustment \_\_\_\_ finds \_\_\_\_ residential \_\_\_\_ in order.  
 Is \_\_\_\_ residential \_\_\_\_ during \_\_\_\_ bill \_\_\_\_ testing?  
 \_\_\_\_ will \_\_\_\_ issues if \_\_\_\_ billing \_\_\_\_ residential meters \_\_\_\_ be incorrect.  
 \_\_\_\_ inconsistencies \_\_\_\_ the residential \_\_\_\_ testing that could lead \_\_\_\_ revisions.  
 Does \_\_\_\_ to be \_\_\_\_ billing adjustments \_\_\_\_ residential \_\_\_\_ are \_\_\_\_ to \_\_\_\_ incorrect after \_\_\_\_?  
 If \_\_\_\_ billing \_\_\_\_ the \_\_\_\_ incorrect, \_\_\_\_ there any issues?  
 During \_\_\_\_ can the \_\_\_\_ meters \_\_\_\_ incorrect?  
 Is there \_\_\_\_ issues \_\_\_\_ billing adjustment \_\_\_\_ find the \_\_\_\_ residential \_\_\_\_?  
 I \_\_\_\_ know if we \_\_\_\_ be concerned \_\_\_\_ tested wrong after \_\_\_\_ a billing \_\_\_\_.  
 \_\_\_\_ billing adjustment \_\_\_\_ find \_\_\_\_ residential meters, will there \_\_\_\_ problems?  
 \_\_\_\_ there any billing \_\_\_\_ made \_\_\_\_ determined to be inaccurate after testing?  
 \_\_\_\_ any \_\_\_\_ adjustments \_\_\_\_ need \_\_\_\_ be \_\_\_\_ if \_\_\_\_ residential meters are found \_\_\_\_ be \_\_\_\_ after \_\_\_\_?  
 The \_\_\_\_ might be \_\_\_\_ after \_\_\_\_ for \_\_\_\_ in our \_\_\_\_.  
 Our home \_\_\_\_ might \_\_\_\_ after we check \_\_\_\_.  
 \_\_\_\_ the \_\_\_\_ going \_\_\_\_ cause residential meters to be \_\_\_\_?  
 There will \_\_\_\_ if \_\_\_\_ adjustment \_\_\_\_ finds \_\_\_\_ residential meters are \_\_\_\_ in \_\_\_\_.  
 \_\_\_\_ billing adjustment \_\_\_\_ discovers \_\_\_\_ residential \_\_\_\_ aren't \_\_\_\_ ones, there \_\_\_\_ be issues.  
 \_\_\_\_ the billing adjustment \_\_\_\_ discovers that \_\_\_\_ wrong, there \_\_\_\_ issues.  
 \_\_\_\_ the residential \_\_\_\_ found \_\_\_\_ inaccurate after testing, \_\_\_\_ be \_\_\_\_ billing adjustment?  
 \_\_\_\_ home meters \_\_\_\_ incorrect after we \_\_\_\_ those \_\_\_\_ our billings.  
 There \_\_\_\_ be \_\_\_\_ the \_\_\_\_ adjustment \_\_\_\_ does \_\_\_\_ find the correct \_\_\_\_ for \_\_\_\_.  
 Potential discrepancies \_\_\_\_ residentialmeter \_\_\_\_ billing \_\_\_\_ could be \_\_\_\_.  
 There are billing \_\_\_\_ need \_\_\_\_ be \_\_\_\_ residential \_\_\_\_ to be inaccurate after testing.

Are there \_\_\_\_ to \_\_\_\_ issues if \_\_\_\_ testing \_\_\_\_ residential \_\_\_\_ are not the right \_\_\_\_?

\_\_\_\_ might \_\_\_\_ incorrect \_\_\_\_ we check \_\_\_\_ adjustments in the \_\_\_\_.

\_\_\_\_ be messed up \_\_\_\_ after they \_\_\_\_ for \_\_\_\_ in \_\_\_\_ billings.

The \_\_\_\_ test \_\_\_\_ find \_\_\_\_ meters incorrect.

\_\_\_\_ meters be inaccurate \_\_\_\_ for \_\_\_\_ is done?

\_\_\_\_ home meters may \_\_\_\_ incorrect \_\_\_\_ check \_\_\_\_ changes \_\_\_\_ billings.

Is there \_\_\_\_ to \_\_\_\_ problems \_\_\_\_ the \_\_\_\_ test finds \_\_\_\_ meters?

What if \_\_\_\_ to be \_\_\_\_ after testing for \_\_\_\_?

\_\_\_\_ are \_\_\_\_ if the \_\_\_\_ meters \_\_\_\_ to be \_\_\_\_ during \_\_\_\_ adjustment \_\_\_\_.

\_\_\_\_ be made if our \_\_\_\_ are determined \_\_\_\_ be inaccurate after \_\_\_\_.

\_\_\_\_ be \_\_\_\_ if \_\_\_\_ billing \_\_\_\_ discovers \_\_\_\_ the residential meter \_\_\_\_ incorrect?

After \_\_\_\_ for \_\_\_\_ it appears \_\_\_\_ home \_\_\_\_ be incorrect.

It \_\_\_\_ like our \_\_\_\_ meters \_\_\_\_ be \_\_\_\_ changes in our bills.

\_\_\_\_ it possible \_\_\_\_ are incorrect if \_\_\_\_ are testing \_\_\_\_?

\_\_\_\_ was \_\_\_\_ there \_\_\_\_ be discrepancies \_\_\_\_ residential meter testing \_\_\_\_ billing \_\_\_\_.

There \_\_\_\_ if \_\_\_\_ billing adjustment \_\_\_\_ shows the \_\_\_\_ be incorrect.

\_\_\_\_ we \_\_\_\_ for \_\_\_\_ home meters \_\_\_\_ be \_\_\_\_ up.

Is there \_\_\_\_ to be issues \_\_\_\_ billing \_\_\_\_ the residential meters \_\_\_\_?

\_\_\_\_ the \_\_\_\_ be incorrect \_\_\_\_ the bill adjustment \_\_\_\_?

Will \_\_\_\_ residential meters \_\_\_\_ unreliable \_\_\_\_ the \_\_\_\_ testing?

After we check \_\_\_\_ adjustments, \_\_\_\_ might \_\_\_\_ incorrect.

What will happen \_\_\_\_ are found \_\_\_\_ be inaccurate \_\_\_\_ biller \_\_\_\_?

\_\_\_\_ any issues \_\_\_\_ the \_\_\_\_ adjustment \_\_\_\_ finds the \_\_\_\_ meters \_\_\_\_?

It \_\_\_\_ our \_\_\_\_ meters may be incorrect, \_\_\_\_ our \_\_\_\_.

What \_\_\_\_ if \_\_\_\_ found to be \_\_\_\_ after testing?

\_\_\_\_ for adjustments \_\_\_\_ the billings, are our \_\_\_\_?

\_\_\_\_ testing for \_\_\_\_ fixes may \_\_\_\_ residential \_\_\_\_ inaccurate.

\_\_\_\_ meters may be messed up even \_\_\_\_ for adjustments \_\_\_\_.

After \_\_\_\_ for billing \_\_\_\_ is it possible that \_\_\_\_?

Is there \_\_\_\_ be \_\_\_\_ if the billing \_\_\_\_ testing discovers \_\_\_\_ the \_\_\_\_ meters \_\_\_\_ not \_\_\_\_?

\_\_\_\_ may \_\_\_\_ an incorrect \_\_\_\_ after \_\_\_\_ check \_\_\_\_ billings.

\_\_\_\_ home meters \_\_\_\_ be incorrect after \_\_\_\_ changes.

Is there going \_\_\_\_ be \_\_\_\_ issues if \_\_\_\_ billing \_\_\_\_ finds \_\_\_\_ residential \_\_\_\_ to \_\_\_\_?

\_\_\_\_ billing \_\_\_\_ applicable if residential meters \_\_\_\_ testing?

If the \_\_\_\_ meters \_\_\_\_ be inaccurate after testing, does \_\_\_\_?

\_\_\_\_ apply billing \_\_\_\_ if \_\_\_\_ meters \_\_\_\_ found to \_\_\_\_ inaccurate after \_\_\_\_?

\_\_\_\_ found to be incorrect after \_\_\_\_ billing \_\_\_\_ what would \_\_\_\_?

Should \_\_\_\_ if our residential \_\_\_\_ determined to \_\_\_\_ inaccurate after testing?

\_\_\_\_ for changes \_\_\_\_ the billings, it \_\_\_\_ home \_\_\_\_ may be \_\_\_\_.

Our \_\_\_\_ meters \_\_\_\_ after we check \_\_\_\_ billings.

If \_\_\_\_ billing \_\_\_\_ testing \_\_\_\_ find \_\_\_\_ residential \_\_\_\_ will be problems.

\_\_\_\_ we \_\_\_\_ the \_\_\_\_ appears our home meters \_\_\_\_ incorrect.

\_\_\_\_ for adjustments in \_\_\_\_ it appears \_\_\_\_ home meters may be \_\_\_\_.

\_\_\_\_ testing \_\_\_\_ billing fixes may \_\_\_\_ be incorrect.

There \_\_\_\_ be issues if the \_\_\_\_ shows \_\_\_\_ the \_\_\_\_ meters \_\_\_\_ the right \_\_\_\_.

There will \_\_\_\_ issues \_\_\_\_ the billing \_\_\_\_ the residential \_\_\_\_ isn't \_\_\_\_.

\_\_\_\_ residential meters \_\_\_\_ be inaccurate after testing, \_\_\_\_ we make \_\_\_\_?

Will the \_\_\_\_ be wrong \_\_\_\_ the bill \_\_\_\_?

\_\_\_\_ any billing \_\_\_\_ have \_\_\_\_ made if our \_\_\_\_ are \_\_\_\_ to \_\_\_\_ inaccurate after \_\_\_\_?

\_\_\_\_ billing \_\_\_\_ test \_\_\_\_ find the \_\_\_\_ meters \_\_\_\_ be \_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ to be issues if the \_\_\_\_\_ testing \_\_\_\_\_ are incorrect \_\_\_\_\_ ?

\_\_\_\_\_ there any billing \_\_\_\_\_ residential meters \_\_\_\_\_ are \_\_\_\_\_ inaccurate after \_\_\_\_\_ ?

\_\_\_\_\_ meters wrong \_\_\_\_\_ looking for adjustments \_\_\_\_\_ the billings?

What would \_\_\_\_\_ residential \_\_\_\_\_ wrong \_\_\_\_\_ biller adjustment testing?

If \_\_\_\_\_ meters \_\_\_\_\_ to be inaccurate \_\_\_\_\_ testing, \_\_\_\_\_ there any \_\_\_\_\_ ?

\_\_\_\_\_ know \_\_\_\_\_ the residential \_\_\_\_\_ been tested wrong \_\_\_\_\_ a \_\_\_\_\_ correction.

Is \_\_\_\_\_ if the billing adjustment \_\_\_\_\_ discovers the \_\_\_\_\_ meters \_\_\_\_\_ not \_\_\_\_\_ ?

Will \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ incorrect during \_\_\_\_\_ adjustment testing?

What happens if \_\_\_\_\_ meters \_\_\_\_\_ to \_\_\_\_\_ during a \_\_\_\_\_ testing?

It \_\_\_\_\_ like the \_\_\_\_\_ meters may \_\_\_\_\_ after we \_\_\_\_\_ .

\_\_\_\_\_ meters \_\_\_\_\_ faulty during \_\_\_\_\_ bill adjustment testing?

What \_\_\_\_\_ if residential \_\_\_\_\_ to be inaccurate in \_\_\_\_\_ ?

\_\_\_\_\_ don't know \_\_\_\_\_ residential \_\_\_\_\_ after being \_\_\_\_\_ for billing \_\_\_\_\_ .

Should \_\_\_\_\_ be applied \_\_\_\_\_ meters \_\_\_\_\_ determined to be \_\_\_\_\_ after \_\_\_\_\_ ?

After \_\_\_\_\_ check for \_\_\_\_\_ looks like the home \_\_\_\_\_ .

\_\_\_\_\_ home \_\_\_\_\_ may be \_\_\_\_\_ we \_\_\_\_\_ for adjustments \_\_\_\_\_ billings.

There \_\_\_\_\_ discrepancies \_\_\_\_\_ residential meter testing, \_\_\_\_\_ billing revisions \_\_\_\_\_ .

There \_\_\_\_\_ the billing adjustment test finding \_\_\_\_\_ residential \_\_\_\_\_ .

Will the residential \_\_\_\_\_ found \_\_\_\_\_ be incorrect \_\_\_\_\_ billing \_\_\_\_\_ ?

Is it \_\_\_\_\_ adjustments if our \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ after testing?