

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Cable and Satellite TV Providers
<b>Inquiry Category</b>	Contract and subscription inquiries
<b>Inquiry Sub-Category</b>	Subscription suspension
<b>Description</b>	Customers may wish to temporarily suspend their subscription and inquire about the process, duration, and fees associated with suspension.
<b>Data Size</b>	5,133 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Cable and Satellite TV Provider" customer inquiry. (Purchased data will not be masked.)**

Can \_\_\_\_\_ packages \_\_\_\_\_ does \_\_\_\_\_ apply only at bundle level?  
 \_\_\_\_\_ it possible \_\_\_\_\_ single \_\_\_\_\_ pack on \_\_\_\_\_ stand-alone basis?  
 \_\_\_\_\_ channel \_\_\_\_\_ have the option \_\_\_\_\_ separately \_\_\_\_\_ other subscriptions \_\_\_\_\_ is \_\_\_\_\_ offered for bundled \_\_\_\_\_ as \_\_\_\_\_?  
 Is \_\_\_\_\_ to temporarily \_\_\_\_\_ package \_\_\_\_\_ or under \_\_\_\_\_ bundle?  
 Can the suspension \_\_\_\_\_ individual channels \_\_\_\_\_ ones?  
 \_\_\_\_\_ have to \_\_\_\_\_ for \_\_\_\_\_ seperate suspension for \_\_\_\_\_ channel \_\_\_\_\_ or \_\_\_\_\_ it only \_\_\_\_\_ the bundled \_\_\_\_\_?  
 \_\_\_\_\_ application fixed \_\_\_\_\_ or \_\_\_\_\_ a standalone suspension for \_\_\_\_\_?  
 \_\_\_\_\_ individual channels have \_\_\_\_\_ only \_\_\_\_\_ at bundle level?  
 Is \_\_\_\_\_ possible to suspend channels \_\_\_\_\_ a \_\_\_\_\_?  
 Does \_\_\_\_\_ apply to individual \_\_\_\_\_ or \_\_\_\_\_ bundled \_\_\_\_\_  
 Is \_\_\_\_\_ a \_\_\_\_\_ suspending \_\_\_\_\_ channel \_\_\_\_\_?  
 \_\_\_\_\_ possible to \_\_\_\_\_ package on \_\_\_\_\_ own, \_\_\_\_\_ as part \_\_\_\_\_ a bundle.  
 \_\_\_\_\_ it possible \_\_\_\_\_ have \_\_\_\_\_ suspensions for \_\_\_\_\_ the bundled level?  
 \_\_\_\_\_ be suspended \_\_\_\_\_ or only applied \_\_\_\_\_ the \_\_\_\_\_ level  
 Do we need \_\_\_\_\_ wait \_\_\_\_\_ for \_\_\_\_\_ packages, or \_\_\_\_\_ this only \_\_\_\_\_ at \_\_\_\_\_ level?  
 Are individual \_\_\_\_\_ packages \_\_\_\_\_ the bundle \_\_\_\_\_?  
 \_\_\_\_\_ have to wait for \_\_\_\_\_ single \_\_\_\_\_ packages, or \_\_\_\_\_ it only \_\_\_\_\_ the \_\_\_\_\_ level?  
 \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ individually or \_\_\_\_\_ bundles?  
 \_\_\_\_\_ the package be \_\_\_\_\_ on their \_\_\_\_\_ or \_\_\_\_\_ a \_\_\_\_\_?  
 Do I need to pause \_\_\_\_\_ do \_\_\_\_\_ only work \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to suspend \_\_\_\_\_ package \_\_\_\_\_ their \_\_\_\_\_ or \_\_\_\_\_ of the \_\_\_\_\_?  
 \_\_\_\_\_ we have \_\_\_\_\_ seperate suspension for single \_\_\_\_\_ packages, or is \_\_\_\_\_ offered \_\_\_\_\_ the \_\_\_\_\_?  
 Do we have \_\_\_\_\_ wait \_\_\_\_\_ separate suspension \_\_\_\_\_ packages, or \_\_\_\_\_ at the \_\_\_\_\_?  
 \_\_\_\_\_ have to wait \_\_\_\_\_ a seperate \_\_\_\_\_ for \_\_\_\_\_ channel \_\_\_\_\_ is this only \_\_\_\_\_ at the \_\_\_\_\_?  
 Is it \_\_\_\_\_ suspend specific \_\_\_\_\_ own \_\_\_\_\_ of a bundle.  
 Is \_\_\_\_\_ overall \_\_\_\_\_ separate \_\_\_\_\_ can be found for each \_\_\_\_\_ package?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ suspend a \_\_\_\_\_ channel \_\_\_\_\_ on \_\_\_\_\_ own \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ certain channels on \_\_\_\_\_ individual basis \_\_\_\_\_ impacting all packages?  
 \_\_\_\_\_ I \_\_\_\_\_ channel \_\_\_\_\_ my \_\_\_\_\_ or part of a \_\_\_\_\_?

Is \_\_\_\_\_ for us \_\_\_\_\_ wait \_\_\_\_\_ suspension for \_\_\_\_\_ packages or \_\_\_\_\_ we only \_\_\_\_\_ at \_\_\_\_\_ bundled level?

Is \_\_\_\_\_ packages \_\_\_\_\_ individually or \_\_\_\_\_?

Will the \_\_\_\_\_ only \_\_\_\_\_ bundle level, or individual \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ specific \_\_\_\_\_ plans work \_\_\_\_\_ bundles?

Is it \_\_\_\_\_ get separate suspension \_\_\_\_\_ single \_\_\_\_\_ only at \_\_\_\_\_ level?

\_\_\_\_\_ have to \_\_\_\_\_ for \_\_\_\_\_ suspension for single channel \_\_\_\_\_ or \_\_\_\_\_ only \_\_\_\_\_ the bundled \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ possible to \_\_\_\_\_ packages?

Is \_\_\_\_\_ possible \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ own, \_\_\_\_\_ just when \_\_\_\_\_ a bundle?

\_\_\_\_\_ there \_\_\_\_\_ suspend a channel package \_\_\_\_\_ a bundle?

Is \_\_\_\_\_ packages paused \_\_\_\_\_ bundles \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ wait for \_\_\_\_\_ separate suspension \_\_\_\_\_ single channel \_\_\_\_\_ or is \_\_\_\_\_ only \_\_\_\_\_ at \_\_\_\_\_ level?

\_\_\_\_\_ individual channels \_\_\_\_\_ separately or \_\_\_\_\_ the \_\_\_\_\_ level?

\_\_\_\_\_ a separate suspension for \_\_\_\_\_ channel \_\_\_\_\_ or is \_\_\_\_\_ the whole \_\_\_\_\_?

Does \_\_\_\_\_ suspension \_\_\_\_\_ channels \_\_\_\_\_ bundled ones?

Is it possible to stop \_\_\_\_\_ channel programming, \_\_\_\_\_ to the \_\_\_\_\_?

Does \_\_\_\_\_ suspension \_\_\_\_\_ to individual \_\_\_\_\_ bundles?

\_\_\_\_\_ to wait for a separate suspension for \_\_\_\_\_ channel packages, \_\_\_\_\_ only \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ to suspend channels \_\_\_\_\_ their own or is \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ suspend channels \_\_\_\_\_ their \_\_\_\_\_ or with a \_\_\_\_\_?

Can I suspend \_\_\_\_\_ package alone \_\_\_\_\_ bundle?

Can \_\_\_\_\_ channels \_\_\_\_\_ suspended separately or \_\_\_\_\_ at \_\_\_\_\_?

Is it possible to \_\_\_\_\_ suspend a specific \_\_\_\_\_ on \_\_\_\_\_ in \_\_\_\_\_?

Is \_\_\_\_\_ possible to suspend \_\_\_\_\_ alone, or \_\_\_\_\_ when \_\_\_\_\_ a \_\_\_\_\_?

Can \_\_\_\_\_ suspended on \_\_\_\_\_ own \_\_\_\_\_ as part \_\_\_\_\_ a bundle?

Is it possible \_\_\_\_\_ channels to \_\_\_\_\_ suspended on \_\_\_\_\_ instead \_\_\_\_\_ packages?

Is \_\_\_\_\_ to \_\_\_\_\_ individual \_\_\_\_\_ package?

Is \_\_\_\_\_ possible \_\_\_\_\_ temporarily \_\_\_\_\_ a \_\_\_\_\_ package \_\_\_\_\_ its \_\_\_\_\_ with an accompanying \_\_\_\_\_

\_\_\_\_\_ legal \_\_\_\_\_ separate \_\_\_\_\_ single channel packages at \_\_\_\_\_ level?

\_\_\_\_\_ channel packages \_\_\_\_\_ suspended \_\_\_\_\_ their \_\_\_\_\_?

\_\_\_\_\_ separate channel \_\_\_\_\_ suspended \_\_\_\_\_?

\_\_\_\_\_ suspend channels independently \_\_\_\_\_ bundle?

\_\_\_\_\_ it allowed for \_\_\_\_\_ to \_\_\_\_\_ suspensions \_\_\_\_\_ single channel \_\_\_\_\_?

\_\_\_\_\_ wondering if \_\_\_\_\_ suspend \_\_\_\_\_ channel's packages \_\_\_\_\_ their \_\_\_\_\_ in a bundle.

Is it \_\_\_\_\_ package on their own \_\_\_\_\_ of a \_\_\_\_\_

\_\_\_\_\_ possible \_\_\_\_\_ separate channel \_\_\_\_\_ to \_\_\_\_\_ suspended alone?

\_\_\_\_\_ there a separate \_\_\_\_\_ channel package or for \_\_\_\_\_?

I \_\_\_\_\_ if \_\_\_\_\_ is possible \_\_\_\_\_ individual channel packages \_\_\_\_\_.

If \_\_\_\_\_ to wait \_\_\_\_\_ for \_\_\_\_\_ channel \_\_\_\_\_ is that only allowed \_\_\_\_\_ bundled level?

\_\_\_\_\_ we have to wait for \_\_\_\_\_ single channel packages \_\_\_\_\_ we only \_\_\_\_\_ level?

\_\_\_\_\_ I suspend \_\_\_\_\_ channels packages on \_\_\_\_\_ in \_\_\_\_\_ bundle?

Can I suspend \_\_\_\_\_ own or \_\_\_\_\_ part of a \_\_\_\_\_?

\_\_\_\_\_ channels be \_\_\_\_\_ on \_\_\_\_\_ own or \_\_\_\_\_ part \_\_\_\_\_ bundle?

\_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ by themselves?

\_\_\_\_\_ suspend the \_\_\_\_\_ package on their \_\_\_\_\_ only when included \_\_\_\_\_ bundle?

Are \_\_\_\_\_ programming \_\_\_\_\_ or \_\_\_\_\_ bundle pause?

Is it \_\_\_\_\_ to \_\_\_\_\_ individual \_\_\_\_\_ individually, or \_\_\_\_\_ it \_\_\_\_\_ at \_\_\_\_\_ level?

Do \_\_\_\_\_ have \_\_\_\_\_ to stop separately from \_\_\_\_\_ is it only offered \_\_\_\_\_ services?

\_\_\_\_\_ stop a \_\_\_\_\_ subscription \_\_\_\_\_ than as part of a package?

Are \_\_\_\_\_ for \_\_\_\_\_ channel \_\_\_\_\_ available?

Do we \_\_\_\_\_ to \_\_\_\_\_ suspension for \_\_\_\_\_ channel packages \_\_\_\_\_ only see \_\_\_\_\_ the bundle \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ separately \_\_\_\_\_ each \_\_\_\_\_ bundle

Do we \_\_\_\_\_ to wait \_\_\_\_\_ suspension \_\_\_\_\_ single \_\_\_\_\_ is this \_\_\_\_\_ at the \_\_\_\_\_ level?

Is \_\_\_\_\_ suspend \_\_\_\_\_ packs \_\_\_\_\_ only the bundle?

Do \_\_\_\_\_ have to \_\_\_\_\_ for \_\_\_\_\_ suspension for single channel \_\_\_\_\_ the bundled level?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ some channels \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ packages be suspended separately or \_\_\_\_\_ bundle \_\_\_\_\_?

Is \_\_\_\_\_ suspend single \_\_\_\_\_ independently without affecting the \_\_\_\_\_?

Do \_\_\_\_\_ package \_\_\_\_\_ apply only \_\_\_\_\_?

Is \_\_\_\_\_ each channel \_\_\_\_\_ to have a \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ individual channels \_\_\_\_\_ affecting \_\_\_\_\_ entire \_\_\_\_\_?

Is it possible to \_\_\_\_\_ channel \_\_\_\_\_ work for \_\_\_\_\_?

\_\_\_\_\_ have to \_\_\_\_\_ for separate suspension for \_\_\_\_\_ packages, \_\_\_\_\_ should we see \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ have to \_\_\_\_\_ separate suspension \_\_\_\_\_ packages, or is \_\_\_\_\_ allowed \_\_\_\_\_ the bundled \_\_\_\_\_?

\_\_\_\_\_ on their own or \_\_\_\_\_ of the bundle?

Can \_\_\_\_\_ channels be \_\_\_\_\_ separately \_\_\_\_\_ a \_\_\_\_\_?

Would \_\_\_\_\_ be \_\_\_\_\_ pause \_\_\_\_\_ channel \_\_\_\_\_?

\_\_\_\_\_ I stop \_\_\_\_\_ channel's package on \_\_\_\_\_ own \_\_\_\_\_ in \_\_\_\_\_?

Is it \_\_\_\_\_ to suspend specific \_\_\_\_\_ alone or \_\_\_\_\_?

Can individual \_\_\_\_\_ or only \_\_\_\_\_ bundle level

\_\_\_\_\_ it possible \_\_\_\_\_ only \_\_\_\_\_ the individual \_\_\_\_\_?

Is it \_\_\_\_\_ suspend a channel \_\_\_\_\_ or bundled \_\_\_\_\_?

\_\_\_\_\_ possible to temporarily suspend a specific \_\_\_\_\_ on its \_\_\_\_\_ conjunction \_\_\_\_\_ bundle?

Is \_\_\_\_\_ separately \_\_\_\_\_ subscriptions \_\_\_\_\_ each channel bundle?

Is it possible \_\_\_\_\_ stop a single-channel \_\_\_\_\_ individually \_\_\_\_\_ as \_\_\_\_\_ package?

Is \_\_\_\_\_ channel bundles \_\_\_\_\_ suspended instead of the entire \_\_\_\_\_?

\_\_\_\_\_ to separate suspensions for single \_\_\_\_\_?

Is it possible \_\_\_\_\_ put a \_\_\_\_\_ channel \_\_\_\_\_ basis from \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to suspend \_\_\_\_\_ channel \_\_\_\_\_ individually?

\_\_\_\_\_ it possible to \_\_\_\_\_ channels, or \_\_\_\_\_ whole \_\_\_\_\_?

Is \_\_\_\_\_ only or is there \_\_\_\_\_ stand \_\_\_\_\_ channels?

Can \_\_\_\_\_ channels \_\_\_\_\_ suspended \_\_\_\_\_ or only \_\_\_\_\_ bundle level?

\_\_\_\_\_ it \_\_\_\_\_ to suspend a channel \_\_\_\_\_ on their \_\_\_\_\_ of \_\_\_\_\_ bundle.

Is it \_\_\_\_\_ individual \_\_\_\_\_ subscriptions?

Can \_\_\_\_\_ a channel package \_\_\_\_\_ or with \_\_\_\_\_ bundle?

Do \_\_\_\_\_ packages \_\_\_\_\_ to be \_\_\_\_\_ separately or \_\_\_\_\_ level?

Do \_\_\_\_\_ have to \_\_\_\_\_ separate suspension \_\_\_\_\_ packages, \_\_\_\_\_ is \_\_\_\_\_ allowed at the bundled \_\_\_\_\_?

\_\_\_\_\_ we have to wait \_\_\_\_\_ suspension for \_\_\_\_\_ packages, or is \_\_\_\_\_ only \_\_\_\_\_ the \_\_\_\_\_?

Are there separate \_\_\_\_\_ channel \_\_\_\_\_?

Is there a \_\_\_\_\_ of \_\_\_\_\_ single \_\_\_\_\_?

Do we have \_\_\_\_\_ wait \_\_\_\_\_ for \_\_\_\_\_ channel \_\_\_\_\_ or should we only \_\_\_\_\_ them \_\_\_\_\_?

\_\_\_\_\_ packages \_\_\_\_\_ be suspended individually \_\_\_\_\_ the \_\_\_\_\_ level.

Is \_\_\_\_\_ specific \_\_\_\_\_ plans \_\_\_\_\_ possible \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ remove \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to stop a single-channel subscription \_\_\_\_\_ of a \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ stop a single- channel subscription \_\_\_\_\_ instead \_\_\_\_\_?

\_\_\_\_\_ suspended individually, \_\_\_\_\_ only apply \_\_\_\_\_ bundle level?

Is \_\_\_\_\_ a way to \_\_\_\_\_ a channel \_\_\_\_\_ on \_\_\_\_\_ or \_\_\_\_\_ bundle?

\_\_\_\_\_ package \_\_\_\_\_ be different \_\_\_\_\_?

Is \_\_\_\_\_ to temporarily \_\_\_\_\_ a \_\_\_\_\_ channel package \_\_\_\_\_ it's \_\_\_\_\_ only \_\_\_\_\_ an \_\_\_\_\_ of \_\_\_\_\_ bundle?

\_\_\_\_\_ have \_\_\_\_\_ separate \_\_\_\_\_ for \_\_\_\_\_ channel packages or is \_\_\_\_\_ available at the bundled \_\_\_\_\_?

\_\_\_\_\_ channel's package on their \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ pause \_\_\_\_\_ channel plans \_\_\_\_\_ only work for \_\_\_\_\_?  
 Can \_\_\_\_\_ channels be \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ subscription individually \_\_\_\_\_ than \_\_\_\_\_ a bundle package?  
 Does stopping \_\_\_\_\_ only \_\_\_\_\_ for \_\_\_\_\_?  
 Is the suspension \_\_\_\_\_ applicable at \_\_\_\_\_ level?  
 \_\_\_\_\_ it possible \_\_\_\_\_ suspend \_\_\_\_\_ channels \_\_\_\_\_ than \_\_\_\_\_ all \_\_\_\_\_?  
 Is \_\_\_\_\_ or as bundles?  
 \_\_\_\_\_ individual channels suspended separately or only \_\_\_\_\_?  
 Do we need \_\_\_\_\_ wait \_\_\_\_\_ suspension for \_\_\_\_\_ packages, \_\_\_\_\_ at \_\_\_\_\_ level?  
 Is it \_\_\_\_\_ to suspend \_\_\_\_\_?  
 Is individual \_\_\_\_\_ packages suspended \_\_\_\_\_ or only \_\_\_\_\_?  
 \_\_\_\_\_ possible to suspend \_\_\_\_\_ package \_\_\_\_\_ their own or part \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ packages \_\_\_\_\_ their own or \_\_\_\_\_ a bundle?  
 Are there \_\_\_\_\_ suspensions for each \_\_\_\_\_ package, or \_\_\_\_\_ overall \_\_\_\_\_?  
 Does the \_\_\_\_\_ to \_\_\_\_\_ or \_\_\_\_\_?  
 \_\_\_\_\_ to wait \_\_\_\_\_ a separate \_\_\_\_\_ single \_\_\_\_\_ should we \_\_\_\_\_ see them at \_\_\_\_\_ bundled level?  
 Is it possible \_\_\_\_\_ suspend \_\_\_\_\_ their \_\_\_\_\_ or \_\_\_\_\_ a \_\_\_\_\_?  
 We \_\_\_\_\_ wait for separate \_\_\_\_\_ or \_\_\_\_\_ we only \_\_\_\_\_ them at the bundled \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ or \_\_\_\_\_ with a bundle?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ subscription individually rather than \_\_\_\_\_?  
 \_\_\_\_\_ channel plans only \_\_\_\_\_?  
 \_\_\_\_\_ channels can \_\_\_\_\_ apply at the bundle \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ cancel each \_\_\_\_\_ bundle on its own?  
 \_\_\_\_\_ it \_\_\_\_\_ specific channels separately, \_\_\_\_\_ the entire \_\_\_\_\_?  
 Is there \_\_\_\_\_ separate \_\_\_\_\_ a single \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ channel plans \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ whole package?  
 Is it possible \_\_\_\_\_ you to \_\_\_\_\_ channel \_\_\_\_\_ just for \_\_\_\_\_?  
 Can I \_\_\_\_\_ package \_\_\_\_\_ own or \_\_\_\_\_ of \_\_\_\_\_ bundle?  
 \_\_\_\_\_ channel \_\_\_\_\_ be \_\_\_\_\_ individually or \_\_\_\_\_ bundle?  
 Are there separate suspensions \_\_\_\_\_ each \_\_\_\_\_ or \_\_\_\_\_?  
 Is the \_\_\_\_\_ paused \_\_\_\_\_ as \_\_\_\_\_?  
 Do we have \_\_\_\_\_ wait for \_\_\_\_\_ suspension \_\_\_\_\_ single \_\_\_\_\_ packages \_\_\_\_\_ should \_\_\_\_\_ at the \_\_\_\_\_ level?  
 \_\_\_\_\_ possible \_\_\_\_\_ suspend \_\_\_\_\_ packs, or is it only \_\_\_\_\_ the entire \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ suspend individual \_\_\_\_\_ subscriptions?  
 Is single channel \_\_\_\_\_ suspensions \_\_\_\_\_ is \_\_\_\_\_ only \_\_\_\_\_ the bundled \_\_\_\_\_?  
 \_\_\_\_\_ channels can be \_\_\_\_\_ separately \_\_\_\_\_ applied \_\_\_\_\_ bundle \_\_\_\_\_.  
 \_\_\_\_\_ channels on their own or with a \_\_\_\_\_?  
 \_\_\_\_\_ suspend \_\_\_\_\_ channel package \_\_\_\_\_ their \_\_\_\_\_ only \_\_\_\_\_ included in \_\_\_\_\_ bundle?  
 Can I just suspend \_\_\_\_\_ package \_\_\_\_\_ own \_\_\_\_\_ part of \_\_\_\_\_?  
 \_\_\_\_\_ separate suspension \_\_\_\_\_ single \_\_\_\_\_ packages or is \_\_\_\_\_ available at the \_\_\_\_\_?  
 \_\_\_\_\_ only \_\_\_\_\_ for \_\_\_\_\_ bundle level, \_\_\_\_\_ will \_\_\_\_\_ packages be \_\_\_\_\_ separately?  
 \_\_\_\_\_ possible to temporarily suspend \_\_\_\_\_ specific \_\_\_\_\_ package \_\_\_\_\_ own or \_\_\_\_\_ a \_\_\_\_\_?  
 Do we have \_\_\_\_\_ wait \_\_\_\_\_ suspension \_\_\_\_\_ single channel packages \_\_\_\_\_ should \_\_\_\_\_ seen \_\_\_\_\_ the bundled \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ temporarily disabled \_\_\_\_\_  
 \_\_\_\_\_ it only offered \_\_\_\_\_ bundled services \_\_\_\_\_ a \_\_\_\_\_ each \_\_\_\_\_ have \_\_\_\_\_ option to stop?  
 Are individual \_\_\_\_\_ bundle level?  
 Do \_\_\_\_\_ bundle \_\_\_\_\_ the option to halt separately \_\_\_\_\_ subscriptions, \_\_\_\_\_ it \_\_\_\_\_ offered for \_\_\_\_\_ as \_\_\_\_\_ whole?  
 Is separate suspensions \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ suspending \_\_\_\_\_ apply at bundle level?

\_\_\_\_\_ affect individual \_\_\_\_\_ or \_\_\_\_\_ bundles?

\_\_\_\_\_ should wait \_\_\_\_\_ separate suspension for single channel packages, \_\_\_\_\_ see \_\_\_\_\_ at \_\_\_\_\_ level.

\_\_\_\_\_ we \_\_\_\_\_ each channel \_\_\_\_\_ in \_\_\_\_\_?

Is \_\_\_\_\_ only \_\_\_\_\_ the \_\_\_\_\_ or is it \_\_\_\_\_ single \_\_\_\_\_ packages?

\_\_\_\_\_ it \_\_\_\_\_ to stop \_\_\_\_\_ packages \_\_\_\_\_ as a \_\_\_\_\_?

Can \_\_\_\_\_ channels \_\_\_\_\_ suspended on \_\_\_\_\_ own, or \_\_\_\_\_?

Can \_\_\_\_\_ packages \_\_\_\_\_ paused \_\_\_\_\_ only as \_\_\_\_\_?

Is it possible to suspend \_\_\_\_\_ on \_\_\_\_\_ own \_\_\_\_\_?

\_\_\_\_\_ be suspended on \_\_\_\_\_ own?

Is \_\_\_\_\_ a \_\_\_\_\_ for each channel \_\_\_\_\_ just the \_\_\_\_\_?

Individual \_\_\_\_\_ can be \_\_\_\_\_ separately or \_\_\_\_\_ the bundle \_\_\_\_\_.

\_\_\_\_\_ have \_\_\_\_\_ wait for separate suspension \_\_\_\_\_ channel \_\_\_\_\_ only available at \_\_\_\_\_ bundled \_\_\_\_\_

\_\_\_\_\_ a \_\_\_\_\_ channel \_\_\_\_\_ temporarily suspended \_\_\_\_\_ or only \_\_\_\_\_ of a bundle?

I \_\_\_\_\_ a \_\_\_\_\_ suspending a channel package on \_\_\_\_\_ own or \_\_\_\_\_.

\_\_\_\_\_ I \_\_\_\_\_ suspend channels on \_\_\_\_\_ or is \_\_\_\_\_ bundle deal?

\_\_\_\_\_ the suspension only \_\_\_\_\_ to \_\_\_\_\_ just bundled \_\_\_\_\_?

\_\_\_\_\_ channel \_\_\_\_\_ be temporarily \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to temporarily \_\_\_\_\_ a \_\_\_\_\_ package \_\_\_\_\_ its own or only as \_\_\_\_\_ of a \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ separately \_\_\_\_\_ each \_\_\_\_\_ bundle?

Is \_\_\_\_\_ to suspend \_\_\_\_\_ package on their \_\_\_\_\_ as part \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ suspend a specific channel package \_\_\_\_\_ it's \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ separate suspension for single \_\_\_\_\_ packages, or should \_\_\_\_\_ only \_\_\_\_\_ them \_\_\_\_\_ the \_\_\_\_\_ level?

\_\_\_\_\_ can be paused \_\_\_\_\_ bundles

Can \_\_\_\_\_ suspended separately or \_\_\_\_\_ bundle level?

Can \_\_\_\_\_ channels \_\_\_\_\_ paused \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ to temporarily suspend \_\_\_\_\_ specific \_\_\_\_\_ package \_\_\_\_\_ own?

Can we suspend each \_\_\_\_\_?

Do \_\_\_\_\_ think it \_\_\_\_\_ to \_\_\_\_\_ individual channel \_\_\_\_\_?

\_\_\_\_\_ to individually suspend \_\_\_\_\_ channel \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ a \_\_\_\_\_ package alone or \_\_\_\_\_ of the \_\_\_\_\_?

\_\_\_\_\_ have to wait \_\_\_\_\_ separate suspension for single channel \_\_\_\_\_ at the bundled \_\_\_\_\_?

Are \_\_\_\_\_ allowed for \_\_\_\_\_ channel \_\_\_\_\_?

Is \_\_\_\_\_ possible to put \_\_\_\_\_ standby \_\_\_\_\_ other bundle options?

Is it \_\_\_\_\_ pause \_\_\_\_\_ channel plans, \_\_\_\_\_ only \_\_\_\_\_ for \_\_\_\_\_?

Can \_\_\_\_\_ channels \_\_\_\_\_ be \_\_\_\_\_?

Do you think \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ individual \_\_\_\_\_?

Is \_\_\_\_\_ suspensions to be \_\_\_\_\_ to each \_\_\_\_\_ bundle?

\_\_\_\_\_ the rest, can \_\_\_\_\_ subscriptions be temporarily \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to halt \_\_\_\_\_ packages?

There \_\_\_\_\_ a question \_\_\_\_\_ whether or \_\_\_\_\_ are \_\_\_\_\_ channel packages.

Is \_\_\_\_\_ permissible \_\_\_\_\_ for \_\_\_\_\_ packages at the bundled \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ suspend single \_\_\_\_\_ the whole \_\_\_\_\_?

Is \_\_\_\_\_ any way \_\_\_\_\_ channel \_\_\_\_\_?

\_\_\_\_\_ to wait \_\_\_\_\_ separate suspension for \_\_\_\_\_ that allowed at the bundled level?

Is specific \_\_\_\_\_ being suspended individually rather than \_\_\_\_\_?

Should individual \_\_\_\_\_ packages be \_\_\_\_\_ individually or \_\_\_\_\_ at \_\_\_\_\_?

Can \_\_\_\_\_ subscription \_\_\_\_\_ temporarily \_\_\_\_\_?

Is \_\_\_\_\_ to stop a \_\_\_\_\_ individually \_\_\_\_\_ in a bundle \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ packages \_\_\_\_\_ or as \_\_\_\_\_ a bundle?

\_\_\_\_\_ we have \_\_\_\_\_ separate suspension for \_\_\_\_\_ are they only \_\_\_\_\_ at the \_\_\_\_\_ level?

\_\_\_\_\_ we \_\_\_\_\_ each channel \_\_\_\_\_ a \_\_\_\_\_?

Is \_\_\_\_\_ okay for separate \_\_\_\_\_ channel \_\_\_\_\_?

Individual \_\_\_\_\_ can \_\_\_\_\_ or \_\_\_\_\_ apply \_\_\_\_\_ bundle level

Is it \_\_\_\_\_ to \_\_\_\_\_ suspend a \_\_\_\_\_ channel \_\_\_\_\_ part of \_\_\_\_\_?

Is \_\_\_\_\_ possible to \_\_\_\_\_ on \_\_\_\_\_ own or \_\_\_\_\_ bundle?

\_\_\_\_\_ possible to suspend \_\_\_\_\_ channel \_\_\_\_\_ alone \_\_\_\_\_ part of \_\_\_\_\_ bundle?

\_\_\_\_\_ to \_\_\_\_\_ single \_\_\_\_\_ individually rather than as a \_\_\_\_\_ package?

Can \_\_\_\_\_ channels be \_\_\_\_\_ independently \_\_\_\_\_ in \_\_\_\_\_?

Is it possible \_\_\_\_\_ individual package \_\_\_\_\_ only at \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ overall \_\_\_\_\_ there \_\_\_\_\_ suspensions for each channel \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ channels without \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ bundle?

\_\_\_\_\_ separate channel packages \_\_\_\_\_ suspended in \_\_\_\_\_ own \_\_\_\_\_?

Can \_\_\_\_\_ be disabled?

\_\_\_\_\_ it possible to \_\_\_\_\_ rather than as \_\_\_\_\_ of a bundle \_\_\_\_\_.

\_\_\_\_\_ suspend channels on their own \_\_\_\_\_ with \_\_\_\_\_ bundle.

Can we wait \_\_\_\_\_ sepearte suspension for \_\_\_\_\_ packages, \_\_\_\_\_ this only \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ separate suspension \_\_\_\_\_ single channels?

Is \_\_\_\_\_ for \_\_\_\_\_ be suspended, \_\_\_\_\_ it only possible \_\_\_\_\_ the entire bundle?

\_\_\_\_\_ suspend \_\_\_\_\_ channel package on its own or \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ it possible to \_\_\_\_\_ a single \_\_\_\_\_ than as part \_\_\_\_\_ bundle \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ suspend a \_\_\_\_\_ package on their \_\_\_\_\_?

\_\_\_\_\_ wait \_\_\_\_\_ the sepearte suspension \_\_\_\_\_ packages or do \_\_\_\_\_ see \_\_\_\_\_ at the bundled level?

\_\_\_\_\_ bundles have \_\_\_\_\_ stop \_\_\_\_\_ from \_\_\_\_\_ subscriptions, or is it only \_\_\_\_\_ for \_\_\_\_\_ services?

\_\_\_\_\_ individual channels be suspended \_\_\_\_\_ only \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ it is \_\_\_\_\_ to \_\_\_\_\_ individual \_\_\_\_\_ without affecting \_\_\_\_\_ bundle?

Is \_\_\_\_\_ possible to \_\_\_\_\_ single \_\_\_\_\_ just for the whole package?

Do we have to \_\_\_\_\_ suspension \_\_\_\_\_ single \_\_\_\_\_ or is this only \_\_\_\_\_ the \_\_\_\_\_.

Is it \_\_\_\_\_ to separate \_\_\_\_\_ apply to \_\_\_\_\_ bundle?

Is \_\_\_\_\_ channel package alone or only \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ we have \_\_\_\_\_ suspension for single channel \_\_\_\_\_ or only \_\_\_\_\_ them \_\_\_\_\_ the \_\_\_\_\_ level?

\_\_\_\_\_ the suspension only be for bundle \_\_\_\_\_ individual \_\_\_\_\_ separately?

Do you \_\_\_\_\_ separate suspensions \_\_\_\_\_ packages \_\_\_\_\_ not?

\_\_\_\_\_ plans, or is it for the \_\_\_\_\_ package?

Is \_\_\_\_\_ to stop a single \_\_\_\_\_ rather than \_\_\_\_\_ a \_\_\_\_\_?

Is it \_\_\_\_\_ for \_\_\_\_\_ suspended on their \_\_\_\_\_ rather \_\_\_\_\_ impacting \_\_\_\_\_?

Is it possible \_\_\_\_\_ suspend \_\_\_\_\_ package \_\_\_\_\_ own, or \_\_\_\_\_ as \_\_\_\_\_ the bundle?

\_\_\_\_\_ packages be \_\_\_\_\_ alone?

Is \_\_\_\_\_ channel \_\_\_\_\_ suspension \_\_\_\_\_ level?

Can a specific \_\_\_\_\_ be temporarily suspended on \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ a single-channel subscription separately \_\_\_\_\_ bundle \_\_\_\_\_?

Can \_\_\_\_\_ channels be \_\_\_\_\_ separately, \_\_\_\_\_ at bundle \_\_\_\_\_?

\_\_\_\_\_ individual channels be suspended separately, \_\_\_\_\_ at the \_\_\_\_\_?

Is it \_\_\_\_\_ channels \_\_\_\_\_ on \_\_\_\_\_ basis \_\_\_\_\_ than impacting \_\_\_\_\_ packages together?

\_\_\_\_\_ it possible \_\_\_\_\_ suspend \_\_\_\_\_ alone \_\_\_\_\_ part of a \_\_\_\_\_.

\_\_\_\_\_ possible to stop \_\_\_\_\_ single \_\_\_\_\_ than a bundle package?

\_\_\_\_\_ bundles have the \_\_\_\_\_ from other subscriptions or is \_\_\_\_\_ only offered \_\_\_\_\_ services?

\_\_\_\_\_ it possible \_\_\_\_\_ suspension \_\_\_\_\_ single channel \_\_\_\_\_ available at the bundled \_\_\_\_\_?

Are \_\_\_\_\_ packages \_\_\_\_\_ option?

Is it \_\_\_\_\_ for a single channel \_\_\_\_\_?

Will it be possible \_\_\_\_\_ individual channels without \_\_\_\_\_?

Do we \_\_\_\_\_ separate suspension for \_\_\_\_\_ channel packages, \_\_\_\_\_ is \_\_\_\_\_ allowed \_\_\_\_\_ the \_\_\_\_\_ level?

Do \_\_\_\_\_ separate suspension for \_\_\_\_\_ channel packages or should we \_\_\_\_\_ them in \_\_\_\_\_ level?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ channels packages?

Is it \_\_\_\_\_ to \_\_\_\_\_ single-channel subscription \_\_\_\_\_ bundle package?

\_\_\_\_\_ individual \_\_\_\_\_ be suspended \_\_\_\_\_ just \_\_\_\_\_ at \_\_\_\_\_ bundle level?

\_\_\_\_\_ it possible \_\_\_\_\_ halt \_\_\_\_\_ individually, rather than as \_\_\_\_\_ of a \_\_\_\_\_?

Is \_\_\_\_\_ to temporarily \_\_\_\_\_ specific \_\_\_\_\_ package on its \_\_\_\_\_ a bundle?

Is it \_\_\_\_\_ to \_\_\_\_\_ package \_\_\_\_\_ their \_\_\_\_\_ just the bundle?

\_\_\_\_\_ the \_\_\_\_\_ channels be \_\_\_\_\_ separately \_\_\_\_\_ in a \_\_\_\_\_?

\_\_\_\_\_ it possible to suspend channels \_\_\_\_\_ on a \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ suspend \_\_\_\_\_ package on their \_\_\_\_\_?

\_\_\_\_\_ it possible to stop \_\_\_\_\_ single-channel \_\_\_\_\_ individually \_\_\_\_\_ than \_\_\_\_\_?

\_\_\_\_\_ we have to wait \_\_\_\_\_ channel \_\_\_\_\_ are \_\_\_\_\_ only allowed at the \_\_\_\_\_ level?

\_\_\_\_\_ suspension only \_\_\_\_\_ to entire bundles or \_\_\_\_\_?

\_\_\_\_\_ channel \_\_\_\_\_ option \_\_\_\_\_ stop \_\_\_\_\_ subscriptions or is it only offered for \_\_\_\_\_ services?

Does \_\_\_\_\_ apply \_\_\_\_\_ bundled channels?

\_\_\_\_\_ it \_\_\_\_\_ to suspend single channels \_\_\_\_\_ affecting \_\_\_\_\_ whole \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ package be suspended on \_\_\_\_\_ only \_\_\_\_\_ of \_\_\_\_\_ bundle?

Does \_\_\_\_\_ channel \_\_\_\_\_ only work \_\_\_\_\_?

\_\_\_\_\_ the individual channel \_\_\_\_\_ disabled?

\_\_\_\_\_ possible for \_\_\_\_\_ to \_\_\_\_\_ separately \_\_\_\_\_ other subscriptions, or is \_\_\_\_\_ only \_\_\_\_\_ for \_\_\_\_\_ services as \_\_\_\_\_ whole?

Are \_\_\_\_\_ channels \_\_\_\_\_ separately or only \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ stopping \_\_\_\_\_ channel subscriptions \_\_\_\_\_?

Can \_\_\_\_\_ suspended \_\_\_\_\_ or apply \_\_\_\_\_ bundle level?

Is \_\_\_\_\_ possible for \_\_\_\_\_ single channels to \_\_\_\_\_?

\_\_\_\_\_ a specific channel package to \_\_\_\_\_ on its own?

\_\_\_\_\_ individual \_\_\_\_\_ channels \_\_\_\_\_ suspended instead \_\_\_\_\_ entire service?

Will \_\_\_\_\_ packages be suspended individually, or \_\_\_\_\_?

Is it \_\_\_\_\_ for specific \_\_\_\_\_ suspended on an \_\_\_\_\_ basis, \_\_\_\_\_ all \_\_\_\_\_?

Is it possible to suspend a \_\_\_\_\_ in a \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ separate suspension \_\_\_\_\_ single \_\_\_\_\_ packages, or \_\_\_\_\_ only available \_\_\_\_\_ level?

Is \_\_\_\_\_ applicable \_\_\_\_\_ bundle or is it \_\_\_\_\_ suspend \_\_\_\_\_ channels separately?

Is \_\_\_\_\_ to \_\_\_\_\_ suspend \_\_\_\_\_ channel \_\_\_\_\_ alone \_\_\_\_\_ with an accompanying \_\_\_\_\_?

\_\_\_\_\_ for a \_\_\_\_\_ suspension for \_\_\_\_\_ channel \_\_\_\_\_ them at the bundled level?

Is it possible \_\_\_\_\_ stop \_\_\_\_\_ individually \_\_\_\_\_ than as part \_\_\_\_\_ package?

Are \_\_\_\_\_ packages suspended on \_\_\_\_\_ as part \_\_\_\_\_ bundle?

Is it \_\_\_\_\_ to \_\_\_\_\_ channel \_\_\_\_\_ individually \_\_\_\_\_ as \_\_\_\_\_?

\_\_\_\_\_ stop a \_\_\_\_\_ subscription individually, rather than \_\_\_\_\_ of \_\_\_\_\_ package?

\_\_\_\_\_ it possible to stop single-channel \_\_\_\_\_ is \_\_\_\_\_ to the \_\_\_\_\_?

\_\_\_\_\_ possible for suspensions \_\_\_\_\_ applied \_\_\_\_\_ each channel \_\_\_\_\_ separately?

Do individual packages \_\_\_\_\_ to \_\_\_\_\_ suspended \_\_\_\_\_ or \_\_\_\_\_ bundle \_\_\_\_\_?

\_\_\_\_\_ we have \_\_\_\_\_ for separate \_\_\_\_\_ for \_\_\_\_\_ channel packages, \_\_\_\_\_ only at the \_\_\_\_\_ level?

\_\_\_\_\_ we have to \_\_\_\_\_ suspension for \_\_\_\_\_ channel \_\_\_\_\_ or \_\_\_\_\_ only available at the \_\_\_\_\_?

can \_\_\_\_\_ suspend channels on \_\_\_\_\_ own or \_\_\_\_\_?

Is it \_\_\_\_\_ apply \_\_\_\_\_ bundle of channels?

Can separate \_\_\_\_\_ packages \_\_\_\_\_?

Is it \_\_\_\_\_ suspend channels \_\_\_\_\_ own, or \_\_\_\_\_ a bundle?

Is it \_\_\_\_\_ temporarily suspend \_\_\_\_\_ specific \_\_\_\_\_ or \_\_\_\_\_ an upgrade \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ suspend \_\_\_\_\_ channel \_\_\_\_\_ or in part of the \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ individual channel packs \_\_\_\_\_ entire \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ suspend specific channels individually, \_\_\_\_\_ the entire \_\_\_\_\_?  
 \_\_\_\_\_ you actually pause \_\_\_\_\_ channel \_\_\_\_\_ for the whole \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ stop a specific channel \_\_\_\_\_ its own \_\_\_\_\_ an \_\_\_\_\_ bundle?  
 \_\_\_\_\_ we have to \_\_\_\_\_ for separate \_\_\_\_\_ for single \_\_\_\_\_ or \_\_\_\_\_ only see them \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ suspend \_\_\_\_\_ channel packages \_\_\_\_\_ or only at \_\_\_\_\_?  
 Is \_\_\_\_\_ halt a \_\_\_\_\_ individually than \_\_\_\_\_ of a \_\_\_\_\_ package?  
 Is it possible \_\_\_\_\_ channel plans or is \_\_\_\_\_ just \_\_\_\_\_?  
 \_\_\_\_\_ channel \_\_\_\_\_ on their \_\_\_\_\_ or in a \_\_\_\_\_?  
 Does each \_\_\_\_\_ have \_\_\_\_\_ option to stop \_\_\_\_\_ from \_\_\_\_\_ or is it \_\_\_\_\_ offered for \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ possible for \_\_\_\_\_ channels \_\_\_\_\_ be suspended \_\_\_\_\_ individual \_\_\_\_\_ not affect all \_\_\_\_\_?  
 Is it \_\_\_\_\_ suspend \_\_\_\_\_ channels \_\_\_\_\_?  
 Is \_\_\_\_\_ channel \_\_\_\_\_ suspended \_\_\_\_\_ bundle level?  
 \_\_\_\_\_ to pause specific channel plans \_\_\_\_\_ works for \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ packages on their \_\_\_\_\_ a bundle?  
 Does \_\_\_\_\_ suspension \_\_\_\_\_ to \_\_\_\_\_ or \_\_\_\_\_?  
 \_\_\_\_\_ possible to suspend \_\_\_\_\_ on an \_\_\_\_\_ rather than affect \_\_\_\_\_ packages \_\_\_\_\_?  
 Can \_\_\_\_\_ be suspended alone \_\_\_\_\_ entire bundle?  
 \_\_\_\_\_ it \_\_\_\_\_ stop a \_\_\_\_\_ channel \_\_\_\_\_ instead \_\_\_\_\_ in a bundle?  
 Do we have \_\_\_\_\_ for separate suspension \_\_\_\_\_ channel packages \_\_\_\_\_ is \_\_\_\_\_ available \_\_\_\_\_ the \_\_\_\_\_?  
 Is \_\_\_\_\_ individual \_\_\_\_\_ or only for the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ single-Channel \_\_\_\_\_ individually rather \_\_\_\_\_ as part of a bundle \_\_\_\_\_?  
 \_\_\_\_\_ channel \_\_\_\_\_ suspended separately or \_\_\_\_\_ bundle level?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ a channel's \_\_\_\_\_ own or in a \_\_\_\_\_?  
 \_\_\_\_\_ it possible to suspend \_\_\_\_\_ individual basis, \_\_\_\_\_ than impacting \_\_\_\_\_ packages \_\_\_\_\_?  
 \_\_\_\_\_ suspended \_\_\_\_\_ or only for \_\_\_\_\_ level?  
 Is \_\_\_\_\_ to suspend individual channels packs \_\_\_\_\_ bundle?  
 \_\_\_\_\_ possible \_\_\_\_\_ suspend channels individually or with \_\_\_\_\_?  
 Is \_\_\_\_\_ possible to \_\_\_\_\_ channels independently \_\_\_\_\_ with \_\_\_\_\_?  
 \_\_\_\_\_ possible to suspend \_\_\_\_\_ by \_\_\_\_\_ as part \_\_\_\_\_ a bundle?  
 \_\_\_\_\_ it \_\_\_\_\_ to suspend a \_\_\_\_\_ package individually \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ packages be \_\_\_\_\_ their \_\_\_\_\_ or in \_\_\_\_\_ bundle?  
 \_\_\_\_\_ it \_\_\_\_\_ halt \_\_\_\_\_ single-channel subscription \_\_\_\_\_ not \_\_\_\_\_ of a \_\_\_\_\_ package?  
 \_\_\_\_\_ specific channel \_\_\_\_\_ only work \_\_\_\_\_ bundles?  
 \_\_\_\_\_ it \_\_\_\_\_ to temporarily suspend \_\_\_\_\_ specific channel \_\_\_\_\_ own \_\_\_\_\_ of \_\_\_\_\_ bundle?  
 \_\_\_\_\_ individually suspend channels at the bundle \_\_\_\_\_?  
 There \_\_\_\_\_ about suspending \_\_\_\_\_ package on \_\_\_\_\_ or just \_\_\_\_\_ the bundle.  
 \_\_\_\_\_ it \_\_\_\_\_ suspend \_\_\_\_\_ on themselves \_\_\_\_\_ with \_\_\_\_\_ bundle?  
 \_\_\_\_\_ there a separate \_\_\_\_\_ for \_\_\_\_\_ channel package \_\_\_\_\_ bundle?  
 \_\_\_\_\_ possible to suspend \_\_\_\_\_?  
 \_\_\_\_\_ packages \_\_\_\_\_ separate \_\_\_\_\_ or is \_\_\_\_\_ only \_\_\_\_\_ the bundled level?  
 \_\_\_\_\_ suspend a channel package \_\_\_\_\_ own \_\_\_\_\_ only with a \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ suspensions \_\_\_\_\_ each \_\_\_\_\_ package?  
 \_\_\_\_\_ it \_\_\_\_\_ suspend specific \_\_\_\_\_ an individual basis \_\_\_\_\_ affecting \_\_\_\_\_ whole package?  
 Are \_\_\_\_\_ suspended \_\_\_\_\_ the bundle level?  
 \_\_\_\_\_ the suspension involve \_\_\_\_\_ channels \_\_\_\_\_ ones?  
 Does pausing channel \_\_\_\_\_ bundles?  
 \_\_\_\_\_ individual \_\_\_\_\_ be \_\_\_\_\_ separately \_\_\_\_\_ in \_\_\_\_\_ bundle?  
 Can \_\_\_\_\_ different per channel?  
 \_\_\_\_\_ it \_\_\_\_\_ to have separate \_\_\_\_\_ for \_\_\_\_\_ package?  
 Is \_\_\_\_\_ for channel \_\_\_\_\_ paused individually or \_\_\_\_\_ bundles?



Can \_\_\_\_\_ a \_\_\_\_\_ package \_\_\_\_\_ own or as part \_\_\_\_\_ a \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ channel \_\_\_\_\_ or \_\_\_\_\_ possible for the \_\_\_\_\_ bundle?

\_\_\_\_\_ have to \_\_\_\_\_ a \_\_\_\_\_ suspension for single channel packages \_\_\_\_\_ for \_\_\_\_\_ bundled \_\_\_\_\_?

\_\_\_\_\_ specific \_\_\_\_\_ be \_\_\_\_\_ its own or \_\_\_\_\_ an accompanying bundle?

\_\_\_\_\_ the suspension \_\_\_\_\_ to \_\_\_\_\_ channels or just \_\_\_\_\_?

Is \_\_\_\_\_ only \_\_\_\_\_ to entire bundles \_\_\_\_\_ is \_\_\_\_\_ specific channels?

Is \_\_\_\_\_ channel packs \_\_\_\_\_ or \_\_\_\_\_ possible for \_\_\_\_\_?

\_\_\_\_\_ it possible to apply \_\_\_\_\_ separately \_\_\_\_\_?

Are channels suspended \_\_\_\_\_ their \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ possible for \_\_\_\_\_ channel \_\_\_\_\_ to halt separately from \_\_\_\_\_ or \_\_\_\_\_ it only \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ a channel package on their own \_\_\_\_\_ part \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ to suspend specific \_\_\_\_\_ packages \_\_\_\_\_ own \_\_\_\_\_ of \_\_\_\_\_ bundle?

Is it possible \_\_\_\_\_ suspension for single \_\_\_\_\_ is \_\_\_\_\_ allowed \_\_\_\_\_ bundled level?

Is it possible \_\_\_\_\_ suspend \_\_\_\_\_ specific channel package \_\_\_\_\_ its \_\_\_\_\_?

\_\_\_\_\_ allowed \_\_\_\_\_ separate \_\_\_\_\_ for single \_\_\_\_\_ packages?

Are \_\_\_\_\_ packages suspended individually or \_\_\_\_\_ level?

Is it possible \_\_\_\_\_ pause \_\_\_\_\_ or only \_\_\_\_\_ bundles?

\_\_\_\_\_ channel package on their \_\_\_\_\_ part of \_\_\_\_\_ bundle?

Is it \_\_\_\_\_ apply suspensions \_\_\_\_\_ specific \_\_\_\_\_ bundle?

Is \_\_\_\_\_ possible to \_\_\_\_\_ or only at \_\_\_\_\_ bundle \_\_\_\_\_?

Is \_\_\_\_\_ to suspend individual \_\_\_\_\_ or only \_\_\_\_\_?

Can \_\_\_\_\_ package \_\_\_\_\_ channels \_\_\_\_\_ suspended \_\_\_\_\_ own?

Is \_\_\_\_\_ a \_\_\_\_\_ of the channel packages?

Is \_\_\_\_\_ for specific \_\_\_\_\_ be suspended on \_\_\_\_\_ own rather \_\_\_\_\_ all \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ a channel \_\_\_\_\_ it's \_\_\_\_\_ a bundle?

Is it \_\_\_\_\_ suspend individual channels \_\_\_\_\_ or \_\_\_\_\_ only \_\_\_\_\_ the whole \_\_\_\_\_?

Individual channels \_\_\_\_\_ be suspended \_\_\_\_\_.

\_\_\_\_\_ for separate suspension \_\_\_\_\_ single \_\_\_\_\_ packages?

Is it possible to \_\_\_\_\_ suspension \_\_\_\_\_ single channel packages \_\_\_\_\_ bundled \_\_\_\_\_?

Is \_\_\_\_\_ only applicable \_\_\_\_\_ entire \_\_\_\_\_ is it \_\_\_\_\_ suspend \_\_\_\_\_ channels?

\_\_\_\_\_ it \_\_\_\_\_ stop \_\_\_\_\_ channel \_\_\_\_\_ or only \_\_\_\_\_ bundle pause?

Can individual \_\_\_\_\_ be \_\_\_\_\_ apply \_\_\_\_\_ bundle level?

Is it Possible \_\_\_\_\_ channels \_\_\_\_\_?

Are \_\_\_\_\_ separate \_\_\_\_\_ allowed \_\_\_\_\_ packages?

\_\_\_\_\_ a bundle can \_\_\_\_\_ channels \_\_\_\_\_?

\_\_\_\_\_ the channels \_\_\_\_\_ suspended \_\_\_\_\_ alone?

Is it \_\_\_\_\_ suspend a particular \_\_\_\_\_ package \_\_\_\_\_ its \_\_\_\_\_ with \_\_\_\_\_?

Should \_\_\_\_\_ separate suspension \_\_\_\_\_ single \_\_\_\_\_ packages \_\_\_\_\_ only \_\_\_\_\_ them at the \_\_\_\_\_?

Are individual \_\_\_\_\_ in a \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ channels on their \_\_\_\_\_ or with \_\_\_\_\_?

Is \_\_\_\_\_ suspend \_\_\_\_\_ single channels \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ specific \_\_\_\_\_ their own \_\_\_\_\_ as \_\_\_\_\_ of a bundle?

\_\_\_\_\_ stop a single \_\_\_\_\_ subscription individually, \_\_\_\_\_ than collectively?

Is it \_\_\_\_\_ temporarily \_\_\_\_\_ on \_\_\_\_\_ own or with \_\_\_\_\_ accompanying bundle?

\_\_\_\_\_ it \_\_\_\_\_ suspend a \_\_\_\_\_ package on their \_\_\_\_\_ included \_\_\_\_\_ a bundle?

\_\_\_\_\_ possible \_\_\_\_\_ a specific \_\_\_\_\_ on its own or \_\_\_\_\_ a bundle?

\_\_\_\_\_ individual channels be \_\_\_\_\_ or applied \_\_\_\_\_ the \_\_\_\_\_?

Is there \_\_\_\_\_ apply suspensions \_\_\_\_\_ each specific \_\_\_\_\_ bundle?

Is it possible \_\_\_\_\_ put \_\_\_\_\_ single-channel \_\_\_\_\_ from other \_\_\_\_\_?

\_\_\_\_\_ possible to temporarily suspend \_\_\_\_\_ specific channel \_\_\_\_\_ it's \_\_\_\_\_ as \_\_\_\_\_ of a \_\_\_\_\_?

Can \_\_\_\_\_ the channels within \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ suspend \_\_\_\_\_ channel packs \_\_\_\_\_ bundle?

Can \_\_\_\_\_ channels \_\_\_\_\_ with a \_\_\_\_\_?

\_\_\_\_\_ packages need \_\_\_\_\_ separately or \_\_\_\_\_ at bundle level?

\_\_\_\_\_ it \_\_\_\_\_ stop a single-channel \_\_\_\_\_ individually, \_\_\_\_\_ as part \_\_\_\_\_ package?

\_\_\_\_\_ possible to \_\_\_\_\_ individually rather than \_\_\_\_\_ a package?

\_\_\_\_\_ suspend a \_\_\_\_\_ package \_\_\_\_\_ their own \_\_\_\_\_ just \_\_\_\_\_ part \_\_\_\_\_ the bundle?

Is \_\_\_\_\_ channel \_\_\_\_\_ their own, or \_\_\_\_\_ a bundle?

We have \_\_\_\_\_ wait \_\_\_\_\_ suspension \_\_\_\_\_ single \_\_\_\_\_ is \_\_\_\_\_ only \_\_\_\_\_ at the bundled level

\_\_\_\_\_ suspend \_\_\_\_\_ channel package on their own \_\_\_\_\_ bundle?

\_\_\_\_\_ the suspension \_\_\_\_\_ individual channels \_\_\_\_\_ ones?

Is it possible to \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ exception \_\_\_\_\_ single \_\_\_\_\_ or is it \_\_\_\_\_ the bundled \_\_\_\_\_?

Is pausing individual \_\_\_\_\_ the \_\_\_\_\_ bundle?

Can individual \_\_\_\_\_ stopped separately \_\_\_\_\_ a \_\_\_\_\_?

Can \_\_\_\_\_ package \_\_\_\_\_ own, or only as part \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ channels can be \_\_\_\_\_ only \_\_\_\_\_ the bundle \_\_\_\_\_.

Can I suspend \_\_\_\_\_ package \_\_\_\_\_ or \_\_\_\_\_ a \_\_\_\_\_ a \_\_\_\_\_?

Would \_\_\_\_\_ possible \_\_\_\_\_ individual \_\_\_\_\_ instead of \_\_\_\_\_ whole service?

Does each \_\_\_\_\_ bundle have \_\_\_\_\_ subscriptions or is \_\_\_\_\_ offered for bundled services \_\_\_\_\_ whole?

Is \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ individually \_\_\_\_\_ as a bundle package?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ channel packages \_\_\_\_\_ be \_\_\_\_\_ alone.

Is it \_\_\_\_\_ to \_\_\_\_\_ a channel \_\_\_\_\_ own, \_\_\_\_\_ if \_\_\_\_\_ with \_\_\_\_\_ bundle?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ a channel's \_\_\_\_\_ on their own \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ only \_\_\_\_\_ level or individual packages will \_\_\_\_\_ suspended separately?

Can suspensions \_\_\_\_\_ applied \_\_\_\_\_ each \_\_\_\_\_?

\_\_\_\_\_ we have to wait for \_\_\_\_\_ channel \_\_\_\_\_ is \_\_\_\_\_ available at \_\_\_\_\_ bundled level?

Is \_\_\_\_\_ applicable to \_\_\_\_\_ channels \_\_\_\_\_ bundled \_\_\_\_\_.

Is \_\_\_\_\_ to stop \_\_\_\_\_ single-channel subscription individually \_\_\_\_\_ of \_\_\_\_\_ part \_\_\_\_\_ package?

\_\_\_\_\_ certain channel package be \_\_\_\_\_ with an accompanying bundle?

\_\_\_\_\_ there a way to \_\_\_\_\_ on \_\_\_\_\_ or \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ subscription be stopped \_\_\_\_\_ part of a bundle \_\_\_\_\_?

Will individual \_\_\_\_\_ suspended \_\_\_\_\_ only be for bundle \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ channel \_\_\_\_\_ on \_\_\_\_\_ under a bundle?

\_\_\_\_\_ suspension be \_\_\_\_\_ for \_\_\_\_\_ level or \_\_\_\_\_ for \_\_\_\_\_ packages?

\_\_\_\_\_ possible \_\_\_\_\_ channels \_\_\_\_\_ be suspended \_\_\_\_\_ an individual \_\_\_\_\_ rather than \_\_\_\_\_ packages?

\_\_\_\_\_ individual \_\_\_\_\_ have to be \_\_\_\_\_ only at \_\_\_\_\_ bundle \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way \_\_\_\_\_ channel packages?

Can individual channels \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to suspend \_\_\_\_\_ channel packs, \_\_\_\_\_ for \_\_\_\_\_ entire bundle?

Is \_\_\_\_\_ individual \_\_\_\_\_ packages individually \_\_\_\_\_ only at the bundle \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ it's possible to \_\_\_\_\_ channel \_\_\_\_\_?

Does suspending channel plans \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ single \_\_\_\_\_ plans, \_\_\_\_\_ the whole package?

Is channel packages \_\_\_\_\_ as \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ suspension for \_\_\_\_\_ channel \_\_\_\_\_ or only \_\_\_\_\_ overall \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ to be applied \_\_\_\_\_ by each \_\_\_\_\_?

Is \_\_\_\_\_ channels on \_\_\_\_\_ just \_\_\_\_\_ bundle deal?

\_\_\_\_\_ channel's \_\_\_\_\_ solo or in a bundle?

\_\_\_\_\_ suspend a channel \_\_\_\_\_ alone or as \_\_\_\_\_ bundle?

Does \_\_\_\_ channel packages \_\_\_\_ be \_\_\_\_?

Is \_\_\_\_ level \_\_\_\_ fixed \_\_\_\_ is \_\_\_\_ suspension for channels?

Is it possible to \_\_\_\_ entire bundle?

Is it possible \_\_\_\_ to be \_\_\_\_ bundle of \_\_\_\_?

\_\_\_\_ it possible \_\_\_\_ make \_\_\_\_ for each \_\_\_\_ package?

Is \_\_\_\_ suspensions for individual \_\_\_\_ subscriptions?

Is it possible \_\_\_\_ a \_\_\_\_ on its \_\_\_\_ with \_\_\_\_ bundle?

\_\_\_\_ there \_\_\_\_ suspensions for each \_\_\_\_?

\_\_\_\_ it \_\_\_\_ a \_\_\_\_ a stand-alone basis from your offerings?

Is \_\_\_\_ temporarily suspend a \_\_\_\_ or in a bundle?

\_\_\_\_ suspend individual Channel packages?

\_\_\_\_ it \_\_\_\_ to temporarily suspend \_\_\_\_ specific channel package \_\_\_\_ or \_\_\_\_ bundle?

Does \_\_\_\_ plans \_\_\_\_ for bundles?

\_\_\_\_ package \_\_\_\_ applied only at \_\_\_\_?

Is it possible \_\_\_\_ channels \_\_\_\_ or only for \_\_\_\_ level?

Can channel \_\_\_\_ separately or \_\_\_\_?

\_\_\_\_ we individually suspend \_\_\_\_ package?

\_\_\_\_ is can \_\_\_\_ channels be \_\_\_\_ separately or \_\_\_\_ a \_\_\_\_.

Are individual channel \_\_\_\_ to \_\_\_\_ suspended instead \_\_\_\_ the \_\_\_\_?

Will individual \_\_\_\_ be \_\_\_\_ or \_\_\_\_ be \_\_\_\_ level?

\_\_\_\_ don't \_\_\_\_ if \_\_\_\_ suspension applies to \_\_\_\_ bundled ones.

\_\_\_\_ it possible \_\_\_\_ suspend specific channels \_\_\_\_ or \_\_\_\_ apply \_\_\_\_ the \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to suspend a channel \_\_\_\_ on \_\_\_\_ own or \_\_\_\_.

\_\_\_\_ it \_\_\_\_ individual channel packages?

Is there \_\_\_\_ for \_\_\_\_ channel \_\_\_\_ or only for \_\_\_\_?

Is \_\_\_\_ to \_\_\_\_ suspend \_\_\_\_ particular \_\_\_\_ its own or as \_\_\_\_ of \_\_\_\_ bundle?

Is it \_\_\_\_ for separate \_\_\_\_ a \_\_\_\_ package?

\_\_\_\_ it possible to \_\_\_\_ channel \_\_\_\_ on \_\_\_\_ own, or \_\_\_\_ of \_\_\_\_?

\_\_\_\_ suspend a channel's \_\_\_\_ or in \_\_\_\_ bundle?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ a \_\_\_\_ on a \_\_\_\_ basis from \_\_\_\_ options?

Is \_\_\_\_ possible to \_\_\_\_ specific channels \_\_\_\_ individual basis rather \_\_\_\_?

\_\_\_\_ package be \_\_\_\_ on its own or accompanied \_\_\_\_ bundle?

Is \_\_\_\_ channel subscriptions possible \_\_\_\_ the \_\_\_\_ bundle?

Can I suspend \_\_\_\_ channel's \_\_\_\_ alone \_\_\_\_ a \_\_\_\_?

\_\_\_\_ possible to suspend \_\_\_\_ themselves or \_\_\_\_ a \_\_\_\_?

Is \_\_\_\_ to \_\_\_\_ specific channel \_\_\_\_ own or only in the \_\_\_\_?

\_\_\_\_ wait \_\_\_\_ separate suspension \_\_\_\_ single channel packages or are \_\_\_\_ at \_\_\_\_ bundled level?

\_\_\_\_ a specific channel package \_\_\_\_ temporarily \_\_\_\_ its \_\_\_\_?

Are there suspensions for channels \_\_\_\_?

\_\_\_\_ suspend channel packages \_\_\_\_ or \_\_\_\_ a bundle?

\_\_\_\_ channel packages have separate \_\_\_\_ at \_\_\_\_ level?

\_\_\_\_ possible to \_\_\_\_ individual \_\_\_\_ or whole bundle?

Is it \_\_\_\_ to suspend a channel \_\_\_\_ bundle?

\_\_\_\_ it \_\_\_\_ a channel package without a \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ suspend \_\_\_\_ channel's packages \_\_\_\_ in a \_\_\_\_?

Is it \_\_\_\_ to suspend \_\_\_\_ or \_\_\_\_ the \_\_\_\_ bundle?

\_\_\_\_ be paused \_\_\_\_ or \_\_\_\_ a \_\_\_\_?

\_\_\_\_ the \_\_\_\_ affect individual channels or \_\_\_\_?

\_\_\_\_ necessary to wait for \_\_\_\_ for \_\_\_\_ channel \_\_\_\_ we only see them at \_\_\_\_ level.

\_\_\_\_ the \_\_\_\_ apply \_\_\_\_ channels or \_\_\_\_ them?

Is it \_\_\_\_\_ suspensions \_\_\_\_\_ separately \_\_\_\_\_ each \_\_\_\_\_ of channels?

Would \_\_\_\_\_ have to wait for \_\_\_\_\_ is this only \_\_\_\_\_ at the \_\_\_\_\_ level?

Is \_\_\_\_\_ possible \_\_\_\_\_ channels \_\_\_\_\_ individually \_\_\_\_\_ than impacting all packages \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to suspend \_\_\_\_\_ alone or \_\_\_\_\_ a \_\_\_\_\_.

Is \_\_\_\_\_ to \_\_\_\_\_ separate suspension \_\_\_\_\_ channel \_\_\_\_\_ the bundled level?

\_\_\_\_\_ possible to pause single \_\_\_\_\_ plans, or \_\_\_\_\_ it \_\_\_\_\_ package?

Is \_\_\_\_\_ allowed for single \_\_\_\_\_ not?

Is \_\_\_\_\_ possible \_\_\_\_\_ individual \_\_\_\_\_ packages \_\_\_\_\_?

Are there \_\_\_\_\_ for each \_\_\_\_\_ package \_\_\_\_\_ the overall \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ channel packages possible?

\_\_\_\_\_ suspension \_\_\_\_\_ channels \_\_\_\_\_ applicable at bundle level?

\_\_\_\_\_ individually or \_\_\_\_\_ bundles possible?

Should \_\_\_\_\_ wait \_\_\_\_\_ separate suspension \_\_\_\_\_ channel packages, or \_\_\_\_\_ we only \_\_\_\_\_ them \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ stand-alone \_\_\_\_\_ allowed \_\_\_\_\_ specific \_\_\_\_\_ apart \_\_\_\_\_ bundles?

Is it \_\_\_\_\_ put a \_\_\_\_\_ on a \_\_\_\_\_ from other \_\_\_\_\_?

Is it \_\_\_\_\_ a \_\_\_\_\_ channel package on it's \_\_\_\_\_ or \_\_\_\_\_ accompanying \_\_\_\_\_?

\_\_\_\_\_ we have to \_\_\_\_\_ suspension \_\_\_\_\_ packages, \_\_\_\_\_ this available only at the bundled \_\_\_\_\_?

Does \_\_\_\_\_ suspension \_\_\_\_\_ or bundled together?

Can \_\_\_\_\_ channel \_\_\_\_\_ temporarily \_\_\_\_\_?

\_\_\_\_\_ wanted to \_\_\_\_\_ if I \_\_\_\_\_ channels \_\_\_\_\_ own \_\_\_\_\_ with a \_\_\_\_\_.

Can \_\_\_\_\_ packages be suspended separately, or \_\_\_\_\_?

Is \_\_\_\_\_ possible to temporarily \_\_\_\_\_ particular \_\_\_\_\_ package on its \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ it possible to stop a single \_\_\_\_\_ instead \_\_\_\_\_ part \_\_\_\_\_ package?

Is \_\_\_\_\_ separately from other \_\_\_\_\_ the \_\_\_\_\_ bundle?

\_\_\_\_\_ individual channels be \_\_\_\_\_ their \_\_\_\_\_?

Is it possible \_\_\_\_\_ a \_\_\_\_\_ package \_\_\_\_\_ part \_\_\_\_\_ a bundle?

\_\_\_\_\_ it \_\_\_\_\_ Channel subscriptions \_\_\_\_\_ not affect the bundle?

Is it possible to \_\_\_\_\_ plans \_\_\_\_\_ only \_\_\_\_\_?

\_\_\_\_\_ think it's \_\_\_\_\_ to \_\_\_\_\_ channels without affecting the \_\_\_\_\_?

Are \_\_\_\_\_ capable \_\_\_\_\_ being suspended \_\_\_\_\_ rather \_\_\_\_\_ collectively?

\_\_\_\_\_ individual channels be suspended \_\_\_\_\_ or \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ suspensions \_\_\_\_\_ channel packages?

Do we \_\_\_\_\_ to wait \_\_\_\_\_ a \_\_\_\_\_ suspension for \_\_\_\_\_ we see \_\_\_\_\_ bundled?

Do specific channels \_\_\_\_\_ own rather than impacting all packages?

\_\_\_\_\_ suspended on their \_\_\_\_\_ or \_\_\_\_\_ a bundle?

\_\_\_\_\_ suspending individual \_\_\_\_\_ only at \_\_\_\_\_?

\_\_\_\_\_ it permissible for separate \_\_\_\_\_ packages \_\_\_\_\_ not?

Does \_\_\_\_\_ bundle have the \_\_\_\_\_ to \_\_\_\_\_ separately from \_\_\_\_\_ it only \_\_\_\_\_ bundled services as \_\_\_\_\_ whole?

\_\_\_\_\_ separate suspensions for single channel \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ suspension \_\_\_\_\_ single channel \_\_\_\_\_ or only at the \_\_\_\_\_ level

Is it possible \_\_\_\_\_ suspend a \_\_\_\_\_ on \_\_\_\_\_ own, or \_\_\_\_\_ with \_\_\_\_\_?

Is it possible \_\_\_\_\_ pause \_\_\_\_\_?

\_\_\_\_\_ possible to suspend \_\_\_\_\_ channels \_\_\_\_\_ the \_\_\_\_\_ bundle?

Is \_\_\_\_\_ pause \_\_\_\_\_ plans or only \_\_\_\_\_ bundles?

\_\_\_\_\_ allowed \_\_\_\_\_ separate suspension for \_\_\_\_\_ packages or \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ single \_\_\_\_\_ is it \_\_\_\_\_ bundle pause?

Is it \_\_\_\_\_ put \_\_\_\_\_ single-channel \_\_\_\_\_ on stand alone \_\_\_\_\_ bundle \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to suspend \_\_\_\_\_ channel \_\_\_\_\_ or \_\_\_\_\_ bundle?

Is \_\_\_\_\_ individual \_\_\_\_\_ only applicable \_\_\_\_\_ the \_\_\_\_\_ level?

\_\_\_\_\_ have to \_\_\_\_\_ paused \_\_\_\_\_ or just as \_\_\_\_\_?

Does the \_\_\_\_\_ only the \_\_\_\_\_?

Can I suspend \_\_\_\_\_ channel package on \_\_\_\_\_ of a \_\_\_\_\_?

Does it \_\_\_\_\_ pause individual channels \_\_\_\_\_ bundle?

\_\_\_\_\_ have to wait \_\_\_\_\_ single channel packages, or \_\_\_\_\_ at the \_\_\_\_\_ level?

\_\_\_\_\_ for channels \_\_\_\_\_ suspended individually \_\_\_\_\_ than \_\_\_\_\_ all packages?

Can \_\_\_\_\_ package \_\_\_\_\_ temporarily \_\_\_\_\_ on \_\_\_\_\_ own or with an \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ their own in a bundle?

Can \_\_\_\_\_ suspend channel \_\_\_\_\_ own, or \_\_\_\_\_ part \_\_\_\_\_ bundle?

Did \_\_\_\_\_ apply \_\_\_\_\_ individual channels or \_\_\_\_\_ bundled \_\_\_\_\_?

\_\_\_\_\_ only \_\_\_\_\_ at bundle level for individual \_\_\_\_\_?

\_\_\_\_\_ channel packages be suspended \_\_\_\_\_ at the \_\_\_\_\_ level?

\_\_\_\_\_ to suspend a \_\_\_\_\_ package on \_\_\_\_\_ own, \_\_\_\_\_ only \_\_\_\_\_ of a \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ wait for separate \_\_\_\_\_ for single \_\_\_\_\_ or \_\_\_\_\_ only see them \_\_\_\_\_?

\_\_\_\_\_ a channel \_\_\_\_\_ their \_\_\_\_\_ on \_\_\_\_\_ in a bundle?

Is it \_\_\_\_\_ channel \_\_\_\_\_ their \_\_\_\_\_ or \_\_\_\_\_ a part of \_\_\_\_\_ bundle?

Should we \_\_\_\_\_ for \_\_\_\_\_ for single \_\_\_\_\_ packages or should we only \_\_\_\_\_ them \_\_\_\_\_?

Is \_\_\_\_\_ to suspend \_\_\_\_\_ on their own, \_\_\_\_\_ just \_\_\_\_\_ of a \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ each \_\_\_\_\_ to have their own \_\_\_\_\_?

Can \_\_\_\_\_ suspend a \_\_\_\_\_ myself, or only \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ packages \_\_\_\_\_ their own or \_\_\_\_\_ a bundle?

\_\_\_\_\_ it \_\_\_\_\_ that channel packages be \_\_\_\_\_ bundles?

\_\_\_\_\_ possible for channel \_\_\_\_\_ to be paused \_\_\_\_\_ bundles.

Is \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ package on their \_\_\_\_\_ only \_\_\_\_\_ of \_\_\_\_\_ bundle?

\_\_\_\_\_ possible to \_\_\_\_\_ channel package \_\_\_\_\_ their own \_\_\_\_\_ in \_\_\_\_\_ bundle?

Is it \_\_\_\_\_ package alone or with a \_\_\_\_\_?

Individual channels \_\_\_\_\_ be suspended separately, \_\_\_\_\_ at \_\_\_\_\_ level.

Do we \_\_\_\_\_ for \_\_\_\_\_ or is it only available at the bundled \_\_\_\_\_?

Is \_\_\_\_\_ suspensions allowed \_\_\_\_\_ packages \_\_\_\_\_ only at \_\_\_\_\_ level?

\_\_\_\_\_ it possible for suspensions \_\_\_\_\_ applied \_\_\_\_\_ for each \_\_\_\_\_?

Can \_\_\_\_\_ paused alone \_\_\_\_\_ bundles?

\_\_\_\_\_ suspensions be applied \_\_\_\_\_ bundle.

\_\_\_\_\_ we need \_\_\_\_\_ wait \_\_\_\_\_ separate suspension \_\_\_\_\_ or \_\_\_\_\_ they \_\_\_\_\_ available at the bundled \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ for \_\_\_\_\_ channel \_\_\_\_\_ or is \_\_\_\_\_ restricted to the \_\_\_\_\_?

\_\_\_\_\_ a need for separate suspension \_\_\_\_\_ single channel \_\_\_\_\_ should \_\_\_\_\_ only \_\_\_\_\_ at the \_\_\_\_\_?

Is \_\_\_\_\_ suspend individual channel packs, or is this \_\_\_\_\_ for \_\_\_\_\_?

Do separate \_\_\_\_\_ exist for \_\_\_\_\_ channel \_\_\_\_\_ or is it \_\_\_\_\_?

Does \_\_\_\_\_ apply to the \_\_\_\_\_ bundled together?

\_\_\_\_\_ possible \_\_\_\_\_ a \_\_\_\_\_ channel subscription \_\_\_\_\_ than as a \_\_\_\_\_ package?

\_\_\_\_\_ specific \_\_\_\_\_ be \_\_\_\_\_ an \_\_\_\_\_ basis instead \_\_\_\_\_ impacting \_\_\_\_\_ packages?

\_\_\_\_\_ we \_\_\_\_\_ suspension \_\_\_\_\_ single channel packages or \_\_\_\_\_ we have to see them \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ stop single channel programming, \_\_\_\_\_ is \_\_\_\_\_ to the entire \_\_\_\_\_?

\_\_\_\_\_ have to wait for a \_\_\_\_\_ single \_\_\_\_\_ packages, or \_\_\_\_\_ it \_\_\_\_\_ allowed at the \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ channels on their own or \_\_\_\_\_ bundle?

\_\_\_\_\_ it \_\_\_\_\_ a channel \_\_\_\_\_ on its \_\_\_\_\_ as an upgrade of \_\_\_\_\_ bundle?

Do \_\_\_\_\_ wait for separate \_\_\_\_\_ single channel \_\_\_\_\_ or is \_\_\_\_\_ only available \_\_\_\_\_ bundle \_\_\_\_\_?

Is it \_\_\_\_\_ to suspend only \_\_\_\_\_ or only \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ stop a \_\_\_\_\_ instead \_\_\_\_\_ collectively?

Can suspensions be \_\_\_\_\_ by each \_\_\_\_\_?

Is it \_\_\_\_\_ single channel \_\_\_\_\_ individually?

\_\_\_\_\_ it \_\_\_\_\_ a single channel \_\_\_\_\_ individually, rather \_\_\_\_\_ part \_\_\_\_\_ bundle package?

\_\_\_\_\_ a way to \_\_\_\_\_ individual bundle of \_\_\_\_\_ of \_\_\_\_\_ whole \_\_\_\_\_?  
 \_\_\_\_\_ be suspended on \_\_\_\_\_ own?  
 \_\_\_\_\_ packages \_\_\_\_\_ an option?  
 \_\_\_\_\_ individual \_\_\_\_\_ separately or only applied at \_\_\_\_\_ level?  
 \_\_\_\_\_ single \_\_\_\_\_ only available at the \_\_\_\_\_?  
 \_\_\_\_\_ packages \_\_\_\_\_ individually \_\_\_\_\_ as a bundle?  
 \_\_\_\_\_ this \_\_\_\_\_ at the \_\_\_\_\_ or is there separate suspension \_\_\_\_\_ channel \_\_\_\_\_?  
 Is \_\_\_\_\_ way \_\_\_\_\_ individual \_\_\_\_\_ of channels?  
 can individual \_\_\_\_\_ be \_\_\_\_\_ in a \_\_\_\_\_  
 Can \_\_\_\_\_ channel \_\_\_\_\_ suspended by \_\_\_\_\_ not \_\_\_\_\_ a \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ specific channels \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ entire \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ wait for \_\_\_\_\_ single \_\_\_\_\_ packages, \_\_\_\_\_ that only available at \_\_\_\_\_ bundled level?  
 Is it possible for me to \_\_\_\_\_ channel \_\_\_\_\_ on \_\_\_\_\_ part \_\_\_\_\_ a bundle?  
 \_\_\_\_\_ packages suspended \_\_\_\_\_ their \_\_\_\_\_ or in a \_\_\_\_\_?  
 Can \_\_\_\_\_ subscriptions \_\_\_\_\_ a while?  
 \_\_\_\_\_ suspension \_\_\_\_\_ apply to \_\_\_\_\_ entire bundle \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ specific \_\_\_\_\_ separately?  
 \_\_\_\_\_ suspend a channel \_\_\_\_\_ or only \_\_\_\_\_ a \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ suspend \_\_\_\_\_ channel package themselves, \_\_\_\_\_ only \_\_\_\_\_?  
 \_\_\_\_\_ to wait for \_\_\_\_\_ for \_\_\_\_\_ packages or should \_\_\_\_\_ only see them \_\_\_\_\_ the bundled \_\_\_\_\_?  
 \_\_\_\_\_ suspend \_\_\_\_\_ channel's \_\_\_\_\_ or in bundles?  
 \_\_\_\_\_ it \_\_\_\_\_ suspended single \_\_\_\_\_ without affecting \_\_\_\_\_ bundle?  
 \_\_\_\_\_ the \_\_\_\_\_ to individual \_\_\_\_\_ or \_\_\_\_\_ bundled ones?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ apply \_\_\_\_\_ bundle \_\_\_\_\_ are suspended separately?  
 Is it possible to \_\_\_\_\_ suspensions \_\_\_\_\_ each \_\_\_\_\_?  
 Can \_\_\_\_\_ channel \_\_\_\_\_ by themselves?  
 \_\_\_\_\_ it \_\_\_\_\_ us to wait \_\_\_\_\_ suspension \_\_\_\_\_ single channel packages, \_\_\_\_\_ is it only \_\_\_\_\_ the \_\_\_\_\_?  
 Is \_\_\_\_\_ suspend channel packages alone or \_\_\_\_\_?  
 Do \_\_\_\_\_ to \_\_\_\_\_ a separate suspension \_\_\_\_\_ channel packages \_\_\_\_\_ only see \_\_\_\_\_ the bundled \_\_\_\_\_?  
 Can \_\_\_\_\_ package \_\_\_\_\_ temporarily suspended by itself or \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ I could suspend \_\_\_\_\_ on \_\_\_\_\_ or \_\_\_\_\_ a bundle.  
 Is it \_\_\_\_\_ to \_\_\_\_\_ individual \_\_\_\_\_ or \_\_\_\_\_ bundle?  
 Are \_\_\_\_\_ to pause \_\_\_\_\_ subscriptions?  
 Can a particular channel \_\_\_\_\_ or \_\_\_\_\_ an accompanying bundle?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ pause \_\_\_\_\_ plans, or \_\_\_\_\_ it just \_\_\_\_\_ whole \_\_\_\_\_?  
 Do we \_\_\_\_\_ to wait \_\_\_\_\_ separate \_\_\_\_\_ or \_\_\_\_\_ it \_\_\_\_\_ allowed \_\_\_\_\_ the bundled level?  
 \_\_\_\_\_ the suspension of \_\_\_\_\_ packages \_\_\_\_\_ only \_\_\_\_\_ bundle \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ packages \_\_\_\_\_ their own, \_\_\_\_\_ a bundle?  
 \_\_\_\_\_ allowed for \_\_\_\_\_ suspensions \_\_\_\_\_ single channel \_\_\_\_\_?  
 While keeping \_\_\_\_\_ individual \_\_\_\_\_ be temporarily disabled?  
 \_\_\_\_\_ it possible \_\_\_\_\_ a channel package \_\_\_\_\_ or in \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ suspending individual channel \_\_\_\_\_ possible at \_\_\_\_\_ level?  
 \_\_\_\_\_ have to wait \_\_\_\_\_ for single \_\_\_\_\_ should we only see them at \_\_\_\_\_ bundled \_\_\_\_\_?  
 Does each channel \_\_\_\_\_ have the option to stop \_\_\_\_\_ subscriptions, \_\_\_\_\_ it \_\_\_\_\_ offered \_\_\_\_\_ services \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ an individual basis, rather than impacting all \_\_\_\_\_?  
 \_\_\_\_\_ channels \_\_\_\_\_ option to stop separately \_\_\_\_\_ other subscriptions, or \_\_\_\_\_ only \_\_\_\_\_ services?  
 Do \_\_\_\_\_ have to \_\_\_\_\_ a \_\_\_\_\_ for single \_\_\_\_\_ packages \_\_\_\_\_ should \_\_\_\_\_ only \_\_\_\_\_ at the \_\_\_\_\_ level?  
 Is it \_\_\_\_\_ to suspend \_\_\_\_\_ or in \_\_\_\_\_ bundle.  
 \_\_\_\_\_ possible \_\_\_\_\_ suspend channel \_\_\_\_\_ individually \_\_\_\_\_ in a \_\_\_\_\_?  
 Is it possible for \_\_\_\_\_ bundle \_\_\_\_\_ separately \_\_\_\_\_ other \_\_\_\_\_?  
 \_\_\_\_\_ suspend a channel's \_\_\_\_\_ on their \_\_\_\_\_ in \_\_\_\_\_ package?

We have to wait \_\_\_\_\_ for single \_\_\_\_\_ packages, or \_\_\_\_\_ allowed \_\_\_\_\_ bundled level?  
 Is \_\_\_\_\_ separate suspensions for \_\_\_\_\_ channel package or is \_\_\_\_\_?  
 \_\_\_\_\_ need to \_\_\_\_\_ for single channel packages, \_\_\_\_\_ only see them at \_\_\_\_\_ bundled \_\_\_\_\_?  
 \_\_\_\_\_ suspending \_\_\_\_\_ packs possible?  
 \_\_\_\_\_ to have a suspension \_\_\_\_\_ individual \_\_\_\_\_ subscriptions?  
 \_\_\_\_\_ separate \_\_\_\_\_ for each channel \_\_\_\_\_?  
 \_\_\_\_\_ be suspended separately or at \_\_\_\_\_ level?  
 \_\_\_\_\_ each \_\_\_\_\_ an option \_\_\_\_\_ halt separately \_\_\_\_\_ other \_\_\_\_\_ or \_\_\_\_\_ it \_\_\_\_\_ offered for bundled \_\_\_\_\_?  
 \_\_\_\_\_ suspension \_\_\_\_\_ for \_\_\_\_\_ bundle \_\_\_\_\_ or will individual \_\_\_\_\_ be separately \_\_\_\_\_?  
 \_\_\_\_\_ to suspend a specific \_\_\_\_\_ own, or under \_\_\_\_\_ bundle?  
 \_\_\_\_\_ channel \_\_\_\_\_ to be paused \_\_\_\_\_ as bundles?  
 Is it \_\_\_\_\_ channel \_\_\_\_\_ on their own \_\_\_\_\_ only \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ individual packages \_\_\_\_\_ suspended or \_\_\_\_\_ bundle level?  
 Individual \_\_\_\_\_ packages might \_\_\_\_\_ suspended \_\_\_\_\_ or \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ possible to \_\_\_\_\_ different \_\_\_\_\_ packages?  
 Is it possible to pause individual \_\_\_\_\_?  
 \_\_\_\_\_ it possible to suspend \_\_\_\_\_ channels separately or \_\_\_\_\_ apply \_\_\_\_\_?  
 \_\_\_\_\_ the channels packs?  
 \_\_\_\_\_ it possible to \_\_\_\_\_ suspend \_\_\_\_\_?  
 \_\_\_\_\_ pause single \_\_\_\_\_ plans, \_\_\_\_\_ just for the \_\_\_\_\_ package?  
 \_\_\_\_\_ to \_\_\_\_\_ channel package \_\_\_\_\_ their own or just part \_\_\_\_\_ a \_\_\_\_\_?  
 Is \_\_\_\_\_ packages \_\_\_\_\_ individually, \_\_\_\_\_ solely \_\_\_\_\_ bundle level?  
 Is it \_\_\_\_\_ for each channel bundle?  
 \_\_\_\_\_ it possible \_\_\_\_\_ pause individual channels subscriptions \_\_\_\_\_ affect \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ suspension for \_\_\_\_\_ channel \_\_\_\_\_ or is it limited to \_\_\_\_\_?  
 Is it \_\_\_\_\_ to temporarily \_\_\_\_\_ on \_\_\_\_\_ own or only as \_\_\_\_\_ of the \_\_\_\_\_?  
 \_\_\_\_\_ channel plans only work \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ suspend \_\_\_\_\_ certain \_\_\_\_\_ package on \_\_\_\_\_ own?  
 \_\_\_\_\_ have to wait for \_\_\_\_\_ suspension for \_\_\_\_\_ packages \_\_\_\_\_ the \_\_\_\_\_ level?  
 \_\_\_\_\_ it \_\_\_\_\_ channel package \_\_\_\_\_ own or with \_\_\_\_\_ accompanying bundle?  
 Is \_\_\_\_\_ possible to \_\_\_\_\_ channels \_\_\_\_\_ or as \_\_\_\_\_ of a \_\_\_\_\_.  
 \_\_\_\_\_ have a \_\_\_\_\_ channel package on their \_\_\_\_\_ part of \_\_\_\_\_ bundle.  
 Is suspension only \_\_\_\_\_ to \_\_\_\_\_ only \_\_\_\_\_ specific channels?  
 \_\_\_\_\_ it be possible \_\_\_\_\_ individual \_\_\_\_\_?  
 \_\_\_\_\_ it possible for \_\_\_\_\_ channel \_\_\_\_\_ on \_\_\_\_\_ own \_\_\_\_\_ in a bundle?  
 \_\_\_\_\_ the \_\_\_\_\_ for individual \_\_\_\_\_ or just \_\_\_\_\_ ones?  
 \_\_\_\_\_ individual channel packs or \_\_\_\_\_ entire bundle?  
 Do we \_\_\_\_\_ wait \_\_\_\_\_ suspension for single channel packages, \_\_\_\_\_ does \_\_\_\_\_ apply at \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ halt each channel \_\_\_\_\_ from other \_\_\_\_\_ it \_\_\_\_\_ for bundled services?  
 \_\_\_\_\_ we \_\_\_\_\_ to wait \_\_\_\_\_ suspension \_\_\_\_\_ single channel \_\_\_\_\_ is it only allowed \_\_\_\_\_ level?  
 Is there separate \_\_\_\_\_?  
 \_\_\_\_\_ wonder \_\_\_\_\_ it is \_\_\_\_\_ to \_\_\_\_\_ channel bundles.  
 Do \_\_\_\_\_ have the ability \_\_\_\_\_ suspended \_\_\_\_\_ individual \_\_\_\_\_ rather than \_\_\_\_\_ all \_\_\_\_\_?  
 Do \_\_\_\_\_ have to wait \_\_\_\_\_ suspension \_\_\_\_\_ single \_\_\_\_\_ or are they \_\_\_\_\_ the \_\_\_\_\_ level?  
 \_\_\_\_\_ individual \_\_\_\_\_ subscriptions possible?  
 \_\_\_\_\_ suspensions \_\_\_\_\_ separately for \_\_\_\_\_ bundle?  
 Is it \_\_\_\_\_ individual channel \_\_\_\_\_ be paused \_\_\_\_\_ affecting \_\_\_\_\_ entire \_\_\_\_\_?  
 Is it \_\_\_\_\_ pause individual \_\_\_\_\_ subscriptions, \_\_\_\_\_ bundle?  
 \_\_\_\_\_ want \_\_\_\_\_ channels \_\_\_\_\_ own or is it \_\_\_\_\_ a bundle \_\_\_\_\_?  
 Can \_\_\_\_\_ be \_\_\_\_\_ on \_\_\_\_\_ own?

\_\_\_\_\_ there \_\_\_\_\_ of \_\_\_\_\_ for \_\_\_\_\_ channel packages \_\_\_\_\_ only at \_\_\_\_\_ bundled \_\_\_\_\_?  
 Are \_\_\_\_\_ able to drop \_\_\_\_\_?  
 Is it possible to \_\_\_\_\_ a single-channel \_\_\_\_\_ of \_\_\_\_\_ a bundle \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ can be paused individually \_\_\_\_\_ as bundles?  
 \_\_\_\_\_ it be possible \_\_\_\_\_ channels without \_\_\_\_\_ the \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ pause \_\_\_\_\_?  
 Is there \_\_\_\_\_ suspensions \_\_\_\_\_ channel \_\_\_\_\_ or is \_\_\_\_\_ the bundle?  
 Is it possible to suspend \_\_\_\_\_ channel package \_\_\_\_\_ their \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ suspension for \_\_\_\_\_ channel packages?  
 Do \_\_\_\_\_ need \_\_\_\_\_ for \_\_\_\_\_ single channel \_\_\_\_\_ or \_\_\_\_\_ we \_\_\_\_\_ see them at the bundled \_\_\_\_\_?  
 \_\_\_\_\_ single channel \_\_\_\_\_ allowed \_\_\_\_\_ suspensions or \_\_\_\_\_?  
 I \_\_\_\_\_ if \_\_\_\_\_ can be paused individually \_\_\_\_\_.  
 Is \_\_\_\_\_ possible to suspend \_\_\_\_\_ own \_\_\_\_\_ a \_\_\_\_\_ of a bundle?  
 \_\_\_\_\_ it possible \_\_\_\_\_ suspend \_\_\_\_\_ channels \_\_\_\_\_ an individual basis instead \_\_\_\_\_ package?  
 Can I \_\_\_\_\_ a bundle?  
 Are single-channel \_\_\_\_\_ or limited \_\_\_\_\_ bundle \_\_\_\_\_?  
 \_\_\_\_\_ specific \_\_\_\_\_ have the ability \_\_\_\_\_ be \_\_\_\_\_ individually rather \_\_\_\_\_ packages?  
 Can \_\_\_\_\_ packages \_\_\_\_\_ suspended \_\_\_\_\_?  
 \_\_\_\_\_ channel package \_\_\_\_\_ their own or \_\_\_\_\_ part \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ it possible for individual \_\_\_\_\_ to \_\_\_\_\_ disabled?  
 Can the individual channels be \_\_\_\_\_ or \_\_\_\_\_ level?  
 \_\_\_\_\_ pausing \_\_\_\_\_ only \_\_\_\_\_ for the \_\_\_\_\_?  
 Do \_\_\_\_\_ to be suspended separately \_\_\_\_\_ at \_\_\_\_\_ level?  
 \_\_\_\_\_ it be possible \_\_\_\_\_ temporarily \_\_\_\_\_ individual \_\_\_\_\_?  
 \_\_\_\_\_ channel packages need \_\_\_\_\_ separately?  
 Do each channel \_\_\_\_\_ have \_\_\_\_\_ separately from \_\_\_\_\_ or is it only offered \_\_\_\_\_ services \_\_\_\_\_ a \_\_\_\_\_?  
 Is \_\_\_\_\_ suspend \_\_\_\_\_ channels or \_\_\_\_\_ the entire \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ channel \_\_\_\_\_ separately from \_\_\_\_\_ subscriptions, \_\_\_\_\_ it only offered for \_\_\_\_\_ as a whole?  
 Is \_\_\_\_\_ channel subscriptions be \_\_\_\_\_ disabled?  
 \_\_\_\_\_ channels can \_\_\_\_\_ suspended \_\_\_\_\_ only applied at the \_\_\_\_\_.  
 Does \_\_\_\_\_ channels \_\_\_\_\_ be \_\_\_\_\_ separately or \_\_\_\_\_ the bundle \_\_\_\_\_?  
 Is \_\_\_\_\_ possible for individual channel \_\_\_\_\_ to \_\_\_\_\_?  
 Is \_\_\_\_\_ possible to \_\_\_\_\_ a \_\_\_\_\_ package \_\_\_\_\_ own \_\_\_\_\_ part \_\_\_\_\_ bundle?  
 Is \_\_\_\_\_ permissible \_\_\_\_\_ to \_\_\_\_\_ separate \_\_\_\_\_ for single channel \_\_\_\_\_?  
 \_\_\_\_\_ it permissible for separate \_\_\_\_\_ channels at \_\_\_\_\_ bundled \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ channel plans or \_\_\_\_\_ bundles?  
 Is it possible \_\_\_\_\_ suspend channel \_\_\_\_\_ own, \_\_\_\_\_ a bundle?  
 Is it possible to \_\_\_\_\_ alone or \_\_\_\_\_ bundle?  
 \_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ for single channel \_\_\_\_\_ or \_\_\_\_\_ at the \_\_\_\_\_ level?  
 Is it \_\_\_\_\_ suspension channels \_\_\_\_\_ or with \_\_\_\_\_ bundle?  
 \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ channels \_\_\_\_\_ affecting the entire bundle?  
 \_\_\_\_\_ individual channels \_\_\_\_\_ or just apply at the \_\_\_\_\_?  
 Is \_\_\_\_\_ or bundled?  
 \_\_\_\_\_ pausing a \_\_\_\_\_ channel \_\_\_\_\_ work for \_\_\_\_\_ plans?  
 Is it \_\_\_\_\_ pause \_\_\_\_\_ the entire bundle?  
 Can the package be \_\_\_\_\_ on \_\_\_\_\_ own, or \_\_\_\_\_?  
 \_\_\_\_\_ be suspended \_\_\_\_\_ their own?  
 Is it possible \_\_\_\_\_ single \_\_\_\_\_?  
 Is \_\_\_\_\_ halt a \_\_\_\_\_ subscription individually \_\_\_\_\_ collectively?  
 \_\_\_\_\_ to wait \_\_\_\_\_ separate suspension for \_\_\_\_\_ channel packages or \_\_\_\_\_ this only \_\_\_\_\_ the \_\_\_\_\_?



Does every \_\_\_\_\_ bundle \_\_\_\_\_ the \_\_\_\_\_ to halt \_\_\_\_\_ other \_\_\_\_\_ is \_\_\_\_\_ only \_\_\_\_\_ bundled services \_\_\_\_\_ a whole?

Is it \_\_\_\_\_ to \_\_\_\_\_ separate suspension for single \_\_\_\_\_ only possible \_\_\_\_\_ bundled level?

\_\_\_\_\_ possible \_\_\_\_\_ channel package \_\_\_\_\_ its own or as a bundle \_\_\_\_\_?

Individual \_\_\_\_\_ can \_\_\_\_\_ suspended \_\_\_\_\_ at the bundle \_\_\_\_\_

\_\_\_\_\_ only \_\_\_\_\_ or is \_\_\_\_\_ possible \_\_\_\_\_ suspend specific channels separately?

\_\_\_\_\_ I suspend \_\_\_\_\_ channel's \_\_\_\_\_ alone \_\_\_\_\_ a bundle?

Is \_\_\_\_\_ really possible \_\_\_\_\_ pause \_\_\_\_\_ channel plans \_\_\_\_\_ just \_\_\_\_\_ the \_\_\_\_\_?

Is it \_\_\_\_\_ specific \_\_\_\_\_ an individual \_\_\_\_\_ instead of impacting \_\_\_\_\_?

Is this only \_\_\_\_\_ at the \_\_\_\_\_ is there \_\_\_\_\_ single \_\_\_\_\_ packages?

Is it possible to \_\_\_\_\_ individually rather \_\_\_\_\_ impacting \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to suspend a \_\_\_\_\_ on \_\_\_\_\_ or in \_\_\_\_\_ bundle?

Is \_\_\_\_\_ a \_\_\_\_\_ subscription individually \_\_\_\_\_ of \_\_\_\_\_ a bundle?

Can \_\_\_\_\_ a \_\_\_\_\_ package in \_\_\_\_\_ own \_\_\_\_\_?

Is it possible to \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ own \_\_\_\_\_ with \_\_\_\_\_.

Is there a \_\_\_\_\_ a \_\_\_\_\_ on \_\_\_\_\_ own, \_\_\_\_\_ only as \_\_\_\_\_ a bundle?

If \_\_\_\_\_ have \_\_\_\_\_ wait \_\_\_\_\_ suspension for single channel packages, \_\_\_\_\_ this only \_\_\_\_\_ the \_\_\_\_\_?

Is it possible \_\_\_\_\_ specific \_\_\_\_\_ on an individual \_\_\_\_\_ not \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ a specific package on its \_\_\_\_\_ as part \_\_\_\_\_?

Is \_\_\_\_\_ possible to have \_\_\_\_\_ suspensions \_\_\_\_\_ package \_\_\_\_\_ not?

\_\_\_\_\_ wait for separate suspension for single channel packages, \_\_\_\_\_ this only \_\_\_\_\_ bundled \_\_\_\_\_?

Do \_\_\_\_\_ channels \_\_\_\_\_ to be suspended \_\_\_\_\_ rather \_\_\_\_\_ impacting all \_\_\_\_\_ at \_\_\_\_\_ time?

\_\_\_\_\_ it \_\_\_\_\_ separate suspensions \_\_\_\_\_ single \_\_\_\_\_ packages?

\_\_\_\_\_ it possible for \_\_\_\_\_ to \_\_\_\_\_ separately to \_\_\_\_\_ bundle?

\_\_\_\_\_ we \_\_\_\_\_ wait \_\_\_\_\_ separate suspension for \_\_\_\_\_ allowed at the bundled level?

\_\_\_\_\_ suspend \_\_\_\_\_ channel package on \_\_\_\_\_?

\_\_\_\_\_ individual channels be \_\_\_\_\_?

Is \_\_\_\_\_ for each channel \_\_\_\_\_ or \_\_\_\_\_ it limited \_\_\_\_\_ the \_\_\_\_\_?

Is it possible \_\_\_\_\_ suspend \_\_\_\_\_ package \_\_\_\_\_ with a \_\_\_\_\_?

Is \_\_\_\_\_ a way to \_\_\_\_\_ bundles \_\_\_\_\_ of \_\_\_\_\_ whole \_\_\_\_\_?

Is it possible \_\_\_\_\_ suspend a \_\_\_\_\_ packages \_\_\_\_\_ own \_\_\_\_\_?

We need \_\_\_\_\_ wait \_\_\_\_\_ separate suspension for \_\_\_\_\_ or should \_\_\_\_\_ see \_\_\_\_\_ at the \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ channels to \_\_\_\_\_ on individual basis \_\_\_\_\_ all packages?

\_\_\_\_\_ single channels be \_\_\_\_\_ independently \_\_\_\_\_ the entire \_\_\_\_\_?

Are separate \_\_\_\_\_ for single \_\_\_\_\_?

Is \_\_\_\_\_ possible for suspensions to \_\_\_\_\_ each \_\_\_\_\_ separately?

\_\_\_\_\_ we \_\_\_\_\_ to wait \_\_\_\_\_ suspension \_\_\_\_\_ channel packages, or only \_\_\_\_\_ at \_\_\_\_\_ bundled \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ wait for \_\_\_\_\_ channel packages or only at \_\_\_\_\_ level?

Is \_\_\_\_\_ individual \_\_\_\_\_ separately, or only \_\_\_\_\_ the bundle \_\_\_\_\_?

Does individual channel packages \_\_\_\_\_ to \_\_\_\_\_ only \_\_\_\_\_ level?

\_\_\_\_\_ suspend channels on \_\_\_\_\_ own \_\_\_\_\_ with a \_\_\_\_\_

\_\_\_\_\_ it \_\_\_\_\_ to stop \_\_\_\_\_ single-channel \_\_\_\_\_ individually instead \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ specific \_\_\_\_\_ packages, \_\_\_\_\_ as \_\_\_\_\_ of a bundle?

\_\_\_\_\_ specific \_\_\_\_\_ have \_\_\_\_\_ to \_\_\_\_\_ suspended \_\_\_\_\_ rather \_\_\_\_\_ the entire package?

Is \_\_\_\_\_ possible \_\_\_\_\_ suspend \_\_\_\_\_ themselves \_\_\_\_\_ as part of \_\_\_\_\_ bundle?

Is \_\_\_\_\_ possible for single-channel \_\_\_\_\_ stop \_\_\_\_\_ only for the \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ channel package, \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ overall bundle?

\_\_\_\_\_ it \_\_\_\_\_ suspend \_\_\_\_\_ packs, or only \_\_\_\_\_ bundle?

Is \_\_\_\_\_ possible to \_\_\_\_\_ specific \_\_\_\_\_ for bundles?

\_\_\_\_\_ suspended separately or \_\_\_\_\_ at bundle level?

Should we \_\_\_\_\_ single channel \_\_\_\_\_ or should we \_\_\_\_\_ see them at \_\_\_\_\_ bundled \_\_\_\_\_.

Is it \_\_\_\_\_ separate \_\_\_\_\_ packages \_\_\_\_\_ only \_\_\_\_\_ the bundled level?  
 \_\_\_\_\_ the \_\_\_\_\_ channels \_\_\_\_\_ or at \_\_\_\_\_ bundle level?  
 \_\_\_\_\_ to \_\_\_\_\_ suspension for single \_\_\_\_\_ packages or \_\_\_\_\_ see them bundled?  
 \_\_\_\_\_ individual channel \_\_\_\_\_ be suspended \_\_\_\_\_ or only \_\_\_\_\_ level?  
 \_\_\_\_\_ wait for \_\_\_\_\_ suspension for \_\_\_\_\_ packages \_\_\_\_\_ see them \_\_\_\_\_ the \_\_\_\_\_ level?  
 \_\_\_\_\_ separate channel \_\_\_\_\_ be \_\_\_\_\_ on their \_\_\_\_\_?  
 Is \_\_\_\_\_ a separate suspension \_\_\_\_\_?  
 Does \_\_\_\_\_ take \_\_\_\_\_ for single channel \_\_\_\_\_ is this only \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ individual \_\_\_\_\_ suspended individually \_\_\_\_\_ bundle level?  
 Do specific channels \_\_\_\_\_ the capacity \_\_\_\_\_ individual \_\_\_\_\_ than impacting all \_\_\_\_\_?  
 Can \_\_\_\_\_ myself or \_\_\_\_\_ as part \_\_\_\_\_ a bundle?  
 \_\_\_\_\_ you \_\_\_\_\_ channel \_\_\_\_\_ on its \_\_\_\_\_ or under a \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ separate \_\_\_\_\_ or \_\_\_\_\_ entire bundle?  
 \_\_\_\_\_ possible to suspend particular channels separately \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ suspend \_\_\_\_\_ package \_\_\_\_\_ own, or only \_\_\_\_\_ of a \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ stop \_\_\_\_\_ channel subscription individually instead of \_\_\_\_\_ a package?  
 Can \_\_\_\_\_ wait \_\_\_\_\_ separate suspension for single \_\_\_\_\_ this \_\_\_\_\_ at the \_\_\_\_\_ level?  
 Is \_\_\_\_\_ specific channels can \_\_\_\_\_ rather than \_\_\_\_\_ all packages?  
 \_\_\_\_\_ suspension \_\_\_\_\_ individual \_\_\_\_\_ packages only \_\_\_\_\_ bundle level?  
 Is \_\_\_\_\_ only \_\_\_\_\_ to the \_\_\_\_\_ bundle \_\_\_\_\_ possible to separate \_\_\_\_\_?  
 \_\_\_\_\_ can \_\_\_\_\_ suspended on their own \_\_\_\_\_ as \_\_\_\_\_ of a \_\_\_\_\_  
 \_\_\_\_\_ I have to \_\_\_\_\_ on their \_\_\_\_\_ or is it \_\_\_\_\_?  
 Will the \_\_\_\_\_ only \_\_\_\_\_ or will individual \_\_\_\_\_ be suspended \_\_\_\_\_?  
 \_\_\_\_\_ apply to \_\_\_\_\_ bundles or \_\_\_\_\_ to separate channels?  
 \_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ be suspended individually \_\_\_\_\_ impacting all \_\_\_\_\_ packages?  
 Does \_\_\_\_\_ have \_\_\_\_\_ halt separately from \_\_\_\_\_ subscriptions, or is it only \_\_\_\_\_ bundled \_\_\_\_\_ as a \_\_\_\_\_?  
 Is \_\_\_\_\_ at bundle \_\_\_\_\_?  
 \_\_\_\_\_ we pause \_\_\_\_\_ channel \_\_\_\_\_ is it just \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ a separate suspension \_\_\_\_\_ single \_\_\_\_\_?  
 \_\_\_\_\_ individual channel packages dependent on the \_\_\_\_\_?  
 Will individual \_\_\_\_\_ be suspended separately \_\_\_\_\_ will \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ have \_\_\_\_\_ wait for separate suspension \_\_\_\_\_ single \_\_\_\_\_ packages or \_\_\_\_\_ only \_\_\_\_\_ at the bundled \_\_\_\_\_  
 Is \_\_\_\_\_ possible \_\_\_\_\_ suspend a channel \_\_\_\_\_ or \_\_\_\_\_ of \_\_\_\_\_ bundle?  
 Do \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ for single channel packages \_\_\_\_\_ are \_\_\_\_\_ only seen \_\_\_\_\_ bundled \_\_\_\_\_?  
 \_\_\_\_\_ packages be \_\_\_\_\_ individually, or \_\_\_\_\_ as \_\_\_\_\_?  
 \_\_\_\_\_ possible to \_\_\_\_\_ individual channels separately or only \_\_\_\_\_?  
 Is \_\_\_\_\_ specific channels, or \_\_\_\_\_ apply to \_\_\_\_\_ bundle?  
 Is \_\_\_\_\_ to \_\_\_\_\_ individual channel \_\_\_\_\_ or \_\_\_\_\_ whole \_\_\_\_\_?  
 \_\_\_\_\_ stop \_\_\_\_\_ single-channel subscription individually \_\_\_\_\_ than \_\_\_\_\_ of a bundle package?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ suspend specific \_\_\_\_\_ individual \_\_\_\_\_ impacting all packages?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ channel \_\_\_\_\_ apart \_\_\_\_\_ the bundle?  
 \_\_\_\_\_ I \_\_\_\_\_ a \_\_\_\_\_ package \_\_\_\_\_ their own \_\_\_\_\_ I \_\_\_\_\_?  
 \_\_\_\_\_ possible to \_\_\_\_\_ various channels \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ suspend channels on their \_\_\_\_\_ or \_\_\_\_\_ a \_\_\_\_\_?  
 Individual \_\_\_\_\_ be \_\_\_\_\_ separately or \_\_\_\_\_ at \_\_\_\_\_ level.  
 \_\_\_\_\_ suspend a \_\_\_\_\_ channel, or only a \_\_\_\_\_?  
 \_\_\_\_\_ channel \_\_\_\_\_ on my \_\_\_\_\_ or with a bundle?  
 Is there a \_\_\_\_\_ channels \_\_\_\_\_ without affecting \_\_\_\_\_ whole bundle?  
 Is suspension only \_\_\_\_\_ to \_\_\_\_\_ bundles \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ specific \_\_\_\_\_?  
 \_\_\_\_\_ to pause single \_\_\_\_\_ plans or \_\_\_\_\_ it for \_\_\_\_\_ whole \_\_\_\_\_?

Does \_\_\_\_\_ apply \_\_\_\_\_ just \_\_\_\_\_ channels?

Is \_\_\_\_\_ specific channels to \_\_\_\_\_ an individual \_\_\_\_\_ rather \_\_\_\_\_ all packages?

\_\_\_\_\_ individual channel packages \_\_\_\_\_ or \_\_\_\_\_ bundle level?

\_\_\_\_\_ packages have to \_\_\_\_\_ paused \_\_\_\_\_?

\_\_\_\_\_ individual channels \_\_\_\_\_ separately \_\_\_\_\_ a bundle?

Is it \_\_\_\_\_ channels to be suspended \_\_\_\_\_ packages?

\_\_\_\_\_ it \_\_\_\_\_ for channel bundles to \_\_\_\_\_ separately from \_\_\_\_\_ is \_\_\_\_\_ for bundled services?

\_\_\_\_\_ each \_\_\_\_\_ bundle \_\_\_\_\_ the option to stop \_\_\_\_\_ subscriptions, or is it \_\_\_\_\_ for \_\_\_\_\_ services \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ wait for \_\_\_\_\_ for single \_\_\_\_\_ packages \_\_\_\_\_ should we only \_\_\_\_\_ them at the \_\_\_\_\_?

Are \_\_\_\_\_ programming stops \_\_\_\_\_ or only limited \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ suspend \_\_\_\_\_ on \_\_\_\_\_ part \_\_\_\_\_ a bundle?

"Is \_\_\_\_\_ to pause individual channel subscriptions \_\_\_\_\_"

Is \_\_\_\_\_ possible \_\_\_\_\_ individual channels \_\_\_\_\_ or only apply \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ package \_\_\_\_\_ their \_\_\_\_\_ or a \_\_\_\_\_.

\_\_\_\_\_ I suspend the \_\_\_\_\_ or \_\_\_\_\_ bundle?

Is there a \_\_\_\_\_ suspension \_\_\_\_\_ channel package \_\_\_\_\_ bundle?

I \_\_\_\_\_ if \_\_\_\_\_ a channel \_\_\_\_\_ their \_\_\_\_\_ or part of a \_\_\_\_\_.

Is it possible to put \_\_\_\_\_ a \_\_\_\_\_ other options?

Is there a \_\_\_\_\_ suspension for \_\_\_\_\_ or \_\_\_\_\_ bundle?

\_\_\_\_\_ it possible \_\_\_\_\_ channel \_\_\_\_\_ or is \_\_\_\_\_ only for \_\_\_\_\_?

Is it really \_\_\_\_\_ pause single \_\_\_\_\_ or \_\_\_\_\_ the whole package?

Is \_\_\_\_\_ possible to \_\_\_\_\_ a channel \_\_\_\_\_ or \_\_\_\_\_ a bundle?

Do \_\_\_\_\_ have \_\_\_\_\_ wait for separate suspension \_\_\_\_\_ single channel packages, \_\_\_\_\_ them \_\_\_\_\_ bundled \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ have to \_\_\_\_\_ suspended \_\_\_\_\_ or only \_\_\_\_\_ at the \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ not in \_\_\_\_\_ bundle?

Is \_\_\_\_\_ possible \_\_\_\_\_ suspend a \_\_\_\_\_ channel \_\_\_\_\_ on it's \_\_\_\_\_?

Do \_\_\_\_\_ only apply at \_\_\_\_\_?

\_\_\_\_\_ single-channel \_\_\_\_\_ stops \_\_\_\_\_ limited to the bundle pause?

\_\_\_\_\_ any way to suspend \_\_\_\_\_ affecting the \_\_\_\_\_ bundle?

\_\_\_\_\_ each channel \_\_\_\_\_ stop \_\_\_\_\_ from other \_\_\_\_\_ or is it only offered for \_\_\_\_\_?

\_\_\_\_\_ to pause \_\_\_\_\_ Channel \_\_\_\_\_ and not affect the \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ wait for \_\_\_\_\_ suspension \_\_\_\_\_ single channel \_\_\_\_\_ is this available \_\_\_\_\_ bundled level?

Is \_\_\_\_\_ suspension only \_\_\_\_\_ bundle \_\_\_\_\_ separate for individual \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to suspend \_\_\_\_\_ package \_\_\_\_\_ their own \_\_\_\_\_ only in \_\_\_\_\_?

\_\_\_\_\_ have the ability to \_\_\_\_\_ outside of \_\_\_\_\_ full \_\_\_\_\_ plan?

Is \_\_\_\_\_ possible \_\_\_\_\_ channel \_\_\_\_\_ to have \_\_\_\_\_ applied separately?

Is \_\_\_\_\_ possible \_\_\_\_\_ channel package alone?

\_\_\_\_\_ possible to \_\_\_\_\_ single \_\_\_\_\_ subscription \_\_\_\_\_ of a bundle package?

Is \_\_\_\_\_ possible for suspensions \_\_\_\_\_ be \_\_\_\_\_ separately \_\_\_\_\_ specific \_\_\_\_\_?

\_\_\_\_\_ there a way \_\_\_\_\_ stop \_\_\_\_\_ single-channel subscription individually \_\_\_\_\_ than \_\_\_\_\_?

\_\_\_\_\_ packages \_\_\_\_\_ suspended on their own, or \_\_\_\_\_ part \_\_\_\_\_?

Is \_\_\_\_\_ single channels independently \_\_\_\_\_ affecting the \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ suspend \_\_\_\_\_ channels instead \_\_\_\_\_ whole service?

\_\_\_\_\_ separate \_\_\_\_\_ allowed for single channel \_\_\_\_\_ not?

Is individual packages \_\_\_\_\_ individually \_\_\_\_\_ solely \_\_\_\_\_ level?

Is \_\_\_\_\_ to have \_\_\_\_\_ suspensions \_\_\_\_\_ channel package?

\_\_\_\_\_ it possible \_\_\_\_\_ individualchannel \_\_\_\_\_?

\_\_\_\_\_ possible to \_\_\_\_\_ channel package \_\_\_\_\_ or part \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ it possible \_\_\_\_\_ single-channel \_\_\_\_\_ or is it \_\_\_\_\_ the \_\_\_\_\_ bundle?

Is it \_\_\_\_\_ to suspend \_\_\_\_\_ their \_\_\_\_\_ as part \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ we individually \_\_\_\_\_ the channels \_\_\_\_\_?

Can \_\_\_\_\_ stopped individually?

\_\_\_\_\_ it \_\_\_\_\_ suspend individual channels \_\_\_\_\_ the entire \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ only to \_\_\_\_\_ level?

\_\_\_\_\_ it \_\_\_\_\_ possible to \_\_\_\_\_ individual \_\_\_\_\_ or the entire \_\_\_\_\_?

\_\_\_\_\_ have to wait for separate \_\_\_\_\_ for single \_\_\_\_\_ packages or \_\_\_\_\_ this \_\_\_\_\_ bundled \_\_\_\_\_

Can there be \_\_\_\_\_ suspension \_\_\_\_\_?

\_\_\_\_\_ possible for individual \_\_\_\_\_ be \_\_\_\_\_ or \_\_\_\_\_ for the \_\_\_\_\_?

\_\_\_\_\_ don't know \_\_\_\_\_ it is \_\_\_\_\_ to \_\_\_\_\_ individual \_\_\_\_\_ packages \_\_\_\_\_.

Can \_\_\_\_\_ channel's \_\_\_\_\_ my own or with \_\_\_\_\_ bundle?

\_\_\_\_\_ a channel package alone \_\_\_\_\_ as a \_\_\_\_\_?

\_\_\_\_\_ for a \_\_\_\_\_ to be stopped \_\_\_\_\_ rather than \_\_\_\_\_?

\_\_\_\_\_ bundle-level application \_\_\_\_\_ only or is \_\_\_\_\_ stand-alone \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ individual \_\_\_\_\_ to be \_\_\_\_\_ separately or only \_\_\_\_\_ level?

Do we have to wait \_\_\_\_\_ separate \_\_\_\_\_ single \_\_\_\_\_ or should we \_\_\_\_\_?

Will individual \_\_\_\_\_ suspended or \_\_\_\_\_ suspension only be for \_\_\_\_\_?

Is it possible \_\_\_\_\_ channel \_\_\_\_\_ their own or just \_\_\_\_\_ with \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ channels to \_\_\_\_\_ suspended individually rather \_\_\_\_\_ package?

Is \_\_\_\_\_ a separate suspension \_\_\_\_\_ package, \_\_\_\_\_ is \_\_\_\_\_ the bundle?

Is \_\_\_\_\_ possible to pause \_\_\_\_\_ specific \_\_\_\_\_?

Will the suspension \_\_\_\_\_ level or \_\_\_\_\_ packages \_\_\_\_\_ separate?

Is \_\_\_\_\_ to suspend \_\_\_\_\_ outside \_\_\_\_\_ a full \_\_\_\_\_ plan?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ suspension \_\_\_\_\_ single channel packages, \_\_\_\_\_ only happen \_\_\_\_\_ the bundled level?

\_\_\_\_\_ to wait \_\_\_\_\_ channel packages \_\_\_\_\_ only for the bundled level?

\_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ for single channel \_\_\_\_\_ should \_\_\_\_\_ see them \_\_\_\_\_ the bundled level.

Can \_\_\_\_\_ in a bundle?

\_\_\_\_\_ it \_\_\_\_\_ single-channel programming, \_\_\_\_\_ is it \_\_\_\_\_ the bundle pause?

\_\_\_\_\_ possible to \_\_\_\_\_ individually \_\_\_\_\_ each specific channel \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ suspension for \_\_\_\_\_ channel packages or just \_\_\_\_\_ the bundled level?

Are it possible to \_\_\_\_\_ affect the bundle?

\_\_\_\_\_ package \_\_\_\_\_ their own \_\_\_\_\_ part of a bundle?

\_\_\_\_\_ it possible \_\_\_\_\_ individual channel \_\_\_\_\_ to \_\_\_\_\_ or only \_\_\_\_\_ bundle level?

\_\_\_\_\_ it possible \_\_\_\_\_ channel \_\_\_\_\_ or only \_\_\_\_\_ for bundles?

\_\_\_\_\_ it possible \_\_\_\_\_ pause individual \_\_\_\_\_ do \_\_\_\_\_ affect the \_\_\_\_\_?

\_\_\_\_\_ possible to suspend \_\_\_\_\_ channel packs or the entire \_\_\_\_\_.

\_\_\_\_\_ packages be suspended \_\_\_\_\_ own.

\_\_\_\_\_ suspending individual \_\_\_\_\_ packages apply \_\_\_\_\_ the bundle \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ for \_\_\_\_\_ for single \_\_\_\_\_ packages \_\_\_\_\_ this \_\_\_\_\_ only available at the \_\_\_\_\_ level

Does \_\_\_\_\_ channel \_\_\_\_\_ bundle level?

\_\_\_\_\_ possible to temporarily \_\_\_\_\_ a \_\_\_\_\_ package \_\_\_\_\_ its own \_\_\_\_\_ under a \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ suspension \_\_\_\_\_ packages, or is \_\_\_\_\_ only available at the bundled level?

\_\_\_\_\_ suspension cover \_\_\_\_\_ or just bundled \_\_\_\_\_?

\_\_\_\_\_ bundle has \_\_\_\_\_ option \_\_\_\_\_ stop separately \_\_\_\_\_ other \_\_\_\_\_ only offered \_\_\_\_\_ bundled services as \_\_\_\_\_ whole?

Is there \_\_\_\_\_ of separate \_\_\_\_\_ for \_\_\_\_\_ packages?

\_\_\_\_\_ it possible \_\_\_\_\_ suspend a channel \_\_\_\_\_ their \_\_\_\_\_ or only when \_\_\_\_\_ with \_\_\_\_\_ bundle?

Is it okay \_\_\_\_\_ suspension \_\_\_\_\_ single channel \_\_\_\_\_?

Is it possible \_\_\_\_\_ suspensions \_\_\_\_\_ allowed \_\_\_\_\_ single \_\_\_\_\_ packages?

Is \_\_\_\_\_ possible to have separate \_\_\_\_\_ single channel packages, or is \_\_\_\_\_ at \_\_\_\_\_?

\_\_\_\_\_ suspension \_\_\_\_\_ for \_\_\_\_\_ separately?

\_\_\_\_\_ possible \_\_\_\_\_ suspend individual channels, or \_\_\_\_\_ it only possible \_\_\_\_\_?

Will individual \_\_\_\_\_ suspended \_\_\_\_\_ or just for \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ suspend \_\_\_\_\_ channel's packages alone \_\_\_\_\_ a \_\_\_\_\_?

Is it \_\_\_\_\_ individualchannel subscriptions and \_\_\_\_\_ the \_\_\_\_\_?

Are \_\_\_\_\_ channel \_\_\_\_\_ possible \_\_\_\_\_ paused without \_\_\_\_\_ the \_\_\_\_\_ bundle?

Is \_\_\_\_\_ suspension for \_\_\_\_\_ package, \_\_\_\_\_ is \_\_\_\_\_ limited to the \_\_\_\_\_?

\_\_\_\_\_ have \_\_\_\_\_ wait for \_\_\_\_\_ for single channel \_\_\_\_\_ or \_\_\_\_\_ see \_\_\_\_\_ the bundled level.

Do \_\_\_\_\_ have \_\_\_\_\_ wait \_\_\_\_\_ channel packages or do we \_\_\_\_\_ at the bundled \_\_\_\_\_?

Is it possible \_\_\_\_\_ channels \_\_\_\_\_ or \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to wait \_\_\_\_\_ separte suspension for single channel \_\_\_\_\_ or \_\_\_\_\_ them at \_\_\_\_\_ bundle \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ their \_\_\_\_\_ when included with a bundle?

\_\_\_\_\_ stand-alone \_\_\_\_\_ channels apart from \_\_\_\_\_?

Can \_\_\_\_\_ be suspended \_\_\_\_\_ own \_\_\_\_\_ with an accompanying bundle?

Is it possible \_\_\_\_\_ or \_\_\_\_\_ with bundles?

\_\_\_\_\_ it \_\_\_\_\_ possible to \_\_\_\_\_ channel subscriptions \_\_\_\_\_ not \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ allowed \_\_\_\_\_ suspensions \_\_\_\_\_ packages at the \_\_\_\_\_ level?

Is it \_\_\_\_\_ for \_\_\_\_\_ bundle to \_\_\_\_\_ or is it \_\_\_\_\_ offered for \_\_\_\_\_ services?

\_\_\_\_\_ offered for channels?

Is it possible to \_\_\_\_\_ for \_\_\_\_\_ packages.

Is \_\_\_\_\_ suspension \_\_\_\_\_ each \_\_\_\_\_ package or only \_\_\_\_\_ the \_\_\_\_\_ bundle?

\_\_\_\_\_ it \_\_\_\_\_ for each package to \_\_\_\_\_ suspension, or is \_\_\_\_\_ the \_\_\_\_\_?

Is suspension only \_\_\_\_\_ to \_\_\_\_\_ bundles, \_\_\_\_\_ is \_\_\_\_\_ possible to \_\_\_\_\_?