[Demo] NLP Dataset for Customer Service Automation

Company Type	Natural Gas Companies
Inquiry Category	Requesting historical usage data
Inquiry Sub- Category	Property assessment
Description	Real estate developers, property managers, or potential buyers may request historical usage data to assess the energy efficiency of a property, evaluate its potential operational costs, and make informed decisions regarding energy-related investments or renovations.
Data Size	8,329 paraphrases
Want to buy data?	Please contact nlp-data@qross.me via your business email address.

Masked sample paraphrases of one "Natural Gas Company" customer inquiry. (Purchased data will not be masked.)

	supply	old	_ readings	so that	may ga	uge	effectiveness of our planned	
Please _	me	readings	the precise	·	_•			
old	l readings he	p su	ccess	?				
rea	nds nece	essary for		determine	retrofit r	esults.		
pri	or meter	evaluate	·					
	that	retrofits can	assesse	d usi	ng re	eadings?		
		should sl	are prior g	gauge data				
		gauge data	a r	eference f	or retrofit	s.		
I want to	get	for	·					
What if	shared]	oast meter		_ retrofit _	?			
	any	that	you have fo	or ret	rofits?			
Would it	be possible f	or you	past me	ter te	o		effectiveness of	_?
	help with	reading in	fo	ac	curately g	gauge	_ success?	
	any o	old meter		use them	see _	our 1	retrofits worked.	
Send	meter	_ to	retrofit?					
I	past	for	retrofit an	alysis.				
any	y 1	readings r	etrofits?					
	old _	for re	trofit asses	ssment?				
it _	that old	help	$measure\ _$	succe	ss of	?		
Did you		data to	retrofit's	?				
	old meter	for	assess	ment.				
ne	ed	meter reading	S	how our	retrofits _	·		
cai	n accurately _	the impact	our _	if	can	_ old	our records.	
wo	uld to _	the meter	to	how	the	_ did.		
Have	any		for our re	trofits?				
It's	to send	readings	accu	rate	planning.			
		reading info th	at's import	ant a	accurately	ret	rofit success?	
noc	rii oot		10	hore	our pro	nocod ro	trofita would be	

Do you provide readings precise retrofit?
old meter readings for
there an reading to assess retrofits?
Will with retrofits?
Is possible to get accurate evaluation?
Is possible for to give us past meter effectiveness retrofits?
there any historic that we use to our?
Do old readings that assessed precisely?
it to have previous data accurate
Could get the data retrofit?
be used to assess the impact ?
Is it possible to access data ?
could use past meter readings measure success of
you looking old assess retrofits success?
The impact of can old meter from records.
meter data that we can see effective be.
us the meter readings we can of our upgrades?
you can provide reads determine retrofit
want to know any historic is to retrofits.
check how efficient our will with old readings
Do you have old can to retrofit effectiveness?
ancient meter data our?
to our retrofits be, I would request old meter
it possible you meter readings to assess the effectiveness our?
It's ask for prior a gauge of upgrades.
assess our old meters.
Are you to old readings?
can the success of our if have meter
readings be in the our retrofits?
past meters planning?
Do need old to determine ?
Need meter data success?
We old in order determine results.
Do need old for retrofit success?
you old look for retrofits' accuracy?
I the readings our retrofits work?
it give old readings assess effectiveness?
Is it to send over measurements ?
meter be used assess effectiveness?
Retrofit results be accurately if we
it share previous numbers to the impact our?
it possible for you provide accurate?
Would for to give so that we accurately assess effectiveness our retrofits
Should take readings to if our ?
need from the to if changes worked.
need previous data retrofits.
gauge if hook up with old readings.
it possible obtain prior meters retrofit?
I love to meter for accurate
you can provide with past meter measure of upgrades.

I want to accurate retrofitting analysis.
Will meter readings help evaluate well ?
As a gauge data be accessed?
you give me readings to evaluate ?
Inform me of previous
use the past meter see how the?
old meter are needed sure is track.
able to past so we can success of our planned upgrades?
The are needed to ensure the are
Could you provide us with so we so we our planned upgrades?
To effective our proposed retrofits be, old data.
Is possible to measure by at numbers?
Looking meter measure retrofits'?
To ensure of you us meter readings?
There old meter data to retrofit
Sharing archive will us to evaluate the true upgrade.
Are old for retrofit?
you know I old to retrofit effectiveness?
possible you previous measurements for the retrofit?
chance old readings to retrofits impact?
Will supply old help success of?
the past data for analysis.
supply me readings retrofit.
What you could share gauge effectiveness?
We'll see if our retrofits we meter
the figures from meter so I can see
have any historic meter our retrofits?
past readings we measure success of planned upgrades.
you have readings can to retrofit effectiveness?
I would you me previous data for
have old meter readings that help us if ?
It could possible to request meter data for
readings for precise retrofit
Can you with information retrofit?
Can past meter readings retrofit effectiveness?
request prior data for gauge of upgrades.
The of our planned be ensured if previous
historicaltomeasure planned?
it give past readings we can measure of our ?
prior data help ?
Can you provide readings to retrofit ?
Anxious past info needed retrofit I would earlier retrofit assessment.
Evaluate retrofits access meter data.
Can you give readings ensure the accuracy ? it to request prior data for of ?
it to request prior data for of ? accurate evaluation, have past data?
Could we use the data as ?
help measure success our retrofits?
our norp modelare success our remonsts.

need meter to the success our plans.
sharing readings retrofit effectiveness?
Can you me readings to retrofits?
Is to share past meter to?
can old meter readings if our retrofits
numbers to retrofits' efficiency?
need meters so we make
up our with historic meter data.
Will old our?
I old to the of retrofits.
Should prior meter data precise of planned?
Provide meter the assessment.
connect me older readings gauge effectiveness?
there a send previous measurement for retrofit?
You me old meter evaluate the
Provide readings the assessment
archive utility figures will allow us effectiveness upgrades.
order to results, can old reads?
Provide for precise assessment
Is meter needed precise ?
you me to at effectiveness?
Is it possible to older can gauge retrofit?
possible you could send over measurements the evaluation?
Could be possible readings for analysis?
supplied old measure the retrofits?
it share past meter numbers gauge the our?
meter data retrofit analysis?
I need readings gauge retrofit
meter are necessary our planned
I meter for accurate
a way to retrofits precisely old? Will old readings help evaluate ?
meter data for evaluation readings for precise assessment.
Looking for old meter
possibleyouold reads so we can determine?
you be to old retrofitting analysis?
Provide me for assessment.
send me the data
it possible to measurement for retrofits?
old readings to evaluate impact?
Is it to readings of meter we can check how ?
If give past we can measure success of upgrade.
Are accurately you can provide old reads?
Can me old for retrofit?
you meter readings measure effectiveness?
Provide with earlier assessment.
accurately determine results if old reads.
It would be past readings gauge effectiveness.

	ensure retrofit success with
	willing to give me so that can the of our ?
	possible to old meter so I can check how our work ?
The	meter numbers required to make are track.
Can	the previous meter for retrofits?
	for prior a gauge of planned was
	to old meter readings retrofit assessment?
	get meter readings to if retrofits work?
	earlier for precise retrofit
	any meter data that our our retrofits?
	to request old so can gauge how our be.
Can	we previous for ?
	you have historic meter data is to our?
	_we send accurate retrofit?
Is	possible to meter readings to the correct?
Can	give me readings so I can the effectiveness ?
Is it	share readings see effectiveness?
То _	our on need the old numbers.
	if you hook me up readings to effectiveness correctly.
Is	possible old readings to future retrofits'?
For	accuracy our you give previous meter?
	need I gauge effectiveness of our planned retrofits
	meter readings that gauge the of planned retrofits accurately.
Wou	ld it possible for you us meter assess the effectiveness retrofits?
	like to request old meter effective retrofits would
Is	to get meter for an accurate
	previous gauge data
	_ provide the for the retrofit?
	the make sure our upgrade on track.
Will	readings help measure success ?
Wou	ld be possible data for a of planned?
Shou	ıld I get to tf work?
Look	sing for measure retrofit?
	_it to request previous data precise gauge of?
	any historic meter could up the retrofits?
	possible get prior data retrofit evaluation?
I nee	ed to the readings our will work.
	you help previous info that to gauge success?
	have can be assessed precisely?
Were	e able to obtain meter evaluation?
	like know if could over previous a evaluation.
I	know if hook me readings to gauge effectiveness.
Can	get the readings to will work?
	_it possible to provide results?
Coul	d obtain readings retrofitting?
	utility usage allow us to effectiveness of intended
Is	possible to the previous numbers the retrofits?
Wou	ld to accurately assess the retrofits if could share readings?
	to give me meter assess effectiveness?
The	accuracy of planned retrofits be by

There need data to retrofit's success.
Sharing archive utility us us evaluate the intended upgrade.
Wanting measure efficiency?
Can check the to to how the did?
Can me meter readings, to assess ?
me the readings precise retrofit
meter useful accurate planning.
it possible give meter ensure accuracy of retrofits?
In planned retrofits, share data.
Can you with previous reading to to retrofit success?
Do you previous meter to ?
Can you me the meter so that can of ?
Will providing gauge the success of ?
retrofit can obtain prior data?
Is it we how our overhauls with old readings of?
need old meter how proposed retrofits would
to to the success of our retrofits?
Is possible usage data efficient retrofits?
Are there old so ?
Could older data used ? it share past meter gauge retrofit effectiveness?
it request meter usage regarding the of?
Ispossible my meter order to check how our overhauls be?
make upgrades are the old meter numbers.
Can I see if retrofits will work?
data is for accurate
about hooking older we gauge retrofit effectiveness?
Is possible share previous to impact?
previous numbers measure retrofits' .
Please us old readings for assessment.
Requesting data for a gauge planned feasible?
may use to gauge the effectiveness retrofits.
Can get for a retrofit?
Do old data our?
It helps if you have to prior
Do you historic ready back up the?
Could we use older ?
For accurate retrofit you meter?
effectiveness assessed by giving old meter
If we have any tell us retrofits
tell the past readings to effectiveness?
For precise do I outdated readings?
I meter readings see if work.
can use old readings to if
Do you any old meter that our?
for to measure retrofits'?
Is possible previous numbers measure impact of?
supply readings the retrofit assessment.
We may old readings to effectiveness of our
Do nood old rotrofit's 2

Is pos	sible l	[provide	with		for accurate	analysis?
Please give	old	readings		assessment		
	readin	igs for our				
Send	for ac	curate	?			
I'm wonder	ng if	could over p	previous	_ for	·	
could	get prior _	data	accurate	evalua	tion.	
		gs will help				
	our	track, w	e the c	old meter nui	nbers.	
can ch	eck e	fficient cha	nges will	with	readings	my
	to gau	ge our retrofits'	by shar	ring	?	
There is a _	of requ	iesting	_ data	a precise		
Does1	neter	retroi	fits?			
1	nave r	meter you _	evaluate	retrofits.		
t	hat m	neter	so that	we can see h	now effective _	be.
Is it th	at you	meter rea	dings	gauge	?	
Old meter	n	eeded for				
		for a				
		neter to				
		for				
		by reading		?		
		_ you would give			for retr	ofit analysis.
		eter o				v
					e.	
		numbers to m				
		 it if				analysis.
		needed				,
		order to		-		
		use		?		
		ook me up o			gauge retrof	it .
		ious th				
		me to have				
I need any						
•		retrofit				
		data that would		?		
		ings the		·		
		sed precisely with		ngs?		
		ngs for				
		e of providing old			mpact?	
		lata to see e				
		auge to ma				
		us find _			ed.	
		onnected with			e retrofit .	
		bers		3~~9	· · · · · · · · · · · · · · · · · · ·	
				er	evaluate	the of
		give us past				
		give as past readings			5450033 _	
		asses				
		asses er gau				
		be to che			ts	
1 ust 1	Juumys	50 10 the		1011011		

the gauge evaluate the
We evaluate retrofits worked if you us the
Is possible to old to check retrofit?
archive utility figures shared to allow to the intended
accurate retrofit you meter readings?
How about meter the ?
is feasible request prior for precise gauge
Is to assess retrofit effectiveness?
We gauge retrofit with
need readings our retrofits.
possible we can retrofit results if you us ?
Is it older so can gauge retrofit ?
should me readings retrofit assessment.
Wanting gauge of planned upgrades feasible.
Is you provide me with data retrofit analysis?
I would like request old data so gauge our be.
I'm in of retrofits.
use old readings to our retrofits
me with meter data for analysis?
meter for retrofits?
may able to obtain meter data
for needed for effective analysis.
I be happy receive meter for accurate
Please previous meter data
Do you to accurately ?
we previous for a evaluation?
Is there way get old we the of retrofits?
measure success by previous reading?
For assessment purposes get outdated meters?
Is it up with older readings can retrofit better?
Please give meter retrofit
Is to get old meter we gauge the of our planned?
It possible to request a gauge of
Is for us to have data for accurate ?
Is there chance of providing impact?
like be gauge retrofit with older readings.
Old readings retrofit?
is provide readings to assess impact.
reads to retrofit results.
old meter readings see if worked.
Is it possible to old of my we can our will?
it be you with past meter help assess the our retrofits?
feasible prior for a precise gauge of planned?
me the data for retrofits.
Would it to get for?
Is to check the readings to see the ?
like get data accurate retrofitting analysis.
Can get old see if our ?
o
We will use the to well our

Asking for a gauge of upgrades possible.
you can provide reads, accurately results.
Is it to to to the impact of?
on former reads to if retrofits achieved savings?
Share the previous gauge
about past readings accurate?
to to previous meter to measure impact of retrofits?
Can tell us the previous gauge our ?
Will the success of the retrofits?
Is there a you send previous measurements a ?
give earlier a retrofit
I check past meter readings to how ?
Should I get meter readings so that the our?
Can meter that I use gauge the effectiveness planned retrofits?
you to hook with so we can effectiveness?
Can old meter readings to if will?
I need old readings our retrofits
Can the be evaluation?
want the old meter readings help evaluate how
We ask for meter readings to worked.
previous meter accurate
older readings retrofit effectiveness.
Please with for retrofit assessment.
will use old meter readings evaluate how
past for retrofit planning?
Please with readings for retrofit
you able to previous readings sure retrofits accurate?
planned retrofits data.
meter can use to up our?
I see how the retrofits meter readings?
Is it to of using old readings?
Can you retrofits will actually help the reading?
historic meter data back our?
Were you provide legacy measurements ?
old meter data do assess success?
you let the past readings we measure success our planned?
data a precise planned improvements is possible.
I need to the effectiveness.
you seeking meter numbers efficiency?
I would like to have retrofit Retrofits be precisely, do you ?
you give me so that measure the of retrofits?
Is it give meter for accurate retrofitting ?
Retrofit effectiveness could properly with older readings.
For retrofit I meter
Did any data retrofits?
to request prior data for of planned
Can you the meter numbers the impact? be able to obtain accurate evaluation.
Have you got of the meter readings? our any ?

me the previous for accurate
I'm in need the assessment.
old readings of my meter to how our work?
Seeking numbers to ?
Can we data for retrofit?
is to request previous meter for of upgrades.
Can tell any old for retrofits?
Past readings sent for planning.
you old data for our?
old readings for retrofit!
be possible for to meter readings help assess effectiveness of the?
Can look at past meter to retrofits?
you able to past readings we can measure of our upgrades?
need old data to
Is possible to impact of retrofits previous ?
want to if you could send retrofit evaluation.
Is there meter that to assess success?
Provide earlier for retrofit
it good idea to provide with past retrofit?
send previous data retrofits.
Can old measure success of ?
Can give previous reading that is crucial in?
it possible have old readings my meter can check our will?
get prior data evaluation?
Do you have old meter could for?
Is to have readings my we check how our are?
Please an earlier retrofit assessment.
it could share readings to retrofit effectiveness?
Are you of historical to measure ?
Can I use meter readings to see ?
Sharing readings us accurately assess the of retrofits.
Is it could meter readings gauge effectiveness?
I old meter retrofit
readings needed for retrofit
We should able get data for
Is give me old readings so that we can gauge ?
Would possible for you give us past readings so the our retrofits?
Old data needed assess
Is it to meter to our impact?
Is possible to readings of meter we can efficient our be?
numbers to measure?
earlier readings the retrofit assessment.
Please the meter retrofits.
do I outdated for assessment? The old will to how retrofits worked.
me earlier retrofit Could we meter for retrofit evaluation?
Could we meter for retrofit evaluation?
Is it have my meter so how our changes will be? Could we gauge to reference ?
oodia wo gaage to reference ;

у	ou can	_ with past 1	neter readings	s,	measure	e s	uccess	our	<u>.</u> •	
	it possible									?
Is it	for to		of my mete	r to see _			_ will be?			
We	have	_ data for _	·							
f	or previous meter	r numbers _		?						
Can _	us past	meter		th	e effective	ness of _	retro	fits?		
	to requ	est prior	data for		planne	d upgra	des.			
	have o	ld meters da	ita	retrofits?						
i	s to	meter da	ata for a	gauge	upo	lates.				
How d	lo I	for	assessm	ents?						
i	t share	e	to gauge our	impa	ct?					
	planne	d beca	use we need p	revious _	·					
a	am interested in o	old meter		retrofit	·					
Can I l	have old	to s	ee our _	?						
	readings	determine	e the of _	?						
n	meter may b	oe for _	plar	ıning.						
	e	arlier for pr	ecise ass	essment.						
It	great if	rec	eive past mete	er data		analy	rsis.			
I	in pas	st data	re	trofit analy	ysis.					
Are yo	ou able to me	e mete	r to		?					
	able to provi	ide me	trics for	?						
	have old me	ter	_ our?							
	be able to	ga	uge as a		retrofits.					
p	oast	proper r	etrofit plannin	ıg?						
We	previous mete	r readings _	accı	ıracy	our	·				
v	would like to	if you could	d hook u	р		gauge	e retrofit	·		
For	accurate	ely	_ effectivenes	s of our re	trofits, wou	ıld it		you	give us past	·
n	might be to	get me	ter for a	ccurate	·					
c	old	_ needed to	make sure _	upgrad	le	track				
r	need reading	gs pred	cise asse	ssment						
	request old i							_·		
Can yo	ou the	previous		the i	mpact of _	retr	ofits?			
	fo	or us to accu	rately assess	the o	of our retro	fits	sharing		?	
	f we have previou									
	_ possible to chec				re	trofits w	vent?			
	meter data									
	_ possible to pass									
	able to				gauge _		oı	ır retrofits?		
	our cha									
	_ possible to have									
	r							completed	??	
						effectiv	eness.			
	past readings									
	u interested				efficiency?					
	planning car									
	to			ıta?						
	old meter to									
	oast reading				effectivenes	s?				
e	earlier readings _		assessmen	t.						
We car	n assess the		using old	d rea	dinas from					

I to	give me meter readings	we can the	effectiveness	our retrofits.
	effectiveness			
our upgrade	plan track, we need the _	numbers.		
would like to request	data gauge	retrofits wo	ıld be.	
would have _	data for accurate retrofit _	·		
Can you	readings to check?			
Are for	numbers measure retrofit effic	iency?		
it possible to	for a precise o	of planned?		
to know the p	orevious meter	retrofits' impact.		
readings help mea	sure retrofits?			
I would like if	can old readings to	the effectiveness	of	·
Can give	_ readings a retrofit assessmen	nt?		
it show	meter numbers to retrofit	ts' impact?		
you the old meter	lata assess ?			
can assessed	if you have			
Send readings to _	in retrofit?			
Is it old readi	ngs of my to o	ur?		
I	gauge effectiveness prope	rly by hooking up	with readings	S.
Let's me	for accurate retrofit analysis.			
Old meter us	ed to retrofit			
Requesting prior	gauge planned upgra	des is		
need old	_ that gauge the effective	ness retrofits	accurately.	
I for old meter	_ to evaluate			
We might	prior meter retrofit eva	aluation.		
get read	dings to if retrofits work?			
Is for to shar	e readings asso	ess the effectiveness	retrofits?	
I old meter data	we can effective our p	roposed	_•	
be mea	sure success of from	old readings?		
archive usage	will us evaluate the effective	ctiveness of		
if have reading	ngs can assessed pre	ecisely?		
sharing meter	gauge retrofit?			
to send past	readings retrofit?			
you have	_ to gauge retrofits' impact?			
for	$_$ give $___$ past meter readings so $_$	can	$_{\scriptscriptstyle{-}}$ of our planned up	ogrades?
Is there old				
Would it to o				
to get the	to if our retrofits	work?		
	ata for accurate			
you able to give old	d readings effe	ectiveness?		
	ned by	readings from you.		
there a chance old				
I would like meter data	used effe	ctive retrofit	s would	
Is previ	ous to ensure accurate re	trofits?		
possible to pr	revious to see impac	t of the?		
Will supplying	of retrofits?			
seeking meter numbers	to			
would reques	et old data	_ effective our proposed	retrofits would	·
provide	d to assess impact.			
gauge how effective our	retrofits would be,	data?		
I meter readi	ngs how well the we	ent?		

Can you	us past mete	r readings		success of	planned?	
I need	readings in	to gauge	of pl	anned		
Can use	readings	_ my to chec	ck how	will?		
would _	pric	or meter for a	accurate retrofi	t		
Can	_ old meter readin	gs to gauge	our _	?		
Send	for correc	t planning?				
you	data to	o retrofit?				
	to provide legacy m					
	send the			_?		
	evious meter		_ ·			
	meters for					
				planned repa	irs.	
	to obtain prior met					
	er reads				noodingo	
				completed		
	past read			completed	retronts:	
				retrofits are correc	+?	
	previous the past m			retroitts are correct		
	meter					
	d be possible to			?		
	d data you			_		
	meters			worked.		
	check	_ accuracy with ol	d readings.			
Could we	old gauge	for	retrofits?			
	meter numbers	to retrofits' _	·			
Will the	if	our retrofits will _	?			
it t	o get the old meter	r readings	our	?		
	old readin					
				cient our will _	?	
	assess retrofit					
	old					
	e meter readi			accurate.		
	and any old meter of			anland		
	e meter readi with for			Ji Keu.		
	old meter reading			retrofits		
				how	retrofits went?	
	pred					
	heck future retrofit					
	us meter			trofits?		
a c	chance of providing	readings to	assess	?		
					of retr	rofits
Data on	meter is	retrof	its.			
you	_ me old meter rea	dings I		our retrofits	?	
it t	to have old reading	s of to _		?		
Will old	readings mea	sure of	f?			
Please	past	_ readings so we _	measure th	ne success of	·	
be	to if ret	crofits if	have old	readings.		
Are lega	cy that can	provided	retrofits?)		

meter to Retrofit effectiveness.
request data so that we can figure how proposed
way to provide legacy measurement accurate?
It will evaluate if you access prior
past for retrofit planning?
the previous meters assess planned
gauge how retrofits would be, I request data.
$\begin{tabular}{lllllllllllllllllllllllllllllllllll$
Is to provide to to sure the retrofits accurate?
Isaeffectiveness using older readings?
there way outdated readings for assessment?
Please previous for retrofits.
Can I readings see if retrofits?
Asking prior meter data gauge feasible.
Provide with previous accurate
old meter readings to see if work?
like to know could hook up gauge retrofit effectiveness correctly.
you previous that's crucial to gauge retrofit?
will the readings how well the retrofits
Is possible for to old to the accuracy future ?
The of our retrofits meter numbers.
Please give readings for assessment.
you tell our planned actually help the old?
it possible get gauge data a reference ?
about previous meter make our retrofits ?
It's could send previous for evaluation.
old meter are to ensure planned on
I those meter I can see changes worked.
help gauge retrofit reading info?
Do have meter data to up our?
Is it that we can determine reads?
you give me old to my ?
Can the old readings really if will?
I old data retrofit's
it possible to reading so we gauge effectiveness?
it have readings of meter to how be?
looking for the previous meter numbers?
Send meter to be
it possible the old to see retrofits work?
Prior data obtained accurate retrofit
have any old meter that use to our planned retrofits?
you meter to retrofits'?
to assess retrofit's?
we seek previous retrofit efficiency?
Is hook up old to gauge effectiveness?
it we can previous meter for retrofit?
be used to measure the our?
Asking prior data precise gauge planned is
Looking for meter efficiency.
it that we through old reads?

It would feasible request data gauge of upgrades.	
need previous correct retrofits.	
I wondering if you me up readings effectiveness.	
like request meter data so that we can retrofits would	
past meter data for accurate retrofit analysis be in.	
We can how changes will I readings of meter.	
need readings assessment of	
provide old for a retrofit?	
Need any historic data our?	
from meters help evaluate	
Is to meter see how well the retrofits?	
meter readings help evaluate how retrofits	
Is past meter readings gauge retrofit?	
need past readings out retrofits will	
meter could be useful	
previous meter accurate retrofit?	
Is there chance of readings to ?	
are for retrofitting assessment.	
The numbers are to planned upgrade on track.	
be to prior data for an retrofit	
Do have that we use retrofit results?	
need previous meter an accurate	
It is to request prior meter a a planned	
Retrofit be accurately providing reads.	
Are you for numbers retrofits?	
meter for our?	
readings from retrofit assessment.	
I if can give me to assess retrofit	
Please me with precise retrofit	
used for retrofit evaluation?	
Old assess retrofits'?	
sharing previous meter possible the impact of ?	
I wantknowyou meterso I can of our retrofits.	
Is it possible to have data ?	
readings retrofits?	
to help with assessment.	
Can you give to retrofit results?	
Is it get previous for retrofit?	
I request to assess of completed retrofits?	
can provided for accurate?	
Is chance you could measurements for the ?	
need readings to make that retrofits are	
it to future retrofits with readings?	
like to request data see effective proposed be.	
Are you looking meter measure retrofits?	
Please meter for correct	
I receive previous for accurate retrofits.	
Sharing would evaluate the effectiveness of intended upgrad	des
Past data can used for retrofit	

I would request meter to how proposed retrofits
Measure using readings?
provide me with the meter for
need the the retrofit
We could obtain prior for for
possible to give previous to our impact?
How readings for precise assessments?
Is possible retrofits to be assessed readings?
The old numbers are needed make upgrade time.
Would it possible for meter readings to help us our retrofits?
I old meter to assess retrofit
past readings planning ?
Requesting meter data for of feasible?
Can at past readings how well the ?
Seeking previous numbers ?
Can old meter that see the of our retrofits?
Would it possible you to give readings to help ?
Did you have any data back up ?
If have access prior evaluate retrofits.
you can give meter readings, can the success the
Is possible to get those the will work?
Do for retrofit evaluation?
need reads so we accurately results.
Can give me I can check the?
it to have old readings so can check of our?
you any meter for our?
Should give meter readings gauge ?
Is get old a retrofitting analysis?
there for our retrofits?
will help us accurately
possible to get to see the will work?
meter measure retrofits' efficiency?
need numbers measure efficiency of retrofits?
Need assess success?
Is to have of to efficient overhauls will be?
I use past readings to see retrofits?
our as we need meters.
Need old numbers to the upgrades are
I old meter readings the retrofit
give give meter readings in order the effectiveness our planned?
old readings retrofit?
to past readings to determine retrofit?
showold readingscheckfuture retrofits'?
We could prior meter retrofit
Share readings measure retrofit
a chance of readings to assess ?
I get the old meter if retrofits ?
we get past meter we the success of upgrades?
Past could be used gauge retrofit

I know if you over measurements the retrofit
want to if share to gauge retrofit effectiveness.
Is possible send past for planning?
Is there readings retrofits assessed?
I to request so that can how our proposed would be.
I need old the effectiveness our retrofits.
it possible old my we can check how efficient will be?
will evaluate how worked if send meter readings.
request old meter data used to gauge how be.
Is possible me up with older so gauge retrofit ?
Is possible you can provide for ?
We will use the see if the
Will readings help determine the?
We might see our worked with meter
How meter data assess ?
I old meter readings evaluate well worked.
I look past meter see the retrofits?
contact me with meter retrofits.
Will old help success retrofits?
may gauge the effectiveness planned retrofits you give old meter
readings will allow to see if worked.
Were you provide previous readings to retrofits were?
What if get old retrofitting?
I request readings assessment.
possible to retrofit effectiveness meter readings.
We'll meter readings if retrofits work.
readings the of our retrofits?
it possibility to old for retrofitting?
I need you give readings assessment.
it possible have readings my we check the efficiency overhauls?
Am I old meter?
Is possible access gauge for?
I to connected with older readings to
We may $___$ of $___$ planned retrofits accurately $___$ you can $___$ me with $___$.
$I'm ____ old _____ so ____ we can gauge _____ our ____ retrofits ____ be.$
I that meter data be requested so that how be.
give me the figures from so the worked.
me the for retrofits.
Is you to previous meter readings to make are?
you old meter so can the effectiveness our retrofits?
able to legacy measurements for ?
Is it possible us past readings order assess retrofits?
like request meter so we how effective retrofits would
upgrades time, we need the old numbers.
We previous meter from you sure retrofits
I request data make sure our retrofits work.
it that can retrofit by giving reads?
historical meter databack up
Should give reads can retrofit results?
that you could send the for the evaluation?

able give me to assess retrofit effectiveness.	
Should I old meter retrofit ?	
Is old readings meter check efficient our will be?	
have any historic that back up retrofits?	
Is it possible us past meter we measure of the ?	
a chance send over previous for a precise ?	
it to previous readings the accuracy planned retrofits?	
there meter readings our?	
use those past see retrofits did?	
possible to provide readings retrofits?	
We how will be if we have of my	
The accuracy retrofits assured if provide meter readings.	
readings to measure ?	
I would connected with older can gauge effectiveness.	
possible for to past readings help us the effectiveness our retrofi	its?
Is old reading so retrofits ?	
Is possible to provide meter readings the ?	
We historic meter retrofits.	
you give archive utility usage that to to the true of upgrades?	
it share past meter to retrofitting?	
Is it possible readings of so know our are?	
data useful retrofit evaluation.	
get the meter see if our	
can accurately you provide old reads.	
I wonder if can meter retrofit effectiveness.	
I use see well retrofits did?	
I am previous data retrofits.	
possible you to give past meter readings our?	
the previous meter data evaluation?	
We assess our planned	
it possible to see if retrofits will old old ?	
Will readings measure of retrofits?	
Is any historic meter to retrofits?	
Will me readings to the accuracy?	
to request old meter data that we effective retrofits	
Can meter readings tell if will work?	
We need to sure our is on	
use previous assess planned	
accurate results retrofit if you have access meter data.	
we have data to up retrofits?	
Does evaluate if have access prior meter?	
can get old meter readings our	
give me earlier for retrofit	
you give us previous to the ?	
previous to measure of?	
Is of?	
old readings the retrofits?	
Anxious information is needed for effective	
Is it possible you to meter readings we can accurately retrofits?	
You could share gauge retrofit	

Can outdated for assessment?	
If you us meter we can the success the	
We may the our planned you me old readings.	
get old see retrofitting will work?	
old meter readings if the worked.	
the past meter readings see how retrofits?	
you us meter readings that measure success planned improv	ements?
know if I need to get data for	
was to prior meter data accurate retrofit	
chance of providing old to the impact	
Can you with reading info ?	
Would be for past help assess the effectiveness of?	
can help, reading info to accurately success.	
For effective analysis Anxious	
past readings, that measure the success of upgrades.	
it retrofits be assessed precisely if readings?	
we old readings, we if retrofits worked.	
It to prior meter data retrofit evaluation.	
want meter accurate retrofit	
We to measure the our planned improvements.	
Got meter readings retrofits? To effectiveness, can you give readings?	
Would be possible prior meter data retrofit ?	
able give me old readings check retrofit ?	
Is it possible of meter check how efficient our is?	
Is old meter that be used assess ? Requesting meter a precise gauge planned possible.	
Asking for prior meter data precise of	
We'll the to well our retrofits worked.	
readings help us measure success retrofits?	
for retrofit planning?	
we use meters evaluation?	
I would to to older so we effectiveness.	
I past meter for accurate analysis.	
I look the readings see how the retrofits?	
Could older gauge be a for?	
Past meter can gauge impact of our	
Asking prior precise gauge of planned upgrades	
meter data for retrofit ?	
Could you us the readings measure the of our ?	
The old readings evaluate well our worked.	
meter be used to if will work?	
have meter data to the retrofits?	
The meters can help	
You able previous measurement for precise retrofit	
If you could past could retrofit	
Is it possible show to help us effectiveness of our retrofits?	
chance old to assess retrofits' impact?	
possible have readings of meter how efficient our will?	

there any historical meter data that?
Is it to give past so we measure plans?
We can check how efficient overhauleds of my
Share gauge to retrofits.
accurate retrofit evaluation we data?
past meter readings a retrofit effectiveness?
Did you have data that ready back up ?
I request historical usage for the of completed?
old meter numbers are to the are
$I \ want \underline{\hspace{1cm}} \ \ could \ hook \underline{\hspace{1cm}} \ \ up \underline{\hspace{1cm}} \ \ so \ we \underline{\hspace{1cm}} \ \ gauge \ retrofit \ effectiveness \ properly.$
to previous meter for an retrofit evaluation.
To planned on schedule, the meter numbers.
old meter to retrofit?
looking previous meter to measure efficiency?
Share past meter gauge
Please me the data for
Is it possible me data for ?
Do old data for?
I would to could hook me up with older we can
It meter data for a precise gauge upgrades.
Old reads are we can retrofit
old meter readings for retrofit?
the efficiency of overhauls with readings of my?
it for past to help us accurately assess the effectiveness our?
those old readings me if work?
get some readings see the will work?
archive utility would allow true of planned system upgrades.
any old we use to determine retrofit?send meter data
senu meter data precise retrofit evaluation, chance you over measurements?
I would appreciate it give me past meter analysis.
If you planned share prior gauge
to gauge retrofit effectiveness possible?
Need past readings how planned be.
Do old readings to with the ?
Can you us past readings the success of planned?
Seeking previous numbers retrofit
Can check the to well retrofits?
share your readings effectiveness?
Can I the past to well did?
It's feasible to prior gauge of upgrade.
for for retrofit analysis.
have previous meter data for accurate ?
meter for retrofits.
able me old readings to the accuracy?
We need the previous meter the accuracy the accuracy
possible you to previous readings for our?
Provide meter a retrofit?
I would old see how retrofits would work.
have historical data that could back up ?

may be hook up readings to gauge retrofit	
Do past to measure retrofits'?	
Can to our retrofit?	
Do past measure retrofits' efficiency?	
need past meter readings the our	
$Is ____ request ___ meter usage ___ for ___ of completed ___?$	
Is it possible to of in to check how our changes ?	
Share prior gauge the	
Provide old meter readings	
any historic meters back our?	
Can us previous information is accurately gauge success?	
send meter for	
you meter information for retrofits?	
I like if connect with older readings to gauge	
chance of giving old readings impact?	
It to request prior the planned upgrades.	
Is there previous data used retrofit?	
Please let me know previous	
Supplying will measure the success our	
it possible we accurately retrofit old?	
need old readings forder to how well retrofits.	
would to the of our planned upgrades if could with past	·