

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Home Repair and Maintenance Companies
<b>Inquiry Category</b>	Exterior lighting fixture replacement
<b>Inquiry Sub-Category</b>	Pricing inquiries
<b>Description</b>	Customers want to know the cost of replacing their exterior lighting fixtures, including any additional fees for specific models or installations.
<b>Data Size</b>	10,738 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Home Repair and Maintenance Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_ there \_\_\_\_ if we \_\_\_\_ motion sensor technology \_\_\_\_ our \_\_\_\_ lighting system?  
 Is \_\_\_\_ surcharge \_\_\_\_ to \_\_\_\_ motion \_\_\_\_ technology in \_\_\_\_ system?  
 There \_\_\_\_ associated with integration \_\_\_\_ motion \_\_\_\_ into the external \_\_\_\_ .  
 Is \_\_\_\_ motion sensors \_\_\_\_ the external lighting system?  
 Does the \_\_\_\_ options include \_\_\_\_ surcharges for \_\_\_\_ sensor-integrated \_\_\_\_ outdoor lights?  
 Is \_\_\_\_ extra cost for \_\_\_\_ motion \_\_\_\_ the \_\_\_\_ lighting \_\_\_\_ ?  
 \_\_\_\_ adding \_\_\_\_ sensor \_\_\_\_ to \_\_\_\_ lights costing \_\_\_\_ charge?  
 Do we \_\_\_\_ pay more \_\_\_\_ motion \_\_\_\_ be added \_\_\_\_ our \_\_\_\_ ?  
 Is \_\_\_\_ of installing \_\_\_\_ to our outdoor lights going \_\_\_\_ ?  
 Motion sensor \_\_\_\_ fresh external lighting \_\_\_\_ an additional \_\_\_\_ .  
 \_\_\_\_ we need \_\_\_\_ more if \_\_\_\_ integrate motion \_\_\_\_ into \_\_\_\_ ?  
 Will there be \_\_\_\_ integration of motion \_\_\_\_ lights?  
 \_\_\_\_ we asked \_\_\_\_ motion sensors \_\_\_\_ light \_\_\_\_ would there \_\_\_\_ additional fee?  
 Do we \_\_\_\_ to \_\_\_\_ more money \_\_\_\_ implement \_\_\_\_ within \_\_\_\_ package budget?  
 \_\_\_\_ tell me \_\_\_\_ implementing \_\_\_\_ capability in our outdoor \_\_\_\_ will cost \_\_\_\_ ?  
 \_\_\_\_ an extra \_\_\_\_ for \_\_\_\_ sensor into external lights?  
 Do \_\_\_\_ to \_\_\_\_ a \_\_\_\_ if we want to \_\_\_\_ motion detector \_\_\_\_ into \_\_\_\_ system?  
 \_\_\_\_ to add \_\_\_\_ detectors \_\_\_\_ our \_\_\_\_ exterior lights?  
 Is \_\_\_\_ costs associated with integrating \_\_\_\_ sensors \_\_\_\_ external \_\_\_\_ system?  
 How \_\_\_\_ extra charge \_\_\_\_ stuff \_\_\_\_ our new outside \_\_\_\_ ?  
 \_\_\_\_ you know \_\_\_\_ we'll be charged \_\_\_\_ for \_\_\_\_ technology \_\_\_\_ outdoor lighting \_\_\_\_ ?  
 Is there a charge \_\_\_\_ with \_\_\_\_ new \_\_\_\_ light \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ extra \_\_\_\_ for the \_\_\_\_ sensors into the \_\_\_\_ lighting \_\_\_\_ ?  
 \_\_\_\_ could be \_\_\_\_ fee \_\_\_\_ motion sensors \_\_\_\_ included \_\_\_\_ the new \_\_\_\_ light \_\_\_\_ .  
 \_\_\_\_ you tell \_\_\_\_ installing motion \_\_\_\_ outdoor \_\_\_\_ will \_\_\_\_ more?  
 \_\_\_\_ more to put motion \_\_\_\_ new \_\_\_\_ ?  
 Should we \_\_\_\_ extra \_\_\_\_ for \_\_\_\_ motion sensor \_\_\_\_ lighting system?  
 \_\_\_\_ motion-recognition \_\_\_\_ with an \_\_\_\_ cost \_\_\_\_ the \_\_\_\_ scheme bill?  
 There are \_\_\_\_ charges \_\_\_\_ adding \_\_\_\_ sensors \_\_\_\_ the \_\_\_\_ lighting \_\_\_\_ .

There could be additional \_\_\_\_\_ incorporating \_\_\_\_\_ the external \_\_\_\_\_.  
 \_\_\_\_\_ an \_\_\_\_\_ for adding motion \_\_\_\_\_ our lighting setup?  
 Is \_\_\_\_\_ possible to \_\_\_\_\_ an \_\_\_\_\_ cost \_\_\_\_\_ motion \_\_\_\_\_ a \_\_\_\_\_ light system?  
 Is \_\_\_\_\_ it to install \_\_\_\_\_ external lighting \_\_\_\_\_ with integrated \_\_\_\_\_?  
 There is \_\_\_\_\_ charge \_\_\_\_\_ to our new \_\_\_\_\_ lights.  
 Is \_\_\_\_\_ for integrating \_\_\_\_\_ sensor \_\_\_\_\_ in our \_\_\_\_\_ light \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ extra cost \_\_\_\_\_ motion sensitive technology with \_\_\_\_\_?  
 Does \_\_\_\_\_ motion detection \_\_\_\_\_ requires a \_\_\_\_\_ charge?  
 Do \_\_\_\_\_ have to pay \_\_\_\_\_ we \_\_\_\_\_ our outside lights?  
 Will \_\_\_\_\_ more \_\_\_\_\_ to set up a fresh \_\_\_\_\_ if we \_\_\_\_\_ for \_\_\_\_\_ equipment?  
 \_\_\_\_\_ we \_\_\_\_\_ for motion sensor technology \_\_\_\_\_ lighting?  
 \_\_\_\_\_ adding motion sensor \_\_\_\_\_ our \_\_\_\_\_ to cause \_\_\_\_\_ charges?  
 \_\_\_\_\_ there \_\_\_\_\_ for putting \_\_\_\_\_ in lights?  
 Can \_\_\_\_\_ tell me \_\_\_\_\_ there is \_\_\_\_\_ for linking \_\_\_\_\_ upcoming lighting scheme?  
 \_\_\_\_\_ new exterior lights have \_\_\_\_\_ for incorporating \_\_\_\_\_ technology?  
 Do \_\_\_\_\_ an \_\_\_\_\_ fee to \_\_\_\_\_ motion sensor tech in \_\_\_\_\_ system?  
 If \_\_\_\_\_ motion gizmos \_\_\_\_\_ the fancy \_\_\_\_\_ lights, we \_\_\_\_\_ more.  
 \_\_\_\_\_ add to \_\_\_\_\_ of \_\_\_\_\_ outside light system?  
 \_\_\_\_\_ the \_\_\_\_\_ of the new \_\_\_\_\_ lights include \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ a movement \_\_\_\_\_ onto \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ incorporating motion sensor technology into our \_\_\_\_\_ system?  
 \_\_\_\_\_ possible to pay more \_\_\_\_\_ add \_\_\_\_\_ the lights?  
 There could be an \_\_\_\_\_ for \_\_\_\_\_ sensor \_\_\_\_\_ in \_\_\_\_\_ lighting \_\_\_\_\_.  
 If \_\_\_\_\_ motion \_\_\_\_\_ in the \_\_\_\_\_ illumination \_\_\_\_\_ be an additional fee?  
 Is there \_\_\_\_\_ incorporating motion \_\_\_\_\_ into the external \_\_\_\_\_?  
 Does adding \_\_\_\_\_ external lighting \_\_\_\_\_ a supplementary \_\_\_\_\_?  
 Do we \_\_\_\_\_ pay \_\_\_\_\_ for motion \_\_\_\_\_ on our \_\_\_\_\_?  
 \_\_\_\_\_ dollar sign \_\_\_\_\_ a \_\_\_\_\_ motion-sensing gizmo on \_\_\_\_\_ lights?  
 If \_\_\_\_\_ included in \_\_\_\_\_ outdoor light setup, would \_\_\_\_\_ result in \_\_\_\_\_?  
 We should pay \_\_\_\_\_ additional \_\_\_\_\_ motion \_\_\_\_\_ our outdoor lighting \_\_\_\_\_.  
 \_\_\_\_\_ need to \_\_\_\_\_ more if we \_\_\_\_\_ detectors \_\_\_\_\_ our \_\_\_\_\_.  
 Any \_\_\_\_\_ for adding motion \_\_\_\_\_ to \_\_\_\_\_?  
 There's \_\_\_\_\_ cost \_\_\_\_\_ motion sensor \_\_\_\_\_ the \_\_\_\_\_ lighting system.  
 Is there \_\_\_\_\_ cost \_\_\_\_\_ motion \_\_\_\_\_ in the \_\_\_\_\_ scheme?  
 Is \_\_\_\_\_ cost \_\_\_\_\_ sensors into the external lighting \_\_\_\_\_ it?  
 \_\_\_\_\_ it \_\_\_\_\_ more to \_\_\_\_\_ motion \_\_\_\_\_ the lights?  
 \_\_\_\_\_ there \_\_\_\_\_ additional cost \_\_\_\_\_ incorporating motion \_\_\_\_\_ with \_\_\_\_\_ fresh \_\_\_\_\_ arrangement?  
 Paying \_\_\_\_\_ extra cost to \_\_\_\_\_ motion sensor \_\_\_\_\_ light \_\_\_\_\_?  
 Does opting for integrated movement \_\_\_\_\_ premium \_\_\_\_\_ installing external \_\_\_\_\_?  
 \_\_\_\_\_ fees could \_\_\_\_\_ imposed \_\_\_\_\_ us if \_\_\_\_\_ opt \_\_\_\_\_ motion sensor \_\_\_\_\_ our \_\_\_\_\_.  
 \_\_\_\_\_ a \_\_\_\_\_ to have the \_\_\_\_\_ with motion \_\_\_\_\_ technology.  
 \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ motion \_\_\_\_\_ technology in outdoor lights?  
 Will \_\_\_\_\_ motion sensors in \_\_\_\_\_ lights \_\_\_\_\_ at \_\_\_\_\_ charge?  
 Is \_\_\_\_\_ an added cost to \_\_\_\_\_ motion \_\_\_\_\_ the \_\_\_\_\_?  
 Will \_\_\_\_\_ fees be \_\_\_\_\_ on \_\_\_\_\_ for \_\_\_\_\_ sensor \_\_\_\_\_ our external lighting?  
 Payment be required to install \_\_\_\_\_.  
 \_\_\_\_\_ adding motion sensors \_\_\_\_\_ lighting \_\_\_\_\_ the additional \_\_\_\_\_?  
 In the outdoor \_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ fee for \_\_\_\_\_.  
 When \_\_\_\_\_ lamp arrangement will \_\_\_\_\_ cost more if we \_\_\_\_\_ built-in \_\_\_\_\_ sensor equipment?  
 \_\_\_\_\_ extra \_\_\_\_\_ if motion \_\_\_\_\_ in external \_\_\_\_\_?

Will there \_\_\_\_\_ if \_\_\_\_\_ choose \_\_\_\_\_ sensor in external \_\_\_\_\_ scheme?  
 \_\_\_\_\_ an \_\_\_\_\_ fee for \_\_\_\_\_ sensor technology \_\_\_\_\_ integrated into \_\_\_\_\_ system?  
 \_\_\_\_\_ integration with movement \_\_\_\_\_ come \_\_\_\_\_ a \_\_\_\_\_ installing external \_\_\_\_\_?  
 Is there \_\_\_\_\_ additional \_\_\_\_\_ if we \_\_\_\_\_ for \_\_\_\_\_ the external \_\_\_\_\_ scheme?  
 Does \_\_\_\_\_ to be \_\_\_\_\_ implementing motions \_\_\_\_\_ features \_\_\_\_\_ lighting package budget?  
 \_\_\_\_\_ motion sensor \_\_\_\_\_ the cost \_\_\_\_\_ external lighting?  
 Does it \_\_\_\_\_ sensor \_\_\_\_\_ in our outdoor lighting \_\_\_\_\_?  
 Is \_\_\_\_\_ extra \_\_\_\_\_ sensors \_\_\_\_\_ the new external lighting system?  
 Do \_\_\_\_\_ pay more \_\_\_\_\_ detection if we \_\_\_\_\_ it \_\_\_\_\_ of the \_\_\_\_\_ illumination scheme?  
 \_\_\_\_\_ motion \_\_\_\_\_ in \_\_\_\_\_ new \_\_\_\_\_ lights come \_\_\_\_\_ an \_\_\_\_\_ cost?  
 \_\_\_\_\_ it cost more \_\_\_\_\_ add motion \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ pay \_\_\_\_\_ incorporate motion sensor technology into \_\_\_\_\_ lighting system?  
 motion sensor tech \_\_\_\_\_ external \_\_\_\_\_ additional price \_\_\_\_\_?  
 \_\_\_\_\_ an additional fee be \_\_\_\_\_ asked \_\_\_\_\_ sensors in \_\_\_\_\_ outdoor light \_\_\_\_\_?  
 \_\_\_\_\_ anyone know \_\_\_\_\_ costs to attach a movement \_\_\_\_\_ lights?  
 \_\_\_\_\_ adding \_\_\_\_\_ to the outdoor \_\_\_\_\_ increase \_\_\_\_\_ cost?  
 Did \_\_\_\_\_ any surcharges \_\_\_\_\_ to have a \_\_\_\_\_ new outdoor lights?  
 Does \_\_\_\_\_ motion sensor technology \_\_\_\_\_ outdoor \_\_\_\_\_ add \_\_\_\_\_ charge?  
 Is \_\_\_\_\_ added cost \_\_\_\_\_ incorporating motion \_\_\_\_\_ into \_\_\_\_\_ external \_\_\_\_\_.  
 Is there any \_\_\_\_\_ us \_\_\_\_\_ motion sensor-integrated setup \_\_\_\_\_ our \_\_\_\_\_?  
 Is \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ with \_\_\_\_\_ lighting setup.  
 Are you aware \_\_\_\_\_ a \_\_\_\_\_ detector to \_\_\_\_\_ lights?  
 \_\_\_\_\_ we have to \_\_\_\_\_ an additional \_\_\_\_\_ if we \_\_\_\_\_ sensors \_\_\_\_\_ setup?  
 Do \_\_\_\_\_ need \_\_\_\_\_ allocate \_\_\_\_\_ to implement motions detection \_\_\_\_\_ exterior \_\_\_\_\_ package \_\_\_\_\_?  
 Does adding \_\_\_\_\_ tech \_\_\_\_\_ our \_\_\_\_\_ lighting cost \_\_\_\_\_?  
 \_\_\_\_\_ additional fee \_\_\_\_\_ adding \_\_\_\_\_ sensor \_\_\_\_\_ our external lighting system?  
 \_\_\_\_\_ we be charged \_\_\_\_\_ include motion \_\_\_\_\_ in \_\_\_\_\_ outdoor \_\_\_\_\_ setup?  
 Will there \_\_\_\_\_ an \_\_\_\_\_ for incorporating \_\_\_\_\_ sensor technology in \_\_\_\_\_?  
 \_\_\_\_\_ sensor technology \_\_\_\_\_ the cost \_\_\_\_\_ exterior lights?  
 \_\_\_\_\_ we have \_\_\_\_\_ surcharge \_\_\_\_\_ a \_\_\_\_\_ sensor-integrated \_\_\_\_\_ with \_\_\_\_\_ new outdoor \_\_\_\_\_?  
 Does motion sensor technology \_\_\_\_\_ our \_\_\_\_\_ lighting \_\_\_\_\_?  
 \_\_\_\_\_ need \_\_\_\_\_ a moving detection device \_\_\_\_\_ lamps?  
 \_\_\_\_\_ want motion sensors \_\_\_\_\_ our \_\_\_\_\_ system, will we have \_\_\_\_\_?  
 Asking for payment \_\_\_\_\_ outdoor lighting?  
 \_\_\_\_\_ motion sensor technology \_\_\_\_\_ in \_\_\_\_\_ new \_\_\_\_\_ setup \_\_\_\_\_ extra?  
 \_\_\_\_\_ fee \_\_\_\_\_ integration of \_\_\_\_\_ sensor \_\_\_\_\_ into \_\_\_\_\_ new external \_\_\_\_\_ system?  
 \_\_\_\_\_ the cost \_\_\_\_\_ new outside light \_\_\_\_\_ increase if \_\_\_\_\_ added?  
 \_\_\_\_\_ there \_\_\_\_\_ fee \_\_\_\_\_ if \_\_\_\_\_ add \_\_\_\_\_ sensors to \_\_\_\_\_ light fixture?  
 \_\_\_\_\_ there an added cost \_\_\_\_\_ sensors into \_\_\_\_\_ external \_\_\_\_\_.  
 \_\_\_\_\_ additional fee \_\_\_\_\_ sensor technology in \_\_\_\_\_ lighting?  
 Is there \_\_\_\_\_ additional \_\_\_\_\_ if \_\_\_\_\_ in the external \_\_\_\_\_ scheme?  
 \_\_\_\_\_ there \_\_\_\_\_ fee \_\_\_\_\_ incorporating motion sensitive \_\_\_\_\_ with our \_\_\_\_\_ arrangement?  
 How \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ setup with our new outdoor \_\_\_\_\_?  
 \_\_\_\_\_ want motion sensor \_\_\_\_\_ in \_\_\_\_\_ should we \_\_\_\_\_ more?  
 There \_\_\_\_\_ a \_\_\_\_\_ having the outdoor \_\_\_\_\_ systems \_\_\_\_\_ motion \_\_\_\_\_.  
 \_\_\_\_\_ there a \_\_\_\_\_ for \_\_\_\_\_ motion \_\_\_\_\_ the outdoor \_\_\_\_\_ system?  
 \_\_\_\_\_ have \_\_\_\_\_ pay more money \_\_\_\_\_ order to \_\_\_\_\_ built-in \_\_\_\_\_ the outdoor \_\_\_\_\_ scheme?  
 Is \_\_\_\_\_ to \_\_\_\_\_ outdoor light \_\_\_\_\_ going \_\_\_\_\_ cost us \_\_\_\_\_ fee?  
 \_\_\_\_\_ it \_\_\_\_\_ it \_\_\_\_\_ an \_\_\_\_\_ detecting function \_\_\_\_\_ installing external lighting?  
 \_\_\_\_\_ motion detection \_\_\_\_\_ our \_\_\_\_\_ requires \_\_\_\_\_ supplementary charge.

\_\_\_\_\_ there \_\_\_\_\_ extra cost associated \_\_\_\_\_ incorporating \_\_\_\_\_ into the \_\_\_\_\_ lighting \_\_\_\_\_?  
 \_\_\_\_\_ cost for the integration of \_\_\_\_\_ the \_\_\_\_\_ lighting installation?  
 \_\_\_\_\_ you charging an \_\_\_\_\_ fee \_\_\_\_\_ motion sensor technology \_\_\_\_\_ external \_\_\_\_\_?  
 There \_\_\_\_\_ cost \_\_\_\_\_ having an \_\_\_\_\_ lighting \_\_\_\_\_ that \_\_\_\_\_ motion sensor \_\_\_\_\_.  
 Does adding \_\_\_\_\_ change the cost \_\_\_\_\_ outdoor \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary to \_\_\_\_\_ money to get built-in movement detection in \_\_\_\_\_?  
 \_\_\_\_\_ having the outdoor lighting \_\_\_\_\_ with motion sensor \_\_\_\_\_?  
 Does adding motion \_\_\_\_\_ to \_\_\_\_\_ with a \_\_\_\_\_?  
 Do \_\_\_\_\_ more \_\_\_\_\_ them integrated into our \_\_\_\_\_ system?  
 \_\_\_\_\_ any additional \_\_\_\_\_ incorporating \_\_\_\_\_ sensor into external \_\_\_\_\_ setup?  
 \_\_\_\_\_ there \_\_\_\_\_ if motion sensors \_\_\_\_\_ included in the \_\_\_\_\_ setup?  
 Will \_\_\_\_\_ additional \_\_\_\_\_ sensors are integrated into \_\_\_\_\_ lighting system?  
 \_\_\_\_\_ there \_\_\_\_\_ fee \_\_\_\_\_ incorporating \_\_\_\_\_ technology into \_\_\_\_\_ new lighting system?  
 \_\_\_\_\_ be \_\_\_\_\_ integrate motion sensors into \_\_\_\_\_ external lights?  
 \_\_\_\_\_ the extra \_\_\_\_\_ to integrate motion \_\_\_\_\_ into the \_\_\_\_\_ lighting \_\_\_\_\_?  
 Is \_\_\_\_\_ cost on \_\_\_\_\_ external \_\_\_\_\_ scheme bill for \_\_\_\_\_ capabilities?  
 \_\_\_\_\_ be required to \_\_\_\_\_ new outdoor lighting  
 Is there a charge for \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_?  
 Is it necessary \_\_\_\_\_ us to \_\_\_\_\_ an additional fee to \_\_\_\_\_ in \_\_\_\_\_ outdoor \_\_\_\_\_?  
 \_\_\_\_\_ there an additional \_\_\_\_\_ for \_\_\_\_\_ sensor technology \_\_\_\_\_ the \_\_\_\_\_?  
 Can \_\_\_\_\_ give me \_\_\_\_\_ attaching \_\_\_\_\_ to outdoor lights?  
 \_\_\_\_\_ an added cost to use \_\_\_\_\_ our external \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ pay more if we install \_\_\_\_\_ into \_\_\_\_\_?  
 \_\_\_\_\_ fees \_\_\_\_\_ be imposed on us if we opt \_\_\_\_\_ motion \_\_\_\_\_.  
 \_\_\_\_\_ added cost for motion \_\_\_\_\_ integration in the \_\_\_\_\_?  
 Is adding \_\_\_\_\_ the outdoor lighting \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ me if there is a \_\_\_\_\_ associated \_\_\_\_\_ linking \_\_\_\_\_ our \_\_\_\_\_ lighting scheme?  
 Is \_\_\_\_\_ charge for integrating \_\_\_\_\_ technology into \_\_\_\_\_ setup?  
 Is it possible to \_\_\_\_\_ more \_\_\_\_\_ motion \_\_\_\_\_ lights?  
 Are \_\_\_\_\_ with linking \_\_\_\_\_ features \_\_\_\_\_ our upcoming exterior \_\_\_\_\_ scheme or \_\_\_\_\_?  
 \_\_\_\_\_ pay an \_\_\_\_\_ fee for \_\_\_\_\_ tech in our outdoor lighting \_\_\_\_\_?  
 Does \_\_\_\_\_ motion \_\_\_\_\_ to our \_\_\_\_\_ add \_\_\_\_\_ cost?  
 \_\_\_\_\_ there a fee \_\_\_\_\_ motion sensors to \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ for motion sensor integration in the \_\_\_\_\_.  
 Is \_\_\_\_\_ sensors \_\_\_\_\_ lighting scheme an \_\_\_\_\_ cost?  
 How \_\_\_\_\_ it to \_\_\_\_\_ motion sensors \_\_\_\_\_ new \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ extra \_\_\_\_\_ to \_\_\_\_\_ into the new outdoor \_\_\_\_\_ installation?  
 Is \_\_\_\_\_ sensor technology in our \_\_\_\_\_ lighting?  
 \_\_\_\_\_ want built-in movement detection \_\_\_\_\_ part \_\_\_\_\_ outdoor \_\_\_\_\_ scheme, \_\_\_\_\_ we have to \_\_\_\_\_ money?  
 Is \_\_\_\_\_ costing more to have the \_\_\_\_\_ outdoor \_\_\_\_\_ use \_\_\_\_\_?  
 Does motion detection in \_\_\_\_\_ external \_\_\_\_\_ charge?  
 Do we have to pay \_\_\_\_\_ to include \_\_\_\_\_ sensors \_\_\_\_\_?  
 \_\_\_\_\_ there a surcharge \_\_\_\_\_ motion \_\_\_\_\_ technology \_\_\_\_\_ the \_\_\_\_\_ light system.  
 Are there \_\_\_\_\_ extra fees \_\_\_\_\_ sensors \_\_\_\_\_ the \_\_\_\_\_ lighting \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to pay more if we integrate \_\_\_\_\_?  
 \_\_\_\_\_ might \_\_\_\_\_ to \_\_\_\_\_ more \_\_\_\_\_ we put \_\_\_\_\_ detectors \_\_\_\_\_ our \_\_\_\_\_.  
 \_\_\_\_\_ extra charges \_\_\_\_\_ motion sensors \_\_\_\_\_ external lighting setup?  
 When \_\_\_\_\_ up \_\_\_\_\_ outside lamp arrangement, will \_\_\_\_\_ cost \_\_\_\_\_ opt for \_\_\_\_\_ movement \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to add \_\_\_\_\_ the external light system, \_\_\_\_\_ a surcharge?  
 \_\_\_\_\_ a fee \_\_\_\_\_ motion \_\_\_\_\_ technology \_\_\_\_\_ our lighting?

\_\_\_\_ you \_\_\_\_ an \_\_\_\_ motion \_\_\_\_ technology in our lighting system?  
 If we asked for \_\_\_\_ in \_\_\_\_ setup, would \_\_\_\_ cost \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ more \_\_\_\_ include \_\_\_\_ detectors in \_\_\_\_ lights?  
 Do we \_\_\_\_ extra costs by \_\_\_\_ the \_\_\_\_ use \_\_\_\_ sensor \_\_\_\_?  
 Would \_\_\_\_ an \_\_\_\_ if \_\_\_\_ for \_\_\_\_ sensors in \_\_\_\_ outdoor light setup?  
 How \_\_\_\_ does \_\_\_\_ to \_\_\_\_ sensors to \_\_\_\_ lights?  
 \_\_\_\_ we have \_\_\_\_ out more money \_\_\_\_ have \_\_\_\_ detection \_\_\_\_ part \_\_\_\_ the outdoor illumination \_\_\_\_?  
 \_\_\_\_ setting up a \_\_\_\_ lamp \_\_\_\_ will it \_\_\_\_ if we opt \_\_\_\_ in \_\_\_\_ sensors?  
 \_\_\_\_ charges for \_\_\_\_ sensors \_\_\_\_ lights?  
 Is \_\_\_\_ a separate \_\_\_\_ the \_\_\_\_ lighting system \_\_\_\_ sensor technology?  
 Do \_\_\_\_ need \_\_\_\_ more \_\_\_\_ to implement motions \_\_\_\_ features \_\_\_\_ our new exterior \_\_\_\_?  
 Do we \_\_\_\_ extra \_\_\_\_ the motion \_\_\_\_ the lights?  
 \_\_\_\_ extra \_\_\_\_ required to implement \_\_\_\_ within the \_\_\_\_ lighting \_\_\_\_ budget?  
 How \_\_\_\_ cost \_\_\_\_ sensor technology in our new lighting \_\_\_\_?  
 If we \_\_\_\_ motion gizmos \_\_\_\_ the \_\_\_\_ cost more.  
 Are \_\_\_\_ for \_\_\_\_ movement detector \_\_\_\_ outdoor lights?  
 \_\_\_\_ is an \_\_\_\_ cost \_\_\_\_ motion \_\_\_\_ the external \_\_\_\_ scheme.  
 \_\_\_\_ adding \_\_\_\_ sensor tech to \_\_\_\_ additional charges?  
 \_\_\_\_ the motion \_\_\_\_ in our \_\_\_\_ setup subject to a \_\_\_\_?  
 \_\_\_\_ surcharge \_\_\_\_ integrating motion detector technology \_\_\_\_ the \_\_\_\_ installed \_\_\_\_ system?  
 \_\_\_\_ is possible \_\_\_\_ motion \_\_\_\_ to the outdoor lights.  
 Is it \_\_\_\_ pay \_\_\_\_ we incorporate \_\_\_\_ into our \_\_\_\_?  
 \_\_\_\_ a charge for incorporating \_\_\_\_ sensors into the \_\_\_\_?  
 There \_\_\_\_ an \_\_\_\_ fee for incorporating \_\_\_\_ technology into \_\_\_\_ external \_\_\_\_.  
 Are \_\_\_\_ going \_\_\_\_ if we add motion gizmos \_\_\_\_ lights?  
 If \_\_\_\_ are integrated \_\_\_\_ our lighting system, will we \_\_\_\_?  
 Does motion \_\_\_\_ external lighting system \_\_\_\_ expensive?  
 We \_\_\_\_ to have a motion sensor-integrated \_\_\_\_ our \_\_\_\_ do you \_\_\_\_ for that?  
 \_\_\_\_ you know \_\_\_\_ the implementation \_\_\_\_ outdoor lights \_\_\_\_ cost more \_\_\_\_ not?  
 \_\_\_\_ to pay more for motion sensor integration \_\_\_\_?  
 How much will \_\_\_\_ to add motion \_\_\_\_ outdoor \_\_\_\_?  
 Does \_\_\_\_ detectors \_\_\_\_ extra \_\_\_\_ new \_\_\_\_?  
 Is adding motion \_\_\_\_ in \_\_\_\_ light setup going \_\_\_\_?  
 Will \_\_\_\_ motion \_\_\_\_ technology \_\_\_\_ the \_\_\_\_ lights cost \_\_\_\_?  
 \_\_\_\_ cost for \_\_\_\_ motion sensors \_\_\_\_ a lighting scheme?  
 \_\_\_\_ we need \_\_\_\_ extra funds \_\_\_\_ motion detection \_\_\_\_ in \_\_\_\_ package?  
 \_\_\_\_ a supplementary charge \_\_\_\_ linking \_\_\_\_ our \_\_\_\_ exterior lighting scheme \_\_\_\_ not?  
 \_\_\_\_ any surcharge \_\_\_\_ integrating \_\_\_\_ detector \_\_\_\_ the external light \_\_\_\_?  
 \_\_\_\_ a surcharge \_\_\_\_ having \_\_\_\_ sensor-integrated setup with our outdoor \_\_\_\_?  
 If \_\_\_\_ want \_\_\_\_ sensor \_\_\_\_ our new lighting \_\_\_\_ we have \_\_\_\_ more?  
 \_\_\_\_ a surcharge \_\_\_\_ lighting system with motion sensor \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ supplementary \_\_\_\_ for \_\_\_\_ detection to our \_\_\_\_?  
 \_\_\_\_ much \_\_\_\_ motion sensors to \_\_\_\_ outdoor lights?  
 Is \_\_\_\_ an added \_\_\_\_ to the external lighting scheme?  
 Will \_\_\_\_ be more \_\_\_\_ to \_\_\_\_ up a fresh outside \_\_\_\_ if \_\_\_\_ opt \_\_\_\_ movement \_\_\_\_?  
 \_\_\_\_ motion \_\_\_\_ our new \_\_\_\_ come \_\_\_\_ additional cost?  
 Will there \_\_\_\_ fee for incorporating \_\_\_\_ in \_\_\_\_ light setup?  
 There's \_\_\_\_ charge for the motion \_\_\_\_ stuff in \_\_\_\_ new \_\_\_\_ lights.  
 Can we \_\_\_\_ technology \_\_\_\_ the external \_\_\_\_ system \_\_\_\_ a \_\_\_\_?  
 \_\_\_\_ Integrated \_\_\_\_ detecting feature \_\_\_\_ at \_\_\_\_ installing external lighting?

Will \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ sensor \_\_\_\_\_ in our outdoor lighting \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ for the \_\_\_\_\_ lighting \_\_\_\_\_ with motion sensor \_\_\_\_\_?  
 \_\_\_\_\_ expect \_\_\_\_\_ pay \_\_\_\_\_ for motion sensors \_\_\_\_\_ the \_\_\_\_\_ system?  
 How \_\_\_\_\_ will \_\_\_\_\_ motion sensor technology in \_\_\_\_\_ external \_\_\_\_\_ setup?  
 \_\_\_\_\_ we \_\_\_\_\_ to pay \_\_\_\_\_ additional \_\_\_\_\_ motion sensor tech \_\_\_\_\_ lighting?  
 Should we \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ sensor tech in \_\_\_\_\_?  
 Will \_\_\_\_\_ of \_\_\_\_\_ a fresh outside \_\_\_\_\_ arrangement \_\_\_\_\_ up if \_\_\_\_\_ for built-in movement \_\_\_\_\_?  
 Do we have \_\_\_\_\_ for motion \_\_\_\_\_ on \_\_\_\_\_ outside \_\_\_\_\_?  
 How much will \_\_\_\_\_ cost to integrate \_\_\_\_\_ the \_\_\_\_\_?  
 Does motion sensor tech \_\_\_\_\_ the \_\_\_\_\_ our \_\_\_\_\_?  
 Setting up a \_\_\_\_\_ will increase costs \_\_\_\_\_ opt \_\_\_\_\_ built-in movement \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ for motion \_\_\_\_\_ the outdoor lighting?  
 Is \_\_\_\_\_ cost for \_\_\_\_\_ our new lights?  
 Can you tell \_\_\_\_\_ there is \_\_\_\_\_ charge \_\_\_\_\_ with linking movement-sensing \_\_\_\_\_ exterior lighting \_\_\_\_\_?  
 Is \_\_\_\_\_ to be \_\_\_\_\_ for the \_\_\_\_\_ in our lights?  
 Is the \_\_\_\_\_ of \_\_\_\_\_ outside \_\_\_\_\_ by having motion \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ cost \_\_\_\_\_ sensor integration in the \_\_\_\_\_?  
 \_\_\_\_\_ outdoor lights \_\_\_\_\_ surcharges \_\_\_\_\_ motion \_\_\_\_\_?  
 \_\_\_\_\_ any surcharges for having a motion sensor-integrated setup \_\_\_\_\_ outdoor \_\_\_\_\_?  
 Does adding \_\_\_\_\_ detection \_\_\_\_\_ external \_\_\_\_\_ a supplementary \_\_\_\_\_?  
 Is \_\_\_\_\_ for us \_\_\_\_\_ more for motion sensor \_\_\_\_\_ lighting?  
 Does it cost \_\_\_\_\_ motion detectors \_\_\_\_\_ lights?  
 \_\_\_\_\_ extra funds have \_\_\_\_\_ allocated to implement \_\_\_\_\_ detection features \_\_\_\_\_ exterior \_\_\_\_\_?  
 \_\_\_\_\_ additional \_\_\_\_\_ on us if \_\_\_\_\_ motion sensor capabilities with external \_\_\_\_\_?  
 \_\_\_\_\_ you tell \_\_\_\_\_ in our outdoor \_\_\_\_\_ an \_\_\_\_\_ expense or not?  
 Is there \_\_\_\_\_ for motion \_\_\_\_\_ technology \_\_\_\_\_ our \_\_\_\_\_ setup?  
 Is \_\_\_\_\_ an added dollar sign \_\_\_\_\_ motion-sensor \_\_\_\_\_ the \_\_\_\_\_?  
 Is there an \_\_\_\_\_ motion \_\_\_\_\_ technology \_\_\_\_\_ new lighting system?  
 Is \_\_\_\_\_ to add motion \_\_\_\_\_ to \_\_\_\_\_ lights.  
 \_\_\_\_\_ there \_\_\_\_\_ added \_\_\_\_\_ sign for a fancy \_\_\_\_\_ outdoor lights?  
 \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ motion sensor technology into \_\_\_\_\_ external \_\_\_\_\_?  
 \_\_\_\_\_ required to \_\_\_\_\_ motion \_\_\_\_\_ newly \_\_\_\_\_ outdoor lighting?  
 Is there \_\_\_\_\_ additional \_\_\_\_\_ installing motion sensors \_\_\_\_\_ lights?  
 Extra \_\_\_\_\_ might be imposed \_\_\_\_\_ opt \_\_\_\_\_ sensor \_\_\_\_\_ with external lighting.  
 \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ sensors \_\_\_\_\_ our outdoor \_\_\_\_\_ go up?  
 \_\_\_\_\_ is \_\_\_\_\_ of \_\_\_\_\_ extra \_\_\_\_\_ for \_\_\_\_\_ motion \_\_\_\_\_ into the external lighting \_\_\_\_\_.  
 Is extra \_\_\_\_\_ necessary for implementing motions \_\_\_\_\_ features \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ extra \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ motion detection \_\_\_\_\_ within \_\_\_\_\_ exterior \_\_\_\_\_ package budget?  
 \_\_\_\_\_ an \_\_\_\_\_ cost \_\_\_\_\_ motion \_\_\_\_\_ into the external lighting \_\_\_\_\_?  
 There could be \_\_\_\_\_ for having a \_\_\_\_\_ sensor-integrated setup \_\_\_\_\_.  
 Should \_\_\_\_\_ pay more \_\_\_\_\_ motion sensor \_\_\_\_\_ our \_\_\_\_\_ setup?  
 \_\_\_\_\_ there an extra cost for motion \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ sensor \_\_\_\_\_ our new outdoor lighting \_\_\_\_\_ does it cost \_\_\_\_\_?  
 I \_\_\_\_\_ wondering \_\_\_\_\_ motion sensors \_\_\_\_\_ our new outdoor \_\_\_\_\_ at an \_\_\_\_\_.  
 \_\_\_\_\_ adding motion-sensitive capabilities \_\_\_\_\_ an additional cost \_\_\_\_\_ strategic illumination \_\_\_\_\_?  
 Is \_\_\_\_\_ an added charge if we \_\_\_\_\_ with the \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ added motion sensors \_\_\_\_\_ the new \_\_\_\_\_?  
 How much is \_\_\_\_\_ to \_\_\_\_\_ motion \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ the cost \_\_\_\_\_ incorporating motion \_\_\_\_\_ into the \_\_\_\_\_ scheme \_\_\_\_\_?  
 Can we expect \_\_\_\_\_ pay more \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ cost to \_\_\_\_\_ motion \_\_\_\_\_ into the outdoor \_\_\_\_\_ installation?

Is there \_\_\_\_\_ fee associated \_\_\_\_\_ adding motion \_\_\_\_\_ with \_\_\_\_\_ light \_\_\_\_\_?

Does \_\_\_\_\_ motion sensor \_\_\_\_\_ to \_\_\_\_\_ lights cost \_\_\_\_\_ additional \_\_\_\_\_?

\_\_\_\_\_ are charges for adding \_\_\_\_\_ sensor \_\_\_\_\_ external \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ fork out \_\_\_\_\_ if we want movement \_\_\_\_\_ outdoor \_\_\_\_\_ scheme?

\_\_\_\_\_ costing \_\_\_\_\_ to have \_\_\_\_\_ use motion sensor capabilities?

\_\_\_\_\_ much do \_\_\_\_\_ for \_\_\_\_\_ movement detector \_\_\_\_\_ outdoor lights?

Is \_\_\_\_\_ additional fee if \_\_\_\_\_ want motion sensors \_\_\_\_\_?

Can \_\_\_\_\_ tell me \_\_\_\_\_ our outdoor lights \_\_\_\_\_ an \_\_\_\_\_ expense \_\_\_\_\_ not.

\_\_\_\_\_ putting \_\_\_\_\_ sensor \_\_\_\_\_ new light system?

\_\_\_\_\_ there a \_\_\_\_\_ for having \_\_\_\_\_ lighting \_\_\_\_\_ with motion \_\_\_\_\_ technology?

\_\_\_\_\_ an extra fee \_\_\_\_\_ motion \_\_\_\_\_ technology \_\_\_\_\_ lighting?

Any surcharge \_\_\_\_\_ motion \_\_\_\_\_ in \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ to have \_\_\_\_\_ motion \_\_\_\_\_ with \_\_\_\_\_ new \_\_\_\_\_?

Is it necessary for \_\_\_\_\_ to \_\_\_\_\_ motion \_\_\_\_\_ in our \_\_\_\_\_ setup?

Is \_\_\_\_\_ cost for \_\_\_\_\_ sensor into \_\_\_\_\_ lighting?

\_\_\_\_\_ are \_\_\_\_\_ fees if we include motion \_\_\_\_\_.

How \_\_\_\_\_ does \_\_\_\_\_ movement detector onto outdoor \_\_\_\_\_?

\_\_\_\_\_ about an \_\_\_\_\_ for \_\_\_\_\_ sensor stuff \_\_\_\_\_ our lights?

Is there a fee \_\_\_\_\_ adding \_\_\_\_\_ outside \_\_\_\_\_?

Is there \_\_\_\_\_ charges for incorporating motion \_\_\_\_\_ the \_\_\_\_\_?

Should \_\_\_\_\_ an \_\_\_\_\_ fee for \_\_\_\_\_ tech in \_\_\_\_\_ lighting \_\_\_\_\_?

\_\_\_\_\_ capabilities \_\_\_\_\_ to \_\_\_\_\_ illumination scheme bill?

Is there \_\_\_\_\_ if we include motion \_\_\_\_\_?

Is \_\_\_\_\_ sensor \_\_\_\_\_ to our \_\_\_\_\_ fee?

\_\_\_\_\_ come with an extra cost on \_\_\_\_\_ strategic illumination \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ when motion \_\_\_\_\_ technology \_\_\_\_\_ integrated into \_\_\_\_\_ external \_\_\_\_\_ setup?

\_\_\_\_\_ a \_\_\_\_\_ about the cost of \_\_\_\_\_ sensors \_\_\_\_\_ outdoor lighting \_\_\_\_\_.

What is the fee for \_\_\_\_\_ sensor integration \_\_\_\_\_?

Do \_\_\_\_\_ have to allocate extra \_\_\_\_\_ implement motions \_\_\_\_\_ within \_\_\_\_\_ lighting \_\_\_\_\_?

Can there \_\_\_\_\_ extra \_\_\_\_\_ incorporating \_\_\_\_\_ into \_\_\_\_\_ lighting system?

Does \_\_\_\_\_ detectors in \_\_\_\_\_ come \_\_\_\_\_ an \_\_\_\_\_ cost?

I \_\_\_\_\_ like to know \_\_\_\_\_ there is a \_\_\_\_\_ charge \_\_\_\_\_ linking \_\_\_\_\_ upcoming exterior lighting \_\_\_\_\_.

\_\_\_\_\_ we have to \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ lights, or is it already included?

\_\_\_\_\_ pricing \_\_\_\_\_ a surcharge for us to have \_\_\_\_\_ setup with \_\_\_\_\_?

Our \_\_\_\_\_ outdoor lighting might \_\_\_\_\_ an additional \_\_\_\_\_ sensor \_\_\_\_\_.

Does adding \_\_\_\_\_ to our \_\_\_\_\_ cost more?

Is incorporating \_\_\_\_\_ sensors \_\_\_\_\_ the external \_\_\_\_\_ system \_\_\_\_\_ extra \_\_\_\_\_?

There \_\_\_\_\_ an \_\_\_\_\_ charge \_\_\_\_\_ the motion sensor stuff in \_\_\_\_\_.

Does \_\_\_\_\_ cost \_\_\_\_\_ the new \_\_\_\_\_ up with \_\_\_\_\_ detectors added?

Are \_\_\_\_\_ in our outdoor lights \_\_\_\_\_ an \_\_\_\_\_ charge?

\_\_\_\_\_ be \_\_\_\_\_ fee for motion \_\_\_\_\_ outdoor lighting system.

\_\_\_\_\_ integration of motion \_\_\_\_\_ the cost \_\_\_\_\_ our external \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ to install \_\_\_\_\_ sense into new \_\_\_\_\_

\_\_\_\_\_ it cost \_\_\_\_\_ to integrate \_\_\_\_\_ sensors \_\_\_\_\_ the \_\_\_\_\_?

Is it possible \_\_\_\_\_ pay \_\_\_\_\_ if \_\_\_\_\_ add \_\_\_\_\_ to \_\_\_\_\_ outdoor \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ extra \_\_\_\_\_ motion sensors \_\_\_\_\_ our external lighting \_\_\_\_\_?

\_\_\_\_\_ some fees \_\_\_\_\_ with \_\_\_\_\_ integration \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_ external \_\_\_\_\_ system.

Is there \_\_\_\_\_ sign \_\_\_\_\_ gizmo on the outdoor \_\_\_\_\_?

\_\_\_\_\_ external \_\_\_\_\_ will impose extra fees \_\_\_\_\_ us \_\_\_\_\_ opt \_\_\_\_\_ sensor capabilities.

Our \_\_\_\_ outdoor lighting may \_\_\_\_ an \_\_\_\_ fee \_\_\_\_ motion \_\_\_\_ .

Will it \_\_\_\_ install motion \_\_\_\_ our \_\_\_\_ lights?

Does adding motion-sensing capabilities \_\_\_\_ an \_\_\_\_ cost \_\_\_\_ external \_\_\_\_ bill?

\_\_\_\_ attach a movement \_\_\_\_ outdoor \_\_\_\_?

\_\_\_\_ adding \_\_\_\_ our lighting \_\_\_\_ more?

Does \_\_\_\_ cost \_\_\_\_ sensor technology in \_\_\_\_ lighting?

\_\_\_\_ sensor \_\_\_\_ costs \_\_\_\_ want it in \_\_\_\_ lighting setup.

If we \_\_\_\_ the \_\_\_\_ light \_\_\_\_ would \_\_\_\_ lead to an \_\_\_\_ fee?

\_\_\_\_ put \_\_\_\_ sensor in new light \_\_\_\_?

\_\_\_\_ a cost associated \_\_\_\_ motion \_\_\_\_ the \_\_\_\_ lighting scheme?

\_\_\_\_ you tell me if the implementation of \_\_\_\_ sensor capability \_\_\_\_ outdoor \_\_\_\_ expense \_\_\_\_?

\_\_\_\_ you \_\_\_\_ me \_\_\_\_ in our outdoor \_\_\_\_ is an \_\_\_\_ expense?

\_\_\_\_ there an \_\_\_\_ cost \_\_\_\_ putting motion sensors \_\_\_\_ lighting scheme?

\_\_\_\_ having motion detectors increase the cost of \_\_\_\_?

Can \_\_\_\_ if \_\_\_\_ put \_\_\_\_ detectors into \_\_\_\_ lights?

Is there \_\_\_\_ surcharge \_\_\_\_ a motion sensor-integrated setup with \_\_\_\_?

Will \_\_\_\_ be \_\_\_\_ fee \_\_\_\_ motion sensors \_\_\_\_ our external \_\_\_\_?

\_\_\_\_ you know \_\_\_\_ sensors \_\_\_\_ new \_\_\_\_ lights will be \_\_\_\_ additional charge?

Is it \_\_\_\_ to \_\_\_\_ more \_\_\_\_ motion \_\_\_\_ technology \_\_\_\_ outdoor \_\_\_\_?

\_\_\_\_ there \_\_\_\_ any \_\_\_\_ for having \_\_\_\_ setup \_\_\_\_ our outdoor lights?

\_\_\_\_ sensors in external \_\_\_\_ extra fees.

Is there \_\_\_\_ charge for motion \_\_\_\_ in the \_\_\_\_?

\_\_\_\_ we \_\_\_\_ to \_\_\_\_ more \_\_\_\_ motion sensor \_\_\_\_ our lighting setup?

Does \_\_\_\_ come with \_\_\_\_ additional \_\_\_\_ on \_\_\_\_ scheme bill?

Is \_\_\_\_ any \_\_\_\_ for integrating \_\_\_\_ sensors into \_\_\_\_ external \_\_\_\_?

\_\_\_\_ any surcharges for \_\_\_\_ have a motion sensor-integrated \_\_\_\_ with \_\_\_\_ lights?

Is there \_\_\_\_ motion detectors in outdoor \_\_\_\_?

\_\_\_\_ there \_\_\_\_ for motion \_\_\_\_ the external illumination arrangement?

Is there \_\_\_\_ fee for \_\_\_\_ technology in the \_\_\_\_?

Is there \_\_\_\_ additional \_\_\_\_ for including \_\_\_\_ tech \_\_\_\_ system?

Does \_\_\_\_ an \_\_\_\_ cost \_\_\_\_ external illumination scheme \_\_\_\_?

Is \_\_\_\_ for fancy motion-Sensing \_\_\_\_ on \_\_\_\_ outdoor lights?

\_\_\_\_ much do we need \_\_\_\_ for \_\_\_\_ in our lighting \_\_\_\_?

Is \_\_\_\_ extra cost associated with incorporating \_\_\_\_ into the \_\_\_\_?

\_\_\_\_ motion-sensing capabilities bring \_\_\_\_ an additional \_\_\_\_ the external illumination \_\_\_\_?

\_\_\_\_ we \_\_\_\_ to pay \_\_\_\_ motion thingies \_\_\_\_ the lights?

\_\_\_\_ the installation \_\_\_\_ sensor \_\_\_\_ our new outdoor lights \_\_\_\_ charge?

Does adding motion- \_\_\_\_ extra cost \_\_\_\_ the external \_\_\_\_ illumination scheme \_\_\_\_?

Do we \_\_\_\_ pay \_\_\_\_ to include \_\_\_\_ detectors \_\_\_\_ our \_\_\_\_?

There \_\_\_\_ surcharges \_\_\_\_ a motion \_\_\_\_ our new \_\_\_\_ lights.

\_\_\_\_ for adding motion \_\_\_\_ to \_\_\_\_ outdoor lights?

Is \_\_\_\_ a fee \_\_\_\_ motion \_\_\_\_ technology \_\_\_\_ external lighting system?

Is there \_\_\_\_ extra \_\_\_\_ if we \_\_\_\_ in external \_\_\_\_?

Do we need to \_\_\_\_ motion \_\_\_\_ in \_\_\_\_?

\_\_\_\_ fees \_\_\_\_ be added \_\_\_\_ motion \_\_\_\_ were \_\_\_\_ external lighting.

\_\_\_\_ there \_\_\_\_ for having the outdoor \_\_\_\_ system with \_\_\_\_ technology?

There is \_\_\_\_ cost associated \_\_\_\_ lighting system \_\_\_\_ motion \_\_\_\_ technology.

Will \_\_\_\_ an extra \_\_\_\_ for \_\_\_\_ sensor \_\_\_\_ the new outside \_\_\_\_?

\_\_\_\_ fees \_\_\_\_ be imposed \_\_\_\_ us if \_\_\_\_ for motion \_\_\_\_ capabilities \_\_\_\_ external \_\_\_\_.

\_\_\_\_ motion sensor technology \_\_\_\_ exterior \_\_\_\_ add any extra \_\_\_\_?



\_\_\_\_\_ motion-sensing capabilities \_\_\_\_\_ an \_\_\_\_\_ cost to \_\_\_\_\_ external \_\_\_\_\_ scheme \_\_\_\_\_?  
 Is there \_\_\_\_\_ extra \_\_\_\_\_ to have motion \_\_\_\_\_ in \_\_\_\_\_?  
 Is movement sensors already \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ or \_\_\_\_\_ it \_\_\_\_\_ to pay \_\_\_\_\_?  
 Will the setting \_\_\_\_\_ outside \_\_\_\_\_ be more expensive if \_\_\_\_\_ opt \_\_\_\_\_ built-in \_\_\_\_\_ equipment?  
 Should we \_\_\_\_\_ sensor technology in our \_\_\_\_\_?  
 Is there a supplementary charge \_\_\_\_\_ features \_\_\_\_\_ exterior lighting \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ tech \_\_\_\_\_ outdoor lighting incur \_\_\_\_\_ additional \_\_\_\_\_?  
 Is there \_\_\_\_\_ extra charges \_\_\_\_\_ motion sensors \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ having \_\_\_\_\_ outdoor lighting system \_\_\_\_\_ motion sensor technology  
 \_\_\_\_\_ fees will \_\_\_\_\_ imposed \_\_\_\_\_ opt \_\_\_\_\_ motion sensing capabilities \_\_\_\_\_ our \_\_\_\_\_ lighting.  
 \_\_\_\_\_ there \_\_\_\_\_ fee for \_\_\_\_\_ lighting \_\_\_\_\_ with motion sensor \_\_\_\_\_?  
 \_\_\_\_\_ adding motion \_\_\_\_\_ to \_\_\_\_\_ more?  
 Is there a fee for \_\_\_\_\_ the \_\_\_\_\_ lighting?  
 Do we \_\_\_\_\_ to pay more for \_\_\_\_\_ it uses motion \_\_\_\_\_?  
 Is \_\_\_\_\_ a further cost \_\_\_\_\_ motion \_\_\_\_\_ outdoor lighting system?  
 \_\_\_\_\_ charge \_\_\_\_\_ incorporating motion sensor \_\_\_\_\_ into our lighting?  
 \_\_\_\_\_ on exterior lights \_\_\_\_\_ cost.  
 Do we \_\_\_\_\_ to pay more if \_\_\_\_\_ into \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to pay more \_\_\_\_\_ our new lights?  
 \_\_\_\_\_ fees be imposed \_\_\_\_\_ us \_\_\_\_\_ choose \_\_\_\_\_ capabilities with our external \_\_\_\_\_?  
 Adding motion \_\_\_\_\_ outdoor lights \_\_\_\_\_ cost \_\_\_\_\_.  
 Is there \_\_\_\_\_ extra cost \_\_\_\_\_ motion \_\_\_\_\_ new \_\_\_\_\_ lighting?  
 Is there \_\_\_\_\_ extra \_\_\_\_\_ for integration of \_\_\_\_\_ sensors into \_\_\_\_\_?  
 Does adding \_\_\_\_\_ lighting \_\_\_\_\_ with a supplementary \_\_\_\_\_?  
 If we opt \_\_\_\_\_ integrated motion sensor \_\_\_\_\_ illumination \_\_\_\_\_ extra fee?  
 Is \_\_\_\_\_ extra \_\_\_\_\_ the motion sensor stuff \_\_\_\_\_ our new \_\_\_\_\_?  
 \_\_\_\_\_ more expensive \_\_\_\_\_ motion sensors \_\_\_\_\_ the \_\_\_\_\_ lighting?  
 \_\_\_\_\_ fee for \_\_\_\_\_ motion sensor technology into the light \_\_\_\_\_?  
 Is there \_\_\_\_\_ dollar sign for \_\_\_\_\_ on \_\_\_\_\_ lights?  
 Will \_\_\_\_\_ have to pay more \_\_\_\_\_ detectors \_\_\_\_\_ lights?  
 Is \_\_\_\_\_ a surcharge \_\_\_\_\_ the motion detector \_\_\_\_\_ light system?  
 Is there \_\_\_\_\_ for adding motion \_\_\_\_\_ lights?  
 \_\_\_\_\_ we \_\_\_\_\_ pay more \_\_\_\_\_ to \_\_\_\_\_ sensors \_\_\_\_\_ our lighting system?  
 Is \_\_\_\_\_ extra charges \_\_\_\_\_ into the \_\_\_\_\_ external lighting system?  
 Will there \_\_\_\_\_ a fee \_\_\_\_\_ sensor \_\_\_\_\_ the \_\_\_\_\_ setup?  
 \_\_\_\_\_ fee for incorporating motion \_\_\_\_\_ technology \_\_\_\_\_ the \_\_\_\_\_ setup?  
 Do \_\_\_\_\_ need \_\_\_\_\_ more \_\_\_\_\_ use motion detector \_\_\_\_\_ lights?  
 \_\_\_\_\_ fees \_\_\_\_\_ imposed if we opt \_\_\_\_\_ motion \_\_\_\_\_ capabilities \_\_\_\_\_ our \_\_\_\_\_ external \_\_\_\_\_.  
 \_\_\_\_\_ you \_\_\_\_\_ if \_\_\_\_\_ remote sensor \_\_\_\_\_ our outdoor \_\_\_\_\_ entails an extra \_\_\_\_\_?  
 \_\_\_\_\_ have to \_\_\_\_\_ to \_\_\_\_\_ detection features within our exterior \_\_\_\_\_ package \_\_\_\_\_?  
 If we wanted to \_\_\_\_\_ the outdoor \_\_\_\_\_ would \_\_\_\_\_ cost \_\_\_\_\_ more?  
 Is \_\_\_\_\_ cost of motion \_\_\_\_\_ to \_\_\_\_\_ lights?  
 Require payment \_\_\_\_\_ motion \_\_\_\_\_ outdoor \_\_\_\_\_?  
 Will having \_\_\_\_\_ sensor \_\_\_\_\_ lights cause \_\_\_\_\_ charges?  
 Is there an additional \_\_\_\_\_ the \_\_\_\_\_ lighting scheme?  
 What \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ motion \_\_\_\_\_ to our \_\_\_\_\_?  
 \_\_\_\_\_ extra charge \_\_\_\_\_ motion sensors into \_\_\_\_\_ exterior lighting \_\_\_\_\_?  
 Is motion \_\_\_\_\_ going to cause \_\_\_\_\_ exterior lights?  
 Will \_\_\_\_\_ motion \_\_\_\_\_ technology into the \_\_\_\_\_ more?  
 If \_\_\_\_\_ technology \_\_\_\_\_ to be integrated \_\_\_\_\_ light system, is \_\_\_\_\_ a \_\_\_\_\_?

Is \_\_\_\_\_ us \_\_\_\_\_ have \_\_\_\_\_ new outdoor \_\_\_\_\_ system \_\_\_\_\_ motion sensing \_\_\_\_\_?

Do motion \_\_\_\_\_ add \_\_\_\_\_ of \_\_\_\_\_ new outdoor lights?

\_\_\_\_\_ we \_\_\_\_\_ to fork out more \_\_\_\_\_ if \_\_\_\_\_ want movement \_\_\_\_\_ in \_\_\_\_\_ new \_\_\_\_\_?

Should we \_\_\_\_\_ any surcharges for \_\_\_\_\_ sensor-integrated setup \_\_\_\_\_ our \_\_\_\_\_?

Will it cost more to \_\_\_\_\_ up \_\_\_\_\_ fresh \_\_\_\_\_ lamp \_\_\_\_\_ with \_\_\_\_\_?

Is \_\_\_\_\_ a surcharge if we add \_\_\_\_\_ the \_\_\_\_\_ system?

\_\_\_\_\_ you tell \_\_\_\_\_ if we'll \_\_\_\_\_ charged \_\_\_\_\_ to have \_\_\_\_\_ technology in \_\_\_\_\_ outdoor \_\_\_\_\_?

The \_\_\_\_\_ lighting might have \_\_\_\_\_ fee for \_\_\_\_\_ sensor \_\_\_\_\_.

There \_\_\_\_\_ a cost associated with incorporating \_\_\_\_\_ external \_\_\_\_\_.

Do \_\_\_\_\_ pay \_\_\_\_\_ for \_\_\_\_\_ technology in \_\_\_\_\_ outdoor lights?

\_\_\_\_\_ there \_\_\_\_\_ fee \_\_\_\_\_ motion sensor into external \_\_\_\_\_?

Is there an additional \_\_\_\_\_ of \_\_\_\_\_ sensors \_\_\_\_\_ the \_\_\_\_\_ lights?

If motion sensors are \_\_\_\_\_ in \_\_\_\_\_ new outdoor light \_\_\_\_\_ be \_\_\_\_\_?

Will there be an \_\_\_\_\_ fee \_\_\_\_\_ integration \_\_\_\_\_ into \_\_\_\_\_ system?

Can you clarify if \_\_\_\_\_ outdoor \_\_\_\_\_ cost more?

Does motion detectors in \_\_\_\_\_ with a \_\_\_\_\_?

\_\_\_\_\_ add \_\_\_\_\_ into the external lighting system \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ much \_\_\_\_\_ it cost to attach \_\_\_\_\_ movement \_\_\_\_\_ outdoor \_\_\_\_\_?

Is there an \_\_\_\_\_ incorporating motion sensor technology \_\_\_\_\_?

Is it \_\_\_\_\_ cost for \_\_\_\_\_ lighting \_\_\_\_\_ motion sensor technology?

\_\_\_\_\_ is \_\_\_\_\_ for using \_\_\_\_\_ technology in \_\_\_\_\_ outdoor \_\_\_\_\_ system.

\_\_\_\_\_ to our lights \_\_\_\_\_ for a supplementary \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ cost for having an \_\_\_\_\_ system with \_\_\_\_\_ sensor \_\_\_\_\_.

Any \_\_\_\_\_ adding motion sensors \_\_\_\_\_ the \_\_\_\_\_?

Does \_\_\_\_\_ motion detectors \_\_\_\_\_ the \_\_\_\_\_ our new outside \_\_\_\_\_?

Is \_\_\_\_\_ a surcharge \_\_\_\_\_ integration \_\_\_\_\_ technology into the \_\_\_\_\_ light \_\_\_\_\_?

Is \_\_\_\_\_ more to use \_\_\_\_\_ technology \_\_\_\_\_ outdoor \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ me if \_\_\_\_\_ motion \_\_\_\_\_ in \_\_\_\_\_ lights \_\_\_\_\_ add an \_\_\_\_\_ charge?

\_\_\_\_\_ more \_\_\_\_\_ incorporating motion sensor \_\_\_\_\_ in outdoor \_\_\_\_\_?

\_\_\_\_\_ there charges \_\_\_\_\_ movement \_\_\_\_\_ to \_\_\_\_\_ lights?

\_\_\_\_\_ there \_\_\_\_\_ a fee \_\_\_\_\_ motion \_\_\_\_\_ into the \_\_\_\_\_ lighting system?

\_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_ if we use motion \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ be incurred by \_\_\_\_\_ new outdoor lighting \_\_\_\_\_ motion \_\_\_\_\_ capabilities.

Is there \_\_\_\_\_ supplementary \_\_\_\_\_ associated with linking movement-sensing \_\_\_\_\_ the \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ you charge \_\_\_\_\_ sensor technology \_\_\_\_\_ new external lighting system?

\_\_\_\_\_ pay more if we integrate \_\_\_\_\_ our \_\_\_\_\_ lights?

There could \_\_\_\_\_ an additional fee \_\_\_\_\_ sensors \_\_\_\_\_ external \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ motion sensors in the \_\_\_\_\_ light \_\_\_\_\_?

\_\_\_\_\_ there an added dollar \_\_\_\_\_ some fancy motion-sensitive gizmo \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ an \_\_\_\_\_ fee for incorporating \_\_\_\_\_ technology into \_\_\_\_\_ system?

Do we \_\_\_\_\_ to allocate \_\_\_\_\_ funds to \_\_\_\_\_ our \_\_\_\_\_ lighting package \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ more if we \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_?

\_\_\_\_\_ have motion sensors in \_\_\_\_\_ lighting system?

Is \_\_\_\_\_ a \_\_\_\_\_ cost \_\_\_\_\_ having \_\_\_\_\_ lighting \_\_\_\_\_ with motion sensor \_\_\_\_\_?

\_\_\_\_\_ linking \_\_\_\_\_ features \_\_\_\_\_ our \_\_\_\_\_ exterior lighting scheme \_\_\_\_\_ charge or \_\_\_\_\_?

\_\_\_\_\_ to pay \_\_\_\_\_ if we \_\_\_\_\_ motion sensor \_\_\_\_\_ our \_\_\_\_\_ system?

\_\_\_\_\_ extra charge for \_\_\_\_\_ motion \_\_\_\_\_ stuff \_\_\_\_\_ new \_\_\_\_\_ lights?

Does \_\_\_\_\_ motion \_\_\_\_\_ lights come \_\_\_\_\_ additional costs?

\_\_\_\_\_ there \_\_\_\_\_ extra charge for \_\_\_\_\_ external lighting system?

Is \_\_\_\_\_ to \_\_\_\_\_ external lighting \_\_\_\_\_ with integrated movement detecting \_\_\_\_\_?

\_\_\_\_\_ motion \_\_\_\_\_ technology \_\_\_\_\_ expensive \_\_\_\_\_ want \_\_\_\_\_ in our lighting?  
 Can you \_\_\_\_\_ us \_\_\_\_\_ sensors \_\_\_\_\_ our \_\_\_\_\_ lights \_\_\_\_\_ an additional cost?  
 Should we pay \_\_\_\_\_ fee \_\_\_\_\_ in our lighting system?  
 Does \_\_\_\_\_ motion sensor \_\_\_\_\_ mean an \_\_\_\_\_ charge?  
 \_\_\_\_\_ a fee for incorporating motion \_\_\_\_\_ outdoor lights?  
 Can \_\_\_\_\_ me if motion sensor installation \_\_\_\_\_ our new outdoor \_\_\_\_\_ additional \_\_\_\_\_?  
 Do \_\_\_\_\_ to \_\_\_\_\_ for motion \_\_\_\_\_ be \_\_\_\_\_ our outside lights?  
 \_\_\_\_\_ there any \_\_\_\_\_ fees \_\_\_\_\_ we \_\_\_\_\_ in external lighting?  
 If \_\_\_\_\_ put motion \_\_\_\_\_ lights, do \_\_\_\_\_ pay more?  
 \_\_\_\_\_ motion \_\_\_\_\_ external lighting impose additional fees \_\_\_\_\_ us?  
 Is \_\_\_\_\_ an extra \_\_\_\_\_ if we \_\_\_\_\_ for \_\_\_\_\_ motion sensor \_\_\_\_\_ external \_\_\_\_\_?  
 If motion sensors \_\_\_\_\_ included \_\_\_\_\_ new \_\_\_\_\_ light \_\_\_\_\_ would \_\_\_\_\_ increase?  
 \_\_\_\_\_ a dollar \_\_\_\_\_ for a \_\_\_\_\_ motion-sense \_\_\_\_\_ our outdoor lights?  
 \_\_\_\_\_ can cost us more.  
 Is there a fee for \_\_\_\_\_ sensor \_\_\_\_\_?  
 Is there \_\_\_\_\_ fee \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ detection in the \_\_\_\_\_ illumination \_\_\_\_\_?  
 Is \_\_\_\_\_ added \_\_\_\_\_ motion sensor \_\_\_\_\_ in \_\_\_\_\_ new \_\_\_\_\_?  
 Is the \_\_\_\_\_ more for \_\_\_\_\_ on outside \_\_\_\_\_?  
 \_\_\_\_\_ additional fee \_\_\_\_\_ motion sensor \_\_\_\_\_ in the \_\_\_\_\_ system.  
 \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ motion sensors into \_\_\_\_\_ external \_\_\_\_\_.  
 \_\_\_\_\_ cost \_\_\_\_\_ our \_\_\_\_\_ outside \_\_\_\_\_ arrangement \_\_\_\_\_ up if \_\_\_\_\_ for \_\_\_\_\_ movement sensors?  
 Does \_\_\_\_\_ cost more \_\_\_\_\_ an \_\_\_\_\_ function when you install \_\_\_\_\_?  
 Does motion \_\_\_\_\_ be \_\_\_\_\_ for in \_\_\_\_\_ fresh outdoor \_\_\_\_\_ system?  
 \_\_\_\_\_ it for \_\_\_\_\_ sensors to our outdoor \_\_\_\_\_?  
 \_\_\_\_\_ it cost more \_\_\_\_\_ have \_\_\_\_\_ sensor technology \_\_\_\_\_ exterior \_\_\_\_\_?  
 Is there any extra \_\_\_\_\_ put motion \_\_\_\_\_ lighting \_\_\_\_\_?  
 Is \_\_\_\_\_ charge for \_\_\_\_\_ sensors with \_\_\_\_\_ exterior \_\_\_\_\_ fixture?  
 Is there a charge \_\_\_\_\_ detector \_\_\_\_\_ lighting?  
 \_\_\_\_\_ integrated motion \_\_\_\_\_ in the external \_\_\_\_\_ scheme, will there be \_\_\_\_\_?  
 Can you \_\_\_\_\_ charge \_\_\_\_\_ a \_\_\_\_\_ detector \_\_\_\_\_ outdoor lights?  
 \_\_\_\_\_ you \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ motion sensor \_\_\_\_\_ in \_\_\_\_\_ new external \_\_\_\_\_ system?  
 \_\_\_\_\_ outdoor light setup \_\_\_\_\_ to cost \_\_\_\_\_ an additional fee?  
 \_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ motion-sensor gizmo on the \_\_\_\_\_ lights?  
 I don't know if \_\_\_\_\_ with linking movement-sensitive \_\_\_\_\_ our upcoming \_\_\_\_\_ lighting scheme.  
 Should we pay \_\_\_\_\_ tech to our lighting \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ were \_\_\_\_\_ in \_\_\_\_\_ outdoor \_\_\_\_\_ would result in \_\_\_\_\_ additional fee.  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ sensors into \_\_\_\_\_ external lighting system?  
 \_\_\_\_\_ much \_\_\_\_\_ added \_\_\_\_\_ in our new outdoor lighting?  
 \_\_\_\_\_ motion-sensing capabilities cost more \_\_\_\_\_ the external \_\_\_\_\_?  
 There could be an \_\_\_\_\_ integrating \_\_\_\_\_ sensors \_\_\_\_\_ external \_\_\_\_\_.  
 Will \_\_\_\_\_ setting \_\_\_\_\_ the fresh \_\_\_\_\_ arrangement \_\_\_\_\_ if we opt for \_\_\_\_\_ movement sense \_\_\_\_\_?  
 Does extra money have to \_\_\_\_\_ detection \_\_\_\_\_ exterior \_\_\_\_\_ package budget?  
 Do we \_\_\_\_\_ to allocate extra \_\_\_\_\_ to \_\_\_\_\_ detection \_\_\_\_\_ exterior lighting \_\_\_\_\_?  
 Do \_\_\_\_\_ have to \_\_\_\_\_ motion \_\_\_\_\_ in our lighting?  
 \_\_\_\_\_ motion-sensors come \_\_\_\_\_ an extra cost \_\_\_\_\_ external \_\_\_\_\_ scheme \_\_\_\_\_?  
 There \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ motion detectors \_\_\_\_\_ light system.  
 \_\_\_\_\_ surcharge for incorporating \_\_\_\_\_ technology \_\_\_\_\_ our external light \_\_\_\_\_?  
 Does \_\_\_\_\_ movement detecting \_\_\_\_\_ come \_\_\_\_\_ when installing \_\_\_\_\_ lighting?  
 Is \_\_\_\_\_ a \_\_\_\_\_ for integrating motion \_\_\_\_\_ in \_\_\_\_\_ outdoor \_\_\_\_\_?  
 There \_\_\_\_\_ a \_\_\_\_\_ outdoor lighting system \_\_\_\_\_ sensor technology.

\_\_\_\_\_ adding \_\_\_\_\_ capabilities add an additional cost \_\_\_\_\_ the \_\_\_\_\_ strategic \_\_\_\_\_ ?  
 Is \_\_\_\_\_ supplementary \_\_\_\_\_ outdoor \_\_\_\_\_ system with \_\_\_\_\_ sensor technology?  
 Is \_\_\_\_\_ an \_\_\_\_\_ fee \_\_\_\_\_ incorporating \_\_\_\_\_ sensor \_\_\_\_\_ into our \_\_\_\_\_ system?  
 Does \_\_\_\_\_ sensor technology \_\_\_\_\_ our outdoor \_\_\_\_\_ have \_\_\_\_\_ additional \_\_\_\_\_ ?  
 Is there \_\_\_\_\_ charge \_\_\_\_\_ sensors \_\_\_\_\_ our exterior \_\_\_\_\_ ?  
 \_\_\_\_\_ an extra fee \_\_\_\_\_ we use motion detection \_\_\_\_\_ illumination \_\_\_\_\_ ?  
 Is \_\_\_\_\_ a supplementary cost \_\_\_\_\_ with motion sensor \_\_\_\_\_ ?  
 \_\_\_\_\_ require us to pay \_\_\_\_\_ than \_\_\_\_\_ regular \_\_\_\_\_ for outdoor lights, \_\_\_\_\_ is \_\_\_\_\_ already \_\_\_\_\_ ?  
 If we \_\_\_\_\_ as part of the \_\_\_\_\_ illumination scheme, do \_\_\_\_\_ have \_\_\_\_\_ more?  
 \_\_\_\_\_ to pay more to add \_\_\_\_\_ thingies \_\_\_\_\_ the \_\_\_\_\_ ?  
 There \_\_\_\_\_ a \_\_\_\_\_ to integrate motion \_\_\_\_\_ in the external \_\_\_\_\_ system.  
 \_\_\_\_\_ technology in \_\_\_\_\_ exterior lights cause more \_\_\_\_\_ ?  
 Is \_\_\_\_\_ fee \_\_\_\_\_ adding \_\_\_\_\_ sensors to our \_\_\_\_\_ ?  
 \_\_\_\_\_ sensors to the outdoor lights going up?  
 Is it necessary to \_\_\_\_\_ funds \_\_\_\_\_ detection features within \_\_\_\_\_ lighting \_\_\_\_\_ ?  
 Do you have \_\_\_\_\_ surcharge for having \_\_\_\_\_ our \_\_\_\_\_ lights?  
 Is adding \_\_\_\_\_ to \_\_\_\_\_ lights costing an \_\_\_\_\_ charge?  
 \_\_\_\_\_ increase the cost of \_\_\_\_\_ outdoor \_\_\_\_\_ system?  
 \_\_\_\_\_ more if \_\_\_\_\_ put \_\_\_\_\_ detectors \_\_\_\_\_ the lights?  
 \_\_\_\_\_ a surcharge applied \_\_\_\_\_ integrate \_\_\_\_\_ technology into \_\_\_\_\_ light setup?  
 \_\_\_\_\_ it more expensive to \_\_\_\_\_ a \_\_\_\_\_ the \_\_\_\_\_ lights?  
 \_\_\_\_\_ there any \_\_\_\_\_ charges for \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_ lighting \_\_\_\_\_ ?  
 \_\_\_\_\_ to be an additional charge \_\_\_\_\_ the motion \_\_\_\_\_ in \_\_\_\_\_ ?  
 \_\_\_\_\_ charge for \_\_\_\_\_ motion sensors to our outdoor \_\_\_\_\_ ?  
 Is there a fee \_\_\_\_\_ into the \_\_\_\_\_ lighting system?  
 Are \_\_\_\_\_ additional \_\_\_\_\_ associated \_\_\_\_\_ movement-sensing \_\_\_\_\_ into the upcoming \_\_\_\_\_ scheme?  
 Is there charge for \_\_\_\_\_ lights?  
 \_\_\_\_\_ we asked \_\_\_\_\_ in the \_\_\_\_\_ light setup, \_\_\_\_\_ be an additional \_\_\_\_\_ ?  
 \_\_\_\_\_ motion \_\_\_\_\_ more expensive \_\_\_\_\_ new outdoor \_\_\_\_\_ setup?  
 There \_\_\_\_\_ be \_\_\_\_\_ extra fee associated \_\_\_\_\_ motion \_\_\_\_\_ into the \_\_\_\_\_ .  
 \_\_\_\_\_ cost of our \_\_\_\_\_ system \_\_\_\_\_ because of motion \_\_\_\_\_ ?  
 Will adding motion sensor technology \_\_\_\_\_ more?  
 \_\_\_\_\_ charges for adding \_\_\_\_\_ sensors \_\_\_\_\_ the \_\_\_\_\_ lighting \_\_\_\_\_ .  
 Is \_\_\_\_\_ an \_\_\_\_\_ cost to \_\_\_\_\_ motion \_\_\_\_\_ the external \_\_\_\_\_ ?  
 Will \_\_\_\_\_ be an additional \_\_\_\_\_ for \_\_\_\_\_ motion sensors \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ cost us more \_\_\_\_\_ motion thingies \_\_\_\_\_ outside lights?  
 Is it worth it to install \_\_\_\_\_ newly acquired \_\_\_\_\_ integrated \_\_\_\_\_ ?  
 Is \_\_\_\_\_ extra \_\_\_\_\_ integrating motion sensor into \_\_\_\_\_ outdoor \_\_\_\_\_ ?  
 Motion sensor tech \_\_\_\_\_ fresh \_\_\_\_\_ lighting \_\_\_\_\_ price \_\_\_\_\_ .  
 \_\_\_\_\_ there \_\_\_\_\_ additional fee \_\_\_\_\_ sensor \_\_\_\_\_ external illumination scheme?  
 Will \_\_\_\_\_ additional cost for the exterior \_\_\_\_\_ ?  
 \_\_\_\_\_ an \_\_\_\_\_ fee for \_\_\_\_\_ motion sensor \_\_\_\_\_ in our outdoor \_\_\_\_\_ ?  
 \_\_\_\_\_ any \_\_\_\_\_ for attaching \_\_\_\_\_ detector onto outdoor \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ fee to have \_\_\_\_\_ lighting system \_\_\_\_\_ technology?  
 \_\_\_\_\_ having \_\_\_\_\_ detectors make our \_\_\_\_\_ more expensive?  
 \_\_\_\_\_ extra fees \_\_\_\_\_ integration of motion \_\_\_\_\_ into the \_\_\_\_\_ lighting \_\_\_\_\_ ?  
 \_\_\_\_\_ sensor technology to \_\_\_\_\_ exterior \_\_\_\_\_ cause \_\_\_\_\_ charges?  
 \_\_\_\_\_ there \_\_\_\_\_ sensor technology in outdoor lights?  
 Is \_\_\_\_\_ for us to \_\_\_\_\_ a \_\_\_\_\_ sensor-integrated setup with our \_\_\_\_\_ lights?  
 \_\_\_\_\_ cost \_\_\_\_\_ to \_\_\_\_\_ built-in \_\_\_\_\_ detection as part \_\_\_\_\_ the new outdoor \_\_\_\_\_ ?

\_\_\_\_ motion sensor tech raise \_\_\_\_ system's \_\_\_\_?  
 Is there any \_\_\_\_ for integrating \_\_\_\_ the \_\_\_\_ system?  
 Is it possible to \_\_\_\_ fancy \_\_\_\_ lights \_\_\_\_ we \_\_\_\_ gizmos?  
 Do we \_\_\_\_ to allocate \_\_\_\_ implement \_\_\_\_ features within our \_\_\_\_ budget?  
 \_\_\_\_ adding motion \_\_\_\_ to \_\_\_\_ outdoor lights \_\_\_\_ expensive?  
 Is there a \_\_\_\_ if \_\_\_\_ want to integrate \_\_\_\_ detector \_\_\_\_ light \_\_\_\_?  
 How much \_\_\_\_ motion sensors cost \_\_\_\_ external \_\_\_\_ system?  
 \_\_\_\_ we need \_\_\_\_ more if motion detectors are \_\_\_\_?  
 \_\_\_\_ there any \_\_\_\_ have \_\_\_\_ sensor-integrated setup with our \_\_\_\_ outdoor lights?  
 \_\_\_\_ adding motion detection to \_\_\_\_ a \_\_\_\_?  
 Is it \_\_\_\_ include motion sensitive \_\_\_\_ fresh external \_\_\_\_?  
 There \_\_\_\_ be an extra \_\_\_\_ the motion \_\_\_\_ outside lights.  
 \_\_\_\_ adding motion \_\_\_\_ technology to \_\_\_\_ exterior \_\_\_\_ incur \_\_\_\_ cost?  
 \_\_\_\_ the \_\_\_\_ sensors \_\_\_\_ our outdoor lights going up?  
 Will having \_\_\_\_ in our \_\_\_\_ cause \_\_\_\_ charges?  
 Is motion \_\_\_\_ technology more expensive \_\_\_\_ lighting \_\_\_\_?  
 Can \_\_\_\_ me \_\_\_\_ implementing remote \_\_\_\_ capability in \_\_\_\_ outdoor lights \_\_\_\_ or \_\_\_\_?  
 Paying \_\_\_\_ put a motion \_\_\_\_ new light \_\_\_\_?  
 \_\_\_\_ motion sensor technology \_\_\_\_ more \_\_\_\_ it in \_\_\_\_ lighting \_\_\_\_?  
 If \_\_\_\_ gizmos to the \_\_\_\_ they'll have \_\_\_\_ more.  
 \_\_\_\_ we have to \_\_\_\_ a surcharge to \_\_\_\_ detector technology in \_\_\_\_?  
 \_\_\_\_ motion \_\_\_\_ our \_\_\_\_ lights going to come at \_\_\_\_ cost?  
 Is motion \_\_\_\_ technology more expensive \_\_\_\_ outdoor \_\_\_\_?  
 Extra \_\_\_\_ imposed \_\_\_\_ if we opt \_\_\_\_ motion \_\_\_\_ capabilities with external \_\_\_\_.  
 Do \_\_\_\_ know whether there is \_\_\_\_ charge \_\_\_\_ with \_\_\_\_ into our \_\_\_\_ exterior lighting \_\_\_\_?  
 \_\_\_\_ you tell me if there \_\_\_\_ a supplementary \_\_\_\_ associated \_\_\_\_ linking movement- \_\_\_\_ upcoming exterior \_\_\_\_?  
 \_\_\_\_ include a \_\_\_\_ for us to have a \_\_\_\_ our new outdoor \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ for integrating \_\_\_\_ sensor into outdoor \_\_\_\_?  
 \_\_\_\_ there an additional charge \_\_\_\_ motion \_\_\_\_ in the \_\_\_\_ lights?  
 \_\_\_\_ you include any \_\_\_\_ a motion sensor-integrated \_\_\_\_ outdoor lights?  
 \_\_\_\_ me \_\_\_\_ installing motion sensors \_\_\_\_ our new \_\_\_\_ add an \_\_\_\_ charge?  
 \_\_\_\_ there an extra \_\_\_\_ if \_\_\_\_ include motion \_\_\_\_ lighting?  
 Does adding \_\_\_\_ sensor \_\_\_\_ to our lights \_\_\_\_?  
 Do we \_\_\_\_ pay an \_\_\_\_ include motion sensor tech in \_\_\_\_?  
 \_\_\_\_ to put motion sensor on outside \_\_\_\_?  
 \_\_\_\_ there be an additional fee \_\_\_\_ decide to \_\_\_\_ illumination scheme?  
 Do \_\_\_\_ have to \_\_\_\_ more \_\_\_\_ motion \_\_\_\_ into \_\_\_\_ lights?  
 Can \_\_\_\_ tell \_\_\_\_ if there \_\_\_\_ a \_\_\_\_ charge \_\_\_\_ movement-sensitive \_\_\_\_ into the upcoming \_\_\_\_ lighting \_\_\_\_?  
 \_\_\_\_ possible \_\_\_\_ we'll be \_\_\_\_ for motion sensor technology \_\_\_\_ lighting setup?  
 Should \_\_\_\_ fee to include motion \_\_\_\_ in our outdoor \_\_\_\_?  
 Does the \_\_\_\_ of \_\_\_\_ sensors \_\_\_\_ external \_\_\_\_ have any additional \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ additional charge if we \_\_\_\_ with \_\_\_\_ new light \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ to \_\_\_\_ motion sensor integration into our \_\_\_\_?  
 \_\_\_\_ there additional fees \_\_\_\_ include \_\_\_\_ in \_\_\_\_ lighting?  
 \_\_\_\_ it cost \_\_\_\_ to \_\_\_\_ motion \_\_\_\_ to \_\_\_\_ outdoor \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ of motion \_\_\_\_ come \_\_\_\_ the \_\_\_\_ exterior lights?  
 \_\_\_\_ to pay more if \_\_\_\_ motion sensor technology \_\_\_\_ our \_\_\_\_?  
 Will \_\_\_\_ motion detection \_\_\_\_ the external lighting system?  
 \_\_\_\_ pay more if \_\_\_\_ want \_\_\_\_ sensor \_\_\_\_ lighting setup?  
 Motion sensor tech in \_\_\_\_ cost \_\_\_\_ additional \_\_\_\_\_.

Payment to install \_\_\_\_\_ bought \_\_\_\_\_ lighting?  
 Is there an \_\_\_\_\_ if \_\_\_\_\_ external lighting?  
 Is there \_\_\_\_\_ for outdoor lighting \_\_\_\_\_ motion \_\_\_\_\_?  
 \_\_\_\_\_ there an \_\_\_\_\_ for \_\_\_\_\_ motion \_\_\_\_\_ in \_\_\_\_\_ lighting installation?  
 \_\_\_\_\_ it more \_\_\_\_\_ add motion \_\_\_\_\_ outdoor lights?  
 Do you \_\_\_\_\_ an \_\_\_\_\_ fee \_\_\_\_\_ adding motion \_\_\_\_\_ lighting system?  
 Is \_\_\_\_\_ the integration of motion sensors into \_\_\_\_\_ lighting \_\_\_\_\_?  
 Is there \_\_\_\_\_ extra charge \_\_\_\_\_ motion \_\_\_\_\_ light fixture?  
 Adding motion \_\_\_\_\_ new \_\_\_\_\_ lights will cost \_\_\_\_\_.  
 \_\_\_\_\_ technology included \_\_\_\_\_ the \_\_\_\_\_ light \_\_\_\_\_ an added fee?  
 \_\_\_\_\_ payment for installing \_\_\_\_\_ lighting?  
 \_\_\_\_\_ additional \_\_\_\_\_ associated \_\_\_\_\_ the \_\_\_\_\_ motion \_\_\_\_\_ into the external \_\_\_\_\_ system.  
 \_\_\_\_\_ we \_\_\_\_\_ pay more for \_\_\_\_\_ to \_\_\_\_\_ to our outside \_\_\_\_\_?  
 Do \_\_\_\_\_ to \_\_\_\_\_ more to \_\_\_\_\_ motion \_\_\_\_\_ integration \_\_\_\_\_ our lighting \_\_\_\_\_?  
 Will \_\_\_\_\_ be \_\_\_\_\_ additional \_\_\_\_\_ incorporating \_\_\_\_\_ technology \_\_\_\_\_ the external light setup?  
 \_\_\_\_\_ motion sensor technology \_\_\_\_\_ our \_\_\_\_\_ lighting \_\_\_\_\_ is there an extra \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ for \_\_\_\_\_ sensors \_\_\_\_\_ the external lighting \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ part of the new outdoor illumination \_\_\_\_\_ we \_\_\_\_\_ pay more?  
 Will \_\_\_\_\_ sensors in \_\_\_\_\_ outdoor \_\_\_\_\_ come at \_\_\_\_\_ fee?  
 \_\_\_\_\_ adding motion \_\_\_\_\_ to \_\_\_\_\_ lighting increase \_\_\_\_\_ costs?  
 \_\_\_\_\_ integrate \_\_\_\_\_ detector \_\_\_\_\_ into the external \_\_\_\_\_ there be a surcharge?  
 \_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ for motion sensors \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ tech to our outdoor lighting \_\_\_\_\_?  
 \_\_\_\_\_ have to \_\_\_\_\_ added \_\_\_\_\_ sensor technology in the external \_\_\_\_\_ setup?  
 \_\_\_\_\_ be \_\_\_\_\_ having a \_\_\_\_\_ sensor-integrated \_\_\_\_\_ with our new \_\_\_\_\_ lights?  
 \_\_\_\_\_ motion detectors \_\_\_\_\_ the \_\_\_\_\_ of our \_\_\_\_\_ system?  
 Can you \_\_\_\_\_ me \_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ charge \_\_\_\_\_ into the \_\_\_\_\_ lighting scheme?  
 \_\_\_\_\_ do \_\_\_\_\_ charge to add motion \_\_\_\_\_ to \_\_\_\_\_ lights?  
 Does the cost \_\_\_\_\_ go up \_\_\_\_\_ motion detectors \_\_\_\_\_ included?  
 \_\_\_\_\_ have to \_\_\_\_\_ more for putting \_\_\_\_\_ our lights?  
 Is there any cost for incorporating \_\_\_\_\_?  
 Is there any fees for \_\_\_\_\_ sensor \_\_\_\_\_?  
 Is \_\_\_\_\_ more expensive \_\_\_\_\_ lights \_\_\_\_\_ have \_\_\_\_\_ sensor?  
 Will \_\_\_\_\_ be an \_\_\_\_\_ fee for integrating \_\_\_\_\_ system?  
 Can you tell \_\_\_\_\_ in our \_\_\_\_\_ will cost us more?  
 Extra \_\_\_\_\_ be \_\_\_\_\_ on \_\_\_\_\_ if we opt \_\_\_\_\_ sensor capabilities \_\_\_\_\_ lighting.  
 \_\_\_\_\_ cost for integrating motion sensors \_\_\_\_\_ the new \_\_\_\_\_?  
 Is \_\_\_\_\_ an extra \_\_\_\_\_ into external lights?  
 Is \_\_\_\_\_ for motion sensor \_\_\_\_\_ in \_\_\_\_\_ lights?  
 Is there \_\_\_\_\_ for attaching \_\_\_\_\_ detector to \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ fee for integrating motion sensors into \_\_\_\_\_?  
 \_\_\_\_\_ to have \_\_\_\_\_ more \_\_\_\_\_ motion detectors into the lights?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ motion detectors in our \_\_\_\_\_?  
 \_\_\_\_\_ a charge associated \_\_\_\_\_ linking movement-sensing features \_\_\_\_\_ the \_\_\_\_\_ lighting \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ fee \_\_\_\_\_ adding \_\_\_\_\_ sensors \_\_\_\_\_ the lights?  
 Is it possible \_\_\_\_\_ new \_\_\_\_\_ lighting system \_\_\_\_\_ using motion sensors?  
 \_\_\_\_\_ extra funds needed \_\_\_\_\_ features within the \_\_\_\_\_ lighting package \_\_\_\_\_?  
 \_\_\_\_\_ there an additional \_\_\_\_\_ if \_\_\_\_\_ for motion \_\_\_\_\_ with \_\_\_\_\_ fixture?  
 Do you charge an additional \_\_\_\_\_ for \_\_\_\_\_ sensor \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ dollar sign \_\_\_\_\_ fancy motion-sensing gizmo on our \_\_\_\_\_?

Will there be a \_\_\_\_\_ sensors \_\_\_\_\_ lights?  
 \_\_\_\_\_ the cost of setting \_\_\_\_\_ outside \_\_\_\_\_ if we opt \_\_\_\_\_ built-in \_\_\_\_\_ sense equipment?  
 \_\_\_\_\_ you \_\_\_\_\_ me if \_\_\_\_\_ is a supplementary \_\_\_\_\_ associated \_\_\_\_\_ linking movement-sensitive \_\_\_\_\_ upcoming lighting \_\_\_\_\_?  
 \_\_\_\_\_ adding motion \_\_\_\_\_ to \_\_\_\_\_ incur \_\_\_\_\_ extra charges?  
 \_\_\_\_\_ adding \_\_\_\_\_ to outdoor \_\_\_\_\_ increase the \_\_\_\_\_?  
 There \_\_\_\_\_ be an additional \_\_\_\_\_ integrating motion \_\_\_\_\_ external \_\_\_\_\_.  
 Is \_\_\_\_\_ associated \_\_\_\_\_ adding \_\_\_\_\_ sensors \_\_\_\_\_ the external \_\_\_\_\_ scheme?  
 \_\_\_\_\_ adding motion \_\_\_\_\_ our \_\_\_\_\_ require a supplementary \_\_\_\_\_?  
 \_\_\_\_\_ a surcharge \_\_\_\_\_ motion \_\_\_\_\_ into our light setup?  
 \_\_\_\_\_ know if \_\_\_\_\_ will be charged \_\_\_\_\_ include motion sensor \_\_\_\_\_ lighting setup?  
 Will there \_\_\_\_\_ added \_\_\_\_\_ for \_\_\_\_\_ technology into the exterior \_\_\_\_\_?  
 \_\_\_\_\_ fees \_\_\_\_\_ be \_\_\_\_\_ on us \_\_\_\_\_ motion \_\_\_\_\_ capabilities with external lighting.  
 Is there an extra \_\_\_\_\_ associated with \_\_\_\_\_ sensors \_\_\_\_\_?  
 Can \_\_\_\_\_ if remote sensing \_\_\_\_\_ our \_\_\_\_\_ lights is an \_\_\_\_\_?  
 \_\_\_\_\_ installation of \_\_\_\_\_ in our new \_\_\_\_\_ come \_\_\_\_\_ an additional \_\_\_\_\_?  
 Can you \_\_\_\_\_ me if \_\_\_\_\_ sensors in \_\_\_\_\_ new \_\_\_\_\_ at an additional \_\_\_\_\_?  
 \_\_\_\_\_ there an \_\_\_\_\_ fee \_\_\_\_\_ motion sensors \_\_\_\_\_ new \_\_\_\_\_ light \_\_\_\_\_?  
 When \_\_\_\_\_ up a fresh outside lamp \_\_\_\_\_ costs if we \_\_\_\_\_ movement sensor \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ pay \_\_\_\_\_ for the new \_\_\_\_\_ with motion \_\_\_\_\_ technology?  
 Do we \_\_\_\_\_ allocate more \_\_\_\_\_ implement motions \_\_\_\_\_ features \_\_\_\_\_ package?  
 \_\_\_\_\_ tell \_\_\_\_\_ about the charge for \_\_\_\_\_ movement \_\_\_\_\_ lights?  
 Will \_\_\_\_\_ lighting \_\_\_\_\_ an \_\_\_\_\_ fee for integrating motion \_\_\_\_\_?  
 Do we \_\_\_\_\_ to pay more \_\_\_\_\_ in \_\_\_\_\_ outside \_\_\_\_\_?  
 Extra fees \_\_\_\_\_ be imposed \_\_\_\_\_ we \_\_\_\_\_ for motion detection \_\_\_\_\_ with \_\_\_\_\_.  
 \_\_\_\_\_ for incorporating \_\_\_\_\_ on \_\_\_\_\_ lights?  
 Is \_\_\_\_\_ a \_\_\_\_\_ if we want motion \_\_\_\_\_ technology \_\_\_\_\_ system?  
 \_\_\_\_\_ be a surcharge for integrating motion \_\_\_\_\_ technology \_\_\_\_\_ light \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ us to fork \_\_\_\_\_ more money to have built-in movement \_\_\_\_\_ illumination \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ motion \_\_\_\_\_ into our outside \_\_\_\_\_ should \_\_\_\_\_ more?  
 \_\_\_\_\_ we add \_\_\_\_\_ gizmos \_\_\_\_\_ the \_\_\_\_\_ then we \_\_\_\_\_ pay more.  
 \_\_\_\_\_ we \_\_\_\_\_ more for \_\_\_\_\_ in our \_\_\_\_\_?  
 \_\_\_\_\_ an extra \_\_\_\_\_ motion sensor technology into the \_\_\_\_\_ system?  
 Is \_\_\_\_\_ necessary to \_\_\_\_\_ beyond the \_\_\_\_\_ price \_\_\_\_\_ lights if movement \_\_\_\_\_?  
 \_\_\_\_\_ there any \_\_\_\_\_ charges for \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_ setup?  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ out more money \_\_\_\_\_ movement \_\_\_\_\_ as part \_\_\_\_\_ the \_\_\_\_\_ illumination scheme?  
 Is it \_\_\_\_\_ it to \_\_\_\_\_ motion \_\_\_\_\_ outside \_\_\_\_\_?  
 Is adding \_\_\_\_\_ to \_\_\_\_\_ outdoor \_\_\_\_\_ going \_\_\_\_\_ raise installation \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ supplementary charge associated \_\_\_\_\_ features \_\_\_\_\_ exterior lighting scheme?  
 Is there an \_\_\_\_\_ if \_\_\_\_\_ new \_\_\_\_\_ system uses \_\_\_\_\_ sensor \_\_\_\_\_?  
 \_\_\_\_\_ there any fees associated \_\_\_\_\_ integrating motion sensors \_\_\_\_\_ new \_\_\_\_\_?  
 \_\_\_\_\_ there be a charge \_\_\_\_\_ motion \_\_\_\_\_ lights?  
 \_\_\_\_\_ opting \_\_\_\_\_ movement \_\_\_\_\_ a price when installing external lighting?  
 \_\_\_\_\_ motion \_\_\_\_\_ capabilities \_\_\_\_\_ our \_\_\_\_\_ lighting \_\_\_\_\_ extra \_\_\_\_\_ on us?  
 \_\_\_\_\_ to allocate more money \_\_\_\_\_ detection features in \_\_\_\_\_ package?  
 Is \_\_\_\_\_ cost to \_\_\_\_\_ motion \_\_\_\_\_ the \_\_\_\_\_ lighting scheme?  
 \_\_\_\_\_ is an \_\_\_\_\_ fee for \_\_\_\_\_ integration in \_\_\_\_\_ system  
 Is \_\_\_\_\_ a \_\_\_\_\_ when motion \_\_\_\_\_ integrated \_\_\_\_\_ our \_\_\_\_\_ setup?  
 \_\_\_\_\_ does \_\_\_\_\_ cost \_\_\_\_\_ attaching a \_\_\_\_\_ detector to \_\_\_\_\_ lights?  
 Should we \_\_\_\_\_ charged \_\_\_\_\_ for having \_\_\_\_\_ motion \_\_\_\_\_ our new outdoor \_\_\_\_\_?  
 Is a supplementary charge necessary \_\_\_\_\_ detection is \_\_\_\_\_?

\_\_\_\_\_ us more to use the \_\_\_\_\_ lighting \_\_\_\_\_ with \_\_\_\_\_ capabilities?  
 \_\_\_\_\_ have to \_\_\_\_\_ costs for \_\_\_\_\_ new outdoor lighting system \_\_\_\_\_ sensor \_\_\_\_\_?  
 Extra \_\_\_\_\_ be imposed \_\_\_\_\_ us if we opt \_\_\_\_\_ sensing \_\_\_\_\_ our \_\_\_\_\_ external \_\_\_\_\_.  
 Do we have \_\_\_\_\_ allocate \_\_\_\_\_ funds \_\_\_\_\_ implement \_\_\_\_\_ detection \_\_\_\_\_ the \_\_\_\_\_ lighting \_\_\_\_\_?  
 \_\_\_\_\_ cost \_\_\_\_\_ using motion sensor technology in \_\_\_\_\_ outdoor \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ extra costs \_\_\_\_\_ new outdoor lighting system \_\_\_\_\_ sensor \_\_\_\_\_?  
 Is there an \_\_\_\_\_ motion sensitive technology \_\_\_\_\_?  
 \_\_\_\_\_ necessary \_\_\_\_\_ pay \_\_\_\_\_ for \_\_\_\_\_ sensor integration into \_\_\_\_\_ new \_\_\_\_\_ lighting \_\_\_\_\_?  
 Is there a surcharge for \_\_\_\_\_ system?  
 \_\_\_\_\_ motion sensor \_\_\_\_\_ the price of \_\_\_\_\_ lighting?  
 \_\_\_\_\_ we need \_\_\_\_\_ to \_\_\_\_\_ motion sensor \_\_\_\_\_ in \_\_\_\_\_ exterior lighting \_\_\_\_\_?  
 \_\_\_\_\_ asked \_\_\_\_\_ motion sensors \_\_\_\_\_ new outdoor \_\_\_\_\_ setup, \_\_\_\_\_ it \_\_\_\_\_ more?  
 \_\_\_\_\_ be \_\_\_\_\_ us if \_\_\_\_\_ opt \_\_\_\_\_ sense with our \_\_\_\_\_ external lighting.  
 Is \_\_\_\_\_ dollar \_\_\_\_\_ a fancy motion-sensitive gizmo \_\_\_\_\_ the \_\_\_\_\_ lights?  
 Does it \_\_\_\_\_ more \_\_\_\_\_ lighting system use motion \_\_\_\_\_ capabilities?  
 \_\_\_\_\_ there an \_\_\_\_\_ fee \_\_\_\_\_ sensors with \_\_\_\_\_ lighting \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary for us \_\_\_\_\_ an additional \_\_\_\_\_ motion \_\_\_\_\_ our outdoor lighting \_\_\_\_\_?  
 \_\_\_\_\_ to pay more if \_\_\_\_\_ motion sensor technology in \_\_\_\_\_?  
 How \_\_\_\_\_ it \_\_\_\_\_ incorporate \_\_\_\_\_ sensor tech \_\_\_\_\_ lights?  
 There is \_\_\_\_\_ additional \_\_\_\_\_ for \_\_\_\_\_ sensor \_\_\_\_\_ in the \_\_\_\_\_ system.  
 Payment \_\_\_\_\_ to \_\_\_\_\_ sense into \_\_\_\_\_  
 There may be \_\_\_\_\_ additional fee for \_\_\_\_\_ sensors \_\_\_\_\_ external \_\_\_\_\_.  
 If we \_\_\_\_\_ detection \_\_\_\_\_ of \_\_\_\_\_ new outdoor \_\_\_\_\_ scheme \_\_\_\_\_ we have \_\_\_\_\_ pay more?  
 \_\_\_\_\_ motion \_\_\_\_\_ tech \_\_\_\_\_ the cost of \_\_\_\_\_ lighting?  
 Do \_\_\_\_\_ charge an additional \_\_\_\_\_ motion sensor technology \_\_\_\_\_ lighting \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ charge for attaching \_\_\_\_\_ movement detector to \_\_\_\_\_?  
 Is there \_\_\_\_\_ added \_\_\_\_\_ sensor technology in \_\_\_\_\_?  
 Is there a \_\_\_\_\_ with \_\_\_\_\_ movement-sensitive \_\_\_\_\_ to \_\_\_\_\_ upcoming \_\_\_\_\_ scheme?  
 \_\_\_\_\_ worth paying more for motion \_\_\_\_\_ in \_\_\_\_\_ exterior \_\_\_\_\_?  
 Will it cost \_\_\_\_\_ to \_\_\_\_\_ sensor technology \_\_\_\_\_ the \_\_\_\_\_?  
 When setting \_\_\_\_\_ a fresh \_\_\_\_\_ lamp arrangement, will it \_\_\_\_\_ if \_\_\_\_\_ opt \_\_\_\_\_ movement \_\_\_\_\_?  
 \_\_\_\_\_ tell \_\_\_\_\_ there is a \_\_\_\_\_ associated \_\_\_\_\_ linking movement-sensing features into our \_\_\_\_\_ lighting \_\_\_\_\_?  
 Will the \_\_\_\_\_ setting \_\_\_\_\_ fresh \_\_\_\_\_ lamp \_\_\_\_\_ up if we opt for built \_\_\_\_\_ equipment?  
 \_\_\_\_\_ there any \_\_\_\_\_ for motion sensor tech \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ motion-sensing \_\_\_\_\_ add to \_\_\_\_\_ external \_\_\_\_\_ scheme \_\_\_\_\_?  
 \_\_\_\_\_ there an added cost for integrating motion sensors \_\_\_\_\_?  
 \_\_\_\_\_ technology cost more when we want it \_\_\_\_\_ lighting \_\_\_\_\_?  
 Do you charge \_\_\_\_\_ an \_\_\_\_\_ fee \_\_\_\_\_ motion sensor technology \_\_\_\_\_?  
 Will there be \_\_\_\_\_ additional \_\_\_\_\_ if \_\_\_\_\_ sensor is integrated in \_\_\_\_\_?  
 Do you know \_\_\_\_\_ sensors \_\_\_\_\_ new outdoor \_\_\_\_\_ will \_\_\_\_\_ at \_\_\_\_\_ additional \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ cost \_\_\_\_\_ integration \_\_\_\_\_ sensors into outdoor lighting?  
 Costs for \_\_\_\_\_ to exterior \_\_\_\_\_?  
 Can you tell \_\_\_\_\_ if \_\_\_\_\_ extra expense to \_\_\_\_\_ in our \_\_\_\_\_.  
 Will \_\_\_\_\_ cost of \_\_\_\_\_ our fresh outside \_\_\_\_\_ arrangement be increased \_\_\_\_\_ opt \_\_\_\_\_ built-in \_\_\_\_\_?  
 \_\_\_\_\_ motion-sensing \_\_\_\_\_ with an additional \_\_\_\_\_ on \_\_\_\_\_ strategic \_\_\_\_\_ scheme bill?  
 Is there a \_\_\_\_\_ with incorporating motion sensors \_\_\_\_\_?  
 \_\_\_\_\_ fork out more money \_\_\_\_\_ have \_\_\_\_\_ movement detection \_\_\_\_\_ the new \_\_\_\_\_ scheme?  
 Will \_\_\_\_\_ up a fresh outside \_\_\_\_\_ costs if we \_\_\_\_\_ sensors?  
 \_\_\_\_\_ if \_\_\_\_\_ remote sensing in \_\_\_\_\_ lights \_\_\_\_\_ an extra expense or \_\_\_\_\_.  
 Does \_\_\_\_\_ to the cost \_\_\_\_\_ outdoor \_\_\_\_\_?



\_\_\_\_ motion \_\_\_\_ technology \_\_\_\_ more in the \_\_\_\_ setup?  
 Is \_\_\_\_ for \_\_\_\_ motion sensor stuff in \_\_\_\_ outside lights?  
 Is there \_\_\_\_ cost \_\_\_\_ sensors in our external \_\_\_\_?  
 Does it \_\_\_\_ more \_\_\_\_ motion detectors \_\_\_\_ exterior \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ light system \_\_\_\_ if motion detectors \_\_\_\_ added?  
 Is it \_\_\_\_ for \_\_\_\_ to \_\_\_\_ for motion \_\_\_\_ into \_\_\_\_ lighting \_\_\_\_?  
 \_\_\_\_ charge for \_\_\_\_ the movement detector onto outdoor \_\_\_\_?  
 Will \_\_\_\_ need to compensate \_\_\_\_ the \_\_\_\_ price \_\_\_\_ installing \_\_\_\_ lights if \_\_\_\_ movement \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ more \_\_\_\_ implement motion \_\_\_\_ features within the exterior lighting \_\_\_\_?  
 \_\_\_\_ wonder \_\_\_\_ we'll \_\_\_\_ charged extra \_\_\_\_ include \_\_\_\_ sensor \_\_\_\_ in our \_\_\_\_ lighting \_\_\_\_.  
 \_\_\_\_ additional \_\_\_\_ with \_\_\_\_ movement-sensing features into our upcoming \_\_\_\_ scheme?  
 Do we \_\_\_\_ pay \_\_\_\_ want \_\_\_\_ sensors in the lighting \_\_\_\_?  
 Are we \_\_\_\_ charged \_\_\_\_ to include \_\_\_\_ sensor \_\_\_\_ new lighting setup?  
 \_\_\_\_ necessary to \_\_\_\_ want \_\_\_\_ movement detection in the new \_\_\_\_ illumination scheme?  
 \_\_\_\_ any \_\_\_\_ sensors to our outdoor lights?  
 If motion \_\_\_\_ included \_\_\_\_ the \_\_\_\_ light \_\_\_\_ would \_\_\_\_ be \_\_\_\_ fee?  
 New \_\_\_\_ lights \_\_\_\_ for \_\_\_\_ sensor tech.  
 \_\_\_\_ there \_\_\_\_ an additional \_\_\_\_ for \_\_\_\_ motion \_\_\_\_ the external \_\_\_\_ system.  
 Do \_\_\_\_ have to \_\_\_\_ more \_\_\_\_ movement \_\_\_\_ in the new outdoor \_\_\_\_?  
 Will there be \_\_\_\_ additional fee if \_\_\_\_ use \_\_\_\_ sensors \_\_\_\_ external \_\_\_\_?  
 \_\_\_\_ you know if \_\_\_\_ is a \_\_\_\_ charge \_\_\_\_ with \_\_\_\_ movement-sensing features to \_\_\_\_ scheme?  
 Is there \_\_\_\_ including \_\_\_\_ sensor tech \_\_\_\_ our \_\_\_\_ system?  
 \_\_\_\_ we \_\_\_\_ to have \_\_\_\_ more \_\_\_\_ integrating motion \_\_\_\_ into \_\_\_\_ lights?  
 \_\_\_\_ installing motion sensors \_\_\_\_ our outdoor lights \_\_\_\_ with \_\_\_\_?  
 Is \_\_\_\_ any \_\_\_\_ integration \_\_\_\_ motion \_\_\_\_ into the \_\_\_\_ lighting system?  
 If \_\_\_\_ technology integrated \_\_\_\_ our \_\_\_\_ lighting \_\_\_\_ is \_\_\_\_ an extra fee?  
 Is \_\_\_\_ incorporating motion sensor into \_\_\_\_ external lighting \_\_\_\_?  
 Does \_\_\_\_ motion-sensing \_\_\_\_ cost to \_\_\_\_ illumination scheme bill?  
 \_\_\_\_ we expect a \_\_\_\_ a motion \_\_\_\_ with our new \_\_\_\_?  
 Any \_\_\_\_ adding motion \_\_\_\_ to \_\_\_\_?  
 Is adding \_\_\_\_ sensors \_\_\_\_ external \_\_\_\_ an extra \_\_\_\_?  
 \_\_\_\_ incorporating \_\_\_\_ require \_\_\_\_ pay \_\_\_\_ for outdoor \_\_\_\_ or \_\_\_\_ it already included?  
 \_\_\_\_ have to pay \_\_\_\_ if we add \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ motion sensor tech increase \_\_\_\_ outdoor lighting?  
 Extra fees may be imposed \_\_\_\_ if we \_\_\_\_ with \_\_\_\_ external \_\_\_\_.  
 If \_\_\_\_ request \_\_\_\_ light setup, would it result \_\_\_\_ an \_\_\_\_ fee?  
 \_\_\_\_ there an extra \_\_\_\_ to \_\_\_\_ the \_\_\_\_ outdoor lighting system \_\_\_\_?  
 \_\_\_\_ a surcharge for having \_\_\_\_ outdoor lighting \_\_\_\_ with \_\_\_\_?  
 Do you have \_\_\_\_ charge for \_\_\_\_ outdoor lights?  
 What \_\_\_\_ costs for \_\_\_\_ sensor tech \_\_\_\_ lights?  
 \_\_\_\_ there a \_\_\_\_ charge \_\_\_\_ movement-sense features \_\_\_\_ lighting scheme?  
 Is \_\_\_\_ costing us \_\_\_\_ to \_\_\_\_ new outdoor \_\_\_\_ system \_\_\_\_ motion \_\_\_\_?  
 Is \_\_\_\_ extra fee \_\_\_\_ have \_\_\_\_ in our external lighting \_\_\_\_?  
 If motion \_\_\_\_ included \_\_\_\_ the \_\_\_\_ outdoor light \_\_\_\_ could \_\_\_\_ result \_\_\_\_ additional \_\_\_\_?  
 Would it \_\_\_\_ additional fee if \_\_\_\_ included \_\_\_\_ the outdoor light \_\_\_\_?  
 \_\_\_\_ sensors \_\_\_\_ exterior lighting setup, \_\_\_\_ there be an additional \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ us \_\_\_\_ to \_\_\_\_ motion \_\_\_\_ in the \_\_\_\_ setup?  
 Do \_\_\_\_ pay \_\_\_\_ have motion \_\_\_\_ technology in \_\_\_\_ lights?  
 \_\_\_\_ there \_\_\_\_ extra \_\_\_\_ integrating motion \_\_\_\_ into the \_\_\_\_ lighting \_\_\_\_?  
 Is an \_\_\_\_ incorporating \_\_\_\_ sensors \_\_\_\_ the \_\_\_\_ system possible?

\_\_\_\_\_ a fee \_\_\_\_\_ integrating motion \_\_\_\_\_ into \_\_\_\_\_ outdoor \_\_\_\_\_ system?

Extra \_\_\_\_\_ caused \_\_\_\_\_ motion sensor technology \_\_\_\_\_ new lights.

\_\_\_\_\_ we \_\_\_\_\_ motion \_\_\_\_\_ integrated \_\_\_\_\_ our lighting system, \_\_\_\_\_ it \_\_\_\_\_?

If \_\_\_\_\_ technology is to \_\_\_\_\_ integrated into \_\_\_\_\_ light \_\_\_\_\_ there be \_\_\_\_\_?

Is there \_\_\_\_\_ cost \_\_\_\_\_ integrate \_\_\_\_\_ sensors \_\_\_\_\_ outdoor \_\_\_\_\_ installation?

There \_\_\_\_\_ a \_\_\_\_\_ adding \_\_\_\_\_ to our \_\_\_\_\_ lights.

\_\_\_\_\_ motion sensors are \_\_\_\_\_ system, will we \_\_\_\_\_ to \_\_\_\_\_ more?

\_\_\_\_\_ detection \_\_\_\_\_ external lighting is \_\_\_\_\_ additional \_\_\_\_\_ involve.

Is there \_\_\_\_\_ for incorporating motion \_\_\_\_\_ into \_\_\_\_\_ external \_\_\_\_\_?

\_\_\_\_\_ need to \_\_\_\_\_ more money to implement motions \_\_\_\_\_ lighting \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ more to add \_\_\_\_\_ sensor \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ it cost \_\_\_\_\_ to set up \_\_\_\_\_ outside \_\_\_\_\_ arrangement \_\_\_\_\_ opt \_\_\_\_\_ built-in movement detection \_\_\_\_\_?

\_\_\_\_\_ costs \_\_\_\_\_ motion sensors \_\_\_\_\_ our outdoor \_\_\_\_\_ go up?

\_\_\_\_\_ us to pay \_\_\_\_\_ than the \_\_\_\_\_ price \_\_\_\_\_ outdoor lights, or is it \_\_\_\_\_?

\_\_\_\_\_ don't know \_\_\_\_\_ there \_\_\_\_\_ a supplementary \_\_\_\_\_ linking \_\_\_\_\_ into the lighting \_\_\_\_\_.

If we \_\_\_\_\_ to include motion \_\_\_\_\_ our lighting \_\_\_\_\_ an \_\_\_\_\_?

Do we need \_\_\_\_\_ pay \_\_\_\_\_ if \_\_\_\_\_ add \_\_\_\_\_ into \_\_\_\_\_?

\_\_\_\_\_ a dollar \_\_\_\_\_ for \_\_\_\_\_ fancy \_\_\_\_\_ gizmo \_\_\_\_\_ outdoor lights?

\_\_\_\_\_ additional fee for \_\_\_\_\_ sensor in external \_\_\_\_\_?

\_\_\_\_\_ there an extra cost to \_\_\_\_\_ with \_\_\_\_\_?

Does your pricing include \_\_\_\_\_ for us \_\_\_\_\_ motion \_\_\_\_\_ outdoor lights?

\_\_\_\_\_ there a \_\_\_\_\_ for integrating \_\_\_\_\_ into our \_\_\_\_\_ system?

Is \_\_\_\_\_ motion sensors \_\_\_\_\_ external lighting?

\_\_\_\_\_ we opt for \_\_\_\_\_ with \_\_\_\_\_ new \_\_\_\_\_ there be an \_\_\_\_\_ charge?

Is there \_\_\_\_\_ for incorporating motion sensor \_\_\_\_\_ lighting \_\_\_\_\_?

Can \_\_\_\_\_ expect \_\_\_\_\_ more \_\_\_\_\_ the external lighting system \_\_\_\_\_?

When \_\_\_\_\_ up our \_\_\_\_\_ outside \_\_\_\_\_ will \_\_\_\_\_ cost \_\_\_\_\_ if we \_\_\_\_\_ built-in \_\_\_\_\_ sense equipment?

Extra fees may be imposed \_\_\_\_\_ opt for \_\_\_\_\_ our \_\_\_\_\_ lighting.

\_\_\_\_\_ there \_\_\_\_\_ for integrated \_\_\_\_\_ sensing in the \_\_\_\_\_ illumination \_\_\_\_\_?

Does \_\_\_\_\_ motion detectors to \_\_\_\_\_ lights \_\_\_\_\_ with \_\_\_\_\_ cost?

Can \_\_\_\_\_ expect to pay more \_\_\_\_\_ motion sensor into \_\_\_\_\_?

\_\_\_\_\_ our new outside \_\_\_\_\_ system \_\_\_\_\_ by \_\_\_\_\_ motion detectors?

Is \_\_\_\_\_ to be an \_\_\_\_\_ for \_\_\_\_\_ motion sensor \_\_\_\_\_ in \_\_\_\_\_ lights?

\_\_\_\_\_ be an \_\_\_\_\_ cost for integrating \_\_\_\_\_ into \_\_\_\_\_ external lighting \_\_\_\_\_?

Does \_\_\_\_\_ detection on our \_\_\_\_\_ require \_\_\_\_\_?

Is there \_\_\_\_\_ additional \_\_\_\_\_ incorporating motion \_\_\_\_\_ into \_\_\_\_\_ system?

\_\_\_\_\_ there \_\_\_\_\_ additional \_\_\_\_\_ with putting motion sensors \_\_\_\_\_ external lighting \_\_\_\_\_?

\_\_\_\_\_ there any added \_\_\_\_\_ sign for a \_\_\_\_\_ our outdoor \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ motion sensors \_\_\_\_\_ the lighting?

Is there any \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_ lighting scheme?

\_\_\_\_\_ there be \_\_\_\_\_ fee \_\_\_\_\_ into external lights?

\_\_\_\_\_ there be a fee \_\_\_\_\_ the lights?

\_\_\_\_\_ necessary \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_ lighting?

\_\_\_\_\_ motion \_\_\_\_\_ technology is integrated into \_\_\_\_\_ new \_\_\_\_\_ system there \_\_\_\_\_ an \_\_\_\_\_.

Is \_\_\_\_\_ extra expense \_\_\_\_\_ integrating \_\_\_\_\_ sensors \_\_\_\_\_ outdoor \_\_\_\_\_ installation?

\_\_\_\_\_ cost \_\_\_\_\_ with incorporating \_\_\_\_\_ sensors \_\_\_\_\_ the outdoor \_\_\_\_\_ installation?

There will be \_\_\_\_\_ added \_\_\_\_\_ for incorporating motion \_\_\_\_\_ technology \_\_\_\_\_.

Does \_\_\_\_\_ increase \_\_\_\_\_ cost of our external lighting \_\_\_\_\_?

\_\_\_\_\_ out \_\_\_\_\_ money for \_\_\_\_\_ detection as \_\_\_\_\_ the \_\_\_\_\_ illumination scheme?

Do we need to \_\_\_\_\_ motion \_\_\_\_\_ our lighting?

Will \_\_\_\_\_ to pay more \_\_\_\_\_ our \_\_\_\_\_ outside lamp arrangement if we opt \_\_\_\_\_?

If we \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_ cost more?

Adding \_\_\_\_\_ detection \_\_\_\_\_ our \_\_\_\_\_ necessitate a \_\_\_\_\_ charge.

Does adding motion \_\_\_\_\_ tech change the \_\_\_\_\_ system?

How much is \_\_\_\_\_ to \_\_\_\_\_ new lights?

\_\_\_\_\_ there any fees \_\_\_\_\_ sensors \_\_\_\_\_ the \_\_\_\_\_ external \_\_\_\_\_ system?

\_\_\_\_\_ motion-sensing capabilities have \_\_\_\_\_ additional cost on \_\_\_\_\_ external \_\_\_\_\_ bill?

\_\_\_\_\_ motion sensors \_\_\_\_\_ included in \_\_\_\_\_ outdoor \_\_\_\_\_ setup, \_\_\_\_\_ be a \_\_\_\_\_?

Does motion-detection \_\_\_\_\_ with \_\_\_\_\_ cost \_\_\_\_\_ external strategic \_\_\_\_\_ scheme \_\_\_\_\_?

Is \_\_\_\_\_ motion \_\_\_\_\_ outside lights \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ charge more \_\_\_\_\_ incorporating \_\_\_\_\_ into \_\_\_\_\_ system?

Is \_\_\_\_\_ additional fee \_\_\_\_\_ motion \_\_\_\_\_ in our \_\_\_\_\_ external \_\_\_\_\_ system?

Is \_\_\_\_\_ an \_\_\_\_\_ charge for \_\_\_\_\_ sensor \_\_\_\_\_ the new \_\_\_\_\_ fixture?

\_\_\_\_\_ additional fee for the \_\_\_\_\_ sensor tech in \_\_\_\_\_ lighting \_\_\_\_\_?

Adding motion-sensing \_\_\_\_\_ come \_\_\_\_\_ an additional \_\_\_\_\_ on \_\_\_\_\_ external \_\_\_\_\_ scheme \_\_\_\_\_.

If \_\_\_\_\_ want motion \_\_\_\_\_ technology \_\_\_\_\_ is there \_\_\_\_\_ extra fee?

How much is it for \_\_\_\_\_ sensors \_\_\_\_\_ outdoor \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ to get built-in movement detection \_\_\_\_\_ outdoor illumination scheme?

\_\_\_\_\_ you \_\_\_\_\_ a fee to \_\_\_\_\_ motion \_\_\_\_\_ technology in our \_\_\_\_\_?

Does \_\_\_\_\_ motion \_\_\_\_\_ outdoor \_\_\_\_\_ mean an \_\_\_\_\_ charge?

Is there an additional fee \_\_\_\_\_ motion \_\_\_\_\_?

Will \_\_\_\_\_ technology be \_\_\_\_\_ cost \_\_\_\_\_ the new \_\_\_\_\_?

Adding \_\_\_\_\_ to \_\_\_\_\_ external light setup \_\_\_\_\_ cost \_\_\_\_\_ added fee.

\_\_\_\_\_ motion sensors \_\_\_\_\_ outdoor \_\_\_\_\_ setup, \_\_\_\_\_ it cost more?

\_\_\_\_\_ extra funds needed to implement motions detection features \_\_\_\_\_?

There \_\_\_\_\_ extra \_\_\_\_\_ integrate \_\_\_\_\_ into the new external \_\_\_\_\_.

Is there an additional \_\_\_\_\_ for integrating \_\_\_\_\_ sensors \_\_\_\_\_?

Will \_\_\_\_\_ be a fee \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_ new \_\_\_\_\_?

Will there \_\_\_\_\_ fee for incorporating \_\_\_\_\_ sensor \_\_\_\_\_ the \_\_\_\_\_ system?

Will \_\_\_\_\_ be an \_\_\_\_\_ fee \_\_\_\_\_ incorporating motion \_\_\_\_\_ the \_\_\_\_\_ light \_\_\_\_\_?

\_\_\_\_\_ an additional \_\_\_\_\_ incorporating \_\_\_\_\_ sensitive technology \_\_\_\_\_ fresh external \_\_\_\_\_ arrangement.

Does \_\_\_\_\_ detectors in our new \_\_\_\_\_ with \_\_\_\_\_ cost?

Extra \_\_\_\_\_ be imposed on \_\_\_\_\_ opt for motion sensor \_\_\_\_\_ the new \_\_\_\_\_.

Will \_\_\_\_\_ be \_\_\_\_\_ fee for \_\_\_\_\_ motion sensors into \_\_\_\_\_ external \_\_\_\_\_?

\_\_\_\_\_ extra \_\_\_\_\_ for added motion sensors with \_\_\_\_\_ new \_\_\_\_\_ light \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ an \_\_\_\_\_ charge \_\_\_\_\_ motion \_\_\_\_\_ stuff in our \_\_\_\_\_ outside \_\_\_\_\_.

Is \_\_\_\_\_ an \_\_\_\_\_ cost \_\_\_\_\_ motion \_\_\_\_\_ into \_\_\_\_\_ lighting?

Could you tell \_\_\_\_\_ if \_\_\_\_\_ a \_\_\_\_\_ charge associated \_\_\_\_\_ linking \_\_\_\_\_ our lighting \_\_\_\_\_?

Do \_\_\_\_\_ need to allocate \_\_\_\_\_ funds to implement \_\_\_\_\_ motions detection \_\_\_\_\_ lighting \_\_\_\_\_?

If motion \_\_\_\_\_ are included with \_\_\_\_\_ lighting \_\_\_\_\_ extra charge?

\_\_\_\_\_ the \_\_\_\_\_ adding motion \_\_\_\_\_ to our \_\_\_\_\_ increased?

\_\_\_\_\_ there an \_\_\_\_\_ fee for motion \_\_\_\_\_ the \_\_\_\_\_ lighting \_\_\_\_\_?

Will \_\_\_\_\_ an additional \_\_\_\_\_ for using motion sensor \_\_\_\_\_ light \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ fee for integrating \_\_\_\_\_ into the external \_\_\_\_\_?

Do \_\_\_\_\_ detectors \_\_\_\_\_ to \_\_\_\_\_ our new outside \_\_\_\_\_ system?

Can you \_\_\_\_\_ me if \_\_\_\_\_ remote \_\_\_\_\_ in our \_\_\_\_\_ an \_\_\_\_\_ expense?

\_\_\_\_\_ additional \_\_\_\_\_ have the \_\_\_\_\_ lighting system with \_\_\_\_\_ sensor technology?

\_\_\_\_\_ an \_\_\_\_\_ fee for adding motion sensor tech to \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ if installing motion \_\_\_\_\_ lights will come \_\_\_\_\_ an \_\_\_\_\_?

A \_\_\_\_\_ the \_\_\_\_\_ stuff \_\_\_\_\_ the new \_\_\_\_\_ lights?

If \_\_\_\_\_ want \_\_\_\_\_ as \_\_\_\_\_ of the new outdoor illumination scheme, \_\_\_\_\_ fork out more \_\_\_\_\_?  
 \_\_\_\_\_ price \_\_\_\_\_ motion \_\_\_\_\_ tech is included in external \_\_\_\_\_?  
 \_\_\_\_\_ it necessary for us \_\_\_\_\_ if we want \_\_\_\_\_ in \_\_\_\_\_ lighting \_\_\_\_\_?  
 Is there \_\_\_\_\_ to \_\_\_\_\_ a movement \_\_\_\_\_ to \_\_\_\_\_?  
 There will \_\_\_\_\_ additional \_\_\_\_\_ integrating motion sensors \_\_\_\_\_ external \_\_\_\_\_ system.  
 Does motion sensor tech \_\_\_\_\_ the \_\_\_\_\_ lighting \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ in light system?  
 Installation costs for adding \_\_\_\_\_ sensors to our \_\_\_\_\_.  
 Is \_\_\_\_\_ an \_\_\_\_\_ charge for \_\_\_\_\_ the exterior \_\_\_\_\_ fixture?  
 Can \_\_\_\_\_ be \_\_\_\_\_ surcharge applied \_\_\_\_\_ integrating \_\_\_\_\_ external light setup?  
 \_\_\_\_\_ it \_\_\_\_\_ get built-in \_\_\_\_\_ detection \_\_\_\_\_ the new \_\_\_\_\_ illumination scheme?  
 Is there going to be \_\_\_\_\_ charge \_\_\_\_\_ sensor \_\_\_\_\_ our new \_\_\_\_\_?  
 If we \_\_\_\_\_ motion \_\_\_\_\_ in \_\_\_\_\_ outdoor light \_\_\_\_\_ result in \_\_\_\_\_ fee?  
 Should \_\_\_\_\_ fork \_\_\_\_\_ money \_\_\_\_\_ we want built-in \_\_\_\_\_ the outdoor \_\_\_\_\_ scheme?  
 \_\_\_\_\_ we integrate motion detectors into \_\_\_\_\_ new \_\_\_\_\_ need to \_\_\_\_\_?  
 \_\_\_\_\_ be an \_\_\_\_\_ fee \_\_\_\_\_ adding motion sensor \_\_\_\_\_ light setup?  
 Is it \_\_\_\_\_ pay \_\_\_\_\_ integrate motion \_\_\_\_\_ into \_\_\_\_\_ outside lights?  
 \_\_\_\_\_ necessary \_\_\_\_\_ more for \_\_\_\_\_ sensor technology \_\_\_\_\_ our \_\_\_\_\_ lighting?  
 \_\_\_\_\_ needed for implementing motion \_\_\_\_\_ within the exterior \_\_\_\_\_ package \_\_\_\_\_?  
 If \_\_\_\_\_ built-in movement detection \_\_\_\_\_ part of \_\_\_\_\_ new outdoor illumination scheme, \_\_\_\_\_ spend \_\_\_\_\_?  
 \_\_\_\_\_ motion \_\_\_\_\_ into our new exterior \_\_\_\_\_ system \_\_\_\_\_?  
 \_\_\_\_\_ extra \_\_\_\_\_ putting \_\_\_\_\_ motion sensor \_\_\_\_\_ light system?  
 \_\_\_\_\_ setting up our fresh outside lamp \_\_\_\_\_ it \_\_\_\_\_ if \_\_\_\_\_ opt for built \_\_\_\_\_?  
 Can you tell me \_\_\_\_\_ is \_\_\_\_\_ linking \_\_\_\_\_ into our \_\_\_\_\_ exterior lighting scheme?  
 How \_\_\_\_\_ cost to \_\_\_\_\_ motion \_\_\_\_\_ in \_\_\_\_\_ new outdoor \_\_\_\_\_?  
 Is adding motion \_\_\_\_\_ technology \_\_\_\_\_ lights \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ extra cost \_\_\_\_\_ sensors into outdoor \_\_\_\_\_?  
 \_\_\_\_\_ supplementary charge associated \_\_\_\_\_ movement-sensitive features \_\_\_\_\_ exterior lighting scheme?  
 \_\_\_\_\_ any added \_\_\_\_\_ for \_\_\_\_\_ motion \_\_\_\_\_ outdoor lighting?  
 \_\_\_\_\_ have \_\_\_\_\_ motion sensors for our lighting system?  
 \_\_\_\_\_ motion sensor tech \_\_\_\_\_ our \_\_\_\_\_ lighting \_\_\_\_\_?  
 If \_\_\_\_\_ requested including \_\_\_\_\_ light \_\_\_\_\_ it result \_\_\_\_\_ an additional fee?  
 Will the \_\_\_\_\_ setting \_\_\_\_\_ a fresh \_\_\_\_\_ lamp arrangement be \_\_\_\_\_ opting for \_\_\_\_\_ sensor \_\_\_\_\_?  
 \_\_\_\_\_ extra for motion \_\_\_\_\_ in \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ sign \_\_\_\_\_ fancy \_\_\_\_\_ sensor \_\_\_\_\_ outdoor lights?  
 Can \_\_\_\_\_ tell me if \_\_\_\_\_ be \_\_\_\_\_ motion sensor \_\_\_\_\_ in \_\_\_\_\_ lighting setup?  
 \_\_\_\_\_ is \_\_\_\_\_ extra cost for \_\_\_\_\_ the \_\_\_\_\_ external illumination arrangement.  
 Is \_\_\_\_\_ for the \_\_\_\_\_ motion \_\_\_\_\_ with \_\_\_\_\_ new outdoor lights?  
 \_\_\_\_\_ we \_\_\_\_\_ motion \_\_\_\_\_ with our lighting setup, \_\_\_\_\_ additional \_\_\_\_\_?  
 Is there \_\_\_\_\_ extra \_\_\_\_\_ associated \_\_\_\_\_ sensor \_\_\_\_\_ the external lighting \_\_\_\_\_?  
 Is there \_\_\_\_\_ sign \_\_\_\_\_ a \_\_\_\_\_ motion-sensitive \_\_\_\_\_ on \_\_\_\_\_ outdoor \_\_\_\_\_?  
 There \_\_\_\_\_ an \_\_\_\_\_ fee if motion \_\_\_\_\_ integrated \_\_\_\_\_ the external \_\_\_\_\_.  
 \_\_\_\_\_ it cost \_\_\_\_\_ to \_\_\_\_\_ sensor to \_\_\_\_\_ outside?  
 \_\_\_\_\_ cost of installing \_\_\_\_\_ in our \_\_\_\_\_ increase?  
 Does \_\_\_\_\_ detectors in \_\_\_\_\_ exterior \_\_\_\_\_ more?  
 \_\_\_\_\_ want to \_\_\_\_\_ there is \_\_\_\_\_ charge associated \_\_\_\_\_ linking \_\_\_\_\_ features into \_\_\_\_\_ lighting \_\_\_\_\_.  
 \_\_\_\_\_ if remote sensing \_\_\_\_\_ in \_\_\_\_\_ lights costs \_\_\_\_\_ or not?  
 Is there \_\_\_\_\_ extra charge \_\_\_\_\_ sensor \_\_\_\_\_ in the \_\_\_\_\_?  
 Is motion \_\_\_\_\_ included in \_\_\_\_\_ new outdoor \_\_\_\_\_ going \_\_\_\_\_ cost \_\_\_\_\_ additional \_\_\_\_\_?  
 Can \_\_\_\_\_ to \_\_\_\_\_ more for \_\_\_\_\_ motion \_\_\_\_\_ in the \_\_\_\_\_ lighting \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ sensor technology \_\_\_\_\_ lighting system, will there be \_\_\_\_\_ fee?

Does \_\_\_\_\_ tech \_\_\_\_\_ our \_\_\_\_\_ incur additional charges?

Is there an \_\_\_\_\_ technology in the external light \_\_\_\_\_?

\_\_\_\_\_ motion sensor \_\_\_\_\_ exterior lights cause \_\_\_\_\_ charges?

Is there a \_\_\_\_\_ putting motion detectors \_\_\_\_\_ light \_\_\_\_\_?

Can you tell \_\_\_\_\_ installing \_\_\_\_\_ sensors in \_\_\_\_\_ new \_\_\_\_\_ lights will \_\_\_\_\_?

\_\_\_\_\_ it cost \_\_\_\_\_ use motion \_\_\_\_\_ in \_\_\_\_\_ lights?

Is the \_\_\_\_\_ motion sensors into \_\_\_\_\_ outdoor lighting \_\_\_\_\_?

Is \_\_\_\_\_ an additional fee \_\_\_\_\_ adding \_\_\_\_\_ sensor \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ fee \_\_\_\_\_ motion sensor to outside lights?

\_\_\_\_\_ there an added cost \_\_\_\_\_ motion sensors \_\_\_\_\_ lighting \_\_\_\_\_?

Should we pay \_\_\_\_\_ with \_\_\_\_\_ outdoor lights?

\_\_\_\_\_ there an extra \_\_\_\_\_ motion sensors \_\_\_\_\_ the \_\_\_\_\_ system.

\_\_\_\_\_ extra \_\_\_\_\_ if we put motion sensors \_\_\_\_\_?

Do you have \_\_\_\_\_ for having \_\_\_\_\_ motion sensor-integrated \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ much is \_\_\_\_\_ motion \_\_\_\_\_ to our \_\_\_\_\_ lights?

\_\_\_\_\_ you \_\_\_\_\_ incorporating motion sensor technology into \_\_\_\_\_ external lighting system?

Is \_\_\_\_\_ an additional \_\_\_\_\_ motion \_\_\_\_\_ is included in \_\_\_\_\_ lighting?

\_\_\_\_\_ there \_\_\_\_\_ an additional fee \_\_\_\_\_ decide \_\_\_\_\_ use \_\_\_\_\_ in the \_\_\_\_\_ scheme?

\_\_\_\_\_ much \_\_\_\_\_ you \_\_\_\_\_ for \_\_\_\_\_ technology into the lighting \_\_\_\_\_?

Is \_\_\_\_\_ a surcharge \_\_\_\_\_ integrate \_\_\_\_\_ sensor technology into \_\_\_\_\_?