

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Electricity Suppliers
<b>Inquiry Category</b>	Inquiries about government-mandated programs
<b>Inquiry Sub-Category</b>	Time-of-use rates
<b>Description</b>	Customers are curious about government-enforced electricity pricing plans that vary according to the time of day, seeking clarity on peak and off-peak hours, potential cost savings, and the enrollment process.
<b>Data Size</b>	5,102 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

What if \_\_\_\_\_ mistakenly \_\_\_\_\_ peak hours \_\_\_\_\_ discounted tariff plan from Electricity \_\_\_\_\_ due to \_\_\_\_\_?  
 \_\_\_\_\_ that misunderstandings can cause me to \_\_\_\_\_ the \_\_\_\_\_ rush hour, which \_\_\_\_\_ my \_\_\_\_\_ saving agreements  
 \_\_\_\_\_

I'm \_\_\_\_\_ discounted \_\_\_\_\_ that \_\_\_\_\_ timing confuses and I \_\_\_\_\_ with electricity when I don't \_\_\_\_\_  
 I am \_\_\_\_\_ a \_\_\_\_\_ and \_\_\_\_\_ confusion will lead to me using electricity \_\_\_\_\_ during \_\_\_\_\_.

What \_\_\_\_\_ to the plan I have \_\_\_\_\_ if \_\_\_\_\_ use electricity during \_\_\_\_\_ when it's \_\_\_\_\_?  
 I \_\_\_\_\_ sure if timing confusion \_\_\_\_\_ me \_\_\_\_\_ during peak \_\_\_\_\_ on my \_\_\_\_\_ plan.  
 I have \_\_\_\_\_ electricity \_\_\_\_\_ if \_\_\_\_\_ make an error \_\_\_\_\_ use \_\_\_\_\_ during times of \_\_\_\_\_ usage?  
 I \_\_\_\_\_ that misunderstandings can cause me to use \_\_\_\_\_ electric \_\_\_\_\_ and break \_\_\_\_\_ Electric \_\_\_\_\_.  
 \_\_\_\_\_ issue \_\_\_\_\_ my use of electricity during \_\_\_\_\_ hours if I'm confused \_\_\_\_\_ of \_\_\_\_\_ discounted \_\_\_\_\_?  
 \_\_\_\_\_ fear \_\_\_\_\_ misunderstandings will cause \_\_\_\_\_ electricity \_\_\_\_\_ hour, which \_\_\_\_\_ against my cost-saving  
 agreements \_\_\_\_\_ providers  
 misunderstandings might cause \_\_\_\_\_ the \_\_\_\_\_ at rush hours and \_\_\_\_\_ arrangement with \_\_\_\_\_.

Can \_\_\_\_\_ power during periods \_\_\_\_\_ demand while \_\_\_\_\_ am \_\_\_\_\_ a \_\_\_\_\_ plan?  
 I'm \_\_\_\_\_ sure \_\_\_\_\_ timing confusion \_\_\_\_\_ cause me \_\_\_\_\_ use \_\_\_\_\_ discount plan's \_\_\_\_\_.  
 \_\_\_\_\_ unintentionally use power when demand is high while \_\_\_\_\_ plan?

Will \_\_\_\_\_ accidental \_\_\_\_\_ energy \_\_\_\_\_ slots \_\_\_\_\_ advantages associated with being \_\_\_\_\_ in a \_\_\_\_\_ cost plans \_\_\_\_\_  
 by \_\_\_\_\_ supplier?

\_\_\_\_\_ rate be a problem \_\_\_\_\_ accidentally \_\_\_\_\_ electricity \_\_\_\_\_ peak hours \_\_\_\_\_ to confusion?  
 \_\_\_\_\_ any \_\_\_\_\_ with \_\_\_\_\_ use \_\_\_\_\_ electricity during peak \_\_\_\_\_ if I'm \_\_\_\_\_ about \_\_\_\_\_ timing \_\_\_\_\_ my discounted \_\_\_\_\_?  
 I \_\_\_\_\_ so what happens \_\_\_\_\_ I \_\_\_\_\_ an error and use it during \_\_\_\_\_ demand?  
 \_\_\_\_\_ am on \_\_\_\_\_ discounted plan and it \_\_\_\_\_ be \_\_\_\_\_ timing \_\_\_\_\_ I end up \_\_\_\_\_ days  
 I \_\_\_\_\_ that misunderstandings can \_\_\_\_\_ me to \_\_\_\_\_ the \_\_\_\_\_ during rush hour, which is \_\_\_\_\_ cost \_\_\_\_\_ with \_\_\_\_\_  
 \_\_\_\_\_ am \_\_\_\_\_ me to use the electric at rush \_\_\_\_\_ which \_\_\_\_\_ violate my \_\_\_\_\_ Electric \_\_\_\_\_  
 I am \_\_\_\_\_ plan and it is possible that \_\_\_\_\_ and \_\_\_\_\_ use \_\_\_\_\_ on \_\_\_\_\_ of day.  
 It \_\_\_\_\_ be \_\_\_\_\_ timing confuses and \_\_\_\_\_ up using \_\_\_\_\_ in peak times \_\_\_\_\_ I \_\_\_\_\_ plan.  
 Will it \_\_\_\_\_ a problem if I \_\_\_\_\_ my discounted rate \_\_\_\_\_ hours, \_\_\_\_\_ is confusion about \_\_\_\_\_?  
 \_\_\_\_\_ inadvertently \_\_\_\_\_ during \_\_\_\_\_ demand \_\_\_\_\_ while using a \_\_\_\_\_ rate \_\_\_\_\_ from my \_\_\_\_\_.  
 \_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ discounted rate during peak hours as \_\_\_\_\_ result \_\_\_\_\_ confusion?

\_\_\_\_\_ worried \_\_\_\_\_ could \_\_\_\_\_ me to \_\_\_\_\_ the electric at rush \_\_\_\_\_ violate \_\_\_\_\_ cost-saving arrangement with \_\_\_\_\_.  
 I don't \_\_\_\_\_ could cause \_\_\_\_\_ to use \_\_\_\_\_ plan's electricity \_\_\_\_\_ hours.  
 \_\_\_\_\_ am \_\_\_\_\_ a \_\_\_\_\_ plan \_\_\_\_\_ could it be that I end \_\_\_\_\_ electricity \_\_\_\_\_ the year?  
 \_\_\_\_\_ could change if I \_\_\_\_\_ it \_\_\_\_\_ Electricity Supplier's discount \_\_\_\_\_.  
 \_\_\_\_\_ am \_\_\_\_\_ discounted plan \_\_\_\_\_ I end up using electricity on busiest time of day?  
 I have \_\_\_\_\_ discounted \_\_\_\_\_ that my \_\_\_\_\_ confuses and I end \_\_\_\_\_ on the busiest time \_\_\_\_\_.  
 I have a discounted electricity package, but what \_\_\_\_\_ I \_\_\_\_\_ use \_\_\_\_\_ of peak \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ plan \_\_\_\_\_ it's possible that my timing \_\_\_\_\_ and \_\_\_\_\_ with electricity \_\_\_\_\_ it's \_\_\_\_\_ time.  
 Will an accidental consumption of \_\_\_\_\_ at \_\_\_\_\_ slots compromise the advantages \_\_\_\_\_ part \_\_\_\_\_ the supplier?  
 I \_\_\_\_\_ discounted \_\_\_\_\_ and could it be \_\_\_\_\_ timing confuses and \_\_\_\_\_ up with \_\_\_\_\_ when I \_\_\_\_\_ so?  
 \_\_\_\_\_ is possible \_\_\_\_\_ and \_\_\_\_\_ wrongly use electricity \_\_\_\_\_ peak hours when I \_\_\_\_\_ on \_\_\_\_\_ discounted \_\_\_\_\_.  
 \_\_\_\_\_ will \_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ my \_\_\_\_\_ rate \_\_\_\_\_ the \_\_\_\_\_ hours because \_\_\_\_\_ is confusion about \_\_\_\_\_ time \_\_\_\_\_ use.  
 \_\_\_\_\_ I mix up my usage \_\_\_\_\_ Electricity \_\_\_\_\_?  
 Will it be \_\_\_\_\_ problem \_\_\_\_\_ discounted \_\_\_\_\_ peak \_\_\_\_\_ when there is confusion \_\_\_\_\_ when \_\_\_\_\_ use?  
 \_\_\_\_\_ misunderstandings \_\_\_\_\_ cause me \_\_\_\_\_ use the electric at rush \_\_\_\_\_ violate my cost-saving arrangement \_\_\_\_\_  
 I \_\_\_\_\_ on a discounted plan, \_\_\_\_\_ could \_\_\_\_\_ timing \_\_\_\_\_ I end up \_\_\_\_\_ peak times?  
 \_\_\_\_\_ accidental consumption of \_\_\_\_\_ energy \_\_\_\_\_ slots compromise \_\_\_\_\_ with being taken \_\_\_\_\_ cost \_\_\_\_\_ offered \_\_\_\_\_ the supplier?  
 \_\_\_\_\_ happens if \_\_\_\_\_ unintentionally use \_\_\_\_\_ during high \_\_\_\_\_ periods while using \_\_\_\_\_ rate \_\_\_\_\_?  
 I have \_\_\_\_\_ discounted \_\_\_\_\_ and \_\_\_\_\_ it be \_\_\_\_\_ timing \_\_\_\_\_ I end \_\_\_\_\_ with electricity \_\_\_\_\_ not have?  
 I \_\_\_\_\_ know \_\_\_\_\_ timing \_\_\_\_\_ could \_\_\_\_\_ use my \_\_\_\_\_ plan's \_\_\_\_\_ during peak \_\_\_\_\_.  
 \_\_\_\_\_ can cause me \_\_\_\_\_ use \_\_\_\_\_ at \_\_\_\_\_ hours, \_\_\_\_\_ violate my cost-saving arrangement \_\_\_\_\_ Electric \_\_\_\_\_.  
 Will an \_\_\_\_\_ consumption \_\_\_\_\_ at peak slots \_\_\_\_\_ benefits of \_\_\_\_\_ part \_\_\_\_\_ cost plans offered \_\_\_\_\_ supplier?  
 \_\_\_\_\_ I unintentionally use \_\_\_\_\_ during periods \_\_\_\_\_ high \_\_\_\_\_ while \_\_\_\_\_ have \_\_\_\_\_?  
 \_\_\_\_\_ am not sure if \_\_\_\_\_ make \_\_\_\_\_ discount plan's \_\_\_\_\_ during peak \_\_\_\_\_.  
 I am \_\_\_\_\_ a discounted \_\_\_\_\_ and could it \_\_\_\_\_ timing confuses \_\_\_\_\_ I \_\_\_\_\_ electricity in \_\_\_\_\_ time of \_\_\_\_\_?  
 \_\_\_\_\_ cause \_\_\_\_\_ use the electricity at \_\_\_\_\_ hours \_\_\_\_\_ is against \_\_\_\_\_ cost-saving agreements \_\_\_\_\_ electric \_\_\_\_\_.  
 I am on \_\_\_\_\_ plan and \_\_\_\_\_ end \_\_\_\_\_ electricity on the busiest time of \_\_\_\_\_.  
 Should \_\_\_\_\_ confusion \_\_\_\_\_ use \_\_\_\_\_ peak \_\_\_\_\_ I am on a discount \_\_\_\_\_?  
 I'm on \_\_\_\_\_ discounted plan and \_\_\_\_\_ possible \_\_\_\_\_ timing confuses \_\_\_\_\_ I end \_\_\_\_\_ when I \_\_\_\_\_  
 \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ Electricity supplier discount plan, my \_\_\_\_\_ timing \_\_\_\_\_.  
 Timing confusion may \_\_\_\_\_ use \_\_\_\_\_ plan's \_\_\_\_\_ during the \_\_\_\_\_.  
 \_\_\_\_\_ I make a \_\_\_\_\_ with my \_\_\_\_\_ hours, it will \_\_\_\_\_ reduced \_\_\_\_\_ from \_\_\_\_\_.  
 \_\_\_\_\_ on a discounted plan \_\_\_\_\_ that my \_\_\_\_\_ and \_\_\_\_\_ end up \_\_\_\_\_ electricity at peak \_\_\_\_\_.  
 \_\_\_\_\_ an \_\_\_\_\_ consumption \_\_\_\_\_ electrical energy \_\_\_\_\_ compromise the \_\_\_\_\_ taken part in a \_\_\_\_\_ plans offered by the \_\_\_\_\_?  
 \_\_\_\_\_ my discounted rate during the \_\_\_\_\_ hours \_\_\_\_\_ result \_\_\_\_\_ confusion, \_\_\_\_\_ that be \_\_\_\_\_ problem?  
 \_\_\_\_\_ discounted plan and \_\_\_\_\_ I end up using \_\_\_\_\_ during peak \_\_\_\_\_?  
 misunderstandings can cause me to use the electricity \_\_\_\_\_ is against \_\_\_\_\_ Electric \_\_\_\_\_.  
 \_\_\_\_\_ possible that I \_\_\_\_\_ during peak \_\_\_\_\_ because \_\_\_\_\_ on a \_\_\_\_\_ plan.  
 I am under a reduced rate \_\_\_\_\_ suppliers and can \_\_\_\_\_ demand?  
 \_\_\_\_\_ on a discounted \_\_\_\_\_ it be \_\_\_\_\_ I use \_\_\_\_\_ on \_\_\_\_\_ days?  
 \_\_\_\_\_ a problem if \_\_\_\_\_ use \_\_\_\_\_ discounted rate \_\_\_\_\_ peak \_\_\_\_\_ there is \_\_\_\_\_?  
 Can \_\_\_\_\_ unintentionally use \_\_\_\_\_ during high \_\_\_\_\_ periods \_\_\_\_\_ under a \_\_\_\_\_?  
 If I \_\_\_\_\_ my \_\_\_\_\_ during \_\_\_\_\_ because of confusion will \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ cause \_\_\_\_\_ use electricity \_\_\_\_\_ rush hour \_\_\_\_\_ cost-saving arrangements with \_\_\_\_\_ Providers  
 \_\_\_\_\_ plan and it is \_\_\_\_\_ my \_\_\_\_\_ confuses and I \_\_\_\_\_ up using electricity during \_\_\_\_\_.

Should \_\_\_\_\_ consuming electricity during peak \_\_\_\_\_ I'm in the \_\_\_\_\_ provided \_\_\_\_\_ electricity suppliers?  
 \_\_\_\_\_ am on \_\_\_\_\_ plan \_\_\_\_\_ it could be \_\_\_\_\_ use \_\_\_\_\_ peak hours.

Will \_\_\_\_\_ consumption of \_\_\_\_\_ at \_\_\_\_\_ slots \_\_\_\_\_ associated with \_\_\_\_\_ taken \_\_\_\_\_ lower-cost \_\_\_\_\_ offered by the supplier?

What \_\_\_\_\_ use electricity \_\_\_\_\_ while on a \_\_\_\_\_ plan from \_\_\_\_\_ Suppliers?  
 \_\_\_\_\_ cause me \_\_\_\_\_ use \_\_\_\_\_ electricity \_\_\_\_\_ rush hour, which would \_\_\_\_\_ my \_\_\_\_\_ agreements with \_\_\_\_\_.

Will it be a problem \_\_\_\_\_ I use \_\_\_\_\_ discounted \_\_\_\_\_ due \_\_\_\_\_?

If \_\_\_\_\_ my power \_\_\_\_\_ peak \_\_\_\_\_ from suppliers \_\_\_\_\_ be impacted.

When \_\_\_\_\_ confusion \_\_\_\_\_ timing, \_\_\_\_\_ it be a \_\_\_\_\_ I \_\_\_\_\_ my discounted rate during \_\_\_\_\_?  
 \_\_\_\_\_ consumption of \_\_\_\_\_ peak slots compromise advantages associated with \_\_\_\_\_ lowered \_\_\_\_\_ plan \_\_\_\_\_ by suppliers?  
 \_\_\_\_\_ confusion might make me \_\_\_\_\_ electricity during \_\_\_\_\_ times.

What \_\_\_\_\_ when \_\_\_\_\_ power during \_\_\_\_\_ demand periods \_\_\_\_\_ use \_\_\_\_\_ reduced-rate \_\_\_\_\_ from \_\_\_\_\_ suppliers?

I am \_\_\_\_\_ a \_\_\_\_\_ is \_\_\_\_\_ that \_\_\_\_\_ end \_\_\_\_\_ using electricity on the \_\_\_\_\_ days.  
 \_\_\_\_\_ am worried \_\_\_\_\_ me to use \_\_\_\_\_ electric at \_\_\_\_\_ hours \_\_\_\_\_ my \_\_\_\_\_ arrangement with Electric \_\_\_\_\_.

Can \_\_\_\_\_ unintentionally \_\_\_\_\_ during periods of \_\_\_\_\_ I am under a \_\_\_\_\_ from the \_\_\_\_\_?

What if I \_\_\_\_\_ electricity during \_\_\_\_\_ hours \_\_\_\_\_ plan from \_\_\_\_\_ Suppliers?  
 \_\_\_\_\_ can cause me to \_\_\_\_\_ the \_\_\_\_\_ at \_\_\_\_\_ thus \_\_\_\_\_ my \_\_\_\_\_ with Electric Providers.  
 \_\_\_\_\_ confusion \_\_\_\_\_ force \_\_\_\_\_ to \_\_\_\_\_ my discount \_\_\_\_\_ during peak \_\_\_\_\_.

Can I \_\_\_\_\_ power \_\_\_\_\_ high demand when \_\_\_\_\_ on a \_\_\_\_\_?

I \_\_\_\_\_ plan \_\_\_\_\_ wondering if \_\_\_\_\_ timing \_\_\_\_\_ will cause \_\_\_\_\_ to use electricity \_\_\_\_\_ during peak \_\_\_\_\_.  
 \_\_\_\_\_ plan I \_\_\_\_\_ from my \_\_\_\_\_ might \_\_\_\_\_ my \_\_\_\_\_ use electricity on \_\_\_\_\_ time.

I \_\_\_\_\_ if timing \_\_\_\_\_ might \_\_\_\_\_ me \_\_\_\_\_ use \_\_\_\_\_ discount plan's \_\_\_\_\_ times.  
 \_\_\_\_\_ confusion might make me \_\_\_\_\_ electricity at \_\_\_\_\_ on a \_\_\_\_\_.

I \_\_\_\_\_ that \_\_\_\_\_ will \_\_\_\_\_ to \_\_\_\_\_ the electricity during \_\_\_\_\_ which is against \_\_\_\_\_ cost saving agreements \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_ if \_\_\_\_\_ will \_\_\_\_\_ me to \_\_\_\_\_ electricity unfairly \_\_\_\_\_ peak \_\_\_\_\_ since I \_\_\_\_\_ on a \_\_\_\_\_ plan.  
 \_\_\_\_\_ it a \_\_\_\_\_ I \_\_\_\_\_ consume \_\_\_\_\_ with \_\_\_\_\_ discounted \_\_\_\_\_ during peak hours \_\_\_\_\_ of \_\_\_\_\_?

If I make a \_\_\_\_\_ with \_\_\_\_\_ at \_\_\_\_\_ the \_\_\_\_\_ from suppliers will \_\_\_\_\_.

\_\_\_\_\_ if I \_\_\_\_\_ use \_\_\_\_\_ during peak \_\_\_\_\_ on \_\_\_\_\_ discounted plan \_\_\_\_\_ Suppliers?

Is it \_\_\_\_\_ I \_\_\_\_\_ electricity with \_\_\_\_\_ rate during the peak \_\_\_\_\_ because \_\_\_\_\_ confusion?

Will \_\_\_\_\_ use of \_\_\_\_\_ energy during \_\_\_\_\_ affect \_\_\_\_\_ arrangement with \_\_\_\_\_ supplier?  
 \_\_\_\_\_ confusion \_\_\_\_\_ make \_\_\_\_\_ use my \_\_\_\_\_ plan's electricity \_\_\_\_\_ hours.

I am \_\_\_\_\_ discount plan and \_\_\_\_\_ am wondering if timing \_\_\_\_\_ cause \_\_\_\_\_ unfairly \_\_\_\_\_ peak \_\_\_\_\_.  
 \_\_\_\_\_ electrical \_\_\_\_\_ at peak slots compromise advantages associated with being \_\_\_\_\_ lower \_\_\_\_\_ plan offered \_\_\_\_\_ supplier?

\_\_\_\_\_ an \_\_\_\_\_ electrical energy at \_\_\_\_\_ slots compromise advantages associated \_\_\_\_\_ in lower \_\_\_\_\_ plans \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ will happen if I \_\_\_\_\_ electricity \_\_\_\_\_ wrong time while \_\_\_\_\_ rate?

Can I \_\_\_\_\_ during \_\_\_\_\_ high \_\_\_\_\_ while \_\_\_\_\_ am \_\_\_\_\_ a reduced-rate plan?

\_\_\_\_\_ it be \_\_\_\_\_ if \_\_\_\_\_ discounted rate during the \_\_\_\_\_ hours \_\_\_\_\_ is confusion about \_\_\_\_\_ use it?

Could it be \_\_\_\_\_ timing confuses \_\_\_\_\_ I end \_\_\_\_\_ electricity \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ am \_\_\_\_\_ a discounted plan

\_\_\_\_\_ an \_\_\_\_\_ of \_\_\_\_\_ energy \_\_\_\_\_ peak slots affect the \_\_\_\_\_ with \_\_\_\_\_ part in a \_\_\_\_\_ cost \_\_\_\_\_ by \_\_\_\_\_ supplier?

What would happen \_\_\_\_\_ accidentally \_\_\_\_\_ wrong \_\_\_\_\_ while I was \_\_\_\_\_ a discounted \_\_\_\_\_?

I am \_\_\_\_\_ misunderstandings \_\_\_\_\_ me to use the electric \_\_\_\_\_ rush \_\_\_\_\_ violate \_\_\_\_\_ cost-saving \_\_\_\_\_ Providers

Timing confusion may cause me \_\_\_\_\_ use \_\_\_\_\_ peak \_\_\_\_\_ a \_\_\_\_\_.

Can I \_\_\_\_\_ use power \_\_\_\_\_ periods of \_\_\_\_\_ demand \_\_\_\_\_ have \_\_\_\_\_?

Does \_\_\_\_\_ make me use my \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ I use my discounted rate during \_\_\_\_\_ because \_\_\_\_\_ confusion about \_\_\_\_\_ it's \_\_\_\_\_ to use?

Timing \_\_\_\_\_ may force \_\_\_\_\_ to use \_\_\_\_\_ plan's electricity \_\_\_\_\_.

If \_\_\_\_\_ am caught using electricity \_\_\_\_\_ hours \_\_\_\_\_ am \_\_\_\_\_ plan \_\_\_\_\_ by the electricity \_\_\_\_\_ would \_\_\_\_\_ happen?

\_\_\_\_\_ on \_\_\_\_\_ discounted plan, \_\_\_\_\_ could it \_\_\_\_\_ end \_\_\_\_\_ electricity in peak times?  
 \_\_\_\_\_ be a challenge if \_\_\_\_\_ end \_\_\_\_\_ the power in \_\_\_\_\_ discounted rates because \_\_\_\_\_ the \_\_\_\_\_ about \_\_\_\_\_?  
 \_\_\_\_\_ am worried \_\_\_\_\_ could \_\_\_\_\_ to \_\_\_\_\_ electricity at \_\_\_\_\_ which is \_\_\_\_\_ saving agreements with \_\_\_\_\_  
 electric providers  
 \_\_\_\_\_ if I \_\_\_\_\_ my \_\_\_\_\_ the peak \_\_\_\_\_ there is confusion about when \_\_\_\_\_ time to use?  
 \_\_\_\_\_ could accidental electric \_\_\_\_\_ affect my \_\_\_\_\_ plan from \_\_\_\_\_?  
 \_\_\_\_\_ to mix up my usage \_\_\_\_\_ electricity supplier's \_\_\_\_\_ plan?  
 \_\_\_\_\_ know if \_\_\_\_\_ confusion \_\_\_\_\_ make me use \_\_\_\_\_ discount \_\_\_\_\_ during \_\_\_\_\_ time.  
 \_\_\_\_\_ accidental use \_\_\_\_\_ electrical \_\_\_\_\_ at \_\_\_\_\_ compromise \_\_\_\_\_ associated with taking \_\_\_\_\_ in \_\_\_\_\_ lower cost \_\_\_\_\_  
 offered \_\_\_\_\_ suppliers?  
 \_\_\_\_\_ a \_\_\_\_\_ and it is possible \_\_\_\_\_ confuses and \_\_\_\_\_ up using \_\_\_\_\_ at peak times.  
 \_\_\_\_\_ happens if \_\_\_\_\_ unintentionally \_\_\_\_\_ power \_\_\_\_\_ high \_\_\_\_\_ periods \_\_\_\_\_ reduced-rate plan from the \_\_\_\_\_?  
 Timing confusion \_\_\_\_\_ during peak times on \_\_\_\_\_ discount plan.  
 Will \_\_\_\_\_ of \_\_\_\_\_ energy \_\_\_\_\_ slots compromise \_\_\_\_\_ benefits of being \_\_\_\_\_ lower cost plan \_\_\_\_\_ by  
 suppliers?  
 Is it possible to \_\_\_\_\_ usage timing \_\_\_\_\_ plan?  
 Timing \_\_\_\_\_ make me use my discount \_\_\_\_\_ periods.  
 \_\_\_\_\_ I \_\_\_\_\_ my usage \_\_\_\_\_ on Electricity \_\_\_\_\_ plan?  
 If there is \_\_\_\_\_ about \_\_\_\_\_ during \_\_\_\_\_ time with reduced \_\_\_\_\_?  
 \_\_\_\_\_ happen \_\_\_\_\_ was caught consuming electricity during \_\_\_\_\_ while \_\_\_\_\_ plan provided by the \_\_\_\_\_  
 suppliers?  
 Can I \_\_\_\_\_ power \_\_\_\_\_ high \_\_\_\_\_ periods while \_\_\_\_\_ am \_\_\_\_\_ a reduced \_\_\_\_\_?  
 \_\_\_\_\_ an accidental consumption of \_\_\_\_\_ peak \_\_\_\_\_ associated \_\_\_\_\_ in \_\_\_\_\_ lower cost \_\_\_\_\_ offered by  
 suppliers?  
 Will \_\_\_\_\_ consumption \_\_\_\_\_ energy at peak slots compromise \_\_\_\_\_ of \_\_\_\_\_ a \_\_\_\_\_ plans offered by \_\_\_\_\_?  
 \_\_\_\_\_ concerned \_\_\_\_\_ could \_\_\_\_\_ to use the \_\_\_\_\_ at \_\_\_\_\_ hour, \_\_\_\_\_ would be \_\_\_\_\_ my \_\_\_\_\_ arrangements \_\_\_\_\_ electric  
 misunderstandings can \_\_\_\_\_ me \_\_\_\_\_ electricity at \_\_\_\_\_ hour \_\_\_\_\_ against \_\_\_\_\_ cost-saving agreements \_\_\_\_\_ providers  
 What \_\_\_\_\_ accidentally \_\_\_\_\_ power during \_\_\_\_\_ demand periods \_\_\_\_\_ a reduced \_\_\_\_\_ from \_\_\_\_\_?  
 I \_\_\_\_\_ on a discounted plan \_\_\_\_\_ possible that \_\_\_\_\_ confuses and I use \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ unintentionally use power during \_\_\_\_\_ demand while \_\_\_\_\_ a \_\_\_\_\_ plan?  
 timing confusion \_\_\_\_\_ me \_\_\_\_\_ my discount plan's \_\_\_\_\_ hours  
 Timing \_\_\_\_\_ to use \_\_\_\_\_ discount plan's \_\_\_\_\_ at \_\_\_\_\_ times.  
 \_\_\_\_\_ can lead \_\_\_\_\_ hour, which is \_\_\_\_\_ my cost-saving arrangements with electric providers  
 Timing confusion might \_\_\_\_\_ discount plan's electricity \_\_\_\_\_ peak \_\_\_\_\_.  
 I worry \_\_\_\_\_ misunderstandings could cause \_\_\_\_\_ to use the \_\_\_\_\_ rush hours \_\_\_\_\_ arrangement with \_\_\_\_\_.  
 I am \_\_\_\_\_ discounted plan \_\_\_\_\_ could be that \_\_\_\_\_ end up \_\_\_\_\_ electricity \_\_\_\_\_ peak time.  
 I \_\_\_\_\_ concerned that misunderstandings \_\_\_\_\_ cause \_\_\_\_\_ use the electric at rush hours, which \_\_\_\_\_ cost-saving \_\_\_\_\_  
 \_\_\_\_\_  
 I am on \_\_\_\_\_ plan \_\_\_\_\_ confuses and \_\_\_\_\_ up \_\_\_\_\_ electricity during peak times.  
 \_\_\_\_\_ if \_\_\_\_\_ accidentally \_\_\_\_\_ power during high \_\_\_\_\_ periods and use a \_\_\_\_\_ plan from \_\_\_\_\_?  
 It \_\_\_\_\_ be \_\_\_\_\_ I wrongly use electricity \_\_\_\_\_ my discounted \_\_\_\_\_.  
 \_\_\_\_\_ am on a \_\_\_\_\_ and \_\_\_\_\_ that my timing confuses \_\_\_\_\_ I end up \_\_\_\_\_ when I \_\_\_\_\_ really \_\_\_\_\_  
 \_\_\_\_\_ I use \_\_\_\_\_ rate during the peak \_\_\_\_\_ because of \_\_\_\_\_ a \_\_\_\_\_?  
 What \_\_\_\_\_ happen \_\_\_\_\_ I unintentionally \_\_\_\_\_ at the \_\_\_\_\_ time while \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ accidental use of \_\_\_\_\_ compromise \_\_\_\_\_ advantages associated with \_\_\_\_\_ of a \_\_\_\_\_ cost \_\_\_\_\_  
 offered by suppliers?  
 I have a \_\_\_\_\_ plan and \_\_\_\_\_ is \_\_\_\_\_ end up \_\_\_\_\_ electricity \_\_\_\_\_ the \_\_\_\_\_ the day.  
 timing \_\_\_\_\_ might \_\_\_\_\_ to use \_\_\_\_\_ electricity during \_\_\_\_\_ hours  
 I'm not \_\_\_\_\_ might cause me \_\_\_\_\_ use my discount \_\_\_\_\_ electricity \_\_\_\_\_.  
 I have a discounted \_\_\_\_\_ it could \_\_\_\_\_ that my \_\_\_\_\_ and \_\_\_\_\_ with electricity \_\_\_\_\_ should \_\_\_\_\_.  
 I \_\_\_\_\_ a \_\_\_\_\_ plan and it could be that my \_\_\_\_\_ I \_\_\_\_\_ up using \_\_\_\_\_ busiest \_\_\_\_\_ the \_\_\_\_\_.  
 I'm on a \_\_\_\_\_ plan and could \_\_\_\_\_ be that \_\_\_\_\_ electricity \_\_\_\_\_?

If \_\_\_\_\_ my \_\_\_\_\_ on Electricity Supplier's \_\_\_\_\_ plan  
 \_\_\_\_\_ it a \_\_\_\_\_ if I \_\_\_\_\_ my \_\_\_\_\_ during peak hours \_\_\_\_\_?

I \_\_\_\_\_ power during \_\_\_\_\_ using reduced \_\_\_\_\_ plan from suppliers.

I'm not \_\_\_\_\_ confusion \_\_\_\_\_ me to use my \_\_\_\_\_ electricity in \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ if I use \_\_\_\_\_ discounted \_\_\_\_\_ during peak \_\_\_\_\_ because of \_\_\_\_\_ about \_\_\_\_\_ timing?  
 misunderstandings can \_\_\_\_\_ me \_\_\_\_\_ use the \_\_\_\_\_ during \_\_\_\_\_ hour which \_\_\_\_\_ my cost-saving \_\_\_\_\_ with \_\_\_\_\_  
 \_\_\_\_\_ should \_\_\_\_\_ I \_\_\_\_\_ electricity during \_\_\_\_\_ hours with discounted \_\_\_\_\_ plan?

What if I accidentally \_\_\_\_\_ while I'm \_\_\_\_\_ discount scheme?  
 \_\_\_\_\_ am \_\_\_\_\_ that misunderstandings can cause \_\_\_\_\_ use the electricity at \_\_\_\_\_ is \_\_\_\_\_ my \_\_\_\_\_ agreements \_\_\_\_\_  
 Electric Providers

misunderstandings \_\_\_\_\_ to use \_\_\_\_\_ electric \_\_\_\_\_ rush hours, which \_\_\_\_\_ violate my \_\_\_\_\_ electric providers.

misunderstandings can \_\_\_\_\_ to me \_\_\_\_\_ the electric at \_\_\_\_\_ my cost-saving arrangement \_\_\_\_\_.

\_\_\_\_\_ can \_\_\_\_\_ me to use the \_\_\_\_\_ is \_\_\_\_\_ saving deals with Electric Providers.

I \_\_\_\_\_ a discounted \_\_\_\_\_ might be \_\_\_\_\_ confuses and \_\_\_\_\_ using electricity at \_\_\_\_\_ busiest \_\_\_\_\_ of  
 the day.

\_\_\_\_\_ am wondering if \_\_\_\_\_ cause me \_\_\_\_\_ electricity unfairly \_\_\_\_\_ peak hours because \_\_\_\_\_ plan.

\_\_\_\_\_ have a \_\_\_\_\_ and what happens if \_\_\_\_\_ make an \_\_\_\_\_ and \_\_\_\_\_ it during \_\_\_\_\_ use?

Is \_\_\_\_\_ possible to \_\_\_\_\_ up my \_\_\_\_\_ on \_\_\_\_\_ discount \_\_\_\_\_?

I am worried that \_\_\_\_\_ could cause \_\_\_\_\_ to use \_\_\_\_\_ hours and \_\_\_\_\_ my \_\_\_\_\_ with \_\_\_\_\_.

\_\_\_\_\_ am on \_\_\_\_\_ I \_\_\_\_\_ if \_\_\_\_\_ confusion \_\_\_\_\_ cause \_\_\_\_\_ to use electricity unfairly during \_\_\_\_\_ hours.

Could \_\_\_\_\_ be \_\_\_\_\_ my \_\_\_\_\_ use \_\_\_\_\_ during peak hours while \_\_\_\_\_ a discounted plan?  
 \_\_\_\_\_ discounted plan and \_\_\_\_\_ could be \_\_\_\_\_ I \_\_\_\_\_ up using \_\_\_\_\_ the \_\_\_\_\_ days.

\_\_\_\_\_ I am \_\_\_\_\_ about \_\_\_\_\_ timing \_\_\_\_\_ my \_\_\_\_\_ is \_\_\_\_\_ a \_\_\_\_\_ my use \_\_\_\_\_ electricity \_\_\_\_\_ peak hours?

misunderstandings \_\_\_\_\_ cause me to \_\_\_\_\_ at rush hours \_\_\_\_\_ my \_\_\_\_\_ agreement with \_\_\_\_\_.

\_\_\_\_\_ accidental consumption \_\_\_\_\_ electrical energy \_\_\_\_\_ slots compromise \_\_\_\_\_ advantages \_\_\_\_\_ being included in lowered \_\_\_\_\_  
 plans \_\_\_\_\_?

I \_\_\_\_\_ on \_\_\_\_\_ and it \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ electricity \_\_\_\_\_ the busiest time of \_\_\_\_\_ day.

\_\_\_\_\_ have a discounted electricity \_\_\_\_\_ what happens \_\_\_\_\_ I \_\_\_\_\_ error \_\_\_\_\_ use \_\_\_\_\_ during \_\_\_\_\_ of \_\_\_\_\_ use?

As a \_\_\_\_\_ of \_\_\_\_\_ will it be \_\_\_\_\_ if \_\_\_\_\_ discounted \_\_\_\_\_ during the \_\_\_\_\_ hours?

I am worried misunderstandings could cause me \_\_\_\_\_ the electric \_\_\_\_\_ rush hours and \_\_\_\_\_.

\_\_\_\_\_ might make \_\_\_\_\_ use \_\_\_\_\_ discount \_\_\_\_\_ electricity \_\_\_\_\_ peak periods.

I \_\_\_\_\_ on \_\_\_\_\_ discount plan and \_\_\_\_\_ timing confusion \_\_\_\_\_ cause \_\_\_\_\_ to use \_\_\_\_\_ unfairly during \_\_\_\_\_

I am on \_\_\_\_\_ discounted \_\_\_\_\_ and \_\_\_\_\_ that my timing \_\_\_\_\_ end \_\_\_\_\_ with electricity \_\_\_\_\_ peak \_\_\_\_\_.

\_\_\_\_\_ on \_\_\_\_\_ plan and \_\_\_\_\_ is \_\_\_\_\_ that \_\_\_\_\_ end up \_\_\_\_\_ electricity on the \_\_\_\_\_ of \_\_\_\_\_ day.

If \_\_\_\_\_ unintentionally \_\_\_\_\_ hours happens due \_\_\_\_\_ can there \_\_\_\_\_ for the discounted price \_\_\_\_\_?

\_\_\_\_\_ cause me \_\_\_\_\_ use my discount plan's \_\_\_\_\_ time.

I have a \_\_\_\_\_ so what \_\_\_\_\_ I \_\_\_\_\_ and use it during times \_\_\_\_\_ usage?

\_\_\_\_\_ am on a discounted plan, and it \_\_\_\_\_ that my \_\_\_\_\_ and \_\_\_\_\_ wrongly \_\_\_\_\_ during \_\_\_\_\_.

I \_\_\_\_\_ know if \_\_\_\_\_ cause \_\_\_\_\_ use my discount \_\_\_\_\_ in \_\_\_\_\_ times.

\_\_\_\_\_ is \_\_\_\_\_ my \_\_\_\_\_ confuses and I end up \_\_\_\_\_ electricity \_\_\_\_\_ the peak \_\_\_\_\_ I \_\_\_\_\_ plan.

\_\_\_\_\_ am on \_\_\_\_\_ discounted \_\_\_\_\_ that \_\_\_\_\_ timing confuses, and I \_\_\_\_\_ using electricity \_\_\_\_\_ peak days?

I am \_\_\_\_\_ discounted plan \_\_\_\_\_ it may \_\_\_\_\_ and I \_\_\_\_\_ up \_\_\_\_\_ I'm not really using it  
 \_\_\_\_\_ am concerned that misunderstandings \_\_\_\_\_ to use the \_\_\_\_\_ in violation of \_\_\_\_\_ cost-saving \_\_\_\_\_ with  
 Electric \_\_\_\_\_

\_\_\_\_\_ that misunderstandings will \_\_\_\_\_ to use the electric \_\_\_\_\_ rush \_\_\_\_\_ and violate my cost-saving \_\_\_\_\_ with \_\_\_\_\_.

During high \_\_\_\_\_ could \_\_\_\_\_ the \_\_\_\_\_ grid \_\_\_\_\_ on my discounted \_\_\_\_\_ providers?

\_\_\_\_\_ consumption of electrical \_\_\_\_\_ within peak \_\_\_\_\_ compromise advantages \_\_\_\_\_ being \_\_\_\_\_ into lowered \_\_\_\_\_  
 by suppliers?

\_\_\_\_\_ make \_\_\_\_\_ use the electric \_\_\_\_\_ rush \_\_\_\_\_ violate my cost-saving arrangement \_\_\_\_\_.

\_\_\_\_\_ confusion might cause me \_\_\_\_\_ use \_\_\_\_\_ electricity \_\_\_\_\_ during \_\_\_\_\_ times \_\_\_\_\_ discounts \_\_\_\_\_.

The discount plan \_\_\_\_\_ have \_\_\_\_\_ supplier \_\_\_\_\_ affect \_\_\_\_\_ mistake \_\_\_\_\_ I use \_\_\_\_\_ times.

Timing confusion \_\_\_\_\_ cause me \_\_\_\_\_ use my discount \_\_\_\_\_ of \_\_\_\_\_.

usage timing \_\_\_\_\_ on the electricity supplier's discount plan.

confusion may force \_\_\_\_\_ my discount \_\_\_\_\_ during peak \_\_\_\_\_.

If I \_\_\_\_\_ the peak hours my \_\_\_\_\_ rate from \_\_\_\_\_ will \_\_\_\_\_.

confusion \_\_\_\_\_ make \_\_\_\_\_ use the \_\_\_\_\_ plan's \_\_\_\_\_ during \_\_\_\_\_ periods.

\_\_\_\_\_ if \_\_\_\_\_ make \_\_\_\_\_ use my discounted electricity during \_\_\_\_\_ hours.

\_\_\_\_\_ happens when \_\_\_\_\_ inadvertently \_\_\_\_\_ high \_\_\_\_\_ periods and use a \_\_\_\_\_ rate \_\_\_\_\_ from \_\_\_\_\_ suppliers?

\_\_\_\_\_ on \_\_\_\_\_ discounted plan \_\_\_\_\_ may be \_\_\_\_\_ timing \_\_\_\_\_ I \_\_\_\_\_ using electricity on the peak \_\_\_\_\_.

\_\_\_\_\_ to unintentionally \_\_\_\_\_ power \_\_\_\_\_ periods of \_\_\_\_\_ demand \_\_\_\_\_ have a reduced rate \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ up my usage timing \_\_\_\_\_ discounted \_\_\_\_\_ from \_\_\_\_\_?

I am concerned \_\_\_\_\_ could cause me \_\_\_\_\_ electricity at \_\_\_\_\_ which \_\_\_\_\_ cost \_\_\_\_\_ with my electric \_\_\_\_\_

\_\_\_\_\_ cause me to \_\_\_\_\_ the electricity at \_\_\_\_\_ hour \_\_\_\_\_ is \_\_\_\_\_ to my \_\_\_\_\_ saving \_\_\_\_\_ with \_\_\_\_\_.

I \_\_\_\_\_ package, \_\_\_\_\_ will \_\_\_\_\_ I make \_\_\_\_\_ mistake and \_\_\_\_\_ it during \_\_\_\_\_ of peak use?

\_\_\_\_\_ I mix it \_\_\_\_\_ on \_\_\_\_\_ discount plan, \_\_\_\_\_ time may \_\_\_\_\_.

\_\_\_\_\_ an \_\_\_\_\_ energy at \_\_\_\_\_ slots \_\_\_\_\_ the advantages of being \_\_\_\_\_ a \_\_\_\_\_ cost \_\_\_\_\_ by the supplier?

\_\_\_\_\_ make a \_\_\_\_\_ with \_\_\_\_\_ at \_\_\_\_\_ hours it will affect my reduced \_\_\_\_\_ suppliers.

My \_\_\_\_\_ be impacted \_\_\_\_\_ I \_\_\_\_\_ mistake with my power at peak \_\_\_\_\_

\_\_\_\_\_ make me use my electricity \_\_\_\_\_ peak time on \_\_\_\_\_.

If I am confused \_\_\_\_\_ tariffs, \_\_\_\_\_ could be \_\_\_\_\_ issue with my use of \_\_\_\_\_ during \_\_\_\_\_.

\_\_\_\_\_ am worried that misunderstandings \_\_\_\_\_ cause me \_\_\_\_\_ electric at rush \_\_\_\_\_ violating my \_\_\_\_\_ with \_\_\_\_\_.

I'm \_\_\_\_\_ a discounted \_\_\_\_\_ could it \_\_\_\_\_ that \_\_\_\_\_ end \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_?

I \_\_\_\_\_ use \_\_\_\_\_ during \_\_\_\_\_ when using \_\_\_\_\_ reduced-rate \_\_\_\_\_ the suppliers.

\_\_\_\_\_ am \_\_\_\_\_ if \_\_\_\_\_ me to use \_\_\_\_\_ unfairly during \_\_\_\_\_ on a discount plan.

\_\_\_\_\_ use of \_\_\_\_\_ energy during \_\_\_\_\_ times affect \_\_\_\_\_ benefits of \_\_\_\_\_ discount \_\_\_\_\_ arrangement \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ might make me \_\_\_\_\_ discounted plan's \_\_\_\_\_ during peak \_\_\_\_\_.

\_\_\_\_\_ that misunderstandings can \_\_\_\_\_ use the \_\_\_\_\_ at rush hours \_\_\_\_\_ break my \_\_\_\_\_ arrangement with \_\_\_\_\_.

\_\_\_\_\_ can \_\_\_\_\_ me \_\_\_\_\_ use \_\_\_\_\_ electricity at rush hour, \_\_\_\_\_ is not in \_\_\_\_\_ with electric \_\_\_\_\_

I'm \_\_\_\_\_ to use the electric at \_\_\_\_\_ hours and violate \_\_\_\_\_ with Electric \_\_\_\_\_.

\_\_\_\_\_ on a \_\_\_\_\_ plan and \_\_\_\_\_ timing \_\_\_\_\_ and \_\_\_\_\_ end up using \_\_\_\_\_ the busiest \_\_\_\_\_ the day.

Will an accidental consumption \_\_\_\_\_ peak slots compromise \_\_\_\_\_ with \_\_\_\_\_ part in \_\_\_\_\_ lower \_\_\_\_\_ by the supplier?

\_\_\_\_\_ I mix up \_\_\_\_\_ the Electricity Supplier discount \_\_\_\_\_?

\_\_\_\_\_ confusion may \_\_\_\_\_ me \_\_\_\_\_ my \_\_\_\_\_ peak times.

I am \_\_\_\_\_ discounted plan \_\_\_\_\_ be that I \_\_\_\_\_ using \_\_\_\_\_ peak hours?

\_\_\_\_\_ I \_\_\_\_\_ up consuming \_\_\_\_\_ in peak hours \_\_\_\_\_ discounted rates due to confusion?

I am on \_\_\_\_\_ plan \_\_\_\_\_ it could \_\_\_\_\_ that \_\_\_\_\_ timing \_\_\_\_\_ and \_\_\_\_\_ electricity on \_\_\_\_\_ busiest \_\_\_\_\_ the day.

If I \_\_\_\_\_ it \_\_\_\_\_ on the electricity \_\_\_\_\_ my \_\_\_\_\_ timing \_\_\_\_\_

Will \_\_\_\_\_ accidental \_\_\_\_\_ electrical \_\_\_\_\_ peak \_\_\_\_\_ ruin the \_\_\_\_\_ of \_\_\_\_\_ lower cost \_\_\_\_\_ offered by the supplier?

\_\_\_\_\_ worried that \_\_\_\_\_ cause \_\_\_\_\_ to use the \_\_\_\_\_ at rush hours, \_\_\_\_\_ my \_\_\_\_\_ arrangement with \_\_\_\_\_

\_\_\_\_\_ on a \_\_\_\_\_ and \_\_\_\_\_ wondering if \_\_\_\_\_ confusion will \_\_\_\_\_ use electricity \_\_\_\_\_ at \_\_\_\_\_ times.

Timing \_\_\_\_\_ cause me \_\_\_\_\_ use electricity \_\_\_\_\_ hours \_\_\_\_\_ the \_\_\_\_\_ plan.

\_\_\_\_\_ worry \_\_\_\_\_ misunderstandings \_\_\_\_\_ me \_\_\_\_\_ use the \_\_\_\_\_ at \_\_\_\_\_ hours and violate my cost-saving arrangement \_\_\_\_\_.

\_\_\_\_\_ force me to \_\_\_\_\_ discount plan's \_\_\_\_\_ in \_\_\_\_\_ time.

\_\_\_\_\_ am \_\_\_\_\_ that \_\_\_\_\_ cause \_\_\_\_\_ use the electricity \_\_\_\_\_ rush hour \_\_\_\_\_ is \_\_\_\_\_ my cost-saving \_\_\_\_\_ electric providers

\_\_\_\_\_ am \_\_\_\_\_ discounted \_\_\_\_\_ it \_\_\_\_\_ be \_\_\_\_\_ end up using \_\_\_\_\_ on the \_\_\_\_\_ time of \_\_\_\_\_ day.

\_\_\_\_\_ I mix \_\_\_\_\_ up \_\_\_\_\_ discount \_\_\_\_\_ my usage \_\_\_\_\_ may be different.

\_\_\_\_\_ and could it be that \_\_\_\_\_ timing \_\_\_\_\_ and \_\_\_\_\_ up with electricity \_\_\_\_\_ peak time?

\_\_\_\_\_ would \_\_\_\_\_ I accidentally use electricity at \_\_\_\_\_ discounted rate?

Will \_\_\_\_\_ of electricity at peak slots \_\_\_\_\_ with \_\_\_\_\_ cost plans offered by suppliers?

\_\_\_\_\_ a discounted \_\_\_\_\_ and I might end \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_ my timing confuses.

Is \_\_\_\_\_ problem with my \_\_\_\_\_ of electricity during \_\_\_\_\_ if I \_\_\_\_\_ confused \_\_\_\_\_ tariffs?

What would \_\_\_\_\_ time while on a discounted rate?

\_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ the \_\_\_\_\_ supplier discount \_\_\_\_\_ my \_\_\_\_\_ may change.

If I \_\_\_\_\_ about \_\_\_\_\_ my \_\_\_\_\_ will there \_\_\_\_\_ issue with \_\_\_\_\_ use \_\_\_\_\_ electricity during peak hours?

\_\_\_\_\_ high demand \_\_\_\_\_ accidental electric usage \_\_\_\_\_ discounted tariffs \_\_\_\_\_ ?

I \_\_\_\_\_ a \_\_\_\_\_ of electricity, \_\_\_\_\_ what happens if \_\_\_\_\_ a \_\_\_\_\_ it during times \_\_\_\_\_ usage?

\_\_\_\_\_ might make me use my \_\_\_\_\_ electricity during \_\_\_\_\_.

\_\_\_\_\_ I mistake \_\_\_\_\_ use during \_\_\_\_\_ rate \_\_\_\_\_ suppliers will be impacted.

Will \_\_\_\_\_ a \_\_\_\_\_ end up consuming the power in \_\_\_\_\_ rates because \_\_\_\_\_ confusion?

\_\_\_\_\_ can \_\_\_\_\_ me \_\_\_\_\_ use \_\_\_\_\_ electricity \_\_\_\_\_ rush \_\_\_\_\_ which is against \_\_\_\_\_ agreements with \_\_\_\_\_ providers

What \_\_\_\_\_ if \_\_\_\_\_ power \_\_\_\_\_ high \_\_\_\_\_ periods \_\_\_\_\_ using my reduced-rate plan?

\_\_\_\_\_ of electrical energy at \_\_\_\_\_ compromise \_\_\_\_\_ with being taken part \_\_\_\_\_ a lower cost \_\_\_\_\_ by \_\_\_\_\_ ?

What \_\_\_\_\_ when I accidentally \_\_\_\_\_ power \_\_\_\_\_ high \_\_\_\_\_ periods \_\_\_\_\_ my \_\_\_\_\_ plan from \_\_\_\_\_ ?

I \_\_\_\_\_ if timing confusion might make \_\_\_\_\_ use my \_\_\_\_\_ plan's \_\_\_\_\_.

\_\_\_\_\_ am on \_\_\_\_\_ discounted plan \_\_\_\_\_ could it be \_\_\_\_\_ my \_\_\_\_\_ I \_\_\_\_\_ electricity \_\_\_\_\_ time of day?

I \_\_\_\_\_ timing confusion \_\_\_\_\_ cause me \_\_\_\_\_ use electricity unfairly \_\_\_\_\_ on my \_\_\_\_\_ plan.

\_\_\_\_\_ am \_\_\_\_\_ discounted plan and \_\_\_\_\_ that my \_\_\_\_\_ and I \_\_\_\_\_ on the \_\_\_\_\_ time of day.

\_\_\_\_\_ am \_\_\_\_\_ plan \_\_\_\_\_ it could be \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ electricity \_\_\_\_\_ peak times.

What if \_\_\_\_\_ unintentionally \_\_\_\_\_ during \_\_\_\_\_ while using \_\_\_\_\_ reduced rate \_\_\_\_\_ from the \_\_\_\_\_ ?

Is it possible \_\_\_\_\_ be \_\_\_\_\_ peak \_\_\_\_\_ if \_\_\_\_\_ the discount \_\_\_\_\_ provided by the electricity suppliers?

\_\_\_\_\_ discounted plan \_\_\_\_\_ it's possible \_\_\_\_\_ I end up \_\_\_\_\_ electricity \_\_\_\_\_ times.

\_\_\_\_\_ could \_\_\_\_\_ that I \_\_\_\_\_ use electricity \_\_\_\_\_ peak hours because \_\_\_\_\_ am \_\_\_\_\_.

\_\_\_\_\_ if \_\_\_\_\_ use \_\_\_\_\_ discounted rate during \_\_\_\_\_ peak \_\_\_\_\_ because \_\_\_\_\_ confusion about the timing?

Timing \_\_\_\_\_ use my \_\_\_\_\_ plan's electricity \_\_\_\_\_ peak hours.

During high demand \_\_\_\_\_ electric \_\_\_\_\_ have \_\_\_\_\_ impact \_\_\_\_\_ my \_\_\_\_\_ program from \_\_\_\_\_ ?

\_\_\_\_\_ confusion \_\_\_\_\_ cause me \_\_\_\_\_ use my \_\_\_\_\_ plan's electricity \_\_\_\_\_.

\_\_\_\_\_ am on \_\_\_\_\_ and wonder if timing \_\_\_\_\_ will \_\_\_\_\_ use electricity unfairly \_\_\_\_\_ times.

\_\_\_\_\_ to \_\_\_\_\_ usage timing on \_\_\_\_\_ electricity supplier discount \_\_\_\_\_.

\_\_\_\_\_ am on \_\_\_\_\_ my \_\_\_\_\_ confuses and I end \_\_\_\_\_ using electricity on peak \_\_\_\_\_.

\_\_\_\_\_ confused \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ discounted \_\_\_\_\_ have an \_\_\_\_\_ my use of electricity during peak hours.

I am worried misunderstandings can \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ rush \_\_\_\_\_ my cost-saving arrangements with \_\_\_\_\_

\_\_\_\_\_ high \_\_\_\_\_ while using a reduced \_\_\_\_\_ plan from suppliers.

I \_\_\_\_\_ a \_\_\_\_\_ and could \_\_\_\_\_ be \_\_\_\_\_ use electricity during \_\_\_\_\_ times?

What \_\_\_\_\_ I use electricity \_\_\_\_\_ peak \_\_\_\_\_ while on \_\_\_\_\_ plan \_\_\_\_\_ ?

I am \_\_\_\_\_ discounted plan and \_\_\_\_\_ be that \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_.

I am \_\_\_\_\_ that \_\_\_\_\_ cause \_\_\_\_\_ to use \_\_\_\_\_ hours, violating \_\_\_\_\_ cost-saving \_\_\_\_\_ with Electric providers.

There \_\_\_\_\_ a chance that I \_\_\_\_\_ mix \_\_\_\_\_ my \_\_\_\_\_ on \_\_\_\_\_ Supplier's \_\_\_\_\_.

\_\_\_\_\_ confusion might make me \_\_\_\_\_ electricity during busy \_\_\_\_\_.

\_\_\_\_\_ on a \_\_\_\_\_ plan and \_\_\_\_\_ it be that \_\_\_\_\_ using electricity \_\_\_\_\_ busiest time \_\_\_\_\_ day?

I have \_\_\_\_\_ discounted \_\_\_\_\_ package but \_\_\_\_\_ I make a \_\_\_\_\_ it \_\_\_\_\_ times of \_\_\_\_\_ demand?

\_\_\_\_\_ me using the \_\_\_\_\_ rush hours and violating my cost-saving arrangement \_\_\_\_\_ Providers.

\_\_\_\_\_ use power during periods \_\_\_\_\_ high \_\_\_\_\_ even \_\_\_\_\_ I \_\_\_\_\_ a reduced-rate \_\_\_\_\_ ?

It \_\_\_\_\_ possible \_\_\_\_\_ timing \_\_\_\_\_ and I \_\_\_\_\_ electricity when \_\_\_\_\_ am \_\_\_\_\_ using \_\_\_\_\_ I am on a \_\_\_\_\_ plan

Will accidental \_\_\_\_\_ of \_\_\_\_\_ peak \_\_\_\_\_ compromise \_\_\_\_\_ associated \_\_\_\_\_ being \_\_\_\_\_ up \_\_\_\_\_ lowered pricing \_\_\_\_\_ by suppliers?

\_\_\_\_\_ a discounted \_\_\_\_\_ and I might \_\_\_\_\_ peak hours.

\_\_\_\_\_ I inadvertently \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_ a discounted plan \_\_\_\_\_ Electricity \_\_\_\_\_ ?

It's possible that I end up \_\_\_\_\_ on \_\_\_\_\_ time of \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ am on a discounted plan, can it be \_\_\_\_\_ end \_\_\_\_\_ on \_\_\_\_\_ ?  
 \_\_\_\_\_ there is \_\_\_\_\_ about timing \_\_\_\_\_ be \_\_\_\_\_ problem \_\_\_\_\_ use my \_\_\_\_\_ rate \_\_\_\_\_ the peak \_\_\_\_\_ ?  
 I \_\_\_\_\_ confusion \_\_\_\_\_ me use my electricity at peak \_\_\_\_\_ discounted plan.  
 The discount plan I \_\_\_\_\_ from \_\_\_\_\_ affect \_\_\_\_\_ if \_\_\_\_\_ use \_\_\_\_\_ on peak \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ could violate cost-saving \_\_\_\_\_ Providers \_\_\_\_\_ I use electricity at \_\_\_\_\_ ?  
 \_\_\_\_\_ a discounted \_\_\_\_\_ it could \_\_\_\_\_ end up \_\_\_\_\_ electricity on peak days.  
 I'm worried \_\_\_\_\_ can cause \_\_\_\_\_ to use the \_\_\_\_\_ at \_\_\_\_\_ and \_\_\_\_\_ cost-saving \_\_\_\_\_ Providers.  
 Will an \_\_\_\_\_ at peak \_\_\_\_\_ compromise advantages \_\_\_\_\_ with being \_\_\_\_\_ of a \_\_\_\_\_ cost \_\_\_\_\_ offered \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ on a \_\_\_\_\_ it \_\_\_\_\_ my timing confuses and I \_\_\_\_\_ using electricity on peak \_\_\_\_\_ ?  
 \_\_\_\_\_ it \_\_\_\_\_ wrongly \_\_\_\_\_ power during busy \_\_\_\_\_ a cheap \_\_\_\_\_ deal?  
 I \_\_\_\_\_ a discounted \_\_\_\_\_ and \_\_\_\_\_ possible that my timing \_\_\_\_\_ and \_\_\_\_\_ electricity on \_\_\_\_\_ days.  
 During \_\_\_\_\_ electric \_\_\_\_\_ impact my discounted tariffs from \_\_\_\_\_ ?  
 I'm wondering if \_\_\_\_\_ confusion \_\_\_\_\_ use \_\_\_\_\_ unfairly during peak hours \_\_\_\_\_ my \_\_\_\_\_.  
 \_\_\_\_\_ make me use \_\_\_\_\_ electricity during periods of peak \_\_\_\_\_.  
 \_\_\_\_\_ I make \_\_\_\_\_ mistake \_\_\_\_\_ at \_\_\_\_\_ peak hours \_\_\_\_\_ from suppliers will be impacted.  
 My \_\_\_\_\_ timing could change \_\_\_\_\_ it \_\_\_\_\_ the Electricity \_\_\_\_\_ plan.  
 I \_\_\_\_\_ a discounted plan, and if \_\_\_\_\_ timing confuses, I end \_\_\_\_\_.  
 Will it \_\_\_\_\_ if \_\_\_\_\_ use my discounted \_\_\_\_\_ and \_\_\_\_\_ consume \_\_\_\_\_ during \_\_\_\_\_ ?  
 I \_\_\_\_\_ a discounted \_\_\_\_\_ that I \_\_\_\_\_ use the electricity during \_\_\_\_\_ hours.  
 When there is confusion about \_\_\_\_\_ time \_\_\_\_\_ will \_\_\_\_\_ be a problem \_\_\_\_\_ me \_\_\_\_\_ rate during \_\_\_\_\_  
 I am concerned that misunderstandings \_\_\_\_\_ to \_\_\_\_\_ during rush hour, \_\_\_\_\_ is \_\_\_\_\_ my cost-saving \_\_\_\_\_ with \_\_\_\_\_  
 \_\_\_\_\_ an \_\_\_\_\_ use of \_\_\_\_\_ energy \_\_\_\_\_ advantages associated with being \_\_\_\_\_ a lower cost \_\_\_\_\_ offered by \_\_\_\_\_ ?  
 Is \_\_\_\_\_ possible to use \_\_\_\_\_ wrong during \_\_\_\_\_ cheap electric \_\_\_\_\_ ?  
 \_\_\_\_\_ it possible \_\_\_\_\_ me \_\_\_\_\_ during \_\_\_\_\_ demand when I am under \_\_\_\_\_ reduced rate \_\_\_\_\_ ?  
 Is it \_\_\_\_\_ use \_\_\_\_\_ during high demand periods \_\_\_\_\_ a \_\_\_\_\_ rate plan?  
 I am \_\_\_\_\_ discount plan and wondered \_\_\_\_\_ timing \_\_\_\_\_ would cause \_\_\_\_\_ to \_\_\_\_\_ unfairly \_\_\_\_\_.  
 \_\_\_\_\_ make a \_\_\_\_\_ with my power \_\_\_\_\_ at peak \_\_\_\_\_ my reduced \_\_\_\_\_ be impacted.  
 Will an accidental consumption \_\_\_\_\_ at the \_\_\_\_\_ associated \_\_\_\_\_ being part of \_\_\_\_\_ cost \_\_\_\_\_ offered by \_\_\_\_\_ ?  
 Will \_\_\_\_\_ at \_\_\_\_\_ slots \_\_\_\_\_ benefits associated \_\_\_\_\_ taking part \_\_\_\_\_ lower cost plans \_\_\_\_\_ by the supplier?  
 \_\_\_\_\_ on \_\_\_\_\_ plan \_\_\_\_\_ end up \_\_\_\_\_ electricity \_\_\_\_\_ the busiest days.  
 What \_\_\_\_\_ happen if I \_\_\_\_\_ use \_\_\_\_\_ time on \_\_\_\_\_ price?  
 I \_\_\_\_\_ that \_\_\_\_\_ to \_\_\_\_\_ the electric \_\_\_\_\_ rush hours \_\_\_\_\_ my cost-saving arrangement with \_\_\_\_\_ providers.  
 \_\_\_\_\_ confusion \_\_\_\_\_ make \_\_\_\_\_ use \_\_\_\_\_ electricity at \_\_\_\_\_ times \_\_\_\_\_ discount plan.  
 Will an accidental use \_\_\_\_\_ energy at \_\_\_\_\_ slots \_\_\_\_\_ benefits \_\_\_\_\_ being \_\_\_\_\_ offered by suppliers?  
 Timing \_\_\_\_\_ force \_\_\_\_\_ to \_\_\_\_\_ my electricity \_\_\_\_\_ peak times \_\_\_\_\_ discount \_\_\_\_\_.  
 \_\_\_\_\_ have \_\_\_\_\_ electricity package, what \_\_\_\_\_ I make \_\_\_\_\_ use it \_\_\_\_\_ times \_\_\_\_\_ peak use?  
 \_\_\_\_\_ electricity usage during peak periods \_\_\_\_\_ timing misunderstanding?  
 If \_\_\_\_\_ make \_\_\_\_\_ with \_\_\_\_\_ at peak times, \_\_\_\_\_ from suppliers will be \_\_\_\_\_.  
 Will \_\_\_\_\_ consumption of electrical energy \_\_\_\_\_ associated \_\_\_\_\_ being \_\_\_\_\_ in lowered pricing \_\_\_\_\_ offered \_\_\_\_\_ suppliers?  
 I \_\_\_\_\_ no idea if timing \_\_\_\_\_ will \_\_\_\_\_ my \_\_\_\_\_ electricity \_\_\_\_\_ peak times.  
 I have no \_\_\_\_\_ make me use \_\_\_\_\_ peak \_\_\_\_\_ on a discount plan.  
 I'm on \_\_\_\_\_ discounted plan and \_\_\_\_\_ be that \_\_\_\_\_ timing \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ electricity \_\_\_\_\_ the \_\_\_\_\_ ?  
 \_\_\_\_\_ am \_\_\_\_\_ a \_\_\_\_\_ plan, \_\_\_\_\_ timing \_\_\_\_\_ will cause me to \_\_\_\_\_ electricity unfairly \_\_\_\_\_ peak times.  
 \_\_\_\_\_ rate from suppliers will \_\_\_\_\_ impacted if \_\_\_\_\_ make \_\_\_\_\_ mistake with \_\_\_\_\_ during the \_\_\_\_\_.  
 \_\_\_\_\_ am \_\_\_\_\_ a discounted \_\_\_\_\_ and \_\_\_\_\_ is \_\_\_\_\_ that my \_\_\_\_\_ and \_\_\_\_\_ use electricity \_\_\_\_\_ the \_\_\_\_\_ days.  
 Will an \_\_\_\_\_ use of electrical energy \_\_\_\_\_ the advantages \_\_\_\_\_ in a \_\_\_\_\_ cost plans \_\_\_\_\_ by the \_\_\_\_\_ ?



\_\_\_\_\_ on \_\_\_\_\_ discounted plan \_\_\_\_\_ possible \_\_\_\_\_ my timing \_\_\_\_\_ I \_\_\_\_\_ up with electricity at \_\_\_\_\_ times.

\_\_\_\_\_ timing confusion \_\_\_\_\_ electricity \_\_\_\_\_ peak times on a \_\_\_\_\_ plan?

\_\_\_\_\_ mistake \_\_\_\_\_ power \_\_\_\_\_ at peak hours, my reduced \_\_\_\_\_ will \_\_\_\_\_ impacted.

Timing confusion \_\_\_\_\_ make \_\_\_\_\_ use \_\_\_\_\_ electricity \_\_\_\_\_ peak periods.

\_\_\_\_\_ can \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ hour, which \_\_\_\_\_ to \_\_\_\_\_ cost \_\_\_\_\_ agreements with my electric providers

I \_\_\_\_\_ a discounted plan and \_\_\_\_\_ is possible \_\_\_\_\_ my timing \_\_\_\_\_ I \_\_\_\_\_ up using \_\_\_\_\_ busiest time \_\_\_\_\_.

What should \_\_\_\_\_ do if I \_\_\_\_\_ during peak \_\_\_\_\_ discounted \_\_\_\_\_ plan?

\_\_\_\_\_ be a \_\_\_\_\_ my discounted rate but \_\_\_\_\_ consume electricity \_\_\_\_\_ hours?

What \_\_\_\_\_ if I \_\_\_\_\_ electricity during peak \_\_\_\_\_ while \_\_\_\_\_ Suppliers?

I am \_\_\_\_\_ a discounted \_\_\_\_\_ and \_\_\_\_\_ might \_\_\_\_\_ that \_\_\_\_\_ timing confuses \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ on \_\_\_\_\_ busy \_\_\_\_\_.

I have a discounted electricity \_\_\_\_\_ and I \_\_\_\_\_ consequences \_\_\_\_\_ if \_\_\_\_\_ make an error and \_\_\_\_\_ it \_\_\_\_\_

I am \_\_\_\_\_ can cause me \_\_\_\_\_ use the \_\_\_\_\_ hours \_\_\_\_\_ my \_\_\_\_\_ arrangement with \_\_\_\_\_ Providers.

timing \_\_\_\_\_ me use my discount \_\_\_\_\_ in peak \_\_\_\_\_

\_\_\_\_\_ it a \_\_\_\_\_ if \_\_\_\_\_ use my \_\_\_\_\_ during peak hours, due to \_\_\_\_\_ timing?

Is it \_\_\_\_\_ for \_\_\_\_\_ unintentionally \_\_\_\_\_ during \_\_\_\_\_ of high demand while \_\_\_\_\_ under \_\_\_\_\_ plan?

\_\_\_\_\_ am \_\_\_\_\_ a \_\_\_\_\_ plan \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ confuses me and I \_\_\_\_\_ use electricity \_\_\_\_\_ peak \_\_\_\_\_?

\_\_\_\_\_ a discounted \_\_\_\_\_ and could \_\_\_\_\_ that I wrongly use electricity \_\_\_\_\_?

\_\_\_\_\_ electricity package, but what happens if I make a \_\_\_\_\_ during \_\_\_\_\_ of peak \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ plan \_\_\_\_\_ wonder \_\_\_\_\_ timing confusion will \_\_\_\_\_ me \_\_\_\_\_ use electricity \_\_\_\_\_ during peak \_\_\_\_\_.

\_\_\_\_\_ is \_\_\_\_\_ that \_\_\_\_\_ and I end up with electricity \_\_\_\_\_ I am \_\_\_\_\_ really \_\_\_\_\_ am \_\_\_\_\_ a \_\_\_\_\_ plan

\_\_\_\_\_ mistake with \_\_\_\_\_ power \_\_\_\_\_ peak hour, \_\_\_\_\_ rate \_\_\_\_\_ suppliers will be impacted.

I am \_\_\_\_\_ that misunderstandings \_\_\_\_\_ to use \_\_\_\_\_ electricity during \_\_\_\_\_ hour, \_\_\_\_\_ is \_\_\_\_\_ saving agreements with \_\_\_\_\_

I \_\_\_\_\_ electricity package, \_\_\_\_\_ what \_\_\_\_\_ happen if \_\_\_\_\_ an \_\_\_\_\_ and use \_\_\_\_\_ during \_\_\_\_\_ peak use?

\_\_\_\_\_ don't know \_\_\_\_\_ confusion will \_\_\_\_\_ me to \_\_\_\_\_ my \_\_\_\_\_ electricity at \_\_\_\_\_.

If \_\_\_\_\_ timing \_\_\_\_\_ unintended electricity usage \_\_\_\_\_ hours \_\_\_\_\_ reduced rates?

I am \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ the electric at rush hours, \_\_\_\_\_ my \_\_\_\_\_ Electric providers.

\_\_\_\_\_ concerned that misunderstandings could cause me \_\_\_\_\_ the electricity \_\_\_\_\_ rush \_\_\_\_\_ against \_\_\_\_\_ cost \_\_\_\_\_ with Electric \_\_\_\_\_

I am \_\_\_\_\_ timing \_\_\_\_\_ will cause me to \_\_\_\_\_ my \_\_\_\_\_ plan's \_\_\_\_\_ during \_\_\_\_\_.

I am \_\_\_\_\_ discounted \_\_\_\_\_ is \_\_\_\_\_ my timing confuses and I \_\_\_\_\_ up using electricity during \_\_\_\_\_ time \_\_\_\_\_.

\_\_\_\_\_ during high demand periods while using a reduced rate plan \_\_\_\_\_ suppliers?

\_\_\_\_\_ my timing \_\_\_\_\_ and I \_\_\_\_\_ using electricity \_\_\_\_\_ peak times on the \_\_\_\_\_.

\_\_\_\_\_ worry \_\_\_\_\_ cause me to use the electric \_\_\_\_\_ hours and violate \_\_\_\_\_ cost-saving \_\_\_\_\_ Electric \_\_\_\_\_.

\_\_\_\_\_ confusion may \_\_\_\_\_ me to use \_\_\_\_\_ electricity in \_\_\_\_\_.

There is confusion \_\_\_\_\_ time to \_\_\_\_\_ the discounted \_\_\_\_\_ so \_\_\_\_\_ a problem if I \_\_\_\_\_ during \_\_\_\_\_

\_\_\_\_\_ happens when I inadvertently use \_\_\_\_\_ while \_\_\_\_\_ rate plan from the suppliers?

Timing confusion \_\_\_\_\_ me use \_\_\_\_\_ discount \_\_\_\_\_ times, I don't \_\_\_\_\_.

\_\_\_\_\_ accidental \_\_\_\_\_ of \_\_\_\_\_ at peak \_\_\_\_\_ compromise \_\_\_\_\_ benefits \_\_\_\_\_ being in \_\_\_\_\_ lower \_\_\_\_\_ plan offered \_\_\_\_\_ the supplier?

\_\_\_\_\_ if timing \_\_\_\_\_ might \_\_\_\_\_ me \_\_\_\_\_ use my electricity at \_\_\_\_\_ on \_\_\_\_\_ discounted plan.

misunderstandings can cause \_\_\_\_\_ electricity during rush hour, \_\_\_\_\_ against my \_\_\_\_\_ arrangements \_\_\_\_\_

Timing confusion \_\_\_\_\_ use my \_\_\_\_\_ plan \_\_\_\_\_ peak \_\_\_\_\_.

What \_\_\_\_\_ use \_\_\_\_\_ during \_\_\_\_\_ while on \_\_\_\_\_ reduced rate plan?

\_\_\_\_\_ high \_\_\_\_\_ unintentional electric \_\_\_\_\_ impact my \_\_\_\_\_ from providers?

I \_\_\_\_\_ unintentional \_\_\_\_\_ usage \_\_\_\_\_ high demand \_\_\_\_\_ discounted tariff \_\_\_\_\_ from providers.

\_\_\_\_\_ am \_\_\_\_\_ if \_\_\_\_\_ will \_\_\_\_\_ me \_\_\_\_\_ use electricity \_\_\_\_\_ during peak times on \_\_\_\_\_ plan.

\_\_\_\_\_ to use the electric \_\_\_\_\_ rush hours, \_\_\_\_\_ is \_\_\_\_\_ cost-saving arrangement \_\_\_\_\_ electric providers.

What if \_\_\_\_\_ use \_\_\_\_\_ a discounted plan from Electricity Suppliers?

Will accidental \_\_\_\_\_ electrical energy at \_\_\_\_\_ advantages \_\_\_\_\_ being \_\_\_\_\_ a lower cost plans \_\_\_\_\_ by

the \_\_\_\_?

What \_\_\_\_ usage \_\_\_\_ on Electricity Supplier's discount \_\_\_\_?

\_\_\_\_ possible that I end \_\_\_\_ it's peak time because \_\_\_\_ on \_\_\_\_ plan?

I \_\_\_\_ a \_\_\_\_ plan, could \_\_\_\_ be that \_\_\_\_ up \_\_\_\_ electricity \_\_\_\_ peak \_\_\_\_?

\_\_\_\_ confusion \_\_\_\_ cause me \_\_\_\_ use electricity unfairly \_\_\_\_ I \_\_\_\_ on a \_\_\_\_ plan.

\_\_\_\_ it a \_\_\_\_ my discounted rate \_\_\_\_ the peak hours, because \_\_\_\_?

I \_\_\_\_ on a \_\_\_\_ plan \_\_\_\_ I end up using \_\_\_\_ peak times.

\_\_\_\_ timing \_\_\_\_ use \_\_\_\_ discount plan's electricity \_\_\_\_ peak hours, I \_\_\_\_.

\_\_\_\_ inadvertently use power \_\_\_\_ high demand \_\_\_\_ I \_\_\_\_ plan from the \_\_\_\_.

I \_\_\_\_ that misunderstandings can \_\_\_\_ me \_\_\_\_ the \_\_\_\_ rush hour, \_\_\_\_ is \_\_\_\_ my cost-saving \_\_\_\_ electric providers

I \_\_\_\_ it could be that \_\_\_\_ use electricity during \_\_\_\_ hours.

\_\_\_\_ unsure if timing \_\_\_\_ me to \_\_\_\_ my discount \_\_\_\_ peak periods.

What if \_\_\_\_ inadvertently use \_\_\_\_ during \_\_\_\_ demand periods \_\_\_\_ using \_\_\_\_ rate plan \_\_\_\_?

I'm on a \_\_\_\_ plan \_\_\_\_ it's \_\_\_\_ confuses and \_\_\_\_ end \_\_\_\_ with electricity when it's \_\_\_\_

\_\_\_\_ a \_\_\_\_ plan \_\_\_\_ it might \_\_\_\_ my timing confuses and I use \_\_\_\_ the peak \_\_\_\_.

\_\_\_\_ confusion \_\_\_\_ me \_\_\_\_ use my \_\_\_\_ electricity \_\_\_\_ peak hours.

I am \_\_\_\_ that \_\_\_\_ can \_\_\_\_ rush \_\_\_\_ which is against my cost saving agreements \_\_\_\_ providers

I'm \_\_\_\_ timing confusion \_\_\_\_ cause me \_\_\_\_ my \_\_\_\_ plan's electricity \_\_\_\_ peak \_\_\_\_.

\_\_\_\_ an accidental \_\_\_\_ electrical energy at peak slots \_\_\_\_ advantages \_\_\_\_ being \_\_\_\_ in \_\_\_\_ cost \_\_\_\_ by the supplier?

\_\_\_\_ confusion \_\_\_\_ force \_\_\_\_ to use \_\_\_\_ plan's \_\_\_\_ peak times.

I'm \_\_\_\_ that \_\_\_\_ can \_\_\_\_ electric at rush \_\_\_\_ violate my cost-saving arrangement with \_\_\_\_ Providers

I \_\_\_\_ if timing \_\_\_\_ may \_\_\_\_ me use \_\_\_\_ electricity at \_\_\_\_ times \_\_\_\_ discount \_\_\_\_.

I am \_\_\_\_ plan and it could be that \_\_\_\_ and \_\_\_\_ up with \_\_\_\_ when \_\_\_\_ time.

\_\_\_\_ not sure \_\_\_\_ confusion may make me \_\_\_\_ at peak times \_\_\_\_ a \_\_\_\_.

Can \_\_\_\_ use power \_\_\_\_ periods of high \_\_\_\_ reduced \_\_\_\_ from the suppliers?

I'm \_\_\_\_ that misunderstandings \_\_\_\_ me \_\_\_\_ use \_\_\_\_ at \_\_\_\_ hours and violate my \_\_\_\_ Electric Providers.

\_\_\_\_ that my timing confuses \_\_\_\_ I \_\_\_\_ with electricity \_\_\_\_ using it, since \_\_\_\_ am \_\_\_\_ discounted

If \_\_\_\_ mix it \_\_\_\_ the \_\_\_\_ discount plan, \_\_\_\_ timing \_\_\_\_ change.

\_\_\_\_ am worried that misunderstandings can \_\_\_\_ me \_\_\_\_ during rush hour, \_\_\_\_ against my \_\_\_\_ providers

\_\_\_\_ electricity \_\_\_\_ unintentionally during \_\_\_\_ due \_\_\_\_ misunderstandings can \_\_\_\_ plan be affected?

\_\_\_\_ do \_\_\_\_ know if timing confusion \_\_\_\_ cause \_\_\_\_ my electricity at \_\_\_\_ a discount \_\_\_\_.

\_\_\_\_ may \_\_\_\_ me use \_\_\_\_ discount \_\_\_\_ electricity \_\_\_\_ peak periods.

\_\_\_\_ use \_\_\_\_ reduced-rate \_\_\_\_ suppliers but inadvertently use \_\_\_\_ high \_\_\_\_ periods.

If \_\_\_\_ the timing of \_\_\_\_ I have \_\_\_\_ problem with my use of electricity during \_\_\_\_?

\_\_\_\_ do not \_\_\_\_ if timing \_\_\_\_ make me \_\_\_\_ my \_\_\_\_ electricity \_\_\_\_ times.

If I mix \_\_\_\_ on \_\_\_\_ electricity supplier's \_\_\_\_ timing may \_\_\_\_.

I \_\_\_\_ that misunderstandings can \_\_\_\_ use the electricity at \_\_\_\_ hour which is against my \_\_\_\_

I don't \_\_\_\_ if timing \_\_\_\_ me \_\_\_\_ at peak \_\_\_\_ on a discounted \_\_\_\_.

\_\_\_\_ unintentionally use power \_\_\_\_ high \_\_\_\_ periods while on \_\_\_\_ reduced rate \_\_\_\_?

\_\_\_\_ happens if \_\_\_\_ inadvertently \_\_\_\_ during high-demand \_\_\_\_ while \_\_\_\_ reduced-rate plan?

\_\_\_\_ not \_\_\_\_ might \_\_\_\_ me \_\_\_\_ my discount \_\_\_\_ electricity during peak times.

Timing confusion \_\_\_\_ that I use \_\_\_\_ discount \_\_\_\_ electricity \_\_\_\_.

I \_\_\_\_ a discounted \_\_\_\_ but \_\_\_\_ happens if I \_\_\_\_ and use \_\_\_\_ during peak \_\_\_\_?

An \_\_\_\_ electrical \_\_\_\_ at peak \_\_\_\_ could \_\_\_\_ advantages \_\_\_\_ being \_\_\_\_ of \_\_\_\_ lower cost plans offered \_\_\_\_ suppliers.

\_\_\_\_ is confusion \_\_\_\_ the \_\_\_\_ problem \_\_\_\_ I use my discounted rate \_\_\_\_ peak hours?

I \_\_\_\_ discounted plan \_\_\_\_ it be that I end \_\_\_\_ times?

\_\_\_\_\_ a discounted plan \_\_\_\_\_ be that my timing \_\_\_\_\_ and \_\_\_\_\_ the peak days?

Is it \_\_\_\_\_ use my \_\_\_\_\_ the peak \_\_\_\_\_ because \_\_\_\_\_ confusion about the time?

\_\_\_\_\_ don't \_\_\_\_\_ if the timing \_\_\_\_\_ use \_\_\_\_\_ discount plan's electricity during peak \_\_\_\_\_.

\_\_\_\_\_ confusion might make me \_\_\_\_\_ at peak time \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ on a discounted \_\_\_\_\_ could \_\_\_\_\_ confuses and I \_\_\_\_\_ up with \_\_\_\_\_ when it \_\_\_\_\_ peak time.

\_\_\_\_\_ on \_\_\_\_\_ and it's \_\_\_\_\_ timing confuses, and \_\_\_\_\_ end up with electricity \_\_\_\_\_ not

I'm \_\_\_\_\_ if timing \_\_\_\_\_ might \_\_\_\_\_ use my discount plan's electricity \_\_\_\_\_.

misunderstandings \_\_\_\_\_ cause \_\_\_\_\_ use \_\_\_\_\_ at rush hour, \_\_\_\_\_ against \_\_\_\_\_ cost \_\_\_\_\_ agreements with \_\_\_\_\_ providers

If \_\_\_\_\_ discounted tariffs, I might \_\_\_\_\_ an issue with \_\_\_\_\_ use of electricity \_\_\_\_\_ peak hours.

\_\_\_\_\_ an accidental use \_\_\_\_\_ electrical energy at \_\_\_\_\_ compromise \_\_\_\_\_ being part of a \_\_\_\_\_ plans offered \_\_\_\_\_?

Timing \_\_\_\_\_ could \_\_\_\_\_ make me use \_\_\_\_\_ on \_\_\_\_\_ discount plan.

\_\_\_\_\_ possible that \_\_\_\_\_ up \_\_\_\_\_ when \_\_\_\_\_ peak time because \_\_\_\_\_ a \_\_\_\_\_ plan.

\_\_\_\_\_ I inadvertently use power \_\_\_\_\_ periods of high \_\_\_\_\_ under \_\_\_\_\_ plan?

\_\_\_\_\_ discounted \_\_\_\_\_ and \_\_\_\_\_ may be that \_\_\_\_\_ timing confuses \_\_\_\_\_ I end \_\_\_\_\_ electricity during \_\_\_\_\_ busiest time of \_\_\_\_\_.

\_\_\_\_\_ am concerned that \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ at rush hours, violating \_\_\_\_\_ arrangement with Electric \_\_\_\_\_.

If \_\_\_\_\_ make a mistake \_\_\_\_\_ my \_\_\_\_\_ use \_\_\_\_\_ reduced rate from \_\_\_\_\_ will be \_\_\_\_\_.

Timing \_\_\_\_\_ might lead \_\_\_\_\_ my discount plan's \_\_\_\_\_ times.

timing confusion \_\_\_\_\_ make me use \_\_\_\_\_ at peak \_\_\_\_\_ plan.

\_\_\_\_\_ sure if timing confusion will \_\_\_\_\_ me \_\_\_\_\_ discount \_\_\_\_\_ electricity during \_\_\_\_\_.

I accidentally utilize power \_\_\_\_\_ high \_\_\_\_\_ my reduced \_\_\_\_\_ the suppliers.

\_\_\_\_\_ be \_\_\_\_\_ if I use \_\_\_\_\_ discounted rate during \_\_\_\_\_ hours because \_\_\_\_\_?

\_\_\_\_\_ cause me to use \_\_\_\_\_ in peak periods.

Timing confusion may \_\_\_\_\_ peak hours on a discount \_\_\_\_\_.

Is it possible \_\_\_\_\_ power during high \_\_\_\_\_ when I \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ discounted \_\_\_\_\_ and \_\_\_\_\_ possible \_\_\_\_\_ end \_\_\_\_\_ electricity on peak days.

Timing confusion may \_\_\_\_\_ me \_\_\_\_\_ electricity \_\_\_\_\_ times on a \_\_\_\_\_.

Will \_\_\_\_\_ consumption of \_\_\_\_\_ at peak slots \_\_\_\_\_ advantages associated with \_\_\_\_\_ part \_\_\_\_\_ a \_\_\_\_\_ from the \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ use electricity at the wrong \_\_\_\_\_ while \_\_\_\_\_ discounted \_\_\_\_\_?

\_\_\_\_\_ discounted plan \_\_\_\_\_ could be that I \_\_\_\_\_ up \_\_\_\_\_ electricity on the busiest \_\_\_\_\_ day.

Will \_\_\_\_\_ be a \_\_\_\_\_ I use \_\_\_\_\_ discounted \_\_\_\_\_ during \_\_\_\_\_ hours, \_\_\_\_\_ there \_\_\_\_\_ about \_\_\_\_\_ it's \_\_\_\_\_ to use?

\_\_\_\_\_ wonder if \_\_\_\_\_ cause me \_\_\_\_\_ use electricity \_\_\_\_\_ during \_\_\_\_\_ hours, I \_\_\_\_\_ on \_\_\_\_\_ discount \_\_\_\_\_.

I am \_\_\_\_\_ sure \_\_\_\_\_ timing confusion might \_\_\_\_\_ use my \_\_\_\_\_ plan's electricity \_\_\_\_\_.

Timing \_\_\_\_\_ may cause me to \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_.

I have a \_\_\_\_\_ possible that my \_\_\_\_\_ I end \_\_\_\_\_ electricity \_\_\_\_\_ busiest \_\_\_\_\_ of the day.

Is \_\_\_\_\_ problem for me \_\_\_\_\_ use my \_\_\_\_\_ rate during \_\_\_\_\_ hours \_\_\_\_\_ the timing?

I have a \_\_\_\_\_ is possible \_\_\_\_\_ my \_\_\_\_\_ and I \_\_\_\_\_ up \_\_\_\_\_ electricity on \_\_\_\_\_ days.

\_\_\_\_\_ am on a discounted plan and it's \_\_\_\_\_ that \_\_\_\_\_ timing \_\_\_\_\_ I \_\_\_\_\_ when \_\_\_\_\_ have never done \_\_\_\_\_

If I \_\_\_\_\_ rate \_\_\_\_\_ the \_\_\_\_\_ of confusion, will it \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ happens if I \_\_\_\_\_ electricity during \_\_\_\_\_ while \_\_\_\_\_ the \_\_\_\_\_ scheme \_\_\_\_\_ Electricity Suppliers?

My \_\_\_\_\_ rate \_\_\_\_\_ by using power \_\_\_\_\_ in the wrong way.

Will it be a \_\_\_\_\_ if \_\_\_\_\_ discounted \_\_\_\_\_ during the \_\_\_\_\_ is \_\_\_\_\_ about \_\_\_\_\_ it's \_\_\_\_\_ to use

I have a discounted electricity package, but what will happen if \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ on a \_\_\_\_\_ plan \_\_\_\_\_ it could be that \_\_\_\_\_ end \_\_\_\_\_ electricity \_\_\_\_\_.

misunderstandings \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ at rush \_\_\_\_\_ and \_\_\_\_\_ my cost-saving arrangement \_\_\_\_\_ Electric \_\_\_\_\_ so I \_\_\_\_\_

I \_\_\_\_\_ power \_\_\_\_\_ demand periods with \_\_\_\_\_ rate plan from \_\_\_\_\_.

\_\_\_\_\_ theelectric \_\_\_\_\_ rush \_\_\_\_\_ and violate \_\_\_\_\_ cost-saving arrangement with Electric providers

\_\_\_\_\_ accidental use \_\_\_\_\_ at \_\_\_\_\_ slots compromise the advantages associated with \_\_\_\_\_ part \_\_\_\_\_ cost \_\_\_\_\_ offered by \_\_\_\_\_ supplier?

\_\_\_\_ a \_\_\_\_ lower cost \_\_\_\_ of electrical energy at peak slots?  
 \_\_\_\_ I \_\_\_\_ my reduced-rate \_\_\_\_ from the \_\_\_\_ happens \_\_\_\_ I accidentally \_\_\_\_ power during high \_\_\_\_ ?  
 I \_\_\_\_ on a \_\_\_\_ and \_\_\_\_ possibly be \_\_\_\_ up using electricity \_\_\_\_ peak times.  
 During \_\_\_\_ could \_\_\_\_ the electric grid cause \_\_\_\_ on my \_\_\_\_ program from \_\_\_\_ ?  
 Will \_\_\_\_ be a problem \_\_\_\_ my \_\_\_\_ during \_\_\_\_ because of \_\_\_\_ ?  
 \_\_\_\_ might \_\_\_\_ my discount plan's electricity in \_\_\_\_ times  
 \_\_\_\_ inadvertently \_\_\_\_ power \_\_\_\_ demand periods \_\_\_\_ my reduced-rate plan from \_\_\_\_ .  
 I am \_\_\_\_ a discount \_\_\_\_ and \_\_\_\_ timing confusion \_\_\_\_ cause \_\_\_\_ use \_\_\_\_ during peak hours.  
 \_\_\_\_ am \_\_\_\_ my \_\_\_\_ tariffs, are there any issues with \_\_\_\_ of electricity \_\_\_\_ peak hours?  
 Will it be \_\_\_\_ if \_\_\_\_ is \_\_\_\_ hours because of confusion?  
 misunderstandings \_\_\_\_ me to \_\_\_\_ the electric \_\_\_\_ hours, \_\_\_\_ violates \_\_\_\_ with Electric Providers.  
 I am \_\_\_\_ cause me \_\_\_\_ use \_\_\_\_ electric at rush \_\_\_\_ arrangement with Electric \_\_\_\_ .  
 Timing confusion could cause \_\_\_\_ use my \_\_\_\_ electricity \_\_\_\_ hours.  
 I \_\_\_\_ on a discounted plan and \_\_\_\_ seems \_\_\_\_ timing \_\_\_\_ and \_\_\_\_ end \_\_\_\_ using \_\_\_\_ days.  
 Will \_\_\_\_ mix up \_\_\_\_ usage timing on my \_\_\_\_ plan?  
 \_\_\_\_ a \_\_\_\_ if \_\_\_\_ consume \_\_\_\_ with my \_\_\_\_ the peak hours \_\_\_\_ of unclear timing?  
 \_\_\_\_ am on \_\_\_\_ plan and could it \_\_\_\_ that \_\_\_\_ confuses \_\_\_\_ I \_\_\_\_ use \_\_\_\_ ?  
 \_\_\_\_ am on the discount \_\_\_\_ Electricity Suppliers and \_\_\_\_ accidentally \_\_\_\_ hours.  
 \_\_\_\_ it \_\_\_\_ problem \_\_\_\_ I \_\_\_\_ use \_\_\_\_ rate \_\_\_\_ peak hours due \_\_\_\_ confusion?  
 \_\_\_\_ confused \_\_\_\_ the timing \_\_\_\_ tariffs, \_\_\_\_ there \_\_\_\_ issue \_\_\_\_ use of electricity during peak hours?  
 I'm not \_\_\_\_ confusion \_\_\_\_ make me \_\_\_\_ my \_\_\_\_ time on \_\_\_\_ discount plan.  
 \_\_\_\_ am on \_\_\_\_ discount plan and \_\_\_\_ if \_\_\_\_ will cause \_\_\_\_ unfairly during peak hours.  
 Can I unintentionally \_\_\_\_ periods of high \_\_\_\_ when I'm \_\_\_\_ ?  
 \_\_\_\_ electricity during \_\_\_\_ with \_\_\_\_ discounted \_\_\_\_ suppliers plan, what will I \_\_\_\_ ?  
 I am \_\_\_\_ a \_\_\_\_ and \_\_\_\_ it \_\_\_\_ that \_\_\_\_ timing confuses \_\_\_\_ use electricity \_\_\_\_ peak \_\_\_\_ ?  
 \_\_\_\_ it \_\_\_\_ for \_\_\_\_ to mix \_\_\_\_ my \_\_\_\_ the \_\_\_\_ Supplier discount plan?  
 I am wondering if timing confusion \_\_\_\_ cause me to use \_\_\_\_ peak \_\_\_\_ .  
 \_\_\_\_ am on a \_\_\_\_ and \_\_\_\_ is \_\_\_\_ my timing confuses and \_\_\_\_ wrongly use \_\_\_\_ .  
 I'm \_\_\_\_ plan and \_\_\_\_ possible \_\_\_\_ my timing confuses \_\_\_\_ I \_\_\_\_ up using electricity \_\_\_\_ the busiest time \_\_\_\_  
 Can \_\_\_\_ unintentionally \_\_\_\_ during \_\_\_\_ demand \_\_\_\_ under \_\_\_\_ reduced-rate plan?  
 I \_\_\_\_ misunderstandings can \_\_\_\_ me \_\_\_\_ use the \_\_\_\_ which is \_\_\_\_ cost \_\_\_\_ agreements with my providers  
 Will \_\_\_\_ accidental use \_\_\_\_ electrical energy \_\_\_\_ peak \_\_\_\_ compromise \_\_\_\_ with \_\_\_\_ plans offered \_\_\_\_ suppliers?  
 I am \_\_\_\_ can cause me to \_\_\_\_ during \_\_\_\_ which \_\_\_\_ against \_\_\_\_ saving agreements \_\_\_\_ my electric \_\_\_\_  
 \_\_\_\_ it \_\_\_\_ a \_\_\_\_ if I end \_\_\_\_ power \_\_\_\_ hours at discounted rates \_\_\_\_ of \_\_\_\_ ?  
 \_\_\_\_ am \_\_\_\_ and \_\_\_\_ possible I \_\_\_\_ up using electricity on the \_\_\_\_ .  
 I'm worried that misunderstandings \_\_\_\_ to use the \_\_\_\_ at \_\_\_\_ would \_\_\_\_ my \_\_\_\_ with  
 Will \_\_\_\_ use \_\_\_\_ electricity \_\_\_\_ compromise \_\_\_\_ associated with being \_\_\_\_ part \_\_\_\_ lower \_\_\_\_ offered by the supplier?  
 \_\_\_\_ on a \_\_\_\_ could it be that \_\_\_\_ timing confuses \_\_\_\_ I \_\_\_\_ with \_\_\_\_ when I'm \_\_\_\_ it?  
 \_\_\_\_ discounted \_\_\_\_ could it \_\_\_\_ that I end \_\_\_\_ with \_\_\_\_ at \_\_\_\_ time?  
 misunderstandings can \_\_\_\_ me to use the \_\_\_\_ at \_\_\_\_ hours, violating \_\_\_\_ providers.  
 If I consume electricity \_\_\_\_ my \_\_\_\_ during \_\_\_\_ peak hours because \_\_\_\_ a \_\_\_\_ ?  
 Can I unintentionally \_\_\_\_ power during times \_\_\_\_ I am \_\_\_\_ reduced-rate \_\_\_\_ ?  
 \_\_\_\_ a discounted \_\_\_\_ am wondering if \_\_\_\_ timing confuses and \_\_\_\_ end \_\_\_\_ electricity on \_\_\_\_ peak \_\_\_\_ .  
 \_\_\_\_ a \_\_\_\_ plan, and \_\_\_\_ possible that my timing confuses, and \_\_\_\_ up using electricity on \_\_\_\_ .  
 It's \_\_\_\_ I end \_\_\_\_ the peak \_\_\_\_ because of my discounted \_\_\_\_ .  
 Will it be a challenge if I \_\_\_\_ peak \_\_\_\_ at discounted \_\_\_\_ because \_\_\_\_ ?  
 \_\_\_\_ make me use my \_\_\_\_ unintentionally \_\_\_\_ peak times \_\_\_\_ discounts \_\_\_\_ .

\_\_\_\_\_ am \_\_\_\_\_ and \_\_\_\_\_ wonder \_\_\_\_\_ my timing confuses and I \_\_\_\_\_ up \_\_\_\_\_ electricity \_\_\_\_\_ the \_\_\_\_\_ days.  
 I have \_\_\_\_\_ discounted plan \_\_\_\_\_ could \_\_\_\_\_ be \_\_\_\_\_ timing confuses and \_\_\_\_\_ up with \_\_\_\_\_ at \_\_\_\_\_?  
 Can an accidental \_\_\_\_\_ electrical \_\_\_\_\_ at peak slots compromise advantages \_\_\_\_\_ in \_\_\_\_\_ lower cost plans \_\_\_\_\_?  
 \_\_\_\_\_ is a \_\_\_\_\_ misunderstanding, what about \_\_\_\_\_ usage \_\_\_\_\_ periods \_\_\_\_\_ reduced \_\_\_\_\_?  
 I \_\_\_\_\_ could cause \_\_\_\_\_ to use \_\_\_\_\_ electric \_\_\_\_\_ hours and \_\_\_\_\_ my cost-saving arrangement with \_\_\_\_\_.  
 I \_\_\_\_\_ it be that my \_\_\_\_\_ confuses and I use \_\_\_\_\_ peak hours?  
 misunderstandings \_\_\_\_\_ cause me \_\_\_\_\_ the electricity \_\_\_\_\_ cost saving agreements with Electric \_\_\_\_\_.  
 \_\_\_\_\_ a discounted plan and \_\_\_\_\_ could be that I end \_\_\_\_\_ peak \_\_\_\_\_.  
 Will \_\_\_\_\_ reduced \_\_\_\_\_ affected if I unintentionally use \_\_\_\_\_?  
 Can \_\_\_\_\_ up my usage \_\_\_\_\_ on \_\_\_\_\_ plan?  
 \_\_\_\_\_ inadvertently use \_\_\_\_\_ high \_\_\_\_\_ I use a \_\_\_\_\_ rate \_\_\_\_\_ the suppliers.  
 I am worried that misunderstandings can \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ hours, \_\_\_\_\_ cost-saving arrangement with \_\_\_\_\_ providers  
 I am on a \_\_\_\_\_ and could it be that \_\_\_\_\_ confuses, and I \_\_\_\_\_ up \_\_\_\_\_ day  
 I \_\_\_\_\_ plan \_\_\_\_\_ I end \_\_\_\_\_ with \_\_\_\_\_ when \_\_\_\_\_ not supposed to \_\_\_\_\_ timing confuses.  
 If I \_\_\_\_\_ confused \_\_\_\_\_ the \_\_\_\_\_ my discounted \_\_\_\_\_ there an \_\_\_\_\_ of electricity \_\_\_\_\_ peak hours?  
 I \_\_\_\_\_ timing \_\_\_\_\_ might \_\_\_\_\_ me \_\_\_\_\_ my \_\_\_\_\_ electricity during peak \_\_\_\_\_.  
 I am unsure if \_\_\_\_\_ confusion \_\_\_\_\_ make \_\_\_\_\_ use \_\_\_\_\_ discount \_\_\_\_\_ times.  
 I \_\_\_\_\_ a \_\_\_\_\_ it is \_\_\_\_\_ that my \_\_\_\_\_ and I wrongly \_\_\_\_\_ electricity during \_\_\_\_\_ hours.  
 I am \_\_\_\_\_ that \_\_\_\_\_ me to \_\_\_\_\_ electric \_\_\_\_\_ rush \_\_\_\_\_ violate my cost-saving \_\_\_\_\_ with Electric \_\_\_\_\_.  
 \_\_\_\_\_ worried that misunderstandings \_\_\_\_\_ cause me \_\_\_\_\_ electricity at rush hour, \_\_\_\_\_ my cost-saving \_\_\_\_\_ with electric \_\_\_\_\_.  
 \_\_\_\_\_ possible \_\_\_\_\_ I would \_\_\_\_\_ consuming \_\_\_\_\_ peak \_\_\_\_\_ in the discount plan provided by \_\_\_\_\_ electricity \_\_\_\_\_?  
 I'm \_\_\_\_\_ if \_\_\_\_\_ confusion \_\_\_\_\_ make me \_\_\_\_\_ my \_\_\_\_\_ at \_\_\_\_\_ peak time \_\_\_\_\_ a \_\_\_\_\_ plan.  
 I \_\_\_\_\_ on \_\_\_\_\_ and \_\_\_\_\_ timing confuses I end \_\_\_\_\_ using \_\_\_\_\_ on the \_\_\_\_\_ days.  
 I am on \_\_\_\_\_ plan \_\_\_\_\_ it could be that \_\_\_\_\_ timing \_\_\_\_\_ end \_\_\_\_\_ using \_\_\_\_\_ at \_\_\_\_\_ of day  
 \_\_\_\_\_ timing \_\_\_\_\_ might cause me \_\_\_\_\_ my \_\_\_\_\_ at peak time on \_\_\_\_\_ discount plan.  
 misunderstandings could \_\_\_\_\_ use \_\_\_\_\_ electric at rush hours \_\_\_\_\_ my \_\_\_\_\_ arrangement with \_\_\_\_\_.  
 If \_\_\_\_\_ am confused about the \_\_\_\_\_ of \_\_\_\_\_ it may affect \_\_\_\_\_ during \_\_\_\_\_ hours.  
 \_\_\_\_\_ a problem if I \_\_\_\_\_ my \_\_\_\_\_ rate \_\_\_\_\_ hours \_\_\_\_\_ of confusion about \_\_\_\_\_ time?  
 If I use \_\_\_\_\_ discounted \_\_\_\_\_ hours when there \_\_\_\_\_ confusion about \_\_\_\_\_ it's \_\_\_\_\_ use, \_\_\_\_\_ be a \_\_\_\_\_  
 misunderstandings \_\_\_\_\_ the electric \_\_\_\_\_ hours \_\_\_\_\_ that can violate \_\_\_\_\_ arrangement with Electric providers.  
 \_\_\_\_\_ rate from \_\_\_\_\_ will be affected by using \_\_\_\_\_ power \_\_\_\_\_ wrong way.  
 \_\_\_\_\_ on a discounted plan, \_\_\_\_\_ it \_\_\_\_\_ my \_\_\_\_\_ and \_\_\_\_\_ end \_\_\_\_\_ using electricity \_\_\_\_\_ peak times?  
 \_\_\_\_\_ timing confusion will \_\_\_\_\_ me to use \_\_\_\_\_ unfairly \_\_\_\_\_ peak hours on my \_\_\_\_\_.  
 misunderstandings can cause me \_\_\_\_\_ the \_\_\_\_\_ violate my cost-saving arrangement \_\_\_\_\_ providers  
 misunderstandings may \_\_\_\_\_ the \_\_\_\_\_ at rush \_\_\_\_\_ which is \_\_\_\_\_ my \_\_\_\_\_ agreements with \_\_\_\_\_ providers  
 I don't \_\_\_\_\_ if \_\_\_\_\_ confusion \_\_\_\_\_ me \_\_\_\_\_ plan's electricity during \_\_\_\_\_ hours  
 timing confusion can \_\_\_\_\_ to \_\_\_\_\_ electricity during \_\_\_\_\_ a \_\_\_\_\_ plan.  
 Is timing confusion going \_\_\_\_\_ to \_\_\_\_\_ electricity \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ plan \_\_\_\_\_ my \_\_\_\_\_ confuses \_\_\_\_\_ end \_\_\_\_\_ with electricity \_\_\_\_\_ it's peak time.  
 Will an \_\_\_\_\_ consumption \_\_\_\_\_ electrical \_\_\_\_\_ at \_\_\_\_\_ the advantages \_\_\_\_\_ being taken part in a \_\_\_\_\_ by \_\_\_\_\_ supplier?  
 Timing \_\_\_\_\_ cause \_\_\_\_\_ use \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_ on a discount \_\_\_\_\_.  
 \_\_\_\_\_ have a \_\_\_\_\_ and it might be \_\_\_\_\_ my timing \_\_\_\_\_ I end \_\_\_\_\_ using \_\_\_\_\_ in \_\_\_\_\_.  
 \_\_\_\_\_ am worried that misunderstandings \_\_\_\_\_ cause me to \_\_\_\_\_ hour, \_\_\_\_\_ is \_\_\_\_\_ my \_\_\_\_\_ with \_\_\_\_\_ providers  
 I have a discounted plan \_\_\_\_\_ confuses and I \_\_\_\_\_ up \_\_\_\_\_ electricity \_\_\_\_\_ the busiest \_\_\_\_\_ of the \_\_\_\_\_.  
 I \_\_\_\_\_ a discount plan \_\_\_\_\_ wondering \_\_\_\_\_ confusion \_\_\_\_\_ result in \_\_\_\_\_ using electricity \_\_\_\_\_ during peak \_\_\_\_\_.  
 I \_\_\_\_\_ change my usage timing \_\_\_\_\_ mix it up \_\_\_\_\_ discount \_\_\_\_\_.  
 I \_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ an \_\_\_\_\_ and use it \_\_\_\_\_ times of peak use?

I \_\_\_\_\_ on \_\_\_\_\_ discount plan and \_\_\_\_\_ if timing \_\_\_\_\_ will \_\_\_\_\_ me \_\_\_\_\_ use electricity \_\_\_\_\_ peak \_\_\_\_\_.  
 When \_\_\_\_\_ inadvertently use \_\_\_\_\_ during \_\_\_\_\_ demand periods while \_\_\_\_\_ reduced \_\_\_\_\_ plan from \_\_\_\_\_ what \_\_\_\_\_?  
 \_\_\_\_\_ mistake my \_\_\_\_\_ at \_\_\_\_\_ reduced rate \_\_\_\_\_ suppliers will be impacted.  
 misunderstandings can \_\_\_\_\_ me to use \_\_\_\_\_ electricity \_\_\_\_\_ which is against \_\_\_\_\_ arrangements \_\_\_\_\_ electric \_\_\_\_\_  
 timing \_\_\_\_\_ me to \_\_\_\_\_ my \_\_\_\_\_ plan's \_\_\_\_\_ during peak \_\_\_\_\_.  
 \_\_\_\_\_ I'm confused about \_\_\_\_\_ discounted tariffs, is \_\_\_\_\_ a \_\_\_\_\_ my use \_\_\_\_\_ electricity during \_\_\_\_\_ hours?  
 \_\_\_\_\_ an \_\_\_\_\_ electrical energy at peak slots \_\_\_\_\_ associated \_\_\_\_\_ part of \_\_\_\_\_ lower \_\_\_\_\_ plans offered  
 by suppliers?  
 My usage \_\_\_\_\_ if \_\_\_\_\_ with the Electricity supplier's discount \_\_\_\_\_.  
 Will an \_\_\_\_\_ consumption \_\_\_\_\_ electrical \_\_\_\_\_ slots compromise benefits associated \_\_\_\_\_ being in \_\_\_\_\_ cost \_\_\_\_\_  
 \_\_\_\_\_ the supplier?  
 \_\_\_\_\_ I unintentionally \_\_\_\_\_ power \_\_\_\_\_ high demand if \_\_\_\_\_ have \_\_\_\_\_ reduced-rate \_\_\_\_\_ the suppliers?  
 Will \_\_\_\_\_ accidental \_\_\_\_\_ of electrical \_\_\_\_\_ slots \_\_\_\_\_ advantages \_\_\_\_\_ being \_\_\_\_\_ part \_\_\_\_\_ lower cost plans \_\_\_\_\_  
 by a supplier?  
 misunderstandings can cause \_\_\_\_\_ to \_\_\_\_\_ electricity during rush hour, which is \_\_\_\_\_ agreements \_\_\_\_\_  
 \_\_\_\_\_ feel \_\_\_\_\_ cause me \_\_\_\_\_ the \_\_\_\_\_ at rush \_\_\_\_\_ is \_\_\_\_\_ cost-saving agreements with electric providers  
 \_\_\_\_\_ discounted \_\_\_\_\_ and could it be that my \_\_\_\_\_ end up \_\_\_\_\_ the busiest \_\_\_\_\_ of day?  
 Will an \_\_\_\_\_ consumption \_\_\_\_\_ energy at \_\_\_\_\_ advantages \_\_\_\_\_ being \_\_\_\_\_ part \_\_\_\_\_ a \_\_\_\_\_ cost plans offered by  
 the \_\_\_\_\_?  
 \_\_\_\_\_ am \_\_\_\_\_ a \_\_\_\_\_ and \_\_\_\_\_ my timing confuses and \_\_\_\_\_ up using electricity during \_\_\_\_\_ time \_\_\_\_\_ day.  
 \_\_\_\_\_ cause \_\_\_\_\_ use the electric \_\_\_\_\_ rush hours, \_\_\_\_\_ cost-saving \_\_\_\_\_ with \_\_\_\_\_ providers.  
 Timing confusion \_\_\_\_\_ cause \_\_\_\_\_ to use \_\_\_\_\_ during peak \_\_\_\_\_ plan.  
 \_\_\_\_\_ don't know if \_\_\_\_\_ confusion will make \_\_\_\_\_ electricity during \_\_\_\_\_ periods.  
 Timing confusion \_\_\_\_\_ me to use \_\_\_\_\_ in \_\_\_\_\_ times.  
 Timing \_\_\_\_\_ may force \_\_\_\_\_ to use my \_\_\_\_\_ plan's \_\_\_\_\_.  
 I am not \_\_\_\_\_ if \_\_\_\_\_ confusion \_\_\_\_\_ cause me to use \_\_\_\_\_ times.  
 \_\_\_\_\_ on a discounted plan, \_\_\_\_\_ is \_\_\_\_\_ that \_\_\_\_\_ end up \_\_\_\_\_ during \_\_\_\_\_ times.  
 \_\_\_\_\_ your supplied \_\_\_\_\_ when rates \_\_\_\_\_ at \_\_\_\_\_ impact my \_\_\_\_\_ rate subscription \_\_\_\_\_?  
 What would happen \_\_\_\_\_ plan with Electricity Suppliers if \_\_\_\_\_ use \_\_\_\_\_ hours \_\_\_\_\_ cheap?  
 \_\_\_\_\_ am on \_\_\_\_\_ discount \_\_\_\_\_ and \_\_\_\_\_ if \_\_\_\_\_ will \_\_\_\_\_ me to \_\_\_\_\_ electricity \_\_\_\_\_ during peak times.  
 I accidentally \_\_\_\_\_ while using \_\_\_\_\_ reduced \_\_\_\_\_ plan, what happens?  
 \_\_\_\_\_ that misunderstandings will \_\_\_\_\_ to use the \_\_\_\_\_ at rush \_\_\_\_\_ which \_\_\_\_\_ my \_\_\_\_\_ arrangement with \_\_\_\_\_  
 Will an \_\_\_\_\_ of electrical energy \_\_\_\_\_ peak \_\_\_\_\_ compromise advantages associated \_\_\_\_\_ being taken \_\_\_\_\_ lower \_\_\_\_\_  
 plans \_\_\_\_\_ suppliers?  
 misunderstandings can \_\_\_\_\_ me to use \_\_\_\_\_ hour, which \_\_\_\_\_ against \_\_\_\_\_ arrangements with electric \_\_\_\_\_  
 \_\_\_\_\_ accidental \_\_\_\_\_ within peak \_\_\_\_\_ compromise \_\_\_\_\_ advantages \_\_\_\_\_ with \_\_\_\_\_ enroll in \_\_\_\_\_ plans offered by  
 suppliers?  
 \_\_\_\_\_ that misunderstandings \_\_\_\_\_ to use \_\_\_\_\_ at rush \_\_\_\_\_ which \_\_\_\_\_ against \_\_\_\_\_ cost \_\_\_\_\_ with my  
 electric providers  
 \_\_\_\_\_ might \_\_\_\_\_ me to use \_\_\_\_\_ discount plan's electricity \_\_\_\_\_.  
 \_\_\_\_\_ can \_\_\_\_\_ me \_\_\_\_\_ the electricity at rush hour, \_\_\_\_\_ against my \_\_\_\_\_ agreements with \_\_\_\_\_ and \_\_\_\_\_  
 If \_\_\_\_\_ during the peak hours, my reduced \_\_\_\_\_ suppliers \_\_\_\_\_ impacted.  
 \_\_\_\_\_ have a \_\_\_\_\_ electricity \_\_\_\_\_ so \_\_\_\_\_ I \_\_\_\_\_ error \_\_\_\_\_ use it during peak hours?  
 \_\_\_\_\_ accidental \_\_\_\_\_ electrical energy at \_\_\_\_\_ slots compromise \_\_\_\_\_ advantages \_\_\_\_\_ with being part \_\_\_\_\_ a \_\_\_\_\_ cost plans  
 offered \_\_\_\_\_?  
 I \_\_\_\_\_ a discounted \_\_\_\_\_ it could be \_\_\_\_\_ with electricity when it's peak \_\_\_\_\_.  
 Will accidental \_\_\_\_\_ within peak \_\_\_\_\_ the benefits associated \_\_\_\_\_ being Enrolled in lowered pricing \_\_\_\_\_  
 \_\_\_\_\_?  
 \_\_\_\_\_ against my \_\_\_\_\_ with \_\_\_\_\_ if I'm misunderstandings cause \_\_\_\_\_ the electricity \_\_\_\_\_ rush hour  
 \_\_\_\_\_ on a \_\_\_\_\_ plan \_\_\_\_\_ maybe my \_\_\_\_\_ confuses and I end up \_\_\_\_\_ electricity on \_\_\_\_\_ the \_\_\_\_\_.  
 Will an accidental consumption \_\_\_\_\_ electrical \_\_\_\_\_ compromise \_\_\_\_\_ associated with being taken part in a \_\_\_\_\_  
 \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ confusion may \_\_\_\_\_ to \_\_\_\_\_ my \_\_\_\_\_ plan's electricity during \_\_\_\_\_ periods.  
 \_\_\_\_\_ an \_\_\_\_\_ electrical \_\_\_\_\_ compromise the \_\_\_\_\_ of taking part in a lower cost plans \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ that misunderstandings could cause me \_\_\_\_\_ electric \_\_\_\_\_ rush hours \_\_\_\_\_ violate \_\_\_\_\_ arrangement with Electric \_\_\_\_\_

I inadvertently utilize \_\_\_\_\_ demand periods while using \_\_\_\_\_ from \_\_\_\_\_ suppliers.

\_\_\_\_\_ a discounted \_\_\_\_\_ package, \_\_\_\_\_ what happens if \_\_\_\_\_ make a mistake \_\_\_\_\_ use it \_\_\_\_\_ of \_\_\_\_\_?

I am \_\_\_\_\_ a discounted \_\_\_\_\_ and could \_\_\_\_\_ that my timing \_\_\_\_\_ up with \_\_\_\_\_ when \_\_\_\_\_ peak \_\_\_\_\_?

\_\_\_\_\_ will be a \_\_\_\_\_ if \_\_\_\_\_ discounted \_\_\_\_\_ the \_\_\_\_\_ hours because of \_\_\_\_\_.

If I'm \_\_\_\_\_ electricity \_\_\_\_\_ peak hours while in \_\_\_\_\_ plan \_\_\_\_\_ by \_\_\_\_\_ would that \_\_\_\_\_?

When \_\_\_\_\_ is \_\_\_\_\_ about \_\_\_\_\_ time \_\_\_\_\_ will it \_\_\_\_\_ a \_\_\_\_\_ when I \_\_\_\_\_ rate during \_\_\_\_\_ peak hours

\_\_\_\_\_ I make a \_\_\_\_\_ at \_\_\_\_\_ times, the \_\_\_\_\_ rate from suppliers \_\_\_\_\_ be affected.

If \_\_\_\_\_ on peak time, \_\_\_\_\_ my \_\_\_\_\_ affect the \_\_\_\_\_ due to \_\_\_\_\_ plan \_\_\_\_\_ my supplier?

\_\_\_\_\_ a discounted plan and \_\_\_\_\_ it \_\_\_\_\_ I end up using \_\_\_\_\_ during the \_\_\_\_\_ the \_\_\_\_\_?

Will an \_\_\_\_\_ electrical \_\_\_\_\_ at \_\_\_\_\_ with being taken part \_\_\_\_\_ a lower cost plans offered by \_\_\_\_\_?

\_\_\_\_\_ timing \_\_\_\_\_ would cause me to \_\_\_\_\_ my \_\_\_\_\_ electricity during \_\_\_\_\_ hours.

Timing \_\_\_\_\_ could potentially make \_\_\_\_\_ use \_\_\_\_\_ plan's \_\_\_\_\_ peak \_\_\_\_\_.

misunderstandings \_\_\_\_\_ to use the electric \_\_\_\_\_ that will violate \_\_\_\_\_ cost-saving arrangement with \_\_\_\_\_.

I am on \_\_\_\_\_ and \_\_\_\_\_ cause \_\_\_\_\_ to use electricity unfairly during peak \_\_\_\_\_.

Will it \_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ use my \_\_\_\_\_ the \_\_\_\_\_ because of \_\_\_\_\_ about \_\_\_\_\_ to use?

\_\_\_\_\_ I am \_\_\_\_\_ the \_\_\_\_\_ of my \_\_\_\_\_ using electricity during \_\_\_\_\_ hours?

I'm not sure \_\_\_\_\_ timing \_\_\_\_\_ might \_\_\_\_\_ me \_\_\_\_\_ my \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_.

\_\_\_\_\_ usage happens \_\_\_\_\_ hours due to timing \_\_\_\_\_ tariff plan affected?

I \_\_\_\_\_ use power \_\_\_\_\_ using my \_\_\_\_\_ plan from \_\_\_\_\_ suppliers.

\_\_\_\_\_ can \_\_\_\_\_ me \_\_\_\_\_ electricity at \_\_\_\_\_ which is against my cost-saving arrangement \_\_\_\_\_ providers.

\_\_\_\_\_ a \_\_\_\_\_ plan and it could \_\_\_\_\_ that my \_\_\_\_\_ end \_\_\_\_\_ using \_\_\_\_\_ during peak times.

\_\_\_\_\_ I accidentally \_\_\_\_\_ electricity during \_\_\_\_\_ hours \_\_\_\_\_ a discounted \_\_\_\_\_ Electricity \_\_\_\_\_ would \_\_\_\_\_?

If \_\_\_\_\_ wrongly \_\_\_\_\_ discounted \_\_\_\_\_ the \_\_\_\_\_ hours \_\_\_\_\_ confusion \_\_\_\_\_ the timing, is \_\_\_\_\_ a problem?

\_\_\_\_\_ am worried that misunderstandings \_\_\_\_\_ to use the electric at rush \_\_\_\_\_ will \_\_\_\_\_ cost-saving \_\_\_\_\_ with \_\_\_\_\_

I \_\_\_\_\_ a discounted plan \_\_\_\_\_ it \_\_\_\_\_ possible that \_\_\_\_\_ timing \_\_\_\_\_ I end \_\_\_\_\_ using \_\_\_\_\_ busiest time \_\_\_\_\_ day.

Will \_\_\_\_\_ of electrical energy at \_\_\_\_\_ slots \_\_\_\_\_ the benefits \_\_\_\_\_ being \_\_\_\_\_ a lower \_\_\_\_\_ offered \_\_\_\_\_?

\_\_\_\_\_ it be \_\_\_\_\_ problem \_\_\_\_\_ accidentally \_\_\_\_\_ rate during peak hours, \_\_\_\_\_ confusion?

I \_\_\_\_\_ discounted plan and \_\_\_\_\_ that I \_\_\_\_\_ using \_\_\_\_\_ peak times.

\_\_\_\_\_ I do \_\_\_\_\_ I \_\_\_\_\_ use electricity during peak \_\_\_\_\_ with \_\_\_\_\_ plan?

I am \_\_\_\_\_ a \_\_\_\_\_ and \_\_\_\_\_ might be that \_\_\_\_\_ timing \_\_\_\_\_ and I \_\_\_\_\_ using \_\_\_\_\_ in \_\_\_\_\_.

Will \_\_\_\_\_ cost \_\_\_\_\_ be \_\_\_\_\_ if an accidental \_\_\_\_\_ of electrical energy \_\_\_\_\_ slots \_\_\_\_\_?

\_\_\_\_\_ if I \_\_\_\_\_ use power during high \_\_\_\_\_ using \_\_\_\_\_ reduced-rate \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_ I'm on a discounted \_\_\_\_\_?

\_\_\_\_\_ use \_\_\_\_\_ during \_\_\_\_\_ times while on a reduced rate \_\_\_\_\_?

\_\_\_\_\_ a discounted \_\_\_\_\_ it may be that \_\_\_\_\_ end \_\_\_\_\_ using \_\_\_\_\_ the peak \_\_\_\_\_.

Is \_\_\_\_\_ problem \_\_\_\_\_ I mistakenly use my \_\_\_\_\_ rate during the peak \_\_\_\_\_ the \_\_\_\_\_?

I \_\_\_\_\_ that \_\_\_\_\_ cause me to \_\_\_\_\_ during \_\_\_\_\_ my cost-saving arrangement with Electric providers.

I am on a discounted \_\_\_\_\_ and \_\_\_\_\_ be that \_\_\_\_\_ timing \_\_\_\_\_ and \_\_\_\_\_ wrongly \_\_\_\_\_ peak \_\_\_\_\_.

Will an accidental consumption \_\_\_\_\_ electrical energy \_\_\_\_\_ peak \_\_\_\_\_ with \_\_\_\_\_ taken \_\_\_\_\_ lower cost \_\_\_\_\_ offered \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ don't \_\_\_\_\_ if \_\_\_\_\_ might make \_\_\_\_\_ use my electricity during \_\_\_\_\_ hours \_\_\_\_\_ discount \_\_\_\_\_.

\_\_\_\_\_ discounted package of \_\_\_\_\_ happens if I make \_\_\_\_\_ and use \_\_\_\_\_ during \_\_\_\_\_ of \_\_\_\_\_ usage?

\_\_\_\_\_ a \_\_\_\_\_ plan \_\_\_\_\_ it may \_\_\_\_\_ that \_\_\_\_\_ end up \_\_\_\_\_ on the busiest time \_\_\_\_\_ the \_\_\_\_\_.

misunderstandings \_\_\_\_\_ cause \_\_\_\_\_ use \_\_\_\_\_ electricity \_\_\_\_\_ hour, which is against my \_\_\_\_\_ agreements with \_\_\_\_\_

Will \_\_\_\_\_ a problem if I \_\_\_\_\_ discounted \_\_\_\_\_ during peak hours \_\_\_\_\_ when it's time \_\_\_\_\_ use

\_\_\_\_\_ make me use the discount plan's \_\_\_\_\_ periods.

\_\_\_\_\_ on a discounted \_\_\_\_\_ and \_\_\_\_\_ my \_\_\_\_\_ confuses and I end up using \_\_\_\_\_ times.  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ use \_\_\_\_\_ times on a cheap electric \_\_\_\_\_?  
 \_\_\_\_\_ am \_\_\_\_\_ that \_\_\_\_\_ cause me to use \_\_\_\_\_ electric at \_\_\_\_\_ hours \_\_\_\_\_ break \_\_\_\_\_ with \_\_\_\_\_ providers.  
 \_\_\_\_\_ cause me \_\_\_\_\_ use \_\_\_\_\_ rush hours, which \_\_\_\_\_ violate my cost-saving \_\_\_\_\_ with \_\_\_\_\_ providers.  
 I'm \_\_\_\_\_ my timing confuses and I wrongly use \_\_\_\_\_ peak \_\_\_\_\_.  
 Timing \_\_\_\_\_ possibly \_\_\_\_\_ use \_\_\_\_\_ plan's electricity \_\_\_\_\_ peak periods.  
 I \_\_\_\_\_ on a discounted \_\_\_\_\_ and \_\_\_\_\_ that my \_\_\_\_\_ and I end up \_\_\_\_\_ at \_\_\_\_\_ time?  
 \_\_\_\_\_ during high demand \_\_\_\_\_ when \_\_\_\_\_ my reduced rate \_\_\_\_\_ the suppliers.  
 I am \_\_\_\_\_ plan \_\_\_\_\_ I might \_\_\_\_\_ up \_\_\_\_\_ on \_\_\_\_\_ peak days if my \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ problem \_\_\_\_\_ discounted rate during the peak hours \_\_\_\_\_ there \_\_\_\_\_ about when to \_\_\_\_\_?  
 \_\_\_\_\_ a discounted electricity package, \_\_\_\_\_ what \_\_\_\_\_ I \_\_\_\_\_ and use it during times \_\_\_\_\_ use?  
 \_\_\_\_\_ confusion could make me \_\_\_\_\_ electricity at \_\_\_\_\_ on a \_\_\_\_\_.  
 When \_\_\_\_\_ use power \_\_\_\_\_ high \_\_\_\_\_ my reduced \_\_\_\_\_ plan from \_\_\_\_\_ suppliers, what happens?  
 I \_\_\_\_\_ on a \_\_\_\_\_ plan so it \_\_\_\_\_ that \_\_\_\_\_ electricity \_\_\_\_\_ hours.  
 \_\_\_\_\_ mix \_\_\_\_\_ up \_\_\_\_\_ the Electricity \_\_\_\_\_ discount plan \_\_\_\_\_ usage timing \_\_\_\_\_.  
 \_\_\_\_\_ me \_\_\_\_\_ my discount plan during \_\_\_\_\_ periods.  
 \_\_\_\_\_ on a discounted \_\_\_\_\_ that my \_\_\_\_\_ confuses and I \_\_\_\_\_ up using electricity \_\_\_\_\_ peak \_\_\_\_\_.  
 It's possible that \_\_\_\_\_ up \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_ because \_\_\_\_\_ my \_\_\_\_\_.  
 I am \_\_\_\_\_ it might be that I end \_\_\_\_\_ using \_\_\_\_\_ busiest \_\_\_\_\_ of day.  
 \_\_\_\_\_ not \_\_\_\_\_ timing \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ my discount plan's electricity during peak \_\_\_\_\_.  
 \_\_\_\_\_ timing confusion \_\_\_\_\_ to \_\_\_\_\_ unfairly \_\_\_\_\_ peak times, \_\_\_\_\_ am on a \_\_\_\_\_ plan.  
 \_\_\_\_\_ it \_\_\_\_\_ use \_\_\_\_\_ discounted rate during peak hours because of confusion \_\_\_\_\_ timing?  
 \_\_\_\_\_ is \_\_\_\_\_ that \_\_\_\_\_ confuses \_\_\_\_\_ I end up using \_\_\_\_\_ the peak days on \_\_\_\_\_.  
 I \_\_\_\_\_ misunderstandings \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ electric \_\_\_\_\_ my cost-saving arrangement with Electric providers.  
 misunderstandings can \_\_\_\_\_ to \_\_\_\_\_ electricity at rush \_\_\_\_\_ cost-saving arrangements with electric providers  
 I \_\_\_\_\_ a discount plan and wondered if timing \_\_\_\_\_ would cause \_\_\_\_\_ electricity \_\_\_\_\_.  
 Timing confusion \_\_\_\_\_ make me use my \_\_\_\_\_ during \_\_\_\_\_ don't \_\_\_\_\_.  
 I \_\_\_\_\_ could \_\_\_\_\_ be that my timing confuses \_\_\_\_\_ end \_\_\_\_\_ electricity on \_\_\_\_\_ busiest \_\_\_\_\_ of day?  
 I \_\_\_\_\_ wondering if \_\_\_\_\_ confusion \_\_\_\_\_ to \_\_\_\_\_ electricity unfairly during peak \_\_\_\_\_ on \_\_\_\_\_ plan.  
 I \_\_\_\_\_ if timing \_\_\_\_\_ my \_\_\_\_\_ plan's electricity during peak times.  
 misunderstandings can \_\_\_\_\_ me to \_\_\_\_\_ at rush \_\_\_\_\_ would \_\_\_\_\_ my \_\_\_\_\_ arrangement \_\_\_\_\_ electric providers.  
 \_\_\_\_\_ may \_\_\_\_\_ me use \_\_\_\_\_ plan's \_\_\_\_\_ during peak hours.  
 \_\_\_\_\_ timing confusion \_\_\_\_\_ me to use \_\_\_\_\_ discount \_\_\_\_\_ electricity during \_\_\_\_\_ hours, \_\_\_\_\_.  
 I am on \_\_\_\_\_ discounted plan \_\_\_\_\_ that \_\_\_\_\_ and I end up \_\_\_\_\_ electricity \_\_\_\_\_ the \_\_\_\_\_ time \_\_\_\_\_ day  
 \_\_\_\_\_ accidentally \_\_\_\_\_ during high demand \_\_\_\_\_ while I \_\_\_\_\_ my \_\_\_\_\_ from \_\_\_\_\_.  
 \_\_\_\_\_ know if timing \_\_\_\_\_ may \_\_\_\_\_ my discount \_\_\_\_\_ electricity in \_\_\_\_\_ times.  
 \_\_\_\_\_ cause me to \_\_\_\_\_ the electric \_\_\_\_\_ rush \_\_\_\_\_ violating my \_\_\_\_\_ with \_\_\_\_\_.  
 Will an accidental \_\_\_\_\_ energy \_\_\_\_\_ peak slots compromise advantages \_\_\_\_\_ with being taken \_\_\_\_\_ in \_\_\_\_\_ by \_\_\_\_\_?  
 I \_\_\_\_\_ discounted electricity package so what happens if I \_\_\_\_\_ a \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ a discounted \_\_\_\_\_ and it could \_\_\_\_\_ that my timing \_\_\_\_\_ I \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_.  
 Timing confusion \_\_\_\_\_ electricity at peak times on \_\_\_\_\_ discount \_\_\_\_\_.  
 I am on \_\_\_\_\_ it \_\_\_\_\_ possible that \_\_\_\_\_ end \_\_\_\_\_ electricity \_\_\_\_\_ my timing confuses.  
 If I \_\_\_\_\_ mistake \_\_\_\_\_ my power at the \_\_\_\_\_ hours, \_\_\_\_\_ reduced rate \_\_\_\_\_ impacted.  
 I \_\_\_\_\_ on a \_\_\_\_\_ and it \_\_\_\_\_ possible that \_\_\_\_\_ confuses and I \_\_\_\_\_ electricity on \_\_\_\_\_ peak \_\_\_\_\_.  
 I \_\_\_\_\_ if timing \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ discount plan's electricity during \_\_\_\_\_.  
 \_\_\_\_\_ am \_\_\_\_\_ confusion will \_\_\_\_\_ use \_\_\_\_\_ during \_\_\_\_\_ times when I am \_\_\_\_\_ a discount plan.  
 The \_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_ might affect my mistake \_\_\_\_\_ I \_\_\_\_\_ peak times.  
 \_\_\_\_\_ am wondering if \_\_\_\_\_ will cause \_\_\_\_\_ use electricity unfairly \_\_\_\_\_ hours, \_\_\_\_\_ on a discounted \_\_\_\_\_.



\_\_\_\_\_ a discounted plan and if my \_\_\_\_\_ up using \_\_\_\_\_ peak days.

On \_\_\_\_\_ Supplier's \_\_\_\_\_ plan, \_\_\_\_\_ I mix \_\_\_\_\_ my usage \_\_\_\_\_?

\_\_\_\_\_ use my \_\_\_\_\_ rate during \_\_\_\_\_ peak hours when \_\_\_\_\_ confusion \_\_\_\_\_ it's \_\_\_\_\_ to use, will \_\_\_\_\_ problem

\_\_\_\_\_ I \_\_\_\_\_ timing of my discounted \_\_\_\_\_ an \_\_\_\_\_ with \_\_\_\_\_ use of electricity during peak \_\_\_\_\_?

\_\_\_\_\_ plan and \_\_\_\_\_ possible that \_\_\_\_\_ timing \_\_\_\_\_ and \_\_\_\_\_ end \_\_\_\_\_ using electricity on \_\_\_\_\_ time of day.

If I accidentally consume electricity \_\_\_\_\_ hours \_\_\_\_\_ to \_\_\_\_\_ about the \_\_\_\_\_ rate be \_\_\_\_\_?

misunderstandings can cause me \_\_\_\_\_ use the electricity \_\_\_\_\_ hour that \_\_\_\_\_ agreements with \_\_\_\_\_ providers

\_\_\_\_\_ am on a \_\_\_\_\_ plan \_\_\_\_\_ be \_\_\_\_\_ my \_\_\_\_\_ and \_\_\_\_\_ up with \_\_\_\_\_ at peak times.

Timing confusion could \_\_\_\_\_ use my discount \_\_\_\_\_ hours.

Will an accidental consumption \_\_\_\_\_ energy \_\_\_\_\_ peak \_\_\_\_\_ compromise advantages \_\_\_\_\_ with being taken \_\_\_\_\_ in \_\_\_\_\_ cost plans \_\_\_\_\_?

\_\_\_\_\_ cause me to \_\_\_\_\_ the \_\_\_\_\_ at rush hour, \_\_\_\_\_ cost-saving \_\_\_\_\_ with \_\_\_\_\_

\_\_\_\_\_ make me \_\_\_\_\_ my discount \_\_\_\_\_ electricity during \_\_\_\_\_ times.

Do \_\_\_\_\_ a problem \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_ I am confused \_\_\_\_\_ the \_\_\_\_\_ discounted tariffs?

Will \_\_\_\_\_ consumption of \_\_\_\_\_ at peak slots \_\_\_\_\_ advantages \_\_\_\_\_ a \_\_\_\_\_ cost plans offered by suppliers?

Timing confusion \_\_\_\_\_ me \_\_\_\_\_ my discount \_\_\_\_\_ during peak \_\_\_\_\_.

\_\_\_\_\_ accidentally use power \_\_\_\_\_ periods of \_\_\_\_\_ when I \_\_\_\_\_ rate plan?

Will accidental \_\_\_\_\_ of electrical \_\_\_\_\_ slots \_\_\_\_\_ advantages \_\_\_\_\_ with \_\_\_\_\_ enroled in \_\_\_\_\_ plans offered \_\_\_\_\_ suppliers?

\_\_\_\_\_ have \_\_\_\_\_ plan \_\_\_\_\_ be \_\_\_\_\_ I end up using electricity \_\_\_\_\_ the peak \_\_\_\_\_.

What \_\_\_\_\_ I \_\_\_\_\_ if \_\_\_\_\_ during peak \_\_\_\_\_ the discounted suppliers plan?

If electricity usage happens unintentionally during peak \_\_\_\_\_ timing \_\_\_\_\_ the \_\_\_\_\_ tariff plan \_\_\_\_\_?

\_\_\_\_\_ confusion may cause \_\_\_\_\_ my \_\_\_\_\_ electricity during peak \_\_\_\_\_.

I \_\_\_\_\_ discounted \_\_\_\_\_ and it \_\_\_\_\_ my timing \_\_\_\_\_ end \_\_\_\_\_ at the busiest time of the day

\_\_\_\_\_ possible for \_\_\_\_\_ mix \_\_\_\_\_ my usage timing \_\_\_\_\_ Supplier's discount \_\_\_\_\_?

Is \_\_\_\_\_ a problem if \_\_\_\_\_ my \_\_\_\_\_ during \_\_\_\_\_ due to confusion?

\_\_\_\_\_ on a discounted plan, \_\_\_\_\_ could \_\_\_\_\_ that \_\_\_\_\_ end up \_\_\_\_\_ electricity when \_\_\_\_\_?

\_\_\_\_\_ me use my \_\_\_\_\_ plan's \_\_\_\_\_ in the peak \_\_\_\_\_.

When I \_\_\_\_\_ use power \_\_\_\_\_ high \_\_\_\_\_ while using \_\_\_\_\_ rate \_\_\_\_\_ the suppliers, what \_\_\_\_\_?

misunderstandings can cause \_\_\_\_\_ to \_\_\_\_\_ at \_\_\_\_\_ and cost me my \_\_\_\_\_ with Electric \_\_\_\_\_.

\_\_\_\_\_ to use my discount \_\_\_\_\_ electricity \_\_\_\_\_ peak periods.

\_\_\_\_\_ a \_\_\_\_\_ plan and \_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ timing confuses and \_\_\_\_\_ end up using \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ make \_\_\_\_\_ use \_\_\_\_\_ discount plan's electricity during \_\_\_\_\_ periods.

\_\_\_\_\_ it \_\_\_\_\_ if \_\_\_\_\_ my discounted \_\_\_\_\_ during the peak hours \_\_\_\_\_ confusion \_\_\_\_\_ the timing?

\_\_\_\_\_ worried that misunderstandings could \_\_\_\_\_ me to use \_\_\_\_\_ rush hours and \_\_\_\_\_ cost-saving \_\_\_\_\_ Electric \_\_\_\_\_.

It's \_\_\_\_\_ my timing confuses \_\_\_\_\_ end up with electricity when \_\_\_\_\_ supposed \_\_\_\_\_ I'm \_\_\_\_\_ discounted

It is possible \_\_\_\_\_ timing confuses and I end \_\_\_\_\_ using \_\_\_\_\_ during \_\_\_\_\_ discounted \_\_\_\_\_.

I'm \_\_\_\_\_ a \_\_\_\_\_ I \_\_\_\_\_ end up using \_\_\_\_\_ in peak \_\_\_\_\_.

I \_\_\_\_\_ use power \_\_\_\_\_ demand periods when I use \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ I mix up \_\_\_\_\_ usage timing on \_\_\_\_\_.

\_\_\_\_\_ not sure if timing \_\_\_\_\_ cause me \_\_\_\_\_ use my \_\_\_\_\_ during \_\_\_\_\_.

I'm on a \_\_\_\_\_ plan \_\_\_\_\_ I end up using \_\_\_\_\_.

\_\_\_\_\_ my \_\_\_\_\_ if I unintentionally \_\_\_\_\_ power \_\_\_\_\_ busy time?

I \_\_\_\_\_ a \_\_\_\_\_ could it \_\_\_\_\_ I wrongly \_\_\_\_\_ in peak hours?

I'm on \_\_\_\_\_ plan \_\_\_\_\_ be \_\_\_\_\_ timing confuses, and I end \_\_\_\_\_ with \_\_\_\_\_ I'm not \_\_\_\_\_

I \_\_\_\_\_ electricity package, so what \_\_\_\_\_ if \_\_\_\_\_ and \_\_\_\_\_ it during times of peak \_\_\_\_\_?

Will an \_\_\_\_\_ electrical \_\_\_\_\_ at \_\_\_\_\_ slots compromise \_\_\_\_\_ taking part \_\_\_\_\_ lower cost \_\_\_\_\_ offered by suppliers?

timing confusion might \_\_\_\_\_ me \_\_\_\_\_ my \_\_\_\_\_ plan's \_\_\_\_\_ periods.

Timing \_\_\_\_ might \_\_\_\_ use \_\_\_\_ plan \_\_\_\_ peak times.

\_\_\_\_ could \_\_\_\_ to \_\_\_\_ my discount plan's \_\_\_\_ peak times.

I do not \_\_\_\_ if timing \_\_\_\_ will \_\_\_\_ electricity at peak \_\_\_\_ on \_\_\_\_ discount \_\_\_\_.

\_\_\_\_ my \_\_\_\_ peak times impact my discount \_\_\_\_ arrangement \_\_\_\_ the supplier?

\_\_\_\_ accidentally use \_\_\_\_ periods \_\_\_\_ I use \_\_\_\_ rate plan \_\_\_\_ the suppliers.

What \_\_\_\_ when \_\_\_\_ during high \_\_\_\_ periods and use a reduced \_\_\_\_ plan \_\_\_\_ suppliers?

I \_\_\_\_ know \_\_\_\_ timing \_\_\_\_ make me \_\_\_\_ plan's electricity during peak \_\_\_\_.

I'm on a \_\_\_\_ plan \_\_\_\_ be that \_\_\_\_ wrongly \_\_\_\_ during peak \_\_\_\_?

\_\_\_\_ think that misunderstandings \_\_\_\_ use \_\_\_\_ at \_\_\_\_ hour, which \_\_\_\_ against my \_\_\_\_ arrangements \_\_\_\_ electric providers

\_\_\_\_ have a discounted plan \_\_\_\_ I \_\_\_\_ up using \_\_\_\_ the busiest \_\_\_\_ of the day?

\_\_\_\_ an accidental \_\_\_\_ energy at peak slots compromise \_\_\_\_ associated \_\_\_\_ taken part \_\_\_\_ lower cost \_\_\_\_ the supplier?

\_\_\_\_ am confused \_\_\_\_ the \_\_\_\_ of my discounted \_\_\_\_ is there \_\_\_\_ issue \_\_\_\_ of \_\_\_\_ at \_\_\_\_ hours?

Will my use \_\_\_\_ electricity at peak \_\_\_\_ the \_\_\_\_ my \_\_\_\_ arrangement with \_\_\_\_?

It is possible that \_\_\_\_ confuses \_\_\_\_ in peak \_\_\_\_ as I \_\_\_\_ on \_\_\_\_ discounted plan.

Due \_\_\_\_ confusion about the timing, will it be \_\_\_\_ if \_\_\_\_ electricity \_\_\_\_ peak \_\_\_\_ my \_\_\_\_?

\_\_\_\_ high \_\_\_\_ unintentionally using the electric \_\_\_\_ my discounted program \_\_\_\_?

\_\_\_\_ that \_\_\_\_ can \_\_\_\_ me \_\_\_\_ use \_\_\_\_ electric \_\_\_\_ rush \_\_\_\_ violate my cost-saving \_\_\_\_ with Electric Providers

Timing confusion may \_\_\_\_ me use my \_\_\_\_ hours

Will an \_\_\_\_ consumption \_\_\_\_ electrical \_\_\_\_ at \_\_\_\_ slots compromise \_\_\_\_ a lower cost \_\_\_\_ suppliers?

\_\_\_\_ am \_\_\_\_ that misunderstandings can cause \_\_\_\_ to use the electricity \_\_\_\_ rush \_\_\_\_ is against \_\_\_\_ Electric \_\_\_\_

\_\_\_\_ my usage timing \_\_\_\_ the electricity supplier's discount \_\_\_\_?

I'm \_\_\_\_ discounted plan \_\_\_\_ it be that \_\_\_\_ I end up \_\_\_\_ electricity when it's \_\_\_\_?

The \_\_\_\_ Supplier's discount plan might \_\_\_\_ able \_\_\_\_ up \_\_\_\_.

\_\_\_\_ might cause \_\_\_\_ use my \_\_\_\_ peak times on \_\_\_\_ discount \_\_\_\_.

\_\_\_\_ on \_\_\_\_ discounted plan and \_\_\_\_ timing confuses, I \_\_\_\_ peak hours.

If I \_\_\_\_ with \_\_\_\_ power \_\_\_\_ peak \_\_\_\_ affect \_\_\_\_ reduced rate from suppliers.

The \_\_\_\_ electricity at peak times \_\_\_\_ supplier's scheme?

\_\_\_\_ might cause \_\_\_\_ to \_\_\_\_ the electric at \_\_\_\_ and violate my \_\_\_\_ arrangement \_\_\_\_.

It \_\_\_\_ be a problem \_\_\_\_ during \_\_\_\_ peak \_\_\_\_ there is confusion about when \_\_\_\_ use.

\_\_\_\_ if \_\_\_\_ will cause me \_\_\_\_ use \_\_\_\_ peak times, as I \_\_\_\_ on \_\_\_\_ discount plan.

I'm \_\_\_\_ plan \_\_\_\_ it is \_\_\_\_ that \_\_\_\_ timing \_\_\_\_ and \_\_\_\_ end up using electricity on \_\_\_\_.

\_\_\_\_ make \_\_\_\_ mistake \_\_\_\_ my power at \_\_\_\_ it will impact my reduced \_\_\_\_.

\_\_\_\_ a discounted \_\_\_\_ it \_\_\_\_ possible that \_\_\_\_ timing confuses and I \_\_\_\_ up \_\_\_\_ electricity when \_\_\_\_ using \_\_\_\_.

\_\_\_\_ am on a discounted \_\_\_\_ it's \_\_\_\_ that \_\_\_\_ and I \_\_\_\_ up with \_\_\_\_ at peak \_\_\_\_.

Will \_\_\_\_ plans offered \_\_\_\_ be \_\_\_\_ by \_\_\_\_ consumption of \_\_\_\_ energy \_\_\_\_ slots?

\_\_\_\_ power during periods of high demand \_\_\_\_ I'm under \_\_\_\_ plan?

\_\_\_\_ accidentally use power \_\_\_\_ demand \_\_\_\_ while using my \_\_\_\_?

\_\_\_\_ am \_\_\_\_ sure if \_\_\_\_ might \_\_\_\_ me use my discount \_\_\_\_ electricity \_\_\_\_.

I am \_\_\_\_ misunderstandings \_\_\_\_ cause \_\_\_\_ use the \_\_\_\_ which \_\_\_\_ violate \_\_\_\_ cost-saving arrangement with Electric

\_\_\_\_ I am confused about the timing \_\_\_\_ discounted \_\_\_\_ is \_\_\_\_ issue \_\_\_\_ my \_\_\_\_ during peak \_\_\_\_?

\_\_\_\_ I \_\_\_\_ up \_\_\_\_ electricity supplier's \_\_\_\_ plan, my usage \_\_\_\_ may \_\_\_\_

\_\_\_\_ up on the \_\_\_\_ discount plan my usage \_\_\_\_ could \_\_\_\_.

misunderstandings \_\_\_\_ cause me to use the \_\_\_\_ rush \_\_\_\_ and \_\_\_\_ cost-saving \_\_\_\_ electric \_\_\_\_.

\_\_\_\_ an accidental consumption of \_\_\_\_ at \_\_\_\_ the advantages associated \_\_\_\_ part \_\_\_\_ lower \_\_\_\_ plan offered by \_\_\_\_ supplier?

Will accidental \_\_\_\_ of \_\_\_\_ energy within \_\_\_\_ compromise advantages associated \_\_\_\_ pricing plans \_\_\_\_ by \_\_\_\_?

\_\_\_\_ an \_\_\_\_ consumption of electrical \_\_\_\_ at peak \_\_\_\_ advantages associated \_\_\_\_ a lower cost \_\_\_\_ offered \_\_\_\_

\_\_\_\_ supplier?  
 \_\_\_\_ it \_\_\_\_ a \_\_\_\_ I \_\_\_\_ my discounted \_\_\_\_ peak hours \_\_\_\_ there \_\_\_\_ confusion \_\_\_\_ when to \_\_\_\_ it?  
 \_\_\_\_ happens if I \_\_\_\_ use power during \_\_\_\_ demand periods \_\_\_\_ my \_\_\_\_ plan \_\_\_\_ ?  
 It \_\_\_\_ possible that my \_\_\_\_ confuses \_\_\_\_ I wrongly use electricity during \_\_\_\_ hours \_\_\_\_ .  
 I am wondering if \_\_\_\_ will cause \_\_\_\_ to \_\_\_\_ during \_\_\_\_ hours \_\_\_\_ my discount \_\_\_\_ .  
 \_\_\_\_ consumption of electrical energy \_\_\_\_ peak slots \_\_\_\_ being taken \_\_\_\_ in \_\_\_\_ lower cost plans \_\_\_\_  
 \_\_\_\_ suppliers?  
 misunderstandings \_\_\_\_ cause me \_\_\_\_ the \_\_\_\_ hour, \_\_\_\_ is against my \_\_\_\_ arrangements with electric \_\_\_\_ .  
 If \_\_\_\_ confused about the timing of \_\_\_\_ I \_\_\_\_ issue \_\_\_\_ use \_\_\_\_ electricity during peak hours?  
 It \_\_\_\_ if \_\_\_\_ my discounted \_\_\_\_ during \_\_\_\_ peak \_\_\_\_ when \_\_\_\_ confusion about when it's time to \_\_\_\_ .  
 I'm not certain if \_\_\_\_ might \_\_\_\_ my \_\_\_\_ electricity during \_\_\_\_ periods.  
 \_\_\_\_ can cause \_\_\_\_ to \_\_\_\_ the electric at \_\_\_\_ violate my cost-saving arrangement with \_\_\_\_ am \_\_\_\_ .  
 \_\_\_\_ am \_\_\_\_ and \_\_\_\_ it be \_\_\_\_ I end \_\_\_\_ with electricity when \_\_\_\_ peak time?  
 \_\_\_\_ end \_\_\_\_ using \_\_\_\_ the busiest time \_\_\_\_ the day because of \_\_\_\_ discounted plan.  
 \_\_\_\_ an accidental \_\_\_\_ of electrical energy at \_\_\_\_ advantages \_\_\_\_ with \_\_\_\_ in a \_\_\_\_ plan \_\_\_\_ the supplier?  
 \_\_\_\_ to utilize electricity during \_\_\_\_ by accident \_\_\_\_ discounted \_\_\_\_ setup?  
 \_\_\_\_ plan \_\_\_\_ if \_\_\_\_ confusion will make \_\_\_\_ use electricity \_\_\_\_ during peak times.  
 \_\_\_\_ cause me to \_\_\_\_ the \_\_\_\_ at rush \_\_\_\_ violating \_\_\_\_ with Electric \_\_\_\_  
 I am \_\_\_\_ a discounted \_\_\_\_ may be that my \_\_\_\_ confuses \_\_\_\_ I \_\_\_\_ up using \_\_\_\_ days.  
 \_\_\_\_ on \_\_\_\_ discounted plan \_\_\_\_ am \_\_\_\_ if timing confusion \_\_\_\_ cause \_\_\_\_ use \_\_\_\_ unfairly during \_\_\_\_ times.  
 It \_\_\_\_ be \_\_\_\_ if \_\_\_\_ use my \_\_\_\_ rate during the peak \_\_\_\_ because \_\_\_\_ is confusion \_\_\_\_ it \_\_\_\_ time \_\_\_\_ .  
 I am \_\_\_\_ to \_\_\_\_ the \_\_\_\_ at rush hours, which could violate my \_\_\_\_ with \_\_\_\_  
 I \_\_\_\_ on a discounted plan \_\_\_\_ could \_\_\_\_ confuses and I \_\_\_\_ using \_\_\_\_ on the \_\_\_\_ days.  
 I'm \_\_\_\_ plan and could it \_\_\_\_ that my timing \_\_\_\_ and \_\_\_\_ end \_\_\_\_ using \_\_\_\_ busiest \_\_\_\_ of the \_\_\_\_  
 I am \_\_\_\_ if \_\_\_\_ confusion \_\_\_\_ cause me to \_\_\_\_ electricity unfairly \_\_\_\_ peak \_\_\_\_ a \_\_\_\_ plan  
 \_\_\_\_ on a \_\_\_\_ it \_\_\_\_ timing confuses and \_\_\_\_ end up \_\_\_\_ electricity on \_\_\_\_ busiest days?  
 \_\_\_\_ worried misunderstandings can cause \_\_\_\_ use \_\_\_\_ electricity \_\_\_\_ hour, \_\_\_\_ is against \_\_\_\_ cost-saving \_\_\_\_  
 \_\_\_\_ electric providers  
 \_\_\_\_ an accidental consumption \_\_\_\_ electrical \_\_\_\_ compromising \_\_\_\_ associated with being taken part \_\_\_\_ a lower  
 \_\_\_\_ offered \_\_\_\_ supplier?  
 \_\_\_\_ on \_\_\_\_ and could \_\_\_\_ be \_\_\_\_ timing confuses and I end \_\_\_\_ electricity on \_\_\_\_ busiest part \_\_\_\_  
 \_\_\_\_ day?  
 I'm \_\_\_\_ a discounted \_\_\_\_ it \_\_\_\_ that \_\_\_\_ and \_\_\_\_ end up using \_\_\_\_ busiest time of day?  
 \_\_\_\_ an \_\_\_\_ consumption \_\_\_\_ electrical energy \_\_\_\_ associated with \_\_\_\_ part in a lower cost \_\_\_\_ offered  
 by \_\_\_\_ ?  
 If I am \_\_\_\_ the \_\_\_\_ of \_\_\_\_ can I \_\_\_\_ about \_\_\_\_ of electricity during peak \_\_\_\_ ?  
 \_\_\_\_ can cause \_\_\_\_ to use the \_\_\_\_ hours, violating \_\_\_\_ cost-saving arrangement \_\_\_\_ .  
 If I \_\_\_\_ error \_\_\_\_ use \_\_\_\_ peak \_\_\_\_ under my discount \_\_\_\_ what \_\_\_\_ ?  
 \_\_\_\_ it possible \_\_\_\_ up usage timing \_\_\_\_ electricity supplier \_\_\_\_ ?  
 Timing confusion \_\_\_\_ using my discount plan's \_\_\_\_ during \_\_\_\_ .  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ up \_\_\_\_ on \_\_\_\_ supplier discount plan?  
 If I were to use \_\_\_\_ discounted rate, \_\_\_\_ would happen?  
 \_\_\_\_ cause me \_\_\_\_ use \_\_\_\_ electric at rush hours, \_\_\_\_ violate \_\_\_\_ arrangement \_\_\_\_ the \_\_\_\_ Providers.  
 Can \_\_\_\_ accidentally \_\_\_\_ power \_\_\_\_ high demand periods \_\_\_\_ reduced-rate \_\_\_\_ the suppliers?  
 \_\_\_\_ am on \_\_\_\_ plan \_\_\_\_ be that \_\_\_\_ timing confuses \_\_\_\_ I \_\_\_\_ up using electricity during \_\_\_\_ busiest \_\_\_\_ of \_\_\_\_ .  
 \_\_\_\_ it a \_\_\_\_ if I \_\_\_\_ use my discounted rate \_\_\_\_ the \_\_\_\_ about \_\_\_\_ timing?  
 I \_\_\_\_ on a \_\_\_\_ plan \_\_\_\_ be that \_\_\_\_ and \_\_\_\_ end up using electricity \_\_\_\_ times.  
 \_\_\_\_ be a problem \_\_\_\_ to use my discounted \_\_\_\_ the \_\_\_\_ hours \_\_\_\_ confusion?  
 I have a discounted plan and it could be \_\_\_\_ I \_\_\_\_ up using \_\_\_\_ .  
 I have a \_\_\_\_ plan \_\_\_\_ it's possible \_\_\_\_ I \_\_\_\_ up \_\_\_\_ peak \_\_\_\_ .  
 \_\_\_\_ misunderstandings \_\_\_\_ use \_\_\_\_ at \_\_\_\_ hour, violating cost-saving \_\_\_\_ with \_\_\_\_ Providers?

am \_\_\_\_\_ me \_\_\_\_\_ the electric at rush hours, which could violate \_\_\_\_\_ cost-saving \_\_\_\_\_ Electric \_\_\_\_\_  
 \_\_\_\_\_ supplier's lower cost plans being taken \_\_\_\_\_ by an \_\_\_\_\_ of electrical \_\_\_\_\_ at peak \_\_\_\_\_?  
 \_\_\_\_\_ cause \_\_\_\_\_ use the \_\_\_\_\_ at rush \_\_\_\_\_ which may violate my cost-saving \_\_\_\_\_ Electric \_\_\_\_\_.  
 \_\_\_\_\_ concerned that misunderstandings can \_\_\_\_\_ me \_\_\_\_\_ electric at rush \_\_\_\_\_ and break \_\_\_\_\_ arrangement \_\_\_\_\_  
 providers.  
 \_\_\_\_\_ an \_\_\_\_\_ use of electrical \_\_\_\_\_ at peak slots compromise \_\_\_\_\_ a lower \_\_\_\_\_ plans offered \_\_\_\_\_ suppliers?  
 \_\_\_\_\_ confusion \_\_\_\_\_ me \_\_\_\_\_ my \_\_\_\_\_ plan's electricity during \_\_\_\_\_ periods.  
 \_\_\_\_\_ issue \_\_\_\_\_ my \_\_\_\_\_ electricity \_\_\_\_\_ peak \_\_\_\_\_ if I don't know \_\_\_\_\_ of my discounted tariffs?  
 misunderstandings \_\_\_\_\_ cause \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ at \_\_\_\_\_ hours and violate \_\_\_\_\_ with Electric \_\_\_\_\_.  
 \_\_\_\_\_ if \_\_\_\_\_ use \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ on \_\_\_\_\_ discounted \_\_\_\_\_ from Electricity Suppliers?  
 timing confusion \_\_\_\_\_ me to use electricity \_\_\_\_\_ times on \_\_\_\_\_.  
 \_\_\_\_\_ am concerned \_\_\_\_\_ can \_\_\_\_\_ the electricity \_\_\_\_\_ rush hour, which \_\_\_\_\_ my cost saving agreements with  
 \_\_\_\_\_  
 \_\_\_\_\_ high \_\_\_\_\_ could \_\_\_\_\_ the electric grid \_\_\_\_\_ impact on my discounted program \_\_\_\_\_?  
 \_\_\_\_\_ concerned \_\_\_\_\_ misunderstandings can cause \_\_\_\_\_ use the electric \_\_\_\_\_ hours, \_\_\_\_\_ will \_\_\_\_\_ cost-saving  
 \_\_\_\_\_ with Electric  
 \_\_\_\_\_ confusion \_\_\_\_\_ make \_\_\_\_\_ discount plan's electricity \_\_\_\_\_ times \_\_\_\_\_ peak use.  
 Is \_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ use my discounted rate \_\_\_\_\_ peak hours \_\_\_\_\_?  
 During high \_\_\_\_\_ could \_\_\_\_\_ electric \_\_\_\_\_ my \_\_\_\_\_ from providers?  
 I \_\_\_\_\_ a \_\_\_\_\_ plan \_\_\_\_\_ am \_\_\_\_\_ if \_\_\_\_\_ will cause me \_\_\_\_\_ electricity unfairly at peak \_\_\_\_\_.  
 \_\_\_\_\_ concerned that misunderstandings can \_\_\_\_\_ me \_\_\_\_\_ use the electric \_\_\_\_\_ rush \_\_\_\_\_ arrangement \_\_\_\_\_  
 Providers  
 \_\_\_\_\_ that my \_\_\_\_\_ I \_\_\_\_\_ using electricity in \_\_\_\_\_ times on my discounted plan.  
 I have \_\_\_\_\_ discounted \_\_\_\_\_ but what \_\_\_\_\_ and use it during \_\_\_\_\_ of peak usage?  
 \_\_\_\_\_ I \_\_\_\_\_ power during \_\_\_\_\_ demand \_\_\_\_\_ while using a \_\_\_\_\_ plan?  
 \_\_\_\_\_ confusion could cause me \_\_\_\_\_ electricity at peak \_\_\_\_\_ a \_\_\_\_\_.  
 I have a \_\_\_\_\_ plan \_\_\_\_\_ it \_\_\_\_\_ possible \_\_\_\_\_ my \_\_\_\_\_ confuses \_\_\_\_\_ I \_\_\_\_\_ with \_\_\_\_\_ it is peak \_\_\_\_\_.  
 I am \_\_\_\_\_ timing confusion \_\_\_\_\_ me \_\_\_\_\_ use electricity unfairly during \_\_\_\_\_ hours, \_\_\_\_\_ on \_\_\_\_\_ discount \_\_\_\_\_.  
 I \_\_\_\_\_ wondering \_\_\_\_\_ timing confusion will cause me \_\_\_\_\_ use electricity unfairly \_\_\_\_\_ peak \_\_\_\_\_.  
 misunderstandings can cause \_\_\_\_\_ use \_\_\_\_\_ electric at \_\_\_\_\_ and violate \_\_\_\_\_ arrangement \_\_\_\_\_ providers  
 On \_\_\_\_\_ discounted plan, \_\_\_\_\_ it be that my \_\_\_\_\_ using electricity \_\_\_\_\_ peak days?  
 \_\_\_\_\_ it \_\_\_\_\_ Electricity supplier's \_\_\_\_\_ plan my usage \_\_\_\_\_ may change.  
 misunderstandings \_\_\_\_\_ me \_\_\_\_\_ use \_\_\_\_\_ electric \_\_\_\_\_ hours \_\_\_\_\_ my \_\_\_\_\_ deal with Electric Providers.  
 I am worried that \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ at \_\_\_\_\_ hour, which \_\_\_\_\_ my \_\_\_\_\_ agreements with Electric \_\_\_\_\_  
 \_\_\_\_\_ a \_\_\_\_\_ package of electricity, \_\_\_\_\_ what \_\_\_\_\_ if \_\_\_\_\_ an error \_\_\_\_\_ it during \_\_\_\_\_ of \_\_\_\_\_ demand?  
 \_\_\_\_\_ possible \_\_\_\_\_ I \_\_\_\_\_ with electricity \_\_\_\_\_ time \_\_\_\_\_ of my discounted plan.  
 What would \_\_\_\_\_ I accidentally \_\_\_\_\_ during \_\_\_\_\_ demand \_\_\_\_\_ using \_\_\_\_\_ reduced \_\_\_\_\_ plan \_\_\_\_\_ the suppliers?  
 \_\_\_\_\_ an accidental \_\_\_\_\_ electrical \_\_\_\_\_ at peak slots \_\_\_\_\_ of being in \_\_\_\_\_ lower cost \_\_\_\_\_ the supplier?  
 I \_\_\_\_\_ discounted \_\_\_\_\_ package and I wonder \_\_\_\_\_ end up paying \_\_\_\_\_ I make \_\_\_\_\_ error and \_\_\_\_\_ during times  
 \_\_\_\_\_  
 It's \_\_\_\_\_ my \_\_\_\_\_ confuses and \_\_\_\_\_ end up using \_\_\_\_\_ days on a discounted \_\_\_\_\_.  
 \_\_\_\_\_ worried \_\_\_\_\_ misunderstandings \_\_\_\_\_ cause me \_\_\_\_\_ use \_\_\_\_\_ electric \_\_\_\_\_ rush \_\_\_\_\_ would violate \_\_\_\_\_  
 arrangement with Electric  
 \_\_\_\_\_ discounted plan \_\_\_\_\_ could it be that \_\_\_\_\_ confuses and I end \_\_\_\_\_ I am not \_\_\_\_\_?  
 \_\_\_\_\_ an accidental consumption of \_\_\_\_\_ energy at peak slots \_\_\_\_\_ the \_\_\_\_\_ of a \_\_\_\_\_ cost plan \_\_\_\_\_?  
 \_\_\_\_\_ worried \_\_\_\_\_ cause \_\_\_\_\_ to use \_\_\_\_\_ rush hour \_\_\_\_\_ is against my cost-saving \_\_\_\_\_ with \_\_\_\_\_ providers  
 \_\_\_\_\_ can \_\_\_\_\_ me \_\_\_\_\_ electric \_\_\_\_\_ rush hours, \_\_\_\_\_ cost-saving arrangement with the \_\_\_\_\_ Providers.  
 I \_\_\_\_\_ that misunderstandings \_\_\_\_\_ cause \_\_\_\_\_ the electricity \_\_\_\_\_ hour, which is against my cost-saving \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_ if \_\_\_\_\_ timing \_\_\_\_\_ will cause me \_\_\_\_\_ unfairly during \_\_\_\_\_ hours, \_\_\_\_\_ am \_\_\_\_\_ a discount plan.  
 Timing \_\_\_\_\_ cause me \_\_\_\_\_ use \_\_\_\_\_ at peak times \_\_\_\_\_ discount \_\_\_\_\_.  
 Is it a \_\_\_\_\_ if I \_\_\_\_\_ the discounted \_\_\_\_\_ during \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ confusion \_\_\_\_\_ me \_\_\_\_\_ use \_\_\_\_\_ discount \_\_\_\_\_ electricity in peak \_\_\_\_\_.

\_\_\_\_ am \_\_\_\_ and if \_\_\_\_ timing confuses \_\_\_\_ end up \_\_\_\_ electricity \_\_\_\_ peak times.  
 I \_\_\_\_ on a discounted plan \_\_\_\_ it's possible that my timing \_\_\_\_ with electricity \_\_\_\_ don't \_\_\_\_  
 Will confusion \_\_\_\_ my \_\_\_\_ rate during peak \_\_\_\_?  
 Is it possible \_\_\_\_ I \_\_\_\_ electricity \_\_\_\_ hours \_\_\_\_ on \_\_\_\_ discounted \_\_\_\_ from Electricity \_\_\_\_?  
 I am \_\_\_\_ to \_\_\_\_ electricity at \_\_\_\_ hour, \_\_\_\_ is against my \_\_\_\_ saving agreements with \_\_\_\_ electric \_\_\_\_  
 \_\_\_\_ cause \_\_\_\_ use the electric at \_\_\_\_ and cause my \_\_\_\_ arrangement with \_\_\_\_ to be \_\_\_\_.  
 \_\_\_\_ am worried that misunderstandings can \_\_\_\_ use the electric at rush hours \_\_\_\_ my \_\_\_\_ providers.  
 \_\_\_\_ know if timing confusion may \_\_\_\_ me \_\_\_\_ discount plan's \_\_\_\_ peak \_\_\_\_.  
 I'm \_\_\_\_ discounted \_\_\_\_ and I \_\_\_\_ end \_\_\_\_ using electricity \_\_\_\_ the \_\_\_\_ time \_\_\_\_ day.  
 \_\_\_\_ I \_\_\_\_ use \_\_\_\_ high demand \_\_\_\_ using my reduced \_\_\_\_ plan?  
 \_\_\_\_ am worried that \_\_\_\_ cause me \_\_\_\_ electric \_\_\_\_ and \_\_\_\_ my \_\_\_\_ arrangement with Electric Providers will \_\_\_\_  
 \_\_\_\_ I \_\_\_\_ confused about the \_\_\_\_ of my \_\_\_\_ tariffs, \_\_\_\_ there \_\_\_\_ my use \_\_\_\_ during \_\_\_\_ peak hours?  
 Will \_\_\_\_ I accidentally consume \_\_\_\_ my \_\_\_\_ rate, due \_\_\_\_ confusion about the timing?  
 \_\_\_\_ it \_\_\_\_ difficult if I end up \_\_\_\_ the \_\_\_\_ peak \_\_\_\_ at discounted \_\_\_\_ confusion?  
 Is it possible \_\_\_\_ confusion \_\_\_\_ me \_\_\_\_ peak hours on \_\_\_\_ plan?  
 Will \_\_\_\_ consumption \_\_\_\_ electrical \_\_\_\_ within \_\_\_\_ compromise advantages associated with \_\_\_\_ a \_\_\_\_ of \_\_\_\_ plans \_\_\_\_ by \_\_\_\_?  
 \_\_\_\_ a discounted \_\_\_\_ could it be \_\_\_\_ my \_\_\_\_ confuses and \_\_\_\_ end up \_\_\_\_ electricity during \_\_\_\_ day?  
 \_\_\_\_ use \_\_\_\_ discounted rate \_\_\_\_ there might be confusion \_\_\_\_ timing.  
 \_\_\_\_ I \_\_\_\_ a \_\_\_\_ my \_\_\_\_ at peak \_\_\_\_ reduced \_\_\_\_ from suppliers would \_\_\_\_ impacted.  
 What if \_\_\_\_ accidentally \_\_\_\_ electricity during \_\_\_\_ a \_\_\_\_ plan from Electricity \_\_\_\_?  
 misunderstandings \_\_\_\_ cause me \_\_\_\_ electricity \_\_\_\_ which is against my cost saving \_\_\_\_ electric provider  
 \_\_\_\_ confusion \_\_\_\_ cause me \_\_\_\_ use my \_\_\_\_ a discount plan.  
 \_\_\_\_ am worried \_\_\_\_ will cause \_\_\_\_ to use the \_\_\_\_ at rush \_\_\_\_ is \_\_\_\_ cost-saving \_\_\_\_ electric \_\_\_\_  
 Is \_\_\_\_ possible \_\_\_\_ end up \_\_\_\_ the peak days \_\_\_\_ of \_\_\_\_ plan?  
 Is \_\_\_\_ I consume electricity during \_\_\_\_ hours \_\_\_\_ my discounted \_\_\_\_?  
 \_\_\_\_ I \_\_\_\_ with my \_\_\_\_ during the \_\_\_\_ hours my reduced \_\_\_\_ from \_\_\_\_ will \_\_\_\_ affected.  
 Timing \_\_\_\_ make me \_\_\_\_ discount plan's \_\_\_\_ in \_\_\_\_ time.  
 I am on \_\_\_\_ discounted plan and \_\_\_\_ using \_\_\_\_ on \_\_\_\_ days \_\_\_\_ my \_\_\_\_ confuses.  
 I am worried \_\_\_\_ misunderstandings could cause \_\_\_\_ to \_\_\_\_ the \_\_\_\_ which is \_\_\_\_ saving \_\_\_\_ with \_\_\_\_ Providers  
 \_\_\_\_ it be \_\_\_\_ if \_\_\_\_ use \_\_\_\_ rate in \_\_\_\_ when there \_\_\_\_ confusion about \_\_\_\_ to use?  
 \_\_\_\_ on \_\_\_\_ plan and wondering if timing confusion \_\_\_\_ use \_\_\_\_ during \_\_\_\_ hours.  
 \_\_\_\_ accidental consumption \_\_\_\_ energy \_\_\_\_ advantages of being in a lower \_\_\_\_ offered by suppliers?  
 \_\_\_\_ can cause me to \_\_\_\_ the electric at rush \_\_\_\_ break my \_\_\_\_ Electric \_\_\_\_.  
 \_\_\_\_ I inadvertently \_\_\_\_ power \_\_\_\_ high \_\_\_\_ periods while \_\_\_\_ a \_\_\_\_ plan from \_\_\_\_?  
 \_\_\_\_ not sure if \_\_\_\_ confusion will \_\_\_\_ me \_\_\_\_ my discount \_\_\_\_ hours.  
 Timing confusion \_\_\_\_ make me use the \_\_\_\_ plan's \_\_\_\_.  
 If \_\_\_\_ mistakenly consume electricity with \_\_\_\_ during \_\_\_\_ about the timing, \_\_\_\_ it a problem?  
 misunderstandings could \_\_\_\_ me \_\_\_\_ use \_\_\_\_ electric \_\_\_\_ my \_\_\_\_ arrangement with \_\_\_\_ Providers.  
 I \_\_\_\_ during high \_\_\_\_ when \_\_\_\_ use my \_\_\_\_ from suppliers.  
 What \_\_\_\_ accidentally \_\_\_\_ power during high \_\_\_\_ using \_\_\_\_ reduced \_\_\_\_ plan \_\_\_\_ my suppliers?  
 \_\_\_\_ sure if \_\_\_\_ confusion might \_\_\_\_ me \_\_\_\_ use my \_\_\_\_ during \_\_\_\_ times.  
 \_\_\_\_ accidental \_\_\_\_ of \_\_\_\_ energy at \_\_\_\_ compromise the \_\_\_\_ associated with \_\_\_\_ of \_\_\_\_ lower \_\_\_\_ plans \_\_\_\_ by the supplier?  
 \_\_\_\_ use my discounted \_\_\_\_ if \_\_\_\_ accidentally \_\_\_\_ peak hours due to \_\_\_\_?  
 \_\_\_\_ a problem if I use my discounted \_\_\_\_ hours because \_\_\_\_?  
 \_\_\_\_ of electrical energy at \_\_\_\_ slots \_\_\_\_ associated \_\_\_\_ taken into a lower \_\_\_\_ plans offered by \_\_\_\_?

\_\_\_\_\_ can \_\_\_\_\_ me to \_\_\_\_\_ the electric \_\_\_\_\_ hours, which \_\_\_\_\_ against my cost-saving \_\_\_\_\_ with \_\_\_\_\_.

\_\_\_\_\_ confusion might cause \_\_\_\_\_ to \_\_\_\_\_ my discount \_\_\_\_\_ electricity \_\_\_\_\_ times.

\_\_\_\_\_ am \_\_\_\_\_ plan and could it \_\_\_\_\_ that I end \_\_\_\_\_ in \_\_\_\_\_ time?

\_\_\_\_\_ I \_\_\_\_\_ a mistake \_\_\_\_\_ power \_\_\_\_\_ peak hours, that will \_\_\_\_\_ reduced rate \_\_\_\_\_.

\_\_\_\_\_ worry \_\_\_\_\_ misunderstandings \_\_\_\_\_ to \_\_\_\_\_ the electric at rush \_\_\_\_\_ and \_\_\_\_\_ my \_\_\_\_\_ arrangement with Electric \_\_\_\_\_.

\_\_\_\_\_ I \_\_\_\_\_ confused about the \_\_\_\_\_ of my \_\_\_\_\_ tariffs, what's the \_\_\_\_\_ use \_\_\_\_\_ peak hours?

timing \_\_\_\_\_ cause \_\_\_\_\_ to use \_\_\_\_\_ electricity \_\_\_\_\_ peak hours.

misunderstandings can cause \_\_\_\_\_ electricity \_\_\_\_\_ rush hours, \_\_\_\_\_ is against my cost \_\_\_\_\_ Providers.

I am worried \_\_\_\_\_ misunderstandings \_\_\_\_\_ cause me \_\_\_\_\_ use electricity \_\_\_\_\_ which \_\_\_\_\_ against \_\_\_\_\_ cost-saving \_\_\_\_\_ providers

I'm on \_\_\_\_\_ could \_\_\_\_\_ my \_\_\_\_\_ confuses and I wrongly use electricity during \_\_\_\_\_?

I \_\_\_\_\_ on a \_\_\_\_\_ and it's possible that \_\_\_\_\_ timing confuses \_\_\_\_\_ I end up \_\_\_\_\_ I'm \_\_\_\_\_

\_\_\_\_\_ mix \_\_\_\_\_ up on the Electricity \_\_\_\_\_ usage timing might \_\_\_\_\_.

\_\_\_\_\_ misunderstandings \_\_\_\_\_ cause me to \_\_\_\_\_ electric at rush hours, violating \_\_\_\_\_ arrangement with Electric \_\_\_\_\_.

\_\_\_\_\_ can cause me \_\_\_\_\_ use the \_\_\_\_\_ at \_\_\_\_\_ is against my \_\_\_\_\_ arrangement \_\_\_\_\_ providers.

\_\_\_\_\_ if timing confusion will make me \_\_\_\_\_ my electricity unintentionally \_\_\_\_\_ times \_\_\_\_\_ a \_\_\_\_\_.

I have \_\_\_\_\_ but what \_\_\_\_\_ a \_\_\_\_\_ use it during times of peak usage?

If I am confused \_\_\_\_\_ of my discounted tariffs, \_\_\_\_\_ have \_\_\_\_\_ during peak \_\_\_\_\_.

Suppose \_\_\_\_\_ my usage timing with \_\_\_\_\_ discount \_\_\_\_\_?

misunderstandings can \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ during \_\_\_\_\_ hour \_\_\_\_\_ is against \_\_\_\_\_ agreements \_\_\_\_\_ electric providers

I \_\_\_\_\_ if timing confusion will \_\_\_\_\_ use \_\_\_\_\_ unfairly during peak \_\_\_\_\_ discount plan.

\_\_\_\_\_ misunderstandings \_\_\_\_\_ to \_\_\_\_\_ electricity \_\_\_\_\_ hour and \_\_\_\_\_ cost-saving \_\_\_\_\_ with Electric Providers?

I'm on \_\_\_\_\_ discounted \_\_\_\_\_ it be \_\_\_\_\_ I \_\_\_\_\_ up \_\_\_\_\_ electricity \_\_\_\_\_ days?

\_\_\_\_\_ I am \_\_\_\_\_ about \_\_\_\_\_ timing \_\_\_\_\_ my discounted tariffs, I \_\_\_\_\_ problem with my \_\_\_\_\_ during \_\_\_\_\_ hours.

What \_\_\_\_\_ if I \_\_\_\_\_ power \_\_\_\_\_ high demand periods and \_\_\_\_\_ from suppliers?

\_\_\_\_\_ am \_\_\_\_\_ can \_\_\_\_\_ me \_\_\_\_\_ use the \_\_\_\_\_ rush \_\_\_\_\_ which \_\_\_\_\_ against my cost-saving arrangements \_\_\_\_\_ electric providers

\_\_\_\_\_ could cause me to use \_\_\_\_\_ at \_\_\_\_\_ hours, \_\_\_\_\_ arrangement \_\_\_\_\_ Electric \_\_\_\_\_.

\_\_\_\_\_ am on a discounted \_\_\_\_\_ and \_\_\_\_\_ is \_\_\_\_\_ my timing \_\_\_\_\_ use \_\_\_\_\_ at the \_\_\_\_\_ time \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ I \_\_\_\_\_ my discounted \_\_\_\_\_ during the \_\_\_\_\_ hours \_\_\_\_\_ of confusion about the \_\_\_\_\_?

I'm \_\_\_\_\_ and \_\_\_\_\_ might be that \_\_\_\_\_ end up using \_\_\_\_\_ on \_\_\_\_\_ days.

Unintended electricity usage \_\_\_\_\_ peak \_\_\_\_\_ case of \_\_\_\_\_ misunderstanding?

\_\_\_\_\_ confusion \_\_\_\_\_ me \_\_\_\_\_ my \_\_\_\_\_ rate during the \_\_\_\_\_ hours, will it \_\_\_\_\_?

\_\_\_\_\_ from the \_\_\_\_\_ can \_\_\_\_\_ unintentionally use power during periods \_\_\_\_\_ high \_\_\_\_\_?

\_\_\_\_\_ cause me to use \_\_\_\_\_ rush hour, \_\_\_\_\_ against my cost saving \_\_\_\_\_ electric providers

I \_\_\_\_\_ timing \_\_\_\_\_ will cause \_\_\_\_\_ to \_\_\_\_\_ discount \_\_\_\_\_ electricity in peak times.

\_\_\_\_\_ can cause me \_\_\_\_\_ the electricity during \_\_\_\_\_ which is \_\_\_\_\_ cost saving \_\_\_\_\_ with Electric \_\_\_\_\_.

\_\_\_\_\_ make a \_\_\_\_\_ with my power \_\_\_\_\_ at peak times, my \_\_\_\_\_ will \_\_\_\_\_ affected.

\_\_\_\_\_ have a discounted \_\_\_\_\_ could it be that my \_\_\_\_\_ use \_\_\_\_\_ peak hours?

Is \_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ rate \_\_\_\_\_ the peak hours because of \_\_\_\_\_.

\_\_\_\_\_ on a \_\_\_\_\_ might end up with electricity when \_\_\_\_\_ time.

I am \_\_\_\_\_ a \_\_\_\_\_ plan and \_\_\_\_\_ if \_\_\_\_\_ will make \_\_\_\_\_ use electricity \_\_\_\_\_ during \_\_\_\_\_.

\_\_\_\_\_ on a discounted plan, \_\_\_\_\_ it's \_\_\_\_\_ timing \_\_\_\_\_ and I end \_\_\_\_\_ electricity \_\_\_\_\_ I'm \_\_\_\_\_

What happens \_\_\_\_\_ I accidentally \_\_\_\_\_ power during high-demand \_\_\_\_\_ reduced \_\_\_\_\_?

\_\_\_\_\_ don't \_\_\_\_\_ be a problem \_\_\_\_\_ my discounted rate during \_\_\_\_\_ hours, when \_\_\_\_\_ is confusion about \_\_\_\_\_

If I use my discounted \_\_\_\_\_ during the \_\_\_\_\_ problem since \_\_\_\_\_ is \_\_\_\_\_ about when \_\_\_\_\_?

Will an \_\_\_\_\_ consumption of electrical \_\_\_\_\_ at peak \_\_\_\_\_ benefits associated with \_\_\_\_\_ cost \_\_\_\_\_ by the supplier?

\_\_\_\_\_ worried that \_\_\_\_\_ could cause me \_\_\_\_\_ use the electricity at rush hour, \_\_\_\_\_ my \_\_\_\_\_

\_\_\_\_\_ it \_\_\_\_\_ problem \_\_\_\_\_ discounted rate during \_\_\_\_\_ peak hours \_\_\_\_\_ there is confusion about when it \_\_\_\_\_

\_\_\_\_\_?

\_\_\_\_\_ it up \_\_\_\_\_ Electricity \_\_\_\_\_ discount \_\_\_\_\_ my usage \_\_\_\_\_ may change.

I have a discounted \_\_\_\_\_ package and \_\_\_\_\_ happens if I \_\_\_\_\_ an error \_\_\_\_\_ use \_\_\_\_\_ \_\_\_\_\_?

\_\_\_\_\_ consumption of electrical \_\_\_\_\_ at peak \_\_\_\_\_ advantages \_\_\_\_\_ with being taken part \_\_\_\_\_ cost plans  
\_\_\_\_\_ by \_\_\_\_\_ supplier?

\_\_\_\_\_ am worried that \_\_\_\_\_ can cause me to \_\_\_\_\_ hours, which could \_\_\_\_\_ cost-saving \_\_\_\_\_ Electric