

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Water and Wastewater Utility Companies
<b>Inquiry Category</b>	Service interruption and outage reports
<b>Inquiry Sub-Category</b>	Low Pressure
<b>Description</b>	Customers inquire about low water pressure issues in their area, seeking information on the cause, potential impacts on their daily activities, and updates on the status of repairs.
<b>Data Size</b>	5,031 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

Is tap water safe to \_\_\_\_\_ cooking and \_\_\_\_\_ pressure?

Is \_\_\_\_\_ safe \_\_\_\_\_ tap water when there \_\_\_\_\_ a \_\_\_\_\_ water pressure?

I wonder \_\_\_\_\_ is safe \_\_\_\_\_ cook \_\_\_\_\_ tap water during \_\_\_\_\_.

\_\_\_\_\_ tap \_\_\_\_\_ drinking or \_\_\_\_\_ the low pressure is nearby?

\_\_\_\_\_ could be \_\_\_\_\_ to cook and \_\_\_\_\_ tap \_\_\_\_\_ the \_\_\_\_\_ reduces water pressure.

\_\_\_\_\_ cooking \_\_\_\_\_ with tap water \_\_\_\_\_ low pressure?

\_\_\_\_\_ it \_\_\_\_\_ cook and \_\_\_\_\_ water during maintenance?

\_\_\_\_\_ unsafe to \_\_\_\_\_ drink from \_\_\_\_\_ if \_\_\_\_\_ water pressure is reduced?

\_\_\_\_\_ water safe \_\_\_\_\_ fixes affect pressure?

Is \_\_\_\_\_ consume \_\_\_\_\_ use tapped water during local \_\_\_\_\_ affecting \_\_\_\_\_?

\_\_\_\_\_ use the tap \_\_\_\_\_ to \_\_\_\_\_ and drink \_\_\_\_\_ there \_\_\_\_\_ pressure nearby?

\_\_\_\_\_ it safe to \_\_\_\_\_ and drink \_\_\_\_\_ repairs cause \_\_\_\_\_?

During the upcoming \_\_\_\_\_ do you \_\_\_\_\_ water \_\_\_\_\_ and drinking?

Is \_\_\_\_\_ to cook with \_\_\_\_\_ maintenance?

Can we \_\_\_\_\_ with \_\_\_\_\_ is close \_\_\_\_\_ pressure \_\_\_\_\_?

It \_\_\_\_\_ and drink using the tap \_\_\_\_\_ of \_\_\_\_\_ maintenance.

Is \_\_\_\_\_ drink and cook with tap \_\_\_\_\_ low water \_\_\_\_\_?

Is \_\_\_\_\_ okay \_\_\_\_\_ cook \_\_\_\_\_ tap \_\_\_\_\_ situations if the work is \_\_\_\_\_?

When \_\_\_\_\_ maintenance leads to low \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ water?

If upkeep \_\_\_\_\_ in \_\_\_\_\_ can I \_\_\_\_\_ tap for cooking and \_\_\_\_\_?

\_\_\_\_\_ am \_\_\_\_\_ if \_\_\_\_\_ safe to \_\_\_\_\_ drink \_\_\_\_\_ water during \_\_\_\_\_ maintenance.

What is \_\_\_\_\_ risk of \_\_\_\_\_ cook \_\_\_\_\_ drink during maintenance \_\_\_\_\_?

How safe is it \_\_\_\_\_ with tap water \_\_\_\_\_?

During \_\_\_\_\_ may cause \_\_\_\_\_ pressure, \_\_\_\_\_ I cook \_\_\_\_\_ drink using \_\_\_\_\_?

\_\_\_\_\_ cook \_\_\_\_\_ drink using tap water if the \_\_\_\_\_ around here \_\_\_\_\_ pressure.

\_\_\_\_\_ I use \_\_\_\_\_ cooking and drinking during \_\_\_\_\_ low \_\_\_\_\_ area?

Does nearby \_\_\_\_\_ pose any \_\_\_\_\_ when \_\_\_\_\_ tap \_\_\_\_\_?

Is \_\_\_\_\_ safe \_\_\_\_\_ drink \_\_\_\_\_ water near maintenance?

\_\_\_\_\_ water be \_\_\_\_\_ cooking and drinking during \_\_\_\_\_ reduced \_\_\_\_\_ issues?

Is \_\_\_\_\_ to cook and \_\_\_\_\_ water \_\_\_\_\_ maintenance?

\_\_\_\_\_ tap water be \_\_\_\_\_ affect the pressure \_\_\_\_\_?

\_\_\_\_\_ safe \_\_\_\_\_ cook and \_\_\_\_\_ tap water when you \_\_\_\_\_?

If low \_\_\_\_\_ arises \_\_\_\_\_ maintenance \_\_\_\_\_ I \_\_\_\_\_ and \_\_\_\_\_ water?

During nearby maintenance periods with reduced \_\_\_\_\_ is \_\_\_\_\_ using \_\_\_\_\_ water \_\_\_\_\_ drinking.

Can someone cook and \_\_\_\_\_ water while \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ we use \_\_\_\_\_ for cooking \_\_\_\_\_ during nearby \_\_\_\_\_?

Does \_\_\_\_\_ maintenance \_\_\_\_\_ it unsafe \_\_\_\_\_ cook \_\_\_\_\_ tap water?

Is it \_\_\_\_\_ to \_\_\_\_\_ tap water \_\_\_\_\_ during \_\_\_\_\_?

Can I \_\_\_\_\_ the \_\_\_\_\_ water for cooking \_\_\_\_\_ low pressure \_\_\_\_\_?

When \_\_\_\_\_ leads to \_\_\_\_\_ pressure \_\_\_\_\_ it \_\_\_\_\_ the tap \_\_\_\_\_ cooking or drinking?

\_\_\_\_\_ that the \_\_\_\_\_ will make it unsafe \_\_\_\_\_ cook \_\_\_\_\_ tap.

\_\_\_\_\_ tap water in \_\_\_\_\_ vicinity of \_\_\_\_\_ low pressure \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ cook \_\_\_\_\_ drink \_\_\_\_\_ during local \_\_\_\_\_?

Despite the reduced pressure \_\_\_\_\_ can we use the \_\_\_\_\_?

During \_\_\_\_\_ upcoming maintenance, do \_\_\_\_\_ be \_\_\_\_\_ drinking and cooking?

Can \_\_\_\_\_ still use the \_\_\_\_\_ for \_\_\_\_\_ when the area \_\_\_\_\_ pressure?

Is \_\_\_\_\_ to \_\_\_\_\_ and cook \_\_\_\_\_ tap \_\_\_\_\_ low pressure?

During \_\_\_\_\_ maintenance, \_\_\_\_\_ tap \_\_\_\_\_ safe to use \_\_\_\_\_ drinking?

Can \_\_\_\_\_ with water \_\_\_\_\_ is close to \_\_\_\_\_?

\_\_\_\_\_ cook \_\_\_\_\_ tap \_\_\_\_\_ close to the \_\_\_\_\_?

\_\_\_\_\_ low-pressure repair \_\_\_\_\_ pose \_\_\_\_\_ danger \_\_\_\_\_ using \_\_\_\_\_ water?

Is it \_\_\_\_\_ use the \_\_\_\_\_ water for \_\_\_\_\_ and drinking \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ by \_\_\_\_\_ maintenance \_\_\_\_\_ it okay \_\_\_\_\_ consume \_\_\_\_\_ cook with tap water?

Is it \_\_\_\_\_ to cook \_\_\_\_\_ tap \_\_\_\_\_ proximity to low \_\_\_\_\_?

\_\_\_\_\_ you think \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ and cook during \_\_\_\_\_?

Can \_\_\_\_\_ use \_\_\_\_\_ drinking if the \_\_\_\_\_ is \_\_\_\_\_ in \_\_\_\_\_ area?

If the flow \_\_\_\_\_ my \_\_\_\_\_ is \_\_\_\_\_ by \_\_\_\_\_ can \_\_\_\_\_ taps \_\_\_\_\_?

Can \_\_\_\_\_ taps to \_\_\_\_\_ drink if \_\_\_\_\_ is affected?

\_\_\_\_\_ you \_\_\_\_\_ the tap \_\_\_\_\_ be safe \_\_\_\_\_ use \_\_\_\_\_ maintenance?

Is it possible \_\_\_\_\_ water \_\_\_\_\_ being serviced?

\_\_\_\_\_ the \_\_\_\_\_ tap-water, impacted \_\_\_\_\_ adjacent work \_\_\_\_\_ plumbing lines, \_\_\_\_\_ if \_\_\_\_\_ for food \_\_\_\_\_?

Is \_\_\_\_\_ to drink \_\_\_\_\_ cook with tap \_\_\_\_\_ low water \_\_\_\_\_?

During \_\_\_\_\_ maintenance, \_\_\_\_\_ the \_\_\_\_\_ be used \_\_\_\_\_ cooking \_\_\_\_\_ drinking?

\_\_\_\_\_ water \_\_\_\_\_ cooking and drinking amidst \_\_\_\_\_ pressure \_\_\_\_\_.

\_\_\_\_\_ we consume and \_\_\_\_\_ tap water \_\_\_\_\_ repairs?

\_\_\_\_\_ I use tap water \_\_\_\_\_ or \_\_\_\_\_ nearby \_\_\_\_\_ causes low \_\_\_\_\_?

\_\_\_\_\_ safe to \_\_\_\_\_ tap water for \_\_\_\_\_ drinks \_\_\_\_\_ poor pressure?

\_\_\_\_\_ tap \_\_\_\_\_ safe \_\_\_\_\_ maintenance-related \_\_\_\_\_ lower pressure?

While \_\_\_\_\_ repairs lower \_\_\_\_\_ safe \_\_\_\_\_ cook with tap water?

Can \_\_\_\_\_ to \_\_\_\_\_ drink if the flow \_\_\_\_\_ my \_\_\_\_\_ gets \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ drink tap \_\_\_\_\_ due to \_\_\_\_\_ maintenance around \_\_\_\_\_?

Does \_\_\_\_\_ work pose \_\_\_\_\_ to using \_\_\_\_\_ for cooking \_\_\_\_\_ drinking?

\_\_\_\_\_ maintenance can \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ nearby \_\_\_\_\_ leads to \_\_\_\_\_ can you \_\_\_\_\_ tap water for cooking \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ with \_\_\_\_\_ water \_\_\_\_\_ maintenance?

If the \_\_\_\_\_ is affected by upkeep, can I \_\_\_\_\_ and \_\_\_\_\_?

If nearby maintenance \_\_\_\_\_ the \_\_\_\_\_ pressure, \_\_\_\_\_ water \_\_\_\_\_ use?

Is it safe to \_\_\_\_\_ tap \_\_\_\_\_ and \_\_\_\_\_ there \_\_\_\_\_ poor \_\_\_\_\_?

\_\_\_\_ I \_\_\_\_ cook \_\_\_\_ water \_\_\_\_ low pressure nearby?  
 Is \_\_\_\_ possible to use \_\_\_\_ food \_\_\_\_ drink despite reduced \_\_\_\_?  
 \_\_\_\_ pressure repairs \_\_\_\_ you cook \_\_\_\_ drink with \_\_\_\_?  
 Can the use \_\_\_\_ impacted \_\_\_\_ work \_\_\_\_ plumbing \_\_\_\_ diminished \_\_\_\_ rates, cause \_\_\_\_ if \_\_\_\_ while \_\_\_\_ food?  
 \_\_\_\_ nearby maintenance \_\_\_\_ is \_\_\_\_ cook with \_\_\_\_ water?  
 Is it \_\_\_\_ to \_\_\_\_ using tap \_\_\_\_ when nearby \_\_\_\_ is \_\_\_\_?  
 Can \_\_\_\_ cook \_\_\_\_ water with low \_\_\_\_ nearby?  
 \_\_\_\_ is it safe \_\_\_\_ drink and \_\_\_\_ tap \_\_\_\_?  
 \_\_\_\_ it okay \_\_\_\_ with tap \_\_\_\_ when \_\_\_\_ are low pressure situations?  
 \_\_\_\_ work \_\_\_\_ cause \_\_\_\_ pressure in \_\_\_\_ vicinity, which \_\_\_\_ affect the \_\_\_\_ tap \_\_\_\_.  
 \_\_\_\_ low-pressure \_\_\_\_ work \_\_\_\_ pose \_\_\_\_ to using \_\_\_\_ water?  
 \_\_\_\_ it \_\_\_\_ drink and \_\_\_\_ water while there is \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ idea to \_\_\_\_ with \_\_\_\_ water \_\_\_\_ repair work affects the \_\_\_\_?  
 Can \_\_\_\_ tap \_\_\_\_ and drinking \_\_\_\_ there's \_\_\_\_ pressure in the area?  
 \_\_\_\_ the upcoming maintenance do \_\_\_\_ is safe \_\_\_\_ and cook?  
 Is it \_\_\_\_ water for cooking \_\_\_\_ while there's \_\_\_\_ low \_\_\_\_?  
 How safe \_\_\_\_ it \_\_\_\_ water \_\_\_\_ nearby maintenance \_\_\_\_ place?  
 Can the use of \_\_\_\_ water, impacted \_\_\_\_ adjacent \_\_\_\_ plumbing \_\_\_\_ resulting \_\_\_\_ flow rates, \_\_\_\_ employed \_\_\_\_ food?  
 \_\_\_\_ the \_\_\_\_ of tap-water, impacted \_\_\_\_ adjacent work on \_\_\_\_ flow rates, \_\_\_\_ harm to those \_\_\_\_?  
 While \_\_\_\_ can I really trust \_\_\_\_ tap-water?  
 \_\_\_\_ it safe \_\_\_\_ cook \_\_\_\_ drink \_\_\_\_ during the repairs?  
 Can I use \_\_\_\_ water for cooking \_\_\_\_ when \_\_\_\_ low \_\_\_\_?  
 If \_\_\_\_ flow \_\_\_\_ area \_\_\_\_ by \_\_\_\_ can I use \_\_\_\_ taps for cooking \_\_\_\_?  
 Is \_\_\_\_ okay to \_\_\_\_ cooking \_\_\_\_ while \_\_\_\_ low pressure issues?  
 \_\_\_\_ maintenance \_\_\_\_ is \_\_\_\_ low pressure, can \_\_\_\_ use tap \_\_\_\_ for cooking \_\_\_\_?  
 \_\_\_\_ okay \_\_\_\_ with tap \_\_\_\_ low-pressure situations because of ongoing \_\_\_\_ work \_\_\_\_ to \_\_\_\_?  
 \_\_\_\_ the use \_\_\_\_ impacted by \_\_\_\_ on plumbing \_\_\_\_ causing \_\_\_\_ rates, cause harm if \_\_\_\_ whilst \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ of tap-water, impacted \_\_\_\_ on plumbing \_\_\_\_ harm if employed \_\_\_\_ food.  
 Is it \_\_\_\_ to \_\_\_\_ with \_\_\_\_ water \_\_\_\_ low \_\_\_\_ are nearby?  
 \_\_\_\_ low-pressure \_\_\_\_ affect the \_\_\_\_ of \_\_\_\_ water \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ the use of tap-water, \_\_\_\_ nearby \_\_\_\_ lines, cause \_\_\_\_ when preparing \_\_\_\_?  
 Would it be unsafe \_\_\_\_ cook and \_\_\_\_ from \_\_\_\_ the \_\_\_\_ reduced?  
 Will drinking or cooking with \_\_\_\_ be safe if \_\_\_\_?  
 Will \_\_\_\_ maintenance affect \_\_\_\_ water pressure and \_\_\_\_ cook \_\_\_\_ drink?  
 Do you \_\_\_\_ the maintenance \_\_\_\_ will make \_\_\_\_ drink using \_\_\_\_ water?  
 \_\_\_\_ maintenance periods \_\_\_\_ is the risk \_\_\_\_ and cooking with \_\_\_\_ water?  
 Will the \_\_\_\_ and drink with \_\_\_\_ tap water?  
 Can the tap \_\_\_\_ be used \_\_\_\_ when \_\_\_\_ loss?  
 Will \_\_\_\_ safe to \_\_\_\_ drink using tap \_\_\_\_ maintenance?  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ and drink tap \_\_\_\_ local \_\_\_\_?  
 \_\_\_\_ OK to \_\_\_\_ cook \_\_\_\_ tap \_\_\_\_ during low pressure?  
 \_\_\_\_ it \_\_\_\_ for \_\_\_\_ cooking \_\_\_\_ tap water \_\_\_\_ the \_\_\_\_ is reduced?  
 \_\_\_\_ low-pressure \_\_\_\_ nearby maintenance affect \_\_\_\_ water's \_\_\_\_?  
 Can we \_\_\_\_ water \_\_\_\_ when \_\_\_\_ is pressure \_\_\_\_?  
 \_\_\_\_ nearby maintenance causes low water \_\_\_\_ tap \_\_\_\_ for cooking?  
 \_\_\_\_ is \_\_\_\_ pressure \_\_\_\_ to \_\_\_\_ repairs, \_\_\_\_ cooking \_\_\_\_ drinking tap \_\_\_\_ safe?  
 Do \_\_\_\_ repair work \_\_\_\_ drinking and cooking?  
 \_\_\_\_ it \_\_\_\_ drink \_\_\_\_ cook from \_\_\_\_ during maintenance?  
 \_\_\_\_ water pressure is \_\_\_\_ and consuming safe?  
 \_\_\_\_ to cook \_\_\_\_ drink \_\_\_\_ tap \_\_\_\_ because of maintenance?

Is it \_\_\_\_ to cook and \_\_\_\_ water \_\_\_\_ low pressure \_\_\_\_?

If \_\_\_\_ my area gets \_\_\_\_ by \_\_\_\_ I \_\_\_\_ for cooking \_\_\_\_ drinking?

\_\_\_\_ the \_\_\_\_ tap water \_\_\_\_ and \_\_\_\_ maintenance periods with reduced pressure?

What \_\_\_\_ the \_\_\_\_ using tap \_\_\_\_ for \_\_\_\_ and \_\_\_\_ during maintenance \_\_\_\_?

\_\_\_\_ possible to cook with \_\_\_\_ water during \_\_\_\_.

Is \_\_\_\_ to \_\_\_\_ cook using \_\_\_\_ water during \_\_\_\_?

\_\_\_\_ okay to use tap \_\_\_\_ for cooking \_\_\_\_ nearby maintenance \_\_\_\_?

If \_\_\_\_ fix stuff nearby, \_\_\_\_ trust \_\_\_\_ weak \_\_\_\_?

It might be \_\_\_\_ cook \_\_\_\_ drink \_\_\_\_ tap water \_\_\_\_ the \_\_\_\_ here.

\_\_\_\_ nearby \_\_\_\_ causes low pressure, \_\_\_\_ to cook with tap \_\_\_\_?

\_\_\_\_ work \_\_\_\_ pressure in \_\_\_\_ can \_\_\_\_ use the tap water for cooking?

Can I \_\_\_\_ use \_\_\_\_ and \_\_\_\_ when nearby work is \_\_\_\_ low \_\_\_\_?

Is water safe \_\_\_\_ drink \_\_\_\_ causing \_\_\_\_ pressure?

Does \_\_\_\_ low-pressure repair work \_\_\_\_ and drinking?

What do you think about \_\_\_\_ tap water \_\_\_\_ drinking \_\_\_\_?

When \_\_\_\_ is nearby, \_\_\_\_ the \_\_\_\_ water for cooking \_\_\_\_ drinking?

When \_\_\_\_ maintenance leads \_\_\_\_ low water pressure, \_\_\_\_ the \_\_\_\_ use?

Can \_\_\_\_ of tap-water, \_\_\_\_ by \_\_\_\_ work \_\_\_\_ plumbing lines, \_\_\_\_ harm if \_\_\_\_ while \_\_\_\_.

Can someone cook and \_\_\_\_ with \_\_\_\_ pressure repairs \_\_\_\_?

\_\_\_\_ cook \_\_\_\_ water \_\_\_\_ close proximity \_\_\_\_ pressure repairs?

\_\_\_\_ it possible \_\_\_\_ to cook \_\_\_\_ water during nearby maintenance?

\_\_\_\_ fixes cause \_\_\_\_ water \_\_\_\_ for drinking?

\_\_\_\_ I \_\_\_\_ tap water during \_\_\_\_ pressure maintenance?

Is \_\_\_\_ to \_\_\_\_ and drink tap \_\_\_\_ during \_\_\_\_?

Is \_\_\_\_ ok to \_\_\_\_ amidst the repairs?

\_\_\_\_ it \_\_\_\_ tap water \_\_\_\_ be used for \_\_\_\_ during maintenance?

\_\_\_\_ we use \_\_\_\_ water for food \_\_\_\_ drink \_\_\_\_ is \_\_\_\_?

\_\_\_\_ use the tap water \_\_\_\_ cook \_\_\_\_ proximity to \_\_\_\_?

Can \_\_\_\_ tap water for \_\_\_\_ and \_\_\_\_ that may cause \_\_\_\_?

low-pressure situations in the vicinity \_\_\_\_ maintenance work \_\_\_\_.

Is it \_\_\_\_ to consume \_\_\_\_ cook with tap \_\_\_\_?

\_\_\_\_ water be \_\_\_\_ cooking in \_\_\_\_ pinch?

When \_\_\_\_ is reduced pressure \_\_\_\_ cooking and consuming tap \_\_\_\_?

\_\_\_\_ to use tap \_\_\_\_ cooking or \_\_\_\_ nearby \_\_\_\_ causes low pressure?

\_\_\_\_ it \_\_\_\_ use the water \_\_\_\_ drinking \_\_\_\_ cooking \_\_\_\_ pressure is \_\_\_\_?

\_\_\_\_ safe to cook \_\_\_\_ tap \_\_\_\_ during \_\_\_\_ maintenance?

\_\_\_\_ one cook and \_\_\_\_ low pressure \_\_\_\_ are nearby?

\_\_\_\_ that \_\_\_\_ maintenance \_\_\_\_ make \_\_\_\_ unsafe to cook and \_\_\_\_ tap water.

\_\_\_\_ okay to \_\_\_\_ tap water \_\_\_\_ low-pressure situations due \_\_\_\_ maintenance?

\_\_\_\_ nearby \_\_\_\_ affect \_\_\_\_ level, are tap \_\_\_\_ okay \_\_\_\_?

Can \_\_\_\_ water still be used \_\_\_\_ and \_\_\_\_ when \_\_\_\_ low pressure in \_\_\_\_?

\_\_\_\_ use of tap water, impacted \_\_\_\_ work on plumbing \_\_\_\_ harm \_\_\_\_ employed \_\_\_\_ preparing \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ for cooking during maintenance?

\_\_\_\_ I \_\_\_\_ and \_\_\_\_ tap water \_\_\_\_ maintenance?

\_\_\_\_ it \_\_\_\_ to use tap \_\_\_\_ with \_\_\_\_ repairs \_\_\_\_ pressure \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ use the \_\_\_\_ for \_\_\_\_ and \_\_\_\_ despite the \_\_\_\_ being \_\_\_\_?

\_\_\_\_ maintenance leads to \_\_\_\_ pressure, \_\_\_\_ safe to drink?

\_\_\_\_ the tap water be used \_\_\_\_ drinking during \_\_\_\_?

Can the use \_\_\_\_ that is \_\_\_\_ work \_\_\_\_ plumbing \_\_\_\_ cause \_\_\_\_ while preparing \_\_\_\_?

Is it safe \_\_\_\_ and \_\_\_\_ tap \_\_\_\_ of \_\_\_\_ maintenance?

Can \_\_\_\_ use \_\_\_\_ tap water for \_\_\_\_ and \_\_\_\_ the \_\_\_\_ is \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ the maintenance \_\_\_\_ here will \_\_\_\_ unsafe to cook \_\_\_\_ drink \_\_\_\_?

Is it possible to \_\_\_\_ consume with \_\_\_\_ water \_\_\_\_?

\_\_\_\_ we \_\_\_\_ in close proximity of ongoing \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ with \_\_\_\_ within \_\_\_\_ low pressure repairs?

\_\_\_\_ safe \_\_\_\_ this weak tap-water \_\_\_\_ you fix stuff \_\_\_\_?

\_\_\_\_ okay \_\_\_\_ use water for \_\_\_\_ and \_\_\_\_ when there \_\_\_\_?

Will \_\_\_\_ be \_\_\_\_ cook \_\_\_\_ drink tap \_\_\_\_ of \_\_\_\_ maintenance?

Does \_\_\_\_ low-pressure \_\_\_\_ any risk to \_\_\_\_ water?

When \_\_\_\_ work is causing \_\_\_\_ pressure, \_\_\_\_ I \_\_\_\_ my \_\_\_\_ for \_\_\_\_ drinking?

Will \_\_\_\_ tap water be safe \_\_\_\_ affects \_\_\_\_ pressure?

\_\_\_\_ it advisable to \_\_\_\_ tap water for drinking \_\_\_\_ maintenance causes \_\_\_\_?

Is \_\_\_\_ to \_\_\_\_ drink \_\_\_\_ tap \_\_\_\_ because \_\_\_\_ the maintenance around \_\_\_\_?

\_\_\_\_ we use \_\_\_\_ for \_\_\_\_ and \_\_\_\_ the pressure being reduced?

It might \_\_\_\_ unsafe to \_\_\_\_ tap water \_\_\_\_ of \_\_\_\_ around here.

\_\_\_\_ the \_\_\_\_ affect \_\_\_\_ and \_\_\_\_ it \_\_\_\_ to cook and drink \_\_\_\_?

Is \_\_\_\_ use \_\_\_\_ during low-pressure situations \_\_\_\_ work is \_\_\_\_ to us?

Can I \_\_\_\_ the tap \_\_\_\_ drinking \_\_\_\_ pressure remains?

\_\_\_\_ water be \_\_\_\_ repairs \_\_\_\_ pressure level?

\_\_\_\_ the \_\_\_\_ situation \_\_\_\_ nearby maintenance \_\_\_\_ safe \_\_\_\_ cook \_\_\_\_ drink tap water?

Can \_\_\_\_ tap water \_\_\_\_ cook \_\_\_\_ near the low pressure \_\_\_\_?

\_\_\_\_ alright to \_\_\_\_ water for cooking \_\_\_\_ during maintenance?

Can \_\_\_\_ cook and \_\_\_\_ tap \_\_\_\_ in \_\_\_\_ of low \_\_\_\_ repairs?

Can I use \_\_\_\_ for drinking \_\_\_\_ cooking \_\_\_\_ in \_\_\_\_ goes \_\_\_\_?

Do \_\_\_\_ caused \_\_\_\_ nearby \_\_\_\_ the safety \_\_\_\_ tap \_\_\_\_ consumption?

Can \_\_\_\_ drink or \_\_\_\_ during low-pressure \_\_\_\_ by \_\_\_\_?

Is \_\_\_\_ use tap \_\_\_\_ during low-pressure situations caused \_\_\_\_ maintenance \_\_\_\_?

\_\_\_\_ causes low pressure, \_\_\_\_ be \_\_\_\_ if I \_\_\_\_ tap water for \_\_\_\_ drinking?

Is cooking \_\_\_\_ tap water \_\_\_\_ reduced pressure?

\_\_\_\_ it's \_\_\_\_ to use \_\_\_\_ water for drinking \_\_\_\_ cooking during \_\_\_\_?

\_\_\_\_ we cook \_\_\_\_ water in close \_\_\_\_ of \_\_\_\_ pressure \_\_\_\_?

\_\_\_\_ causes \_\_\_\_ pressure, should \_\_\_\_ water be \_\_\_\_ for cooking and \_\_\_\_?

Do \_\_\_\_ work pose \_\_\_\_ risk \_\_\_\_ tap \_\_\_\_ for cooking?

Is it \_\_\_\_ to \_\_\_\_ water during \_\_\_\_ by ongoing maintenance \_\_\_\_?

Can we \_\_\_\_ cook with \_\_\_\_ water \_\_\_\_ the low pressure \_\_\_\_?

Is \_\_\_\_ ok \_\_\_\_ use \_\_\_\_ tap water for \_\_\_\_ the maintenance?

How \_\_\_\_ is \_\_\_\_ cook \_\_\_\_ tap water when \_\_\_\_ is \_\_\_\_ done?

During \_\_\_\_ maintenance \_\_\_\_ tap \_\_\_\_ used for drinking \_\_\_\_?

While maintenance-related \_\_\_\_ lower \_\_\_\_ is tap \_\_\_\_ safe \_\_\_\_ cooking?

Is \_\_\_\_ to drink \_\_\_\_ cook \_\_\_\_ water during \_\_\_\_ situations \_\_\_\_ by ongoing \_\_\_\_?

\_\_\_\_ to \_\_\_\_ the water for \_\_\_\_ while the pressure \_\_\_\_ low?

Is \_\_\_\_ water \_\_\_\_ to drink \_\_\_\_ during maintenance?

\_\_\_\_ that is causing \_\_\_\_ pressure, \_\_\_\_ use \_\_\_\_ tap water for drinking \_\_\_\_?

\_\_\_\_ am wondering \_\_\_\_ it is safe \_\_\_\_ the \_\_\_\_ water \_\_\_\_ cooking \_\_\_\_ drinking during \_\_\_\_.

\_\_\_\_ don't \_\_\_\_ if I \_\_\_\_ and \_\_\_\_ using \_\_\_\_ water \_\_\_\_ maintenance.

Is \_\_\_\_ safe \_\_\_\_ the tap \_\_\_\_ food/drinks despite the \_\_\_\_?

During \_\_\_\_ that \_\_\_\_ pressure \_\_\_\_ cook and drink \_\_\_\_ tap water?

While neighboring facilities are undergoing \_\_\_\_ consuming \_\_\_\_ water cause \_\_\_\_ issues?

How safe is it to \_\_\_\_ tap water \_\_\_\_ going \_\_\_\_?

\_\_\_\_ drinking when nearby \_\_\_\_ less pressure?

\_\_\_\_\_ think \_\_\_\_\_ maintenance around here \_\_\_\_\_ make it unsafe to \_\_\_\_\_ and \_\_\_\_\_ tap \_\_\_\_\_?  
 Do \_\_\_\_\_ using \_\_\_\_\_ water safe \_\_\_\_\_ nearby \_\_\_\_\_ makes \_\_\_\_\_ have \_\_\_\_\_ pressure?  
 Can \_\_\_\_\_ use taps \_\_\_\_\_ and \_\_\_\_\_ there's a problem in \_\_\_\_\_?  
 \_\_\_\_\_ the maintenance will \_\_\_\_\_ it unsafe to cook and \_\_\_\_\_?  
 Is it safe \_\_\_\_\_ drink \_\_\_\_\_ the \_\_\_\_\_ maintenance?  
 Safe \_\_\_\_\_ tap water for \_\_\_\_\_ and \_\_\_\_\_ amid \_\_\_\_\_.  
 Can I still use \_\_\_\_\_ tap \_\_\_\_\_ cooking \_\_\_\_\_ there \_\_\_\_\_ low \_\_\_\_\_?  
 \_\_\_\_\_ low-pressure \_\_\_\_\_ by \_\_\_\_\_ work \_\_\_\_\_ safety \_\_\_\_\_ tap water?  
 Does \_\_\_\_\_ pressure caused by maintenance \_\_\_\_\_ water's \_\_\_\_\_?  
 \_\_\_\_\_ risk of \_\_\_\_\_ tap water for \_\_\_\_\_ drinking \_\_\_\_\_ maintenance periods \_\_\_\_\_ unknown.  
 How \_\_\_\_\_ it \_\_\_\_\_ cook \_\_\_\_\_ tap water \_\_\_\_\_ maintenance?  
 Do you \_\_\_\_\_ it's \_\_\_\_\_ for \_\_\_\_\_ and drinking \_\_\_\_\_ low \_\_\_\_\_?  
 Should household \_\_\_\_\_ used \_\_\_\_\_ neighboring \_\_\_\_\_ are undergoing \_\_\_\_\_ work?  
 \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_ tap \_\_\_\_\_ even though \_\_\_\_\_ pressure is reduced?  
 Is the \_\_\_\_\_ water safe \_\_\_\_\_ and cook \_\_\_\_\_?  
 \_\_\_\_\_ want to \_\_\_\_\_ I can \_\_\_\_\_ drink with tap water \_\_\_\_\_.  
 If \_\_\_\_\_ in \_\_\_\_\_ affected by upkeep can I \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ low-pressure \_\_\_\_\_ caused by ongoing \_\_\_\_\_ close \_\_\_\_\_ ok \_\_\_\_\_ consume or \_\_\_\_\_ with tap water?  
 \_\_\_\_\_ tap \_\_\_\_\_ be safe \_\_\_\_\_ cook \_\_\_\_\_ while \_\_\_\_\_ is taking place?  
 Is \_\_\_\_\_ cook with tap \_\_\_\_\_ when repair work \_\_\_\_\_ nearby?  
 Can \_\_\_\_\_ still \_\_\_\_\_ the \_\_\_\_\_ cooking and \_\_\_\_\_ work \_\_\_\_\_ causing low pressure?  
 Can I use the \_\_\_\_\_ during \_\_\_\_\_ that \_\_\_\_\_ cause \_\_\_\_\_?  
 \_\_\_\_\_ nearby low-pressure \_\_\_\_\_ work \_\_\_\_\_ if you \_\_\_\_\_ tap water?  
 Is there \_\_\_\_\_ of \_\_\_\_\_ the tap \_\_\_\_\_ for cooking \_\_\_\_\_ periods?  
 Can tap water be \_\_\_\_\_ or \_\_\_\_\_ during low \_\_\_\_\_?  
 \_\_\_\_\_ you know if \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ during maintenance?  
 \_\_\_\_\_ you think \_\_\_\_\_ and cooking \_\_\_\_\_ pressure repairs \_\_\_\_\_?  
 Will \_\_\_\_\_ unsafe \_\_\_\_\_ cook \_\_\_\_\_ tap water \_\_\_\_\_ to the maintenance around \_\_\_\_\_?  
 When \_\_\_\_\_ leads \_\_\_\_\_ pressure, \_\_\_\_\_ it \_\_\_\_\_ to use the \_\_\_\_\_ for cooking?  
 During \_\_\_\_\_ maintenance \_\_\_\_\_ you \_\_\_\_\_ with \_\_\_\_\_?  
 \_\_\_\_\_ maintenance \_\_\_\_\_ cause \_\_\_\_\_ pressure, can \_\_\_\_\_ cook and \_\_\_\_\_ tap water?  
 low-pressure situations \_\_\_\_\_ vicinity of \_\_\_\_\_ work \_\_\_\_\_ tap water \_\_\_\_\_.  
 When nearby maintenance \_\_\_\_\_ to low \_\_\_\_\_ pressure, \_\_\_\_\_ it \_\_\_\_\_ use \_\_\_\_\_ drinking?  
 \_\_\_\_\_ you think \_\_\_\_\_ maintenance \_\_\_\_\_ will \_\_\_\_\_ to cook \_\_\_\_\_ drink tap water?  
 \_\_\_\_\_ safe is \_\_\_\_\_ with \_\_\_\_\_ during \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ the use of tap-water, impacted \_\_\_\_\_ adjacent \_\_\_\_\_ on \_\_\_\_\_ if \_\_\_\_\_ preparing food?  
 Is it \_\_\_\_\_ for \_\_\_\_\_ or cook \_\_\_\_\_ tap water during \_\_\_\_\_?  
 When \_\_\_\_\_ pressure \_\_\_\_\_ our area, can I still use the tap \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ and \_\_\_\_\_ with \_\_\_\_\_ water \_\_\_\_\_ repairs?  
 \_\_\_\_\_ caused by nearby maintenance \_\_\_\_\_ safety?  
 \_\_\_\_\_ drink and cook with \_\_\_\_\_ in \_\_\_\_\_ proximity \_\_\_\_\_ the \_\_\_\_\_?  
 Is \_\_\_\_\_ safe \_\_\_\_\_ and \_\_\_\_\_ tap water \_\_\_\_\_ water \_\_\_\_\_ around here \_\_\_\_\_ reduced?  
 Will \_\_\_\_\_ make it unsafe to \_\_\_\_\_ drink \_\_\_\_\_?  
 \_\_\_\_\_ low pressure \_\_\_\_\_ it safe to \_\_\_\_\_ and \_\_\_\_\_ tap \_\_\_\_\_?  
 During \_\_\_\_\_ low pressure, can \_\_\_\_\_ safely cook and \_\_\_\_\_ water?  
 Should \_\_\_\_\_ be \_\_\_\_\_ cooking and \_\_\_\_\_ during nearby \_\_\_\_\_ reduced pressure?  
 \_\_\_\_\_ the \_\_\_\_\_ area is \_\_\_\_\_ can \_\_\_\_\_ taps for cooking or \_\_\_\_\_?  
 When \_\_\_\_\_ pressure, should I \_\_\_\_\_ concerned about \_\_\_\_\_ or cooking with \_\_\_\_\_?  
 \_\_\_\_\_ by \_\_\_\_\_ affect tap water's \_\_\_\_\_ for consumption?  
 Is it safe to \_\_\_\_\_ and \_\_\_\_\_ if \_\_\_\_\_ reduced \_\_\_\_\_?

\_\_\_\_\_ work pose a risk to using tap \_\_\_\_\_ drinking?

\_\_\_\_\_ repair work \_\_\_\_\_ a \_\_\_\_\_ use tap water \_\_\_\_\_ cooking?

\_\_\_\_\_ safe is \_\_\_\_\_ to \_\_\_\_\_ and cook \_\_\_\_\_ water during \_\_\_\_\_?

\_\_\_\_\_ leads to low \_\_\_\_\_ is \_\_\_\_\_ safe to drink \_\_\_\_\_ cook using \_\_\_\_\_?

Is it ok if \_\_\_\_\_ tap water \_\_\_\_\_ low-pressure situations \_\_\_\_\_ maintenance \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ water safe to drink or \_\_\_\_\_?

\_\_\_\_\_ maintenance, is \_\_\_\_\_ possible to use \_\_\_\_\_ water \_\_\_\_\_?

During \_\_\_\_\_ pressure, \_\_\_\_\_ you think \_\_\_\_\_ safe \_\_\_\_\_ cook and \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ possible to use \_\_\_\_\_ tap \_\_\_\_\_ for food \_\_\_\_\_ despite \_\_\_\_\_ maintenance?

\_\_\_\_\_ repair work \_\_\_\_\_ a \_\_\_\_\_ for using \_\_\_\_\_ for cooking?

\_\_\_\_\_ with tap water \_\_\_\_\_ repair \_\_\_\_\_ is nearby?

\_\_\_\_\_ wise \_\_\_\_\_ the tap \_\_\_\_\_ for \_\_\_\_\_ while the \_\_\_\_\_ is reduced?

\_\_\_\_\_ cook with tap water \_\_\_\_\_ repair work \_\_\_\_\_ nearby?

\_\_\_\_\_ using tap \_\_\_\_\_ and cooking \_\_\_\_\_ when there \_\_\_\_\_ repairs?

Does \_\_\_\_\_ low-pressure repair work pose \_\_\_\_\_ risk \_\_\_\_\_?

\_\_\_\_\_ use the \_\_\_\_\_ water \_\_\_\_\_ the maintenance that may \_\_\_\_\_ pressure?

\_\_\_\_\_ is tap water \_\_\_\_\_ for \_\_\_\_\_ and drinking?

\_\_\_\_\_ it okay \_\_\_\_\_ use tap \_\_\_\_\_ to cook \_\_\_\_\_ drink?

Is \_\_\_\_\_ okay \_\_\_\_\_ the \_\_\_\_\_ low-pressure \_\_\_\_\_ because of ongoing \_\_\_\_\_ works?

Is it \_\_\_\_\_ use \_\_\_\_\_ tap water \_\_\_\_\_ cooking \_\_\_\_\_ the maintenance?

Is it \_\_\_\_\_ to drink and cook with \_\_\_\_\_ low-pressure \_\_\_\_\_?

Can \_\_\_\_\_ and \_\_\_\_\_ tap water during \_\_\_\_\_ pressure \_\_\_\_\_?

Is \_\_\_\_\_ for people to use tap \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ taps \_\_\_\_\_ used \_\_\_\_\_ drinking and cooking \_\_\_\_\_ in \_\_\_\_\_ area \_\_\_\_\_ disrupted?

\_\_\_\_\_ the use \_\_\_\_\_ tap-water \_\_\_\_\_ is \_\_\_\_\_ by adjacent \_\_\_\_\_ on \_\_\_\_\_ lines \_\_\_\_\_ used while preparing \_\_\_\_\_?

\_\_\_\_\_ upkeep \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ area, \_\_\_\_\_ use \_\_\_\_\_ cooking and drinking?

Is \_\_\_\_\_ to cook with \_\_\_\_\_ water \_\_\_\_\_ to ongoing \_\_\_\_\_ works close to \_\_\_\_\_?

Can \_\_\_\_\_ use \_\_\_\_\_ water for \_\_\_\_\_ cooking while there \_\_\_\_\_ low \_\_\_\_\_?

During \_\_\_\_\_ water safe to \_\_\_\_\_ and cook with?

Do you \_\_\_\_\_ safe \_\_\_\_\_ drink and \_\_\_\_\_ near \_\_\_\_\_ pressure?

\_\_\_\_\_ maintenance \_\_\_\_\_ pressure and \_\_\_\_\_ it unsafe \_\_\_\_\_ cook and drink \_\_\_\_\_ it?

Can I drink and cook \_\_\_\_\_ low \_\_\_\_\_?

Do you think tap water \_\_\_\_\_ safe \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ low \_\_\_\_\_ repairs \_\_\_\_\_ can one \_\_\_\_\_ and drink \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ trust this weak \_\_\_\_\_ while \_\_\_\_\_ fix stuff \_\_\_\_\_?

\_\_\_\_\_ to cook \_\_\_\_\_ drink \_\_\_\_\_ in low pressure repairs nearby?

When \_\_\_\_\_ tap is weak, \_\_\_\_\_ you \_\_\_\_\_ to cook \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ safely cook \_\_\_\_\_ drink \_\_\_\_\_ during the maintenance?

While \_\_\_\_\_ is using \_\_\_\_\_ water safe \_\_\_\_\_ drink?

Can \_\_\_\_\_ use the tap \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_ is \_\_\_\_\_ nearby?

Is \_\_\_\_\_ okay \_\_\_\_\_ water \_\_\_\_\_ there are low \_\_\_\_\_ situations?

\_\_\_\_\_ to \_\_\_\_\_ with tap water because \_\_\_\_\_ nearby \_\_\_\_\_?

Is it \_\_\_\_\_ or cook \_\_\_\_\_ tap water \_\_\_\_\_ pressure is \_\_\_\_\_?

Can \_\_\_\_\_ eat \_\_\_\_\_ cook with \_\_\_\_\_ water \_\_\_\_\_ same time \_\_\_\_\_ repairs?

Can tap water \_\_\_\_\_ for \_\_\_\_\_ during maintenance?

Is \_\_\_\_\_ water safe \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ maintenance?

Is it okay \_\_\_\_\_ consume or \_\_\_\_\_ water during \_\_\_\_\_ caused by \_\_\_\_\_ maintenance \_\_\_\_\_ close \_\_\_\_\_?

Can \_\_\_\_\_ use \_\_\_\_\_ to \_\_\_\_\_ the flow in my \_\_\_\_\_ is \_\_\_\_\_?

Is it ok \_\_\_\_\_ use tap \_\_\_\_\_ food and \_\_\_\_\_ pressure?

Is it advisable for \_\_\_\_\_ to \_\_\_\_\_ when \_\_\_\_\_ low \_\_\_\_\_?

Is it okay to \_\_\_\_\_ tap water \_\_\_\_\_?

\_\_\_\_\_ the tap is weak, \_\_\_\_\_ you \_\_\_\_\_ drink \_\_\_\_\_?

Will \_\_\_\_\_ safe \_\_\_\_\_ cook \_\_\_\_\_ drink \_\_\_\_\_ water during \_\_\_\_\_?

\_\_\_\_\_ using \_\_\_\_\_ water for cooking and drinking \_\_\_\_\_ maintenance periods?

Can \_\_\_\_\_ use \_\_\_\_\_ tap \_\_\_\_\_ for \_\_\_\_\_ drinking while \_\_\_\_\_ pressure continues?

When nearby \_\_\_\_\_ causes \_\_\_\_\_ should I \_\_\_\_\_ about \_\_\_\_\_ the \_\_\_\_\_ for cooking?

When \_\_\_\_\_ nearby \_\_\_\_\_ water \_\_\_\_\_ is it safe \_\_\_\_\_ use tap \_\_\_\_\_?

Is \_\_\_\_\_ with and drink \_\_\_\_\_ tap \_\_\_\_\_ during low \_\_\_\_\_ nearby?

During \_\_\_\_\_ can \_\_\_\_\_ safely \_\_\_\_\_ and \_\_\_\_\_ tap water?

\_\_\_\_\_ it \_\_\_\_\_ to cook \_\_\_\_\_ drink with \_\_\_\_\_ near \_\_\_\_\_ pressure \_\_\_\_\_?

When \_\_\_\_\_ work causes \_\_\_\_\_ pressure, \_\_\_\_\_ use \_\_\_\_\_ water for cooking and \_\_\_\_\_.

During the upcoming maintenance, \_\_\_\_\_ you \_\_\_\_\_ would \_\_\_\_\_ drink and \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ use the tap \_\_\_\_\_ situations if the work \_\_\_\_\_ to \_\_\_\_\_?

Can tap water be \_\_\_\_\_ cooking \_\_\_\_\_ is \_\_\_\_\_?

Can we \_\_\_\_\_ cook with \_\_\_\_\_ proximity to repairs?

Is it possible \_\_\_\_\_ and \_\_\_\_\_ despite the \_\_\_\_\_ being reduced?

During low \_\_\_\_\_ can \_\_\_\_\_ safely cook and \_\_\_\_\_ using \_\_\_\_\_?

\_\_\_\_\_ safely \_\_\_\_\_ and drink \_\_\_\_\_ the tap water \_\_\_\_\_ maintenance?

Can \_\_\_\_\_ with \_\_\_\_\_ water in close \_\_\_\_\_ of \_\_\_\_\_ repairs?

\_\_\_\_\_ it safe to \_\_\_\_\_ while \_\_\_\_\_ nearby fixes \_\_\_\_\_ pressure?

\_\_\_\_\_ low pressure maintenance, \_\_\_\_\_ tap water be \_\_\_\_\_ drinking?

Should \_\_\_\_\_ used when there are \_\_\_\_\_ repairs affecting \_\_\_\_\_?

\_\_\_\_\_ drink or cook with tap \_\_\_\_\_ during \_\_\_\_\_ pressure?

Can I \_\_\_\_\_ the \_\_\_\_\_ water for cooking and \_\_\_\_\_?

\_\_\_\_\_ that may cause low pressure, \_\_\_\_\_ use \_\_\_\_\_ water \_\_\_\_\_ cook \_\_\_\_\_?

How safe are it \_\_\_\_\_ with \_\_\_\_\_ water \_\_\_\_\_?

How \_\_\_\_\_ is \_\_\_\_\_ and cooking \_\_\_\_\_ tap water \_\_\_\_\_?

Could \_\_\_\_\_ water \_\_\_\_\_ used for cooking \_\_\_\_\_?

Will \_\_\_\_\_ to cook and drink \_\_\_\_\_ tap \_\_\_\_\_ due \_\_\_\_\_ the maintenance \_\_\_\_\_?

\_\_\_\_\_ caused by nearby \_\_\_\_\_ water's safety?

\_\_\_\_\_ drinking and \_\_\_\_\_ nearby repairs that cause \_\_\_\_\_ pressure?

Can \_\_\_\_\_ tap \_\_\_\_\_ close proximity of low pressure repairs?

Is \_\_\_\_\_ maintenance will make it \_\_\_\_\_ to \_\_\_\_\_ drink \_\_\_\_\_ water?

During the \_\_\_\_\_ you \_\_\_\_\_ tap \_\_\_\_\_ would \_\_\_\_\_ safe for \_\_\_\_\_?

\_\_\_\_\_ nearby maintenance \_\_\_\_\_ pressure, \_\_\_\_\_ about using tap water to \_\_\_\_\_?

Should tap \_\_\_\_\_ be \_\_\_\_\_ repairs affect the \_\_\_\_\_ level?

\_\_\_\_\_ I safely \_\_\_\_\_ drink \_\_\_\_\_ during maintenance?

Is it \_\_\_\_\_ to \_\_\_\_\_ tap water for \_\_\_\_\_ when \_\_\_\_\_ maintenance causes \_\_\_\_\_ pressure?

During \_\_\_\_\_ maintenance \_\_\_\_\_ it \_\_\_\_\_ cook and \_\_\_\_\_ tap \_\_\_\_\_?

During \_\_\_\_\_ maintenance, would tap water \_\_\_\_\_ safe for \_\_\_\_\_?

When \_\_\_\_\_ causes low \_\_\_\_\_ should tap \_\_\_\_\_ be used for \_\_\_\_\_?

Do \_\_\_\_\_ low-pressure repair work \_\_\_\_\_ risk \_\_\_\_\_ drinking \_\_\_\_\_?

\_\_\_\_\_ tap water \_\_\_\_\_ safe when \_\_\_\_\_ maintenance \_\_\_\_\_ low \_\_\_\_\_?

What \_\_\_\_\_ the risk of using tap \_\_\_\_\_ for cooking \_\_\_\_\_ while \_\_\_\_\_?

\_\_\_\_\_ nearby \_\_\_\_\_ I cook \_\_\_\_\_ with tap water?

\_\_\_\_\_ okay \_\_\_\_\_ during low \_\_\_\_\_ situations if the \_\_\_\_\_ is close \_\_\_\_\_ us?

\_\_\_\_\_ safe for drinking \_\_\_\_\_ fixes \_\_\_\_\_?

\_\_\_\_\_ safe \_\_\_\_\_ it \_\_\_\_\_ cook \_\_\_\_\_ water \_\_\_\_\_ repair work?

It \_\_\_\_\_ possible \_\_\_\_\_ the tap \_\_\_\_\_ for \_\_\_\_\_ during \_\_\_\_\_.

Can the tap \_\_\_\_\_ be \_\_\_\_\_ and \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ low \_\_\_\_\_ the area?



\_\_\_\_\_ to use tap \_\_\_\_\_ for cooking \_\_\_\_\_ drinking \_\_\_\_\_ low \_\_\_\_\_ maintenance?

\_\_\_\_\_ it is \_\_\_\_\_ to \_\_\_\_\_ for cooking and drinking \_\_\_\_\_ nearby maintenance?

\_\_\_\_\_ okay to \_\_\_\_\_ and \_\_\_\_\_ tap water \_\_\_\_\_ nearby maintenance?

It's \_\_\_\_\_ tap water \_\_\_\_\_ maintenance.

\_\_\_\_\_ low-pressure caused by nearby \_\_\_\_\_ affect \_\_\_\_\_ water's \_\_\_\_\_ ?

How safe \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ nearby maintenance?

Do nearby \_\_\_\_\_ risk for using tap water \_\_\_\_\_ ?

Is it \_\_\_\_\_ to consume \_\_\_\_\_ cook with \_\_\_\_\_ during \_\_\_\_\_ the \_\_\_\_\_ is close \_\_\_\_\_ us?

\_\_\_\_\_ water \_\_\_\_\_ used \_\_\_\_\_ cooking \_\_\_\_\_ during nearby \_\_\_\_\_ with \_\_\_\_\_ pressure issues?

Can \_\_\_\_\_ tap \_\_\_\_\_ for food and \_\_\_\_\_ reduced pressure?

Is it \_\_\_\_\_ to use \_\_\_\_\_ water for food \_\_\_\_\_ drink \_\_\_\_\_ nearby?

Is \_\_\_\_\_ safe to \_\_\_\_\_ water when \_\_\_\_\_ low pressure \_\_\_\_\_ ?

Is \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ and \_\_\_\_\_ during a \_\_\_\_\_ pressure area?

Is it \_\_\_\_\_ cook \_\_\_\_\_ tap water \_\_\_\_\_ occurs?

Can I \_\_\_\_\_ tap \_\_\_\_\_ for cooking and \_\_\_\_\_ pressure \_\_\_\_\_ ?

\_\_\_\_\_ low \_\_\_\_\_ Is it \_\_\_\_\_ cook and drink \_\_\_\_\_ water?

\_\_\_\_\_ use \_\_\_\_\_ impacted by adjacent \_\_\_\_\_ on \_\_\_\_\_ cause harm if \_\_\_\_\_ while preparing \_\_\_\_\_ ?

Do you \_\_\_\_\_ tap \_\_\_\_\_ safe for \_\_\_\_\_ and \_\_\_\_\_ during the \_\_\_\_\_ ?

Is \_\_\_\_\_ to use \_\_\_\_\_ food \_\_\_\_\_ drinks because \_\_\_\_\_ poor pressure?

Is \_\_\_\_\_ safe to consume \_\_\_\_\_ cook \_\_\_\_\_ during \_\_\_\_\_ ?

\_\_\_\_\_ upkeep \_\_\_\_\_ in my area, can I use \_\_\_\_\_ ?

\_\_\_\_\_ a person \_\_\_\_\_ and \_\_\_\_\_ with tap water \_\_\_\_\_ repairs?

During nearby maintenance, \_\_\_\_\_ to cook?

When \_\_\_\_\_ nearby \_\_\_\_\_ causes low \_\_\_\_\_ I be \_\_\_\_\_ about \_\_\_\_\_ cooking with \_\_\_\_\_ ?

When there \_\_\_\_\_ a \_\_\_\_\_ pressure in our area, can I still \_\_\_\_\_ drinking?

During \_\_\_\_\_ low \_\_\_\_\_ repairs \_\_\_\_\_ and drink \_\_\_\_\_ tap water?

While \_\_\_\_\_ affect \_\_\_\_\_ level, should tap \_\_\_\_\_ be \_\_\_\_\_ ?

\_\_\_\_\_ of tap-water, \_\_\_\_\_ by adjacent \_\_\_\_\_ on plumbing \_\_\_\_\_ cause \_\_\_\_\_ employed whilst \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ reduced \_\_\_\_\_ local repairs, are both \_\_\_\_\_ and \_\_\_\_\_ water safe?

Is it possible to \_\_\_\_\_ tap water \_\_\_\_\_ ?

When \_\_\_\_\_ pressure \_\_\_\_\_ I \_\_\_\_\_ about \_\_\_\_\_ tap \_\_\_\_\_ for cooking or drinking?

Is \_\_\_\_\_ ok \_\_\_\_\_ water \_\_\_\_\_ be used \_\_\_\_\_ and \_\_\_\_\_ during maintenance?

Is \_\_\_\_\_ to \_\_\_\_\_ drink \_\_\_\_\_ water during the \_\_\_\_\_ maintenance?

Will \_\_\_\_\_ be unsafe \_\_\_\_\_ cook \_\_\_\_\_ drink \_\_\_\_\_ water \_\_\_\_\_ of \_\_\_\_\_ around here?

\_\_\_\_\_ it ok \_\_\_\_\_ tap water in \_\_\_\_\_ the \_\_\_\_\_ is \_\_\_\_\_ to us?

During low-pressure \_\_\_\_\_ near \_\_\_\_\_ tap water \_\_\_\_\_ important.

\_\_\_\_\_ I \_\_\_\_\_ for cooking \_\_\_\_\_ drinking if \_\_\_\_\_ is disrupted?

Is \_\_\_\_\_ for people \_\_\_\_\_ drink and \_\_\_\_\_ tap water \_\_\_\_\_ ?

When \_\_\_\_\_ maintenance \_\_\_\_\_ water \_\_\_\_\_ safe to drink or cook in \_\_\_\_\_ ?

\_\_\_\_\_ work \_\_\_\_\_ low \_\_\_\_\_ can \_\_\_\_\_ still use the tap \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ ?

\_\_\_\_\_ water \_\_\_\_\_ safe \_\_\_\_\_ drinking \_\_\_\_\_ nearby fixes cause \_\_\_\_\_ ?

\_\_\_\_\_ tap water \_\_\_\_\_ to cook \_\_\_\_\_ drink \_\_\_\_\_ maintenance?

Can \_\_\_\_\_ drink \_\_\_\_\_ tap water close to \_\_\_\_\_ repairs?

\_\_\_\_\_ it \_\_\_\_\_ tap water in low-pressure situations \_\_\_\_\_ are ongoing \_\_\_\_\_ works close \_\_\_\_\_ us?

\_\_\_\_\_ work pose \_\_\_\_\_ risk \_\_\_\_\_ using tap water?

\_\_\_\_\_ you \_\_\_\_\_ it's safe \_\_\_\_\_ tap water \_\_\_\_\_ maintenance?

\_\_\_\_\_ maintenance \_\_\_\_\_ water pressure, \_\_\_\_\_ tap water safe to use \_\_\_\_\_ drinking?

Is \_\_\_\_\_ safe to drink and \_\_\_\_\_ despite \_\_\_\_\_ situation?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_ with \_\_\_\_\_ water during the \_\_\_\_\_ ?

Can \_\_\_\_\_ cook and drink tap \_\_\_\_\_ with \_\_\_\_\_ pressure?

the tap-water, by on plumbing lines, harm-if whilst preparing ?  
 the maintenance causes pressure, worry using tap water drinking ?  
 Can the tap for and causes low pressure?  
 Will drinking cooking with tap be nearby ?  
 it possible to eat cook tap in repairs?  
 Is it safe to drink tap when ?  
 Do by maintenance affect safety?  
 water used for and drinking to nearby ?  
 okay we consume tap water during low situations?  
 it okay to tap for while nearby taking ?  
 lower is water safe for drinking and ?  
 it possible taps for and flow in my is by upkeep?  
 When nearby pressure should I be concerned cooking or drinking?  
 we use the tap to cook of low ?  
 Is it safe to and water is occurring?  
 local should we and water?  
 Does low-pressure repair nearby pose tap ?  
 think it to cook during repairs that cause ?  
 It unsafe to cook drink from tap water here.  
 Is a idea use tap cooking and while the is ?  
 leads to low is it use the tap water cooking or ?  
 use caused adjacent work on plumbing cause used while preparing ?  
 Can someone cook tap a low repair?  
 Does maintenance the of tap water?  
 to the tap water for drinking during ?  
 Is it okay with tap there are low-pressure situations?  
 Can tap water to low pressure repairs?  
 If the flow in area upkeep I for and ?  
 Do by maintenance affect ?  
 low-pressure by work water's safety?  
 pressure to maintenance can cook drink water?  
 Does the the tap water for and drinking?  
 nearby to low is it safe drink tap?  
 nearby work causing low pressure in I use tap ?  
 Can use of affected on lines, cause while preparing ?  
 How is it cook with there are low ?  
 use the water to and drink pressure ?  
 Will water be for use when low ?  
 During the water used for cooking ?  
 safe and water low pressure repairs nearby?  
 How is tap water cook during ?  
 Can cook tap water because low ?  
 one use tap cooking and drinking nearby?  
 Can we with tap close repairs?  
 it ok to cook with tap if to us?  
 tap be used for cooking?  
 Can we consume cook with in of ?  
 I to cook and during maintenance?  
 During nearby maintenance could water ?  
 Can I tap for and cooking there is pressure the ?

When nearby maintenance \_\_\_\_ low \_\_\_\_ pressure, \_\_\_\_ it safe \_\_\_\_ or \_\_\_\_ water?

When nearby \_\_\_\_ leads \_\_\_\_ is it \_\_\_\_ drink or cook \_\_\_\_ tap \_\_\_\_?

What \_\_\_\_ the risk \_\_\_\_ drinking tap \_\_\_\_ with \_\_\_\_ pressure?

\_\_\_\_ is \_\_\_\_ repairs, are \_\_\_\_ and consuming tap water safe?

\_\_\_\_ cook \_\_\_\_ tap \_\_\_\_ in proximity \_\_\_\_ repairs?

Is it ok to \_\_\_\_ with \_\_\_\_ water when \_\_\_\_ are \_\_\_\_?

\_\_\_\_ to cook with \_\_\_\_ tap water \_\_\_\_ the low-pressure \_\_\_\_?

Can \_\_\_\_ the tap \_\_\_\_ for \_\_\_\_ and drink when there \_\_\_\_?

Do you \_\_\_\_ water \_\_\_\_ safe for \_\_\_\_ and cooking during \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to drink and cook \_\_\_\_ tap water \_\_\_\_ nearby?

\_\_\_\_ it possible \_\_\_\_ and \_\_\_\_ with \_\_\_\_ near ongoing low pressure \_\_\_\_?

\_\_\_\_ it \_\_\_\_ water for cooking and \_\_\_\_ maintenance?

\_\_\_\_ water \_\_\_\_ for \_\_\_\_ while nearby \_\_\_\_ reduced pressure?

Is it a good \_\_\_\_ cook \_\_\_\_ the repair \_\_\_\_ is \_\_\_\_?

\_\_\_\_ tap \_\_\_\_ used despite \_\_\_\_ affecting the pressure?

\_\_\_\_ nearby \_\_\_\_ affects the low \_\_\_\_ will using \_\_\_\_ water \_\_\_\_?

\_\_\_\_ to trust this weak \_\_\_\_ fixing stuff \_\_\_\_?

\_\_\_\_ use \_\_\_\_ water for \_\_\_\_ cooking \_\_\_\_ low pressure maintenance?

\_\_\_\_ to drink and cook because of \_\_\_\_?

While \_\_\_\_ stuff \_\_\_\_ can \_\_\_\_ trust \_\_\_\_ weak tap-water?

\_\_\_\_ nearby \_\_\_\_ low \_\_\_\_ pressure, is \_\_\_\_ safe \_\_\_\_ drink \_\_\_\_ with the tap water?

Despite \_\_\_\_ ongoing \_\_\_\_ situation, \_\_\_\_ safe \_\_\_\_ and drink tap water?

\_\_\_\_ safe \_\_\_\_ cook \_\_\_\_ tap water \_\_\_\_ low \_\_\_\_ is nearby?

\_\_\_\_ it \_\_\_\_ to use \_\_\_\_ water \_\_\_\_ and drink \_\_\_\_ the \_\_\_\_?

\_\_\_\_ wonder \_\_\_\_ is \_\_\_\_ to cook and \_\_\_\_ tap \_\_\_\_ during \_\_\_\_ maintenance.

\_\_\_\_ safely \_\_\_\_ and drink \_\_\_\_ water during maintenance?

Can \_\_\_\_ cook \_\_\_\_ tap water when \_\_\_\_ pressure \_\_\_\_ are \_\_\_\_?

\_\_\_\_ it a \_\_\_\_ to use tap \_\_\_\_ or \_\_\_\_ when nearby \_\_\_\_ low \_\_\_\_?

\_\_\_\_ drink and cook \_\_\_\_ if low pressure \_\_\_\_?

\_\_\_\_ and cooking \_\_\_\_ tap water \_\_\_\_ low pressure \_\_\_\_ nearby.

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ from \_\_\_\_ due to the maintenance \_\_\_\_ here?

\_\_\_\_ it a \_\_\_\_ to cook with \_\_\_\_ nearby \_\_\_\_ affect \_\_\_\_ pressure?

When nearby \_\_\_\_ should I \_\_\_\_ about \_\_\_\_ the tap \_\_\_\_ for \_\_\_\_?

\_\_\_\_ I safely \_\_\_\_ drink with \_\_\_\_ water \_\_\_\_ maintenance?

It could be unsafe \_\_\_\_ drink using \_\_\_\_ of the \_\_\_\_ around here.

\_\_\_\_ safe \_\_\_\_ cook and \_\_\_\_ from tap water during \_\_\_\_ pressure \_\_\_\_?

Will \_\_\_\_ make \_\_\_\_ and \_\_\_\_ with tap water?

Can we \_\_\_\_ with \_\_\_\_ water \_\_\_\_ low \_\_\_\_ are \_\_\_\_?

\_\_\_\_ causes \_\_\_\_ usual system pressure, \_\_\_\_ I \_\_\_\_ drink tap \_\_\_\_?

\_\_\_\_ the \_\_\_\_ affects the \_\_\_\_ area, can I \_\_\_\_ for drinking \_\_\_\_ cooking?

\_\_\_\_ nearby maintenance \_\_\_\_ to low \_\_\_\_ pressure, \_\_\_\_ water \_\_\_\_ use?

Is \_\_\_\_ to drink \_\_\_\_ with \_\_\_\_ water during \_\_\_\_ pressure event?

Do \_\_\_\_ think it's \_\_\_\_ use \_\_\_\_ water for \_\_\_\_ and drinking \_\_\_\_?

\_\_\_\_ it safe to \_\_\_\_ cause low pressure?

\_\_\_\_ tap water \_\_\_\_ used for \_\_\_\_ and cooking \_\_\_\_?

When \_\_\_\_ tap \_\_\_\_ and cook with it?

Despite \_\_\_\_ situation \_\_\_\_ by \_\_\_\_ is \_\_\_\_ to cook with tap water?

\_\_\_\_ maintenance causes low \_\_\_\_ should \_\_\_\_ use tap water \_\_\_\_ cooking?

\_\_\_\_ safely cook \_\_\_\_ drink from \_\_\_\_ tap \_\_\_\_ low pressure \_\_\_\_?

Can one \_\_\_\_ cook and \_\_\_\_ tap water \_\_\_\_ nearby?

When nearby \_\_\_\_\_ causing \_\_\_\_\_ pressure \_\_\_\_\_ area, can \_\_\_\_\_ the tap water \_\_\_\_\_ and cooking?

Is \_\_\_\_\_ wise to \_\_\_\_\_ tap \_\_\_\_\_ for cooking \_\_\_\_\_ pressure \_\_\_\_\_?

When nearby maintenance leads \_\_\_\_\_ low water pressure, \_\_\_\_\_ drink \_\_\_\_\_ with?

During maintenance, \_\_\_\_\_ I \_\_\_\_\_ cook \_\_\_\_\_ with \_\_\_\_\_ water?

\_\_\_\_\_ nearby maintenance \_\_\_\_\_ pressure, \_\_\_\_\_ concerned about \_\_\_\_\_ the tap water for \_\_\_\_\_ drinking?

\_\_\_\_\_ nearby maintenance \_\_\_\_\_ be used \_\_\_\_\_ cooking?

\_\_\_\_\_ you \_\_\_\_\_ tap water is \_\_\_\_\_ local maintenance?

\_\_\_\_\_ low pressure \_\_\_\_\_ nearby can someone \_\_\_\_\_ and \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ the use \_\_\_\_\_ tap-WATER, \_\_\_\_\_ on plumbing \_\_\_\_\_ resulting \_\_\_\_\_ diminished flow rates, \_\_\_\_\_ harm if employed \_\_\_\_\_ preparing \_\_\_\_\_

While \_\_\_\_\_ maintenance \_\_\_\_\_ low pressure, will tap \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ water \_\_\_\_\_ used for \_\_\_\_\_ pressure loss?

\_\_\_\_\_ nearby repair work \_\_\_\_\_ a risk \_\_\_\_\_ using \_\_\_\_\_ water \_\_\_\_\_?

Is \_\_\_\_\_ safe to \_\_\_\_\_ cook \_\_\_\_\_ water \_\_\_\_\_ repairs?

Can the use of tap-water \_\_\_\_\_ impacted \_\_\_\_\_ lines \_\_\_\_\_ when preparing \_\_\_\_\_?

\_\_\_\_\_ safe \_\_\_\_\_ and drink with \_\_\_\_\_ because of maintenance?

\_\_\_\_\_ a good \_\_\_\_\_ to cook \_\_\_\_\_ repairs are nearby?

\_\_\_\_\_ using the tap \_\_\_\_\_ drinking or \_\_\_\_\_ be safe while \_\_\_\_\_ maintenance \_\_\_\_\_?

If \_\_\_\_\_ in my area \_\_\_\_\_ affected \_\_\_\_\_ upkeep, \_\_\_\_\_ taps \_\_\_\_\_ cook \_\_\_\_\_ drink?

Can \_\_\_\_\_ tap \_\_\_\_\_ for cooking and \_\_\_\_\_ low pressure \_\_\_\_\_?

While \_\_\_\_\_ is water safe for drinking?

Are you able \_\_\_\_\_ weak tap-water while \_\_\_\_\_ nearby?

When \_\_\_\_\_ nearby, \_\_\_\_\_ I \_\_\_\_\_ the tap water for \_\_\_\_\_ drinking?

\_\_\_\_\_ safely use the tap \_\_\_\_\_ and \_\_\_\_\_ during the \_\_\_\_\_?

Can \_\_\_\_\_ use the \_\_\_\_\_ water \_\_\_\_\_ cooking in \_\_\_\_\_ proximity \_\_\_\_\_ low \_\_\_\_\_?

Is it \_\_\_\_\_ to use tap \_\_\_\_\_ when your \_\_\_\_\_ is \_\_\_\_\_?

During \_\_\_\_\_ nearby, \_\_\_\_\_ cook and drink with tap \_\_\_\_\_?

Should \_\_\_\_\_ water be \_\_\_\_\_ while nearby \_\_\_\_\_?

During \_\_\_\_\_ pressure maintenance, \_\_\_\_\_ safe \_\_\_\_\_ cook with \_\_\_\_\_?

\_\_\_\_\_ safe to cook with \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ using \_\_\_\_\_ for \_\_\_\_\_ or \_\_\_\_\_ safe \_\_\_\_\_ the \_\_\_\_\_ pressure is nearby?

\_\_\_\_\_ is it safe to \_\_\_\_\_ tap \_\_\_\_\_ cooking?

\_\_\_\_\_ safe for \_\_\_\_\_ nearby \_\_\_\_\_ pressure?

Do \_\_\_\_\_ pressure caused \_\_\_\_\_ safety of tap water?

Maintenance causes \_\_\_\_\_ system pressure, \_\_\_\_\_ still use \_\_\_\_\_?

Can I \_\_\_\_\_ use the \_\_\_\_\_ and \_\_\_\_\_ when \_\_\_\_\_ is low water \_\_\_\_\_?

\_\_\_\_\_ am \_\_\_\_\_ if I \_\_\_\_\_ cook and \_\_\_\_\_ using tap \_\_\_\_\_ maintenance.

\_\_\_\_\_ is the \_\_\_\_\_ tap water for \_\_\_\_\_ drinking during \_\_\_\_\_ with \_\_\_\_\_ pressure?

Will \_\_\_\_\_ tap water \_\_\_\_\_ or \_\_\_\_\_ when nearby maintenance \_\_\_\_\_ low \_\_\_\_\_?

\_\_\_\_\_ to use tap water for cooking \_\_\_\_\_ drinking \_\_\_\_\_ that \_\_\_\_\_ pressure?

Is \_\_\_\_\_ okay \_\_\_\_\_ cook with tap water \_\_\_\_\_ situations \_\_\_\_\_ works are \_\_\_\_\_ to \_\_\_\_\_?

The \_\_\_\_\_ could make \_\_\_\_\_ unsafe \_\_\_\_\_ cook and drink \_\_\_\_\_ the \_\_\_\_\_.

Is \_\_\_\_\_ safe to use \_\_\_\_\_ water \_\_\_\_\_ drinking when \_\_\_\_\_ work is \_\_\_\_\_?

\_\_\_\_\_ low-pressure \_\_\_\_\_ by maintenance \_\_\_\_\_ drinking \_\_\_\_\_?

\_\_\_\_\_ nearby \_\_\_\_\_ affects \_\_\_\_\_ pressure, \_\_\_\_\_ water be safe \_\_\_\_\_ or \_\_\_\_\_ with?

Can the use \_\_\_\_\_ tap-water cause harm \_\_\_\_\_ employed \_\_\_\_\_ food \_\_\_\_\_ work \_\_\_\_\_ plumbing \_\_\_\_\_?

\_\_\_\_\_ use \_\_\_\_\_ tap-water impacted by \_\_\_\_\_ work on plumbing \_\_\_\_\_ cause \_\_\_\_\_ while preparing \_\_\_\_\_

\_\_\_\_\_ work pose \_\_\_\_\_ risk to the tap \_\_\_\_\_?

\_\_\_\_\_ it okay to use \_\_\_\_\_ water \_\_\_\_\_ drinking \_\_\_\_\_ maintenance \_\_\_\_\_ low pressure?

\_\_\_\_\_ we still use \_\_\_\_\_ tap \_\_\_\_\_ food \_\_\_\_\_ drink despite \_\_\_\_\_ pressure?

Will drinking or cooking \_\_\_\_\_ tap water \_\_\_\_\_ safe \_\_\_\_\_?

Is it \_\_\_\_ to cook and \_\_\_\_ tap water \_\_\_\_ maintenance \_\_\_\_?

During \_\_\_\_ that may cause \_\_\_\_ pressure, \_\_\_\_ I \_\_\_\_ drink \_\_\_\_ tap \_\_\_\_?

\_\_\_\_ fine to \_\_\_\_ and cook \_\_\_\_ when \_\_\_\_ tap \_\_\_\_ weak?

\_\_\_\_ it safe to \_\_\_\_ and \_\_\_\_ using \_\_\_\_ water while there \_\_\_\_?

Does \_\_\_\_ pressure repair work \_\_\_\_ risk \_\_\_\_ water?

During low \_\_\_\_ repairs \_\_\_\_ cook and \_\_\_\_ tap water?

\_\_\_\_ tap water recommended \_\_\_\_ cooking when nearby repair \_\_\_\_?

Is it \_\_\_\_ to \_\_\_\_ with \_\_\_\_ water \_\_\_\_ because \_\_\_\_ ongoing \_\_\_\_ work?

\_\_\_\_ caused by \_\_\_\_ affect tap \_\_\_\_?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ and drink \_\_\_\_ tap water \_\_\_\_ pressure?

Can \_\_\_\_ still \_\_\_\_ tap \_\_\_\_ for \_\_\_\_ drinking \_\_\_\_ the \_\_\_\_ in \_\_\_\_ area is low?

Is \_\_\_\_ safe \_\_\_\_ drink \_\_\_\_ nearby \_\_\_\_ reduced pressure?

When \_\_\_\_ causes low \_\_\_\_ I use \_\_\_\_ water for \_\_\_\_ and \_\_\_\_?

When nearby \_\_\_\_ pressure, \_\_\_\_ use the tap \_\_\_\_ cooking \_\_\_\_ drinking?

If my \_\_\_\_ disrupted, \_\_\_\_ taps for cooking and \_\_\_\_?

\_\_\_\_ it safe \_\_\_\_ drink \_\_\_\_ water \_\_\_\_ the water pressure is \_\_\_\_?

\_\_\_\_ fix \_\_\_\_ can \_\_\_\_ this weak tap water?

\_\_\_\_ possible \_\_\_\_ use tap water \_\_\_\_ food \_\_\_\_ drink \_\_\_\_ there \_\_\_\_ maintenance \_\_\_\_?

What \_\_\_\_ risk of \_\_\_\_ tap \_\_\_\_ for \_\_\_\_ and cooking during \_\_\_\_ pressure?

\_\_\_\_ cook and drink using tap \_\_\_\_ low \_\_\_\_?

Can \_\_\_\_ taps \_\_\_\_ drinking if the \_\_\_\_ the area \_\_\_\_ disrupted?

How safe is it \_\_\_\_ and \_\_\_\_ with tap \_\_\_\_ when there \_\_\_\_?

Can tap \_\_\_\_ be used for \_\_\_\_ and drinking \_\_\_\_ nearby \_\_\_\_?

Is it \_\_\_\_ tap water \_\_\_\_ during maintenance?

Will it \_\_\_\_ safe \_\_\_\_ and drink tap \_\_\_\_ maintenance?

Can \_\_\_\_ still use \_\_\_\_ drinking when the area's \_\_\_\_ is low?

\_\_\_\_ safe \_\_\_\_ cook with tap water when \_\_\_\_ pressure?

Is it safe to drink \_\_\_\_ low \_\_\_\_ maintenance?

\_\_\_\_ nearby \_\_\_\_ can I safely \_\_\_\_ water \_\_\_\_ and drinking?

\_\_\_\_ repair work near the \_\_\_\_ pose \_\_\_\_?

When there \_\_\_\_ low \_\_\_\_ in our area can I \_\_\_\_ use \_\_\_\_ and \_\_\_\_?

Can \_\_\_\_ still use the \_\_\_\_ and \_\_\_\_ if there \_\_\_\_ low pressure in \_\_\_\_ area?

\_\_\_\_ water be \_\_\_\_ safely \_\_\_\_ low \_\_\_\_ repairs nearby?

Is it \_\_\_\_ to use tap \_\_\_\_ while \_\_\_\_ affect \_\_\_\_?

During \_\_\_\_ situations in \_\_\_\_ of \_\_\_\_ work, \_\_\_\_ water safety \_\_\_\_.

Does nearby \_\_\_\_ repair \_\_\_\_ danger in using \_\_\_\_?

\_\_\_\_ safely cook and \_\_\_\_ tap water \_\_\_\_ maintenance?

\_\_\_\_ it possible \_\_\_\_ cook and \_\_\_\_ the \_\_\_\_ during \_\_\_\_ maintenance?

Can \_\_\_\_ safely cook \_\_\_\_ tap water during \_\_\_\_ pressure \_\_\_\_?

\_\_\_\_ nearby repairs \_\_\_\_ pressure, is \_\_\_\_ safe \_\_\_\_ and drink?

\_\_\_\_ using \_\_\_\_ tap water \_\_\_\_ and drinking during \_\_\_\_ periods \_\_\_\_ unknown.

\_\_\_\_ I \_\_\_\_ drink tap water in \_\_\_\_ low-pressure \_\_\_\_?

Is \_\_\_\_ okay to \_\_\_\_ tap \_\_\_\_ while \_\_\_\_ place?

\_\_\_\_ it \_\_\_\_ for \_\_\_\_ consume or \_\_\_\_ with tap \_\_\_\_ low-pressure situations?

\_\_\_\_ pose \_\_\_\_ using tap water for cooking?

\_\_\_\_ water \_\_\_\_ while nearby repairs \_\_\_\_ the pressure \_\_\_\_.

Can \_\_\_\_ cook and drink \_\_\_\_ tap water \_\_\_\_?

Is \_\_\_\_ to \_\_\_\_ while \_\_\_\_ fixes \_\_\_\_ pressure?

\_\_\_\_ safely \_\_\_\_ drink tap water during low \_\_\_\_?

When nearby \_\_\_\_ low water pressure, \_\_\_\_ tap water?

\_\_\_\_\_ it safe to \_\_\_\_\_ and \_\_\_\_\_ with tap water when \_\_\_\_\_?

Can people cook and \_\_\_\_\_ during \_\_\_\_\_ pressure \_\_\_\_\_?

\_\_\_\_\_ tap water \_\_\_\_\_ when nearby maintenance affects \_\_\_\_\_?

Will tap \_\_\_\_\_ be \_\_\_\_\_ to drink or \_\_\_\_\_ when \_\_\_\_\_ maintenance \_\_\_\_\_ pressure?

When nearby \_\_\_\_\_ low pressure, \_\_\_\_\_ I \_\_\_\_\_ water for \_\_\_\_\_ or drinking?

It \_\_\_\_\_ be \_\_\_\_\_ cook with tap \_\_\_\_\_ maintenance.

If the flow \_\_\_\_\_ by \_\_\_\_\_ I \_\_\_\_\_ for \_\_\_\_\_ and drinking?

\_\_\_\_\_ tap \_\_\_\_\_ used amidst repairs \_\_\_\_\_ affect pressure \_\_\_\_\_?

When \_\_\_\_\_ leads to low \_\_\_\_\_ pressure, \_\_\_\_\_ it \_\_\_\_\_ use the \_\_\_\_\_?

\_\_\_\_\_ low pressure, \_\_\_\_\_ I safely cook and drink \_\_\_\_\_ water?

\_\_\_\_\_ safe to \_\_\_\_\_ and drink \_\_\_\_\_ water during \_\_\_\_\_ nearby?

Can \_\_\_\_\_ for drinking and \_\_\_\_\_ if the \_\_\_\_\_ area is \_\_\_\_\_?

\_\_\_\_\_ possible to cook using \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ the tap \_\_\_\_\_ for drinking \_\_\_\_\_ cooking \_\_\_\_\_ there is low \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ nearby maintenance causes low \_\_\_\_\_ I \_\_\_\_\_ about \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ though the pressure \_\_\_\_\_?

\_\_\_\_\_ it safe to cook \_\_\_\_\_ water if \_\_\_\_\_ reduced?

\_\_\_\_\_ maintenance, is tap \_\_\_\_\_ safe \_\_\_\_\_ use \_\_\_\_\_ cooking and \_\_\_\_\_?

\_\_\_\_\_ I use \_\_\_\_\_ and drinking \_\_\_\_\_ area is disrupted by upkeep?

Can I \_\_\_\_\_ tap \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ the low \_\_\_\_\_ maintenance?

During \_\_\_\_\_ caused \_\_\_\_\_ ongoing maintenance \_\_\_\_\_ are \_\_\_\_\_ to use tap water?

Can \_\_\_\_\_ water be \_\_\_\_\_ repairs affect the \_\_\_\_\_?

Can drinking and \_\_\_\_\_ water be \_\_\_\_\_ during low \_\_\_\_\_ repairs \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ me \_\_\_\_\_ drink using tap \_\_\_\_\_ during \_\_\_\_\_?

While neighboring \_\_\_\_\_ low-pressure repair \_\_\_\_\_ consuming and \_\_\_\_\_ household tap \_\_\_\_\_ cause \_\_\_\_\_ health \_\_\_\_\_?

Can \_\_\_\_\_ person drink \_\_\_\_\_ cook with tap \_\_\_\_\_ pressure \_\_\_\_\_?

Is it \_\_\_\_\_ to drink or cook with tap \_\_\_\_\_ when \_\_\_\_\_?

\_\_\_\_\_ nearby maintenance can I \_\_\_\_\_ tap \_\_\_\_\_ and \_\_\_\_\_?

Is it okay to \_\_\_\_\_ for \_\_\_\_\_ drinking while \_\_\_\_\_ on?

\_\_\_\_\_ I be concerned about \_\_\_\_\_ tap water \_\_\_\_\_ or drinking \_\_\_\_\_ pressure?

\_\_\_\_\_ it \_\_\_\_\_ cook and drink \_\_\_\_\_ tap water \_\_\_\_\_?

\_\_\_\_\_ pose a risk to \_\_\_\_\_ the tap water \_\_\_\_\_?

\_\_\_\_\_ low \_\_\_\_\_ caused \_\_\_\_\_ nearby \_\_\_\_\_ affect \_\_\_\_\_ water's safety?

Is tap \_\_\_\_\_ safe \_\_\_\_\_ maintenance?

Can tap \_\_\_\_\_ used \_\_\_\_\_ low pressure \_\_\_\_\_?

Can \_\_\_\_\_ the tap water \_\_\_\_\_ cook in close \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ using the tap \_\_\_\_\_ for cooking and drinking \_\_\_\_\_ low pressure \_\_\_\_\_?

\_\_\_\_\_ of tap-water, \_\_\_\_\_ by adjacent work \_\_\_\_\_ plumbing lines, cause harm \_\_\_\_\_ employed \_\_\_\_\_

How safe \_\_\_\_\_ cook with tap \_\_\_\_\_ when \_\_\_\_\_ work \_\_\_\_\_ on?

Can we consume \_\_\_\_\_ tap \_\_\_\_\_ there \_\_\_\_\_ low \_\_\_\_\_ repairs?

\_\_\_\_\_ possible to use \_\_\_\_\_ water \_\_\_\_\_ cooking during \_\_\_\_\_?

\_\_\_\_\_ experiencing maintenance-related \_\_\_\_\_ pressure are \_\_\_\_\_ uses \_\_\_\_\_ tap \_\_\_\_\_?

During maintenance, \_\_\_\_\_ think \_\_\_\_\_ to \_\_\_\_\_ and drink with \_\_\_\_\_?

If \_\_\_\_\_ flow in \_\_\_\_\_ can I use \_\_\_\_\_ for \_\_\_\_\_ drinking?

\_\_\_\_\_ nearby low-pressure repair \_\_\_\_\_ pose \_\_\_\_\_ risk \_\_\_\_\_ cooking \_\_\_\_\_?

\_\_\_\_\_ maintenance-related repairs lower \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ cook with?

If low pressure arises \_\_\_\_\_ can \_\_\_\_\_ cook and \_\_\_\_\_?

\_\_\_\_\_ nearby low-pressure repair \_\_\_\_\_ pose \_\_\_\_\_ to using \_\_\_\_\_ for \_\_\_\_\_?

Does \_\_\_\_\_ caused by \_\_\_\_\_ affect tap \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ risk \_\_\_\_\_ using \_\_\_\_\_ tap water for \_\_\_\_\_ and cooking \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ water during maintenance?  
 \_\_\_\_\_ it possible \_\_\_\_\_ use \_\_\_\_\_ water for \_\_\_\_\_ while low pressure \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ for cooking and \_\_\_\_\_ during low pressure?  
 \_\_\_\_\_ there \_\_\_\_\_ low \_\_\_\_\_ still use the tap water for drinking and \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ is \_\_\_\_\_ safe to drink and \_\_\_\_\_ with \_\_\_\_\_ water?  
 Is \_\_\_\_\_ acceptable \_\_\_\_\_ with \_\_\_\_\_ during low-pressure situations \_\_\_\_\_ ongoing maintenance \_\_\_\_\_?  
 \_\_\_\_\_ pressure affects nearby maintenance, \_\_\_\_\_ safe to \_\_\_\_\_ or \_\_\_\_\_ with?  
 \_\_\_\_\_ local \_\_\_\_\_ you think it \_\_\_\_\_ safe \_\_\_\_\_ cook and \_\_\_\_\_ tap \_\_\_\_\_?  
 During maintenance, Is \_\_\_\_\_ safe to \_\_\_\_\_ water?  
 Is \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ food and \_\_\_\_\_ even though there is \_\_\_\_\_?  
 \_\_\_\_\_ it safe \_\_\_\_\_ cook \_\_\_\_\_ using \_\_\_\_\_ because of the \_\_\_\_\_?  
 Do \_\_\_\_\_ think it's safe \_\_\_\_\_ and drink \_\_\_\_\_ low-pressure situation?  
 \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ tap water for cooking \_\_\_\_\_ drinking \_\_\_\_\_ maintenance \_\_\_\_\_ pressure?  
 Should \_\_\_\_\_ water \_\_\_\_\_ used \_\_\_\_\_ repairs affect \_\_\_\_\_ level?  
 While \_\_\_\_\_ repairs affect the pressure level, \_\_\_\_\_ okay \_\_\_\_\_?  
 \_\_\_\_\_ be safe to drink or \_\_\_\_\_ with when \_\_\_\_\_ low \_\_\_\_\_?  
 \_\_\_\_\_ it safe to \_\_\_\_\_ cook with \_\_\_\_\_ water \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ tap \_\_\_\_\_ good \_\_\_\_\_ cooking and \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ might \_\_\_\_\_ cook \_\_\_\_\_ drink \_\_\_\_\_ water due to the maintenance around \_\_\_\_\_.  
 \_\_\_\_\_ be unsafe to cook \_\_\_\_\_ tap water due to \_\_\_\_\_?  
 Are \_\_\_\_\_ to cook with tap \_\_\_\_\_?  
 Should tap \_\_\_\_\_ be \_\_\_\_\_ affect pressure level?  
 \_\_\_\_\_ tap water \_\_\_\_\_ repair work \_\_\_\_\_ the pressure?  
 \_\_\_\_\_ it \_\_\_\_\_ to cook and drink \_\_\_\_\_ low \_\_\_\_\_ repairs?  
 \_\_\_\_\_ ok to \_\_\_\_\_ water for cooking \_\_\_\_\_ drinking during \_\_\_\_\_?  
 \_\_\_\_\_ water to cook and \_\_\_\_\_ low pressure repairs?  
 When \_\_\_\_\_ causes low \_\_\_\_\_ concerned \_\_\_\_\_ using the tap water \_\_\_\_\_ drinking or \_\_\_\_\_?  
 Can \_\_\_\_\_ for \_\_\_\_\_ and drinking while low pressure \_\_\_\_\_?  
 \_\_\_\_\_ cook and drink with tap water \_\_\_\_\_ to \_\_\_\_\_?  
 Should water be safe \_\_\_\_\_ drinking \_\_\_\_\_ cause \_\_\_\_\_?  
 \_\_\_\_\_ you think it \_\_\_\_\_ ok \_\_\_\_\_ use \_\_\_\_\_ water \_\_\_\_\_ drinking during \_\_\_\_\_?  
 How safe is \_\_\_\_\_ to \_\_\_\_\_ water while \_\_\_\_\_ maintenance \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ with \_\_\_\_\_ during \_\_\_\_\_ if \_\_\_\_\_ maintenance works \_\_\_\_\_ close to us?  
 \_\_\_\_\_ nearby \_\_\_\_\_ the \_\_\_\_\_ tap \_\_\_\_\_ be safe \_\_\_\_\_ drinking and cooking?  
 \_\_\_\_\_ nearby facilities are undergoing \_\_\_\_\_ tasks, \_\_\_\_\_ using household \_\_\_\_\_ cause \_\_\_\_\_?  
 Can the \_\_\_\_\_ of \_\_\_\_\_ by \_\_\_\_\_ work on plumbing lines, \_\_\_\_\_ while preparing food?  
 Is it safe to \_\_\_\_\_ drink \_\_\_\_\_ of \_\_\_\_\_ poor pressure?  
 Low-pressure situations in \_\_\_\_\_ vicinity \_\_\_\_\_ work cause \_\_\_\_\_ issues.  
 Do low-pressures \_\_\_\_\_ affect the safety of \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ to trust this weak \_\_\_\_\_ while you \_\_\_\_\_?  
 Can \_\_\_\_\_ water for \_\_\_\_\_ and drinking during \_\_\_\_\_ that \_\_\_\_\_ pressure?  
 Does nearby low-pressure repair work \_\_\_\_\_ any \_\_\_\_\_ to \_\_\_\_\_?  
 Does nearby \_\_\_\_\_ repair work \_\_\_\_\_ risk to \_\_\_\_\_?  
 Is \_\_\_\_\_ ok to use \_\_\_\_\_ and cooking \_\_\_\_\_ maintenance?  
 Can the \_\_\_\_\_ water \_\_\_\_\_ cooking and drinking during \_\_\_\_\_?  
 Is it \_\_\_\_\_ tap water for \_\_\_\_\_ drink when \_\_\_\_\_ pressure \_\_\_\_\_?  
 During \_\_\_\_\_ pressure situations \_\_\_\_\_ vicinity of maintenance \_\_\_\_\_ tap \_\_\_\_\_ safety \_\_\_\_\_.  
 When \_\_\_\_\_ maintenance \_\_\_\_\_ low \_\_\_\_\_ I be concerned about \_\_\_\_\_ the tap \_\_\_\_\_ or drinking?  
 Does low-pressure \_\_\_\_\_ pose a \_\_\_\_\_ to \_\_\_\_\_ water for \_\_\_\_\_?  
 Is \_\_\_\_\_ to use \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ maintenance is going on?

Can the \_\_\_\_\_ of \_\_\_\_\_ impacted \_\_\_\_\_ on plumbing \_\_\_\_\_ harm \_\_\_\_\_ prepare food  
 \_\_\_\_\_ work pose \_\_\_\_\_ risk \_\_\_\_\_ tap \_\_\_\_\_ for cooking and drinking?  
 \_\_\_\_\_ cook \_\_\_\_\_ water during low pressure repairs?  
 \_\_\_\_\_ tap \_\_\_\_\_ safe \_\_\_\_\_ while maintenance- related \_\_\_\_\_ lower \_\_\_\_\_?  
 How safe \_\_\_\_\_ it to cook \_\_\_\_\_ low pressure \_\_\_\_\_?  
 \_\_\_\_\_ the use \_\_\_\_\_ by adjacent work on plumbing \_\_\_\_\_ causing diminished flow rates, \_\_\_\_\_?  
 When \_\_\_\_\_ leads to low \_\_\_\_\_ is \_\_\_\_\_ drink the \_\_\_\_\_ water?  
 Can \_\_\_\_\_ of tap-water \_\_\_\_\_ by \_\_\_\_\_ work on plumbing \_\_\_\_\_ preparing food?  
 \_\_\_\_\_ nearby low-pressure \_\_\_\_\_ work affect the \_\_\_\_\_ tap \_\_\_\_\_?  
 Is \_\_\_\_\_ okay to cook \_\_\_\_\_ tap water during \_\_\_\_\_ close to \_\_\_\_\_?  
 \_\_\_\_\_ it possible to use \_\_\_\_\_ drinking and cooking \_\_\_\_\_ the \_\_\_\_\_ disrupted?  
 \_\_\_\_\_ nearby maintenance affects the \_\_\_\_\_ pressure, \_\_\_\_\_ safe to drink \_\_\_\_\_ in?  
 \_\_\_\_\_ it safe to \_\_\_\_\_ and cook \_\_\_\_\_ water \_\_\_\_\_?  
 Is it safe to \_\_\_\_\_ and drink using \_\_\_\_\_ repairs?  
 \_\_\_\_\_ maintenance-related repairs lower pressure, is \_\_\_\_\_?  
 Can \_\_\_\_\_ still \_\_\_\_\_ tap water \_\_\_\_\_ and \_\_\_\_\_ despite \_\_\_\_\_ low pressure?  
 Can I use \_\_\_\_\_ cooking \_\_\_\_\_ there \_\_\_\_\_ issue \_\_\_\_\_ the \_\_\_\_\_ in my area?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ with \_\_\_\_\_ drink \_\_\_\_\_ water \_\_\_\_\_ the low-pressure \_\_\_\_\_?  
 \_\_\_\_\_ experiencing maintenance-related \_\_\_\_\_ pressure, \_\_\_\_\_ advisable?  
 Water safe \_\_\_\_\_ nearby \_\_\_\_\_ cause \_\_\_\_\_ pressure?  
 \_\_\_\_\_ nearby \_\_\_\_\_ pose \_\_\_\_\_ threat \_\_\_\_\_ drinking or cooking?  
 \_\_\_\_\_ it okay \_\_\_\_\_ use \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ while \_\_\_\_\_ is \_\_\_\_\_ maintenance \_\_\_\_\_ on?  
 While \_\_\_\_\_ fix \_\_\_\_\_ near, can \_\_\_\_\_ trust \_\_\_\_\_ tap-water?  
 If \_\_\_\_\_ flow in my area \_\_\_\_\_ use taps for \_\_\_\_\_?  
 If \_\_\_\_\_ affected \_\_\_\_\_ use taps for drinking and cooking?  
 Does low-pressure \_\_\_\_\_ pose a \_\_\_\_\_ when \_\_\_\_\_ tap \_\_\_\_\_?  
 Water \_\_\_\_\_ to drink \_\_\_\_\_ fixes \_\_\_\_\_ pressure?  
 \_\_\_\_\_ it \_\_\_\_\_ to drink \_\_\_\_\_ repairs that cause low \_\_\_\_\_?  
 Is \_\_\_\_\_ to use the \_\_\_\_\_ food and \_\_\_\_\_ despite \_\_\_\_\_ pressure?  
 \_\_\_\_\_ it safe \_\_\_\_\_ with \_\_\_\_\_ water when nearby \_\_\_\_\_ occurring?  
 \_\_\_\_\_ tap water be \_\_\_\_\_ cook?  
 Can it \_\_\_\_\_ safe to \_\_\_\_\_ tap \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ tap water be \_\_\_\_\_ cooking or \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ you trust the \_\_\_\_\_ tap-water \_\_\_\_\_ you \_\_\_\_\_ something \_\_\_\_\_?  
 While nearby \_\_\_\_\_ undergoing low-pressure repair \_\_\_\_\_ consuming \_\_\_\_\_ utilizing \_\_\_\_\_ health issues?  
 Can \_\_\_\_\_ use \_\_\_\_\_ tap-water, impacted by adjacent \_\_\_\_\_ on \_\_\_\_\_ lines \_\_\_\_\_ diminished \_\_\_\_\_ rates, \_\_\_\_\_ whilst  
 preparing food  
 Can \_\_\_\_\_ water \_\_\_\_\_ cooking and drinking \_\_\_\_\_ low pressure \_\_\_\_\_?  
 Is \_\_\_\_\_ ok \_\_\_\_\_ use tap water during \_\_\_\_\_ ongoing maintenance \_\_\_\_\_?  
 Should tap water \_\_\_\_\_ used during \_\_\_\_\_ pressure \_\_\_\_\_?  
 Do you think \_\_\_\_\_ would be \_\_\_\_\_ for \_\_\_\_\_ the maintenance?  
 \_\_\_\_\_ safe \_\_\_\_\_ it \_\_\_\_\_ cook \_\_\_\_\_ tap \_\_\_\_\_ close proximity to \_\_\_\_\_?  
 During \_\_\_\_\_ that may \_\_\_\_\_ low \_\_\_\_\_ I cook and \_\_\_\_\_ water?  
 Is \_\_\_\_\_ safe to \_\_\_\_\_ for drinking and \_\_\_\_\_ repairs?  
 \_\_\_\_\_ it okay \_\_\_\_\_ tap \_\_\_\_\_ pressure situations \_\_\_\_\_ of ongoing maintenance?  
 \_\_\_\_\_ is reduced \_\_\_\_\_ due \_\_\_\_\_ local repairs, are both \_\_\_\_\_ tap \_\_\_\_\_ safe?  
 Can \_\_\_\_\_ tap \_\_\_\_\_ for \_\_\_\_\_ drinking when \_\_\_\_\_ is low pressure \_\_\_\_\_?  
 While nearby \_\_\_\_\_ cause \_\_\_\_\_ pressure, \_\_\_\_\_ cook and \_\_\_\_\_ using tap \_\_\_\_\_?  
 \_\_\_\_\_ low-pressure \_\_\_\_\_ by nearby \_\_\_\_\_ affect drinking \_\_\_\_\_?  
 \_\_\_\_\_ maintenance close makes \_\_\_\_\_ tap \_\_\_\_\_ to cook \_\_\_\_\_ and drink?  
 During the \_\_\_\_\_ you \_\_\_\_\_ water \_\_\_\_\_ safe to drink \_\_\_\_\_ cook?



\_\_\_\_\_ it \_\_\_\_\_ safe to use \_\_\_\_\_ water \_\_\_\_\_ and drinking \_\_\_\_\_ maintenance?

When nearby maintenance periods have \_\_\_\_\_ pressure, \_\_\_\_\_ the \_\_\_\_\_ using tap water \_\_\_\_\_?

\_\_\_\_\_ nearby maintenance leads \_\_\_\_\_ low water \_\_\_\_\_ you \_\_\_\_\_ water for cooking \_\_\_\_\_?

Can \_\_\_\_\_ tap \_\_\_\_\_ during maintenance \_\_\_\_\_ may cause \_\_\_\_\_?

\_\_\_\_\_ you cook with tap \_\_\_\_\_?

Possible \_\_\_\_\_ tap \_\_\_\_\_ during maintenance?

Can \_\_\_\_\_ be \_\_\_\_\_ and drinking \_\_\_\_\_ a low pressure \_\_\_\_\_?

\_\_\_\_\_ and drink \_\_\_\_\_ tap \_\_\_\_\_ pressure repairs are nearby?

Can \_\_\_\_\_ be used \_\_\_\_\_ cooking \_\_\_\_\_ when the area \_\_\_\_\_ experiencing low \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ and cook with \_\_\_\_\_ during \_\_\_\_\_ upcoming \_\_\_\_\_?

Do \_\_\_\_\_ it will \_\_\_\_\_ to cook \_\_\_\_\_ drink \_\_\_\_\_ because of the \_\_\_\_\_?

Should \_\_\_\_\_ be \_\_\_\_\_ drinking \_\_\_\_\_ fixes cause \_\_\_\_\_ pressure?

Is it \_\_\_\_\_ if \_\_\_\_\_ cook with \_\_\_\_\_ situations \_\_\_\_\_ of \_\_\_\_\_ maintenance?

Is \_\_\_\_\_ safe \_\_\_\_\_ cook with the tap \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ low \_\_\_\_\_?

\_\_\_\_\_ pressure by \_\_\_\_\_ tap water's safety?

Is it \_\_\_\_\_ use \_\_\_\_\_ water for drinking and \_\_\_\_\_ when \_\_\_\_\_ causing low \_\_\_\_\_?

\_\_\_\_\_ low-pressure caused \_\_\_\_\_ the \_\_\_\_\_ affect \_\_\_\_\_ safety?

Is \_\_\_\_\_ a good \_\_\_\_\_ to \_\_\_\_\_ with \_\_\_\_\_ when \_\_\_\_\_ are \_\_\_\_\_ nearby?

Can I \_\_\_\_\_ tap \_\_\_\_\_ if \_\_\_\_\_ pressure occurs?

Does nearby low-pressure \_\_\_\_\_ work \_\_\_\_\_ a risk \_\_\_\_\_ cooking?

Is it \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ the \_\_\_\_\_ is close to \_\_\_\_\_?

\_\_\_\_\_ to use \_\_\_\_\_ food \_\_\_\_\_ drink despite the pressure being \_\_\_\_\_ nearby?

\_\_\_\_\_ to cook and drink from tap \_\_\_\_\_ low \_\_\_\_\_?

\_\_\_\_\_ I drink or \_\_\_\_\_ water \_\_\_\_\_ pressure \_\_\_\_\_ down?

What \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ with \_\_\_\_\_ water \_\_\_\_\_ periods?

\_\_\_\_\_ the nearby maintenance \_\_\_\_\_ to low \_\_\_\_\_ pressure, \_\_\_\_\_ to \_\_\_\_\_ water?

\_\_\_\_\_ safe \_\_\_\_\_ or cook from tap water when \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ safely cook \_\_\_\_\_ drink \_\_\_\_\_ tap water \_\_\_\_\_ low \_\_\_\_\_ repairs?

Is \_\_\_\_\_ with \_\_\_\_\_ water \_\_\_\_\_ when \_\_\_\_\_ work affects the pressure?

\_\_\_\_\_ one safely drink and \_\_\_\_\_ pressure \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ low pressure \_\_\_\_\_?

\_\_\_\_\_ area's \_\_\_\_\_ by upkeep can \_\_\_\_\_ use \_\_\_\_\_ for cooking \_\_\_\_\_ drinking?

\_\_\_\_\_ it okay to \_\_\_\_\_ tap \_\_\_\_\_ low-pressure situations \_\_\_\_\_ work is close \_\_\_\_\_?

Is it safe to \_\_\_\_\_ water \_\_\_\_\_ food \_\_\_\_\_ drinks \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ it okay to use \_\_\_\_\_ for \_\_\_\_\_ drinking \_\_\_\_\_ there \_\_\_\_\_ maintenance?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ amid repairs?

\_\_\_\_\_ nearby \_\_\_\_\_ repair \_\_\_\_\_ any risk to use \_\_\_\_\_?

Can \_\_\_\_\_ cook with \_\_\_\_\_ water in \_\_\_\_\_ ongoing \_\_\_\_\_ pressure \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ low pressure in the area, \_\_\_\_\_ still \_\_\_\_\_ tap \_\_\_\_\_ for \_\_\_\_\_ drinking?

\_\_\_\_\_ I \_\_\_\_\_ able \_\_\_\_\_ cook \_\_\_\_\_ using the tap water \_\_\_\_\_ the \_\_\_\_\_?

Can \_\_\_\_\_ cook and drink \_\_\_\_\_ water \_\_\_\_\_?

Can \_\_\_\_\_ water for \_\_\_\_\_ and \_\_\_\_\_ low pressure maintenance?

Is it ok \_\_\_\_\_ the \_\_\_\_\_ drinking during maintenance?

During \_\_\_\_\_ might \_\_\_\_\_ can I safely \_\_\_\_\_ and \_\_\_\_\_ tap water?

Can \_\_\_\_\_ use of \_\_\_\_\_ impacted by \_\_\_\_\_ lines resulting \_\_\_\_\_ diminished \_\_\_\_\_ rates, cause \_\_\_\_\_ whilst preparing food

It \_\_\_\_\_ possible to cook with \_\_\_\_\_ during \_\_\_\_\_.

\_\_\_\_\_ nearby low-pressure \_\_\_\_\_ work \_\_\_\_\_ risk \_\_\_\_\_ using \_\_\_\_\_ water?

\_\_\_\_\_ nearby maintenance causes low \_\_\_\_\_ can \_\_\_\_\_ use \_\_\_\_\_ tap \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ possible to cook \_\_\_\_\_ tap water near \_\_\_\_\_ low \_\_\_\_\_?

Will \_\_\_\_\_ be \_\_\_\_\_ nearby maintenance \_\_\_\_\_ low pressure?

\_\_\_\_\_ the weak tap-water while you fix \_\_\_\_\_?  
 \_\_\_\_\_ okay \_\_\_\_\_ use water for \_\_\_\_\_ and drinking \_\_\_\_\_ maintenance?  
 What is the \_\_\_\_\_ and drinking \_\_\_\_\_ maintenance periods?  
 Can we use the \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ pressure being \_\_\_\_\_?  
 \_\_\_\_\_ tap water be \_\_\_\_\_ when nearby \_\_\_\_\_ pressure?  
 When \_\_\_\_\_ causes low \_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ to cook?  
 \_\_\_\_\_ maintenance \_\_\_\_\_ the safety \_\_\_\_\_ tap water \_\_\_\_\_ cooking or \_\_\_\_\_?  
 Can the \_\_\_\_\_ of tap- water, \_\_\_\_\_ by \_\_\_\_\_ on \_\_\_\_\_ diminished flow \_\_\_\_\_ cause \_\_\_\_\_ employed while preparing \_\_\_\_\_  
 Can \_\_\_\_\_ use taps \_\_\_\_\_ and cooking \_\_\_\_\_ the flow \_\_\_\_\_?  
 \_\_\_\_\_ maintenance causes low pressure, \_\_\_\_\_ cook and drink \_\_\_\_\_ water?  
 \_\_\_\_\_ local \_\_\_\_\_ should you \_\_\_\_\_ cook with \_\_\_\_\_ water?  
 Could \_\_\_\_\_ cooking during the maintenance?  
 \_\_\_\_\_ tap \_\_\_\_\_ drinking \_\_\_\_\_ cooking amidst low-pressure concerns.  
 \_\_\_\_\_ low-pressure situations in the vicinity of maintenance \_\_\_\_\_ tap \_\_\_\_\_.  
 \_\_\_\_\_ tap-water impacted by adjacent \_\_\_\_\_ lines cause harm \_\_\_\_\_ preparing food?  
 Is it safe to \_\_\_\_\_ water \_\_\_\_\_ or \_\_\_\_\_ nearby \_\_\_\_\_ affects \_\_\_\_\_ pressure?  
 Can \_\_\_\_\_ use \_\_\_\_\_ to cook \_\_\_\_\_ it \_\_\_\_\_ the flow in \_\_\_\_\_?  
 \_\_\_\_\_ nearby \_\_\_\_\_ can \_\_\_\_\_ water \_\_\_\_\_ used \_\_\_\_\_ cook and \_\_\_\_\_?  
 Is \_\_\_\_\_ appropriate to \_\_\_\_\_ water during nearby maintenance?  
 \_\_\_\_\_ appropriate to use the tap \_\_\_\_\_ and \_\_\_\_\_ maintenance?  
 Is using \_\_\_\_\_ water \_\_\_\_\_ while \_\_\_\_\_ making it \_\_\_\_\_ pressure?  
 Can \_\_\_\_\_ use \_\_\_\_\_ tap-water, \_\_\_\_\_ adjacent \_\_\_\_\_ on plumbing lines, cause \_\_\_\_\_ employed \_\_\_\_\_ food.  
 \_\_\_\_\_ use \_\_\_\_\_ water \_\_\_\_\_ and drinking while \_\_\_\_\_ pressure persists?  
 \_\_\_\_\_ it \_\_\_\_\_ cook with \_\_\_\_\_ during \_\_\_\_\_ situations because of \_\_\_\_\_ maintenance \_\_\_\_\_?  
 \_\_\_\_\_ it ok \_\_\_\_\_ to \_\_\_\_\_ tap water \_\_\_\_\_ cooking and \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ low-pressure \_\_\_\_\_ maintenance affect \_\_\_\_\_ safety?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ water for \_\_\_\_\_ while there is \_\_\_\_\_?  
 \_\_\_\_\_ tap \_\_\_\_\_ safe to drink while \_\_\_\_\_ maintenance is \_\_\_\_\_?  
 \_\_\_\_\_ it okay to \_\_\_\_\_ water \_\_\_\_\_ low-pressure \_\_\_\_\_ caused by \_\_\_\_\_ maintenance \_\_\_\_\_?  
 Will \_\_\_\_\_ and \_\_\_\_\_ using the tap \_\_\_\_\_ because of the \_\_\_\_\_?  
 During \_\_\_\_\_ situations caused by ongoing \_\_\_\_\_ to us, \_\_\_\_\_ okay \_\_\_\_\_ or cook \_\_\_\_\_ water?  
 \_\_\_\_\_ nearby maintenance \_\_\_\_\_ the safety \_\_\_\_\_ tap water?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ the tap water for \_\_\_\_\_ or cooking \_\_\_\_\_?  
 \_\_\_\_\_ consume and \_\_\_\_\_ with tap water within \_\_\_\_\_ proximity \_\_\_\_\_?  
 Can I \_\_\_\_\_ and cook tap \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ low pressure \_\_\_\_\_ you safely cook and \_\_\_\_\_?  
 During \_\_\_\_\_ pressure repairs \_\_\_\_\_ cook \_\_\_\_\_ drink using \_\_\_\_\_ tap water?  
 \_\_\_\_\_ nearby \_\_\_\_\_ to low \_\_\_\_\_ is it safe to \_\_\_\_\_ cook \_\_\_\_\_ the \_\_\_\_\_?  
 Does nearby low-pressure \_\_\_\_\_ a \_\_\_\_\_ tap water?  
 Will \_\_\_\_\_ maintenance \_\_\_\_\_ pressure \_\_\_\_\_ it unsafe to cook \_\_\_\_\_ tap water?  
 \_\_\_\_\_ the \_\_\_\_\_ lower the pressure, \_\_\_\_\_ tap \_\_\_\_\_ safe to drink \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ use \_\_\_\_\_ water \_\_\_\_\_ preparation and drinking \_\_\_\_\_ maintenance?  
 Can \_\_\_\_\_ drink and \_\_\_\_\_ tap water in \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ use \_\_\_\_\_ water for \_\_\_\_\_ when nearby \_\_\_\_\_ causing low \_\_\_\_\_?  
 Does \_\_\_\_\_ repair \_\_\_\_\_ use of \_\_\_\_\_ water?  
 \_\_\_\_\_ it okay \_\_\_\_\_ drink \_\_\_\_\_ cook tap \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ using the tap \_\_\_\_\_ for drinking \_\_\_\_\_ cooking be \_\_\_\_\_ nearby \_\_\_\_\_ is \_\_\_\_\_?  
 While \_\_\_\_\_ affect pressure level, \_\_\_\_\_ tap water?  
 Can \_\_\_\_\_ drink \_\_\_\_\_ cook \_\_\_\_\_ a low pressure \_\_\_\_\_?

When work \_\_\_\_\_ can \_\_\_\_\_ the tap water for cooking \_\_\_\_\_ drinking?  
 \_\_\_\_\_ we \_\_\_\_\_ with tap water in close \_\_\_\_\_ the \_\_\_\_\_ low \_\_\_\_\_?  
 Can the use \_\_\_\_\_ impacted \_\_\_\_\_ work \_\_\_\_\_ lines, cause harm if used \_\_\_\_\_?  
 Can \_\_\_\_\_ this \_\_\_\_\_ you fix stuff nearby?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ water \_\_\_\_\_ repairs?  
 Is it safe to cook \_\_\_\_\_ drink \_\_\_\_\_ the tap \_\_\_\_\_?  
 Is \_\_\_\_\_ ok to \_\_\_\_\_ tap water \_\_\_\_\_ situations caused by \_\_\_\_\_ to \_\_\_\_\_?  
 When nearby work is causing \_\_\_\_\_ pressure \_\_\_\_\_ still \_\_\_\_\_ the tap \_\_\_\_\_ to \_\_\_\_\_ drink?  
 Will \_\_\_\_\_ be safe \_\_\_\_\_ drink and \_\_\_\_\_ with \_\_\_\_\_ affects the low \_\_\_\_\_?  
 Should water be \_\_\_\_\_ nearby \_\_\_\_\_ less pressure?  
 Is it \_\_\_\_\_ use \_\_\_\_\_ tap water \_\_\_\_\_ cooking \_\_\_\_\_ while \_\_\_\_\_ continues?  
 Will it be \_\_\_\_\_ to \_\_\_\_\_ tap \_\_\_\_\_ cooking and \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ during repairs \_\_\_\_\_ cause low pressure?  
 \_\_\_\_\_ low pressure due \_\_\_\_\_ is it \_\_\_\_\_ to use \_\_\_\_\_?  
 Can \_\_\_\_\_ use \_\_\_\_\_ water to \_\_\_\_\_ drink in \_\_\_\_\_ pressure \_\_\_\_\_?  
 \_\_\_\_\_ water \_\_\_\_\_ cook \_\_\_\_\_ during low pressure repairs?  
 If \_\_\_\_\_ in the \_\_\_\_\_ is \_\_\_\_\_ by \_\_\_\_\_ taps \_\_\_\_\_ cook and drink?  
 \_\_\_\_\_ related \_\_\_\_\_ nearby maintenance \_\_\_\_\_ tap water's \_\_\_\_\_?  
 \_\_\_\_\_ you know if \_\_\_\_\_ is safe \_\_\_\_\_ and drinking \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ safe \_\_\_\_\_ to cook and consume with \_\_\_\_\_ water \_\_\_\_\_?  
 Should the \_\_\_\_\_ of \_\_\_\_\_ water \_\_\_\_\_ allowed \_\_\_\_\_ pressure level?  
 \_\_\_\_\_ nearby maintenance leads \_\_\_\_\_ water \_\_\_\_\_ will \_\_\_\_\_ water be \_\_\_\_\_ use?  
 Can I \_\_\_\_\_ the \_\_\_\_\_ water for cooking \_\_\_\_\_ the area \_\_\_\_\_ pressure?  
 \_\_\_\_\_ work pose any \_\_\_\_\_ when using \_\_\_\_\_ water?  
 \_\_\_\_\_ one confidently \_\_\_\_\_ or cook in low-pressure \_\_\_\_\_?  
 Can \_\_\_\_\_ be used for \_\_\_\_\_ repairs?  
 Can \_\_\_\_\_ cook and drink \_\_\_\_\_ water \_\_\_\_\_ the \_\_\_\_\_?  
 Is \_\_\_\_\_ tap \_\_\_\_\_ drinking when nearby maintenance is happening?  
 How safe \_\_\_\_\_ you think \_\_\_\_\_ with tap \_\_\_\_\_ during \_\_\_\_\_?  
 Is it \_\_\_\_\_ idea to cook with \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ drink \_\_\_\_\_ during a low \_\_\_\_\_ repair?  
 \_\_\_\_\_ causes \_\_\_\_\_ pressure, should I be \_\_\_\_\_ using the tap water \_\_\_\_\_?  
 \_\_\_\_\_ of \_\_\_\_\_ negatively \_\_\_\_\_ by adjacent work on plumbing \_\_\_\_\_ cause \_\_\_\_\_ while preparing food?  
 Can \_\_\_\_\_ with water \_\_\_\_\_ close proximity \_\_\_\_\_ repairs?  
 Is \_\_\_\_\_ safe to use tap \_\_\_\_\_ and \_\_\_\_\_ there's \_\_\_\_\_ nearby?  
 When nearby maintenance \_\_\_\_\_ low pressure, should \_\_\_\_\_ about using \_\_\_\_\_ drink?  
 \_\_\_\_\_ the nearby maintenance \_\_\_\_\_ low \_\_\_\_\_ should \_\_\_\_\_ concerned about using \_\_\_\_\_ water \_\_\_\_\_?  
 \_\_\_\_\_ it OK \_\_\_\_\_ to be \_\_\_\_\_ for \_\_\_\_\_ and drinking \_\_\_\_\_ maintenance?  
 Can we \_\_\_\_\_ with tap \_\_\_\_\_ to ongoing \_\_\_\_\_?  
 Is \_\_\_\_\_ to use tap \_\_\_\_\_ food \_\_\_\_\_ drinks \_\_\_\_\_ of the \_\_\_\_\_?  
 \_\_\_\_\_ I still use \_\_\_\_\_ tap water \_\_\_\_\_ cooking \_\_\_\_\_ while low \_\_\_\_\_?  
 \_\_\_\_\_ consume and \_\_\_\_\_ water in a \_\_\_\_\_ low pressure repairs?  
 \_\_\_\_\_ I still \_\_\_\_\_ tap \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ the pressure is \_\_\_\_\_ our area?  
 \_\_\_\_\_ advisable for \_\_\_\_\_ use \_\_\_\_\_ water \_\_\_\_\_ their low pressure is \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ it \_\_\_\_\_ tap water \_\_\_\_\_ be \_\_\_\_\_ while \_\_\_\_\_ affect pressure level?  
 \_\_\_\_\_ my area's \_\_\_\_\_ is affected, can \_\_\_\_\_ use taps \_\_\_\_\_?  
 It \_\_\_\_\_ here will make it \_\_\_\_\_ to \_\_\_\_\_ and drink \_\_\_\_\_ the tap.  
 Does nearby \_\_\_\_\_ pose a danger when \_\_\_\_\_?  
 Can \_\_\_\_\_ with tap \_\_\_\_\_ during the \_\_\_\_\_ pressure repairs?  
 Can \_\_\_\_\_ me about \_\_\_\_\_ drinking and cooking with tap \_\_\_\_\_ periods?

Is \_\_\_\_\_ possible \_\_\_\_\_ with \_\_\_\_\_ during maintenance?

Can I \_\_\_\_\_ water \_\_\_\_\_ cooking \_\_\_\_\_ drinking \_\_\_\_\_ there is \_\_\_\_\_ low \_\_\_\_\_?

Does \_\_\_\_\_ work \_\_\_\_\_ risk \_\_\_\_\_ using tap \_\_\_\_\_ for cooking?

\_\_\_\_\_ you think \_\_\_\_\_ safe \_\_\_\_\_ and drink water \_\_\_\_\_ maintenance?

If \_\_\_\_\_ affects the \_\_\_\_\_ in \_\_\_\_\_ area, can I \_\_\_\_\_ taps \_\_\_\_\_ and \_\_\_\_\_?

When the \_\_\_\_\_ is weak, \_\_\_\_\_ you \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ cook with the tap \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ it be \_\_\_\_\_ to cook \_\_\_\_\_ drink from tap water \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ use tap water \_\_\_\_\_ low-pressure \_\_\_\_\_ ongoing maintenance?

While nearby \_\_\_\_\_ the \_\_\_\_\_ pressure, \_\_\_\_\_ tap water \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ use \_\_\_\_\_ water for cooking and drinking \_\_\_\_\_ maintenance?

Is it okay \_\_\_\_\_ use \_\_\_\_\_ nearby \_\_\_\_\_ affect \_\_\_\_\_ level?

\_\_\_\_\_ a good \_\_\_\_\_ to \_\_\_\_\_ cook \_\_\_\_\_ water when repair \_\_\_\_\_ is nearby?

Is \_\_\_\_\_ safe to cook and \_\_\_\_\_ because \_\_\_\_\_ maintenance here?

Should tap water be \_\_\_\_\_ when \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_?

Can \_\_\_\_\_ water \_\_\_\_\_ used \_\_\_\_\_ drinking \_\_\_\_\_ cooking \_\_\_\_\_ maintenance?

Is \_\_\_\_\_ use tap \_\_\_\_\_ for \_\_\_\_\_ when there are reduced \_\_\_\_\_?

Can \_\_\_\_\_ use \_\_\_\_\_ tap \_\_\_\_\_ impacted \_\_\_\_\_ adjacent \_\_\_\_\_ on \_\_\_\_\_ cause harm \_\_\_\_\_ while preparing food.

\_\_\_\_\_ nearby \_\_\_\_\_ low pressure, \_\_\_\_\_ safe \_\_\_\_\_ eat and cook with \_\_\_\_\_?

\_\_\_\_\_ nearby maintenance \_\_\_\_\_ low \_\_\_\_\_ can \_\_\_\_\_ tap \_\_\_\_\_ cooking and drinking?

\_\_\_\_\_ work \_\_\_\_\_ low \_\_\_\_\_ can I \_\_\_\_\_ use the water \_\_\_\_\_ cooking and \_\_\_\_\_?

\_\_\_\_\_ the tap is \_\_\_\_\_ should \_\_\_\_\_ and \_\_\_\_\_ with \_\_\_\_\_?

When there is a low \_\_\_\_\_ is \_\_\_\_\_ cook with \_\_\_\_\_ water?

Does \_\_\_\_\_ by nearby maintenance affect \_\_\_\_\_ water's \_\_\_\_\_?

When \_\_\_\_\_ causes low pressure, \_\_\_\_\_ I use \_\_\_\_\_ water for \_\_\_\_\_?

Is it safe \_\_\_\_\_ fixes affect pressure?

\_\_\_\_\_ cause \_\_\_\_\_ pressure, is water safe for \_\_\_\_\_?

If \_\_\_\_\_ affects \_\_\_\_\_ in my \_\_\_\_\_ taps for drinking \_\_\_\_\_ cooking?

Can the \_\_\_\_\_ for \_\_\_\_\_ drinking \_\_\_\_\_ area has low pressure?

Can the \_\_\_\_\_ of tap-water, impacted \_\_\_\_\_ work on \_\_\_\_\_ lines, \_\_\_\_\_ harm if \_\_\_\_\_?

While \_\_\_\_\_ pressure, is tap water \_\_\_\_\_ to \_\_\_\_\_?

When \_\_\_\_\_ causes low pressure, should \_\_\_\_\_ be concerned \_\_\_\_\_ use tap \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ pressure, can \_\_\_\_\_ for food and drink?

Can the use of tap-water, \_\_\_\_\_ adjacent \_\_\_\_\_ employed during \_\_\_\_\_ preparation of food.

Do \_\_\_\_\_ low-pressure repair work \_\_\_\_\_ risk when \_\_\_\_\_?

Can \_\_\_\_\_ use \_\_\_\_\_ water \_\_\_\_\_ and \_\_\_\_\_ because of \_\_\_\_\_ pressure?

\_\_\_\_\_ reduction \_\_\_\_\_ pressure make it \_\_\_\_\_ to \_\_\_\_\_ and drink \_\_\_\_\_ tap \_\_\_\_\_?

Can the \_\_\_\_\_ by adjacent work on plumbing \_\_\_\_\_ cause \_\_\_\_\_ preparing food?

\_\_\_\_\_ repairs \_\_\_\_\_ tap \_\_\_\_\_ safe to drink?

\_\_\_\_\_ repairs lower pressure, \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ cook \_\_\_\_\_ tap \_\_\_\_\_?

\_\_\_\_\_ cooking and \_\_\_\_\_ there is reduced pressure \_\_\_\_\_ to repairs?

\_\_\_\_\_ from nearby maintenance affect \_\_\_\_\_ of \_\_\_\_\_ water?

\_\_\_\_\_ low pressure, \_\_\_\_\_ be worried about using \_\_\_\_\_ water for cooking \_\_\_\_\_?

\_\_\_\_\_ okay \_\_\_\_\_ drink \_\_\_\_\_ cook in \_\_\_\_\_ water \_\_\_\_\_ maintenance?

\_\_\_\_\_ nearby maintenance \_\_\_\_\_ reduced pressure, what \_\_\_\_\_ the risks \_\_\_\_\_ using \_\_\_\_\_ water \_\_\_\_\_ cooking \_\_\_\_\_?

If the upkeep \_\_\_\_\_ the \_\_\_\_\_ my area, \_\_\_\_\_ cooking and drinking?

When \_\_\_\_\_ low pressure, will tap water \_\_\_\_\_ safe for \_\_\_\_\_?

If upkeep \_\_\_\_\_ can I \_\_\_\_\_ to cook and drink?

Water is \_\_\_\_\_ for \_\_\_\_\_ cause reduced pressure?

Is \_\_\_\_\_ safe \_\_\_\_\_ drink \_\_\_\_\_ cook \_\_\_\_\_ nearby repairs \_\_\_\_\_ pressure?

Do \_\_\_\_\_ is \_\_\_\_\_ drinking and cooking during maintenance?

Is \_\_\_\_\_ possible \_\_\_\_\_ use tap \_\_\_\_\_ for \_\_\_\_\_ cooking in low \_\_\_\_\_?

\_\_\_\_\_ tap water safe \_\_\_\_\_ and cook \_\_\_\_\_ maintenance?

\_\_\_\_\_ use \_\_\_\_\_ water, impacted \_\_\_\_\_ adjacent \_\_\_\_\_ on \_\_\_\_\_ lines, cause \_\_\_\_\_ when \_\_\_\_\_ food?

\_\_\_\_\_ repairs lower the pressure, is \_\_\_\_\_ water \_\_\_\_\_?

Is it \_\_\_\_\_ use \_\_\_\_\_ tap \_\_\_\_\_ drinking and cooking \_\_\_\_\_?

While \_\_\_\_\_ fixes \_\_\_\_\_ reduced \_\_\_\_\_ it safe \_\_\_\_\_ drink the \_\_\_\_\_?

\_\_\_\_\_ okay to \_\_\_\_\_ water in low-pressure \_\_\_\_\_ by \_\_\_\_\_ maintenance works close to \_\_\_\_\_?

During the maintenance can \_\_\_\_\_ water \_\_\_\_\_ drinking?

Is it okay \_\_\_\_\_ water \_\_\_\_\_ low-pressure \_\_\_\_\_ are ongoing maintenance \_\_\_\_\_ to us?

Can \_\_\_\_\_ water \_\_\_\_\_ to \_\_\_\_\_ drink \_\_\_\_\_ a \_\_\_\_\_ pressure repair?

\_\_\_\_\_ is \_\_\_\_\_ to cook with \_\_\_\_\_ when there \_\_\_\_\_ nearby \_\_\_\_\_ issues?

When nearby work \_\_\_\_\_ can I still use \_\_\_\_\_ water \_\_\_\_\_ drink?

When \_\_\_\_\_ work is \_\_\_\_\_ low \_\_\_\_\_ I \_\_\_\_\_ use \_\_\_\_\_ tap water \_\_\_\_\_ cook and drink?

\_\_\_\_\_ ongoing low-pressure \_\_\_\_\_ is it \_\_\_\_\_ to \_\_\_\_\_ cook \_\_\_\_\_ tap water?

Do \_\_\_\_\_ think \_\_\_\_\_ is \_\_\_\_\_ cook with and drink when \_\_\_\_\_?

During \_\_\_\_\_ should \_\_\_\_\_ used \_\_\_\_\_ drinking and cooking?

\_\_\_\_\_ used \_\_\_\_\_ cooking and \_\_\_\_\_ during low-pressure maintenance?

Should I \_\_\_\_\_ if I \_\_\_\_\_ tap \_\_\_\_\_ for \_\_\_\_\_ or \_\_\_\_\_ when nearby maintenance \_\_\_\_\_?

\_\_\_\_\_ used for drinking and cooking \_\_\_\_\_ maintenance?

Did low-pressure \_\_\_\_\_ nearby \_\_\_\_\_ affect tap \_\_\_\_\_?

Are you \_\_\_\_\_ to \_\_\_\_\_ while \_\_\_\_\_ fix something nearby?

Can the \_\_\_\_\_ be used for \_\_\_\_\_ drinking \_\_\_\_\_ a \_\_\_\_\_ pressure in \_\_\_\_\_ area?