

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Car Dealerships
<b>Inquiry Category</b>	Vehicle history and accident reports
<b>Inquiry Sub-Category</b>	Flood or Water Damage Inquiry
<b>Description</b>	Customers seek confirmation regarding a vehicle's exposure to flood or water damage. They want details on the extent of damage, repairs done, and any possible residual effects on the vehicle's electrical, mechanical, and safety systems.
<b>Data Size</b>	7,532 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Car Dealership" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ electrical \_\_\_\_\_ repaired after a prior incident involving \_\_\_\_\_?  
 Did \_\_\_\_\_ make \_\_\_\_\_ the electrical system \_\_\_\_\_ after \_\_\_\_\_?  
 \_\_\_\_\_ check and \_\_\_\_\_ the electrical \_\_\_\_\_ after \_\_\_\_\_ flood?  
 The electrical \_\_\_\_\_ have been \_\_\_\_\_ repaired \_\_\_\_\_ the water \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ or \_\_\_\_\_ event, have \_\_\_\_\_ undergone thorough examination?  
 \_\_\_\_\_ electrical \_\_\_\_\_ were checked \_\_\_\_\_ a \_\_\_\_\_ flooding incident.  
 \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_ event?  
 Did electric circuitries \_\_\_\_\_ repaired \_\_\_\_\_ previous floods?  
 \_\_\_\_\_ true \_\_\_\_\_ every \_\_\_\_\_ was \_\_\_\_\_ then repaired \_\_\_\_\_ be \_\_\_\_\_ in order to recover from \_\_\_\_\_ water -  
 Was \_\_\_\_\_ systems inspected \_\_\_\_\_ repaired \_\_\_\_\_ the previous \_\_\_\_\_?  
 Did all \_\_\_\_\_ circuitries \_\_\_\_\_ repaired for previous flooding?  
 \_\_\_\_\_ get scrutiny \_\_\_\_\_ the floods?  
 Is \_\_\_\_\_ flood \_\_\_\_\_ cause of \_\_\_\_\_ repair work \_\_\_\_\_ power \_\_\_\_\_?  
 \_\_\_\_\_ all the electrical \_\_\_\_\_ a \_\_\_\_\_?  
 Did \_\_\_\_\_ sure \_\_\_\_\_ electronics \_\_\_\_\_ after the water incidents?  
 Did you \_\_\_\_\_ that \_\_\_\_\_ electrical \_\_\_\_\_ the aftermath of flooding?  
 \_\_\_\_\_ it \_\_\_\_\_ to the \_\_\_\_\_ were \_\_\_\_\_ components checked and \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ flooding \_\_\_\_\_ water \_\_\_\_\_ electrical components been thoroughly examined \_\_\_\_\_?  
 Did you \_\_\_\_\_ fixed \_\_\_\_\_ the wake of past \_\_\_\_\_ damage?  
 Did all electric systems \_\_\_\_\_ inspected \_\_\_\_\_?  
 Did flooding lead \_\_\_\_\_ check-ups?  
 Did electric circuitries \_\_\_\_\_ and \_\_\_\_\_ due \_\_\_\_\_ floods?  
 Did \_\_\_\_\_ or \_\_\_\_\_ check \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_ flood incident?  
 \_\_\_\_\_ system checks go \_\_\_\_\_ after any \_\_\_\_\_?  
 \_\_\_\_\_ the electrical systems \_\_\_\_\_ and \_\_\_\_\_ the previous \_\_\_\_\_?  
 The electrical \_\_\_\_\_ may \_\_\_\_\_ assessed \_\_\_\_\_ fixed \_\_\_\_\_ flooding.  
 Did you \_\_\_\_\_ that \_\_\_\_\_ were \_\_\_\_\_ after the \_\_\_\_\_ incidents?  
 \_\_\_\_\_ all electrical \_\_\_\_\_ the previous \_\_\_\_\_ accident?

Did \_\_\_\_\_ make \_\_\_\_\_ the \_\_\_\_\_ were checked \_\_\_\_\_ mended \_\_\_\_\_ water \_\_\_\_\_?

Did they make \_\_\_\_\_ was \_\_\_\_\_ after a flood \_\_\_\_\_?

\_\_\_\_\_ electric \_\_\_\_\_ attention because of the \_\_\_\_\_ flooding \_\_\_\_\_?

\_\_\_\_\_ floods/water, \_\_\_\_\_ the \_\_\_\_\_ thoroughly \_\_\_\_\_ and repaired?

\_\_\_\_\_ the floods \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ checked and \_\_\_\_\_ the flood?

Is \_\_\_\_\_ received attention due to \_\_\_\_\_ previous \_\_\_\_\_?

\_\_\_\_\_ inspected after a flooding issue?

\_\_\_\_\_ the \_\_\_\_\_ systems repaired after \_\_\_\_\_?

Regarding \_\_\_\_\_ flooding \_\_\_\_\_ all \_\_\_\_\_ components \_\_\_\_\_ to \_\_\_\_\_ sure they were \_\_\_\_\_?

\_\_\_\_\_ make \_\_\_\_\_ the \_\_\_\_\_ system was \_\_\_\_\_ the \_\_\_\_\_ of floods?

\_\_\_\_\_ electrical systems \_\_\_\_\_ prior flooding?

Since \_\_\_\_\_ prior flooding \_\_\_\_\_ has \_\_\_\_\_ electrical \_\_\_\_\_ undergone \_\_\_\_\_ and \_\_\_\_\_?

Is it \_\_\_\_\_ every electrical \_\_\_\_\_ was inspected \_\_\_\_\_ repaired \_\_\_\_\_ the \_\_\_\_\_ from a water \_\_\_\_\_?

\_\_\_\_\_ the electrical components \_\_\_\_\_ and \_\_\_\_\_ since \_\_\_\_\_ flooding or water \_\_\_\_\_?

\_\_\_\_\_ electric \_\_\_\_\_ inspected \_\_\_\_\_ the flood?

\_\_\_\_\_ fix and \_\_\_\_\_ all \_\_\_\_\_ that were affected by \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ checked \_\_\_\_\_ repaired after \_\_\_\_\_ flood?

Were \_\_\_\_\_ electric \_\_\_\_\_ and repaired due \_\_\_\_\_ previous \_\_\_\_\_?

After \_\_\_\_\_ they check and \_\_\_\_\_ electrical infrastructure?

Did you \_\_\_\_\_ all electrics \_\_\_\_\_?

Electrics \_\_\_\_\_ after \_\_\_\_\_?

Have \_\_\_\_\_ electric \_\_\_\_\_ received \_\_\_\_\_ due \_\_\_\_\_ flooding?

\_\_\_\_\_ checks and repairs \_\_\_\_\_ the \_\_\_\_\_ systems take \_\_\_\_\_ after \_\_\_\_\_?

Following the \_\_\_\_\_ checked and \_\_\_\_\_ electrical components?

\_\_\_\_\_ it true \_\_\_\_\_ every electrical \_\_\_\_\_ carefully inspected \_\_\_\_\_ repaired \_\_\_\_\_ found \_\_\_\_\_ faulty, as \_\_\_\_\_ of \_\_\_\_\_ recovery from \_\_\_\_\_ -

\_\_\_\_\_ sure that \_\_\_\_\_ the \_\_\_\_\_ checked out after \_\_\_\_\_ incidents?

\_\_\_\_\_ the electrical \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_?

Did \_\_\_\_\_ and fix \_\_\_\_\_ electrical systems \_\_\_\_\_ the water \_\_\_\_\_?

Since \_\_\_\_\_ flooding or \_\_\_\_\_ event, have \_\_\_\_\_ and restored?

Were electric \_\_\_\_\_ and \_\_\_\_\_ order after the \_\_\_\_\_?

\_\_\_\_\_ were repaired \_\_\_\_\_ flood?

After \_\_\_\_\_ were \_\_\_\_\_ electrical systems \_\_\_\_\_?

Is the electrical \_\_\_\_\_ thoroughly \_\_\_\_\_ and \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ every electrical element been \_\_\_\_\_ a \_\_\_\_\_ flooding \_\_\_\_\_?

\_\_\_\_\_ all electrical \_\_\_\_\_ flooding?

Was \_\_\_\_\_ system completely \_\_\_\_\_ the \_\_\_\_\_?

Was there \_\_\_\_\_ inspection of \_\_\_\_\_ electrical \_\_\_\_\_ water \_\_\_\_\_?

Did you \_\_\_\_\_ inspect and \_\_\_\_\_ electrical \_\_\_\_\_ by the water \_\_\_\_\_?

Is every \_\_\_\_\_ element \_\_\_\_\_ after \_\_\_\_\_ episode?

Was \_\_\_\_\_ looked at \_\_\_\_\_ repaired after \_\_\_\_\_ damage?

\_\_\_\_\_ system was \_\_\_\_\_ after \_\_\_\_\_ flood.

\_\_\_\_\_ electrical systems \_\_\_\_\_ the previous \_\_\_\_\_?

\_\_\_\_\_ the flooding \_\_\_\_\_ were all \_\_\_\_\_ sure \_\_\_\_\_ were working correctly?

Have \_\_\_\_\_ been inspected and repaired \_\_\_\_\_ event?

Did every electric \_\_\_\_\_ get \_\_\_\_\_ of the \_\_\_\_\_?

Do \_\_\_\_\_ have been inspected \_\_\_\_\_ repaired \_\_\_\_\_ flood?

Did you \_\_\_\_\_ certain \_\_\_\_\_ every electrical \_\_\_\_\_ fixed \_\_\_\_\_ flood?

Was \_\_\_\_\_ electronic component \_\_\_\_\_ a water emergency?

\_\_\_\_\_ the \_\_\_\_\_ should \_\_\_\_\_ been inspected \_\_\_\_\_ after \_\_\_\_\_ previous water accident.

After a \_\_\_\_\_ involving \_\_\_\_\_ or floods, was \_\_\_\_\_ electrical system \_\_\_\_\_?

Is the \_\_\_\_\_ checked and repaired \_\_\_\_\_ flood?

Was there \_\_\_\_\_ fixing \_\_\_\_\_ setup affected by \_\_\_\_\_?

Are \_\_\_\_\_ electrical systems \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ electricity \_\_\_\_\_ checks go well \_\_\_\_\_?

\_\_\_\_\_ inspected and \_\_\_\_\_ following \_\_\_\_\_ water-related issues?

\_\_\_\_\_ been checked and repaired after \_\_\_\_\_ flood?

\_\_\_\_\_ systems \_\_\_\_\_ and repaired after \_\_\_\_\_ flood?

All \_\_\_\_\_ systems \_\_\_\_\_ have been \_\_\_\_\_ and \_\_\_\_\_ the \_\_\_\_\_ accident.

Was the \_\_\_\_\_ properly examined \_\_\_\_\_ the flood?

Is electrical mechanisms addressed \_\_\_\_\_?

All \_\_\_\_\_ equipment \_\_\_\_\_ been inspected \_\_\_\_\_ water issues.

\_\_\_\_\_ the \_\_\_\_\_ repaired after \_\_\_\_\_ previous water accident?

\_\_\_\_\_ the \_\_\_\_\_ the water incident?

Regarding \_\_\_\_\_ episode, \_\_\_\_\_ electric \_\_\_\_\_ their working order \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ make \_\_\_\_\_ electronics \_\_\_\_\_ checked \_\_\_\_\_ and repaired after water \_\_\_\_\_?

\_\_\_\_\_ true \_\_\_\_\_ every \_\_\_\_\_ system was \_\_\_\_\_ and \_\_\_\_\_ if found \_\_\_\_\_ be faulty, \_\_\_\_\_ part of \_\_\_\_\_ from \_\_\_\_\_ water issue

Did they \_\_\_\_\_ a \_\_\_\_\_ repairing and \_\_\_\_\_ infrastructure \_\_\_\_\_ a \_\_\_\_\_ event?

\_\_\_\_\_ electrical systems \_\_\_\_\_ checked and \_\_\_\_\_ after the previous \_\_\_\_\_.

\_\_\_\_\_ you make \_\_\_\_\_ were \_\_\_\_\_ repaired after water incidents?

\_\_\_\_\_ all electrical \_\_\_\_\_ inspected and \_\_\_\_\_ a floods?

\_\_\_\_\_ was checked following \_\_\_\_\_ flood \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ sure \_\_\_\_\_ electrical system \_\_\_\_\_ inspected \_\_\_\_\_ fixed after flood \_\_\_\_\_?

\_\_\_\_\_ fix all those \_\_\_\_\_ wet fiasco?

\_\_\_\_\_ all electricity \_\_\_\_\_ perform well \_\_\_\_\_?

Is it \_\_\_\_\_ that \_\_\_\_\_ was \_\_\_\_\_ inspected \_\_\_\_\_ if found \_\_\_\_\_ part of \_\_\_\_\_ recovery from a water issue

Electric \_\_\_\_\_ and restored to \_\_\_\_\_ after the \_\_\_\_\_.

\_\_\_\_\_ the electrical systems \_\_\_\_\_ after \_\_\_\_\_?

Was the \_\_\_\_\_ fixed after the \_\_\_\_\_?

Are all \_\_\_\_\_ systems \_\_\_\_\_ flooding \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ affected \_\_\_\_\_ water event \_\_\_\_\_ inspections and repairs?

\_\_\_\_\_ electrical system \_\_\_\_\_ the floods?

Were the \_\_\_\_\_ repaired \_\_\_\_\_ damage?

Did \_\_\_\_\_ parts \_\_\_\_\_ scrutiny \_\_\_\_\_ floods?

\_\_\_\_\_ the \_\_\_\_\_ inspected \_\_\_\_\_ repaired after the \_\_\_\_\_ accident?

Were the \_\_\_\_\_ systems \_\_\_\_\_ and \_\_\_\_\_ flood occurrence?

Did \_\_\_\_\_ and repair \_\_\_\_\_ systems after \_\_\_\_\_ floods?

Is it \_\_\_\_\_ electric \_\_\_\_\_ assessed and \_\_\_\_\_ to flooding?

Did \_\_\_\_\_ after floods \_\_\_\_\_?

Ever since \_\_\_\_\_ prior \_\_\_\_\_ or \_\_\_\_\_ event have \_\_\_\_\_ electrical \_\_\_\_\_ been \_\_\_\_\_?

All \_\_\_\_\_ has \_\_\_\_\_ inspected \_\_\_\_\_ repaired after \_\_\_\_\_ issues.

Is it \_\_\_\_\_ electrical system \_\_\_\_\_ inspected, \_\_\_\_\_ if \_\_\_\_\_ to be malfunctioning, as \_\_\_\_\_ of \_\_\_\_\_ from \_\_\_\_\_ water

Was \_\_\_\_\_ thoroughly \_\_\_\_\_ and \_\_\_\_\_ after the \_\_\_\_\_ floods?

\_\_\_\_\_ a \_\_\_\_\_ flood or water \_\_\_\_\_ entire electrical system inspected \_\_\_\_\_?

Is it true that \_\_\_\_\_ system \_\_\_\_\_ inspected \_\_\_\_\_ repaired when \_\_\_\_\_ a \_\_\_\_\_?

Is every \_\_\_\_\_ system fixed \_\_\_\_\_?

Have electrical \_\_\_\_\_ inspected after a \_\_\_\_\_ or \_\_\_\_\_?

Did \_\_\_\_\_ repair and check \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ there scrutiny \_\_\_\_\_ electric components \_\_\_\_\_ the \_\_\_\_\_ floods?

\_\_\_\_\_ thorough repairs \_\_\_\_\_ components \_\_\_\_\_ affected \_\_\_\_\_ the water event?

Did you make \_\_\_\_\_ all \_\_\_\_\_ were inspected and repaired \_\_\_\_\_?  
 \_\_\_\_\_ inspect and fix the electric \_\_\_\_\_ were \_\_\_\_\_ water \_\_\_\_\_?  
 Did anyone check \_\_\_\_\_ repair \_\_\_\_\_ systems \_\_\_\_\_ flooding?  
 Comprehensive checks \_\_\_\_\_ repairs \_\_\_\_\_ out to \_\_\_\_\_ systems after \_\_\_\_\_.  
 \_\_\_\_\_ and \_\_\_\_\_ systems that were caused by flooding?  
 \_\_\_\_\_ it \_\_\_\_\_ that electric \_\_\_\_\_ received \_\_\_\_\_ floods?  
 Did \_\_\_\_\_ to \_\_\_\_\_ components that were damaged \_\_\_\_\_ water?  
 Have all \_\_\_\_\_ electrical systems been repaired \_\_\_\_\_?  
 Did \_\_\_\_\_ or inspect \_\_\_\_\_ components \_\_\_\_\_ been damaged \_\_\_\_\_ water?  
 \_\_\_\_\_ true \_\_\_\_\_ every \_\_\_\_\_ system \_\_\_\_\_ carefully \_\_\_\_\_ and repaired, \_\_\_\_\_ part of \_\_\_\_\_ recovery from \_\_\_\_\_ issue earlier?  
 \_\_\_\_\_ true \_\_\_\_\_ every \_\_\_\_\_ system \_\_\_\_\_ and \_\_\_\_\_ if found to \_\_\_\_\_ faulty, as part of recovery \_\_\_\_\_ a \_\_\_\_\_  
 After \_\_\_\_\_ water accident, were the \_\_\_\_\_ systems \_\_\_\_\_?  
 Did \_\_\_\_\_ or \_\_\_\_\_ check \_\_\_\_\_ components \_\_\_\_\_ the \_\_\_\_\_ incident?  
 Did you check \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_ flood \_\_\_\_\_?  
 Did you \_\_\_\_\_ sure that \_\_\_\_\_ electrical \_\_\_\_\_ was fixed \_\_\_\_\_ or \_\_\_\_\_?  
 Was \_\_\_\_\_ system \_\_\_\_\_ repaired after the \_\_\_\_\_?  
 \_\_\_\_\_ electric component receive \_\_\_\_\_ because of \_\_\_\_\_ prior \_\_\_\_\_?  
 \_\_\_\_\_ the electrical \_\_\_\_\_ fixed following \_\_\_\_\_ or \_\_\_\_\_ incident?  
 \_\_\_\_\_ all \_\_\_\_\_ been thoroughly inspected and repaired \_\_\_\_\_?  
 Did they repair and inspect \_\_\_\_\_ after \_\_\_\_\_?  
 \_\_\_\_\_ every electric component get \_\_\_\_\_ to \_\_\_\_\_ previous \_\_\_\_\_?  
 \_\_\_\_\_ anyone \_\_\_\_\_ sure that all electrical \_\_\_\_\_ examined \_\_\_\_\_ after \_\_\_\_\_ damage?  
 Has \_\_\_\_\_ sure that \_\_\_\_\_ electrical \_\_\_\_\_ thoroughly examined \_\_\_\_\_ restored \_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_ damage?  
 Did they \_\_\_\_\_ infrastructure after a flood?  
 \_\_\_\_\_ the entire electrical system \_\_\_\_\_ out \_\_\_\_\_ flood \_\_\_\_\_ water \_\_\_\_\_?  
 \_\_\_\_\_ electric \_\_\_\_\_ examined \_\_\_\_\_ the flood.  
 \_\_\_\_\_ the electrical elements \_\_\_\_\_ checked \_\_\_\_\_ after \_\_\_\_\_ previous flooding \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ fixed or \_\_\_\_\_ floods?  
 All the electrical \_\_\_\_\_ should \_\_\_\_\_ and \_\_\_\_\_ previous water accident.  
 Is the \_\_\_\_\_ systems \_\_\_\_\_ fixed \_\_\_\_\_?  
 \_\_\_\_\_ the electric component have \_\_\_\_\_ the \_\_\_\_\_?  
 After floods, \_\_\_\_\_ checked?  
 Did \_\_\_\_\_ electrical systems have \_\_\_\_\_ inspected and \_\_\_\_\_?  
 Was the electric \_\_\_\_\_ completely \_\_\_\_\_ after the \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ or \_\_\_\_\_ all electrical systems properly inspected \_\_\_\_\_?  
 Since \_\_\_\_\_ or water event \_\_\_\_\_ electrical components \_\_\_\_\_ and \_\_\_\_\_?  
 Did you \_\_\_\_\_ that \_\_\_\_\_ were carefully \_\_\_\_\_ water incidents?  
 \_\_\_\_\_ systems \_\_\_\_\_ after the \_\_\_\_\_ incident?  
 Did every \_\_\_\_\_ component \_\_\_\_\_ attention \_\_\_\_\_ to the \_\_\_\_\_?  
 \_\_\_\_\_ electric \_\_\_\_\_ need to \_\_\_\_\_ repaired after \_\_\_\_\_ flood.  
 \_\_\_\_\_ electrical equipment \_\_\_\_\_ thoroughly \_\_\_\_\_ repaired following any water \_\_\_\_\_?  
 Did flooding result \_\_\_\_\_ electrical \_\_\_\_\_?  
 Is \_\_\_\_\_ true \_\_\_\_\_ every electrical \_\_\_\_\_ was \_\_\_\_\_ repaired \_\_\_\_\_ found \_\_\_\_\_ be faulty, \_\_\_\_\_ part of \_\_\_\_\_ a \_\_\_\_\_ issue \_\_\_\_\_?  
 After \_\_\_\_\_ electrical systems checked \_\_\_\_\_ repaired?  
 \_\_\_\_\_ the \_\_\_\_\_ components checked and restored \_\_\_\_\_ working order?  
 Is \_\_\_\_\_ system thoroughly examined \_\_\_\_\_ after \_\_\_\_\_?  
 \_\_\_\_\_ inspect \_\_\_\_\_ all the \_\_\_\_\_ were affected by water?  
 Did they \_\_\_\_\_ a \_\_\_\_\_ electrical infrastructure after \_\_\_\_\_ flood \_\_\_\_\_?  
 \_\_\_\_\_ complete \_\_\_\_\_ check-up and fixes?  
 Was \_\_\_\_\_ repaired or \_\_\_\_\_ the flood?

inspected \_\_\_\_\_ electric \_\_\_\_\_ affected by \_\_\_\_\_ water \_\_\_\_\_?  
 \_\_\_\_\_ electrical \_\_\_\_\_ were \_\_\_\_\_ and repaired after \_\_\_\_\_ flood.  
 Was an \_\_\_\_\_ electrical systems \_\_\_\_\_ after the \_\_\_\_\_?  
 \_\_\_\_\_ flood \_\_\_\_\_ water \_\_\_\_\_ have all the \_\_\_\_\_ components \_\_\_\_\_ and restored?  
 Since \_\_\_\_\_ prior floods or \_\_\_\_\_ all electrical \_\_\_\_\_ been \_\_\_\_\_ and \_\_\_\_\_?  
 Did \_\_\_\_\_ sure the \_\_\_\_\_ was fixed after \_\_\_\_\_?  
 Did you \_\_\_\_\_ sure \_\_\_\_\_ electronics \_\_\_\_\_ checked after \_\_\_\_\_?  
 Have \_\_\_\_\_ electrical \_\_\_\_\_ repaired \_\_\_\_\_ flood?  
 Did you make \_\_\_\_\_ that \_\_\_\_\_ electrical \_\_\_\_\_ the wake \_\_\_\_\_ flood/water \_\_\_\_\_?  
 \_\_\_\_\_ components affected \_\_\_\_\_ the water event \_\_\_\_\_ out and \_\_\_\_\_?  
 Did \_\_\_\_\_ repair all \_\_\_\_\_ after flooding?  
 Have \_\_\_\_\_ inspected \_\_\_\_\_ repaired \_\_\_\_\_ electrical \_\_\_\_\_ after the \_\_\_\_\_?  
 \_\_\_\_\_ electrical components been examined \_\_\_\_\_ restored since \_\_\_\_\_ water \_\_\_\_\_?  
 Did \_\_\_\_\_ or \_\_\_\_\_ electrics \_\_\_\_\_ floods?  
 Was \_\_\_\_\_ electrical system \_\_\_\_\_ flood or water \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ were \_\_\_\_\_ electrical \_\_\_\_\_ properly inspected and repaired?  
 \_\_\_\_\_ if \_\_\_\_\_ electrical \_\_\_\_\_ are fixed \_\_\_\_\_ flooding.  
 \_\_\_\_\_ you \_\_\_\_\_ mess from last flood frenzy?  
 Did \_\_\_\_\_ circuitries \_\_\_\_\_ inspected and repaired \_\_\_\_\_ to \_\_\_\_\_?  
 Did \_\_\_\_\_ and \_\_\_\_\_ any damaged \_\_\_\_\_ caused by flooding?  
 \_\_\_\_\_ all \_\_\_\_\_ get \_\_\_\_\_ and fixed \_\_\_\_\_ water incident?  
 \_\_\_\_\_ check and \_\_\_\_\_ all \_\_\_\_\_ components after \_\_\_\_\_ flooding?  
 \_\_\_\_\_ all \_\_\_\_\_ systems \_\_\_\_\_ checked and repaired?  
 Were \_\_\_\_\_ electrical systems \_\_\_\_\_ and \_\_\_\_\_ after \_\_\_\_\_?  
 \_\_\_\_\_ you inspect \_\_\_\_\_ fix \_\_\_\_\_ systems \_\_\_\_\_ affected \_\_\_\_\_ the water \_\_\_\_\_?  
 \_\_\_\_\_ systems \_\_\_\_\_ repaired after floods/water.  
 \_\_\_\_\_ electrical systems \_\_\_\_\_ floods?  
 Are the electric \_\_\_\_\_ repaired \_\_\_\_\_ flood?  
 Were the electrical \_\_\_\_\_ checked \_\_\_\_\_ after \_\_\_\_\_ flood?  
 \_\_\_\_\_ the electric systems be inspected \_\_\_\_\_ flood?  
 As part \_\_\_\_\_ from a water-related issue \_\_\_\_\_ was \_\_\_\_\_ inspected, \_\_\_\_\_ if found \_\_\_\_\_ be faulty.  
 Is it true \_\_\_\_\_ was \_\_\_\_\_ and \_\_\_\_\_ to \_\_\_\_\_ faulty, \_\_\_\_\_ part of \_\_\_\_\_ recovery from a water-related  
 \_\_\_\_\_ components \_\_\_\_\_ after the floods?  
 \_\_\_\_\_ components that were damaged by water were \_\_\_\_\_?  
 \_\_\_\_\_ systems \_\_\_\_\_ inspected and repaired \_\_\_\_\_ a flood.  
 \_\_\_\_\_ flood or water \_\_\_\_\_ have all \_\_\_\_\_ components \_\_\_\_\_ repaired?  
 \_\_\_\_\_ you \_\_\_\_\_ fix any damage to the electrical \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ you make \_\_\_\_\_ were \_\_\_\_\_ after water incidents?  
 Did you make \_\_\_\_\_ electronics \_\_\_\_\_ scrutinized after \_\_\_\_\_?  
 Did you \_\_\_\_\_ repair any \_\_\_\_\_ electric \_\_\_\_\_ caused \_\_\_\_\_?  
 Was \_\_\_\_\_ systems properly \_\_\_\_\_ and repaired \_\_\_\_\_ previous \_\_\_\_\_?  
 \_\_\_\_\_ and repairs \_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ a flood.  
 \_\_\_\_\_ all electricity \_\_\_\_\_ well \_\_\_\_\_ a flood?  
 \_\_\_\_\_ flooding \_\_\_\_\_ water event, have all \_\_\_\_\_ components been \_\_\_\_\_?  
 Are electrical \_\_\_\_\_ water?  
 Have \_\_\_\_\_ the \_\_\_\_\_ systems been fixed \_\_\_\_\_?  
 \_\_\_\_\_ electricity \_\_\_\_\_ at \_\_\_\_\_ the flood \_\_\_\_\_?  
 \_\_\_\_\_ every electrical element \_\_\_\_\_ out \_\_\_\_\_ repaired \_\_\_\_\_ flooding episode?  
 \_\_\_\_\_ you restore \_\_\_\_\_ electric systems due \_\_\_\_\_ flooding?  
 \_\_\_\_\_ flood occurrence, were the \_\_\_\_\_ systems checked \_\_\_\_\_?

Since \_\_\_\_ prior \_\_\_\_ water \_\_\_\_ have all \_\_\_\_ components \_\_\_\_ examined and \_\_\_\_?  
 \_\_\_\_ electricity system checks \_\_\_\_ effectively \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ electrical \_\_\_\_ repaired after \_\_\_\_ or water incident?  
 After \_\_\_\_ floods \_\_\_\_ water damage, \_\_\_\_ made sure that all \_\_\_\_ were thoroughly \_\_\_\_?  
 All \_\_\_\_ systems are \_\_\_\_ flooding \_\_\_\_?  
 Is \_\_\_\_ electrical \_\_\_\_ and \_\_\_\_ after \_\_\_\_ prior flooding or \_\_\_\_?  
 They should have checked \_\_\_\_ electrical \_\_\_\_ flood \_\_\_\_.  
 Is \_\_\_\_ true \_\_\_\_ all \_\_\_\_ were inspected \_\_\_\_ repaired \_\_\_\_ previous incident?  
 Did you guys make sure \_\_\_\_ after \_\_\_\_?  
 Did \_\_\_\_ make \_\_\_\_ that the electrical \_\_\_\_ was fully \_\_\_\_ flood?  
 \_\_\_\_ the electric components \_\_\_\_ floods?  
 All \_\_\_\_ has \_\_\_\_ checked and \_\_\_\_ after water \_\_\_\_.  
 \_\_\_\_ the \_\_\_\_ fixed \_\_\_\_ flood occurrence?  
 \_\_\_\_ electrical systems \_\_\_\_ after \_\_\_\_ last \_\_\_\_?  
 \_\_\_\_ components reviewed \_\_\_\_ floods?  
 \_\_\_\_ electrical \_\_\_\_ and \_\_\_\_ after floods/water?  
 Did \_\_\_\_ that \_\_\_\_ were thoroughly inspected and \_\_\_\_ after water \_\_\_\_?  
 \_\_\_\_ and repair \_\_\_\_ that were \_\_\_\_ by flooding?  
 Did \_\_\_\_ components \_\_\_\_ after \_\_\_\_?  
 Is it \_\_\_\_ that \_\_\_\_ electrical system \_\_\_\_ carefully \_\_\_\_ repaired \_\_\_\_ found \_\_\_\_ part of the \_\_\_\_ a water-related  
 Did all \_\_\_\_ have their \_\_\_\_ after \_\_\_\_ flood?  
 \_\_\_\_ that every electrical \_\_\_\_ was carefully inspected \_\_\_\_ be faulty, in \_\_\_\_ recover from a water-related  
 Has \_\_\_\_ checked and \_\_\_\_ since \_\_\_\_ previous flooding episode?  
 \_\_\_\_ electrical \_\_\_\_ assessed and \_\_\_\_ after previous flooding.  
 Is there \_\_\_\_ examination and \_\_\_\_ of electrical \_\_\_\_ affected \_\_\_\_?  
 \_\_\_\_ equipment \_\_\_\_ and repaired after \_\_\_\_ water \_\_\_\_ issues?  
 Did \_\_\_\_ make sure \_\_\_\_ were \_\_\_\_ after \_\_\_\_ water incident?  
 \_\_\_\_ have been \_\_\_\_ and \_\_\_\_ after the water \_\_\_\_.  
 Does every \_\_\_\_ element \_\_\_\_ undergone \_\_\_\_ after \_\_\_\_ previous \_\_\_\_ episode?  
 \_\_\_\_ flood, \_\_\_\_ the electrical \_\_\_\_?  
 \_\_\_\_ system was \_\_\_\_ flooding event.  
 \_\_\_\_ all \_\_\_\_ system checks do \_\_\_\_ after a \_\_\_\_?  
 Were \_\_\_\_ the electrical \_\_\_\_ checked \_\_\_\_?  
 Did \_\_\_\_ inspect \_\_\_\_ fix electrical \_\_\_\_ by \_\_\_\_ water \_\_\_\_?  
 \_\_\_\_ have all \_\_\_\_ equipment been \_\_\_\_ and repaired?  
 \_\_\_\_ every \_\_\_\_ fixed \_\_\_\_ flooding incident?  
 All \_\_\_\_ equipment has \_\_\_\_ inspected and \_\_\_\_ after \_\_\_\_ issues.  
 \_\_\_\_ the electrical \_\_\_\_ or checked \_\_\_\_ floods?  
 Have \_\_\_\_ made \_\_\_\_ all \_\_\_\_ were thoroughly examined and restored \_\_\_\_?  
 Did all electric \_\_\_\_ after \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ sure \_\_\_\_ electrical system was \_\_\_\_ in the \_\_\_\_ of \_\_\_\_?  
 \_\_\_\_ systems \_\_\_\_ checked \_\_\_\_ the previous water \_\_\_\_.  
 \_\_\_\_ every \_\_\_\_ go through extensive \_\_\_\_ repairs after \_\_\_\_ flooding \_\_\_\_?  
 Did all \_\_\_\_ have \_\_\_\_ checks \_\_\_\_ repairs \_\_\_\_ after \_\_\_\_?  
 \_\_\_\_ all the electric \_\_\_\_ been \_\_\_\_ floods?  
 \_\_\_\_ the \_\_\_\_ systems that were \_\_\_\_ by the \_\_\_\_ event?  
 \_\_\_\_ you \_\_\_\_ sure \_\_\_\_ electrical \_\_\_\_ were \_\_\_\_ in \_\_\_\_ wake \_\_\_\_ flood damage?  
 \_\_\_\_ you ensure \_\_\_\_ all electronics \_\_\_\_ and \_\_\_\_ after \_\_\_\_ incidents?  
 Following the \_\_\_\_ incident, \_\_\_\_ all \_\_\_\_ components?

\_\_\_\_\_ check electrics \_\_\_\_\_ a \_\_\_\_\_?

After the \_\_\_\_\_ have you \_\_\_\_\_ and \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ all the electric components get \_\_\_\_\_?

Did \_\_\_\_\_ all electrical systems that \_\_\_\_\_ affected by \_\_\_\_\_ incident?

\_\_\_\_\_ electric systems \_\_\_\_\_ inspected \_\_\_\_\_ flood?

Do \_\_\_\_\_ receive \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ systems properly inspected after \_\_\_\_\_ accident?

Did you \_\_\_\_\_ repair electric \_\_\_\_\_ were \_\_\_\_\_ flooding?

Have you \_\_\_\_\_ repaired all \_\_\_\_\_ since \_\_\_\_\_ incident?

\_\_\_\_\_ did you fix \_\_\_\_\_ all \_\_\_\_\_?

Did \_\_\_\_\_ fix \_\_\_\_\_ the \_\_\_\_\_ disaster here earlier?

As part \_\_\_\_\_ recovery from \_\_\_\_\_ issue earlier, \_\_\_\_\_ electrical \_\_\_\_\_ was inspected \_\_\_\_\_ found \_\_\_\_\_ be faulty.  
\_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ since you \_\_\_\_\_ a wet \_\_\_\_\_ here?

As part of recovering from a \_\_\_\_\_ issue earlier, \_\_\_\_\_ was carefully \_\_\_\_\_ repaired \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ inspect and \_\_\_\_\_ electrical \_\_\_\_\_ were damaged in the water \_\_\_\_\_?

Did \_\_\_\_\_ inspect and fix all \_\_\_\_\_ electrical \_\_\_\_\_ flood \_\_\_\_\_?

\_\_\_\_\_ electrical mechanisms \_\_\_\_\_ after a \_\_\_\_\_?

Did you check \_\_\_\_\_ fix \_\_\_\_\_ the electrical \_\_\_\_\_ caused \_\_\_\_\_?

\_\_\_\_\_ dealing \_\_\_\_\_ floods, are \_\_\_\_\_ electronic \_\_\_\_\_?

\_\_\_\_\_ electric \_\_\_\_\_ get attention because \_\_\_\_\_ the prior \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ have \_\_\_\_\_ and \_\_\_\_\_ after flooding.

Following \_\_\_\_\_ prior flooding \_\_\_\_\_ every \_\_\_\_\_ element \_\_\_\_\_ and repairs?

\_\_\_\_\_ anyone \_\_\_\_\_ the electrical systems \_\_\_\_\_ examined \_\_\_\_\_ after the floods?

Did \_\_\_\_\_ check all \_\_\_\_\_ components \_\_\_\_\_ the flood \_\_\_\_\_?

Is \_\_\_\_\_ that every electrical \_\_\_\_\_ was \_\_\_\_\_ repaired if \_\_\_\_\_ to be \_\_\_\_\_ part of recovery \_\_\_\_\_ a \_\_\_\_\_  
\_\_\_\_\_ the \_\_\_\_\_ checks \_\_\_\_\_ properly after \_\_\_\_\_ floods?

Did \_\_\_\_\_ in \_\_\_\_\_ and fixes?

\_\_\_\_\_ they \_\_\_\_\_ a thorough check on \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ you make \_\_\_\_\_ every \_\_\_\_\_ system \_\_\_\_\_ fixed \_\_\_\_\_ wake of previous \_\_\_\_\_?

Did you \_\_\_\_\_ all the \_\_\_\_\_ since y'all had \_\_\_\_\_?

Did \_\_\_\_\_ that \_\_\_\_\_ electronics \_\_\_\_\_ repaired after water incidents?

\_\_\_\_\_ must have been inspected \_\_\_\_\_.

\_\_\_\_\_ electrical system inspected \_\_\_\_\_ a \_\_\_\_\_?

Have \_\_\_\_\_ electrical components \_\_\_\_\_ were \_\_\_\_\_ in the flood?

\_\_\_\_\_ electrical systems \_\_\_\_\_ after a \_\_\_\_\_?

All electrical \_\_\_\_\_ have been \_\_\_\_\_ repaired \_\_\_\_\_ floods.

Is \_\_\_\_\_ electric \_\_\_\_\_ looked \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ check \_\_\_\_\_ inspect \_\_\_\_\_ electrics after \_\_\_\_\_ floods?

\_\_\_\_\_ lead \_\_\_\_\_ complete electrical check-ups?

Did \_\_\_\_\_ and inspect the electrics \_\_\_\_\_ a \_\_\_\_\_ disaster \_\_\_\_\_?

Did you examine \_\_\_\_\_ restore \_\_\_\_\_ electric \_\_\_\_\_ damaged \_\_\_\_\_ flooding?

\_\_\_\_\_ the electrical \_\_\_\_\_ fixed after \_\_\_\_\_ flood?

Did \_\_\_\_\_ make sure \_\_\_\_\_ all \_\_\_\_\_ systems were \_\_\_\_\_ floods/water damage?

\_\_\_\_\_ previous flooding did \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ guys make sure \_\_\_\_\_ the \_\_\_\_\_ were repaired after \_\_\_\_\_?

\_\_\_\_\_ electricity system \_\_\_\_\_ after floods?

\_\_\_\_\_ checked \_\_\_\_\_ repaired after the flood event.

Is \_\_\_\_\_ electrical systems \_\_\_\_\_ inspected after \_\_\_\_\_?

\_\_\_\_\_ electrical infrastructure \_\_\_\_\_ and repaired following \_\_\_\_\_ flood \_\_\_\_\_.

\_\_\_\_\_ electrical system get inspected \_\_\_\_\_ a \_\_\_\_\_?

Did \_\_\_\_\_ make \_\_\_\_\_ that \_\_\_\_\_ fixed in \_\_\_\_\_ aftermath of the \_\_\_\_\_?  
 \_\_\_\_\_ were looked at \_\_\_\_\_ the \_\_\_\_\_ flooding.

Is every \_\_\_\_\_ component getting attention \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ be \_\_\_\_\_ repairs \_\_\_\_\_ systems after a flood?

Was the \_\_\_\_\_ water damage?  
 Did they \_\_\_\_\_ infrastructure after \_\_\_\_\_ flood \_\_\_\_\_?  
 Is the electrical \_\_\_\_\_ after \_\_\_\_\_ event?  
 \_\_\_\_\_ single \_\_\_\_\_ element \_\_\_\_\_ inspected and \_\_\_\_\_ after \_\_\_\_\_ previous flooding \_\_\_\_\_?  
 Was \_\_\_\_\_ component \_\_\_\_\_ after \_\_\_\_\_ water \_\_\_\_\_?  
 \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_ flood event.

Was there \_\_\_\_\_ and fix \_\_\_\_\_ electrical \_\_\_\_\_ water before?  
 I wonder \_\_\_\_\_ all \_\_\_\_\_ inspected after the \_\_\_\_\_.  
 Did \_\_\_\_\_ all the electrical \_\_\_\_\_ after \_\_\_\_\_ flood?  
 Is \_\_\_\_\_ true \_\_\_\_\_ every electrical system was inspected \_\_\_\_\_ repaired if \_\_\_\_\_ was \_\_\_\_\_ be \_\_\_\_\_ as a part \_\_\_\_\_  
 \_\_\_\_\_

Did \_\_\_\_\_ make \_\_\_\_\_ the electrical \_\_\_\_\_ was \_\_\_\_\_ floods?  
 Did \_\_\_\_\_ and \_\_\_\_\_ all the \_\_\_\_\_ components \_\_\_\_\_ the \_\_\_\_\_?  
 Are \_\_\_\_\_ systems fully inspected \_\_\_\_\_ repaired after \_\_\_\_\_?  
 There \_\_\_\_\_ and \_\_\_\_\_ electrical systems after a \_\_\_\_\_ flood.  
 \_\_\_\_\_ electrical mechanisms \_\_\_\_\_ water?

How \_\_\_\_\_ electric \_\_\_\_\_ were \_\_\_\_\_ and \_\_\_\_\_ after \_\_\_\_\_ flood?  
 Did \_\_\_\_\_ make sure that all electrical systems were \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ needs \_\_\_\_\_ be inspected and repaired \_\_\_\_\_ issues.

Did \_\_\_\_\_ thoroughly check and repair all \_\_\_\_\_ components \_\_\_\_\_?  
 Did they \_\_\_\_\_ repair \_\_\_\_\_ a flood?  
 \_\_\_\_\_ the evaluation \_\_\_\_\_ electronic component \_\_\_\_\_ the \_\_\_\_\_ emergency?  
 Is all \_\_\_\_\_ any \_\_\_\_\_ issues?  
 \_\_\_\_\_ the entire electrical system \_\_\_\_\_ an \_\_\_\_\_ after a \_\_\_\_\_?

Were all \_\_\_\_\_ checks \_\_\_\_\_ properly \_\_\_\_\_?  
 Did you \_\_\_\_\_ examine \_\_\_\_\_ systems \_\_\_\_\_ to flooding?  
 \_\_\_\_\_ the electrical systems \_\_\_\_\_ water damage?  
 Did you make \_\_\_\_\_ electronics \_\_\_\_\_ out after water \_\_\_\_\_?  
 \_\_\_\_\_ anyone sure that all electrical systems \_\_\_\_\_ and \_\_\_\_\_ water damage?

Are the \_\_\_\_\_ systems \_\_\_\_\_ floods?  
 \_\_\_\_\_ all \_\_\_\_\_ circuitries have their \_\_\_\_\_ to previous flooding?  
 Has \_\_\_\_\_ received attention because \_\_\_\_\_ flood?  
 Was \_\_\_\_\_ entire \_\_\_\_\_ inspected after \_\_\_\_\_ previous flood?  
 Had all \_\_\_\_\_ systems \_\_\_\_\_ inspected \_\_\_\_\_ repaired \_\_\_\_\_ incident?  
 \_\_\_\_\_ you fix \_\_\_\_\_ the \_\_\_\_\_ equipment \_\_\_\_\_ flood?  
 \_\_\_\_\_ the flooding episode, \_\_\_\_\_ electric \_\_\_\_\_ and restored \_\_\_\_\_ their working \_\_\_\_\_?  
 \_\_\_\_\_ electrical \_\_\_\_\_ fixed and assessed after \_\_\_\_\_?

Did you fix \_\_\_\_\_ electrics \_\_\_\_\_ wet disaster \_\_\_\_\_?  
 \_\_\_\_\_ system checks \_\_\_\_\_ well \_\_\_\_\_ floods?  
 Did \_\_\_\_\_ restore or examine any electric \_\_\_\_\_ damaged \_\_\_\_\_?  
 All \_\_\_\_\_ checked after \_\_\_\_\_ previous water \_\_\_\_\_.  
 \_\_\_\_\_ systems properly inspected \_\_\_\_\_ repaired \_\_\_\_\_ the \_\_\_\_\_ accident?

Did \_\_\_\_\_ make sure that \_\_\_\_\_ were \_\_\_\_\_ after \_\_\_\_\_ water \_\_\_\_\_?  
 As part \_\_\_\_\_ the recovery \_\_\_\_\_ a \_\_\_\_\_ issue \_\_\_\_\_ was \_\_\_\_\_ inspected and repaired \_\_\_\_\_ to \_\_\_\_\_ malfunctioning.  
 \_\_\_\_\_ electric circuitries \_\_\_\_\_ assessed \_\_\_\_\_ due to previous \_\_\_\_\_ events?

Was \_\_\_\_\_ following the \_\_\_\_\_ damage?  
 Were \_\_\_\_\_ electrical \_\_\_\_\_ fixed after a \_\_\_\_\_ water \_\_\_\_\_?



\_\_\_\_\_ anyone \_\_\_\_\_ all \_\_\_\_\_ were thoroughly examined \_\_\_\_\_ after the floods?

\_\_\_\_\_ and \_\_\_\_\_ all \_\_\_\_\_ electrical \_\_\_\_\_ that were affected?

\_\_\_\_\_ each electrical \_\_\_\_\_ after a \_\_\_\_\_?

\_\_\_\_\_ check \_\_\_\_\_ after floods in \_\_\_\_\_?

After a \_\_\_\_\_ every electrical \_\_\_\_\_ extensive checks \_\_\_\_\_ repairs?

\_\_\_\_\_ possible \_\_\_\_\_ every \_\_\_\_\_ was evaluated after the \_\_\_\_\_ emergency?

\_\_\_\_\_ electric \_\_\_\_\_ to \_\_\_\_\_ assessed and \_\_\_\_\_ because of \_\_\_\_\_ flooding?

Is \_\_\_\_\_ aware of the \_\_\_\_\_ that \_\_\_\_\_ systems \_\_\_\_\_ examined \_\_\_\_\_ restored \_\_\_\_\_ floods?

\_\_\_\_\_ every \_\_\_\_\_ to \_\_\_\_\_ extensive repairs \_\_\_\_\_ a flooding episode?

\_\_\_\_\_ comprehensive \_\_\_\_\_ on the electrical \_\_\_\_\_ a flood?

Since the \_\_\_\_\_ event, have \_\_\_\_\_ been examined and restored?

All electrical systems \_\_\_\_\_ and repaired after \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ system \_\_\_\_\_ checked and \_\_\_\_\_ the floods?

\_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ and \_\_\_\_\_ after \_\_\_\_\_ flood?

\_\_\_\_\_ someone \_\_\_\_\_ and \_\_\_\_\_ after floods?

After \_\_\_\_\_ the electrical systems \_\_\_\_\_?

Is \_\_\_\_\_ true that \_\_\_\_\_ thoroughly \_\_\_\_\_ and \_\_\_\_\_ be \_\_\_\_\_ as part of the recovery \_\_\_\_\_ from a water

Is it \_\_\_\_\_ that every \_\_\_\_\_ system was inspected, then repaired \_\_\_\_\_ to \_\_\_\_\_ as \_\_\_\_\_ from \_\_\_\_\_ water \_\_\_\_\_

Did \_\_\_\_\_ check and \_\_\_\_\_ electrical components after \_\_\_\_\_ flood \_\_\_\_\_?

Is \_\_\_\_\_ systems \_\_\_\_\_ examined \_\_\_\_\_ repaired after \_\_\_\_\_ flood?

\_\_\_\_\_ fix \_\_\_\_\_ inspect the electrical \_\_\_\_\_ were damaged \_\_\_\_\_ the water \_\_\_\_\_?

\_\_\_\_\_ check and \_\_\_\_\_ electrical \_\_\_\_\_ a flood event?

\_\_\_\_\_ electrical \_\_\_\_\_ fixed after \_\_\_\_\_?

\_\_\_\_\_ the electrical \_\_\_\_\_ properly inspected and \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ you make \_\_\_\_\_ electronics were carefully inspected \_\_\_\_\_?

\_\_\_\_\_ electric components undergone \_\_\_\_\_ after \_\_\_\_\_?

Were the \_\_\_\_\_ components \_\_\_\_\_ were \_\_\_\_\_ water event inspected \_\_\_\_\_?

Is \_\_\_\_\_ systems \_\_\_\_\_ and repaired after a \_\_\_\_\_?

Is \_\_\_\_\_ that every electrical system \_\_\_\_\_ inspected and repaired \_\_\_\_\_ water-related \_\_\_\_\_?

Did \_\_\_\_\_ sure that every \_\_\_\_\_ was \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_?

Have \_\_\_\_\_ electrical components been \_\_\_\_\_ restored \_\_\_\_\_ the previous \_\_\_\_\_?

Did \_\_\_\_\_ guys make sure all \_\_\_\_\_ were \_\_\_\_\_?

\_\_\_\_\_ all electric components \_\_\_\_\_ restored to \_\_\_\_\_ working order?

Did \_\_\_\_\_ electrical systems get \_\_\_\_\_ previous incident?

\_\_\_\_\_ they repair \_\_\_\_\_ electrical \_\_\_\_\_ a flood?

Did \_\_\_\_\_ sure \_\_\_\_\_ every \_\_\_\_\_ system was fully examined \_\_\_\_\_?

\_\_\_\_\_ someone check \_\_\_\_\_ repair the electrical \_\_\_\_\_ flood?

\_\_\_\_\_ electrical \_\_\_\_\_ after floods.

Did you \_\_\_\_\_ electrical systems that \_\_\_\_\_ affected by \_\_\_\_\_ incident?

\_\_\_\_\_ electricity system checks done \_\_\_\_\_ after \_\_\_\_\_ floods?

\_\_\_\_\_ that \_\_\_\_\_ electrical systems were \_\_\_\_\_ examined \_\_\_\_\_ restored \_\_\_\_\_ being damaged?

Since the \_\_\_\_\_ event, \_\_\_\_\_ electrical \_\_\_\_\_ been thoroughly examined and \_\_\_\_\_?

\_\_\_\_\_ entire electrical system fixed \_\_\_\_\_ after a \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ thorough inspection of \_\_\_\_\_ systems \_\_\_\_\_ water damage?

\_\_\_\_\_ the \_\_\_\_\_ been \_\_\_\_\_ after \_\_\_\_\_ flooding?

\_\_\_\_\_ you fix \_\_\_\_\_ inspect \_\_\_\_\_ systems \_\_\_\_\_ by \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ inspect \_\_\_\_\_ the \_\_\_\_\_ components that \_\_\_\_\_ affected by water?

\_\_\_\_\_ you \_\_\_\_\_ that all \_\_\_\_\_ were carefully inspected \_\_\_\_\_ incidents?

\_\_\_\_\_ previous \_\_\_\_\_ involving water or floods, \_\_\_\_\_ systems properly \_\_\_\_\_ repaired?

Did \_\_\_\_\_ electrical \_\_\_\_\_ affected \_\_\_\_\_ the water \_\_\_\_\_ get \_\_\_\_\_ and \_\_\_\_\_?

Is \_\_\_\_\_ systems fixed after \_\_\_\_\_?

Have \_\_\_\_\_ systems been checked \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ if \_\_\_\_\_ electrical system \_\_\_\_\_ after a flood \_\_\_\_\_.

Did you thoroughly \_\_\_\_\_ and \_\_\_\_\_ after the \_\_\_\_\_?

Were all \_\_\_\_\_ properly inspected and \_\_\_\_\_ after \_\_\_\_\_?

Was all \_\_\_\_\_ systems checked \_\_\_\_\_?

Has every \_\_\_\_\_ checked \_\_\_\_\_ a \_\_\_\_\_ flooding episode?

Have \_\_\_\_\_ electrical \_\_\_\_\_ been \_\_\_\_\_ repaired after \_\_\_\_\_ previous incident?

\_\_\_\_\_ a previous \_\_\_\_\_ or \_\_\_\_\_ were \_\_\_\_\_ systems properly \_\_\_\_\_ and repaired?

\_\_\_\_\_ after a water event.

Did you \_\_\_\_\_ all the \_\_\_\_\_ were \_\_\_\_\_ after water \_\_\_\_\_?

Do \_\_\_\_\_ get \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ following a flooding incident?

After \_\_\_\_\_ accident, were the electrical \_\_\_\_\_ and \_\_\_\_\_?

Did \_\_\_\_\_ make \_\_\_\_\_ that the \_\_\_\_\_ were examined \_\_\_\_\_ water incidents?

\_\_\_\_\_ you bother \_\_\_\_\_ electricians since \_\_\_\_\_ was \_\_\_\_\_ disaster here earlier?

Did \_\_\_\_\_ after the floods?

Were \_\_\_\_\_ systems \_\_\_\_\_ after \_\_\_\_\_?

Have all the \_\_\_\_\_ systems been inspected \_\_\_\_\_ repaired \_\_\_\_\_ flood \_\_\_\_\_?

Did you \_\_\_\_\_ fix electrical \_\_\_\_\_ that \_\_\_\_\_ damaged by \_\_\_\_\_?

Does \_\_\_\_\_ if the \_\_\_\_\_ systems were thoroughly \_\_\_\_\_ floods/water damage?

Did they repair the \_\_\_\_\_?

\_\_\_\_\_ you make sure every \_\_\_\_\_ fixed in the \_\_\_\_\_ a \_\_\_\_\_?

Were all \_\_\_\_\_ systems \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ and \_\_\_\_\_ after the floods?

Someone \_\_\_\_\_ have \_\_\_\_\_ repaired all \_\_\_\_\_ after the \_\_\_\_\_.

Is \_\_\_\_\_ attention due to previous \_\_\_\_\_?

\_\_\_\_\_ was an \_\_\_\_\_ of the \_\_\_\_\_ after \_\_\_\_\_ them.

\_\_\_\_\_ all \_\_\_\_\_ system \_\_\_\_\_ done \_\_\_\_\_ after \_\_\_\_\_ floods?

\_\_\_\_\_ system \_\_\_\_\_ inspected \_\_\_\_\_ previous flood.

\_\_\_\_\_ components go through thorough examination \_\_\_\_\_ restoration \_\_\_\_\_ the flooding \_\_\_\_\_?

Did \_\_\_\_\_ inspect \_\_\_\_\_ the \_\_\_\_\_ after \_\_\_\_\_ flood event?

Was \_\_\_\_\_ examination \_\_\_\_\_ electrical setup affected \_\_\_\_\_ water?

All electrical systems \_\_\_\_\_ been inspected \_\_\_\_\_ after \_\_\_\_\_ water \_\_\_\_\_ floods.

Have all \_\_\_\_\_ components been \_\_\_\_\_ after \_\_\_\_\_?

Did you \_\_\_\_\_ all \_\_\_\_\_ after the \_\_\_\_\_?

Is \_\_\_\_\_ that \_\_\_\_\_ was carefully inspected, then repaired \_\_\_\_\_ to be malfunctioning, \_\_\_\_\_ of \_\_\_\_\_ from a \_\_\_\_\_

\_\_\_\_\_ sure that every electrical system \_\_\_\_\_ fixed \_\_\_\_\_ event of flooding?

\_\_\_\_\_ all \_\_\_\_\_ systems fixed \_\_\_\_\_ floods?

After \_\_\_\_\_ floods/water damage, \_\_\_\_\_ anyone made \_\_\_\_\_ all electrical \_\_\_\_\_ were thoroughly \_\_\_\_\_?

Did \_\_\_\_\_ examine and \_\_\_\_\_ electric \_\_\_\_\_ that \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ the electrical \_\_\_\_\_ thoroughly checked \_\_\_\_\_ repaired \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ electric \_\_\_\_\_ receive \_\_\_\_\_ following the \_\_\_\_\_?

\_\_\_\_\_ electrical systems have their \_\_\_\_\_ after \_\_\_\_\_ flood?

\_\_\_\_\_ the entire electrical system \_\_\_\_\_ after \_\_\_\_\_?

Did you guys \_\_\_\_\_ sure that \_\_\_\_\_ were \_\_\_\_\_ checked \_\_\_\_\_?

\_\_\_\_\_ comprehensive check \_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ a flood?

\_\_\_\_\_ all \_\_\_\_\_ been examined and repaired \_\_\_\_\_ flooding or \_\_\_\_\_?

All the \_\_\_\_\_ systems \_\_\_\_\_ have been \_\_\_\_\_ and repaired \_\_\_\_\_.

All electrical \_\_\_\_\_ repaired after \_\_\_\_\_ previous \_\_\_\_\_ incident.

Is it \_\_\_\_\_ every \_\_\_\_\_ system \_\_\_\_\_ inspected and repaired \_\_\_\_\_ it was faulty, \_\_\_\_\_ part \_\_\_\_\_ \_\_\_\_\_ water-related issue \_\_\_\_\_

Did you \_\_\_\_\_ and fix \_\_\_\_\_ systems \_\_\_\_\_ were \_\_\_\_\_ the water \_\_\_\_\_?

Is \_\_\_\_\_ attention given \_\_\_\_\_ due to \_\_\_\_\_ flooding?

\_\_\_\_\_ the electrical components after the \_\_\_\_\_?

Have \_\_\_\_\_ been \_\_\_\_\_ and repaired after \_\_\_\_\_ event?

Since \_\_\_\_\_ prior flooding or water \_\_\_\_\_ have \_\_\_\_\_ components \_\_\_\_\_ examined \_\_\_\_\_?

Did the \_\_\_\_\_ components have thorough \_\_\_\_\_ after \_\_\_\_\_ or \_\_\_\_\_ event?

Did \_\_\_\_\_ thoroughly \_\_\_\_\_ restore electric systems \_\_\_\_\_ were \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ after the flood \_\_\_\_\_?

Was an \_\_\_\_\_ on \_\_\_\_\_ electronic components \_\_\_\_\_ water emergency?

\_\_\_\_\_ the electrical systems \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ inspect and \_\_\_\_\_ after floods?

\_\_\_\_\_ they repair electrical \_\_\_\_\_ event?

\_\_\_\_\_ there an \_\_\_\_\_ and \_\_\_\_\_ of electrical \_\_\_\_\_ affected by \_\_\_\_\_?

Did \_\_\_\_\_ make \_\_\_\_\_ that \_\_\_\_\_ electrical systems \_\_\_\_\_ the event \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ all electrical components \_\_\_\_\_ flood?

Someone might have checked and repaired \_\_\_\_\_ after \_\_\_\_\_.

Did \_\_\_\_\_ sure \_\_\_\_\_ system was fixed in the wake \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ system \_\_\_\_\_ effectively after floods?

\_\_\_\_\_ you \_\_\_\_\_ the electrics after \_\_\_\_\_?

Have \_\_\_\_\_ all \_\_\_\_\_ components after the \_\_\_\_\_ incident?

\_\_\_\_\_ electric circuitries have their \_\_\_\_\_ due to \_\_\_\_\_?

\_\_\_\_\_ electrical systems \_\_\_\_\_ thoroughly \_\_\_\_\_ and \_\_\_\_\_ after the \_\_\_\_\_?

Did you make sure \_\_\_\_\_ every \_\_\_\_\_ was \_\_\_\_\_ fixed \_\_\_\_\_?

\_\_\_\_\_ fix the \_\_\_\_\_ stuff after \_\_\_\_\_ last \_\_\_\_\_?

Is \_\_\_\_\_ after a previous \_\_\_\_\_ episode?

\_\_\_\_\_ get all \_\_\_\_\_ inspected \_\_\_\_\_ floods?

Was \_\_\_\_\_ systems repaired \_\_\_\_\_ water \_\_\_\_\_?

Did flooding result \_\_\_\_\_ of \_\_\_\_\_ and fixes?

Is all electrical \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ and repaired after the \_\_\_\_\_ incident?

\_\_\_\_\_ every \_\_\_\_\_ been \_\_\_\_\_ and \_\_\_\_\_ after a previous \_\_\_\_\_ episode?

Did \_\_\_\_\_ that every electrical \_\_\_\_\_ was \_\_\_\_\_ flood damage?

Has every \_\_\_\_\_ checked and \_\_\_\_\_ a \_\_\_\_\_ event?

\_\_\_\_\_ examination and fixing of \_\_\_\_\_ that was \_\_\_\_\_ by water \_\_\_\_\_?

All \_\_\_\_\_ systems \_\_\_\_\_ have \_\_\_\_\_ inspected and \_\_\_\_\_ after \_\_\_\_\_ previous \_\_\_\_\_.

Did you \_\_\_\_\_ the \_\_\_\_\_ after \_\_\_\_\_ floods?

Did \_\_\_\_\_ component \_\_\_\_\_ attention \_\_\_\_\_ to \_\_\_\_\_ flooding?

Did \_\_\_\_\_ bother \_\_\_\_\_ the electrics \_\_\_\_\_ was a wet disaster here \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ been \_\_\_\_\_ and \_\_\_\_\_ after a \_\_\_\_\_ issue?

\_\_\_\_\_ it \_\_\_\_\_ circuitries were \_\_\_\_\_ due to previous flood occurrences?

\_\_\_\_\_ electric \_\_\_\_\_ be assessed and \_\_\_\_\_ of the floods?

\_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ the flooding?

Was \_\_\_\_\_ and fixing \_\_\_\_\_ electrical \_\_\_\_\_ affected \_\_\_\_\_ water before?

Did \_\_\_\_\_ make \_\_\_\_\_ the \_\_\_\_\_ system \_\_\_\_\_ after flooding?

\_\_\_\_\_ you inspect and \_\_\_\_\_ the \_\_\_\_\_?

Were all the \_\_\_\_\_ systems \_\_\_\_\_?

Did they do \_\_\_\_\_ thorough check \_\_\_\_\_ electrical \_\_\_\_\_ a \_\_\_\_\_?

Have \_\_\_\_\_ electrical \_\_\_\_\_ been \_\_\_\_\_ and \_\_\_\_\_ a flooding \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ system fixed \_\_\_\_\_ previous \_\_\_\_\_ incident?

Did you \_\_\_\_ sure that \_\_\_\_ was \_\_\_\_ and \_\_\_\_ in \_\_\_\_ a flood?  
 \_\_\_\_ or \_\_\_\_ have all electrical components been examined \_\_\_\_?  
 \_\_\_\_ checked and repaired \_\_\_\_ infrastructure \_\_\_\_ the \_\_\_\_ event.  
 \_\_\_\_ the electrical systems repaired \_\_\_\_?  
 Did there follow \_\_\_\_ the electrical \_\_\_\_ after \_\_\_\_?  
 Were \_\_\_\_ systems fixed after \_\_\_\_?  
 Did you \_\_\_\_ make \_\_\_\_ that \_\_\_\_ were examined \_\_\_\_?  
 Was \_\_\_\_ electrical \_\_\_\_ fixed after \_\_\_\_ previous flood \_\_\_\_?  
 \_\_\_\_ systems affected by \_\_\_\_ incident inspected \_\_\_\_ fixed?  
 \_\_\_\_ the electric systems \_\_\_\_ repaired after \_\_\_\_?  
 \_\_\_\_ guys make sure \_\_\_\_ all electronics \_\_\_\_ thoroughly inspected \_\_\_\_?  
 Regarding the \_\_\_\_ episode, \_\_\_\_ electric \_\_\_\_ checked \_\_\_\_ make \_\_\_\_ they were \_\_\_\_?  
 Did flooding \_\_\_\_ completing \_\_\_\_ check-ups \_\_\_\_?  
 \_\_\_\_ components \_\_\_\_ scrutiny \_\_\_\_ the floods.  
 \_\_\_\_ and fix all the \_\_\_\_ since there \_\_\_\_ disaster here \_\_\_\_?  
 I wonder \_\_\_\_ the \_\_\_\_ systems \_\_\_\_ checked after \_\_\_\_?  
 Did \_\_\_\_ systems \_\_\_\_ and repairs \_\_\_\_ after a flood?  
 Did electric components \_\_\_\_ scrutiny \_\_\_\_?  
 Did you thoroughly \_\_\_\_ electrical \_\_\_\_ affected by the \_\_\_\_?  
 Did \_\_\_\_ to be assessed \_\_\_\_ because \_\_\_\_ the flood?  
 Is \_\_\_\_ electrical \_\_\_\_ fixed or \_\_\_\_ a previous \_\_\_\_?  
 Do electrical \_\_\_\_ addressed \_\_\_\_ a water \_\_\_\_?  
 Had proper inspection \_\_\_\_ done \_\_\_\_ electronic \_\_\_\_ issues?  
 Did \_\_\_\_ the \_\_\_\_ system was fixed in \_\_\_\_ wake \_\_\_\_ floods?  
 Did \_\_\_\_ electric \_\_\_\_ receive \_\_\_\_ of the \_\_\_\_ event?  
 Was \_\_\_\_ the \_\_\_\_ checks \_\_\_\_ well after any \_\_\_\_?  
 \_\_\_\_ it possible \_\_\_\_ were \_\_\_\_ scrutinized and repaired after \_\_\_\_?  
 Did there \_\_\_\_ system \_\_\_\_ after \_\_\_\_ damage?  
 \_\_\_\_ entire \_\_\_\_ get fixed \_\_\_\_ a flood?  
 Did \_\_\_\_ sure that electronics were examined \_\_\_\_ water \_\_\_\_?  
 \_\_\_\_ a comprehensive \_\_\_\_ of \_\_\_\_ electrical \_\_\_\_ follow \_\_\_\_ water \_\_\_\_?  
 Did \_\_\_\_ thoroughly \_\_\_\_ fix all electrical \_\_\_\_ were \_\_\_\_ by \_\_\_\_ water \_\_\_\_?  
 \_\_\_\_ electrical \_\_\_\_ thoroughly inspected and \_\_\_\_ after \_\_\_\_ damage?  
 \_\_\_\_ sure that the electrical system was \_\_\_\_ in the \_\_\_\_?  
 The \_\_\_\_ systems \_\_\_\_ after \_\_\_\_ previous \_\_\_\_ accident.  
 \_\_\_\_ and fixed after flooding.  
 Were the \_\_\_\_ repaired after \_\_\_\_?  
 \_\_\_\_ involving water or floods, were \_\_\_\_ electrical \_\_\_\_ checked \_\_\_\_ repaired?  
 \_\_\_\_ you ensure \_\_\_\_ all \_\_\_\_ were \_\_\_\_ and repaired \_\_\_\_ incidents?  
 \_\_\_\_ all electrical \_\_\_\_ any water \_\_\_\_?  
 \_\_\_\_ the electrical \_\_\_\_ their \_\_\_\_ repairs done after a \_\_\_\_?  
 Checks and \_\_\_\_ to the \_\_\_\_ done \_\_\_\_ flood.  
 \_\_\_\_ sure \_\_\_\_ all electrical \_\_\_\_ thoroughly examined and \_\_\_\_ after \_\_\_\_?  
 Is the \_\_\_\_ systems \_\_\_\_ repaired \_\_\_\_ the \_\_\_\_?  
 Were \_\_\_\_ and \_\_\_\_ for \_\_\_\_ flooding?  
 Did they check \_\_\_\_ the \_\_\_\_ a \_\_\_\_ event?  
 Did anyone \_\_\_\_ fix all \_\_\_\_ systems \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ been \_\_\_\_ restored after the previous flooding \_\_\_\_ event?  
 Have \_\_\_\_ components been examined and \_\_\_\_ since \_\_\_\_?  
 \_\_\_\_ the electrical \_\_\_\_ inspected after \_\_\_\_?

Were electric \_\_\_\_\_ to working \_\_\_\_\_ during the \_\_\_\_\_ episode?

\_\_\_\_\_ you \_\_\_\_\_ the electric mess from the \_\_\_\_\_?

Is the electrical \_\_\_\_\_ assessed \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ electric systems \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ the electrics after the wet \_\_\_\_\_?

Do \_\_\_\_\_ components \_\_\_\_\_ the floods?

\_\_\_\_\_ system \_\_\_\_\_ had \_\_\_\_\_ be \_\_\_\_\_ after \_\_\_\_\_.

There \_\_\_\_\_ an examination \_\_\_\_\_ electrical systems \_\_\_\_\_ damage.

Since the previous flooding or \_\_\_\_\_ event, \_\_\_\_\_ electrical \_\_\_\_\_ been \_\_\_\_\_?

Is it possible \_\_\_\_\_ the \_\_\_\_\_ repairs?

Was \_\_\_\_\_ checks done well \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ electrical equipment inspected \_\_\_\_\_ repaired after any \_\_\_\_\_?

\_\_\_\_\_ it true that every electrical \_\_\_\_\_ was inspected and \_\_\_\_\_ if found \_\_\_\_\_ the \_\_\_\_\_ from a \_\_\_\_\_

\_\_\_\_\_ and \_\_\_\_\_ of electrical setup that was affected \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ checked electrics after \_\_\_\_\_?

Did \_\_\_\_\_ sure that \_\_\_\_\_ were repaired \_\_\_\_\_ water \_\_\_\_\_?

Did \_\_\_\_\_ effective electrical repairs \_\_\_\_\_?

Did \_\_\_\_\_ make \_\_\_\_\_ system was \_\_\_\_\_ after water damage?

\_\_\_\_\_ addressed after water?

All \_\_\_\_\_ were checked \_\_\_\_\_ after the \_\_\_\_\_.

\_\_\_\_\_ electrical components \_\_\_\_\_ examined \_\_\_\_\_ since the flooding \_\_\_\_\_ event?

Have you checked all \_\_\_\_\_ flood \_\_\_\_\_?

\_\_\_\_\_ systems \_\_\_\_\_ looked \_\_\_\_\_ and repaired after \_\_\_\_\_ flood.

All \_\_\_\_\_ systems should have been \_\_\_\_\_ after \_\_\_\_\_ water or \_\_\_\_\_.

\_\_\_\_\_ electric \_\_\_\_\_ should have been assessed \_\_\_\_\_ flooding.

Was \_\_\_\_\_ electronic \_\_\_\_\_ assessed \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ prior \_\_\_\_\_ or water event, \_\_\_\_\_ all electrical components undergone \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ electrics after floods \_\_\_\_\_?

Since \_\_\_\_\_ previous flood \_\_\_\_\_ water event, \_\_\_\_\_ all electrical \_\_\_\_\_ been \_\_\_\_\_?

Did \_\_\_\_\_ circuitries \_\_\_\_\_ and repaired due to prior \_\_\_\_\_?

\_\_\_\_\_ systems \_\_\_\_\_ be checked \_\_\_\_\_ the flood occurred.

Were \_\_\_\_\_ assessed \_\_\_\_\_ repaired due to \_\_\_\_\_?

You took \_\_\_\_\_ good look at \_\_\_\_\_ electrics \_\_\_\_\_?

\_\_\_\_\_ flood or \_\_\_\_\_ was the \_\_\_\_\_ electrical system \_\_\_\_\_?

Did \_\_\_\_\_ the electrical \_\_\_\_\_ was fixed in \_\_\_\_\_ of \_\_\_\_\_ floods?

Was the \_\_\_\_\_ checks \_\_\_\_\_ well \_\_\_\_\_ floods?

Did you \_\_\_\_\_ the \_\_\_\_\_ were \_\_\_\_\_ and mended after \_\_\_\_\_?

Did \_\_\_\_\_ electric \_\_\_\_\_ inspected \_\_\_\_\_ repaired after \_\_\_\_\_ flooding?

\_\_\_\_\_ need to be assessed \_\_\_\_\_ to previous flood \_\_\_\_\_?

Did \_\_\_\_\_ bother to \_\_\_\_\_ and \_\_\_\_\_ all the \_\_\_\_\_ the \_\_\_\_\_?

The \_\_\_\_\_ systems \_\_\_\_\_ after the \_\_\_\_\_.

\_\_\_\_\_ all electricity system \_\_\_\_\_ any previous floods?

\_\_\_\_\_ components affected by the \_\_\_\_\_ get thorough \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ all electronics \_\_\_\_\_ examined and \_\_\_\_\_ after water incidents?

\_\_\_\_\_ guys make \_\_\_\_\_ that the \_\_\_\_\_ were \_\_\_\_\_ water incidents?

Have \_\_\_\_\_ electric component \_\_\_\_\_ attention \_\_\_\_\_ the prior \_\_\_\_\_?

Electric components \_\_\_\_\_ restored to \_\_\_\_\_ order after \_\_\_\_\_ flooding \_\_\_\_\_.

\_\_\_\_\_ the electrical \_\_\_\_\_ and restored since \_\_\_\_\_ water event?

\_\_\_\_\_ the electric \_\_\_\_\_ fully \_\_\_\_\_ after the \_\_\_\_\_?

Did flooding \_\_\_\_\_ check \_\_\_\_\_ and \_\_\_\_\_?

Has anyone \_\_\_\_\_ sure \_\_\_\_\_ electrical systems \_\_\_\_\_ and restored \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ sure that the \_\_\_\_\_ were \_\_\_\_\_ checked \_\_\_\_\_ incidents?

Did \_\_\_\_\_ and fixed after previous flooding?

Did \_\_\_\_\_ and fix all the electrical \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ may have checked \_\_\_\_\_ a flood event.

\_\_\_\_\_ electric \_\_\_\_\_ were checked \_\_\_\_\_ restored to \_\_\_\_\_ working \_\_\_\_\_ after \_\_\_\_\_ episode.

Did \_\_\_\_\_ their assessed \_\_\_\_\_ repaired due to previous \_\_\_\_\_?

Was an extensive evaluation done on \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ have been \_\_\_\_\_ repaired after any \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ and fixed after floods?

Is all \_\_\_\_\_ systems repaired \_\_\_\_\_?

\_\_\_\_\_ a flood or water issue, \_\_\_\_\_ the \_\_\_\_\_ systems been \_\_\_\_\_?

Did the \_\_\_\_\_ by \_\_\_\_\_ water \_\_\_\_\_ extensive repairs done?

Is \_\_\_\_\_ examination or repair of electrical \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ previous flooding, \_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_?

All \_\_\_\_\_ systems \_\_\_\_\_ have \_\_\_\_\_ checked \_\_\_\_\_ repaired \_\_\_\_\_ flooding.

Did \_\_\_\_\_ electric \_\_\_\_\_ receive \_\_\_\_\_ due \_\_\_\_\_ the \_\_\_\_\_ event?

\_\_\_\_\_ prior flooding \_\_\_\_\_ event have all electrical components \_\_\_\_\_ a \_\_\_\_\_?

All electrical \_\_\_\_\_ were checked \_\_\_\_\_ repaired \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ fix all \_\_\_\_\_ components after the flood \_\_\_\_\_?

After a \_\_\_\_\_ they \_\_\_\_\_ repair electrical infrastructure?

Do \_\_\_\_\_ if the electrical \_\_\_\_\_ checked \_\_\_\_\_ previous flood?

\_\_\_\_\_ made sure \_\_\_\_\_ thoroughly examined \_\_\_\_\_ restored after floods/water damage?

\_\_\_\_\_ proper inspection \_\_\_\_\_ electronic equipment due \_\_\_\_\_ flood issues?

Is \_\_\_\_\_ electrical \_\_\_\_\_ flood problem?

\_\_\_\_\_ you \_\_\_\_\_ all the \_\_\_\_\_ the flood?

Have \_\_\_\_\_ electrical \_\_\_\_\_ examined since \_\_\_\_\_?

Have all \_\_\_\_\_ repaired following a flood?

Was \_\_\_\_\_ evaluation done \_\_\_\_\_ electronic component after \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ after the flood?

\_\_\_\_\_ checked \_\_\_\_\_ electrical \_\_\_\_\_ after a flood.

\_\_\_\_\_ electric \_\_\_\_\_ been checked \_\_\_\_\_ restored to working order during \_\_\_\_\_.

\_\_\_\_\_ electrical element \_\_\_\_\_ checked \_\_\_\_\_ repaired after a previous \_\_\_\_\_?

\_\_\_\_\_ were repairs \_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ previous \_\_\_\_\_ incident.

\_\_\_\_\_ it true that \_\_\_\_\_ system was inspected \_\_\_\_\_ repaired when it \_\_\_\_\_ faulty, as \_\_\_\_\_ of \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ completely \_\_\_\_\_ after \_\_\_\_\_ flood occurrence?

\_\_\_\_\_ the \_\_\_\_\_ incident was \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ that all electronics were checked \_\_\_\_\_ after \_\_\_\_\_?

Has \_\_\_\_\_ made \_\_\_\_\_ that all \_\_\_\_\_ were \_\_\_\_\_ examined and \_\_\_\_\_ after \_\_\_\_\_?

Has \_\_\_\_\_ been \_\_\_\_\_ and \_\_\_\_\_ after a previous flooding \_\_\_\_\_?

Did \_\_\_\_\_ electric components that were \_\_\_\_\_ by \_\_\_\_\_ water \_\_\_\_\_ have \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ and \_\_\_\_\_ after a flood?

After a \_\_\_\_\_ check \_\_\_\_\_ repair the electrical infrastructure?

\_\_\_\_\_ an examination and \_\_\_\_\_ of \_\_\_\_\_ happen after \_\_\_\_\_?

\_\_\_\_\_ must \_\_\_\_\_ been \_\_\_\_\_ and \_\_\_\_\_ after the flood.

After \_\_\_\_\_ flooding \_\_\_\_\_ have all electrical components \_\_\_\_\_ examined and \_\_\_\_\_?

\_\_\_\_\_ make sure \_\_\_\_\_ repaired after water incidents?

Were \_\_\_\_\_ thoroughly \_\_\_\_\_ after water \_\_\_\_\_?

Did \_\_\_\_\_ inspect and \_\_\_\_\_ water damaged \_\_\_\_\_?

Is all electricity \_\_\_\_\_ checks \_\_\_\_\_ effectively \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ all electrical \_\_\_\_\_ that were impacted \_\_\_\_\_ the \_\_\_\_\_ incident?

Was the electrical systems \_\_\_\_\_?

Did you make sure that \_\_\_\_\_ electrical system \_\_\_\_\_ fixed \_\_\_\_\_ previous \_\_\_\_\_?

Has anyone made \_\_\_\_\_ systems \_\_\_\_\_ examined \_\_\_\_\_ restored \_\_\_\_\_ floods and \_\_\_\_\_ damage?

Was \_\_\_\_\_ evaluation \_\_\_\_\_ on \_\_\_\_\_ electronic \_\_\_\_\_ the water emergency?

\_\_\_\_\_ the electrical \_\_\_\_\_ after \_\_\_\_\_ flooding?

After \_\_\_\_\_ issues, has \_\_\_\_\_ been \_\_\_\_\_ and repaired?

Did \_\_\_\_\_ circuitries have to be assessed \_\_\_\_\_ previous \_\_\_\_\_?

The electrical systems \_\_\_\_\_ after \_\_\_\_\_ floods.

\_\_\_\_\_ inspect \_\_\_\_\_ electrical systems that were \_\_\_\_\_ by \_\_\_\_\_ water incident?

\_\_\_\_\_ all \_\_\_\_\_ components been \_\_\_\_\_ after \_\_\_\_\_?

All \_\_\_\_\_ been \_\_\_\_\_ after floods.

\_\_\_\_\_ you make \_\_\_\_\_ every electrical system \_\_\_\_\_ after flood damage?

Had \_\_\_\_\_ been assessed \_\_\_\_\_ due \_\_\_\_\_ previous flooding?

\_\_\_\_\_ every electric \_\_\_\_\_ care \_\_\_\_\_ due to \_\_\_\_\_?

Did \_\_\_\_\_ on electronic equipment due \_\_\_\_\_ issues?

Was all the electricity \_\_\_\_\_ effectively \_\_\_\_\_?

After the \_\_\_\_\_ water \_\_\_\_\_ was \_\_\_\_\_ checked \_\_\_\_\_ repaired?

Did \_\_\_\_\_ every electrical system was \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ make \_\_\_\_\_ that every electrical \_\_\_\_\_ was \_\_\_\_\_ for \_\_\_\_\_ damage?

Was \_\_\_\_\_ electrical system checked \_\_\_\_\_ flood \_\_\_\_\_ incident?

\_\_\_\_\_ incident \_\_\_\_\_ water or floods, \_\_\_\_\_ all the \_\_\_\_\_ systems \_\_\_\_\_ repaired?

Have \_\_\_\_\_ electrical \_\_\_\_\_ after the \_\_\_\_\_ or water event?

Is \_\_\_\_\_ electric component receiving \_\_\_\_\_ flooding?

Does every \_\_\_\_\_ component \_\_\_\_\_ due \_\_\_\_\_ event?

\_\_\_\_\_ electrical \_\_\_\_\_ checked \_\_\_\_\_ flood?

Is the \_\_\_\_\_ system fixed \_\_\_\_\_ a previous \_\_\_\_\_?

The \_\_\_\_\_ infrastructure following a flood \_\_\_\_\_ checked \_\_\_\_\_.

There \_\_\_\_\_ on the electrical \_\_\_\_\_ after a \_\_\_\_\_ flood.

\_\_\_\_\_ electrical system inspected and \_\_\_\_\_ a \_\_\_\_\_ or \_\_\_\_\_ event?

\_\_\_\_\_ electric \_\_\_\_\_ repaired due to previous flooding?

\_\_\_\_\_ the \_\_\_\_\_ repaired \_\_\_\_\_ previous flooding?

The flood \_\_\_\_\_ have \_\_\_\_\_ meticulous \_\_\_\_\_ on all power \_\_\_\_\_.

Have \_\_\_\_\_ and \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_ flood?

\_\_\_\_\_ electrical \_\_\_\_\_ after flooding?

Is \_\_\_\_\_ that electrical systems \_\_\_\_\_ thoroughly \_\_\_\_\_ floods/water damage?

Is anyone \_\_\_\_\_ that \_\_\_\_\_ were thoroughly \_\_\_\_\_ and restored \_\_\_\_\_?

\_\_\_\_\_ the electrical \_\_\_\_\_ be \_\_\_\_\_ after the flooding?

\_\_\_\_\_ and repaired all \_\_\_\_\_ systems after \_\_\_\_\_ flooding.

\_\_\_\_\_ component \_\_\_\_\_ attention due to prior \_\_\_\_\_?

\_\_\_\_\_ repair \_\_\_\_\_ the electrics \_\_\_\_\_ wet fiasco?

\_\_\_\_\_ that \_\_\_\_\_ were \_\_\_\_\_ examined and restored after floods?

Did you make \_\_\_\_\_ every \_\_\_\_\_ system was \_\_\_\_\_ in \_\_\_\_\_ wake \_\_\_\_\_?

\_\_\_\_\_ electrical equipment \_\_\_\_\_ inspected \_\_\_\_\_ repaired after any \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ have \_\_\_\_\_ checked \_\_\_\_\_ repaired after floods/water?

\_\_\_\_\_ wonder \_\_\_\_\_ all \_\_\_\_\_ were inspected and repaired \_\_\_\_\_ flood.

They should \_\_\_\_\_ and repaired \_\_\_\_\_ the electrical \_\_\_\_\_ after \_\_\_\_\_.

After \_\_\_\_\_ flood, \_\_\_\_\_ electric \_\_\_\_\_ inspected?

Is \_\_\_\_\_ that \_\_\_\_\_ electrical system \_\_\_\_\_ carefully inspected, and \_\_\_\_\_ faulty, \_\_\_\_\_ part \_\_\_\_\_ recovery from a water \_\_\_\_\_

\_\_\_\_\_ check and \_\_\_\_\_ electrical systems after \_\_\_\_\_?

Did you thoroughly check \_\_\_\_\_ the electrical \_\_\_\_\_ caused \_\_\_\_\_ floodwater \_\_\_\_\_ catastrophe?  
 \_\_\_\_\_ electrical \_\_\_\_\_ thoroughly \_\_\_\_\_ and repaired following any \_\_\_\_\_ issues.  
 \_\_\_\_\_ you \_\_\_\_\_ or inspect \_\_\_\_\_ caused by flooding?  
 Was the electrical \_\_\_\_\_ the floods \_\_\_\_\_ incident?  
 \_\_\_\_\_ the electrical \_\_\_\_\_ after a \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ electricity \_\_\_\_\_ conducted effectively after floods?  
 Is the \_\_\_\_\_ systems thoroughly \_\_\_\_\_ repaired \_\_\_\_\_ flood \_\_\_\_\_?  
 Since \_\_\_\_\_ or water event, \_\_\_\_\_ examined and cleaned?  
 \_\_\_\_\_ or water event, \_\_\_\_\_ all electrical \_\_\_\_\_ thorough examination \_\_\_\_\_ restoration?  
 \_\_\_\_\_ there \_\_\_\_\_ comprehensive \_\_\_\_\_ inspection \_\_\_\_\_ the water damage?  
 \_\_\_\_\_ made sure that \_\_\_\_\_ systems were \_\_\_\_\_ examined \_\_\_\_\_ after the \_\_\_\_\_?  
 Is the \_\_\_\_\_ addressed \_\_\_\_\_ water?  
 Have \_\_\_\_\_ equipment been \_\_\_\_\_ and \_\_\_\_\_ water issues?  
 \_\_\_\_\_ the \_\_\_\_\_ system fully inspected \_\_\_\_\_ repaired \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ electrical \_\_\_\_\_ inspected after \_\_\_\_\_ flood?  
 \_\_\_\_\_ checked and repaired \_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ floods.  
 \_\_\_\_\_ the \_\_\_\_\_ flooding or water \_\_\_\_\_ have \_\_\_\_\_ components been \_\_\_\_\_?  
 Was all \_\_\_\_\_ systems \_\_\_\_\_ after \_\_\_\_\_?  
 All \_\_\_\_\_ systems should \_\_\_\_\_ been inspected and \_\_\_\_\_ after \_\_\_\_\_ flood \_\_\_\_\_.  
 Did \_\_\_\_\_ the electrical \_\_\_\_\_ after \_\_\_\_\_ flood?  
 \_\_\_\_\_ electrical system fixed \_\_\_\_\_ after a \_\_\_\_\_ or water \_\_\_\_\_?  
 After any \_\_\_\_\_ all electrical \_\_\_\_\_ inspected and \_\_\_\_\_?  
 Is anyone \_\_\_\_\_ all \_\_\_\_\_ systems were \_\_\_\_\_ and restored after floods/water \_\_\_\_\_?  
 Did you make \_\_\_\_\_ the electric components \_\_\_\_\_ fixed \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ components \_\_\_\_\_ the \_\_\_\_\_ event \_\_\_\_\_ thorough repairs performed?  
 Following \_\_\_\_\_ water issues, \_\_\_\_\_ electrical \_\_\_\_\_ and repaired?  
 \_\_\_\_\_ electric \_\_\_\_\_ get attention due to the \_\_\_\_\_?  
 Did electricity system \_\_\_\_\_ perform \_\_\_\_\_ previous \_\_\_\_\_?  
 \_\_\_\_\_ electrical \_\_\_\_\_ checked after the \_\_\_\_\_.  
 All \_\_\_\_\_ equipment has \_\_\_\_\_ and \_\_\_\_\_ after water \_\_\_\_\_.  
 Have \_\_\_\_\_ electrical \_\_\_\_\_ been \_\_\_\_\_ and repaired \_\_\_\_\_?  
 Did \_\_\_\_\_ repair all \_\_\_\_\_ infrastructure \_\_\_\_\_ flood?  
 \_\_\_\_\_ the entire electrical system fixed after \_\_\_\_\_?  
 Regarding the flooding \_\_\_\_\_ were \_\_\_\_\_ electric \_\_\_\_\_ checked and \_\_\_\_\_?  
 Were electric \_\_\_\_\_ the flooding episode?  
 \_\_\_\_\_ flood \_\_\_\_\_ lead to electrical \_\_\_\_\_?  
 After floods, \_\_\_\_\_ all \_\_\_\_\_ system checks \_\_\_\_\_?  
 \_\_\_\_\_ inspect \_\_\_\_\_ fix \_\_\_\_\_ since you had that \_\_\_\_\_ disaster?  
 \_\_\_\_\_ all \_\_\_\_\_ electrics after \_\_\_\_\_ wet fiasco?  
 Was \_\_\_\_\_ electrical \_\_\_\_\_ checked \_\_\_\_\_ repaired \_\_\_\_\_ floods/water?  
 \_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ and repaired after \_\_\_\_\_?  
 The electric \_\_\_\_\_ might \_\_\_\_\_ and repaired after \_\_\_\_\_.  
 \_\_\_\_\_ made sure \_\_\_\_\_ all \_\_\_\_\_ systems were \_\_\_\_\_ after a \_\_\_\_\_?  
 \_\_\_\_\_ mechanisms \_\_\_\_\_ properly \_\_\_\_\_ water?  
 \_\_\_\_\_ true \_\_\_\_\_ every \_\_\_\_\_ was inspected and repaired as part \_\_\_\_\_ process \_\_\_\_\_ a \_\_\_\_\_ issue?  
 Is everybody's electrical \_\_\_\_\_ after \_\_\_\_\_?  
 \_\_\_\_\_ all the \_\_\_\_\_ repaired \_\_\_\_\_ water accident?  
 Is the entire \_\_\_\_\_ floods?  
 Were \_\_\_\_\_ and repaired \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ flooding, did \_\_\_\_\_ get assessed?



Did \_\_\_\_\_ electric \_\_\_\_\_ inspected \_\_\_\_\_ repaired \_\_\_\_\_ the floods?

All electricity was looked \_\_\_\_\_?

\_\_\_\_\_ systems completely inspected after \_\_\_\_\_?

Was the \_\_\_\_\_ or \_\_\_\_\_ after a \_\_\_\_\_ flood?

\_\_\_\_\_ you \_\_\_\_\_ sure \_\_\_\_\_ system \_\_\_\_\_ fixed after floods?

\_\_\_\_\_ the \_\_\_\_\_ systems should \_\_\_\_\_ been inspected and \_\_\_\_\_ previous \_\_\_\_\_.

\_\_\_\_\_ your electrical \_\_\_\_\_ after \_\_\_\_\_ water incident?

\_\_\_\_\_ comprehensive checks of the \_\_\_\_\_ take \_\_\_\_\_ after \_\_\_\_\_ flood?

\_\_\_\_\_ there \_\_\_\_\_ assessment of \_\_\_\_\_ after \_\_\_\_\_ damage?

Electrics are \_\_\_\_\_.

\_\_\_\_\_ the electric circuitries \_\_\_\_\_ to \_\_\_\_\_ due to previous flood \_\_\_\_\_?

Did you \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ disaster \_\_\_\_\_ earlier?

Did the \_\_\_\_\_ electrical system \_\_\_\_\_ fixed \_\_\_\_\_ flood?

Was the electric \_\_\_\_\_ repaired after the \_\_\_\_\_?

Did \_\_\_\_\_ fix all their \_\_\_\_\_ fiasco?

Have you repaired \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the electric \_\_\_\_\_ and \_\_\_\_\_ the flood?

Were the \_\_\_\_\_ fixed after \_\_\_\_\_?

Did \_\_\_\_\_ make \_\_\_\_\_ system was \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ flood damage?

\_\_\_\_\_ that \_\_\_\_\_ system \_\_\_\_\_ inspected and \_\_\_\_\_ as part \_\_\_\_\_ the recovery process from \_\_\_\_\_ related issue \_\_\_\_\_?

\_\_\_\_\_ circuitries have to be \_\_\_\_\_ due \_\_\_\_\_ previous Floods?

Was all \_\_\_\_\_ repaired \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ addressed \_\_\_\_\_ water event?

Have \_\_\_\_\_ inspected and \_\_\_\_\_ electrical \_\_\_\_\_ the flood \_\_\_\_\_?

\_\_\_\_\_ electrical systems \_\_\_\_\_ been \_\_\_\_\_ a flood.

Did \_\_\_\_\_ systems come \_\_\_\_\_ after \_\_\_\_\_?

They \_\_\_\_\_ and repaired all \_\_\_\_\_ infrastructure after a \_\_\_\_\_.

Has \_\_\_\_\_ component received \_\_\_\_\_ the previous flooding?

Did \_\_\_\_\_ that \_\_\_\_\_ electronics were \_\_\_\_\_ and repaired \_\_\_\_\_ water incidents?

Does \_\_\_\_\_ electrical equipment \_\_\_\_\_ been inspected \_\_\_\_\_ following \_\_\_\_\_ issues?

After \_\_\_\_\_ were \_\_\_\_\_ systems fixed?

\_\_\_\_\_ result in \_\_\_\_\_ and fixes?

\_\_\_\_\_ true that every \_\_\_\_\_ system \_\_\_\_\_ inspected, \_\_\_\_\_ repaired if it \_\_\_\_\_ be \_\_\_\_\_ as part \_\_\_\_\_ from a

\_\_\_\_\_ you repair all \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ incident?

Is \_\_\_\_\_ that \_\_\_\_\_ electric systems \_\_\_\_\_ repaired \_\_\_\_\_ the \_\_\_\_\_?

Since \_\_\_\_\_ water event, \_\_\_\_\_ all electrical \_\_\_\_\_ been \_\_\_\_\_?

\_\_\_\_\_ previous flooding or \_\_\_\_\_ event, have all \_\_\_\_\_ a \_\_\_\_\_ examination?

Have electrical \_\_\_\_\_ inspected and \_\_\_\_\_ water issues?

\_\_\_\_\_ fixing of electrical setup \_\_\_\_\_ was affected by \_\_\_\_\_?

\_\_\_\_\_ the electrical \_\_\_\_\_ and \_\_\_\_\_ after the flood?

\_\_\_\_\_ systems repaired after \_\_\_\_\_ flood?

\_\_\_\_\_ complete inspection of \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_ damage?

All electric \_\_\_\_\_ were assessed and \_\_\_\_\_ of \_\_\_\_\_.

Did \_\_\_\_\_ make sure that \_\_\_\_\_ was \_\_\_\_\_ in \_\_\_\_\_ event of floods?

Someone \_\_\_\_\_ the electrical systems after \_\_\_\_\_ flood.

\_\_\_\_\_ electricity system checked \_\_\_\_\_ any \_\_\_\_\_?

Did all the electric components \_\_\_\_\_ water \_\_\_\_\_ inspected and \_\_\_\_\_?

Were the electric \_\_\_\_\_ flood?

\_\_\_\_\_ make sure \_\_\_\_\_ every electrical \_\_\_\_\_ was \_\_\_\_\_ in \_\_\_\_\_ event of \_\_\_\_\_?

Did every \_\_\_\_\_ component get \_\_\_\_\_ due \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ and inspect all \_\_\_\_\_ floods?  
 \_\_\_\_\_ or examine \_\_\_\_\_ systems caused by flooding?  
 \_\_\_\_\_ the electrical system fixed \_\_\_\_\_?  
 \_\_\_\_\_ the electrical systems fixed \_\_\_\_\_?  
 \_\_\_\_\_ you guys make sure all \_\_\_\_\_ were \_\_\_\_\_?  
 Did the \_\_\_\_\_ get \_\_\_\_\_ checked \_\_\_\_\_ the flood?  
 The electric systems should \_\_\_\_\_ after the \_\_\_\_\_.  
 There \_\_\_\_\_ of \_\_\_\_\_ after floods.  
 All \_\_\_\_\_ have \_\_\_\_\_ thoroughly \_\_\_\_\_ and \_\_\_\_\_ after \_\_\_\_\_ flood.  
 \_\_\_\_\_ sure the electronics were carefully \_\_\_\_\_ incidents?  
 Is it true \_\_\_\_\_ every electrical \_\_\_\_\_ inspected, then repaired \_\_\_\_\_ to \_\_\_\_\_ as \_\_\_\_\_ of \_\_\_\_\_ from \_\_\_\_\_ water  
 Did \_\_\_\_\_ electric \_\_\_\_\_ thorough \_\_\_\_\_ repairs \_\_\_\_\_ after the water \_\_\_\_\_?  
 Has \_\_\_\_\_ all \_\_\_\_\_ systems were \_\_\_\_\_ examined \_\_\_\_\_ restored after a flood or \_\_\_\_\_?  
 Is \_\_\_\_\_ true that \_\_\_\_\_ electrical \_\_\_\_\_ carefully \_\_\_\_\_ to \_\_\_\_\_ faulty, \_\_\_\_\_ part of the recovery from a \_\_\_\_\_  
 Did \_\_\_\_\_ components \_\_\_\_\_ the \_\_\_\_\_ have thorough \_\_\_\_\_ made to them?  
 \_\_\_\_\_ electrical systems \_\_\_\_\_ a flood?  
 Did \_\_\_\_\_ inspected and repaired after the water incidents?  
 \_\_\_\_\_ electrical systems \_\_\_\_\_ and repaired \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ and \_\_\_\_\_ electric \_\_\_\_\_ were \_\_\_\_\_ by flooding?  
 \_\_\_\_\_ electrical \_\_\_\_\_ and repaired \_\_\_\_\_ floods/water?  
 \_\_\_\_\_ someone \_\_\_\_\_ and fix \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_ flooding?  
 \_\_\_\_\_ electrical mechanisms addressed \_\_\_\_\_ water \_\_\_\_\_?  
 \_\_\_\_\_ the electric \_\_\_\_\_ checked after \_\_\_\_\_ flood?  
 Did they \_\_\_\_\_ repair electrical infrastructure \_\_\_\_\_ event?  
 Does anyone know \_\_\_\_\_ systems \_\_\_\_\_ restored after they \_\_\_\_\_ damaged?  
 \_\_\_\_\_ the \_\_\_\_\_ system \_\_\_\_\_ after \_\_\_\_\_ water/flood \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ systems checked \_\_\_\_\_?  
 \_\_\_\_\_ the electrical \_\_\_\_\_ they were damaged?  
 There \_\_\_\_\_ checks \_\_\_\_\_ to \_\_\_\_\_ electrical \_\_\_\_\_ after a flood.  
 Were the \_\_\_\_\_ systems repaired \_\_\_\_\_ the \_\_\_\_\_ flood \_\_\_\_\_?  
 \_\_\_\_\_ all the \_\_\_\_\_ infrastructure after a flood \_\_\_\_\_?  
 Was \_\_\_\_\_ mechanisms \_\_\_\_\_ addressed \_\_\_\_\_ the \_\_\_\_\_?  
 All electrical systems \_\_\_\_\_ thoroughly \_\_\_\_\_ after \_\_\_\_\_.  
 \_\_\_\_\_ electrical \_\_\_\_\_ after \_\_\_\_\_ floods?  
 Have \_\_\_\_\_ electrical equipment been inspected and \_\_\_\_\_ water?  
 Have \_\_\_\_\_ electrical \_\_\_\_\_ restored \_\_\_\_\_ the \_\_\_\_\_ flooding or \_\_\_\_\_ event?  
 Did you \_\_\_\_\_ all \_\_\_\_\_ stuff after \_\_\_\_\_?  
 The \_\_\_\_\_ systems \_\_\_\_\_ checked and repaired \_\_\_\_\_ the \_\_\_\_\_.  
 Was there \_\_\_\_\_ the \_\_\_\_\_ following \_\_\_\_\_ water damage?  
 Has anyone \_\_\_\_\_ sure \_\_\_\_\_ electrical \_\_\_\_\_ thoroughly examined and restored \_\_\_\_\_ experiencing \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ equipment checked \_\_\_\_\_ any water issues?  
 \_\_\_\_\_ electric circuitries \_\_\_\_\_ due to previous flooding?  
 The electrical \_\_\_\_\_ were \_\_\_\_\_ and \_\_\_\_\_ after the \_\_\_\_\_.  
 Have \_\_\_\_\_ for prior flooding?  
 Were \_\_\_\_\_ systems checked \_\_\_\_\_ flood?  
 Did \_\_\_\_\_ a thorough check \_\_\_\_\_ the \_\_\_\_\_ system for \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ repair \_\_\_\_\_ components after the flood?  
 Have electrical \_\_\_\_\_ and restored since \_\_\_\_\_ flooding?  
 \_\_\_\_\_ you \_\_\_\_\_ inspect and \_\_\_\_\_ all \_\_\_\_\_ electrics \_\_\_\_\_ you had a \_\_\_\_\_?  
 \_\_\_\_\_ fix and inspect the electrics \_\_\_\_\_ wet \_\_\_\_\_?

The electrics \_\_\_\_\_ after the \_\_\_\_\_.

\_\_\_\_\_ your \_\_\_\_\_ components \_\_\_\_\_ after the \_\_\_\_\_?

\_\_\_\_\_ the water emergency, \_\_\_\_\_ evaluation done \_\_\_\_\_ electronic \_\_\_\_\_?

After \_\_\_\_\_ systems fixed?

The electrical \_\_\_\_\_ following \_\_\_\_\_ inspected.

\_\_\_\_\_ electrical \_\_\_\_\_ well addressed \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the electrical systems \_\_\_\_\_ repaired \_\_\_\_\_ were damaged?

Did the \_\_\_\_\_ components affected \_\_\_\_\_ the \_\_\_\_\_ event \_\_\_\_\_ and \_\_\_\_\_?

Did \_\_\_\_\_ make \_\_\_\_\_ that every \_\_\_\_\_ system was fixed \_\_\_\_\_?

\_\_\_\_\_ undergone extensive \_\_\_\_\_ a previous flooding episode?

Did you fix \_\_\_\_\_ the \_\_\_\_\_ after the \_\_\_\_\_?

\_\_\_\_\_ the electrical system \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ get \_\_\_\_\_ examined after \_\_\_\_\_ flood?

\_\_\_\_\_ whole electrical \_\_\_\_\_ fixed \_\_\_\_\_ previous flood?

\_\_\_\_\_ components \_\_\_\_\_ to be inspected \_\_\_\_\_ repaired \_\_\_\_\_ water event.

Is \_\_\_\_\_ electrical system \_\_\_\_\_ and repaired after \_\_\_\_\_?

All \_\_\_\_\_ assessed and \_\_\_\_\_ previous floods.

Is it \_\_\_\_\_ that every \_\_\_\_\_ was \_\_\_\_\_ and repaired after \_\_\_\_\_ was \_\_\_\_\_?

Did \_\_\_\_\_ repair or \_\_\_\_\_ electric \_\_\_\_\_ affected by water \_\_\_\_\_?

Did \_\_\_\_\_ electric \_\_\_\_\_ have their assessed \_\_\_\_\_ due \_\_\_\_\_ previous \_\_\_\_\_?

\_\_\_\_\_ the electric systems \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ make \_\_\_\_\_ to all electrical \_\_\_\_\_ that were affected \_\_\_\_\_ the \_\_\_\_\_?

Did \_\_\_\_\_ make sure the \_\_\_\_\_ system was fixed \_\_\_\_\_ a \_\_\_\_\_?

There were checks \_\_\_\_\_ to \_\_\_\_\_ after the flood.

\_\_\_\_\_ all electrical \_\_\_\_\_ checked and \_\_\_\_\_ floods?

Was an \_\_\_\_\_ fixing \_\_\_\_\_ electrical \_\_\_\_\_ affected \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ sure \_\_\_\_\_ every electrical \_\_\_\_\_ was fixed after \_\_\_\_\_ water damage?

Has every single \_\_\_\_\_ element been \_\_\_\_\_ and \_\_\_\_\_?

Have every \_\_\_\_\_ component \_\_\_\_\_ due to \_\_\_\_\_ event?

\_\_\_\_\_ electrical systems were checked and \_\_\_\_\_ after \_\_\_\_\_.

Is \_\_\_\_\_ properly \_\_\_\_\_ water event.

Were the \_\_\_\_\_ fixed after a \_\_\_\_\_ or \_\_\_\_\_?

Have you made \_\_\_\_\_ floods?

Did \_\_\_\_\_ inspect and fix \_\_\_\_\_ of the \_\_\_\_\_ systems that \_\_\_\_\_ affected \_\_\_\_\_?

I \_\_\_\_\_ to \_\_\_\_\_ the electrical systems \_\_\_\_\_ and \_\_\_\_\_ previous flooding.

Did \_\_\_\_\_ make sure \_\_\_\_\_ electronics \_\_\_\_\_ checked and \_\_\_\_\_ after the \_\_\_\_\_?

\_\_\_\_\_ the electrical \_\_\_\_\_ after water \_\_\_\_\_?

Did \_\_\_\_\_ repair \_\_\_\_\_ electrics after floods?

Did \_\_\_\_\_ get assessed and fixed after \_\_\_\_\_?

Is there \_\_\_\_\_ exam or \_\_\_\_\_ electrical setup affected \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ and \_\_\_\_\_ the \_\_\_\_\_ components after \_\_\_\_\_ flood?

I wonder \_\_\_\_\_ systems were \_\_\_\_\_ flood?

Did the electrical \_\_\_\_\_ the \_\_\_\_\_?

Was \_\_\_\_\_ systems \_\_\_\_\_ and \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ make sure that the \_\_\_\_\_ systems \_\_\_\_\_ examined and restored \_\_\_\_\_ floods \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ the electrical systems \_\_\_\_\_ thoroughly \_\_\_\_\_ the \_\_\_\_\_?

Since the \_\_\_\_\_ flooding or \_\_\_\_\_ event \_\_\_\_\_ the \_\_\_\_\_ components \_\_\_\_\_ examined \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ systems \_\_\_\_\_ after \_\_\_\_\_ flood \_\_\_\_\_?

\_\_\_\_\_ they make sure \_\_\_\_\_ was repaired \_\_\_\_\_ flood event?

\_\_\_\_\_ flooding, \_\_\_\_\_ the electrical \_\_\_\_\_ fixed?

Is \_\_\_\_\_ electrical \_\_\_\_\_ a previous flood?

Have \_\_\_\_\_ been examined and \_\_\_\_\_ after \_\_\_\_\_ previous \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ fixed after the \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ electrical \_\_\_\_\_ were done \_\_\_\_\_ previous flood.

\_\_\_\_\_ electrical equipment has \_\_\_\_\_ repaired \_\_\_\_\_ water-related issues.

\_\_\_\_\_ the \_\_\_\_\_ components that were \_\_\_\_\_ by \_\_\_\_\_ water \_\_\_\_\_ receive \_\_\_\_\_?

Do \_\_\_\_\_ equipment \_\_\_\_\_ to be inspected \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ all the electrical systems inspected \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ component evaluated \_\_\_\_\_ the \_\_\_\_\_ emergency?

Have \_\_\_\_\_ components been \_\_\_\_\_ since \_\_\_\_\_?

\_\_\_\_\_ true that every electrical \_\_\_\_\_ carefully inspected, \_\_\_\_\_ to be faulty, \_\_\_\_\_ of \_\_\_\_\_ from a water \_\_\_\_\_

\_\_\_\_\_ element \_\_\_\_\_ checked and repaired after \_\_\_\_\_ flooding episode?

Did \_\_\_\_\_ any damaged \_\_\_\_\_ systems that \_\_\_\_\_ caused \_\_\_\_\_ flooding?

They need \_\_\_\_\_ and repair electrical \_\_\_\_\_ after \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ sure \_\_\_\_\_ system was \_\_\_\_\_ previous flood damage?

The \_\_\_\_\_ were \_\_\_\_\_ scrutiny \_\_\_\_\_ floods.

\_\_\_\_\_ you make \_\_\_\_\_ that all the electronics \_\_\_\_\_ incidents?

Is \_\_\_\_\_ electrical equipment \_\_\_\_\_ and \_\_\_\_\_ after any \_\_\_\_\_?

Were \_\_\_\_\_ and restored \_\_\_\_\_ working order as a result \_\_\_\_\_ the \_\_\_\_\_?

After a \_\_\_\_\_ every \_\_\_\_\_ electrical element been checked \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ was checked \_\_\_\_\_ a \_\_\_\_\_ event.

Was \_\_\_\_\_ electrical system fixed \_\_\_\_\_ previous flooding \_\_\_\_\_?

They \_\_\_\_\_ checked \_\_\_\_\_ the electrical \_\_\_\_\_ after a \_\_\_\_\_.

Is there \_\_\_\_\_ or \_\_\_\_\_ electrical \_\_\_\_\_ by water before?

\_\_\_\_\_ wondered if all \_\_\_\_\_ systems were \_\_\_\_\_ flood.

Is \_\_\_\_\_ after \_\_\_\_\_ previous flooding event?

Did you make \_\_\_\_\_ every electrical \_\_\_\_\_ fixed in the \_\_\_\_\_?

\_\_\_\_\_ event is electrical \_\_\_\_\_?

Has all \_\_\_\_\_ been checked and \_\_\_\_\_ following \_\_\_\_\_ previous \_\_\_\_\_?

\_\_\_\_\_ inspect \_\_\_\_\_ electrics \_\_\_\_\_ had that wet disaster here?

\_\_\_\_\_ all the electrics \_\_\_\_\_ wet mess?

\_\_\_\_\_ the electrical mechanisms addressed \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ electrical system \_\_\_\_\_ inspected and \_\_\_\_\_ a \_\_\_\_\_?

Is \_\_\_\_\_ equipment \_\_\_\_\_ and repaired after \_\_\_\_\_ issues \_\_\_\_\_?

Have all electric \_\_\_\_\_ attention \_\_\_\_\_ the previous \_\_\_\_\_?

\_\_\_\_\_ electrical systems \_\_\_\_\_ be \_\_\_\_\_ and repaired after \_\_\_\_\_.

Were the \_\_\_\_\_ systems \_\_\_\_\_ checked and repaired \_\_\_\_\_?

\_\_\_\_\_ circuitries \_\_\_\_\_ assessed \_\_\_\_\_ repaired due to Floods?

The \_\_\_\_\_ after the previous \_\_\_\_\_.

Did you \_\_\_\_\_ electrical system was fixed in \_\_\_\_\_ flooding \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ anyone made \_\_\_\_\_ that \_\_\_\_\_ electrical systems \_\_\_\_\_ and repaired after \_\_\_\_\_?

All electrical \_\_\_\_\_ inspected and repaired after floods \_\_\_\_\_.

\_\_\_\_\_ part of \_\_\_\_\_ from \_\_\_\_\_ water-related issue earlier, \_\_\_\_\_ system \_\_\_\_\_ inspected and \_\_\_\_\_ if found \_\_\_\_\_.

\_\_\_\_\_ the electrical systems \_\_\_\_\_ an \_\_\_\_\_ the previous \_\_\_\_\_?

Did \_\_\_\_\_ electrical \_\_\_\_\_ go through \_\_\_\_\_ and \_\_\_\_\_ a previous \_\_\_\_\_ episode?

Did anyone \_\_\_\_\_ and fix all the \_\_\_\_\_?

\_\_\_\_\_ repair all electrical systems \_\_\_\_\_ the floods?

Do \_\_\_\_\_ systems have to \_\_\_\_\_ inspected \_\_\_\_\_ a \_\_\_\_\_?

The \_\_\_\_\_ systems \_\_\_\_\_ and \_\_\_\_\_ after the \_\_\_\_\_.

Was \_\_\_\_\_ electrical \_\_\_\_\_ repaired after \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ electrical system was checked \_\_\_\_\_ fixed \_\_\_\_\_ .

\_\_\_\_\_ were \_\_\_\_\_ repaired after the flood.

\_\_\_\_\_ floods, \_\_\_\_\_ electricity \_\_\_\_\_ checks go \_\_\_\_\_ ?

Did \_\_\_\_\_ repair and \_\_\_\_\_ that \_\_\_\_\_ by the \_\_\_\_\_ incident?

\_\_\_\_\_ all the electrical systems been \_\_\_\_\_ and \_\_\_\_\_ ?

\_\_\_\_\_ systems checked after \_\_\_\_\_ ?

\_\_\_\_\_ electrical system get checked \_\_\_\_\_ water \_\_\_\_\_ ?

\_\_\_\_\_ the electrical systems after \_\_\_\_\_ ?

Did you \_\_\_\_\_ and repair electrical \_\_\_\_\_ were \_\_\_\_\_ by \_\_\_\_\_ ?

The \_\_\_\_\_ systems \_\_\_\_\_ after \_\_\_\_\_ damage.

Did you \_\_\_\_\_ electrical \_\_\_\_\_ to \_\_\_\_\_ it was okay \_\_\_\_\_ the \_\_\_\_\_ ?

\_\_\_\_\_ true that every electrical \_\_\_\_\_ was carefully inspected and repaired \_\_\_\_\_ of \_\_\_\_\_ recovery from \_\_\_\_\_ ?

Since the prior flood \_\_\_\_\_ water event, \_\_\_\_\_ all \_\_\_\_\_ and \_\_\_\_\_ ?

\_\_\_\_\_ and \_\_\_\_\_ carried out to \_\_\_\_\_ systems \_\_\_\_\_ a flood.

Were electrical systems \_\_\_\_\_ floods?

Is \_\_\_\_\_ mechanisms properly addressed \_\_\_\_\_ ?

\_\_\_\_\_ anyone aware of the \_\_\_\_\_ were \_\_\_\_\_ examined and restored \_\_\_\_\_ floods/water \_\_\_\_\_ ?

\_\_\_\_\_ all \_\_\_\_\_ system \_\_\_\_\_ effectively after the \_\_\_\_\_ ?

Was the \_\_\_\_\_ electrical system \_\_\_\_\_ after \_\_\_\_\_ flood?

Does \_\_\_\_\_ due to the previous flooding?

Were \_\_\_\_\_ electrical \_\_\_\_\_ the water?

\_\_\_\_\_ were assessed and repaired due \_\_\_\_\_ previous floods?

\_\_\_\_\_ the \_\_\_\_\_ circuitries \_\_\_\_\_ be repaired due \_\_\_\_\_ previous flood?