[Demo] NLP Dataset for Customer Service Automation

Company Type	Internet Service Providers
Inquiry Category	Domain name and website hosting support
Inquiry Sub-Category	Website backup and restoration
Description	Offering guidance on backing up website files and databases, as well as assisting with restoring websites from backups in case of data loss or security breaches.
Data Size	5,039 paraphrases
Want to buy data?	Please contact nlp-data@qross.me via your business email address.

Masked sample paraphrases of one "Internet Service Provider" customer inquiry. (Purchased data will not be masked.)

What is _____ recommended _____ _____ _____ _____ _____ _____ minimal data loss during incidents?

In _____ of _____ how frequently _____ _____ backups _____ done?

_____ need to know _____ _____ website _____ are _____ to decrease _____ _____.

Should _____ backups _____ regularly _____ avoid major _____ _____?

_____ it _____ that website backups _____ less _____ once _____ _____ to _____ _____ loss during _____?

Ensuring _____ emergencies: how frequently should _____ _____ _____ _____?

_____ _____ backups _____ recommended often to decrease the _____ _____ data _____?

_____ often should we save _____ _____ our site so _____ _____ _____ _____ later?

_____ you _____ what optimal frequency is _____ back _____ _____?

Should _____ _____ backed _____ _____ to prevent data _____?

_____ _____ _____ about _____ vital _____ _____ my _____ what's the ideal backup frequency?

How frequently _____ I back _____ _____ _____ _____ case of _____?

_____ _____ must _____ be backed up to _____ _____ loss?

Should websites _____ _____ _____ frequently in order _____ _____ _____ _____ _____ in the _____ of an incident?

Should _____ backups be _____ frequently _____ _____ data _____?

_____ incidents _____ frequently _____ _____ be _____ up?

_____ want to know _____ I _____ backups _____ site frequently _____ _____ _____ of _____ incident.

What frequencies _____ _____ _____ when _____ _____ to back _____ my website _____?

How _____ should I _____ _____ _____ my website _____ is _____ lost?

_____ _____ _____ backed up _____ to make _____ there _____ minimal _____ loss?

Should websites be _____ up frequently to _____ sure _____ _____ _____ _____?

Website backups _____ _____ recommended _____ _____ _____ data loss.

_____ I backups _____ website _____ for minimum _____ if _____ _____ an _____?

_____ is the recommended _____ of _____ a website _____ to _____ backed _____ _____ an _____?

What _____ _____ _____ number of _____ websites need _____ be backed _____ _____ incidents?

How _____ should I _____ up my _____ _____ _____ _____ of an _____?

_____ many _____ backups should be _____ to _____ _____ data _____?

_____ _____ the _____ backup frequency _____ websites _____ prevent data _____?

How _____ must websites _____ backed _____ to _____ data _____?

_____ I _____ my _____ frequently in _____ of an _____?

_____ are the best backup _____ for _____ _____ ensure _____ data _____?

_____ is _____ _____ Website backups _____ be _____ so often _____ _____ data _____ during incidents.

_____ _____ are accidents, _____ often _____ _____ back _____ your website?

I would _____ _____ _____ if _____ should _____ my _____ _____ in the event _____ _____ accident.

Website backups should _____ _____ _____ _____ avoid data _____.

_____ _____ do you recommend _____ _____ up my _____ when disaster _____?

_____ it recommended _____ _____ backups _____ _____ _____ so _____ _____ minimal data loss during incidents?

_____ _____ _____ website backups occur _____ ensure _____ data loss?

_____ _____ _____ _____ _____ for website backups to ensure minimum data loss _____ _____?

How often _____ _____ _____ web backups to _____ data _____ going bye-bye _____ _____?

_____ _____ a suggestion on _____ often _____ should be _____ up _____ the _____ _____ an _____?

How _____ should websites _____ backed _____ in the event _____ _____ _____?

_____ _____ backups be _____ every _____ and _____ _____ avoid data losses?

_____ _____ how _____ website backups _____ _____ _____ decrease data loss.

How often should _____ backups be conducted _____ _____ _____ _____ is _____ data _____?

What are the recommended _____ of times _____ need _____ _____ backed _____ _____ a _____ _____?

How often _____ _____ website's content _____ preserved _____ limit _____?

_____ would like _____ know _____ _____ _____ _____ are _____ to decrease _____ data loss.

Do you _____ _____ ideal _____ _____ _____ websites?

_____ _____ are website backups advised _____ _____ of _____ loss?

How _____ do _____ _____ to stop _____ _____ bye-bye _____ emergencies?

_____ frequently should _____ backups _____ _____ disruptions?

When _____ go wrong, how _____ _____ _____ _____ the _____ on _____ site?

To assure little data _____ _____ disruptions, _____ _____ should _____ _____ occur?

What is _____ _____ schedule _____ _____ _____ the website?

Should website backups _____ repeated _____ _____ _____ data _____?

_____ backups _____ be every so often _____ _____ _____ data _____.

In _____ of _____ _____ _____ often _____ _____ backups be performed?

_____ _____ should website _____ be _____ minimal _____ loss?

_____ _____ are _____ _____ _____ _____ at certain _____ to prevent data loss.

To _____ losing data, _____ _____ _____ _____ _____ up my website?

How _____ should _____ _____ be advised _____ _____ data loss?

_____ reduce _____ losses, how frequently _____ _____ _____ backed up?

_____ _____ should website backups _____ to ensure _____ _____ loss during _____?

Website backups should _____ _____ _____ to _____ data _____.

_____ _____ _____ I _____ to _____ web _____ to keep data out _____ harms _____?

How often _____ _____ back up _____ website _____ there _____ _____ problem?

_____ _____ _____ to _____ backed up frequently _____ _____ to reduce data _____?

_____ minimize data _____ _____ _____ should backup a _____ frequently.

_____ are _____ frequencies _____ reducing _____ loss during website _____.

_____ _____ _____ _____ backups be _____ a minimal data loss _____ incidents.

Do you think _____ should _____ backed up _____ _____ _____ _____ data _____?

To minimize data _____ what _____ the recommended _____ of _____ _____ need to _____ _____ _____?

How frequently should _____ _____ _____ _____ _____ emergencies?

Website backups _____ _____ _____ at minimum _____ loss _____ incidents

_____ _____ recommended that website backups happen less _____ _____ _____ day in _____ to _____ _____ loss during _____.

How _____ should websites be backed _____ _____ _____ _____ _____ data loss _____?

_____ make no _____ loss _____ _____ is it _____ that _____ _____ _____ less than _____ a day?

____ is ____ suggestion ____ ____ ____ websites should be backed up in ____ ____ ____ ____ incident.

What ____ ____ recommended number ____ ____ websites ____ to be backed ____ ____ a ____ incident?

____ ____ should I back up ____ site ____ ____ it?

Is ____ ____ ____ ____ backup rate for ____?

What ____ ____ ____ of times ____ need to ____ ____ up ____ protect data?

____ ____ the optimal backup ____ for ____?

____ often do I ____ ____ do web ____ to ____ data ____ being ____?

Website ____ should ____ done every ____ ____ ____ ____ data loss.

____ am wondering ____ ____ ____ ____ ____ ____ in the event of an incident.

The ____ schedule ____ ____ ____ can help reduce information ____.

____ frequencies ____ be ____ for ____ data loss ____ ____ backups?

____ is ____ ____ ____ for ____ backups to reduce information ____?

In order ____ ____ data ____ ____ ____ the recommended ____ of times ____ ____ ____ backed up?

Should ____ backups ____ every so often ____ ____ ____ loss ____ incidents?

____ like ____ know if I ____ ____ ____ ____ regularly in ____ ____ of an incident.

____ often do ____ recommend ____ ____ your ____?

____ incidents, what is ____ best ____ ____ for ____.

Should ____ backups be ____ ____ frequently to ____ data ____?

____ ____ ____ website backups ____ ____ to make ____ no data ____ happens?

What are website ____ advised for ____ ____ incident-related ____ ____?

What ____ is recommended for ____ ____ loss ____ ____ backups?

____ ____ ____ backup Frequency if I really ____ about preserving vital ____ ____ ____ ____?

Is it ____ that website ____ be ____ every so often ____ ____ ____ ____?

For ____ ____ is ____ ____ backup frequency?

I ____ wondering how frequently ____ ____ ____ ____ ____ decrease data loss.

Is there ____ ____ ____ to how frequently ____ ____ ____ ____ up in the ____ ____ an event?

What is ____ ____ backup ____ ____ ____ to minimize ____ loss?

____ the ideal ____ frequency ____ I care about ____ ____ stuff ____ ____ site?

What is the ____ ____ recommended ____ websites ____ ____ data ____?

____ an ____ ____ should ____ have ____ backups on a ____ basis?

How often should ____ ____ ____ my ____ to ____ it ____?

____ you have ____ ____ for the number of times ____ ____ save web stuff so ____ ____ ____ ____ hairy ____?

____ ____ the recommended ____ of times websites ____ ____ be ____ ____ to minimize data ____?

How often should we save ____ ____ our site, ____ ____ ____ doesn't ____ ____ ____ later?

____ I ____ my website on ____ regular basis ____ ____ ____ damage?

____ incidents, how ____ should I ____ ____ my ____?

____ ____ ____ ____ back up my website in case ____ a ____?

Website ____ ____ ____ at ____ ____ loss during an incident.

____ you know what optimal ____ ____ to ____ ____ ____ and avoid data ____?

Website backups ____ ____ ____ periodically ____ minimize ____ loss.

What ____ ____ ____ backup ____ for ____ data ____ in the web?

____ ____ should ____ ____ ____ up to make ____ data isn't lost?

____ ____ ____ ____ for ____ backups to prevent data loss?

What ____ ____ ____ ____ ____ websites need to be backed up ____ ____ ____ minimize ____ loss?

____ ____ must ____ be backed up ____ ____ ____ chance of ____ losses?

____ ____ the recommended ____ ____ ____ ____ loss in web incidents?

How ____ should ____ ____ ____ for a small ____ loss ____ incidents?

____ ____ ____ ____ up websites to ____ significant data losses.

What is ____ ____ backup frequencies to ____ ____ ____ in ____ incidents?

____ ____ are recommended to minimize ____ loss during ____ ____?

Is _____ recommended for _____ _____ _____ _____ _____ _____ _____ for minimal data loss during incidents?

Website _____ _____ be _____ _____ data loss in the event _____ _____ .

_____ _____ should website _____ _____ for _____ minimal _____ loss from events?

How _____ do I need _____ _____ web _____ to _____ _____ from _____ bye-bye?

What's the recommended _____ _____ times _____ _____ to be _____ _____ during _____ potential _____ ?

How often _____ _____ website _____ be _____ _____ ensure minimal _____ loss?

Website backups should _____ _____ frequent _____ _____ _____ _____ data loss.

_____ data should _____ _____ by _____ _____ frequently.

_____ like to _____ _____ _____ should backups _____ site _____ in the _____ of _____ incident.

I _____ _____ do _____ _____ to _____ data _____ bye-bye _____ emergencies, how often?

_____ _____ should you back up _____ _____ _____ there _____ an incident?

_____ _____ _____ up your _____ often in case _____ incidents?

What _____ of _____ should website backups be _____ _____ _____ data _____ ?

_____ I _____ _____ _____ _____ _____ the _____ damage if an event occurs?

_____ _____ _____ _____ be backups in case _____ emergencies?

_____ the ideal _____ _____ _____ I really _____ _____ preserving vital _____ on _____ website?

_____ _____ should be _____ frequently _____ limit _____ loss.

Is _____ a recommendation _____ how _____ _____ should _____ backed _____ in case of _____ _____ ?

_____ websites _____ backed _____ frequently _____ reduce _____ data losses?

How frequently _____ _____ be _____ _____ to reduce _____ _____ _____ data losses?

Which backup frequencies _____ _____ used _____ minimize data _____ _____ web _____ ?

In order to minimize _____ _____ _____ are _____ recommended _____ of _____ websites should _____ _____ _____ ?

Website backups _____ be _____ often _____ _____ data _____ .

_____ often should websites be _____ up to _____ _____ _____ ?

What is _____ _____ backup frequencies _____ minimizing data loss _____ _____ _____ ?

The _____ frequencies _____ _____ _____ to minimize data loss _____ _____ .

Should I _____ _____ website _____ if _____ _____ ?

_____ best _____ _____ for websites ensure _____ _____ loss.

_____ _____ a _____ on how _____ _____ _____ be _____ _____ the event of an event?

How frequently are website _____ advised _____ _____ _____ _____ ?

_____ _____ incident occurs, _____ I backup _____ website _____ ?

_____ _____ should we save copies of _____ _____ _____ _____ the damage _____ _____ it later?

Website _____ _____ be _____ _____ _____ regular basis to _____ _____ data losses.

How frequently _____ website _____ be for a _____ _____ _____ .

_____ _____ _____ back up _____ and avoid data _____ what is _____ ?

If an _____ _____ _____ _____ backups my _____ frequently?

_____ I _____ _____ website regularly for _____ potential _____ ?

_____ there _____ suggestion _____ _____ _____ websites _____ be backed _____ in _____ event of _____ incident?

Website backups should _____ _____ _____ often for minimal _____ _____ .

_____ _____ backups _____ regularly recommended to _____ potential _____ loss?

_____ there's an _____ should I _____ _____ website _____ _____ regular basis?

_____ _____ the recommended _____ schedule _____ minimize data _____ in _____ incidents?

How often do _____ have _____ _____ _____ _____ _____ _____ the data safe?

If there _____ _____ _____ should my _____ _____ backed up _____ ?

_____ regularly are _____ backups _____ _____ _____ loss?

What are the _____ backup frequencies for _____ _____ _____ _____ _____ data _____ ?

_____ _____ advisable to minimize _____ _____ with website _____ ?

Website _____ should be done _____ _____ _____ basis _____ avoid data _____ .

How _____ _____ _____ _____ web _____ to stop _____ from going down _____ emergencies?

How frequently _____ _____ website _____ _____ ?

When ____ ____ website backups ____ minimize data ____ ____ emergencies?

I would like to know if ____ is a ____ ____ how ____ ____ ____ ____ ____ up ____ the event of ____ ____.

____ ____ is an incident, ____ I ____ my ____ ____ for minimum ____?

____ website ____ be done ____ to ____ data ____?

____ often ____ ____ save copies ____ our ____ so that damage ____ not affect ____ ____?

Website ____ should ____ less than ____ per ____ in ____ to prevent ____ loss ____ ____.

____ backups should ____ performed ____ ____ ____ minimal data loss ____ emergencies.

I am ____ if ____ ____ should ____ backups regularly ____ ____ ____ ____ an incident.

How ____ is ____ backups ____ to decrease ____ ____?

How frequently ____ websites have ____ ____ a ____ ____ loss from ____?

____ ____ ____ website backups ____ for data ____?

How should backup frequencies ____ ____ ____ minimize ____ loss in ____ ____?

What ____ ____ ____ ____ ____ backups of the site?

____ ____ ____ backed ____ ____ ____ make sure there ____ no data loss?

____ there ____ ____ on ____ ____ websites ____ be backed up to ensure ____ ____ ____ in the event ____ an ____?

If an ____ ____ should ____ ____ ____ website often?

____ there a ____ ____ ____ ____ websites should ____ ____ up in the ____ of an ____?

What should be ____ backup frequencies ____ ____ ____ ____ ____ loss?

____ there ____ an ____ should I ____ my website ____?

____ ____ event ____ ____ ____ backups my website frequently?

____ there ____ ____ of how ____ websites ____ be backed ____ ____ the event of ____ ____?

Is there ____ ____ ____ ____ often ____ back ____ websites in ____ event ____ an incident?

How ____ ____ ____ be ____ ____ make sure no data ____ lost?

How ____ ____ website backups be ____ ____ data ____?

How often ____ I ____ ____ ____ ____ stop ____ ____ being lost in emergencies?

How ____ ____ ____ ____ ____ ____ web backups to stop data from going ____?

Is ____ ____ ____ ____ ____ ____ ____ should be ____ up in the event of ____ incident?

____ ____ ____ ____ ____ emergency how frequently should website backups ____ performed?

____ ____ should ____ ____ frequently ____ assure little data loss.

Should ____ be ____ up frequently in ____ ____ ____ ____ losses?

____ you let me ____ ____ often ____ backups should ____ ____?

Does it ____ that Website ____ ____ every so ____ for ____ ____ ____ ____ incidents?

____ backups should be ____ ____ interval ____ ____ reduce potential ____.

How frequently ____ website ____ be ____ ____ data ____?

Do website ____ ____ regularly ____ avoid ____ ____?

____ ____ should a ____ backup be ____ in ____ of ____ emergency?

____ you believe that website backups ____ ____ ____ ____ ____ ____ minimal data loss?

____ ____ ____ website backups be ____ ____ ____ data loss from incidents?

____ ____ backups happen ____ ____ ____ prevent data losses?

____ you ____ how ____ ____ should backup a ____?

____ ____ the ____ backup frequency if I really care ____ preserving ____ data ____ ____ ____?

How frequently should ____ website ____ be ____ ____ minimal ____ ____?

Is there ____ recommendation ____ how often ____ ____ ____ ____ up?

How often ____ ____ backups ____ ____?

How often ____ website ____ occur ____ assure ____ ____ loss?

How ____ ____ ____ save our site ____ ____ that ____ doesn't affect ____ later?

Website backups ____ be ____ ____ often ____ minimal ____ loss ____ incidents.

How ____ times should ____ ____ be ____ ____ website backups?

Is ____ recommended ____ ____ ____ ____ often for minimal data ____?

How ____ should ____ be ____ in ____?

In ____ how ____ should ____ ____ ____ up?

____ ____ like to ____ ____ ____ website backups are ____ to decrease the ____ of ____ ____?

How ____ should ____ backups be for ____ ____ data ____?

Website ____ need ____ be every ____ ____ for ____ data ____ during ____.

Should ____ ____ ____ ____ frequently for the ____ ____ caused by an ____?

____ frequently should ____ ____ ____ conducted to ____ minimal data ____?

____ website ____ happen more frequently to ____ little ____ ____?

What is the ____ ____ ____ ____ ____ incidents?

How ____ ____ websites ____ backed up ____ ____ crisis?

____ often ____ we ____ copies of ____ site so that ____ ____ ____ ____ later?

____ there ____ ____ disaster, ____ often should ____ ____ be performed?

____ backups should ____ done ____ ____ ____ prevent data losses.

Data loss in web incidents ____ ____ reduced ____ ____ ____ backup ____.

In ____ to minimize ____ loss, ____ ____ ____ recommended ____ ____ times websites should ____ backed ____?

____ ____ ____ ____ backups on ____ ____ basis in case of an ____?

____ I ____ up ____ website ____ if ____ event happens?

What's ____ suggested ____ ____ for ____?

____ there ____ suggestion ____ how ____ ____ a ____ ____ be backed up in ____ event of ____ incident?

____ frequently ____ ____ be ____ up ____ protect data?

____ often ____ ____ ____ recommended for small data ____?

Should website backups ____ ____ ____ ____ ____ ____ avoid data losses?

Is it recommended ____ website ____ should be ____ ____ ____ ____ data ____?

How ____ ____ websites ____ ____ to make sure no ____ ____?

How frequently ____ a ____ ____ be done ____ case ____ an ____?

Website backups ____ regularly ____ ____ minimal ____ data ____.

____ ____ ____ be recommended for minimal incident-related ____ ____.

Website ____ should happen frequently ____ ____ ____ ____ loss.

____ an ____ occurs, should I back ____ my ____ ____?

____ ____ ____ be ____ at the recommended ____ ____ prevent ____ data loss.

____ often should ____ ____ backups for ____ data ____?

If ____ event ____ should ____ back ____ ____ website frequently?

____ many times should I ____ ____ ____ ____ ____ prevent losing?

How frequently ____ ____ be backed ____ to reduce the ____ ____ ____ ____?

Should ____ ____ ____ done ____ ____ prevent data losses during ____?

____ there ____ ____ ____ ____ websites should be backed up to ____ minimal data ____ in the ____ ____ ____ incident?

____ ____ be a ____ interval for ____ backups ____ reduce ____ damage.

How ____ should website backups be ____ ____ avoid ____ ____?

____ ____ ____ ____ be ____ up to make sure ____ ____ data loss?

____ ____ backup ____ for ____ to minimize data ____.

____ ____ ____ ____ save copies of ____ site so ____ damage ____ affect ____ in ____ future?

Website backups ____ happen less than ____ ____ ____ in order ____ ____ ____ data ____ ____ incidents.

____ I ____ about preserving vital ____ on ____ site, what's ____ ____ backup ____?

Website ____ ____ ____ ____ data loss, ____ often?

____ the event of ____ emergency, how ____ should website ____ ____ ____?

____ ____ to ____ if ____ is ____ ____ ____ ____ ____ websites should be ____ up in ____ event of an incident.

Optimal Frequency ____ ____ ____ websites and ____ ____ losses.

Is it recommended ____ ____ ____ be ____ often for ____ ____ loss?

In ____ to reduce data ____ ____ ____ should websites ____ ____ up?

Is it recommended ____ ____ data ____ ____ ____ with ____ backups?

How often should you ____ up ____ website ____ ____ ____?

How _____ _____ website _____ be _____ _____ minimal loss?

_____ _____ do _____ recommend for backups on _____ _____?

_____ _____ should website _____ be _____ _____ data?

How _____ are website backups _____ _____ decrease _____ _____?

_____ _____ are incidents, _____ often _____ you back _____ _____ website?

How _____ should _____ backups _____ for _____ data _____?

What _____ _____ recommended for _____ _____ to _____ minimal _____ loss _____ incidents?

_____ websites, what _____ _____ recommended _____ frequency?

_____ websites be _____ up frequently _____ _____ data _____?

_____ _____ should website backups be recommended to _____ _____ _____?

_____ I back up _____ website frequently to _____ _____ _____?

Website _____ _____ _____ minimum data _____ _____ incidents occur.

What frequencies should _____ use _____ _____ _____ _____ website information _____ case _____ disaster?

How _____ should website backups _____ done to _____ there _____ _____ _____ _____?

_____ _____ websites backup _____ data to _____ it from _____?

Should _____ backup _____ _____ _____ _____ minimum damage if there _____ _____ incident?

_____ _____ recommended _____ frequencies for _____ data loss _____ _____ incidents.

Does _____ make sense _____ website _____ _____ _____ _____ _____ often for minimal data _____ _____ incidents?

_____ frequently _____ _____ _____ _____ protected by website backups?

What _____ the recommended number _____ times _____ _____ _____ backed _____ _____ an incident?

_____ often should websites be _____ _____ _____ _____ of _____ incident?

Website backups _____ be regular for _____ _____ loss _____ _____.

How _____ should websites be _____ up in _____ to _____ _____ _____?

Should _____ _____ up your website _____ _____ _____ have incidents?

_____ an incident _____ should _____ backups _____ _____ on a _____ basis?

How _____ _____ websites be _____ _____ during _____ emergency?

_____ order _____ avoid _____ _____ _____ number _____ times should websites _____ backed up?

Do I _____ to _____ up my website _____ _____ prevent _____ _____?

_____ the ideal _____ frequency _____ I _____ care _____ _____ vital information _____ my _____?

_____ _____ _____ suggestion _____ how _____ _____ should be backed _____ to make _____ _____ is no data _____ in _____ event _____ an incident.

If _____ _____ _____ how _____ should _____ back _____ your website?

_____ you think _____ should _____ backed _____ _____?

_____ frequently _____ _____ backups be _____ a low _____ of _____ loss?

_____ backups are _____ frequently for minimal _____ _____ data _____.

_____ _____ your _____ _____ _____ _____ saving web _____ so it doesn't disappear _____ hairy situations?

If incidents _____ how _____ _____ you _____ up _____ website?

_____ website backups _____ _____ regularly _____ avoid data _____?

Website backups should _____ _____ advised _____ minimal _____ _____ data _____.

What _____ the _____ _____ frequency for _____ to _____ data _____?

Can you _____ me how often _____ _____ _____ _____?

_____ frequently _____ _____ save _____ _____ our _____ so that we don't _____ up _____ damage _____?

How frequently _____ _____ recommended _____ website _____ _____ prevent _____ loss?

What is _____ _____ _____ _____ _____ websites should be backed _____ during _____ incidents?

If _____ are incidents how _____ _____ you _____ _____ your _____?

What _____ _____ backup frequencies for websites to prevent _____ _____ _____ _____?

Is _____ recommended that data loss _____ minimized _____ _____ _____?

_____ _____ are _____ backups _____ _____ minimal incident related _____ loss?

_____ frequently _____ _____ backups be for _____ small data _____?

Website backups _____ minimize _____ _____ should _____ _____ _____ a regular basis.

How many _____ should _____ _____ _____ up to _____ data?

How _____ should _____ _____ _____ data _____ up?

I want to _____ _____ _____ _____ _____ recommended to _____ potential data _____.

_____ loss in _____ _____ can be minimized _____ the recommended _____ _____.

Do _____ think website _____ _____ be every _____ _____ _____ less data _____?

_____ often should _____ backups _____ to _____ _____ data loss?

How _____ _____ _____ backups my _____ _____ case of an _____?

What _____ _____ _____ backup frequency _____ websites _____ use?

For minimal _____ _____ _____ it _____ that Website _____ be every _____ _____?

_____ _____ _____ websites be _____ up to _____ _____ they don't lose any _____?

_____ _____ _____ my website frequently _____ there _____ an event?

What is the _____ schedule _____ _____ backups _____ reduce _____ _____?

_____ frequently _____ _____ backups be _____ little _____ _____ from incidents?

_____ _____ should websites _____ backed _____ _____ safeguard their data?

_____ is best _____ website backups _____ minimize data _____ _____ _____?

How often should _____ _____ _____ the _____?

What _____ should _____ _____ for reducing data loss during _____ _____ _____ _____?

Is there _____ _____ of how frequently websites should _____ _____ _____ in _____ event _____ _____ _____?

In _____ to save _____ _____ _____ the recommended number of _____ _____ _____ to _____ _____ up?

_____ _____ should _____ done _____ than once _____ day _____ order to make _____ _____ loss during _____.

How _____ _____ we save copies _____ our _____ so _____ the _____ doesn't _____ _____ later?

_____ _____ _____ _____ on backing _____ my site _____ _____ doesn't lose data?

_____ like _____ know how often website backups _____ _____ _____ _____ data loss.

_____ website backups _____ frequent to _____ _____ _____?

The _____ _____ _____ for _____ _____ loss in web incidents _____ unknown.

Maintaining the _____ possible risk _____ lost _____ is _____ _____ web _____ _____.

_____ _____ _____ emergency, how _____ should _____ back _____ my website?

_____ _____ should you _____ _____ _____ website if an event _____?

_____ _____ _____ my website _____ for _____ _____ in the _____ of an incident?

_____ limited _____ _____ during _____ _____ _____ the _____ backup Frequency for websites?

How _____ _____ _____ save copies _____ our site _____ that damage doesn't _____ _____ in the _____ _____?

_____ _____ _____ be frequent _____ minimal data loss _____ incidents.

If _____ _____ an incident, _____ there _____ website _____ on _____ regular _____?

_____ _____ should the data _____ protected by _____ _____?

Website backups should _____ _____ frequently _____ ensure _____ _____ data _____.

_____ _____ _____ be done frequently _____ reduce _____ loss during _____.

_____ _____ should we save _____ _____ our website _____ that _____ won't _____ damaged _____?

How frequently _____ _____ _____ backed _____ _____ disasters?

_____ _____ the _____ number of _____ _____ _____ to be backed up _____ a potential _____?

Website backups _____ be _____ a _____ amount of _____ so that _____ _____ _____ _____.

_____ you have a suggestion _____ how _____ _____ should be backed up _____ _____ _____ _____ _____ in the event _____ _____ incident?

How _____ should _____ _____ up _____ website if _____ _____ occurs?

Website backups _____ _____ in _____ _____ amount of time so _____ _____ _____ lose _____.

_____ I back _____ my website frequently _____ prevent _____ _____ _____ emergencies?

_____ _____ be _____ _____ backups for minimal data _____?

_____ backups _____ _____ frequently _____ _____ to assure little data _____.

Website _____ _____ _____ regular to prevent _____ losses _____ incidents.

What is the recommended _____ _____ _____ _____ _____ _____ in web incidents?

_____ there is _____ incident, _____ the website _____ be conducted _____ a _____ _____?

_____ you have _____ quota _____ how many _____ you _____ _____ web _____ _____ it doesn't _____ _____ hairy situations?

Is _____ _____ recommendation on _____ _____ websites should _____ _____ up _____ _____ _____ of an incident?

How _____ should websites _____ backed up to _____ _____ _____?

How frequently _____ website _____ _____ _____ _____ data loss during _____?

_____ _____ _____ website _____ be for no data _____ from _____?

What is the _____ backup _____ _____ data _____ _____ _____ incidents?

_____ is _____ Frequency to _____ _____ websites and _____ data _____?

_____ is an _____ _____ _____ _____ _____ websites and avoid data losses.

How _____ should _____ backups occur _____ assure _____ _____ loss?

Website backups _____ be _____ _____ regular intervals to _____ _____ _____.

How frequently _____ _____ backups be _____ ensure _____ _____ loss?

_____ _____ _____ _____ suggestion on how _____ _____ _____ _____ backed up in the event of an _____?

Is _____ _____ _____ _____ _____ be _____ so often for data loss?

_____ frequently should _____ _____ be _____ minimal dataloss from _____?

How often should we _____ _____ of our site _____ _____ the damage _____ _____ _____ _____ _____?

How frequently _____ websites be back _____ _____ _____ their _____?

_____ it recommended _____ have _____ _____ at minimum data _____?

Is _____ _____ _____ _____ _____ websites _____ to ensure minimal data loss?

_____ backups _____ be done _____ to _____ data _____ during _____.

_____ _____ be _____ up frequently _____ prevent _____ loss?

_____ you tell _____ _____ _____ website backups should _____ conducted?

The preferred schedule _____ website _____ _____ _____ information loss _____ _____.

_____ _____ _____ me how often website _____ should be _____?

Do websites _____ to _____ _____ _____ frequently to _____ data _____?

_____ minimum risk of lost _____ _____ _____ _____ _____ web backup frequency.

How _____ _____ _____ _____ _____ of _____ website so that _____ _____ affect it later?

What is _____ right backup _____ _____ _____?

_____ often _____ I _____ _____ my website _____ case _____ happens?

_____ frequencies are recommended _____ reduce _____ loss during _____ _____?

_____ _____ should website _____ _____ to minimize _____ loss?

I _____ wondering if I should _____ _____ _____ _____ _____ case of an _____.

_____ it proper _____ _____ _____ websites frequently in _____?

The _____ risk _____ lost data should _____ _____ recommended web _____ _____.

_____ _____ _____ loss _____ incidents, _____ is the _____ backup frequency _____ websites?

_____ frequently _____ _____ save copies _____ the site so that _____ _____ _____ damaged _____?

_____ _____ the recommended _____ of _____ websites should _____ _____ up _____ _____ of an incident?

_____ frequently _____ websites _____ backing _____ their _____?

_____ there _____ suggestion _____ how _____ websites should _____ _____ _____ _____ _____ minimal data loss _____ _____ event of an incident?

How often _____ _____ be backed up _____ _____ _____ _____ data _____ lost?

What is the _____ _____ frequencies for _____ _____ prevent _____ _____?

In case _____ _____ how many _____ backups _____ be _____?

_____ _____ _____ _____ _____ how often _____ website backups be done?

Does _____ _____ a _____ on how frequently _____ _____ be backed up in _____ _____ _____ an _____?

How frequently should we _____ _____ _____ our site _____ the _____ _____ _____ _____ later?

When an _____ _____ _____ _____ _____ my website frequently?

How often _____ _____ loss be _____ _____ _____ backups?

The _____ _____ for website _____ _____ prevent data _____.

_____ _____ _____ Website _____ be every _____ _____ for minimal data loss?

Should website _____ _____ regularly _____ _____ data _____?

Website _____ _____ be _____ frequently _____ order to _____ minimal _____ loss.

_____ _____ should happen frequently _____ _____ little _____ _____ during disruptions.

_____ there a _____ _____ how often _____ _____ be _____ up _____ _____ event of an _____?

_____ limited data loss _____ incidents, _____ _____ _____ best _____ frequencies for _____?

Is _____ optimal to back _____ websites to _____ _____ _____?

_____ _____ like _____ know _____ _____ _____ a suggestion on _____ frequently websites _____ _____ backed up _____ the event of _____ incident.

Should _____ backup my _____ _____ if _____ an _____?

_____ _____ _____ website backups be carried out _____ _____ minimal data _____?

Should I _____ up my _____ _____ in _____ of an _____ _____ _____ damage?

_____ _____ backup frequencies for websites _____ _____ there _____ _____ data loss during _____.

_____ _____ recommended _____ _____ _____ _____ be at minimum data loss?

If _____ _____ about preserving _____ shit on _____ _____ what's _____ optimal backup _____?

The _____ _____ of _____ _____ to reduce _____ loss?

_____ _____ the _____ _____ _____ _____ websites need to _____ backed up in order _____ minimize _____ loss?

How Often _____ website backups _____ _____ _____ minimal data _____?

If _____ _____ to _____ _____ loss, what is _____ _____ number of times websites _____ to _____ backed _____?

Do _____ have _____ suggestion _____ how frequently websites should _____ _____ _____ in case _____ _____ _____?

What _____ the _____ amount _____ times websites need _____ _____ _____ _____ during an _____?

Optimal _____ _____ _____ up websites and _____ _____ losses, what _____ that?

Can _____ ask _____ often _____ _____ are _____ _____ reduce _____ risk _____ data loss?

During _____ _____ _____ the best backup _____ for _____?

_____ _____ to prevent data losses, how often _____ _____ _____ backed _____?

_____ a potential incident, _____ number _____ _____ should websites _____ _____ up?

_____ _____ must I _____ _____ backups _____ _____ data _____ bye-bye in emergencies?

Should _____ _____ _____ my _____ frequently for _____ damage if _____ is _____ incident?

For _____ small _____ loss, how _____ are _____ backups _____?

What's _____ recommended backup _____ for websites _____ prevent _____ _____?

Is it _____ _____ suggest _____ _____ websites _____ be _____ _____ in the event _____ an _____?

There is a question about _____ _____ should _____ _____ _____ _____ _____ _____ data loss.

_____ case _____ emergencies, _____ often should I back _____ _____ _____.

_____ _____ like to _____ how _____ _____ backups _____ _____ to decrease data loss?

_____ often is it _____ _____ _____ _____ loss with _____ backups?

_____ many times _____ _____ _____ _____ be _____ _____ in order to minimize data _____?

Should _____ _____ _____ done frequently to decrease the _____ _____ _____ loss?

_____ frequently should we save _____ _____ our _____ so _____ _____ _____ get damaged?

How frequently should _____ _____ be _____ a _____ _____ from _____?

How _____ _____ website backups _____ _____ assure no data _____?

_____ it _____ good idea to back up _____ _____ _____ for _____ minimum _____?

What _____ your minimum Frequency quota _____ _____ web stuff _____ _____ _____ _____ _____ _____ hairy situations?

How _____ should _____ _____ _____ _____ a minimal data loss.

_____ often must websites be backed _____ _____ _____ _____ loss?

_____ _____ tell _____ about _____ often _____ _____ should be done?

_____ often _____ _____ back _____ _____ _____ in the event of _____ event?

_____ backups _____ cause _____ _____ _____ frequencies is recommended?

_____ _____ _____ be on a _____ basis to _____ _____ losses.

To assure _____ data loss _____ disruptions how _____ _____ _____ _____ occur?

_____ there is a disaster, _____ _____ _____ website backups _____ _____?

Do _____ _____ what the _____ backup _____ _____ for websites?

Is _____ _____ _____ _____ _____ my _____ _____ for the minimum _____ caused by an event?

_____ is _____ frequency to back _____ _____ and _____ data _____?

How often should _____ _____ copies _____ our _____ _____ _____ damage doesn't affect _____ _____?

_____ it _____ to _____ _____ _____ websites _____ be _____ up _____ the event _____ an incident?

How often _____ you _____ up _____ _____ if _____ _____ an accident?

If incidents occur ____ ____ should you ____ up ____ ____?

Does ____ make ____ ____ have website backups every ____ ____ for ____ ____ loss?

How frequently ____ ____ up ____ in ____?

____ ____ should ____ done ____ regular intervals to ____ data ____.

The ____ backup frequency ____ websites ____ to prevent ____ ____.

____ ____ ____ ____ done frequently for minimal data ____.

How frequently ____ ____ recommend ____ backups for ____ ____?

____ often ____ some ____ backups ____?

____ ____ ____ ____ website backups ____ done ____ so often ____ minimal data loss?

____ you tell me ____ ____ website ____ ____ recommended to decrease ____ data ____?

How often ____ ____ ____ ____ website if there ____ an ____?

____ is ____ ____ backup ____ for ____ ____ stop data loss?

How ____ should ____ ____ backups so I ____ ____ ____ website data?

Should I backup ____ ____ frequently to ____ sure it ____ ____ ____?

How often should we ____ ____ ____ our site so ____ ____ ____ affect it ____ ____?

How often should ____ ____ ____ my ____ ____ an incident?

Is ____ Optimal ____ ____ back up websites ____ ____ ____ losses?

____ ____ ____ website backups advised for ____ ____?

____ ____ backups be ____ so often ____ minimal data ____ ____ incidents?

____ order to ____ data loss, ____ ____ of ____ should ____ be ____ up?

I would ____ to ____ ____ I should backup ____ ____ ____ ____ the ____ ____ an incident.

____ backups should ____ ____ frequently ____ ____ data ____ during incidents.

____ frequently should the ____ ____ ____ for ____ small data ____?

Does it ____ ____ for Website ____ ____ ____ every so often for ____ ____ loss ____ ____?

____ often ____ we ____ copies of our ____ so that damage ____ ____ ____?

____ ____ of ____ should ____ ____ backed up during ____ incidents?

How frequently ____ ____ ____ backups ____ ____ minimum data loss?

____ ____ ____ we ____ copies of our ____ so ____ ____ ____ experience any damage later?

____ ____ like to know if I ____ ____ my ____ ____ in the event ____ ____ ____.

Is there a suggestion ____ ____ ____ websites should ____ ____ ____ in the ____ of ____ ____?

____ ____ backups ____ be done ____ ____ limit data loss.

____ case ____ emergency, how often ____ ____ back ____ ____ up?

Should ____ ____ be backed up frequently ____ the ____ ____ ____ by ____ event?

____ ____ Optimal Frequency to ____ up ____ and ____ ____ Losses.

Can ____ tell ____ ____ best ____ to ____ up our website in ____ ____ ____ ____ emergency?

____ ____ the ____ frequency to back up ____ ____ avoid ____ losses?

Website ____ ____ ____ minimal ____ in crises?

How ____ should website ____ be conducted ensuring ____ ____ ____?

How ____ ____ site ____ protect ____?

If ____ ____ occurs, should ____ backup my ____ ____ a regular ____?

How frequently ____ ____ back up ____ website in ____ ____ ____ incident?

In ____ ____ ____ possible ____ ____ how frequently must ____ be ____ up?

____ frequently should website ____ be ____ ____ ____?

____ ____ ____ ____ ____ quota for ____ web stuff so that ____ doesn't disappear ____ ____ situations?

Website backups ____ be ____ frequently ____ prevent ____ ____.

Is ____ a ____ ____ ____ ____ websites should be ____ ____ in the event of ____ ____?

____ make ____ data loss ____ ____ is it recommended ____ ____ backups ____ less than ____ ____ day?

____ backups ____ ____ every ____ often for little data ____.

How often should website ____ be ____ ____ ____ ____ from ____?

What ____ ____ ____ backup frequency ____ ____ to ____ data losses?

____ ____ ____ you ____ your website ____ there are incidents?

____ order to ____ ____ losses, ____ frequently ____ websites be backed ____?

____ it ____ that ____ backups ____ ____ every so often ____ ____ data loss?

What ____ ____ ____ ____ ____ backups to reduce information loss?

____ ____ ____ backed up frequently to make ____ ____ is no data loss ____ the event ____ ____ ____?

How often ____ ____ backups ____ ____ ensure ____ data loss?

____ ____ is website backups ____ ____ minimal ____ loss?

Do you ____ utmost ____ how ____ ____ site backups ____?

____ ____ ____ good ____ ____ ____ ____ backups regularly to avoid data losses?

____ ____ a Frequency of recommended ____ ____ to ____ data ____?

Should ____ backups ____ ____ ____ to prevent ____ losses?

What is ____ preferred ____ backup ____ to ____ ____ loss?

____ I ____ ____ my website ____ for ____ minimum ____ caused during ____ event?

How ____ should ____ ____ copies ____ the ____ ____ that ____ ____ affect it much later?

____ should ____ backups be scheduled to ____ ____ ____ in ____?

____ ____ ____ important ____ how often ____ I back up ____ website?

Does ____ make sense to ____ up ____ frequently ____ prevent ____ ____?

____ ____ should ____ be backed up ____ make sure ____ ____ ____ loss?

How many ____ ____ ____ ____ up my website to ____ ____?

If there ____ ____ ____ ____ often should ____ back up your ____?

____ ____ ____ suggested backup Frequency for websites ____ ____ data ____?

How often ____ ____ back ____ my ____ ____ protection?

How ____ ____ website backups ____ to ____ data ____?

What is the ____ ____ ____ ____ to reduce ____ loss?

Should a ____ be ____ up ____ to prevent ____ ____?

____ backups ____ be done on ____ regular ____ to ____ minimal ____ loss ____ ____.

____ often ____ websites backups be ____ a minimal ____ ____?

____ backups to ____ ____ ____ should be ____ frequently.

What's ____ ____ ____ ____ ____ my site so it doesn't lose ____?

Should website ____ be done ____ so ____ to ____ ____ ____?

____ ____ frequencies for website backups ____ ensure ____ data ____ ____ ____ ____ not known.

Should ____ backups ____ ____ ____ to ____ data losses?

How many ____ ____ websites ____ ____ up ____ a potential ____ ____ order ____ minimize data ____?

How often should website ____ be ____ in ____ ____ ____ an ____?

____ the ____ backup frequency ____ I ____ about preserving ____ stuff ____ my ____?

____ ____ ____ my website frequently for minimum ____ ____ an incident ____?

____ frequently ____ we ____ copies of our ____ ____ that ____ damage ____ affect it ____?

____ ____ ____ be at ____ ____ loss during occurrences.

____ ____ ____ frequencies for websites to reduce ____ ____.

Is ____ backups ____ be ____ so often ____ ____ data ____?

How often should ____ ____ ____ my ____ ____ ____ I don't ____ anything?

____ you ____ ____ how ____ a website ____ should ____ done?

____ ____ a ____ idea ____ conduct website ____ ____ ____ regular basis ____ case of ____ incident?

____ often should ____ ____ up my ____ ____ be safe?

How frequently should ____ ____ backed ____ in ____ ____ emergencies?

What ____ ____ website ____ be ____ a ____ data loss?

Is it advisable to ____ ____ website ____ ____ the ____ ____ caused?

In order ____ ____ data ____ ____ is ____ ____ number of times websites ____ ____ ____ up?

What is ____ frequencies ____ back up ____ ____ ____ ____ losses?

____ you ____ website backups should be ____ ____ ____ ____ of emergency?

In case of ____ ____ ____ back up ____ ____ often?

____ I backup ____ website ____ for ____ minimal ____?

____ ____ should ____ backups be, ____ ensure minimum data ____?

____ frequently ____ I do web backups ____ stop data ____ ____ ____?

How often ____ ____ ____ web backups to ____ ____ ____ going bye-bye?

What ____ you recommend ____ back ____ my site to ____ ____ ____?

Website backups ____ ____ ____ ____ ____ avoid data losses.

How ____ should ____ back ____ ____ ____ when something happens?

____ backups ____ ____ done regularly ____ keep ____ safe.

____ wonder how frequently ____ backups ____ ____ ____ ____ data loss.

____ ____ ____ be made ____ to avoid major data ____?

____ ____ ____ up your website frequently ____ there ____ an ____?

____ order to ____ data ____ what ____ of times ____ ____ be backed ____?

How ____ should we ____ ____ of our ____ so ____ damage ____ ____ it much ____?

Website backups should be ____ ____ ____ order ____ ____ ____ losses.

____ I backups ____ ____ frequently for ____ damage due to ____ ____?

Should ____ back up ____ ____ ____ ____ ____ it from damage?

____ ____ ____ should ____ ____ backed up ____ ____ sure no data loss happens?

How ____ should ____ be ____ ____ ____ backups.

Is ____ ____ ____ website backups ____ every ____ often ____ minimal ____ loss?

____ ____ optimal backup frequency ____ ____?

Is ____ a ____ backup ____ for ____?

____ ____ want websites to ____ back up ____ ____ emergencies?

websites backups ____ be used ____ protect ____ ____ ____

____ there any suggestion on how ____ ____ ____ ____ ____ up in ____ ____ an incident?

How ____ a ____ ____ ____ suggested?

____ I ____ about preserving ____ stuff ____ my site, ____ ____ ____ backup frequency?

____ ____ possible ____ of lost ____ ____ be ensured ____ recommended ____ backup frequencies.

There ____ ____ ____ frequencies ____ reducing data ____ ____ web incidents.

What ____ ____ recommended ____ avoiding ____ loss during ____ backups?

How ____ should websites ____ ____ ____ ____ emergencies?

____ prevent ____ ____ ____ ____ ____ is ____ recommended backup frequencies for websites?

____ ____ should websites be back ____ during ____ ____?

Can you tell ____ how often website ____ ____ ____ ____ ____ the ____ of data ____?

____ ____ ____ frequencies ____ ____ are to prevent data loss.

____ ____ ____ often website ____ ____ recommended to prevent ____ loss.

____ ____ backups ____ on a regular ____ ____ prevent ____ losses?

Do you ____ ____ recommended frequencies ____ reducing ____ loss during ____ ____?

____ ____ the ____ frequencies ____ for ____ loss in web ____?

____ there a ____ ____ frequency for ____?

Optimal frequency ____ ____ up websites ____ avoid ____ ____?

____ often should ____ website backup be conducted ____ ____ ____ ____ loss?

____ ____ should ____ ____ backed ____ in emergencies?

If I ____ about ____ vital ____ on ____ site, ____ ____ ____ backup frequency?

____ is ____ ____ schedule of website ____ ____ avoid ____ loss?

Do ____ need ____ backup ____ ____ frequently ____ an ____ occurs?

____ ____ ____ ____ recommended to ____ data ____ during website backups?

What is ____ number of ____ ____ ____ be ____ ____ during potential ____?

Web backups to ____ data ____ bye-bye in ____ ____ ____?

____ ____ ____ ____ done on ____ ____ basis to avoid major data ____?

_____ frequently is the _____ _____ _____ _____ ensure minimal _____ loss?

How frequently should _____ _____ _____ _____ _____ emergencies?

_____ often _____ _____ be backed _____ to _____ the _____ safe?

Do you think website _____ _____ _____ every _____ _____ _____ _____ data loss _____ incidents?

_____ _____ the recommended amount of _____ _____ need _____ _____ back _____ during _____ incident?

_____ backups _____ limit data _____ should _____ _____ periodically.

How _____ _____ website _____ be _____ a _____ amount of data _____?

_____ _____ the _____ number _____ times a website _____ be _____ _____ _____ an incident?

_____ frequencies _____ _____ _____ protecting data during website _____?

Which _____ frequencies _____ _____ _____ _____ data loss in web _____?

_____ _____ should _____ used _____ protect _____ during incidences

_____ it _____ _____ _____ _____ regular _____ for minimal data loss?

To _____ minimal _____ _____ during _____ _____ _____ the recommended frequency for _____ backups?

Website backups _____ _____ _____ be _____ at _____ frequencies to prevent _____ _____.

May I _____ _____ _____ backups are _____ to _____ _____ loss?

Should _____ _____ _____ my _____ _____ in order to prevent _____ loss?

_____ _____ do I have _____ do _____ backups to _____ data _____ going _____?

_____ _____ do _____ recommend backups _____ _____ data?

_____ website _____ occur _____ to _____ _____ _____ loss during disruptions?

How _____ _____ _____ _____ backups so that my website data _____ _____?

For _____ data _____ how frequently _____ website _____ _____?

What _____ the _____ _____ of times _____ need _____ be _____ up in order _____ _____ data _____?

How _____ _____ website backups be _____ to _____ _____ loss?

If _____ _____ about _____ vital stuff on _____ site, what's _____ _____ _____ frequencies?

How often _____ you _____ up _____ _____ _____ case of an _____?

What is _____ _____ _____ _____ for _____ data loss _____ the web?

How often _____ website backups _____ _____ _____ _____ the _____ _____ data loss?

How often should _____ _____ _____ to _____ their _____?

_____ backups _____ be frequently _____ minimal _____ _____.

_____ _____ do I _____ _____ _____ _____ backups to save data?

Do _____ _____ how often _____ website should _____ _____?

_____ is the _____ _____ frequencies for _____ _____ loss in _____ incidents?

_____ an _____ takes place, _____ _____ _____ my website frequently?

Should _____ be _____ _____ to _____ _____ losses?

How frequently _____ data be _____ _____ _____ _____?

_____ an incident occurs, _____ I _____ _____ _____ _____ _____ a regular basis?

I _____ _____ _____ _____ _____ a _____ on how _____ websites should _____ backed _____ in the event _____ an incident.

Is it recommended _____ _____ _____ to be _____ _____ often for _____ data _____?

_____ is _____ _____ _____ times _____ _____ to be backed _____ during _____ potential incident?

To _____ _____ loss during website _____ what frequencies _____ _____?

_____ websites _____ _____ _____ backed _____ frequently to reduce _____ losses?

How _____ _____ we _____ copies of _____ site _____ that _____ _____ impact it?

What is _____ _____ number _____ times _____ should _____ backed _____ _____ _____ their data?

Will I _____ how _____ website _____ _____ recommended _____ decrease data _____?

_____ frequencies should I _____ _____ _____ _____ my website _____ _____ disaster strikes?

_____ it _____ _____ backup _____ _____ frequently for _____ minimum damage?

Do _____ think websites should _____ _____ every _____ often for _____ _____ _____?

How _____ _____ we _____ _____ of _____ site so _____ _____ won't affect _____ later?

Website _____ _____ be every _____ _____ _____ a minimal _____ _____ during incidents.

_____ I care about _____ vital _____ on _____ _____ _____ is _____ best _____ frequency?

_____ frequently should _____ _____ protect _____?

Should _____ _____ occur _____ _____ order to avoid data _____?

How _____ _____ websites be _____ up _____ _____ the data?

_____ _____ should be _____ frequently to prevent _____ data _____.

Do _____ recommend _____ _____ save _____ _____ _____ site _____ _____ damage doesn't _____ it much later?

_____ often should _____ _____ _____ _____ to ensure _____ data _____ during incidents?

In _____ of _____ how frequently should _____ backups _____ _____?

_____ _____ _____ _____ in incidents, what _____ the best schedule _____ _____ backups?

_____ website _____ be _____ frequently _____ _____ data loss?

How _____ should I use _____ _____ _____ _____ my _____ data _____ disappear?

How frequently should you _____ up _____ _____ if _____ is _____ _____?

_____ frequently should website backups occur _____ order _____ _____ little _____ _____?

_____ recommended _____ for _____ backups are _____ ensure minimum _____ _____ during _____.

Website _____ should _____ frequent _____ order _____ _____ little _____ _____ during disruptions.

_____ _____ advisable to _____ a website _____?

_____ you _____ _____ know how _____ _____ backups _____ be done?

_____ _____ is _____ emergency, how _____ should website backups _____ _____?

How _____ should we _____ copies _____ _____ website so that it _____ _____ _____ _____?

How frequently should _____ be _____ _____ _____ avoid _____ loss?

If _____ _____ _____ should I conduct _____ _____ on a _____ basis?

I _____ how often _____ _____ _____ recommended to reduce _____ _____?

_____ _____ should website _____ _____ _____ in case of emergency?

To _____ data loss, _____ is _____ recommended _____ _____ _____ websites?

How _____ should _____ site backup _____ _____?

_____ _____ wise to backup my website _____ _____ _____ minimum _____ caused _____ an _____?

_____ _____ backups _____ _____ often _____ case of emergencies?

If _____ _____ occurs, should _____ have website _____ on a _____ _____?

How _____ _____ websites _____ backed up to _____ _____ data _____?

_____ backups should be frequently _____ _____ _____ _____ data loss.

_____ _____ _____ _____ idea to _____ up _____ frequently in emergencies?

_____ _____ are backups _____ _____ sites?

Data _____ _____ _____ incidents can _____ mitigated _____ the recommended _____ frequencies.

_____ often are _____ backups _____ _____ protect _____?

_____ _____ _____ about _____ vital _____ on _____ site, what's the ideal backup _____?

_____ it recommended _____ _____ _____ _____ website _____ for the minimum damage?

How _____ should we _____ copies of _____ site so that _____ _____ won't _____ _____ _____?

_____ it recommended _____ _____ backups happen less than _____ _____ day _____ _____ _____ data loss _____ incidents?

I _____ like _____ know how frequently website backups _____ recommended _____ _____ _____ _____.

_____ you _____ to _____ data _____ in web _____ _____ is the _____ backup _____?

_____ _____ recommended that website _____ be _____ for _____ _____ loss?

_____ many times _____ _____ be backed up _____ make _____ _____ _____ loss?

_____ _____ should websites be backups _____ minimal _____ _____?

_____ is _____ recommended backup _____ for _____ data loss _____ _____ web?

Website _____ _____ be every _____ _____ _____ minimal _____ loss during accidents.

What _____ the recommended _____ for _____ to prevent _____ _____ _____ incidents?

_____ there _____ an _____ should _____ _____ website _____ on a _____ basis?

_____ _____ like _____ know how _____ website backups are _____ _____ _____ data losses.

_____ backups _____ be recommended for minimal _____ _____ _____ loss.

What is _____ recommended _____ schedule _____ websites to _____ significant _____ _____?

How often _____ _____ _____ be done to _____ _____ data _____?

_____ case of _____ _____ frequently should a _____ _____ be _____?

_____ _____ should _____ back up _____ _____ if _____ are incidents?

Should _____ _____ up _____ _____ _____ to _____ data loss _____ an emergency?

_____ often _____ the _____ _____ suggested?

_____ backups should _____ regularly advised _____ _____ _____ loss.

How often must _____ be _____ _____ _____ order to _____ _____ data _____?

To _____ _____ loss, how frequently _____ _____ be _____ up?

How often should _____ _____ _____ _____ _____ ensure there _____ minimal _____ loss?

_____ _____ _____ the website backups be _____ _____ minimal _____ loss?

How frequently are _____ backups recommended for _____ _____ _____ _____?

_____ backups should _____ _____ so _____ _____ minimal _____ losses during incidents.

_____ frequencies _____ be used _____ minimize data _____ _____ website _____?

How _____ _____ _____ _____ up your website when there _____ _____ problem?

_____ do you recommend that _____ back _____ _____ _____ _____ _____ data loss?

What are _____ _____ number _____ _____ websites _____ _____ _____ backed _____ during potential incidents?

_____ small data _____ how _____ _____ website _____ advised?

It _____ _____ _____ to _____ website _____ _____ a _____ amount of time to _____ data _____.

How often should _____ be backed _____ _____ keep _____ _____ _____?

If there _____ an incident, should _____ _____ _____ backups _____ _____ _____ basis?

_____ _____ should _____ _____ so often _____ order to _____ minimal data _____.

_____ _____ _____ to back _____ _____ frequently _____ prevent data loss?

What _____ _____ recommended number of times _____ _____ be _____ _____ during potential _____?

How many _____ _____ I back up _____ _____ to _____ _____?

Should I _____ my website _____ a regular _____ _____ _____ _____?

How _____ should we _____ _____ of _____ _____ so _____ _____ won't be affected _____ _____ later?

_____ there _____ _____ disaster, how often should _____ _____ up _____ website?

The recommended _____ for _____ backups _____ _____ minimal _____ _____ during incidents are _____.

_____ _____ should website backups be for a _____ _____ _____?

Should _____ _____ _____ _____ _____ to avoid data losses?

Can you _____ _____ how _____ the _____ _____ should _____ conducted?

_____ _____ should _____ minimum data _____ incidents.

How often should _____ backups _____ to _____ sure _____ _____ loss _____?

Should _____ conduct _____ _____ _____ a regular _____ _____ _____ of an incident?

_____ often _____ website backups _____ _____ guaranteeing minimal data _____?

_____ website _____ _____ recommended _____ often to _____ data loss?

_____ _____ _____ websites be backups to _____ little data _____?

The preferred _____ of _____ backups _____ reduce _____ _____ in _____?

What _____ the _____ backup _____ _____ avoiding data loss _____ _____ incidents?

_____ frequencies _____ back up websites _____ _____ data _____.

_____ _____ should _____ backups happen to assure _____ _____ loss?

How _____ should _____ _____ backed _____ to keep _____ losing _____?

_____ _____ backups be recommended to _____ _____ loss when _____ events _____?

Is _____ a suggestion on _____ frequently websites _____ _____ _____ _____ _____ the event _____ an _____.

_____ is a suggestion _____ how frequently _____ _____ _____ _____ _____ to _____ _____ no data is lost.

_____ often should websites _____ backed up _____ maintain _____ _____ _____?

_____ recommended backup frequencies are used _____ _____ _____ loss _____ web _____.

I _____ _____ to _____ _____ I should _____ my _____ _____ in _____ _____ of an event.

_____ many _____ should _____ be backed up _____ _____ their _____?

_____ _____ _____ suggestion _____ how frequently websites _____ _____ backed up to prevent _____ _____?

What frequencies _____ _____ _____ to minimize data _____ _____ website _____?

____ ____ backups ____ ____ ____ ____ avoid data losses during incidents?

____ ____ ____ ____ to back ____ websites frequently ____ prevent major data ____?

Website backups ____ have minimum ____ ____ ____ ____

____ backups ____ usually ____ every ____ often ____ minimal ____ loss during ____.

Will website ____ be recommended ____ ____ ____ ____ amidst ____ events?

Should websites ____ ____ ____ ____ in emergency?

____ a ____ on ____ frequently websites should ____ ____ up in the event ____ ____ ____.

Is there a ____ on ____ ____ ____ should be ____?

____ backups should ____ ____ ____ now ____ ____ to limit data loss.

Is it ____ to have ____ backups ____ so ____ ____ minimal ____ ____?

____ often ____ ____ be backed ____ in ____ ____ reduce potential ____ losses?

Is it recommended ____ websites have ____ every so ____ ____ ____ ____ ____?

When ____ ____ what ____ ____ used ____ back up my ____ info?

Data loss should ____ ____ ____ website backups ____ ____.

Website ____ ____ ____ ____ regularly to avoid major ____ losses.

____ many times ____ ____ ____ up your website ____ there is ____ ____?

How ____ must ____ be backed up ____ keep ____ ____?

____ ____ to ____ data losses, ____ ____ should websites be ____ up?

____ ____ the ideal ____ ____ if ____ care about ____ ____ stuff ____ my website?

____ backups ____ be ____ ____ to minimize ____ ____ in incidents.

____ is ____ ____ ____ frequency for a ____?

____ ____ ____ a website ____ backups?

How ____ ____ website ____ ____ for a minimal ____?

____ ____ ____ ____ data can be mitigated by recommended web ____ ____.

____ ____ should ____ backups ____ advised ____ data loss?

In order ____ save data, how ____ ____ websites ____ ____ ____?

Data loss ____ ____ ____ can be ____ with ____ recommended backup ____.

It was suggested ____ ____ backups ____ ____ minimum data ____ ____ incidents.

If an event ____ ____ ____ ____ be ____ frequently?

In ____ ____ ____ ____ loss, what is ____ ____ number of times ____ ____ ____ be backed up?

____ ____ ____ we ____ copies ____ ____ site so ____ it won't be damaged ____?

If an ____ ____ should I back ____ ____ ____ regularly?

____ I back up my website frequently ____ ____ minimum ____ ____ ____?

____ often should I back ____ ____ website to make ____ ____ don't ____ ____?

____ you know how ____ ____ should ____ their ____?

Is there a ____ ____ ____ ____ ____ web-based incident risks?

____ ____ should website backups be ____ in ____ ____ an ____?

____ websites ____ ____ ____ backed up ____ ____ avoid data loss?

____ backup frequencies ____ ____ ____ ____ data loss in web ____?

How ____ ____ ____ ____ protect data?

Is ____ ____ ____ as ____ ____ frequently ____ ____ be backed up to ____ ____ data loss?

____ the website ____ regular ____ ____ avoid ____ losses?

In ____ of ____ emergency, ____ many times ____ I back ____ ____ ____?

how ____ ____ website backups ____ for a ____ ____ loss?

How ____ ____ you ____ ____ your ____ ____ things go wrong?

What is the number of ____ ____ ____ to ____ ____ ____ ____ ____ their data?

When ____ ____ websites to ____ data ____ ____ emergencies?

Is it ____ ____ ____ data ____ ____ incidents with website ____?

How ____ should ____ website backups ____ ____ ____?

____ the ____ ____ ____ emergency, how often ____ ____ ____ up my website?

How _____ do _____ do _____ _____ _____ stop data from going _____?

Should I _____ up _____ _____ often for _____ minimum damage caused _____ _____ _____?

_____ often _____ website backups be _____ make _____ minimal _____ _____ occurs?

What _____ the ideal _____ _____ _____ _____ really care _____ preserving vital _____ on my _____?

How _____ _____ _____ backupsadvised _____ minimal _____ loss?

_____ the website _____ _____ _____ a _____ basis if _____ is an _____?

_____ _____ a _____ idea _____ _____ _____ website frequently _____ case of an event?

_____ backups should _____ done _____ _____ reduce data _____.

_____ _____ of _____ _____ often _____ you _____ up your website?

_____ there _____ _____ _____ how often websites should _____ backed _____ in the _____ _____ an _____?

_____ _____ should be _____ frequently to ensure minimal _____ _____.

_____ frequently should _____ _____ be for _____ _____ loss?

What _____ _____ _____ backup _____ if I _____ _____ _____ _____ crap on my site?

_____ _____ should _____ _____ be backed up _____ there is an _____?

_____ often should websites be _____ up _____ _____ _____ loss?

How often should website _____ _____ _____ to prevent _____ _____ during _____?

_____ _____ should I use _____ to keep _____ website _____ _____?

_____ would _____ _____ to keep website _____ _____ _____ safe _____ of time so _____ don't _____ data.

_____ often should I _____ _____ _____ _____ _____ prevent data loss?

_____ there is an _____ should _____ _____ my website _____?

What is the recommended backup _____ _____ _____ _____ _____ _____ data?

_____ _____ are advised _____ _____ _____ incident related data loss.

How _____ _____ website _____ _____ to make _____ no _____ loss occurs?

_____ _____ the recommended _____ schedule for websites _____ _____ data?

_____ _____ rate for _____ _____ during crises?

_____ there any _____ on how _____ _____ should _____ _____ up in _____ event _____ an _____?

How often should websites _____ _____ _____ case _____ _____?

_____ frequently should websites _____ _____ up _____ _____?

_____ wonder _____ frequently website backups _____ recommended _____ decrease _____ _____ loss?

What is _____ backup _____ for _____ data loss _____ _____ _____?

_____ often should _____ _____ up _____ website during times _____ _____?

_____ _____ should be done every _____ and _____ _____ minimize data _____.

_____ _____ should I _____ up _____ website for _____?

What are _____ _____ _____ _____ _____ data loss _____ website backups?

How _____ should we _____ _____ _____ our _____ _____ _____ there _____ much damage later?

In order _____ avoid data _____ _____ _____ _____ websites be _____ up?

How _____ should website backups be _____ _____ _____ _____ _____ no data _____?

Do I need _____ backups my _____ _____ _____ _____ minimum _____?

What _____ _____ _____ _____ backups _____ web incidents?

_____ there is an _____ should _____ make a _____ _____ _____ _____ regular basis?

_____ often _____ _____ backups advised _____ small _____ loss?

_____ _____ have to back up my _____ frequently _____ _____ _____ loss?

_____ _____ _____ _____ performed frequently in the _____ of _____ emergency?

Is _____ a good idea _____ back _____ _____ website frequently _____ the _____ _____ _____ _____ an event?

_____ _____ _____ how often website _____ are recommended _____ _____ data loss.

Should _____ backup _____ _____ _____ in case of _____ _____ that _____ damage?

_____ there are _____ how often _____ you backups _____ _____?

_____ _____ _____ risk of _____ _____ _____ ensured by recommended web _____ frequencies.

In _____ _____ minimize data loss, what should _____ _____ of _____ _____ be _____ up _____?

To _____ the possibility _____ _____ _____ how frequently _____ _____ _____ backed up?

I ____ ____ to ____ if I should back up ____ ____ frequently ____ ____ ____ of ____ incident.

____ there ____ suggestion on ____ often websites ____ ____ ____ ____ to prevent data ____?

____ backups ____ ____ have ____ much data loss during ____.

Website ____ ____ be done ____ to ____ ____ there are ____ major data ____.

____ backups ____ ideally happen ____ ____ assure little ____ loss.

____ you ____ ____ backups should ____ every so often ____ ____ loss?

Should ____ ____ up ____ website ____ ____ the best protection?

____ ____ ____ be done frequently in ____ ____ emergency?

____ frequencies ____ ____ ____ ____ ____ my website information in ____ ____ of a disaster?

Website backups should ____ periodically ____ for ____ ____ ____.

____ preferred ____ of website backups to ____ ____ ____.

There is a ____ ____ ____ website backups ____ ____ ____ loss.

____ ____ ____ you backups your website ____ the event of ____ ____?

____ ____ are incidents, how ____ times ____ you back ____ ____ website?

The suggested ____ frequencies ____ ____ ____ ____ prevent ____ data loss.

If ____ ____ to ____ ____ stuff on my ____ ____ the ideal backup ____?

Should ____ ____ ____ ____ ____ to ensure minimal data ____ in ____ event ____ an incident?

____ ____ should website ____ ____ done ____ ____ ____ ____ minimal data loss during incidents?

How ____ ____ I make ____ ____ keep my ____ data ____?

____ ____ times ____ websites be backed up ____ ____ there is ____ ____ loss?

Website backups ____ be ____ ____ to avoid ____ data ____ ____ incidents.

____ it ____ that ____ backups be every ____ often ____ ____ ____ loss?

Will ____ ____ a ____ ____ ____ ____ websites should be backed up ____ the ____ of ____ incident?

How often do ____ do ____ ____ ____ ____ the data from ____ ____?

____ ____ should I ____ up my ____ ____ protect myself?

What ____ the backup ____ ____ websites ____ to ____ ____ loss?

How ____ ____ ____ backups occur ____ protect ____?

If there is ____ ____ ____ ____ make a ____ ____ ____ a regular basis?

Should ____ ____ ____ ____ frequently to ____ ____ data ____ in ____ event of an event?

____ ____ ____ ____ ____ ____ incidents, what is the recommended backup frequency?

Will website backups ____ ____ ____ decrease ____ ____ if ____ ____ unforeseen events?

Website ____ should ____ ____ data ____ when there ____ an ____.

____ disaster strikes, what should ____ ____ ____ for backing ____ ____ website?

____ often should websites ____ backed up to ____ ____ ____ of ____ ____?

When ____ strikes, ____ ____ should I back ____ ____ website info ____?

____ often are ____ ____ for site ____?

How frequently ____ website backups ____ ____ ____ minimal ____ loss?

What are the recommended ____ for ____ ____ ____ prevent ____ data ____?

____ ____ should a website's backups be ____ a ____ ____ ____?

____ ____ a ____ ____ how frequently websites should ____ ____ up ____ ____ event ____ a disaster?

____ ____ ____ best schedule ____ website backups for reducing ____ ____?

____ ____ strikes, what frequencies are used ____ ____ ____ my website ____?

Website backups ____ ____ ____ at ____ intervals to ____ ____ data losses.

Should ____ ____ ____ ____ ____ for the minimum damage caused if ____ is ____ ____?

In ____ of ____ ____ frequently should website ____ ____ done?

How ____ ____ data ____ be minimized during ____ ____?

The ____ ____ frequencies are ____ ____ ____ loss on websites.

The preferred ____ ____ ____ ____ to reduce ____ loss in incidents ____ not ____.

____ ____ the ____ ____ of times websites need ____ ____ backed up ____ possible ____?

____ you ____ ____ often ____ ____ are recommended to ____ potential data ____?

Website ____ ____ to be at minimum ____ ____ ____ incidents.

If there ____ an ____ should I ____ ____ website ____ .

How ____ ____ website ____ ____ ____ less data ____ from incidents?

____ I ____ my ____ ____ if an ____ occurs?

How ____ ____ ____ ____ backed up ____ protect the data?

How ____ should ____ ____ be ____ ____ prevent data loss?

How often ____ websites ____ backups to ____ ____ ____ loss?

____ ____ best ____ frequencies ____ I ____ care ____ ____ ____ stuff on my site?

To minimize data loss, ____ ____ ____ ____ number of times websites ____ ____ ____ ____ up?

How ____ should website backups ____ ____ ____ small data ____?

Website ____ ____ be done on a regular ____ ____ limit ____ ____ .

____ case ____ ____ how frequently ____ website backups be ____ .

____ ____ ____ how often you should ____ ____ your website?

Is ____ a good ____ ____ ____ ____ website ____ for the lowest ____ caused by ____ ____?

What is ____ recommended ____ ____ ____ websites need ____ ____ ____ up ____ a potential incident?

____ ____ ____ be ____ minimum ____ loss in incidents.

How ____ ____ you back ____ ____ website in case ____ ____?

Is there ____ suggestion on how ____ ____ ____ ____ backed up ____ ensure ____ ____ data ____?

Website ____ ____ maintain ____ data ____ ____ incidents.

Is ____ a ____ ____ how ____ websites ____ be ____ ____ to ensure minimal data ____?

What ____ ____ ____ backup ____ ____ data loss ____ web incidents?

____ ____ should ____ ____ backed up to keep data ____?

Website ____ should be done ____ ____ interval ____ reduce ____ damage/outage ____ .

____ ____ of emergencies ____ website backups ____ ____ frequently?

Ensuring ____ ____ ____ ____ incidents is ____ the ____ ____ Frequency for websites.

How often ____ I back my ____ ____ ____ I ____ ____ anything?

____ should ____ regular website backups for ____ ____ data ____ from ____ .

Is Website backups recommended every ____ ____ for ____ ____ ____ ____ incidents?

Do ____ ____ ____ backups should be every so ____ ____ ____ minimal ____ loss?

Is ____ ____ that ____ ____ should be ____ ____ minimal data loss?

Website backups ____ ____ every ____ often for ____ data ____ in ____ .

The recommended ____ ____ times websites need to be ____ up ____ ____ ____ ____ ____ .

If ____ ____ an emergency, how ____ should ____ ____ up ____ website?

How ____ ____ websites be back ____ to ____ sure there ____ no ____ ____?

____ ____ ____ ____ up frequently ____ order to avoid ____ losses?

____ often ____ ____ ____ is recommended?

If I care ____ preserving ____ ____ ____ my site, ____ ____ optimal backup ____?

____ ____ ____ my website frequently ____ there is an ____?

Is it advisable to back ____ ____ ____ ____ ____?

____ there a suggestion on ____ ____ websites should be backed ____ ____ the ____ ____ ____ ____ .

Website ____ should ____ less ____ once a ____ ____ order ____ ____ no ____ ____ during incidents.

____ ____ should website backups be ____ to ____ data ____?

____ I care ____ preserving ____ stuff ____ ____ ____ what ____ ____ ideal backup frequencies?

____ ____ ____ backed up more ____ to prevent ____ loss?

____ ____ potential ____ ____ how frequently must websites be ____?

How often should ____ ____ ____ your ____ ____ ____ bad happens?

Should ____ backups be done frequently ____ ____ ____ ____ emergency?

How ____ should websites ____ ____ ____ to ____ sure there ____ ____ data losses?

Is ____ ____ ____ backups ____ ____ frequently for the minimum damage caused ____ ____ ____?

Data ____ in ____ ____ ____ be minimized with ____ ____ backup frequency.

What _____ _____ recommended backup frequencies _____ _____ _____?

_____ the best _____ frequency _____ _____ care about _____ vital _____ on my _____?

What _____ _____ backup _____ _____ _____ websites in _____ to prevent _____ loss?

Should _____ backups be _____ _____ a _____ basis _____ there _____ _____ incident?

I wonder _____ _____ _____ _____ _____ _____ to decrease the risk of _____ loss.

_____ order to _____ _____ loss, what _____ _____ times should _____ be _____ up?

How _____ _____ _____ save copies _____ the _____ _____ that it won't _____ damaged _____?

What _____ are _____ _____ backing up _____ website _____ when _____ strikes?

_____ _____ times _____ _____ need to _____ backed up _____ order to minimize _____ _____?

_____ _____ _____ be of minimum _____ loss _____ incidents.

What _____ the _____ _____ frequencies for _____?

If _____ _____ _____ preserving _____ shit _____ _____ site, what _____ the ideal backup _____?

_____ _____ _____ _____ if I should backups my _____ frequently _____ the _____ of _____ incident.

_____ _____ _____ _____ recommended to _____ data loss _____ unforeseen events occur?

What _____ should websites be _____ _____ _____ protect _____ data?

Website _____ are _____ _____ _____ _____ minimum _____ loss during incidents.

_____ _____ should _____ backups _____ _____ make _____ minimal data loss?

In _____ of _____ how _____ _____ _____ backups be made?

_____ often _____ _____ use backups to keep my _____ _____ _____?

How _____ should I _____ up _____ website _____ _____ it _____?

I _____ wondering _____ my site _____ _____ _____ _____ in the _____ of _____ incident.

_____ _____ should I back my _____ up to _____ _____?