

## [Demo] NLP Dataset for Customer Service Automation

Company Type	Electricity Suppliers
Inquiry Category	Power outage reports and updates
Inquiry Sub-Category	Outage safety
Description	Customers seeking guidance on how to stay safe during a power outage and mitigate risks.
Data Size	8,272 paraphrases
Want to buy data?	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

\_\_\_\_\_ to \_\_\_\_\_ flooded basements or waterlogged areas affected \_\_\_\_\_ due \_\_\_\_\_ risk of \_\_\_\_\_ shock?

Is \_\_\_\_\_ idea to \_\_\_\_\_ and flooded \_\_\_\_\_ during power failures?

Flood-prone \_\_\_\_\_ due \_\_\_\_\_ of electrical \_\_\_\_\_ would \_\_\_\_\_ wise \_\_\_\_\_ avoid.

\_\_\_\_\_ it a good idea to \_\_\_\_\_ flooded \_\_\_\_\_ waterlogged \_\_\_\_\_ if there \_\_\_\_\_ hazard?

\_\_\_\_\_ think it would \_\_\_\_\_ wise to \_\_\_\_\_ damp \_\_\_\_\_ during an electrical \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ electric \_\_\_\_\_ if \_\_\_\_\_ avoids flooded basements and \_\_\_\_\_ areas \_\_\_\_\_?

\_\_\_\_\_ dangers \_\_\_\_\_ electric shock justify \_\_\_\_\_.

\_\_\_\_\_ a good \_\_\_\_\_ clear of damp basement \_\_\_\_\_ places \_\_\_\_\_ there \_\_\_\_\_ an electrical hazard?

\_\_\_\_\_ a good idea to stay away \_\_\_\_\_ basements and \_\_\_\_\_ that \_\_\_\_\_ electric shocks?

\_\_\_\_\_ think \_\_\_\_\_ idea \_\_\_\_\_ avoid \_\_\_\_\_ basements because of \_\_\_\_\_ of electric shocks?

\_\_\_\_\_ it a \_\_\_\_\_ idea \_\_\_\_\_ flooded \_\_\_\_\_ the risk of getting \_\_\_\_\_?

What to \_\_\_\_\_ about \_\_\_\_\_ of electric \_\_\_\_\_ flooded \_\_\_\_\_?

Is \_\_\_\_\_ flooded \_\_\_\_\_ wet areas when there is electricity?

Do you think it makes sense \_\_\_\_\_ flooded \_\_\_\_\_ due \_\_\_\_\_?

Should I \_\_\_\_\_ the \_\_\_\_\_ because of the \_\_\_\_\_?

\_\_\_\_\_ people avoid flooded areas \_\_\_\_\_ there is \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ should justify \_\_\_\_\_ flooded basements.

Do you think it \_\_\_\_\_ to \_\_\_\_\_ clear \_\_\_\_\_ areas \_\_\_\_\_ power outages?

Should \_\_\_\_\_ or soaked spots \_\_\_\_\_ to \_\_\_\_\_ potential electrocution?

Is it \_\_\_\_\_ good idea \_\_\_\_\_ avoid \_\_\_\_\_ at risk \_\_\_\_\_ electric shock?

Is it possible \_\_\_\_\_ avoid flooded \_\_\_\_\_ water-logged spots \_\_\_\_\_?

Should you dodge \_\_\_\_\_ shock?

\_\_\_\_\_ it a \_\_\_\_\_ to \_\_\_\_\_ full \_\_\_\_\_ water to avoid getting fried \_\_\_\_\_?

Should people \_\_\_\_\_ from \_\_\_\_\_ spaces because \_\_\_\_\_ risk of \_\_\_\_\_?

\_\_\_\_\_ basements \_\_\_\_\_ because \_\_\_\_\_ electrical dangers?

Should I avoid \_\_\_\_\_ basement due \_\_\_\_\_ the \_\_\_\_\_ shock?

\_\_\_\_\_ is an electric shock risk, \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ away from \_\_\_\_\_ and \_\_\_\_\_?

Due \_\_\_\_\_ of electrical shocks, \_\_\_\_\_ wise \_\_\_\_\_ flood \_\_\_\_\_ basements.

\_\_\_\_\_ are risky \_\_\_\_\_ electric \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ issues, would it be \_\_\_\_\_ away from \_\_\_\_\_ places?

Should we avoid \_\_\_\_\_ cellars \_\_\_\_\_ soaked \_\_\_\_\_ potential \_\_\_\_\_ electrocution?

Considering the risk of electric \_\_\_\_\_ shouldn't \_\_\_\_\_ flood-hit \_\_\_\_\_?

Should \_\_\_\_\_ enter \_\_\_\_\_ due to electric shock \_\_\_\_\_?

Is there a \_\_\_\_\_ if one \_\_\_\_\_ basements \_\_\_\_\_ flooded areas?

\_\_\_\_\_ you think \_\_\_\_\_ to \_\_\_\_\_ out \_\_\_\_\_ flooded \_\_\_\_\_ and areas \_\_\_\_\_ power \_\_\_\_\_?

Should I avoid flooded areas \_\_\_\_\_ of \_\_\_\_\_ risk \_\_\_\_\_ cuts?

Should \_\_\_\_\_ basement because of the risk \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ of electric \_\_\_\_\_ basements?

Can \_\_\_\_\_ me if it's \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ areas and flooded \_\_\_\_\_ during \_\_\_\_\_?

Is it \_\_\_\_\_ from flooded \_\_\_\_\_ due to electrical \_\_\_\_\_?

Should \_\_\_\_\_ flooded areas \_\_\_\_\_ of the \_\_\_\_\_ during power outages?

Is \_\_\_\_\_ flooded basements and \_\_\_\_\_ a \_\_\_\_\_ to avoid \_\_\_\_\_?

Is \_\_\_\_\_ safe to \_\_\_\_\_ away from flooded \_\_\_\_\_ other \_\_\_\_\_ a \_\_\_\_\_?

Do you think \_\_\_\_\_ is a \_\_\_\_\_ idea \_\_\_\_\_ exercise \_\_\_\_\_ or \_\_\_\_\_ to electric \_\_\_\_\_ during \_\_\_\_\_ cuts?

\_\_\_\_\_ it \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ due to electrical dangers?

\_\_\_\_\_ risk \_\_\_\_\_ electric \_\_\_\_\_ cause \_\_\_\_\_ basement.

\_\_\_\_\_ the risk of electric \_\_\_\_\_ shouldn't \_\_\_\_\_ the flood-hit \_\_\_\_\_?

\_\_\_\_\_ avoiding \_\_\_\_\_ basements \_\_\_\_\_ by \_\_\_\_\_ of electric \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ wet basements \_\_\_\_\_ powerless locations \_\_\_\_\_ electrical issues?

When there \_\_\_\_\_ might it \_\_\_\_\_ to stay \_\_\_\_\_ from water-afflicted \_\_\_\_\_?

Should \_\_\_\_\_ avoid submerged cellars \_\_\_\_\_ areas \_\_\_\_\_ to \_\_\_\_\_?

Do \_\_\_\_\_ think the \_\_\_\_\_ be \_\_\_\_\_?

There's a risk \_\_\_\_\_ shock, so \_\_\_\_\_ be a good \_\_\_\_\_ to stay \_\_\_\_\_?

\_\_\_\_\_ think \_\_\_\_\_ to stay away \_\_\_\_\_ flooded \_\_\_\_\_ due to \_\_\_\_\_ risks?

\_\_\_\_\_ it \_\_\_\_\_ away from water-afflicted \_\_\_\_\_ with electrical \_\_\_\_\_?

Due \_\_\_\_\_ the risk of electric \_\_\_\_\_ advisable to \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ a risk \_\_\_\_\_ electric \_\_\_\_\_ wouldn't it \_\_\_\_\_ to stay out \_\_\_\_\_?

\_\_\_\_\_ it wise \_\_\_\_\_ damp basement \_\_\_\_\_ places when \_\_\_\_\_ is \_\_\_\_\_ electrical hazard?

Considering \_\_\_\_\_ risk \_\_\_\_\_ electric shock shouldn't we \_\_\_\_\_ from \_\_\_\_\_?

Is it \_\_\_\_\_ idea to steer clear of \_\_\_\_\_ basements \_\_\_\_\_ water-drenched \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_?

If \_\_\_\_\_ risk of \_\_\_\_\_ shock, wouldn't it be \_\_\_\_\_ good \_\_\_\_\_ stay out \_\_\_\_\_ basements?

Should flooded basements \_\_\_\_\_ to \_\_\_\_\_?

When \_\_\_\_\_ electrical \_\_\_\_\_ it be \_\_\_\_\_ to avoid water-afflicted places?

\_\_\_\_\_ away from \_\_\_\_\_ during \_\_\_\_\_ failures?

Should I stay away from flooded \_\_\_\_\_ prone to \_\_\_\_\_?

\_\_\_\_\_ avoid submerged \_\_\_\_\_ or soaked \_\_\_\_\_ because \_\_\_\_\_ the \_\_\_\_\_ risk?

\_\_\_\_\_ it a \_\_\_\_\_ idea \_\_\_\_\_ avoid flooded \_\_\_\_\_ because \_\_\_\_\_ the risk \_\_\_\_\_ by an electrical \_\_\_\_\_?

Should I stay \_\_\_\_\_ flooded basements and \_\_\_\_\_ potential electric \_\_\_\_\_ risks?

\_\_\_\_\_ risk of \_\_\_\_\_ shock, \_\_\_\_\_ we stay \_\_\_\_\_ from the \_\_\_\_\_ hit \_\_\_\_\_?

Do flooded \_\_\_\_\_ areas pose \_\_\_\_\_ danger for \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ experiencing \_\_\_\_\_ electric shock, \_\_\_\_\_ it recommended \_\_\_\_\_ avoid flooded cellars and \_\_\_\_\_ locations?

\_\_\_\_\_ a good idea \_\_\_\_\_ avoid flooded \_\_\_\_\_ and \_\_\_\_\_ have \_\_\_\_\_ power?

Is \_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ steer \_\_\_\_\_ basement \_\_\_\_\_ water \_\_\_\_\_ places when \_\_\_\_\_ is an electrical \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ to protect myself from \_\_\_\_\_ flooded homes?

Is \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ flooded basements and areas \_\_\_\_\_ shock?

\_\_\_\_\_ avoid flooded \_\_\_\_\_ waterlogged areas because of the \_\_\_\_\_ electric \_\_\_\_\_?

Should \_\_\_\_\_ avoid \_\_\_\_\_ cellars or soaked spots if \_\_\_\_\_ electrocution?

\_\_\_\_\_ there's a \_\_\_\_\_ electric \_\_\_\_\_ be \_\_\_\_\_ to not enter \_\_\_\_\_ basement or saturated \_\_\_\_\_?

Is \_\_\_\_\_ safe \_\_\_\_\_ stay away from flooded \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ flooded basements \_\_\_\_\_ flooded \_\_\_\_\_ electric shocks?

Should flooding \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ electric \_\_\_\_\_?

I don't \_\_\_\_\_ to \_\_\_\_\_ fried \_\_\_\_\_ electricity, \_\_\_\_\_ I \_\_\_\_\_ of water?

Is it \_\_\_\_\_ stay \_\_\_\_\_ from flooded \_\_\_\_\_ because \_\_\_\_\_ shock?

Is \_\_\_\_\_ idea to avoid flooded \_\_\_\_\_ drenched \_\_\_\_\_ when \_\_\_\_\_ with \_\_\_\_\_ outs?  
 \_\_\_\_\_ electric \_\_\_\_\_ merit \_\_\_\_\_ flooded basements.

Since there \_\_\_\_\_ a chance \_\_\_\_\_ shock, is it \_\_\_\_\_ to avoid flooded \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ risk \_\_\_\_\_ electric shock, \_\_\_\_\_ it \_\_\_\_\_ better to stay \_\_\_\_\_ the flooded \_\_\_\_\_ ?

Is \_\_\_\_\_ risk \_\_\_\_\_ from flooded basement or \_\_\_\_\_ zones?

Is there a \_\_\_\_\_ getting an electric \_\_\_\_\_ I \_\_\_\_\_ basement areas?

Is \_\_\_\_\_ idea to \_\_\_\_\_ because of the \_\_\_\_\_ of \_\_\_\_\_ shock.

Is it a \_\_\_\_\_ to \_\_\_\_\_ basements \_\_\_\_\_ areas when there \_\_\_\_\_ electric \_\_\_\_\_ ?

Should a \_\_\_\_\_ avoid flooded basement due \_\_\_\_\_ ?  
 \_\_\_\_\_ there's \_\_\_\_\_ wouldn't it be \_\_\_\_\_ to \_\_\_\_\_ out \_\_\_\_\_ flooded basements and saturated areas?

Since \_\_\_\_\_ is \_\_\_\_\_ electric shock, \_\_\_\_\_ it recommended \_\_\_\_\_ avoid \_\_\_\_\_ and drenched places?  
 \_\_\_\_\_ not to enter flooded sites when \_\_\_\_\_ is \_\_\_\_\_ .

Does \_\_\_\_\_ sense to \_\_\_\_\_ away from flooded \_\_\_\_\_ electrical \_\_\_\_\_ ?

If \_\_\_\_\_ a risk of \_\_\_\_\_ shock, wouldn't \_\_\_\_\_ be better \_\_\_\_\_ out \_\_\_\_\_ basement?  
 \_\_\_\_\_ into \_\_\_\_\_ flooded basement \_\_\_\_\_ to \_\_\_\_\_ shock risk.

During \_\_\_\_\_ avoid flood-prone basements and waterlogged \_\_\_\_\_ .  
 \_\_\_\_\_ the \_\_\_\_\_ electric \_\_\_\_\_ shouldn't we stay away \_\_\_\_\_ basements?

As electric \_\_\_\_\_ risks are \_\_\_\_\_ away \_\_\_\_\_ flooded \_\_\_\_\_ and other areas?

Is it a \_\_\_\_\_ idea to \_\_\_\_\_ away \_\_\_\_\_ flooded \_\_\_\_\_ because \_\_\_\_\_ ?  
 \_\_\_\_\_ stay \_\_\_\_\_ and electrical shortage sites?

Did \_\_\_\_\_ risks \_\_\_\_\_ electric shock justify \_\_\_\_\_ ?  
 \_\_\_\_\_ dangers of electrical shocks, \_\_\_\_\_ flooded \_\_\_\_\_ be wise.

Is the \_\_\_\_\_ basement \_\_\_\_\_ because \_\_\_\_\_ hazard?

Is \_\_\_\_\_ good \_\_\_\_\_ stay \_\_\_\_\_ flooded basements or areas \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ shock when there is \_\_\_\_\_ ?  
 \_\_\_\_\_ avoid \_\_\_\_\_ during power failures to \_\_\_\_\_ the risk of \_\_\_\_\_ ?  
 \_\_\_\_\_ get an electric shock, so \_\_\_\_\_ I stay away \_\_\_\_\_ ?  
 \_\_\_\_\_ a person \_\_\_\_\_ of \_\_\_\_\_ shock risk?

Is it possible to \_\_\_\_\_ staying \_\_\_\_\_ from flooded \_\_\_\_\_ ?

Do \_\_\_\_\_ think it's a \_\_\_\_\_ to keep an \_\_\_\_\_ for flooded basements \_\_\_\_\_ electric shock \_\_\_\_\_ power \_\_\_\_\_ ?

Should \_\_\_\_\_ basements or \_\_\_\_\_ be affected by \_\_\_\_\_ electrical shock?

It's \_\_\_\_\_ of \_\_\_\_\_ should avoid flooded \_\_\_\_\_ of \_\_\_\_\_ risk of \_\_\_\_\_ electric \_\_\_\_\_ .

Do you think \_\_\_\_\_ safe \_\_\_\_\_ from flooded basements and \_\_\_\_\_ ?

Is \_\_\_\_\_ steer \_\_\_\_\_ of flooded basements and areas \_\_\_\_\_ ?

Is \_\_\_\_\_ away from \_\_\_\_\_ water-soaked \_\_\_\_\_ when there is \_\_\_\_\_ electrical hazard?  
 \_\_\_\_\_ stay away \_\_\_\_\_ flooded \_\_\_\_\_ areas with electric \_\_\_\_\_ risks?

There is a \_\_\_\_\_ in \_\_\_\_\_ houses.  
 \_\_\_\_\_ it \_\_\_\_\_ good idea \_\_\_\_\_ flooded cellars \_\_\_\_\_ soaked \_\_\_\_\_ when faced \_\_\_\_\_ shocks?  
 \_\_\_\_\_ think it's wise to \_\_\_\_\_ away \_\_\_\_\_ flooded \_\_\_\_\_ electrical hazard?  
 \_\_\_\_\_ areas a \_\_\_\_\_ for \_\_\_\_\_ shocks?

Flood-prone areas \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ due \_\_\_\_\_ the \_\_\_\_\_ of electrical \_\_\_\_\_ .

Should we \_\_\_\_\_ submerged \_\_\_\_\_ soaked spots \_\_\_\_\_ of \_\_\_\_\_ risk \_\_\_\_\_ ?  
 \_\_\_\_\_ it \_\_\_\_\_ to stay \_\_\_\_\_ flooded \_\_\_\_\_ and flooded \_\_\_\_\_ when \_\_\_\_\_ an electric \_\_\_\_\_ ?

Do you \_\_\_\_\_ it's \_\_\_\_\_ from flooded \_\_\_\_\_ and \_\_\_\_\_ areas with \_\_\_\_\_ failures?

If there is \_\_\_\_\_ of electric shock, \_\_\_\_\_ to stay \_\_\_\_\_ of flooded basement \_\_\_\_\_ by power \_\_\_\_\_ ?

Is flooded basements or \_\_\_\_\_ for electric \_\_\_\_\_ ?  
 \_\_\_\_\_ were \_\_\_\_\_ would it be a good \_\_\_\_\_ stay \_\_\_\_\_ water-afflicted places?  
 \_\_\_\_\_ able to prevent electric shock if \_\_\_\_\_ stay \_\_\_\_\_ spots \_\_\_\_\_ basement?

Should \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ miserable \_\_\_\_\_ cellars \_\_\_\_\_ power \_\_\_\_\_ worries?  
 \_\_\_\_\_ flooded \_\_\_\_\_ because \_\_\_\_\_ the risk of getting electrocution?

\_\_\_\_\_ prone \_\_\_\_\_ should \_\_\_\_\_ avoided due to the \_\_\_\_\_ shocks.

Can \_\_\_\_\_ tell \_\_\_\_\_ it's safe \_\_\_\_\_ away \_\_\_\_\_ flooded areas and wet \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ a person \_\_\_\_\_ flooded basement due \_\_\_\_\_ electrical \_\_\_\_\_?

Should \_\_\_\_\_ stay \_\_\_\_\_ basement spaces \_\_\_\_\_ wet regions \_\_\_\_\_ are \_\_\_\_\_ power failures?

\_\_\_\_\_ be avoided due to the \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ from flooded \_\_\_\_\_ during power \_\_\_\_\_ because \_\_\_\_\_ the risk \_\_\_\_\_ getting \_\_\_\_\_ electric \_\_\_\_\_?

Do \_\_\_\_\_ know \_\_\_\_\_ it's \_\_\_\_\_ to \_\_\_\_\_ flooded areas due \_\_\_\_\_ electric \_\_\_\_\_ concerns?

\_\_\_\_\_ risk of electric shock, wouldn't \_\_\_\_\_ be \_\_\_\_\_ good \_\_\_\_\_ to stay out of \_\_\_\_\_ saturated \_\_\_\_\_?

\_\_\_\_\_ idea \_\_\_\_\_ avoid \_\_\_\_\_ basements and waterlogged areas \_\_\_\_\_ electric shocks?

\_\_\_\_\_ someone \_\_\_\_\_ flooded \_\_\_\_\_ due to \_\_\_\_\_?

If \_\_\_\_\_ was \_\_\_\_\_ electrical \_\_\_\_\_ be \_\_\_\_\_ good idea to steer \_\_\_\_\_ of damp \_\_\_\_\_ water-drenched \_\_\_\_\_?

\_\_\_\_\_ there's a risk \_\_\_\_\_ electric \_\_\_\_\_ wouldn't \_\_\_\_\_ be prudent \_\_\_\_\_ stay \_\_\_\_\_ basement \_\_\_\_\_ saturated areas?

Is it \_\_\_\_\_ to stay \_\_\_\_\_ water-afflicted places \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ flooded \_\_\_\_\_ due to the \_\_\_\_\_ of electric shocks?

\_\_\_\_\_ think it's \_\_\_\_\_ idea to \_\_\_\_\_ basements if you're worried \_\_\_\_\_ electric shock?

It \_\_\_\_\_ be \_\_\_\_\_ avoid flood-prone areas \_\_\_\_\_ disruptions, \_\_\_\_\_ the dangers \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ good idea to avoid \_\_\_\_\_ areas \_\_\_\_\_ the \_\_\_\_\_ of an \_\_\_\_\_?

Is there \_\_\_\_\_ electric shock \_\_\_\_\_ the water-filled \_\_\_\_\_?

\_\_\_\_\_ idea to avoid flooded \_\_\_\_\_ due to electric \_\_\_\_\_?

Should people stay away from \_\_\_\_\_ basement \_\_\_\_\_ or wet regions \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ I stay \_\_\_\_\_ flooded areas because of the \_\_\_\_\_ getting an \_\_\_\_\_ power failure?

I want \_\_\_\_\_ if it is \_\_\_\_\_ to \_\_\_\_\_ away from flooded \_\_\_\_\_ and \_\_\_\_\_ during \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ if we \_\_\_\_\_ away from flooded basements?

\_\_\_\_\_ you tell me \_\_\_\_\_ stay away from \_\_\_\_\_ flooded \_\_\_\_\_ during \_\_\_\_\_ electric shock event?

Will flooded basement be \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ good idea to avoid flooded \_\_\_\_\_ due \_\_\_\_\_ shock?

\_\_\_\_\_ I \_\_\_\_\_ flooded \_\_\_\_\_ during power failures to avoid the \_\_\_\_\_ electric \_\_\_\_\_?

If there \_\_\_\_\_ a \_\_\_\_\_ shock, wouldn't it be \_\_\_\_\_ enter \_\_\_\_\_ basements?

\_\_\_\_\_ I stay \_\_\_\_\_ flooded \_\_\_\_\_ or \_\_\_\_\_ with potential \_\_\_\_\_ shock \_\_\_\_\_?

\_\_\_\_\_ think it's \_\_\_\_\_ to stay \_\_\_\_\_ flooded \_\_\_\_\_ areas impacted by power \_\_\_\_\_?

Does \_\_\_\_\_ make sense \_\_\_\_\_ stay away \_\_\_\_\_ of the electrical \_\_\_\_\_?

Is it \_\_\_\_\_ good idea \_\_\_\_\_ avoid \_\_\_\_\_ locations or \_\_\_\_\_ because \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ is wise to \_\_\_\_\_ wet basement or \_\_\_\_\_ locations \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ it's a good idea \_\_\_\_\_ stay away \_\_\_\_\_ and areas affected \_\_\_\_\_ outages?

\_\_\_\_\_ flooding \_\_\_\_\_ electric shock risk?

\_\_\_\_\_ wise \_\_\_\_\_ from flooded areas \_\_\_\_\_ of electrical dangers?

Is it \_\_\_\_\_ to \_\_\_\_\_ flooded \_\_\_\_\_ of \_\_\_\_\_ risk of getting killed \_\_\_\_\_ an \_\_\_\_\_ storm?

\_\_\_\_\_ basement be \_\_\_\_\_ for electric \_\_\_\_\_?

Is \_\_\_\_\_ a good idea \_\_\_\_\_ avoid \_\_\_\_\_ of the \_\_\_\_\_ of getting \_\_\_\_\_?

\_\_\_\_\_ avoiding flooded basement and wet \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ against \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ idea to stay away \_\_\_\_\_ basement \_\_\_\_\_ shock risks?

Is it \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ basement spaces \_\_\_\_\_ risk of \_\_\_\_\_ electric shock?

Should \_\_\_\_\_ avoid flooded areas because \_\_\_\_\_ during power disruptions?

\_\_\_\_\_ people stay \_\_\_\_\_ of \_\_\_\_\_ areas or \_\_\_\_\_ regions that \_\_\_\_\_ power \_\_\_\_\_?

Is it best \_\_\_\_\_ to \_\_\_\_\_ outages?

Due to the \_\_\_\_\_ electrical \_\_\_\_\_ to \_\_\_\_\_ flood-prone areas.

\_\_\_\_\_ fear of \_\_\_\_\_ stay clear \_\_\_\_\_ the waterlogged \_\_\_\_\_?

Do \_\_\_\_\_ it's \_\_\_\_\_ to \_\_\_\_\_ away from \_\_\_\_\_ spots due to \_\_\_\_\_?

\_\_\_\_\_ a chance of \_\_\_\_\_ shock, \_\_\_\_\_ it \_\_\_\_\_ that we avoid flooded cellars \_\_\_\_\_ locations?

\_\_\_\_\_ it \_\_\_\_\_ avoid \_\_\_\_\_ cellars or soaked \_\_\_\_\_ due \_\_\_\_\_ electrocution?

Do \_\_\_\_\_ it's a \_\_\_\_\_ idea \_\_\_\_\_ avoid flooded \_\_\_\_\_ areas \_\_\_\_\_ power outs?  
 \_\_\_\_\_ there's \_\_\_\_\_ risk of electric shock, \_\_\_\_\_ it be a \_\_\_\_\_ to stay \_\_\_\_\_ and saturated \_\_\_\_\_?  
 Is \_\_\_\_\_ safe to \_\_\_\_\_ away from \_\_\_\_\_ basement and \_\_\_\_\_ spaces \_\_\_\_\_ electric \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ flooded basement \_\_\_\_\_ flooded spaces during \_\_\_\_\_ shocks?  
 Is it a \_\_\_\_\_ stay \_\_\_\_\_ from flooded basements \_\_\_\_\_ that \_\_\_\_\_ prone \_\_\_\_\_ electric shock \_\_\_\_\_ there \_\_\_\_\_ power \_\_\_\_\_?  
 Should we \_\_\_\_\_ flood and \_\_\_\_\_ shortage \_\_\_\_\_?  
 If \_\_\_\_\_ a risk \_\_\_\_\_ electric shock, would \_\_\_\_\_ to not enter \_\_\_\_\_ basement \_\_\_\_\_ area?  
 You \_\_\_\_\_ avoid \_\_\_\_\_ basements because \_\_\_\_\_ the \_\_\_\_\_ risk.  
 The \_\_\_\_\_ lead to flooded \_\_\_\_\_.  
 Do you \_\_\_\_\_ it's \_\_\_\_\_ to avoid \_\_\_\_\_ are flooded \_\_\_\_\_ an \_\_\_\_\_ shock?  
 \_\_\_\_\_ it's a good \_\_\_\_\_ to \_\_\_\_\_ caution around flooded \_\_\_\_\_ that are prone \_\_\_\_\_ shortages?  
 If \_\_\_\_\_ risk of electric shock, \_\_\_\_\_ it \_\_\_\_\_ out of flooded \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ electrocution in \_\_\_\_\_ areas.  
 Can \_\_\_\_\_ go to \_\_\_\_\_ water-logged \_\_\_\_\_ or flooded \_\_\_\_\_ an electric \_\_\_\_\_?  
 \_\_\_\_\_ to the risk \_\_\_\_\_ flooded areas.  
 Is \_\_\_\_\_ safe \_\_\_\_\_ steer clear \_\_\_\_\_ basements \_\_\_\_\_ with \_\_\_\_\_ disruptions?  
 Should \_\_\_\_\_ stay away from \_\_\_\_\_ basement \_\_\_\_\_ regions \_\_\_\_\_ are prone to \_\_\_\_\_ electrocution risks?  
 \_\_\_\_\_ risk \_\_\_\_\_ electric shock in flooded \_\_\_\_\_.  
 When there \_\_\_\_\_ electrical \_\_\_\_\_ it be better \_\_\_\_\_ away \_\_\_\_\_ places?  
 Due \_\_\_\_\_ risk, \_\_\_\_\_ avoid flooded basements.  
 Is \_\_\_\_\_ good \_\_\_\_\_ to avoid \_\_\_\_\_ areas \_\_\_\_\_ there's \_\_\_\_\_ electric \_\_\_\_\_?  
 Is it \_\_\_\_\_ idea \_\_\_\_\_ basements because \_\_\_\_\_ the danger \_\_\_\_\_ electrocution?  
 Do you think it's a \_\_\_\_\_ stay \_\_\_\_\_ from flooded basements \_\_\_\_\_ shock \_\_\_\_\_ a power \_\_\_\_\_?  
 \_\_\_\_\_ I stay away from flooded \_\_\_\_\_ waterlogged areas \_\_\_\_\_?  
 If there's \_\_\_\_\_ shock, wouldn't \_\_\_\_\_ be \_\_\_\_\_ stay out of \_\_\_\_\_ basements and saturated \_\_\_\_\_?  
 \_\_\_\_\_ submerged cellars \_\_\_\_\_ spots due to the \_\_\_\_\_ of electric \_\_\_\_\_?  
 \_\_\_\_\_ good \_\_\_\_\_ from \_\_\_\_\_ areas \_\_\_\_\_ power failures to avoid the \_\_\_\_\_ of an electric shock?  
 \_\_\_\_\_ was an electrical \_\_\_\_\_ be wise \_\_\_\_\_ clear of damp \_\_\_\_\_ or water-soaked \_\_\_\_\_.  
 Should \_\_\_\_\_ stay out of \_\_\_\_\_ or waterlogged \_\_\_\_\_ of \_\_\_\_\_ shock risks?  
 Should \_\_\_\_\_ of flooded \_\_\_\_\_ or \_\_\_\_\_ zones that have \_\_\_\_\_ affected \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ idea \_\_\_\_\_ avoid \_\_\_\_\_ during power outs?  
 \_\_\_\_\_ flooded Basements be avoided \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ flood \_\_\_\_\_ and waterlogged regions \_\_\_\_\_ disruptions \_\_\_\_\_ the \_\_\_\_\_ of electrical shocks.  
 \_\_\_\_\_ it a good idea \_\_\_\_\_ flooded \_\_\_\_\_ wet areas \_\_\_\_\_ electric \_\_\_\_\_?  
 Is \_\_\_\_\_ smart \_\_\_\_\_ not \_\_\_\_\_ due \_\_\_\_\_ electric shock risk?  
 \_\_\_\_\_ a risk \_\_\_\_\_ electric \_\_\_\_\_ in flooded areas \_\_\_\_\_ failures?  
 Does it make \_\_\_\_\_ to go \_\_\_\_\_ flooded basement \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ it's \_\_\_\_\_ to \_\_\_\_\_ clear of damp \_\_\_\_\_ or water \_\_\_\_\_ places \_\_\_\_\_ an electrical \_\_\_\_\_?  
 If there is a \_\_\_\_\_ of \_\_\_\_\_ shock, \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ away \_\_\_\_\_?  
 Is \_\_\_\_\_ good idea \_\_\_\_\_ places \_\_\_\_\_ are flooded because \_\_\_\_\_ the \_\_\_\_\_ getting \_\_\_\_\_ shock?  
 \_\_\_\_\_ stay \_\_\_\_\_ flood-prone \_\_\_\_\_ spaces or areas that are prone \_\_\_\_\_ failures \_\_\_\_\_ to electrocution \_\_\_\_\_?  
 \_\_\_\_\_ avoiding basements \_\_\_\_\_ due to \_\_\_\_\_ good idea?  
 \_\_\_\_\_ I \_\_\_\_\_ away \_\_\_\_\_ the \_\_\_\_\_ areas \_\_\_\_\_ disruptions to \_\_\_\_\_ the \_\_\_\_\_ of getting an \_\_\_\_\_ shock?  
 Are \_\_\_\_\_ a risk \_\_\_\_\_ electric \_\_\_\_\_?  
 Does \_\_\_\_\_ sense \_\_\_\_\_ stay away from \_\_\_\_\_ areas \_\_\_\_\_ risks?  
 Don't \_\_\_\_\_ to flooded \_\_\_\_\_ to \_\_\_\_\_ shock \_\_\_\_\_.  
 Do you \_\_\_\_\_ if \_\_\_\_\_ stay away \_\_\_\_\_ areas when \_\_\_\_\_ an \_\_\_\_\_ shock?  
 \_\_\_\_\_ we avoid flooded \_\_\_\_\_ due to \_\_\_\_\_ risk \_\_\_\_\_ electricity?  
 \_\_\_\_\_ to electric shock \_\_\_\_\_ avoid flooded \_\_\_\_\_ areas.  
 Due \_\_\_\_\_ electric shock \_\_\_\_\_ avoid \_\_\_\_\_

Do \_\_\_\_ think \_\_\_\_ to steer \_\_\_\_ or water-soaked \_\_\_\_ there's an electrical hazard?

It would be wise \_\_\_\_ flood-prone basement \_\_\_\_ because \_\_\_\_ the \_\_\_\_ shocks.

Is \_\_\_\_ flooded basements \_\_\_\_ a \_\_\_\_ precautionary measure \_\_\_\_ electric \_\_\_\_?

\_\_\_\_ idea \_\_\_\_ floods due to electric dangers?

\_\_\_\_ basements or areas affected \_\_\_\_ power failures?

\_\_\_\_ person \_\_\_\_ go into \_\_\_\_ basement \_\_\_\_ electric shock risk?

Do \_\_\_\_ of damp basements and water-soaked places if \_\_\_\_ is an \_\_\_\_ hazard?

\_\_\_\_ it \_\_\_\_ sense to \_\_\_\_ basement \_\_\_\_ electric shock risk?

If there is a risk of \_\_\_\_ be better to \_\_\_\_ of \_\_\_\_?

How to \_\_\_\_ flooded basement?

\_\_\_\_ good idea to avoid \_\_\_\_ basements \_\_\_\_ because of the risk \_\_\_\_ getting \_\_\_\_ by \_\_\_\_?

\_\_\_\_ you \_\_\_\_ it's \_\_\_\_ enter \_\_\_\_ sites during a \_\_\_\_ outage?

\_\_\_\_ we \_\_\_\_ submerged cellars or soaked \_\_\_\_ potential electric \_\_\_\_?

Should \_\_\_\_ avoid \_\_\_\_ of the \_\_\_\_ of injury from \_\_\_\_?

\_\_\_\_ it makes sense to \_\_\_\_ away \_\_\_\_ flooded \_\_\_\_ to electrical \_\_\_\_?

\_\_\_\_ the risk of \_\_\_\_ shouldn't we \_\_\_\_ flood-hit basements \_\_\_\_ cellars?

\_\_\_\_ avoid flooded basements because of electric \_\_\_\_?

Is \_\_\_\_ we avoid \_\_\_\_ and drenched locations since \_\_\_\_ is \_\_\_\_ of experiencing \_\_\_\_ shock?

Electric \_\_\_\_ justify \_\_\_\_ flooded \_\_\_\_

There's a \_\_\_\_ of electric \_\_\_\_ wouldn't \_\_\_\_ be \_\_\_\_ away from \_\_\_\_ basements?

Should we \_\_\_\_ flooded \_\_\_\_ power \_\_\_\_?

\_\_\_\_ there was a \_\_\_\_ of \_\_\_\_ shock, \_\_\_\_ better \_\_\_\_ out of flooded \_\_\_\_?

\_\_\_\_ avoid \_\_\_\_ areas to \_\_\_\_ shock?

Is \_\_\_\_ good \_\_\_\_ to avoid flooded \_\_\_\_ wet \_\_\_\_ because \_\_\_\_ electric \_\_\_\_?

Considering the risk \_\_\_\_ electric \_\_\_\_ we \_\_\_\_ away from \_\_\_\_ basement \_\_\_\_ flood \_\_\_\_?

\_\_\_\_ wise to stay \_\_\_\_ waterlogging during \_\_\_\_ failures?

\_\_\_\_ sense to \_\_\_\_ clear of \_\_\_\_ basements or powerless \_\_\_\_ of \_\_\_\_ dangers?

\_\_\_\_ a possibility \_\_\_\_ an electric \_\_\_\_ it \_\_\_\_ that we avoid \_\_\_\_ cellars and drenched \_\_\_\_?

\_\_\_\_ you \_\_\_\_ it is \_\_\_\_ avoid powerless locations \_\_\_\_ because of electrical \_\_\_\_?

Because of the \_\_\_\_ risk, \_\_\_\_.

\_\_\_\_ think it's \_\_\_\_ clear of wet \_\_\_\_ or powerless \_\_\_\_?

\_\_\_\_ it \_\_\_\_ good idea to avoid spaces \_\_\_\_ are \_\_\_\_ because \_\_\_\_ risk of \_\_\_\_?

\_\_\_\_ it a good \_\_\_\_ stay away \_\_\_\_ basements \_\_\_\_ areas \_\_\_\_ high \_\_\_\_ risks?

\_\_\_\_ electric shock risks \_\_\_\_ high, is \_\_\_\_ safe \_\_\_\_ stay away from \_\_\_\_?

\_\_\_\_ I avoid flooded \_\_\_\_ and other \_\_\_\_ power \_\_\_\_?

Does \_\_\_\_ sense \_\_\_\_ stay \_\_\_\_ from \_\_\_\_ basement due \_\_\_\_ hazard?

Is \_\_\_\_ good idea \_\_\_\_ avoid flooded \_\_\_\_ because \_\_\_\_ risk of \_\_\_\_?

Electric \_\_\_\_ basements \_\_\_\_ avoided?

Is avoiding \_\_\_\_ wet \_\_\_\_ safe way to protect \_\_\_\_ from \_\_\_\_?

Is \_\_\_\_ a \_\_\_\_ idea \_\_\_\_ stay away \_\_\_\_ and \_\_\_\_ areas \_\_\_\_ by \_\_\_\_ failure?

\_\_\_\_ I \_\_\_\_ the \_\_\_\_ basement due \_\_\_\_ electric shock?

Is \_\_\_\_ to stay \_\_\_\_ and flooded \_\_\_\_ during electric shocks?

Do \_\_\_\_ away from waterlogged areas \_\_\_\_ electric \_\_\_\_?

\_\_\_\_ you \_\_\_\_ a good idea \_\_\_\_ exercise \_\_\_\_ around flooded \_\_\_\_ or areas \_\_\_\_ to \_\_\_\_ to \_\_\_\_ risk of \_\_\_\_ shock

Can we \_\_\_\_ shock by staying \_\_\_\_ from \_\_\_\_?

Should \_\_\_\_ stay away \_\_\_\_ spaces or areas prone \_\_\_\_?

Should \_\_\_\_ stay out of \_\_\_\_ basement because \_\_\_\_ the \_\_\_\_?

\_\_\_\_ power problems can \_\_\_\_ electric \_\_\_\_.

\_\_\_\_ there is a risk \_\_\_\_ electric \_\_\_\_ would \_\_\_\_ not go into \_\_\_\_?

Considering \_\_\_\_ risk \_\_\_\_ electric shock, should \_\_\_\_ stay away from \_\_\_\_ basements \_\_\_\_ outage \_\_\_\_?

\_\_\_\_\_ electrical hazard, would \_\_\_\_\_ wise to steer clear \_\_\_\_\_ damp basements \_\_\_\_\_ places.

\_\_\_\_\_ is \_\_\_\_\_ electric \_\_\_\_\_ risk in \_\_\_\_\_ basements \_\_\_\_\_ waterlogged \_\_\_\_\_.

\_\_\_\_\_ to stay away \_\_\_\_\_ flooded \_\_\_\_\_ there \_\_\_\_\_ an electric shock?

\_\_\_\_\_ risk of \_\_\_\_\_ shock, shouldn't we \_\_\_\_\_ away from \_\_\_\_\_ provenances?

Do risks \_\_\_\_\_ justify \_\_\_\_\_ basements?

Since there \_\_\_\_\_ chance \_\_\_\_\_ an electric shock, \_\_\_\_\_ good \_\_\_\_\_ to avoid flooded \_\_\_\_\_ and \_\_\_\_\_?

Is \_\_\_\_\_ wise to \_\_\_\_\_ flooded \_\_\_\_\_ because of electric \_\_\_\_\_?

\_\_\_\_\_ good idea \_\_\_\_\_ stay away from flooded areas \_\_\_\_\_ to avoid \_\_\_\_\_ of getting \_\_\_\_\_ shock?

\_\_\_\_\_ would be \_\_\_\_\_ to avoid \_\_\_\_\_ prone basements \_\_\_\_\_ regions \_\_\_\_\_ disruptions \_\_\_\_\_ the \_\_\_\_\_ electrical shocks.

Considering the \_\_\_\_\_ of electric shock, \_\_\_\_\_ stay out \_\_\_\_\_?

Do \_\_\_\_\_ recommend \_\_\_\_\_ due \_\_\_\_\_ electric hazard?

\_\_\_\_\_ think it would be wise \_\_\_\_\_ steer \_\_\_\_\_ of \_\_\_\_\_ or \_\_\_\_\_ soaked places \_\_\_\_\_ hazard?

If \_\_\_\_\_ wouldn't \_\_\_\_\_ be better to \_\_\_\_\_ out of the flooded \_\_\_\_\_?

Is it \_\_\_\_\_ idea \_\_\_\_\_ avoid water-afflicted places \_\_\_\_\_ there \_\_\_\_\_?

\_\_\_\_\_ avoid flooded \_\_\_\_\_ because of \_\_\_\_\_ risk of getting \_\_\_\_\_?

Should people \_\_\_\_\_ from \_\_\_\_\_ spaces and wet \_\_\_\_\_ with \_\_\_\_\_?

Do \_\_\_\_\_ be avoided \_\_\_\_\_ to electric risk?

\_\_\_\_\_ you think it's wise \_\_\_\_\_ stay away from flooded \_\_\_\_\_?

\_\_\_\_\_ avoid \_\_\_\_\_ areas to \_\_\_\_\_ shock?

\_\_\_\_\_ it \_\_\_\_\_ flooded basements and other \_\_\_\_\_ affected by power failures \_\_\_\_\_ electric shock?

\_\_\_\_\_ would \_\_\_\_\_ if \_\_\_\_\_ safe \_\_\_\_\_ stay away from \_\_\_\_\_ areas \_\_\_\_\_ flooded basements \_\_\_\_\_ electric shocks.

\_\_\_\_\_ it \_\_\_\_\_ keep \_\_\_\_\_ eye on flooded \_\_\_\_\_ areas that are prone to \_\_\_\_\_ during power failures?

\_\_\_\_\_ possible to \_\_\_\_\_ from \_\_\_\_\_ basements \_\_\_\_\_ power outages?

There \_\_\_\_\_ a \_\_\_\_\_ shock \_\_\_\_\_ enter a flooded basement.

Is \_\_\_\_\_ or waterlogged \_\_\_\_\_ vulnerable for \_\_\_\_\_?

\_\_\_\_\_ avoiding flooded \_\_\_\_\_ and \_\_\_\_\_ areas \_\_\_\_\_ good \_\_\_\_\_ against electric shocks?

Is it \_\_\_\_\_ wet areas because of electric \_\_\_\_\_?

\_\_\_\_\_ basement \_\_\_\_\_ for \_\_\_\_\_ shocks?

Should \_\_\_\_\_ away from \_\_\_\_\_ during \_\_\_\_\_ outs?

Is it safe to \_\_\_\_\_ of flooded \_\_\_\_\_ areas \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ electric shocks?

\_\_\_\_\_ stay away from flooded \_\_\_\_\_ areas or \_\_\_\_\_ regions \_\_\_\_\_ to power \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ is \_\_\_\_\_ good \_\_\_\_\_ to exercise \_\_\_\_\_ basements or areas \_\_\_\_\_ have \_\_\_\_\_ by power failures?

Is it a good \_\_\_\_\_ avoid \_\_\_\_\_ outages?

\_\_\_\_\_ avoid \_\_\_\_\_ cellars or \_\_\_\_\_ due \_\_\_\_\_ potential for electrocution?

\_\_\_\_\_ of the \_\_\_\_\_ of \_\_\_\_\_ shouldn't \_\_\_\_\_ stay \_\_\_\_\_ from flood-hit basement?

Should I \_\_\_\_\_ water \_\_\_\_\_ the danger of \_\_\_\_\_ shock?

\_\_\_\_\_ we \_\_\_\_\_ go to \_\_\_\_\_ flooded \_\_\_\_\_ or \_\_\_\_\_ spots \_\_\_\_\_ is \_\_\_\_\_ electric shock?

If \_\_\_\_\_ a risk of \_\_\_\_\_ shock, wouldn't \_\_\_\_\_ to stay out \_\_\_\_\_ flooded \_\_\_\_\_ or \_\_\_\_\_?

\_\_\_\_\_ you think it's \_\_\_\_\_ stay away \_\_\_\_\_ and areas affected by power \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ it's \_\_\_\_\_ to steer clear of \_\_\_\_\_ or \_\_\_\_\_ places \_\_\_\_\_ there's an \_\_\_\_\_?

Is it \_\_\_\_\_ good idea to avoid \_\_\_\_\_ basements because \_\_\_\_\_?

It \_\_\_\_\_ to avoid flood-prone basements \_\_\_\_\_ during \_\_\_\_\_ due to \_\_\_\_\_ dangers \_\_\_\_\_ shocks.

\_\_\_\_\_ you \_\_\_\_\_ it's \_\_\_\_\_ to stay away \_\_\_\_\_ areas that \_\_\_\_\_ because of electric shock?

Is \_\_\_\_\_ a good idea \_\_\_\_\_ wet basements or \_\_\_\_\_ locations \_\_\_\_\_?

Should \_\_\_\_\_ avoid submerged \_\_\_\_\_ or \_\_\_\_\_ because of \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ and drenched locations when faced \_\_\_\_\_ shocks?

What to do \_\_\_\_\_ electric \_\_\_\_\_ in \_\_\_\_\_ basements?

Is \_\_\_\_\_ a good idea to \_\_\_\_\_ waterlogged spaces during power \_\_\_\_\_?

If \_\_\_\_\_ is an \_\_\_\_\_ hazard, would \_\_\_\_\_ a good idea to \_\_\_\_\_ damp \_\_\_\_\_ places?

Is \_\_\_\_ wise to \_\_\_\_ basement \_\_\_\_ electric shock \_\_\_\_?

\_\_\_\_ risk of electric shock, shouldn't \_\_\_\_ basements or flooded \_\_\_\_?

\_\_\_\_ it a \_\_\_\_ stay away from \_\_\_\_ or wet \_\_\_\_ with power \_\_\_\_?

Do \_\_\_\_ think \_\_\_\_ steer clear of \_\_\_\_ or \_\_\_\_ when \_\_\_\_ an electrical hazard?

\_\_\_\_ it a good idea \_\_\_\_ avoid \_\_\_\_ power \_\_\_\_ basements?

If \_\_\_\_ is \_\_\_\_ risk \_\_\_\_ be a good \_\_\_\_ to not enter flooded basement \_\_\_\_ areas?

Should electric \_\_\_\_ basement?

Is it a \_\_\_\_ to stay away from \_\_\_\_ areas prone to \_\_\_\_ shock \_\_\_\_ failure?

\_\_\_\_ staying \_\_\_\_ from flooded areas \_\_\_\_ electric shock?

Is \_\_\_\_ or \_\_\_\_ areas \_\_\_\_ for electric \_\_\_\_?

Should \_\_\_\_ stay \_\_\_\_ from \_\_\_\_ during power failures to \_\_\_\_ the \_\_\_\_ of \_\_\_\_?

Considering \_\_\_\_ electric shock, should we \_\_\_\_ stay \_\_\_\_ from \_\_\_\_?

\_\_\_\_ to not enter \_\_\_\_ during power failures.

\_\_\_\_ a risk \_\_\_\_ in flooded homes?

\_\_\_\_ electric shock, stay away \_\_\_\_.

Should \_\_\_\_ leave the \_\_\_\_ of the danger \_\_\_\_ electric \_\_\_\_?

\_\_\_\_ you think \_\_\_\_ a \_\_\_\_ idea to \_\_\_\_ basements or areas \_\_\_\_ to \_\_\_\_ shock \_\_\_\_ power failures?

Is \_\_\_\_ wise to \_\_\_\_ locations or wet basement \_\_\_\_?

\_\_\_\_ is \_\_\_\_ electric \_\_\_\_ should one avoid \_\_\_\_ areas?

If \_\_\_\_ a \_\_\_\_ of electric \_\_\_\_ be a \_\_\_\_ out of flooded basement \_\_\_\_ saturated areas?

Should \_\_\_\_ stay out of flooded \_\_\_\_ waterlogged zones \_\_\_\_ there \_\_\_\_ hazard?

\_\_\_\_ shock risks \_\_\_\_ high, \_\_\_\_ it \_\_\_\_ away \_\_\_\_ flooded basement and \_\_\_\_ spaces?

Should \_\_\_\_ avoided in \_\_\_\_ basements?

\_\_\_\_ flooded \_\_\_\_ or waterlogged \_\_\_\_ for electric shocks?

\_\_\_\_ it a \_\_\_\_ to avoid flooded \_\_\_\_ because of the \_\_\_\_?

Is it a \_\_\_\_ to stay \_\_\_\_ or \_\_\_\_ that are prone \_\_\_\_ during power cuts?

It's best \_\_\_\_ enter \_\_\_\_ there is an electrical \_\_\_\_.

\_\_\_\_ a \_\_\_\_ idea to avoid \_\_\_\_ that \_\_\_\_ of \_\_\_\_ danger \_\_\_\_ getting electric shocks?

\_\_\_\_ is \_\_\_\_ idea \_\_\_\_ avoid flooded basement \_\_\_\_ electric shock \_\_\_\_.

\_\_\_\_ to the dangers \_\_\_\_ electrical \_\_\_\_ areas would be \_\_\_\_.

If there's \_\_\_\_ risk of electric \_\_\_\_ wouldn't it be \_\_\_\_ stay \_\_\_\_ saturated areas?

Is it \_\_\_\_ idea \_\_\_\_ avoid flooded \_\_\_\_ areas during \_\_\_\_ failures?

Is it \_\_\_\_ idea to \_\_\_\_ and wet \_\_\_\_ of \_\_\_\_ shocks?

Should I stay out \_\_\_\_ because \_\_\_\_ the potential electric \_\_\_\_ dangers?

\_\_\_\_ there a \_\_\_\_ protect myself from \_\_\_\_ when avoiding \_\_\_\_ basements or \_\_\_\_ by \_\_\_\_ failures?

Do \_\_\_\_ think \_\_\_\_ a \_\_\_\_ idea to \_\_\_\_ from flooded areas \_\_\_\_ risk of electric \_\_\_\_?

\_\_\_\_ avoiding flooded \_\_\_\_ and \_\_\_\_ good \_\_\_\_ measure against electric \_\_\_\_?

Is \_\_\_\_ good idea \_\_\_\_ from water during power \_\_\_\_.

Is it \_\_\_\_ protect \_\_\_\_ from electric shock \_\_\_\_ avoiding \_\_\_\_?

It \_\_\_\_ wise \_\_\_\_ areas during disruptions due \_\_\_\_ the dangers \_\_\_\_ electrical \_\_\_\_.

\_\_\_\_ it \_\_\_\_ good \_\_\_\_ flooded \_\_\_\_ and \_\_\_\_ areas during an \_\_\_\_ storm?

\_\_\_\_ it a \_\_\_\_ idea \_\_\_\_ steer \_\_\_\_ of \_\_\_\_ water-drenched \_\_\_\_ when there \_\_\_\_ an electrical problem?

\_\_\_\_ we avoid \_\_\_\_ cellars or \_\_\_\_ spots \_\_\_\_ could \_\_\_\_ a potential \_\_\_\_?

Is \_\_\_\_ good \_\_\_\_ keep \_\_\_\_ close eye \_\_\_\_ basements or areas that are \_\_\_\_ to electric \_\_\_\_ cuts?

\_\_\_\_ flooded basement off-limits \_\_\_\_ an \_\_\_\_ danger?

It is wise to avoid flood-prone \_\_\_\_ due \_\_\_\_ dangers of \_\_\_\_ shocks.

\_\_\_\_ basements \_\_\_\_ electric \_\_\_\_ risk.

\_\_\_\_ good idea to \_\_\_\_ spaces \_\_\_\_ are flooded \_\_\_\_ danger of \_\_\_\_ electric shock?

\_\_\_\_ the \_\_\_\_ of electric shock, shouldn't \_\_\_\_ away \_\_\_\_ houses?

Is \_\_\_\_ of electric shock \_\_\_\_ avoiding \_\_\_\_ basements?



There \_\_\_\_\_ a risk of \_\_\_\_\_ you \_\_\_\_\_ basements.

If \_\_\_\_\_ a risk of \_\_\_\_\_ shock, \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ out \_\_\_\_\_ the flooded basements?

When \_\_\_\_\_ issues, would \_\_\_\_\_ be \_\_\_\_\_ to stay away \_\_\_\_\_ water?

Do you think \_\_\_\_\_ wise \_\_\_\_\_ from \_\_\_\_\_ due to \_\_\_\_\_ dangers?

Should people \_\_\_\_\_ spaces or wet regions prone to \_\_\_\_\_?

Is it \_\_\_\_\_ avoid \_\_\_\_\_ drenched locations, \_\_\_\_\_ there is the chance \_\_\_\_\_ shock?

\_\_\_\_\_ there \_\_\_\_\_ risk of electric shock if \_\_\_\_\_ avoid \_\_\_\_\_ and \_\_\_\_\_?

Is \_\_\_\_\_ wise to \_\_\_\_\_ when there is an \_\_\_\_\_ hazard?

\_\_\_\_\_ shock risks \_\_\_\_\_ high, \_\_\_\_\_ is it \_\_\_\_\_ to \_\_\_\_\_ away from \_\_\_\_\_?

It is \_\_\_\_\_ avoid \_\_\_\_\_ and waterlogged \_\_\_\_\_ during \_\_\_\_\_.

Do you \_\_\_\_\_ stay \_\_\_\_\_ from flooded basement \_\_\_\_\_ flooded spaces \_\_\_\_\_ a \_\_\_\_\_ failure?

\_\_\_\_\_ we \_\_\_\_\_ flooded \_\_\_\_\_ of \_\_\_\_\_ risk?

Should I stay \_\_\_\_\_ basements or areas \_\_\_\_\_ electric \_\_\_\_\_?

When \_\_\_\_\_ an \_\_\_\_\_ shock, \_\_\_\_\_ we stay \_\_\_\_\_ flooded spots?

\_\_\_\_\_ is \_\_\_\_\_ of \_\_\_\_\_ shock, \_\_\_\_\_ it be \_\_\_\_\_ refrain from entering flooded \_\_\_\_\_?

\_\_\_\_\_ if it's safe to stay \_\_\_\_\_ flooded \_\_\_\_\_ soggy \_\_\_\_\_ during an electric \_\_\_\_\_?

Is \_\_\_\_\_ basement \_\_\_\_\_ areas a safe precautionary \_\_\_\_\_ against \_\_\_\_\_?

\_\_\_\_\_ a good \_\_\_\_\_ to be cautious \_\_\_\_\_ flooded \_\_\_\_\_ prone to flooding \_\_\_\_\_ cuts?

Should \_\_\_\_\_ avoid flooded \_\_\_\_\_ and other \_\_\_\_\_ may \_\_\_\_\_ affected \_\_\_\_\_ shock?

Is it possible to avoid \_\_\_\_\_?

Do \_\_\_\_\_ it \_\_\_\_\_ wise to \_\_\_\_\_ basements or powerless \_\_\_\_\_ due \_\_\_\_\_ electrical \_\_\_\_\_?

Is \_\_\_\_\_ worthwhile to \_\_\_\_\_ flooded \_\_\_\_\_ due \_\_\_\_\_ shock \_\_\_\_\_?

Is \_\_\_\_\_ good idea to avoid flooded \_\_\_\_\_ during power \_\_\_\_\_?

The risks of \_\_\_\_\_ justify \_\_\_\_\_ going \_\_\_\_\_ basements.

\_\_\_\_\_ people \_\_\_\_\_ out \_\_\_\_\_ flood-prone \_\_\_\_\_ areas that are prone to power \_\_\_\_\_?

Do you \_\_\_\_\_ basement should \_\_\_\_\_ avoided \_\_\_\_\_ electric \_\_\_\_\_?

Should I \_\_\_\_\_ or \_\_\_\_\_ of the electric \_\_\_\_\_ risks?

\_\_\_\_\_ is an \_\_\_\_\_ shock \_\_\_\_\_ flooded \_\_\_\_\_

There \_\_\_\_\_ of \_\_\_\_\_ shock \_\_\_\_\_ basements.

Do you \_\_\_\_\_ idea \_\_\_\_\_ stay away from \_\_\_\_\_ spots \_\_\_\_\_ to \_\_\_\_\_ dangers?

Is \_\_\_\_\_ wise to \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ there's \_\_\_\_\_ electric \_\_\_\_\_ would it be a good \_\_\_\_\_ to \_\_\_\_\_ of flooded \_\_\_\_\_?

\_\_\_\_\_ idea to avoid \_\_\_\_\_ wet areas \_\_\_\_\_ there is an \_\_\_\_\_ shock?

Is it \_\_\_\_\_ to avoid flooded \_\_\_\_\_ with an electric storm?

\_\_\_\_\_ the \_\_\_\_\_ electric \_\_\_\_\_ if one avoids flooded \_\_\_\_\_ and waterlogged \_\_\_\_\_?

Since \_\_\_\_\_ of electric shock \_\_\_\_\_ considered, shouldn't \_\_\_\_\_ away from \_\_\_\_\_?

\_\_\_\_\_ it a \_\_\_\_\_ flooded \_\_\_\_\_ and \_\_\_\_\_ areas during an electric \_\_\_\_\_?

\_\_\_\_\_ there's \_\_\_\_\_ risk of electric \_\_\_\_\_ sense to stay out of \_\_\_\_\_?

Is \_\_\_\_\_ stay \_\_\_\_\_ from flooded basements \_\_\_\_\_ areas \_\_\_\_\_ affected \_\_\_\_\_ power failures?

\_\_\_\_\_ I \_\_\_\_\_ flooded \_\_\_\_\_ or \_\_\_\_\_ affected by an electric shock?

Do \_\_\_\_\_ think it's \_\_\_\_\_ idea to \_\_\_\_\_ of \_\_\_\_\_ basements \_\_\_\_\_ places \_\_\_\_\_ there is \_\_\_\_\_ electrical hazard?

\_\_\_\_\_ stay \_\_\_\_\_ flooded basements \_\_\_\_\_ other areas \_\_\_\_\_ affected by \_\_\_\_\_ electric shock?

Are the risks \_\_\_\_\_ justifying \_\_\_\_\_ basements?

\_\_\_\_\_ it \_\_\_\_\_ for electric \_\_\_\_\_ be \_\_\_\_\_ flooded basement?

Should we avoid submerged cellars or \_\_\_\_\_ places \_\_\_\_\_?

\_\_\_\_\_ the potential \_\_\_\_\_ shock \_\_\_\_\_ should \_\_\_\_\_ stay \_\_\_\_\_ flooded basement \_\_\_\_\_ waterlogged \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ submerged cellars or \_\_\_\_\_ if \_\_\_\_\_ is a chance \_\_\_\_\_?

\_\_\_\_\_ avoid flooded basement \_\_\_\_\_ to \_\_\_\_\_ risk?

Is \_\_\_\_\_ a good \_\_\_\_\_ flooded \_\_\_\_\_ prone to \_\_\_\_\_ due to \_\_\_\_\_ electric shock?

Is it a good \_\_\_\_\_ of \_\_\_\_\_ basements and \_\_\_\_\_ out?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ out \_\_\_\_ flooded basements \_\_\_\_ a power outage?  
 Should \_\_\_\_ avoid \_\_\_\_ zones \_\_\_\_ soaked \_\_\_\_ to \_\_\_\_ shock?  
 \_\_\_\_ the risk \_\_\_\_ electric shock, \_\_\_\_ out of \_\_\_\_ or Provenances?  
 \_\_\_\_ there \_\_\_\_ an electrical \_\_\_\_ it be \_\_\_\_ idea to steer clear \_\_\_\_ basements or water \_\_\_\_?  
 Since there \_\_\_\_ a possibility \_\_\_\_ it recommended that \_\_\_\_ avoid flooded cellars \_\_\_\_ drenched \_\_\_\_?  
 \_\_\_\_ I avoid flooded basements \_\_\_\_ affected \_\_\_\_ power \_\_\_\_?  
 \_\_\_\_ you think \_\_\_\_ idea to stay \_\_\_\_ basements due \_\_\_\_ electrical hazard?  
 Can you tell \_\_\_\_ if \_\_\_\_ to \_\_\_\_ away \_\_\_\_ areas \_\_\_\_ flooded basements \_\_\_\_ an \_\_\_\_ shock?  
 \_\_\_\_ person avoid the \_\_\_\_ due \_\_\_\_ shock risk?  
 \_\_\_\_ flooded \_\_\_\_ because \_\_\_\_ the electric \_\_\_\_?  
 \_\_\_\_ think it's a good \_\_\_\_ to \_\_\_\_ caution around \_\_\_\_ areas \_\_\_\_ to \_\_\_\_ shock during \_\_\_\_ shortages?  
 Flood prone areas \_\_\_\_ wise to avoid during \_\_\_\_.  
 \_\_\_\_ anything I \_\_\_\_ do \_\_\_\_ myself from electric shock \_\_\_\_ basements?  
 Considering \_\_\_\_ electric \_\_\_\_ shouldn't we stay away \_\_\_\_ flooded \_\_\_\_?  
 \_\_\_\_ you think \_\_\_\_ a good idea \_\_\_\_ steer \_\_\_\_ damp \_\_\_\_ or \_\_\_\_ when \_\_\_\_ an electrical hazard?  
 \_\_\_\_ to stay away from flooded \_\_\_\_ and \_\_\_\_ during \_\_\_\_ storm?  
 \_\_\_\_ think it's a \_\_\_\_ idea to \_\_\_\_ cautious around flooded basements \_\_\_\_ have been \_\_\_\_ due \_\_\_\_ of \_\_\_\_ shock  
 \_\_\_\_ shock \_\_\_\_ flooded basement?  
 \_\_\_\_ to \_\_\_\_ there is a \_\_\_\_ of electric \_\_\_\_ in \_\_\_\_ basement?  
 Should one \_\_\_\_ of \_\_\_\_ basement \_\_\_\_ to \_\_\_\_ shock \_\_\_\_?  
 Since there \_\_\_\_ of \_\_\_\_ electric \_\_\_\_ is it a \_\_\_\_ cellars and wet locations?  
 When \_\_\_\_ would it be \_\_\_\_ to stay \_\_\_\_ water-afflicted places.  
 Is \_\_\_\_ a good \_\_\_\_ avoid flooded \_\_\_\_ because of \_\_\_\_ shocks?  
 \_\_\_\_ a \_\_\_\_ of \_\_\_\_ in \_\_\_\_ basements.  
 \_\_\_\_ avoiding flooded and \_\_\_\_ areas a \_\_\_\_ measure \_\_\_\_?  
 I \_\_\_\_ want \_\_\_\_ get an \_\_\_\_ when the power \_\_\_\_ out, \_\_\_\_ I stay \_\_\_\_ areas?  
 \_\_\_\_ would \_\_\_\_ know if \_\_\_\_ safe \_\_\_\_ stay \_\_\_\_ flooded areas and waterlogged \_\_\_\_ during \_\_\_\_ shocks.  
 \_\_\_\_ basements \_\_\_\_ areas \_\_\_\_ for electric shocks?  
 Is \_\_\_\_ a good idea \_\_\_\_ stay away \_\_\_\_ flood-prone \_\_\_\_ and \_\_\_\_ regions \_\_\_\_ failures?  
 \_\_\_\_ it safe \_\_\_\_ of \_\_\_\_ basements and areas without power \_\_\_\_ are \_\_\_\_?  
 \_\_\_\_ away from flooded \_\_\_\_ to prevent electric shock?  
 Do \_\_\_\_ think \_\_\_\_ a good \_\_\_\_ to \_\_\_\_ basements and areas \_\_\_\_?  
 \_\_\_\_ to electric \_\_\_\_ risk you \_\_\_\_ flooded \_\_\_\_.  
 Electric shock \_\_\_\_ cause \_\_\_\_ basements \_\_\_\_ areas.  
 When \_\_\_\_ are electrical problems, would it be \_\_\_\_ water-afflicted \_\_\_\_?  
 Is \_\_\_\_ idea to stay \_\_\_\_ flooded \_\_\_\_ areas \_\_\_\_ by \_\_\_\_ failure \_\_\_\_ fear of electric shock?  
 Is it better \_\_\_\_ stay away \_\_\_\_ flood-prone basement spaces or \_\_\_\_ are \_\_\_\_ to \_\_\_\_?  
 \_\_\_\_ it a good idea \_\_\_\_ from \_\_\_\_ to electrical dangers?  
 \_\_\_\_ basements \_\_\_\_ other areas that could \_\_\_\_ affected \_\_\_\_ electrical shock?  
 \_\_\_\_ it a good \_\_\_\_ to \_\_\_\_ powerless or \_\_\_\_ of \_\_\_\_ risks?  
 Is \_\_\_\_ possible to \_\_\_\_ basement and \_\_\_\_ spots during \_\_\_\_?  
 Do you think it \_\_\_\_ to \_\_\_\_ from flooded \_\_\_\_ electrical \_\_\_\_?  
 Is there a risk of electric \_\_\_\_ if you steer \_\_\_\_?  
 Is it \_\_\_\_ good idea \_\_\_\_ stay \_\_\_\_ from \_\_\_\_ or \_\_\_\_ regions \_\_\_\_ have power \_\_\_\_?  
 Is \_\_\_\_ possible \_\_\_\_ flooded \_\_\_\_ due \_\_\_\_ electric shock \_\_\_\_.  
 \_\_\_\_ it \_\_\_\_ idea \_\_\_\_ flooded basements due \_\_\_\_ electrical shock \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ shock risk, \_\_\_\_ flooded \_\_\_\_.  
 \_\_\_\_ safe to stay \_\_\_\_ from \_\_\_\_ basements and other \_\_\_\_ is \_\_\_\_ electric \_\_\_\_?  
 There is a \_\_\_\_ of experiencing \_\_\_\_ shock in flooded \_\_\_\_.  
 \_\_\_\_ it a good idea to \_\_\_\_ from \_\_\_\_ or areas \_\_\_\_ electric \_\_\_\_ during \_\_\_\_ power \_\_\_\_?

\_\_\_\_\_ a good idea \_\_\_\_\_ stay \_\_\_\_\_ from flooded basements \_\_\_\_\_ during power \_\_\_\_\_?

Do \_\_\_\_\_ think it's wise \_\_\_\_\_ stay clear \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ I avoid \_\_\_\_\_ basement \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ it's \_\_\_\_\_ good \_\_\_\_\_ steer clear \_\_\_\_\_ damp basements and \_\_\_\_\_ places \_\_\_\_\_ emergencies?

\_\_\_\_\_ we need \_\_\_\_\_ avoid submerged \_\_\_\_\_ soaked \_\_\_\_\_ due \_\_\_\_\_ the potential for \_\_\_\_\_?

If \_\_\_\_\_ is \_\_\_\_\_ a good idea \_\_\_\_\_ stay away \_\_\_\_\_ places?

Is \_\_\_\_\_ good idea \_\_\_\_\_ avoid flooded basement's because \_\_\_\_\_ risk \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ basements should not be flooded \_\_\_\_\_ electric dangers?

\_\_\_\_\_ I \_\_\_\_\_ basements and waterlogged \_\_\_\_\_ during \_\_\_\_\_ outs?

\_\_\_\_\_ it a bad idea to \_\_\_\_\_ from flooded \_\_\_\_\_ flooded \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ the risk of electric shock, \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ it a \_\_\_\_\_ idea \_\_\_\_\_ flooded basements if \_\_\_\_\_ of being \_\_\_\_\_?

When there \_\_\_\_\_ would \_\_\_\_\_ be wise \_\_\_\_\_ avoid water-afflicted \_\_\_\_\_?

\_\_\_\_\_ I stay \_\_\_\_\_ from flooded areas during \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ avoid flooded basements because \_\_\_\_\_ risk of getting electric \_\_\_\_\_?

Is \_\_\_\_\_ to avoid basements \_\_\_\_\_ due \_\_\_\_\_ dangers?

\_\_\_\_\_ it a \_\_\_\_\_ idea \_\_\_\_\_ flooded \_\_\_\_\_ and drenched locations \_\_\_\_\_ an \_\_\_\_\_ storm?

\_\_\_\_\_ there are electrical issues, \_\_\_\_\_ we \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ flooded \_\_\_\_\_ be avoided \_\_\_\_\_ safety?

Is avoiding flooded \_\_\_\_\_ wet \_\_\_\_\_ a safe \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ or waterlogged zones \_\_\_\_\_ the potential electric shock dangers?

I don't \_\_\_\_\_ to get fried \_\_\_\_\_ electricity so should \_\_\_\_\_ basements \_\_\_\_\_?

Should I \_\_\_\_\_ out \_\_\_\_\_ that might \_\_\_\_\_ by an electrical shock?

\_\_\_\_\_ to the \_\_\_\_\_ electric \_\_\_\_\_ should I \_\_\_\_\_ the water-filled \_\_\_\_\_?

\_\_\_\_\_ it advisable \_\_\_\_\_ basements or \_\_\_\_\_ that \_\_\_\_\_ been \_\_\_\_\_ by \_\_\_\_\_ shock?

\_\_\_\_\_ there \_\_\_\_\_ risk of \_\_\_\_\_ shock in flooded basements or \_\_\_\_\_ it be \_\_\_\_\_ stay \_\_\_\_\_?

\_\_\_\_\_ a good idea to \_\_\_\_\_ clear \_\_\_\_\_ waterlogging \_\_\_\_\_ power \_\_\_\_\_?

The \_\_\_\_\_ of electric shock should \_\_\_\_\_ one \_\_\_\_\_ basements \_\_\_\_\_ areas.

\_\_\_\_\_ it recommended \_\_\_\_\_ avoid flooded \_\_\_\_\_ soaked \_\_\_\_\_ faced with \_\_\_\_\_ cuts?

\_\_\_\_\_ away from water-afflicted \_\_\_\_\_ are electrical problems?

Is \_\_\_\_\_ a good idea to \_\_\_\_\_ away \_\_\_\_\_ of \_\_\_\_\_ electrical \_\_\_\_\_?

Avoid \_\_\_\_\_ due to electric \_\_\_\_\_

Is it safe to \_\_\_\_\_ from \_\_\_\_\_ and \_\_\_\_\_ without power \_\_\_\_\_ risk of electric \_\_\_\_\_?

Is it \_\_\_\_\_ good \_\_\_\_\_ to avoid flooded basements \_\_\_\_\_ might be \_\_\_\_\_ by \_\_\_\_\_ storm?

Is \_\_\_\_\_ good idea to \_\_\_\_\_ and \_\_\_\_\_ locations \_\_\_\_\_ with \_\_\_\_\_ of an electric storm?

\_\_\_\_\_ it is \_\_\_\_\_ to stay away \_\_\_\_\_ areas \_\_\_\_\_ to \_\_\_\_\_ hazard?

Should \_\_\_\_\_ person avoid flooded \_\_\_\_\_ because \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ avoiding basement flooding due \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ one \_\_\_\_\_ if \_\_\_\_\_ is an electric shock?

\_\_\_\_\_ electric \_\_\_\_\_ can cause \_\_\_\_\_ basements.

\_\_\_\_\_ make \_\_\_\_\_ steer clear \_\_\_\_\_ wet \_\_\_\_\_ or powerless \_\_\_\_\_ of electrical dangers?

Do \_\_\_\_\_ it's a good \_\_\_\_\_ to be \_\_\_\_\_ flooded \_\_\_\_\_ or \_\_\_\_\_ electric \_\_\_\_\_ during power \_\_\_\_\_?

Is \_\_\_\_\_ recommended that we \_\_\_\_\_ flooded \_\_\_\_\_ and drenched \_\_\_\_\_ a possibility \_\_\_\_\_ electric \_\_\_\_\_?

Should someone avoid flooding \_\_\_\_\_?

Should \_\_\_\_\_ avoid flooded \_\_\_\_\_ or \_\_\_\_\_ due to the \_\_\_\_\_ hazard?

\_\_\_\_\_ think it's \_\_\_\_\_ to steer \_\_\_\_\_ basements and \_\_\_\_\_ power outages?

\_\_\_\_\_ avoid flooded basements, due \_\_\_\_\_ shock \_\_\_\_\_?

Is \_\_\_\_\_ a good idea to \_\_\_\_\_ basements \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ there's \_\_\_\_\_ of electric shock, \_\_\_\_\_ it make \_\_\_\_\_ stay out \_\_\_\_\_ basements?

Is \_\_\_\_\_ a good idea \_\_\_\_\_ flooded basements \_\_\_\_\_ due \_\_\_\_\_ shocks?

\_\_\_\_\_ are \_\_\_\_\_ would \_\_\_\_\_ safest to \_\_\_\_\_ away from water-afflicted places?  
 \_\_\_\_\_ it \_\_\_\_\_ to stay away from \_\_\_\_\_ areas \_\_\_\_\_ electrical \_\_\_\_\_?  
 \_\_\_\_\_ a good idea to keep \_\_\_\_\_ close eye \_\_\_\_\_ and waterlogged \_\_\_\_\_ during power \_\_\_\_\_ to \_\_\_\_\_ of \_\_\_\_\_ shock?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ myself from \_\_\_\_\_ shock \_\_\_\_\_ flooded \_\_\_\_\_ areas?  
 Is \_\_\_\_\_ a \_\_\_\_\_ idea to \_\_\_\_\_ basements \_\_\_\_\_ other \_\_\_\_\_ susceptible to electric \_\_\_\_\_?  
 \_\_\_\_\_ is \_\_\_\_\_ of electric \_\_\_\_\_ in \_\_\_\_\_ basement.  
 \_\_\_\_\_ there \_\_\_\_\_ risk \_\_\_\_\_ shock if \_\_\_\_\_ avoid \_\_\_\_\_ basements \_\_\_\_\_ waterlogged areas?  
 \_\_\_\_\_ there \_\_\_\_\_ way that I \_\_\_\_\_ protect \_\_\_\_\_ from \_\_\_\_\_ shock \_\_\_\_\_ basements?  
 \_\_\_\_\_ I stay \_\_\_\_\_ flooded \_\_\_\_\_ or other \_\_\_\_\_ be affected by \_\_\_\_\_ storm?  
 \_\_\_\_\_ is an \_\_\_\_\_ shock risk \_\_\_\_\_ basements.  
 Is \_\_\_\_\_ possible to stay away \_\_\_\_\_ flooded \_\_\_\_\_ during \_\_\_\_\_ electric \_\_\_\_\_?  
 Is \_\_\_\_\_ a riskier place \_\_\_\_\_?  
 \_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ safe \_\_\_\_\_ stay away from flooded areas and \_\_\_\_\_ electric \_\_\_\_\_?  
 \_\_\_\_\_ should be avoided due \_\_\_\_\_ the \_\_\_\_\_ hazard?  
 Does \_\_\_\_\_ make \_\_\_\_\_ to \_\_\_\_\_ from flooded \_\_\_\_\_ due to the \_\_\_\_\_?  
 \_\_\_\_\_ you are \_\_\_\_\_ flooded basement, \_\_\_\_\_ avoid it \_\_\_\_\_ the risk \_\_\_\_\_ getting \_\_\_\_\_ shock?  
 Water areas \_\_\_\_\_ power \_\_\_\_\_ electric \_\_\_\_\_.  
 Is it a \_\_\_\_\_ idea to stay \_\_\_\_\_ flooded \_\_\_\_\_ soggy \_\_\_\_\_ fear \_\_\_\_\_ electric shock?  
 \_\_\_\_\_ idea to \_\_\_\_\_ from flooded basement \_\_\_\_\_ wet areas because of \_\_\_\_\_?  
 It \_\_\_\_\_ wise to \_\_\_\_\_ flood prone basements \_\_\_\_\_ during \_\_\_\_\_.  
 If \_\_\_\_\_ of \_\_\_\_\_ shock, \_\_\_\_\_ it be \_\_\_\_\_ stay out \_\_\_\_\_ the \_\_\_\_\_ basement or \_\_\_\_\_ areas?  
 Does it \_\_\_\_\_ to stay \_\_\_\_\_ from flooded \_\_\_\_\_ electrical \_\_\_\_\_?  
 Shall we avoid submerged cellars \_\_\_\_\_ the possibility \_\_\_\_\_?  
 \_\_\_\_\_ not to enter \_\_\_\_\_ power outages.  
 \_\_\_\_\_ you \_\_\_\_\_ it would \_\_\_\_\_ a good \_\_\_\_\_ away from areas \_\_\_\_\_ flooded \_\_\_\_\_ of electric shock?  
 Should people \_\_\_\_\_ of \_\_\_\_\_ risk \_\_\_\_\_ getting electric shocks?  
 Do \_\_\_\_\_ think it is safe \_\_\_\_\_ basements \_\_\_\_\_ areas with \_\_\_\_\_?  
 Is it a \_\_\_\_\_ to \_\_\_\_\_ flooded basements \_\_\_\_\_ power \_\_\_\_\_?  
 Is \_\_\_\_\_ good idea \_\_\_\_\_ avoid waterlogging \_\_\_\_\_ outs?  
 Is it a good \_\_\_\_\_ to avoid flooded \_\_\_\_\_ and \_\_\_\_\_ are \_\_\_\_\_?  
 Should I \_\_\_\_\_ out \_\_\_\_\_ flooded \_\_\_\_\_ areas \_\_\_\_\_ flooding during \_\_\_\_\_ outages?  
 Is flooded \_\_\_\_\_ of \_\_\_\_\_ hazard.  
 \_\_\_\_\_ a good \_\_\_\_\_ to \_\_\_\_\_ and waterlogged areas because of the chance \_\_\_\_\_?  
 \_\_\_\_\_ it possible to avoid \_\_\_\_\_ potential \_\_\_\_\_ electricity-related injuries?  
 Beware \_\_\_\_\_ flooded basement \_\_\_\_\_ risk.  
 \_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ out of flooded basements and \_\_\_\_\_ that \_\_\_\_\_ power \_\_\_\_\_?  
 Electric \_\_\_\_\_ risks \_\_\_\_\_ high so \_\_\_\_\_ safe to stay away \_\_\_\_\_ spaces?  
 \_\_\_\_\_ it is \_\_\_\_\_ avoid \_\_\_\_\_ basements \_\_\_\_\_ to the \_\_\_\_\_ of electric shock?  
 Should \_\_\_\_\_ stay \_\_\_\_\_ from flooded \_\_\_\_\_ during \_\_\_\_\_ outages because \_\_\_\_\_ of \_\_\_\_\_ electric shock?  
 \_\_\_\_\_ we \_\_\_\_\_ flooded \_\_\_\_\_ and drenched locations in \_\_\_\_\_ event \_\_\_\_\_ an electric \_\_\_\_\_?  
 \_\_\_\_\_ shock risk \_\_\_\_\_ the \_\_\_\_\_ to avoid \_\_\_\_\_.  
 Is it \_\_\_\_\_ idea \_\_\_\_\_ basement and \_\_\_\_\_ during outages?  
 Do \_\_\_\_\_ need \_\_\_\_\_ cellars or soaked \_\_\_\_\_ of \_\_\_\_\_ electric shocks?  
 \_\_\_\_\_ we \_\_\_\_\_ submerged \_\_\_\_\_ or \_\_\_\_\_ spots \_\_\_\_\_ of the \_\_\_\_\_ for \_\_\_\_\_ shocks?  
 \_\_\_\_\_ a risk of electric shock, would \_\_\_\_\_ stay out of flooded \_\_\_\_\_ areas?  
 There \_\_\_\_\_ of electric \_\_\_\_\_ justify \_\_\_\_\_ flooded basements.  
 \_\_\_\_\_ of electric shock, so shouldn't \_\_\_\_\_ from flood-hit basements?  
 Since there \_\_\_\_\_ a \_\_\_\_\_ an electric shock, Is it a \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_?  
 During \_\_\_\_\_ it would be wise \_\_\_\_\_ avoid \_\_\_\_\_ and \_\_\_\_\_.  
 Do \_\_\_\_\_ is safe \_\_\_\_\_ basements and areas \_\_\_\_\_ no power \_\_\_\_\_ to \_\_\_\_\_ shocks?

\_\_\_\_\_ it safe \_\_\_\_\_ flooded basements and areas with \_\_\_\_\_ of electric shocks?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ flooded basements \_\_\_\_\_ of electricity- \_\_\_\_\_?  
 \_\_\_\_\_ flooded \_\_\_\_\_ areas \_\_\_\_\_ good way to avoid electric \_\_\_\_\_?  
 \_\_\_\_\_ think it's \_\_\_\_\_ flooded basements and power outs?  
 Is it \_\_\_\_\_ good idea to \_\_\_\_\_ basements and wet \_\_\_\_\_?  
 \_\_\_\_\_ flooded \_\_\_\_\_ due to electric \_\_\_\_\_ risk.  
 \_\_\_\_\_ risks \_\_\_\_\_ shocks justify \_\_\_\_\_ basements.  
 \_\_\_\_\_ it \_\_\_\_\_ good idea to \_\_\_\_\_ power failures \_\_\_\_\_ avoid the risk \_\_\_\_\_ electric \_\_\_\_\_?  
 \_\_\_\_\_ tell \_\_\_\_\_ safe to \_\_\_\_\_ flooded areas and damaged \_\_\_\_\_ during an electric shock?  
 Flood-prone areas would \_\_\_\_\_ wise to \_\_\_\_\_ due \_\_\_\_\_ electrical \_\_\_\_\_.  
 Is \_\_\_\_\_ better to \_\_\_\_\_ basement \_\_\_\_\_ to electric \_\_\_\_\_ risk?  
 Is \_\_\_\_\_ to stay \_\_\_\_\_ that have been damaged \_\_\_\_\_ power cuts \_\_\_\_\_ the risk of electric shock  
 If \_\_\_\_\_ was an \_\_\_\_\_ hazard, would \_\_\_\_\_ good \_\_\_\_\_ steer clear \_\_\_\_\_ damp basement \_\_\_\_\_ soaked places?  
 Don't go to \_\_\_\_\_ basement \_\_\_\_\_ electric \_\_\_\_\_ risk.  
 \_\_\_\_\_ it \_\_\_\_\_ idea to \_\_\_\_\_ areas because \_\_\_\_\_ risk of electric \_\_\_\_\_?  
 \_\_\_\_\_ risk of electric shock, shouldn't \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ or \_\_\_\_\_?  
 You should \_\_\_\_\_ there \_\_\_\_\_ a power outage.  
 \_\_\_\_\_ there's a \_\_\_\_\_ shock, \_\_\_\_\_ it be \_\_\_\_\_ to \_\_\_\_\_ out \_\_\_\_\_ the \_\_\_\_\_ basement?  
 Is it safe to \_\_\_\_\_ away \_\_\_\_\_ flooded basements when \_\_\_\_\_ an \_\_\_\_\_?  
 Is it a \_\_\_\_\_ idea \_\_\_\_\_ away \_\_\_\_\_ flooded basements \_\_\_\_\_ that have been \_\_\_\_\_ by \_\_\_\_\_ the risk \_\_\_\_\_ shocks  
 \_\_\_\_\_ it \_\_\_\_\_ to avoid \_\_\_\_\_ of \_\_\_\_\_ of electricity-related injuries?  
 If you want \_\_\_\_\_ electric \_\_\_\_\_ stay away from \_\_\_\_\_.  
 Is it \_\_\_\_\_ to avoid \_\_\_\_\_ cellars and \_\_\_\_\_ locations \_\_\_\_\_ faced \_\_\_\_\_ shocks?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ flooded \_\_\_\_\_ because \_\_\_\_\_ the \_\_\_\_\_ risks?  
 \_\_\_\_\_ a good \_\_\_\_\_ basements and waterlogged areas \_\_\_\_\_ there's an electric \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ to avoid \_\_\_\_\_ basements \_\_\_\_\_ with \_\_\_\_\_ shock?  
 \_\_\_\_\_ it a good idea \_\_\_\_\_ avoid flooded \_\_\_\_\_ and \_\_\_\_\_ during \_\_\_\_\_?  
 Do we need \_\_\_\_\_ avoid \_\_\_\_\_ or soaked spots due to \_\_\_\_\_?  
 \_\_\_\_\_ it a \_\_\_\_\_ idea \_\_\_\_\_ stay \_\_\_\_\_ from flooded \_\_\_\_\_ flooded \_\_\_\_\_ during \_\_\_\_\_ failures?  
 \_\_\_\_\_ it a good idea \_\_\_\_\_ away from \_\_\_\_\_ prone \_\_\_\_\_ and \_\_\_\_\_ that have power \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ good idea \_\_\_\_\_ avoid flooded basements because \_\_\_\_\_ the \_\_\_\_\_ hit \_\_\_\_\_ electrical current?  
 Should \_\_\_\_\_ from \_\_\_\_\_ or electrical \_\_\_\_\_ sites?  
 \_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ to avoid \_\_\_\_\_ or \_\_\_\_\_ because of \_\_\_\_\_ hazard?  
 Is it \_\_\_\_\_ idea \_\_\_\_\_ steer \_\_\_\_\_ of \_\_\_\_\_ during \_\_\_\_\_ outages?  
 \_\_\_\_\_ it \_\_\_\_\_ not to \_\_\_\_\_ the flooded basement \_\_\_\_\_ of the \_\_\_\_\_?  
 \_\_\_\_\_ if \_\_\_\_\_ is safe to stay away from \_\_\_\_\_ areas \_\_\_\_\_ during a \_\_\_\_\_ outage?  
 Should \_\_\_\_\_ out \_\_\_\_\_ flooded basement due \_\_\_\_\_ electric \_\_\_\_\_?  
 Is it \_\_\_\_\_ to protect \_\_\_\_\_ from electric \_\_\_\_\_ when \_\_\_\_\_ and \_\_\_\_\_?  
 Do you \_\_\_\_\_ make \_\_\_\_\_ stay away from flooded \_\_\_\_\_ electrical dangers?  
 Is \_\_\_\_\_ good \_\_\_\_\_ basements and wet \_\_\_\_\_ affected by electricity?  
 It \_\_\_\_\_ be \_\_\_\_\_ to avoid \_\_\_\_\_ areas due \_\_\_\_\_ risks \_\_\_\_\_ shocks.  
 Do flooded \_\_\_\_\_ be \_\_\_\_\_ for electric \_\_\_\_\_?  
 \_\_\_\_\_ one \_\_\_\_\_ flooded basements \_\_\_\_\_ the \_\_\_\_\_ of getting \_\_\_\_\_ shocks?  
 Is \_\_\_\_\_ good idea \_\_\_\_\_ stay \_\_\_\_\_ of flooded \_\_\_\_\_ or \_\_\_\_\_ are prone \_\_\_\_\_ electric shock \_\_\_\_\_ power \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to stay away \_\_\_\_\_ water-logged spots and flooded \_\_\_\_\_?  
 \_\_\_\_\_ one \_\_\_\_\_ flooded basements because of \_\_\_\_\_ an electric \_\_\_\_\_?  
 \_\_\_\_\_ to avoid \_\_\_\_\_ cellars \_\_\_\_\_ soaked spots \_\_\_\_\_ to \_\_\_\_\_ possibility \_\_\_\_\_ electrocution?  
 \_\_\_\_\_ should not be \_\_\_\_\_ electric \_\_\_\_\_.  
 If there was \_\_\_\_\_ electrical \_\_\_\_\_ would \_\_\_\_\_ wise \_\_\_\_\_ clear of \_\_\_\_\_ and water-soaked \_\_\_\_\_?

\_\_\_\_\_ stay away from flood-prone basement spaces \_\_\_\_\_ troubled by power failures due \_\_\_\_\_ ?

Is flooded \_\_\_\_\_ because \_\_\_\_\_ risk \_\_\_\_\_ ?

Should \_\_\_\_\_ basements \_\_\_\_\_ waterlogged \_\_\_\_\_ of the electric \_\_\_\_\_ risk?

Should I stay \_\_\_\_\_ flooded areas \_\_\_\_\_ of the \_\_\_\_\_ an \_\_\_\_\_ shock \_\_\_\_\_ power outage?

Is there a \_\_\_\_\_ shock if I \_\_\_\_\_ of \_\_\_\_\_ ?

Is \_\_\_\_\_ basements off-limits \_\_\_\_\_ of \_\_\_\_\_ ?

\_\_\_\_\_ tell me \_\_\_\_\_ to stay away \_\_\_\_\_ flooded \_\_\_\_\_ and flooded \_\_\_\_\_ during \_\_\_\_\_ shock issues?

\_\_\_\_\_ flooded basement \_\_\_\_\_ areas during power outs?

\_\_\_\_\_ to avoid flooded basements \_\_\_\_\_ danger \_\_\_\_\_ getting electric shocks?

\_\_\_\_\_ we \_\_\_\_\_ shock if \_\_\_\_\_ stay away from \_\_\_\_\_ ?

Do you think \_\_\_\_\_ a good \_\_\_\_\_ from \_\_\_\_\_ with water and \_\_\_\_\_ issues?

If it is safe to stay \_\_\_\_\_ from \_\_\_\_\_ flooded \_\_\_\_\_ an \_\_\_\_\_ shock, could \_\_\_\_\_ ?

Is \_\_\_\_\_ powerless \_\_\_\_\_ or wet basements because \_\_\_\_\_ electrical danger?

\_\_\_\_\_ a good \_\_\_\_\_ avoid \_\_\_\_\_ or \_\_\_\_\_ locations because of \_\_\_\_\_ hazard?

\_\_\_\_\_ you \_\_\_\_\_ it's wise \_\_\_\_\_ clear of damp \_\_\_\_\_ or \_\_\_\_\_ soaked places \_\_\_\_\_ there's an \_\_\_\_\_ ?

\_\_\_\_\_ wonder if \_\_\_\_\_ smart to avoid flooded \_\_\_\_\_ to \_\_\_\_\_ .

\_\_\_\_\_ think it's \_\_\_\_\_ idea to \_\_\_\_\_ areas \_\_\_\_\_ of the risk of \_\_\_\_\_ ?

\_\_\_\_\_ we avoid \_\_\_\_\_ cellars or \_\_\_\_\_ spots \_\_\_\_\_ possibility \_\_\_\_\_ electric shocks?

Is \_\_\_\_\_ areas a \_\_\_\_\_ against electric \_\_\_\_\_ ?

Is it safe \_\_\_\_\_ and wet \_\_\_\_\_ affected \_\_\_\_\_ shocks?

Is \_\_\_\_\_ avoid flooded \_\_\_\_\_ and areas with \_\_\_\_\_ ?

Is \_\_\_\_\_ better \_\_\_\_\_ of wet basements or \_\_\_\_\_ ?

Should \_\_\_\_\_ cellars \_\_\_\_\_ spots because of \_\_\_\_\_ electric shock?

\_\_\_\_\_ there \_\_\_\_\_ of \_\_\_\_\_ shock if I \_\_\_\_\_ flooded \_\_\_\_\_ or waterlogged \_\_\_\_\_ ?

Is \_\_\_\_\_ flooded \_\_\_\_\_ for electric \_\_\_\_\_ ?

\_\_\_\_\_ there \_\_\_\_\_ risk \_\_\_\_\_ electric \_\_\_\_\_ if one avoids \_\_\_\_\_ waterlogged areas?

\_\_\_\_\_ I stay away \_\_\_\_\_ flooded \_\_\_\_\_ during power cuts \_\_\_\_\_ the \_\_\_\_\_ of getting an \_\_\_\_\_ ?

\_\_\_\_\_ risk of \_\_\_\_\_ shouldn't we keep \_\_\_\_\_ from \_\_\_\_\_ basements?

\_\_\_\_\_ to \_\_\_\_\_ soaked spots due to the risk of \_\_\_\_\_ ?

Should \_\_\_\_\_ away \_\_\_\_\_ power shortages \_\_\_\_\_ flooded \_\_\_\_\_ ?

Should \_\_\_\_\_ stay away from \_\_\_\_\_ basement spaces and wet \_\_\_\_\_ power \_\_\_\_\_ ?

If I \_\_\_\_\_ electric shock, \_\_\_\_\_ stay away \_\_\_\_\_ the \_\_\_\_\_ ?

Should \_\_\_\_\_ or other \_\_\_\_\_ that may \_\_\_\_\_ by an \_\_\_\_\_ storm?

\_\_\_\_\_ of electric shock, wouldn't \_\_\_\_\_ better to stay out of flooded \_\_\_\_\_ areas?

\_\_\_\_\_ safe from \_\_\_\_\_ shock \_\_\_\_\_ we stay away from \_\_\_\_\_ ?

\_\_\_\_\_ avoid \_\_\_\_\_ basements \_\_\_\_\_ water-logged \_\_\_\_\_ during power cuts?

\_\_\_\_\_ wise \_\_\_\_\_ avoid \_\_\_\_\_ are prone to flooding due to electric \_\_\_\_\_ ?

\_\_\_\_\_ avoid submerged cellars or soaked \_\_\_\_\_ could \_\_\_\_\_ by \_\_\_\_\_ potential \_\_\_\_\_ shock?

Is \_\_\_\_\_ a good \_\_\_\_\_ to \_\_\_\_\_ eye \_\_\_\_\_ for flooded basements \_\_\_\_\_ are prone to electric \_\_\_\_\_ power \_\_\_\_\_ ?

Do you know \_\_\_\_\_ it's \_\_\_\_\_ stay \_\_\_\_\_ flooded \_\_\_\_\_ and \_\_\_\_\_ electric shocks?

Is \_\_\_\_\_ to stay away \_\_\_\_\_ flooded \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ failure?

\_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ safe to stay \_\_\_\_\_ areas \_\_\_\_\_ soggy \_\_\_\_\_ during an \_\_\_\_\_ shock?

\_\_\_\_\_ one stay away \_\_\_\_\_ ?

Should \_\_\_\_\_ away from \_\_\_\_\_ of the risk \_\_\_\_\_ an electric \_\_\_\_\_ during power \_\_\_\_\_ ?

\_\_\_\_\_ one avoid \_\_\_\_\_ basements \_\_\_\_\_ the \_\_\_\_\_ of getting \_\_\_\_\_ ?

\_\_\_\_\_ basement \_\_\_\_\_ due to the \_\_\_\_\_ hazard?

\_\_\_\_\_ it \_\_\_\_\_ avoid \_\_\_\_\_ during \_\_\_\_\_ failures?

\_\_\_\_\_ is \_\_\_\_\_ reason to \_\_\_\_\_ flooded \_\_\_\_\_ .

Since there is a \_\_\_\_\_ of \_\_\_\_\_ shock in flooded \_\_\_\_\_ a \_\_\_\_\_ idea to \_\_\_\_\_ them?

\_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ to avoid flooded \_\_\_\_\_ and waterlogged areas \_\_\_\_\_ ?

Should \_\_\_\_\_ be \_\_\_\_\_ because \_\_\_\_\_ safety?  
 \_\_\_\_\_ there is an \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ away from water-afflicted \_\_\_\_\_?  
 \_\_\_\_\_ wise to \_\_\_\_\_ flooded \_\_\_\_\_ or flooded spots due to \_\_\_\_\_?  
 \_\_\_\_\_ possible to avoid basements \_\_\_\_\_ due \_\_\_\_\_ dangers?  
 \_\_\_\_\_ to avoid \_\_\_\_\_ basement regions during \_\_\_\_\_ to the \_\_\_\_\_ of \_\_\_\_\_ shocks.  
 Can you tell me if \_\_\_\_\_ stay \_\_\_\_\_ because of electric \_\_\_\_\_?  
 \_\_\_\_\_ don't want \_\_\_\_\_ shock when the \_\_\_\_\_ goes out, \_\_\_\_\_ stay \_\_\_\_\_ from flooded areas?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ from \_\_\_\_\_ waterlogged basements \_\_\_\_\_ there is an electric \_\_\_\_\_?  
 \_\_\_\_\_ it a \_\_\_\_\_ away from flooded basements or places \_\_\_\_\_ have been \_\_\_\_\_ power \_\_\_\_\_?  
 \_\_\_\_\_ it a good idea to \_\_\_\_\_ spaces that \_\_\_\_\_ flooded because \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ or waterlogged \_\_\_\_\_ bad for \_\_\_\_\_ shocks?  
 Should I \_\_\_\_\_ flooded \_\_\_\_\_ potential electric \_\_\_\_\_ hazard?  
 \_\_\_\_\_ you think \_\_\_\_\_ of electric \_\_\_\_\_ avoiding \_\_\_\_\_ basement?  
 It would be \_\_\_\_\_ flood-prone \_\_\_\_\_ and \_\_\_\_\_ during disruptions due to \_\_\_\_\_ risks \_\_\_\_\_ shocks.  
 \_\_\_\_\_ it recommended \_\_\_\_\_ avoid flooded \_\_\_\_\_ since there \_\_\_\_\_ a chance of an \_\_\_\_\_ shock?  
 It \_\_\_\_\_ be \_\_\_\_\_ avoid \_\_\_\_\_ basement \_\_\_\_\_ waterlogged areas during disruptions \_\_\_\_\_ to the dangers \_\_\_\_\_.  
 Is \_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ stay \_\_\_\_\_ from flooded spaces during \_\_\_\_\_?  
 \_\_\_\_\_ it a good idea to \_\_\_\_\_ clear \_\_\_\_\_ basements or \_\_\_\_\_ of \_\_\_\_\_?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ from \_\_\_\_\_ because \_\_\_\_\_ fear of electric \_\_\_\_\_?  
 When there \_\_\_\_\_ electrical \_\_\_\_\_ it \_\_\_\_\_ best \_\_\_\_\_ water-afflicted places.  
 \_\_\_\_\_ flooded basements \_\_\_\_\_ areas with no power \_\_\_\_\_ to electric \_\_\_\_\_?  
 Should individuals \_\_\_\_\_ flood-prone \_\_\_\_\_ and wet \_\_\_\_\_ that \_\_\_\_\_ to power failures?  
 \_\_\_\_\_ you can \_\_\_\_\_ shock, stay \_\_\_\_\_ from \_\_\_\_\_ areas.  
 \_\_\_\_\_ you think it's a good idea \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ of \_\_\_\_\_?  
 Is there a way I \_\_\_\_\_ protect myself \_\_\_\_\_ electric \_\_\_\_\_?  
 \_\_\_\_\_ wise to \_\_\_\_\_ from \_\_\_\_\_ areas during \_\_\_\_\_ loss?  
 \_\_\_\_\_ idea to \_\_\_\_\_ away from \_\_\_\_\_ and \_\_\_\_\_ areas because of electric \_\_\_\_\_?  
 \_\_\_\_\_ areas are risky for electric \_\_\_\_\_.  
 Should we \_\_\_\_\_ away from the \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ don't want \_\_\_\_\_ electricity, \_\_\_\_\_ should I avoid the basement \_\_\_\_\_ water?  
 If \_\_\_\_\_ a risk \_\_\_\_\_ it be \_\_\_\_\_ to stay \_\_\_\_\_ of \_\_\_\_\_ basements?  
 Due \_\_\_\_\_ the dangers of \_\_\_\_\_ shocks, avoiding \_\_\_\_\_ areas \_\_\_\_\_.  
 \_\_\_\_\_ there were electrical \_\_\_\_\_ would \_\_\_\_\_ better to \_\_\_\_\_ away \_\_\_\_\_ water-afflicted \_\_\_\_\_?  
 \_\_\_\_\_ good idea to avoid flooded \_\_\_\_\_ waterlogged \_\_\_\_\_ the power goes \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ risk of \_\_\_\_\_ shock, \_\_\_\_\_ good \_\_\_\_\_ to avoid flooded \_\_\_\_\_.  
 \_\_\_\_\_ to stay away \_\_\_\_\_ basements \_\_\_\_\_ areas with power cuts?  
 Is it a good \_\_\_\_\_ flooded \_\_\_\_\_ areas \_\_\_\_\_ an electric \_\_\_\_\_?  
 \_\_\_\_\_ is an \_\_\_\_\_ hazard, would \_\_\_\_\_ wise to steer clear \_\_\_\_\_ damp \_\_\_\_\_ places.  
 Is avoiding \_\_\_\_\_ and wet \_\_\_\_\_ a \_\_\_\_\_ precaution \_\_\_\_\_ shock?  
 \_\_\_\_\_ it safe to \_\_\_\_\_ basements \_\_\_\_\_ without power \_\_\_\_\_ to the \_\_\_\_\_ shocks?  
 \_\_\_\_\_ I \_\_\_\_\_ myself from \_\_\_\_\_ shock by avoiding \_\_\_\_\_?  
 Could you tell \_\_\_\_\_ if it's safe to \_\_\_\_\_ flooded areas \_\_\_\_\_ basement \_\_\_\_\_ shock?  
 \_\_\_\_\_ the risk of electric \_\_\_\_\_ idea to avoid flooded \_\_\_\_\_?  
 \_\_\_\_\_ away from floods and electrical shortage \_\_\_\_\_?  
 Is \_\_\_\_\_ off-limits \_\_\_\_\_ of \_\_\_\_\_ hazard?  
 Is \_\_\_\_\_ worth \_\_\_\_\_ to \_\_\_\_\_ away from \_\_\_\_\_ due \_\_\_\_\_ electrical \_\_\_\_\_?  
 \_\_\_\_\_ risks justify \_\_\_\_\_ flooded basements, \_\_\_\_\_?  
 \_\_\_\_\_ risk \_\_\_\_\_ basement a bad \_\_\_\_\_.  
 \_\_\_\_\_ there were an electrical \_\_\_\_\_ it \_\_\_\_\_ steer clear of damp \_\_\_\_\_ water-drenched \_\_\_\_\_?  
 \_\_\_\_\_ better \_\_\_\_\_ away from \_\_\_\_\_ fear of electric shock?

When \_\_\_\_\_ electrical \_\_\_\_\_ does \_\_\_\_\_ make sense to stay \_\_\_\_\_ from \_\_\_\_\_ ?

Is it \_\_\_\_\_ to avoid flooded basement and \_\_\_\_\_ ?

The dangers \_\_\_\_\_ electrical shocks make \_\_\_\_\_ wise \_\_\_\_\_.

Is it \_\_\_\_\_ to \_\_\_\_\_ space when there is \_\_\_\_\_ risk?

\_\_\_\_\_ you think it \_\_\_\_\_ to \_\_\_\_\_ or powerless \_\_\_\_\_ because of \_\_\_\_\_ dangers?

Is it safe to \_\_\_\_\_ away \_\_\_\_\_ basement \_\_\_\_\_ space \_\_\_\_\_ a \_\_\_\_\_ ?

Is it \_\_\_\_\_ avoid \_\_\_\_\_ or \_\_\_\_\_ affected \_\_\_\_\_ electric shocks?

Is \_\_\_\_\_ away from water-afflicted places \_\_\_\_\_ there are \_\_\_\_\_ ?

Considering the \_\_\_\_\_ shouldn't \_\_\_\_\_ stay away from flood-hit \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ to stay away \_\_\_\_\_ flooded \_\_\_\_\_ of \_\_\_\_\_ shock?

\_\_\_\_\_ good idea \_\_\_\_\_ avoid flooded basements \_\_\_\_\_ waterlogged \_\_\_\_\_ electric storm?

Should people \_\_\_\_\_ away from \_\_\_\_\_ basement \_\_\_\_\_ or \_\_\_\_\_ regions that \_\_\_\_\_ prone \_\_\_\_\_ ?

Is avoiding \_\_\_\_\_ a \_\_\_\_\_ protect \_\_\_\_\_ against electric shock?

\_\_\_\_\_ you think \_\_\_\_\_ a good \_\_\_\_\_ exercise caution \_\_\_\_\_ or \_\_\_\_\_ that have been flooded during \_\_\_\_\_ ?

Should I avoid flooded \_\_\_\_\_ power failures because \_\_\_\_\_ of \_\_\_\_\_ ?

\_\_\_\_\_ a \_\_\_\_\_ electrocution in flooded \_\_\_\_\_.

\_\_\_\_\_ not go into flooded basement \_\_\_\_\_ electric \_\_\_\_\_ ?

It is wise to \_\_\_\_\_ disruptions \_\_\_\_\_ the dangers \_\_\_\_\_ electrical \_\_\_\_\_.

Is \_\_\_\_\_ better \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ basement spaces \_\_\_\_\_ wet regions that \_\_\_\_\_ ?

\_\_\_\_\_ shock, shouldn't we avoid flood-hit basements and \_\_\_\_\_ ?

\_\_\_\_\_ to stay away from flooded \_\_\_\_\_ during electric shocks?

\_\_\_\_\_ people stay away from \_\_\_\_\_ areas and \_\_\_\_\_ power failures?

Is it \_\_\_\_\_ to \_\_\_\_\_ or \_\_\_\_\_ spots \_\_\_\_\_ power failures?

Can \_\_\_\_\_ tell me \_\_\_\_\_ it is safe \_\_\_\_\_ away \_\_\_\_\_ areas during \_\_\_\_\_ ?

\_\_\_\_\_ basements and water-logged spots during power \_\_\_\_\_ ?

Is it a \_\_\_\_\_ steer clear \_\_\_\_\_ damp basement \_\_\_\_\_ when \_\_\_\_\_ is an \_\_\_\_\_ storm?

I'd like \_\_\_\_\_ what \_\_\_\_\_ protect myself \_\_\_\_\_ electric shock when avoiding \_\_\_\_\_ basements.

\_\_\_\_\_ it wise \_\_\_\_\_ stay away from \_\_\_\_\_ areas due \_\_\_\_\_ ?

Should we be avoiding \_\_\_\_\_ cellars or soaked spots \_\_\_\_\_ ?

\_\_\_\_\_ it a \_\_\_\_\_ avoid \_\_\_\_\_ cellars \_\_\_\_\_ when faced with power cuts?

\_\_\_\_\_ is \_\_\_\_\_ electric \_\_\_\_\_ in \_\_\_\_\_ basement.

\_\_\_\_\_ know if it's \_\_\_\_\_ to stay \_\_\_\_\_ from \_\_\_\_\_ areas \_\_\_\_\_ basements during \_\_\_\_\_ issues?

\_\_\_\_\_ of electric \_\_\_\_\_ avoiding \_\_\_\_\_ basements.

Should someone \_\_\_\_\_ due to \_\_\_\_\_ shock \_\_\_\_\_ ?

\_\_\_\_\_ stay out of \_\_\_\_\_ basement \_\_\_\_\_ zones because of the \_\_\_\_\_ hazard?

Is \_\_\_\_\_ a \_\_\_\_\_ idea to \_\_\_\_\_ basement and \_\_\_\_\_ areas \_\_\_\_\_ outages?

\_\_\_\_\_ I \_\_\_\_\_ do \_\_\_\_\_ myself from electric \_\_\_\_\_ when \_\_\_\_\_ flooded basement or waterlogged \_\_\_\_\_ ?

Is it \_\_\_\_\_ avoid flooded \_\_\_\_\_ and \_\_\_\_\_ locations \_\_\_\_\_ there \_\_\_\_\_ chance of \_\_\_\_\_ electric shock?

Do you recommend \_\_\_\_\_ to \_\_\_\_\_ risks?

Should \_\_\_\_\_ or \_\_\_\_\_ spots because of \_\_\_\_\_ electrocution?

Is it wise \_\_\_\_\_ clear \_\_\_\_\_ basements \_\_\_\_\_ water soaked \_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ hazard?

Should \_\_\_\_\_ avoid flooded \_\_\_\_\_ and \_\_\_\_\_ areas during \_\_\_\_\_ ?

\_\_\_\_\_ good idea \_\_\_\_\_ flooded basements \_\_\_\_\_ the danger of \_\_\_\_\_ electrical shock?

\_\_\_\_\_ it \_\_\_\_\_ idea \_\_\_\_\_ stay away from flooded \_\_\_\_\_ during power disruptions to avoid \_\_\_\_\_ ?

\_\_\_\_\_ stay away from flooded areas during \_\_\_\_\_ avoid \_\_\_\_\_ risk of an electric shock?

\_\_\_\_\_ a risk of \_\_\_\_\_ shock if I \_\_\_\_\_ flooded basement \_\_\_\_\_ power outages?

\_\_\_\_\_ a good idea to \_\_\_\_\_ basements \_\_\_\_\_ electric dangers?

Considering \_\_\_\_\_ of \_\_\_\_\_ should \_\_\_\_\_ stay away \_\_\_\_\_ flood-hit basement or \_\_\_\_\_ ?

\_\_\_\_\_ we \_\_\_\_\_ submerged \_\_\_\_\_ soaked spots due to the possibility \_\_\_\_\_ ?

\_\_\_\_\_ a step I can \_\_\_\_\_ myself \_\_\_\_\_ shock \_\_\_\_\_ avoiding flooded basements?



\_\_\_\_\_ wise \_\_\_\_\_ powerless and wet \_\_\_\_\_ because \_\_\_\_\_ electrical dangers?

Should \_\_\_\_\_ avoid \_\_\_\_\_ electric shock risk?

Is \_\_\_\_\_ basements or \_\_\_\_\_ risky for \_\_\_\_\_?

If \_\_\_\_\_ an \_\_\_\_\_ hazard, \_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ steer \_\_\_\_\_ damp basement or water-drenched places?

\_\_\_\_\_ it safe to stay \_\_\_\_\_ basements \_\_\_\_\_ areas with \_\_\_\_\_?

Does \_\_\_\_\_ to go to \_\_\_\_\_ flooded spots due to \_\_\_\_\_?

Is it \_\_\_\_\_ to avoid \_\_\_\_\_ basements \_\_\_\_\_ electric shocks?

Is \_\_\_\_\_ basements \_\_\_\_\_ areas \_\_\_\_\_ for \_\_\_\_\_ shocks?

Considering \_\_\_\_\_ electric \_\_\_\_\_ shouldn't we \_\_\_\_\_ flood-hit \_\_\_\_\_ or Provenances?

\_\_\_\_\_ risk \_\_\_\_\_ electric shock makes \_\_\_\_\_ idea \_\_\_\_\_ avoid flooded \_\_\_\_\_.

\_\_\_\_\_ from \_\_\_\_\_ basement \_\_\_\_\_ and wet regions that are \_\_\_\_\_ power failures?

\_\_\_\_\_ I avoid flooded \_\_\_\_\_ if \_\_\_\_\_ shock hazard?

If \_\_\_\_\_ is \_\_\_\_\_ risk of electric shock, \_\_\_\_\_ idea to stay \_\_\_\_\_ flooded \_\_\_\_\_ and saturated \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ away \_\_\_\_\_ during an electrical \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ of \_\_\_\_\_ basements and areas \_\_\_\_\_ powerlessness?

It \_\_\_\_\_ wise \_\_\_\_\_ avoid \_\_\_\_\_ basements \_\_\_\_\_ during disruptions \_\_\_\_\_ to the \_\_\_\_\_ of electrical shocks.

\_\_\_\_\_ it a \_\_\_\_\_ idea to \_\_\_\_\_ from flooded basements and \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ you think \_\_\_\_\_ is smart to \_\_\_\_\_ basements \_\_\_\_\_ to \_\_\_\_\_ risk?

\_\_\_\_\_ avoiding \_\_\_\_\_ basements due to electric shock \_\_\_\_\_?

The \_\_\_\_\_ shock \_\_\_\_\_ flooded basement.

Do \_\_\_\_\_ good idea to avoid \_\_\_\_\_ areas \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ we avoid \_\_\_\_\_ or \_\_\_\_\_ spots because of \_\_\_\_\_ risk \_\_\_\_\_?

There \_\_\_\_\_ a risk of \_\_\_\_\_ if you \_\_\_\_\_ flooded basements or \_\_\_\_\_.

\_\_\_\_\_ it a \_\_\_\_\_ idea \_\_\_\_\_ flooded basements or waterlogged areas \_\_\_\_\_ chance \_\_\_\_\_ shock?

\_\_\_\_\_ wise to \_\_\_\_\_ away from \_\_\_\_\_ basements or \_\_\_\_\_ spots \_\_\_\_\_ hazard?

Is \_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ avoid flooded basement \_\_\_\_\_ wet \_\_\_\_\_ shocks?

\_\_\_\_\_ to \_\_\_\_\_ powerless locations \_\_\_\_\_ wet basements \_\_\_\_\_ electrical risks?

\_\_\_\_\_ avoid \_\_\_\_\_ basements or areas \_\_\_\_\_ are prone to \_\_\_\_\_?

\_\_\_\_\_ submerged cellars or \_\_\_\_\_ spots \_\_\_\_\_ might \_\_\_\_\_ impacted by \_\_\_\_\_ electrocution?

Should \_\_\_\_\_ avoid \_\_\_\_\_ due \_\_\_\_\_ the \_\_\_\_\_ shock risk?

Is it \_\_\_\_\_ to avoid \_\_\_\_\_ basements \_\_\_\_\_ areas \_\_\_\_\_ of \_\_\_\_\_ shocks?

It \_\_\_\_\_ avoid flood-prone \_\_\_\_\_ disruptions occur \_\_\_\_\_ to the dangers \_\_\_\_\_ electrical \_\_\_\_\_.

\_\_\_\_\_ I stay \_\_\_\_\_ flooded basements or \_\_\_\_\_ to electric \_\_\_\_\_?

\_\_\_\_\_ you think \_\_\_\_\_ stay away from areas with electric \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ of electric \_\_\_\_\_ it \_\_\_\_\_ wise to \_\_\_\_\_ out \_\_\_\_\_ basements.

Should I \_\_\_\_\_ from \_\_\_\_\_ basements \_\_\_\_\_ other areas \_\_\_\_\_ power \_\_\_\_\_?

Is \_\_\_\_\_ wise \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ because \_\_\_\_\_ the \_\_\_\_\_ of electric \_\_\_\_\_?

Stay away from flooded areas \_\_\_\_\_ avoid \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ to prevent \_\_\_\_\_ we stay away from flooded basements \_\_\_\_\_?

\_\_\_\_\_ risk of \_\_\_\_\_ shock, \_\_\_\_\_ we \_\_\_\_\_ stay \_\_\_\_\_ from flood-hit \_\_\_\_\_?

\_\_\_\_\_ we avoid \_\_\_\_\_ spots due to the \_\_\_\_\_ of \_\_\_\_\_ electrocution?

Is \_\_\_\_\_ getting an electric shock if \_\_\_\_\_ stay \_\_\_\_\_ flooded basements \_\_\_\_\_ disruptions?

Do you think it's a \_\_\_\_\_ idea \_\_\_\_\_ avoid \_\_\_\_\_ cellars and \_\_\_\_\_ with \_\_\_\_\_?

If there's \_\_\_\_\_ risk of electric shock, would \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ out \_\_\_\_\_ flooded \_\_\_\_\_?

If there \_\_\_\_\_ a \_\_\_\_\_ electric shock, \_\_\_\_\_ prudent to stay \_\_\_\_\_ flooded \_\_\_\_\_?

Do \_\_\_\_\_ think it \_\_\_\_\_ wise \_\_\_\_\_ stay away from \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ to enter flooded sites during \_\_\_\_\_.

If \_\_\_\_\_ must \_\_\_\_\_ shock, stay away \_\_\_\_\_ areas.

\_\_\_\_\_ we \_\_\_\_\_ to avoid submerged \_\_\_\_\_ or soaked spots \_\_\_\_\_ electric shocks?

Is \_\_\_\_\_ a \_\_\_\_\_ avoid \_\_\_\_\_ or \_\_\_\_\_ spots because \_\_\_\_\_ electrical dangers?

Can \_\_\_\_\_ tell me if \_\_\_\_\_ safe \_\_\_\_\_ stay \_\_\_\_\_ and flooded basement \_\_\_\_\_ there \_\_\_\_\_ an \_\_\_\_\_ shock?  
 \_\_\_\_\_ a \_\_\_\_\_ of a electrocution hazard?

Should \_\_\_\_\_ avoid the flooded \_\_\_\_\_ electric \_\_\_\_\_ risk?  
 \_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ to avoid \_\_\_\_\_ because \_\_\_\_\_ the risk of \_\_\_\_\_ electrocution?

Do \_\_\_\_\_ safe \_\_\_\_\_ away \_\_\_\_\_ flooded areas \_\_\_\_\_ flooded basements during a power \_\_\_\_\_?  
 Flood-prone basements \_\_\_\_\_ waterlogged regions should \_\_\_\_\_ due \_\_\_\_\_ the dangers \_\_\_\_\_ electrical \_\_\_\_\_.  
 \_\_\_\_\_ smart \_\_\_\_\_ avoid flooded \_\_\_\_\_ electric shock risk?

If there are electrical \_\_\_\_\_ to stay away \_\_\_\_\_ water-afflicted \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ idea \_\_\_\_\_ avoid \_\_\_\_\_ cellars and drenched areas when \_\_\_\_\_ with \_\_\_\_\_?

Is it a good \_\_\_\_\_ to \_\_\_\_\_ flooded basements \_\_\_\_\_ shock \_\_\_\_\_?  
 \_\_\_\_\_ it a \_\_\_\_\_ idea \_\_\_\_\_ exercise \_\_\_\_\_ around \_\_\_\_\_ areas \_\_\_\_\_ have been damaged by power \_\_\_\_\_?

Should people \_\_\_\_\_ to electric \_\_\_\_\_ risks?  
 Considering the risk \_\_\_\_\_ doesn't it \_\_\_\_\_ sense to \_\_\_\_\_ away \_\_\_\_\_?  
 \_\_\_\_\_ stay away \_\_\_\_\_ flood-prone basement \_\_\_\_\_ because \_\_\_\_\_ potential electrocution \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ electric shock, \_\_\_\_\_ we stay \_\_\_\_\_ basements or homes?  
 \_\_\_\_\_ there \_\_\_\_\_ of electric shock in \_\_\_\_\_ basements \_\_\_\_\_ waterlogged \_\_\_\_\_?

Is it a \_\_\_\_\_ idea \_\_\_\_\_ from flooded \_\_\_\_\_ spaces during \_\_\_\_\_ shock?  
 Due \_\_\_\_\_ the dangers of electrical shocks, \_\_\_\_\_ would \_\_\_\_\_ wise to \_\_\_\_\_.

It's \_\_\_\_\_ not \_\_\_\_\_ sites during a power \_\_\_\_\_.

Should \_\_\_\_\_ avoid \_\_\_\_\_ basements and \_\_\_\_\_ with \_\_\_\_\_ water \_\_\_\_\_ power \_\_\_\_\_?  
 \_\_\_\_\_ would be \_\_\_\_\_ flood prone \_\_\_\_\_ disruptions \_\_\_\_\_ to the electrical \_\_\_\_\_.

Do we have \_\_\_\_\_ avoid \_\_\_\_\_ cellars or soaked \_\_\_\_\_ the \_\_\_\_\_ electric \_\_\_\_\_?  
 \_\_\_\_\_ a person \_\_\_\_\_ from flood \_\_\_\_\_ shortage sites?

Should \_\_\_\_\_ basements be \_\_\_\_\_ electric \_\_\_\_\_

Is \_\_\_\_\_ away \_\_\_\_\_ flooded basements \_\_\_\_\_ with power cuts?  
 \_\_\_\_\_ it a good idea \_\_\_\_\_ from flooded \_\_\_\_\_ and \_\_\_\_\_ outs?  
 \_\_\_\_\_ stay away \_\_\_\_\_ flooded basement \_\_\_\_\_ to electrical hazard?

Should I avoid \_\_\_\_\_ or waterlogged zones \_\_\_\_\_ to \_\_\_\_\_ shock \_\_\_\_\_?

A \_\_\_\_\_ of \_\_\_\_\_ shock \_\_\_\_\_ basement?

\_\_\_\_\_ to steer clear \_\_\_\_\_ water-drenched places when there \_\_\_\_\_ an \_\_\_\_\_ hazard?

Is \_\_\_\_\_ stay \_\_\_\_\_ from \_\_\_\_\_ basements during power \_\_\_\_\_?

Should \_\_\_\_\_ flooded \_\_\_\_\_ and other \_\_\_\_\_ that may be \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ smart to \_\_\_\_\_ away \_\_\_\_\_ areas due to \_\_\_\_\_ dangers?  
 \_\_\_\_\_ of electric \_\_\_\_\_ in \_\_\_\_\_ water-filled basement.  
 \_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ because \_\_\_\_\_ the danger of \_\_\_\_\_ electriccut?

Is it a good idea \_\_\_\_\_ basements \_\_\_\_\_ danger \_\_\_\_\_ getting \_\_\_\_\_ shocks?

Is it \_\_\_\_\_ good \_\_\_\_\_ flooded basement \_\_\_\_\_ wet area because \_\_\_\_\_?  
 \_\_\_\_\_ it wise to stay away \_\_\_\_\_ areas \_\_\_\_\_ the \_\_\_\_\_ electric \_\_\_\_\_?

When \_\_\_\_\_ are electrical issues, \_\_\_\_\_ to stay away from \_\_\_\_\_?  
 \_\_\_\_\_ flooded \_\_\_\_\_ limits \_\_\_\_\_ of a electrocution hazard?  
 \_\_\_\_\_ is a \_\_\_\_\_ of electric shock, \_\_\_\_\_ wise \_\_\_\_\_ stay \_\_\_\_\_ from flooded \_\_\_\_\_ and \_\_\_\_\_ areas?  
 \_\_\_\_\_ to stay away \_\_\_\_\_ flooded \_\_\_\_\_ there \_\_\_\_\_ an electric shock \_\_\_\_\_?  
 \_\_\_\_\_ flooded \_\_\_\_\_ of the electric \_\_\_\_\_.

Does it \_\_\_\_\_ stay away \_\_\_\_\_ flooded \_\_\_\_\_ due \_\_\_\_\_ dangers?  
 \_\_\_\_\_ to \_\_\_\_\_ away \_\_\_\_\_ flooded \_\_\_\_\_ and areas with power \_\_\_\_\_?  
 \_\_\_\_\_ you think it's a \_\_\_\_\_ idea to \_\_\_\_\_ areas because of \_\_\_\_\_?

Is \_\_\_\_\_ a good \_\_\_\_\_ to \_\_\_\_\_ from flooded \_\_\_\_\_ and waterlogged spaces \_\_\_\_\_?  
 \_\_\_\_\_ it wise to \_\_\_\_\_ because of the \_\_\_\_\_ of electrocution?  
 \_\_\_\_\_ worth \_\_\_\_\_ avoid flooded basement due to electric \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ flooded basement due \_\_\_\_\_ electric \_\_\_\_\_?

Can \_\_\_\_\_ confirm \_\_\_\_\_ it is safe \_\_\_\_\_ away from \_\_\_\_\_ electric shock?  
 \_\_\_\_\_ it \_\_\_\_\_ to avoid submerged cellars \_\_\_\_\_ soaked spots \_\_\_\_\_ to \_\_\_\_\_ ?  
 It's best \_\_\_\_\_ to \_\_\_\_\_ during \_\_\_\_\_ failures.  
 Is \_\_\_\_\_ a danger \_\_\_\_\_ electric \_\_\_\_\_ a \_\_\_\_\_ basement?  
 Will \_\_\_\_\_ able to prevent \_\_\_\_\_ shock \_\_\_\_\_ away from \_\_\_\_\_ basements?  
 Considering \_\_\_\_\_ of electric \_\_\_\_\_ should \_\_\_\_\_ stay \_\_\_\_\_ from flood \_\_\_\_\_ ?  
 \_\_\_\_\_ is a \_\_\_\_\_ hazard \_\_\_\_\_ flooded \_\_\_\_\_ .  
 Is \_\_\_\_\_ to avoid \_\_\_\_\_ basements \_\_\_\_\_ risk \_\_\_\_\_ electricity-related injuries?  
 Since there \_\_\_\_\_ chance of \_\_\_\_\_ shock, \_\_\_\_\_ it advisable to avoid flooded \_\_\_\_\_ ?  
 \_\_\_\_\_ you tell me \_\_\_\_\_ it's \_\_\_\_\_ away \_\_\_\_\_ flooded areas \_\_\_\_\_ damaged \_\_\_\_\_ during electric \_\_\_\_\_ ?  
 It \_\_\_\_\_ avoid flood-prone \_\_\_\_\_ and waterlogged regions \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ .  
 Should we \_\_\_\_\_ flooded basement \_\_\_\_\_ power \_\_\_\_\_ ?  
 Is flooded \_\_\_\_\_ off-limits \_\_\_\_\_ hazard?  
 \_\_\_\_\_ safe \_\_\_\_\_ ignore \_\_\_\_\_ basements \_\_\_\_\_ areas without \_\_\_\_\_ the risk of electric \_\_\_\_\_ ?  
 Is it \_\_\_\_\_ good idea \_\_\_\_\_ flooded \_\_\_\_\_ and areas \_\_\_\_\_ ?  
 Is \_\_\_\_\_ idea \_\_\_\_\_ basement areas when there is \_\_\_\_\_ shock?  
 \_\_\_\_\_ you think \_\_\_\_\_ steer \_\_\_\_\_ damp basements and \_\_\_\_\_ places during \_\_\_\_\_ electrical \_\_\_\_\_ ?  
 \_\_\_\_\_ is \_\_\_\_\_ electric \_\_\_\_\_ it safe to \_\_\_\_\_ away from flooded \_\_\_\_\_ ?  
 Do \_\_\_\_\_ recommend \_\_\_\_\_ basement \_\_\_\_\_ due \_\_\_\_\_ hazard?  
 Should one \_\_\_\_\_ basements \_\_\_\_\_ electric \_\_\_\_\_ risks?  
 \_\_\_\_\_ it \_\_\_\_\_ to avoid \_\_\_\_\_ to electric \_\_\_\_\_ risk?  
 Stay \_\_\_\_\_ flooded areas when \_\_\_\_\_ is \_\_\_\_\_ electric \_\_\_\_\_ .  
 What \_\_\_\_\_ do \_\_\_\_\_ electric shock in \_\_\_\_\_ basement?  
 Don't \_\_\_\_\_ to \_\_\_\_\_ to electric \_\_\_\_\_ .  
 Should \_\_\_\_\_ avoid \_\_\_\_\_ spaces because of the \_\_\_\_\_ electric \_\_\_\_\_ ?  
 \_\_\_\_\_ flooded areas \_\_\_\_\_ of \_\_\_\_\_ of getting a electric shock?  
 \_\_\_\_\_ prevent electric shock, but \_\_\_\_\_ we stay away \_\_\_\_\_ ?  
 Should \_\_\_\_\_ avoid flooded \_\_\_\_\_ due \_\_\_\_\_ electric shock \_\_\_\_\_ ?  
 Avoid \_\_\_\_\_ basements due \_\_\_\_\_ risks.  
 Is it \_\_\_\_\_ good idea \_\_\_\_\_ and \_\_\_\_\_ locations when \_\_\_\_\_ with power \_\_\_\_\_ ?  
 Should \_\_\_\_\_ flooded basement due \_\_\_\_\_ electric \_\_\_\_\_ risk?  
 \_\_\_\_\_ it advisable to avoid flooded \_\_\_\_\_ electric \_\_\_\_\_ ?  
 \_\_\_\_\_ prevent electric shock \_\_\_\_\_ stay \_\_\_\_\_ flooded homes?  
 Should \_\_\_\_\_ avoid \_\_\_\_\_ cellars or \_\_\_\_\_ in the \_\_\_\_\_ potential electrocution?  
 \_\_\_\_\_ a good \_\_\_\_\_ to stay away from flooded basement \_\_\_\_\_ or wet \_\_\_\_\_ power \_\_\_\_\_ ?  
 Do \_\_\_\_\_ need \_\_\_\_\_ submerged \_\_\_\_\_ soaked spots \_\_\_\_\_ of \_\_\_\_\_ potential for \_\_\_\_\_ ?  
 \_\_\_\_\_ to not enter \_\_\_\_\_ sites \_\_\_\_\_ a \_\_\_\_\_ interruption.  
 Is there any risk \_\_\_\_\_ shock \_\_\_\_\_ one \_\_\_\_\_ basements \_\_\_\_\_ areas?  
 There's \_\_\_\_\_ risk of electric shock, so \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ of \_\_\_\_\_ ?  
 \_\_\_\_\_ it \_\_\_\_\_ good idea to \_\_\_\_\_ flooded basements, because of \_\_\_\_\_ shock?  
 Don't \_\_\_\_\_ the flooded \_\_\_\_\_ because \_\_\_\_\_ electric \_\_\_\_\_ risk.  
 \_\_\_\_\_ there \_\_\_\_\_ justifying avoiding flooded basements?  
 \_\_\_\_\_ avoiding flooded basements \_\_\_\_\_ of electric shock?  
 \_\_\_\_\_ to \_\_\_\_\_ flooded basement \_\_\_\_\_ to electric \_\_\_\_\_ risk.  
 Is avoiding flooded \_\_\_\_\_ areas \_\_\_\_\_ to protect against electric \_\_\_\_\_ ?  
 \_\_\_\_\_ idea \_\_\_\_\_ flooded basements or other \_\_\_\_\_ that are prone \_\_\_\_\_ shocks?  
 Should I \_\_\_\_\_ areas \_\_\_\_\_ the risk \_\_\_\_\_ during a power \_\_\_\_\_ ?  
 \_\_\_\_\_ away from flooded basement \_\_\_\_\_ flooded \_\_\_\_\_ during \_\_\_\_\_ electric shock?  
 Should one \_\_\_\_\_ and soaked \_\_\_\_\_ avoid electric \_\_\_\_\_ ?  
 \_\_\_\_\_ it a good \_\_\_\_\_ to avoid flooded \_\_\_\_\_ affected by \_\_\_\_\_ ?

\_\_\_\_\_ away \_\_\_\_\_ waterlogged \_\_\_\_\_ an \_\_\_\_\_ shock.

\_\_\_\_\_ the risk \_\_\_\_\_ shock, shouldn't \_\_\_\_\_ avoid \_\_\_\_\_ basements \_\_\_\_\_ after an outage \_\_\_\_\_?

Should people stay away \_\_\_\_\_ regions \_\_\_\_\_ troubled by power failures?

\_\_\_\_\_ flooded basement \_\_\_\_\_ electrical safety.

\_\_\_\_\_ possible to \_\_\_\_\_ flooded basement because \_\_\_\_\_ related \_\_\_\_\_?

Are \_\_\_\_\_ basements \_\_\_\_\_ because \_\_\_\_\_ hazard?

Is it a good idea \_\_\_\_\_ flooded basements or \_\_\_\_\_ that \_\_\_\_\_ flooding \_\_\_\_\_ the risk \_\_\_\_\_?

\_\_\_\_\_ it's wise \_\_\_\_\_ clear \_\_\_\_\_ basements or \_\_\_\_\_ places when there is an electrical \_\_\_\_\_?

\_\_\_\_\_ it would \_\_\_\_\_ to steer clear \_\_\_\_\_ damp basements \_\_\_\_\_ water-drenched places during an \_\_\_\_\_?

Is \_\_\_\_\_ a risk \_\_\_\_\_ shocks in \_\_\_\_\_ flooded basements and \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ away from \_\_\_\_\_ during electric \_\_\_\_\_?

Should flooded basements \_\_\_\_\_ because \_\_\_\_\_ the risk of electric \_\_\_\_\_?

\_\_\_\_\_ people \_\_\_\_\_ from \_\_\_\_\_ or \_\_\_\_\_ areas with potential electrocution risks?

Are \_\_\_\_\_ basements \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ one avoid flooded \_\_\_\_\_ the \_\_\_\_\_ shock risk?

Will flooded \_\_\_\_\_ for \_\_\_\_\_ shocks?

Should \_\_\_\_\_ basement \_\_\_\_\_ avoided \_\_\_\_\_ electrical \_\_\_\_\_?

\_\_\_\_\_ I avoid \_\_\_\_\_ or other \_\_\_\_\_ affected \_\_\_\_\_ an electric shock?

\_\_\_\_\_ safe to \_\_\_\_\_ from flooded basement \_\_\_\_\_ with \_\_\_\_\_ electric \_\_\_\_\_ risks?

\_\_\_\_\_ to stay away from flooded areas during power \_\_\_\_\_ to \_\_\_\_\_ risk \_\_\_\_\_ an \_\_\_\_\_ shock?

Is \_\_\_\_\_ for electric \_\_\_\_\_ to \_\_\_\_\_ basements?

Is it a good \_\_\_\_\_ flooded \_\_\_\_\_ of electric \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ wet basements because \_\_\_\_\_ electrical dangers?

The dangers of \_\_\_\_\_ it wise to \_\_\_\_\_ areas.

\_\_\_\_\_ one avoid \_\_\_\_\_ basement \_\_\_\_\_ to \_\_\_\_\_ risks?

\_\_\_\_\_ is a \_\_\_\_\_ electric \_\_\_\_\_ the water \_\_\_\_\_ basement.

Do you \_\_\_\_\_ avoiding \_\_\_\_\_ due \_\_\_\_\_ hazard?

\_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ an \_\_\_\_\_ shock in \_\_\_\_\_ drenched locations, \_\_\_\_\_ it \_\_\_\_\_ to avoid them?

\_\_\_\_\_ it \_\_\_\_\_ to avoid \_\_\_\_\_ and drenched \_\_\_\_\_ faced with a \_\_\_\_\_ electric storm?

Is \_\_\_\_\_ or waterlogged area \_\_\_\_\_ risk \_\_\_\_\_ shocks?

\_\_\_\_\_ there a way to protect \_\_\_\_\_ when avoiding flooded \_\_\_\_\_ by power failures?

Do \_\_\_\_\_ the \_\_\_\_\_ should be \_\_\_\_\_ due to \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ don't know if \_\_\_\_\_ to \_\_\_\_\_ away from \_\_\_\_\_ and \_\_\_\_\_ electric shocks.

\_\_\_\_\_ there's a chance \_\_\_\_\_ shock, \_\_\_\_\_ it \_\_\_\_\_ stay \_\_\_\_\_ of flooded basements?

Do \_\_\_\_\_ avoiding water areas \_\_\_\_\_ power issues to \_\_\_\_\_?

\_\_\_\_\_ is safe to \_\_\_\_\_ away from flooded \_\_\_\_\_ and \_\_\_\_\_ spaces during an electric \_\_\_\_\_.

If \_\_\_\_\_ consider \_\_\_\_\_ of \_\_\_\_\_ we stay \_\_\_\_\_ from \_\_\_\_\_ basements or provenances?

\_\_\_\_\_ a way to prevent electric \_\_\_\_\_ water-logged spots?

\_\_\_\_\_ to \_\_\_\_\_ from flooded basement during \_\_\_\_\_ power outage?

Is avoiding flooded \_\_\_\_\_ and \_\_\_\_\_ a \_\_\_\_\_ electrical shock?

\_\_\_\_\_ a good idea \_\_\_\_\_ avoid flooded \_\_\_\_\_ areas \_\_\_\_\_ of the \_\_\_\_\_ shock.

\_\_\_\_\_ areas because \_\_\_\_\_ electric shock \_\_\_\_\_.

\_\_\_\_\_ electric shocks \_\_\_\_\_ avoiding \_\_\_\_\_ basement.

Is \_\_\_\_\_ good idea \_\_\_\_\_ avoid \_\_\_\_\_ wet \_\_\_\_\_ as a precautionary measure \_\_\_\_\_ electric \_\_\_\_\_?

Is it a \_\_\_\_\_ avoid \_\_\_\_\_ basement if you're at \_\_\_\_\_ electric \_\_\_\_\_?

Should we \_\_\_\_\_ submerged cellars \_\_\_\_\_ soaked \_\_\_\_\_ of \_\_\_\_\_ of \_\_\_\_\_ shock?

\_\_\_\_\_ think it's a \_\_\_\_\_ idea to \_\_\_\_\_ basement \_\_\_\_\_ water-drenched places when \_\_\_\_\_ an electrical hazard?

\_\_\_\_\_ one avoid \_\_\_\_\_ basement due \_\_\_\_\_ shock \_\_\_\_\_?

Is it safe to stay \_\_\_\_\_ basement \_\_\_\_\_ spaces \_\_\_\_\_ outages?

Shall we \_\_\_\_\_ submerged \_\_\_\_\_ soaked \_\_\_\_\_ of potential \_\_\_\_\_?

Is \_\_\_\_\_ better to \_\_\_\_\_ wet basements or \_\_\_\_\_ locations \_\_\_\_\_?

Should \_\_\_\_\_ flooded basements during power failures to \_\_\_\_\_ risk \_\_\_\_\_ electric shock?  
\_\_\_\_\_ basements due \_\_\_\_\_ electric shock risk.

\_\_\_\_\_ we \_\_\_\_\_ submerged cellars or \_\_\_\_\_ spots \_\_\_\_\_ to the \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ of \_\_\_\_\_ shock in \_\_\_\_\_ basement?

\_\_\_\_\_ it possible \_\_\_\_\_ basements because of the risk \_\_\_\_\_ from \_\_\_\_\_?

Don't go in \_\_\_\_\_ basements \_\_\_\_\_ shock \_\_\_\_\_.

Is flooded basement \_\_\_\_\_ for electric \_\_\_\_\_?

Is it \_\_\_\_\_ away from flooded \_\_\_\_\_ during an \_\_\_\_\_?

\_\_\_\_\_ is a \_\_\_\_\_ in waterlogged \_\_\_\_\_.

Considering \_\_\_\_\_ possibility of \_\_\_\_\_ shock, shouldn't \_\_\_\_\_ stay away \_\_\_\_\_?

Is it a good idea to \_\_\_\_\_ or \_\_\_\_\_ that may be prone \_\_\_\_\_ shock \_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_  
\_\_\_\_\_ it a good idea \_\_\_\_\_ stay away \_\_\_\_\_ flooded basements \_\_\_\_\_ is \_\_\_\_\_?

Since there \_\_\_\_\_ a \_\_\_\_\_ of an electric \_\_\_\_\_ flooded cellars and \_\_\_\_\_?

\_\_\_\_\_ avoided to avoid electric shock?

\_\_\_\_\_ it advisable \_\_\_\_\_ avoid flooded \_\_\_\_\_ waterlogged \_\_\_\_\_ of \_\_\_\_\_ risk of electric \_\_\_\_\_?

Since \_\_\_\_\_ is a chance \_\_\_\_\_ shock, \_\_\_\_\_ it recommended to \_\_\_\_\_ drenched locations?

\_\_\_\_\_ avoid basements flooded due to electric \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ avoid flooded \_\_\_\_\_ and \_\_\_\_\_ spots during \_\_\_\_\_ outages?