

## [Demo] NLP Dataset for Customer Service Automation

Company Type	Smartphone Manufacturers
Inquiry Category	Warranty and repair service inquiries
Inquiry Sub-Category	Replacement devices
Description	Customers inquire about the process for receiving a replacement device if their smartphone cannot be repaired.
Data Size	5,236 paraphrases
Want to buy data?	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Smartphone Manufacturer" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ happens next \_\_\_\_\_ replacing devices \_\_\_\_\_ are \_\_\_\_\_ standards?

What are \_\_\_\_\_ devices that \_\_\_\_\_ unable to be \_\_\_\_\_?

\_\_\_\_\_ the next \_\_\_\_\_ for devices \_\_\_\_\_ it's impossible \_\_\_\_\_ them?

\_\_\_\_\_ beyond the repair \_\_\_\_\_?

\_\_\_\_\_ happens \_\_\_\_\_ gadgets can't \_\_\_\_\_

Can you \_\_\_\_\_ next steps for \_\_\_\_\_ that are \_\_\_\_\_ repairable?

What is \_\_\_\_\_ plan \_\_\_\_\_ replacement of \_\_\_\_\_?

Replacing \_\_\_\_\_ repairable standards could be \_\_\_\_\_ next thing \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ the next steps for replacing devices \_\_\_\_\_ to \_\_\_\_\_ standards.

What is next \_\_\_\_\_ it's impossible \_\_\_\_\_ them.

Replacing \_\_\_\_\_ repairability \_\_\_\_\_ be \_\_\_\_\_ next thing to occur.

Do you \_\_\_\_\_ a plan to \_\_\_\_\_ devices that \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ replacing \_\_\_\_\_ devices soon?

\_\_\_\_\_ that are \_\_\_\_\_ repairability \_\_\_\_\_ be the \_\_\_\_\_ thing \_\_\_\_\_ happen.

\_\_\_\_\_ for devices beyond repair \_\_\_\_\_.

Can you tell \_\_\_\_\_ process \_\_\_\_\_ replacing \_\_\_\_\_ can't \_\_\_\_\_ guidelines?

\_\_\_\_\_ are beyond \_\_\_\_\_ be the next thing.

\_\_\_\_\_ is the \_\_\_\_\_ step \_\_\_\_\_ devices \_\_\_\_\_ unsuitable \_\_\_\_\_ repairs?

Replacing machines beyond repairability \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_.

Replacing devices that \_\_\_\_\_ beyond \_\_\_\_\_ standards, what \_\_\_\_\_?

Replacing \_\_\_\_\_ are \_\_\_\_\_ repairability standards is something \_\_\_\_\_ be \_\_\_\_\_ out.

\_\_\_\_\_ happens when the devices \_\_\_\_\_ been replaced and \_\_\_\_\_?

\_\_\_\_\_ procedure for changing devices \_\_\_\_\_ do \_\_\_\_\_ meet \_\_\_\_\_ standards?

\_\_\_\_\_ beyond repairability standards \_\_\_\_\_ we \_\_\_\_\_ to consider.

\_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ repairability standards \_\_\_\_\_ the \_\_\_\_\_ could go up \_\_\_\_\_ smoke.

\_\_\_\_\_ repair gadgets?

\_\_\_\_\_ devices \_\_\_\_\_ beyond \_\_\_\_\_ standards?

Replacing devices \_\_\_\_\_ standards \_\_\_\_\_ question that \_\_\_\_\_ ask.

What is \_\_\_\_\_ next \_\_\_\_\_ in \_\_\_\_\_ cannot \_\_\_\_\_ repaired?

Replacing beyond-repair \_\_\_\_\_ what's \_\_\_\_\_?

Replacing \_\_\_\_\_ are \_\_\_\_\_ standards would be \_\_\_\_\_ next thing \_\_\_\_\_  
\_\_\_\_\_ will \_\_\_\_\_ addressed by procedures in the \_\_\_\_\_.  
\_\_\_\_\_ fixable devices \_\_\_\_\_ question.

\_\_\_\_\_ exceeding repair limits?

There will \_\_\_\_\_ in place \_\_\_\_\_ replace \_\_\_\_\_ going \_\_\_\_\_.

What \_\_\_\_\_ the \_\_\_\_\_ replace damaged \_\_\_\_\_?

Replacing devices that \_\_\_\_\_ beyond \_\_\_\_\_ standards \_\_\_\_\_ thing to \_\_\_\_\_.

What \_\_\_\_\_ the next \_\_\_\_\_ can't be \_\_\_\_\_?

What's next \_\_\_\_\_ devices that \_\_\_\_\_?

\_\_\_\_\_ that are beyond repairability \_\_\_\_\_ to \_\_\_\_\_ next \_\_\_\_\_ to have to \_\_\_\_\_.

Replacing Devices that \_\_\_\_\_ repairability \_\_\_\_\_ be the next \_\_\_\_\_.

\_\_\_\_\_ do we \_\_\_\_\_ with \_\_\_\_\_ that need \_\_\_\_\_?

Replacing \_\_\_\_\_ are beyond \_\_\_\_\_ standards depends \_\_\_\_\_ happens \_\_\_\_\_.

Replacing \_\_\_\_\_ beyond repairability \_\_\_\_\_ perhaps \_\_\_\_\_ next \_\_\_\_\_ to do.

I need \_\_\_\_\_ know what \_\_\_\_\_ steps are \_\_\_\_\_ devices that \_\_\_\_\_.

Replacing devices that are \_\_\_\_\_ may \_\_\_\_\_ the \_\_\_\_\_ happens.

Can you \_\_\_\_\_ the \_\_\_\_\_ steps for replacing \_\_\_\_\_ are not \_\_\_\_\_ repairability standards?

Replacing \_\_\_\_\_ that \_\_\_\_\_ repairability standards \_\_\_\_\_ the next \_\_\_\_\_.

\_\_\_\_\_ comes \_\_\_\_\_ getting rid \_\_\_\_\_ phones, what \_\_\_\_\_ next?

\_\_\_\_\_ going forward, how will \_\_\_\_\_?

\_\_\_\_\_ next \_\_\_\_\_ when \_\_\_\_\_ impossible \_\_\_\_\_ repair?

What are \_\_\_\_\_ after \_\_\_\_\_ repair \_\_\_\_\_?

What \_\_\_\_\_ are out there \_\_\_\_\_ replacements \_\_\_\_\_ exceeding \_\_\_\_\_?

What \_\_\_\_\_ there for \_\_\_\_\_ after we \_\_\_\_\_ limits?

Replacing \_\_\_\_\_ that are \_\_\_\_\_ standards \_\_\_\_\_ be \_\_\_\_\_ next \_\_\_\_\_ that will \_\_\_\_\_.

Is there \_\_\_\_\_ plan \_\_\_\_\_ of \_\_\_\_\_ repair \_\_\_\_\_?

Can \_\_\_\_\_ an \_\_\_\_\_ regarding the process of replacing devices \_\_\_\_\_ to \_\_\_\_\_?

Replacing \_\_\_\_\_ that \_\_\_\_\_ be the next \_\_\_\_\_ to \_\_\_\_\_ done.

\_\_\_\_\_ about replacement of \_\_\_\_\_?

What \_\_\_\_\_ do after \_\_\_\_\_ can't \_\_\_\_\_ fixed?

\_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ might be \_\_\_\_\_ next thing \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ to \_\_\_\_\_ can't be \_\_\_\_\_?

what \_\_\_\_\_ repair standards?

Replacing \_\_\_\_\_ that \_\_\_\_\_ beyond \_\_\_\_\_ standards \_\_\_\_\_ be \_\_\_\_\_ steps.

Is there \_\_\_\_\_ unfixable \_\_\_\_\_?

What happens if the \_\_\_\_\_ that \_\_\_\_\_ standards?

Replacement \_\_\_\_\_ gadgets, what's \_\_\_\_\_?

\_\_\_\_\_ cannot be repaired, \_\_\_\_\_?

\_\_\_\_\_ next \_\_\_\_\_ that cannot be \_\_\_\_\_?

\_\_\_\_\_ is the \_\_\_\_\_ for \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ are beyond \_\_\_\_\_ standards seems to be the next \_\_\_\_\_ could \_\_\_\_\_ the chopping \_\_\_\_\_.

Replacing devices that are \_\_\_\_\_ standards seems \_\_\_\_\_ be \_\_\_\_\_ happen

What \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ devices going forward?

Devices \_\_\_\_\_ repair standards, \_\_\_\_\_?

\_\_\_\_\_ that are beyond \_\_\_\_\_ might be \_\_\_\_\_ next thing to \_\_\_\_\_.

Replacement \_\_\_\_\_ salvageable devices \_\_\_\_\_ be \_\_\_\_\_ procedures going \_\_\_\_\_.

\_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ standards is something \_\_\_\_\_ addressed.

\_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ after exceeding \_\_\_\_\_ limits?

Replacing devices \_\_\_\_\_ are \_\_\_\_\_ repairability standards \_\_\_\_\_ next \_\_\_\_\_ that would \_\_\_\_\_.

\_\_\_\_\_ is \_\_\_\_\_ replacing gadgets that are beyond \_\_\_\_\_?

Replacing \_\_\_\_ that \_\_\_\_ repairability standards seems to \_\_\_\_ that would have \_\_\_\_.

\_\_\_\_ will you \_\_\_\_ with devices \_\_\_\_ fixed?

Can \_\_\_\_ tell us \_\_\_\_ the \_\_\_\_ replacing \_\_\_\_ that aren't able to \_\_\_\_?

\_\_\_\_ devices that are \_\_\_\_ standards \_\_\_\_ be \_\_\_\_ thing \_\_\_\_ will happening.

Replacing \_\_\_\_ devices \_\_\_\_ problematic.

Replacing devices that are \_\_\_\_ repairability \_\_\_\_ could \_\_\_\_ have to be \_\_\_\_.

\_\_\_\_ that \_\_\_\_ unsuitable for repairs.

\_\_\_\_ devices that are beyond \_\_\_\_ is another thing \_\_\_\_ to \_\_\_\_.

There are \_\_\_\_ revamps.

\_\_\_\_ devices will \_\_\_\_ going forward.

\_\_\_\_ happens when our \_\_\_\_ be \_\_\_\_?

Replacing devices \_\_\_\_ repairability \_\_\_\_ seems \_\_\_\_ the next \_\_\_\_ that \_\_\_\_ to done.

\_\_\_\_ the future \_\_\_\_ repair standards?

How will you \_\_\_\_ with the devices \_\_\_\_?

\_\_\_\_ will \_\_\_\_ taken \_\_\_\_ replace unsalvageable \_\_\_\_?

Replacing devices that are \_\_\_\_ repairability \_\_\_\_ to \_\_\_\_.

Is there any \_\_\_\_ unrepairable \_\_\_\_?

\_\_\_\_ is the \_\_\_\_ beyond-repair gadgets?

What \_\_\_\_ un fixable \_\_\_\_ plans?

Replacing \_\_\_\_ that are beyond \_\_\_\_ be the next \_\_\_\_.

\_\_\_\_ should \_\_\_\_ go about \_\_\_\_ faulty \_\_\_\_?

\_\_\_\_ the next steps for \_\_\_\_ devices that \_\_\_\_?

\_\_\_\_ any solutions \_\_\_\_ replace \_\_\_\_ soon?

Replacing devices \_\_\_\_ repairability \_\_\_\_ question that needs \_\_\_\_.

\_\_\_\_ are \_\_\_\_ options \_\_\_\_ to \_\_\_\_ after exceeding repair \_\_\_\_?

\_\_\_\_ are beyond repairability \_\_\_\_ to \_\_\_\_ the next thing to go on \_\_\_\_ block.

\_\_\_\_ the \_\_\_\_ steps to \_\_\_\_ that \_\_\_\_ beyond repairable standards?

Replacing devices that \_\_\_\_ beyond repairability \_\_\_\_ is \_\_\_\_ the \_\_\_\_.

\_\_\_\_ is \_\_\_\_ for devices after \_\_\_\_ to \_\_\_\_ within standards?

\_\_\_\_ happens when \_\_\_\_ devices \_\_\_\_ repairability \_\_\_\_?

\_\_\_\_ devices that \_\_\_\_ standards \_\_\_\_ have a consequence.

\_\_\_\_ there be a \_\_\_\_ to replace \_\_\_\_?

What \_\_\_\_ that \_\_\_\_ repair standards?

\_\_\_\_ an option for \_\_\_\_ exceeding repair limits?

Replacing devices \_\_\_\_ beyond repairability standards \_\_\_\_ step.

\_\_\_\_ devices beyond repairability \_\_\_\_ is \_\_\_\_.

How will \_\_\_\_ handle the \_\_\_\_ be \_\_\_\_?

How will \_\_\_\_ deal with \_\_\_\_ can't \_\_\_\_?

Replacing devices that are \_\_\_\_ the next \_\_\_\_ would have to \_\_\_\_.

Can \_\_\_\_ offer \_\_\_\_ the process \_\_\_\_ devices that \_\_\_\_ unable to \_\_\_\_ repair \_\_\_\_?

\_\_\_\_ tell me \_\_\_\_ next steps for \_\_\_\_ devices \_\_\_\_ are \_\_\_\_ up \_\_\_\_ repairability \_\_\_\_?

\_\_\_\_ to know \_\_\_\_ handle devices \_\_\_\_ repairability standards.

Replacing \_\_\_\_ that \_\_\_\_ beyond \_\_\_\_ one of \_\_\_\_ questions.

We need \_\_\_\_ about \_\_\_\_ devices \_\_\_\_ repairability \_\_\_\_.

What happens with \_\_\_\_ beyond \_\_\_\_?

\_\_\_\_ can be \_\_\_\_ replace \_\_\_\_ soon?

\_\_\_\_ next steps \_\_\_\_ devices \_\_\_\_ they \_\_\_\_ be repaired within \_\_\_\_?

\_\_\_\_ taken to replace \_\_\_\_ are beyond repairability standards?

What happens \_\_\_\_ devices \_\_\_\_ standards \_\_\_\_ are replaced?

\_\_\_\_ next for devices \_\_\_\_ not \_\_\_\_ to fix \_\_\_\_ standards?

\_\_\_\_\_ comes to \_\_\_\_\_ unsalvageable phones, what's \_\_\_\_\_?

What happens \_\_\_\_\_ a \_\_\_\_\_ beyond \_\_\_\_\_?

Replacing Devices \_\_\_\_\_ repairability standards \_\_\_\_\_ a \_\_\_\_\_ ask.

\_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ appears to \_\_\_\_\_ next \_\_\_\_\_ that will \_\_\_\_\_ done.

\_\_\_\_\_ devices \_\_\_\_\_ are beyond repairability \_\_\_\_\_ is \_\_\_\_\_ that \_\_\_\_\_ to \_\_\_\_\_.

What are the \_\_\_\_\_ replacement plans?

Are \_\_\_\_\_ to give \_\_\_\_\_ how \_\_\_\_\_ replace devices that are unable \_\_\_\_\_ meet \_\_\_\_\_?

\_\_\_\_\_ that are beyond repairability standards \_\_\_\_\_ next \_\_\_\_\_ consider.

Replacing \_\_\_\_\_ that \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ be the \_\_\_\_\_ go.

\_\_\_\_\_ to \_\_\_\_\_ next steps \_\_\_\_\_ replacing devices that cannot be \_\_\_\_\_.

\_\_\_\_\_ are \_\_\_\_\_ exceeding repair limits.

Replacing devices that are \_\_\_\_\_ seems \_\_\_\_\_ be next \_\_\_\_\_ would \_\_\_\_\_.

Replacing devices \_\_\_\_\_ standards should be \_\_\_\_\_ should \_\_\_\_\_.

The process \_\_\_\_\_ devices \_\_\_\_\_ longer meet repairability \_\_\_\_\_ is \_\_\_\_\_.

\_\_\_\_\_ for \_\_\_\_\_ beyond fixability?

Is there \_\_\_\_\_ solution \_\_\_\_\_ for replacing \_\_\_\_\_?

Replacing \_\_\_\_\_ that are beyond \_\_\_\_\_ seems \_\_\_\_\_ the next \_\_\_\_\_ would be \_\_\_\_\_.

\_\_\_\_\_ are the next steps \_\_\_\_\_ that are \_\_\_\_\_ repairability \_\_\_\_\_?

\_\_\_\_\_ that are beyond repairability \_\_\_\_\_ seems to be \_\_\_\_\_.

Implications \_\_\_\_\_ unfixable \_\_\_\_\_ what?

What \_\_\_\_\_ the future of devices \_\_\_\_\_?

How do \_\_\_\_\_ replace \_\_\_\_\_ repairability \_\_\_\_\_?

\_\_\_\_\_ are beyond \_\_\_\_\_ is the \_\_\_\_\_ that would occur.

\_\_\_\_\_ there \_\_\_\_\_ solutions \_\_\_\_\_ replacing \_\_\_\_\_ devices \_\_\_\_\_?

\_\_\_\_\_ the implications \_\_\_\_\_ beyond \_\_\_\_\_ standards?

Can \_\_\_\_\_ kindly \_\_\_\_\_ us \_\_\_\_\_ for replacing \_\_\_\_\_ that \_\_\_\_\_ not \_\_\_\_\_ standards?

\_\_\_\_\_ beyond-repair \_\_\_\_\_ is a plan \_\_\_\_\_.

Can \_\_\_\_\_ give \_\_\_\_\_ on \_\_\_\_\_ replace devices that are \_\_\_\_\_ with repair \_\_\_\_\_?

What \_\_\_\_\_ some \_\_\_\_\_ repairability standards?

What's \_\_\_\_\_ devices after they can't \_\_\_\_\_ repaired \_\_\_\_\_?

\_\_\_\_\_ are past \_\_\_\_\_ standards \_\_\_\_\_ be the \_\_\_\_\_ thing.

Any ways to \_\_\_\_\_?

Can \_\_\_\_\_ provide \_\_\_\_\_ update on \_\_\_\_\_ devices that are unable \_\_\_\_\_ guidelines?

Is \_\_\_\_\_ to \_\_\_\_\_ devices that are \_\_\_\_\_ to \_\_\_\_\_ repair guidelines?

\_\_\_\_\_ that are \_\_\_\_\_ repairability standards \_\_\_\_\_ be \_\_\_\_\_ next

Beyond \_\_\_\_\_ we \_\_\_\_\_ with devices?

Is \_\_\_\_\_ next \_\_\_\_\_ replace \_\_\_\_\_ are \_\_\_\_\_ up to repairability standards?

What \_\_\_\_\_ the \_\_\_\_\_ of unFixABLE \_\_\_\_\_?

What \_\_\_\_\_ available \_\_\_\_\_ replacements \_\_\_\_\_ exceed repair limits?

\_\_\_\_\_ solutions for \_\_\_\_\_ devices soon?

\_\_\_\_\_ a \_\_\_\_\_ the \_\_\_\_\_ of beyond-repair \_\_\_\_\_.

\_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ standards \_\_\_\_\_ be the \_\_\_\_\_.

Replacing devices \_\_\_\_\_ are \_\_\_\_\_ seems to \_\_\_\_\_ next thing \_\_\_\_\_ happen.

What \_\_\_\_\_ do \_\_\_\_\_ devices that are \_\_\_\_\_ standards?

\_\_\_\_\_ the next step \_\_\_\_\_ that can't \_\_\_\_\_ repaired?

\_\_\_\_\_ Devices that are beyond \_\_\_\_\_ next?

What process \_\_\_\_\_ used \_\_\_\_\_ that \_\_\_\_\_ no longer \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ how to replace \_\_\_\_\_ beyond repairability \_\_\_\_\_.

\_\_\_\_\_ is \_\_\_\_\_ procedure for \_\_\_\_\_ that can't \_\_\_\_\_ repaired?

What are \_\_\_\_\_ next \_\_\_\_\_ devices that \_\_\_\_\_ standards?

Replacing \_\_\_\_ devices \_\_\_\_ addressed by \_\_\_\_ going \_\_\_\_.

\_\_\_\_ will happen \_\_\_\_ the \_\_\_\_ exceeds \_\_\_\_?

Can you \_\_\_\_ update \_\_\_\_ process of \_\_\_\_ devices \_\_\_\_ can't \_\_\_\_ repaired?

Can \_\_\_\_ an \_\_\_\_ on how to replace devices that \_\_\_\_?

\_\_\_\_ are the \_\_\_\_ of \_\_\_\_ device \_\_\_\_?

\_\_\_\_ unsalvageable devices will be \_\_\_\_ going \_\_\_\_.

Replacing devices that are beyond \_\_\_\_ be the \_\_\_\_ thing \_\_\_\_ the chopping block.

\_\_\_\_ the options for replacements \_\_\_\_ we \_\_\_\_ limits?

How \_\_\_\_ handle the \_\_\_\_ that can't \_\_\_\_?

\_\_\_\_ devices that \_\_\_\_ repairability standards \_\_\_\_ the next \_\_\_\_ to \_\_\_\_.

\_\_\_\_ a \_\_\_\_ exceeds repair \_\_\_\_ next?

Replacing \_\_\_\_ are \_\_\_\_ repairability standards \_\_\_\_ be the \_\_\_\_ go.

Replacing un fixable devices \_\_\_\_ challenge \_\_\_\_.

Replacing devices that \_\_\_\_ standards \_\_\_\_ be the \_\_\_\_ thing \_\_\_\_ would need \_\_\_\_ be \_\_\_\_.

\_\_\_\_ need \_\_\_\_ about \_\_\_\_ devices that \_\_\_\_ repairability standards.

\_\_\_\_ happen when \_\_\_\_ cannot \_\_\_\_ repaired?

\_\_\_\_ unrepairable \_\_\_\_ need \_\_\_\_ soon.

What \_\_\_\_ we do to \_\_\_\_ longer \_\_\_\_ repairability standards?

Are \_\_\_\_ able to \_\_\_\_ an \_\_\_\_ the \_\_\_\_ devices \_\_\_\_ can't \_\_\_\_ repair guidelines?

\_\_\_\_ need to \_\_\_\_ next \_\_\_\_ are for \_\_\_\_ devices that \_\_\_\_ repaired.

\_\_\_\_ beyond-repair \_\_\_\_ a question.

\_\_\_\_ devices \_\_\_\_ standards \_\_\_\_ a question we \_\_\_\_ to \_\_\_\_.

\_\_\_\_ for devices \_\_\_\_ it \_\_\_\_ impossible to \_\_\_\_ them \_\_\_\_ standards?

Replacing devices \_\_\_\_ beyond \_\_\_\_ is \_\_\_\_ of \_\_\_\_ things that \_\_\_\_ to \_\_\_\_ done.

\_\_\_\_ devices \_\_\_\_ repairable could be the \_\_\_\_ thing \_\_\_\_.

I don't know \_\_\_\_ are for \_\_\_\_ devices that \_\_\_\_ repaired.

Is implications \_\_\_\_ device \_\_\_\_ what?

Replacing devices \_\_\_\_ are beyond \_\_\_\_ next thing to \_\_\_\_

\_\_\_\_ that \_\_\_\_ repairability \_\_\_\_ is the next \_\_\_\_ that must be \_\_\_\_.

\_\_\_\_ device replacements \_\_\_\_ exceeding \_\_\_\_?

What will \_\_\_\_ done to \_\_\_\_ the \_\_\_\_ of \_\_\_\_?

If \_\_\_\_ guidelines, \_\_\_\_ are the next steps?

\_\_\_\_ happen to devices \_\_\_\_ standards?

Replacing devices \_\_\_\_ repairability \_\_\_\_ the \_\_\_\_ step.

Replacing \_\_\_\_ that are beyond repairability \_\_\_\_ would \_\_\_\_ thing \_\_\_\_.

\_\_\_\_ consequences of \_\_\_\_ device replacements?

\_\_\_\_ that are beyond repairability \_\_\_\_ replaced?

What \_\_\_\_ we \_\_\_\_ devices that \_\_\_\_ meet \_\_\_\_ standards?

\_\_\_\_ take with devices \_\_\_\_ are \_\_\_\_?

Can \_\_\_\_ give \_\_\_\_ update on \_\_\_\_ process \_\_\_\_ devices that \_\_\_\_ repair guidelines?

Replacing devices beyond \_\_\_\_ are the \_\_\_\_?

How \_\_\_\_ replacement \_\_\_\_ beyond-repair \_\_\_\_ done?

\_\_\_\_ you \_\_\_\_ the next steps \_\_\_\_ not up \_\_\_\_ repairability standards?

What \_\_\_\_ do \_\_\_\_ replace devices that \_\_\_\_ repairability \_\_\_\_?

\_\_\_\_ devices that are \_\_\_\_ repairability \_\_\_\_ are \_\_\_\_.

Replacing devices \_\_\_\_ are \_\_\_\_ repairability \_\_\_\_ like the \_\_\_\_.

\_\_\_\_ a device exceeds \_\_\_\_ guidelines, \_\_\_\_?

\_\_\_\_ devices that are \_\_\_\_ standards seems \_\_\_\_ next \_\_\_\_.

\_\_\_\_ the next steps \_\_\_\_ for \_\_\_\_ devices \_\_\_\_ to repairability standards?

\_\_\_\_ are \_\_\_\_ repairability standards is \_\_\_\_ the next \_\_\_\_ that will \_\_\_\_.

\_\_\_\_\_ give me \_\_\_\_\_ next steps \_\_\_\_\_ devices that \_\_\_\_\_ be \_\_\_\_\_?  
\_\_\_\_\_ criteria, what should \_\_\_\_\_ done \_\_\_\_\_?  
What's \_\_\_\_\_ for \_\_\_\_\_ impossible to repair them?  
\_\_\_\_\_ unrepairable \_\_\_\_\_ is \_\_\_\_\_ need of \_\_\_\_\_.  
Replacing \_\_\_\_\_ are beyond repairability \_\_\_\_\_ be \_\_\_\_\_ next thing to \_\_\_\_\_.  
\_\_\_\_\_ devices when they're \_\_\_\_\_ to \_\_\_\_\_ repaired within \_\_\_\_\_?  
What is the \_\_\_\_\_ repair \_\_\_\_\_?  
\_\_\_\_\_ will the \_\_\_\_\_ of \_\_\_\_\_ gadgets \_\_\_\_\_?  
Will \_\_\_\_\_ able to replace unfixable \_\_\_\_\_?  
\_\_\_\_\_ about \_\_\_\_\_ fixable device \_\_\_\_\_ plans?  
\_\_\_\_\_ about devices \_\_\_\_\_ repair \_\_\_\_\_?  
\_\_\_\_\_ kindly tell \_\_\_\_\_ steps \_\_\_\_\_ replacing devices \_\_\_\_\_ aren't up to \_\_\_\_\_ standards?  
What \_\_\_\_\_ devices that \_\_\_\_\_ been \_\_\_\_\_ they are \_\_\_\_\_ standards?  
\_\_\_\_\_ devices that are beyond \_\_\_\_\_ standards \_\_\_\_\_ be \_\_\_\_\_ thing \_\_\_\_\_ be \_\_\_\_\_.  
Replacing un \_\_\_\_\_ something you \_\_\_\_\_ to handle \_\_\_\_\_ forward.  
\_\_\_\_\_ want to know \_\_\_\_\_ the next \_\_\_\_\_ for \_\_\_\_\_ be repaired.  
\_\_\_\_\_ to \_\_\_\_\_ that don't meet repair standards?  
Replacing unfixable \_\_\_\_\_ handled \_\_\_\_\_ going \_\_\_\_\_.  
Replacing devices \_\_\_\_\_ repairability \_\_\_\_\_ to be the \_\_\_\_\_ matter.  
Please \_\_\_\_\_ know \_\_\_\_\_ steps \_\_\_\_\_ replacing devices \_\_\_\_\_ are not \_\_\_\_\_.  
When \_\_\_\_\_ gadgets can't be fixed \_\_\_\_\_ the \_\_\_\_\_?  
Replacing \_\_\_\_\_ are beyond repairability standards \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_  
\_\_\_\_\_ we do \_\_\_\_\_ replace \_\_\_\_\_ soon?  
\_\_\_\_\_ is the plan for \_\_\_\_\_ beyond \_\_\_\_\_ gadgets?  
\_\_\_\_\_ should \_\_\_\_\_ done with devices that \_\_\_\_\_ repairability \_\_\_\_\_?  
What is \_\_\_\_\_ next \_\_\_\_\_ when it \_\_\_\_\_ impossible \_\_\_\_\_ within standards?  
How \_\_\_\_\_ we replace \_\_\_\_\_ don't \_\_\_\_\_ standards?  
Can you \_\_\_\_\_ the \_\_\_\_\_ for replacing \_\_\_\_\_ that are not \_\_\_\_\_ standards?  
\_\_\_\_\_ repair guidelines, what is \_\_\_\_\_ next step?  
\_\_\_\_\_ devices?  
What \_\_\_\_\_ gadgets can't be \_\_\_\_\_?  
Replacement \_\_\_\_\_ the devices \_\_\_\_\_ not \_\_\_\_\_.  
\_\_\_\_\_ provide an update \_\_\_\_\_ the process \_\_\_\_\_ can't meet \_\_\_\_\_ guidelines?  
How \_\_\_\_\_ you \_\_\_\_\_ of devices that \_\_\_\_\_ be \_\_\_\_\_?  
Can \_\_\_\_\_ about the \_\_\_\_\_ of replacing \_\_\_\_\_ to \_\_\_\_\_ repair guidelines?  
Replacing devices that \_\_\_\_\_ standards \_\_\_\_\_ thing that would occur.  
\_\_\_\_\_ devices that \_\_\_\_\_ beyond \_\_\_\_\_ standards is the \_\_\_\_\_ that \_\_\_\_\_.  
The \_\_\_\_\_ that \_\_\_\_\_ been \_\_\_\_\_ are \_\_\_\_\_.  
Replacing devices that are beyond \_\_\_\_\_ standards \_\_\_\_\_.  
Replacing devices that \_\_\_\_\_ beyond \_\_\_\_\_ have \_\_\_\_\_ done.  
Replacing \_\_\_\_\_ that are beyond \_\_\_\_\_ standards is \_\_\_\_\_ be done.  
Replacing \_\_\_\_\_ fixable devices will \_\_\_\_\_ forward.  
Is \_\_\_\_\_ possible to \_\_\_\_\_ a \_\_\_\_\_ after \_\_\_\_\_ repair \_\_\_\_\_?  
What do we \_\_\_\_\_ our \_\_\_\_\_ be \_\_\_\_\_?  
\_\_\_\_\_ is a topic \_\_\_\_\_ interest.  
\_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ be the \_\_\_\_\_ thing to happen.  
Replacing devices \_\_\_\_\_ beyond repairability standards seems to \_\_\_\_\_ take place.  
\_\_\_\_\_ will you \_\_\_\_\_ with \_\_\_\_\_ are unable \_\_\_\_\_ be \_\_\_\_\_?  
\_\_\_\_\_ happens after \_\_\_\_\_ repairability standards are replaced?  
When \_\_\_\_\_ fixed what next?

\_\_\_\_ you \_\_\_\_ us the \_\_\_\_ steps \_\_\_\_ replacing \_\_\_\_ that aren't \_\_\_\_ repairability \_\_\_\_?  
 What \_\_\_\_ next steps \_\_\_\_ that are unsuitable \_\_\_\_?  
 \_\_\_\_ fixed, what happens?  
 What \_\_\_\_ plan \_\_\_\_ replace devices that \_\_\_\_ standards?  
 What \_\_\_\_ the implications \_\_\_\_ replacement \_\_\_\_?  
 \_\_\_\_ is \_\_\_\_ future for \_\_\_\_ repair \_\_\_\_.  
 When gadgets \_\_\_\_ fixed, \_\_\_\_ next?  
 Replacing \_\_\_\_ beyond \_\_\_\_ seem to \_\_\_\_ the next \_\_\_\_.  
 The replacement \_\_\_\_ need procedures \_\_\_\_.  
 \_\_\_\_ devices \_\_\_\_ repairability standards?  
 Should device \_\_\_\_ after \_\_\_\_?  
 What \_\_\_\_ to devices after they are \_\_\_\_?  
 \_\_\_\_ device beyond \_\_\_\_ standards \_\_\_\_ a question \_\_\_\_ need \_\_\_\_.  
 \_\_\_\_ unrepairable \_\_\_\_ on the \_\_\_\_.  
 \_\_\_\_ there any way \_\_\_\_ soon?  
 Replacing \_\_\_\_ that \_\_\_\_ beyond repairability standards \_\_\_\_ be \_\_\_\_ thing \_\_\_\_ will \_\_\_\_.  
 \_\_\_\_ are the \_\_\_\_ of unfixable \_\_\_\_.  
 Can \_\_\_\_ let \_\_\_\_ know what \_\_\_\_ next steps \_\_\_\_ that \_\_\_\_ repairable?  
 \_\_\_\_ are \_\_\_\_ repairability standards \_\_\_\_ to \_\_\_\_ thing that would have \_\_\_\_ happen.  
 \_\_\_\_ that are beyond repairability \_\_\_\_ might \_\_\_\_ thing that \_\_\_\_.  
 Replacing \_\_\_\_ are \_\_\_\_ repairability standards \_\_\_\_ to \_\_\_\_ the next \_\_\_\_ happen.  
 \_\_\_\_ an update on \_\_\_\_ to replace \_\_\_\_ that are \_\_\_\_ to meet \_\_\_\_?  
 Device replacement \_\_\_\_ exceeding \_\_\_\_ repair \_\_\_\_?  
 What \_\_\_\_ exceeding repair limits.  
 What is the next step \_\_\_\_ devices if \_\_\_\_ to \_\_\_\_?  
 How \_\_\_\_ you replace devices \_\_\_\_ no \_\_\_\_ repairability \_\_\_\_.  
 \_\_\_\_ unfixable \_\_\_\_ be an \_\_\_\_ going \_\_\_\_.  
 Replacing devices \_\_\_\_ are \_\_\_\_ could \_\_\_\_ the next \_\_\_\_ to \_\_\_\_  
 \_\_\_\_ that are \_\_\_\_ the repairability \_\_\_\_ seems \_\_\_\_ the \_\_\_\_ question.  
 Replacing devices that are \_\_\_\_ will be \_\_\_\_.  
 The \_\_\_\_ that \_\_\_\_ is replacing devices that \_\_\_\_ repairability \_\_\_\_.  
 \_\_\_\_ what are our replacements?  
 \_\_\_\_ there any update on the \_\_\_\_ can't \_\_\_\_ repair guidelines?  
 Replacing \_\_\_\_ that \_\_\_\_ standards \_\_\_\_ the \_\_\_\_ to be considered.  
 What \_\_\_\_ plan \_\_\_\_ beyond-repair gadgets?  
 Do you know \_\_\_\_ the \_\_\_\_ replacing \_\_\_\_ can't be repaired?  
 \_\_\_\_ you \_\_\_\_ what the \_\_\_\_ are \_\_\_\_ that cannot be fixed?  
 \_\_\_\_ about the \_\_\_\_ gadgets?  
 What \_\_\_\_ devices \_\_\_\_ are unsuitable for repairs?  
 \_\_\_\_ next \_\_\_\_ to \_\_\_\_ is replacing \_\_\_\_ are beyond repairability \_\_\_\_.  
 \_\_\_\_ replace \_\_\_\_ that \_\_\_\_ be repaired?  
 Do you \_\_\_\_ the next \_\_\_\_ replacing \_\_\_\_ that \_\_\_\_?  
 \_\_\_\_ un fixable device \_\_\_\_ plans are \_\_\_\_?  
 \_\_\_\_ replacement possible after \_\_\_\_ repair \_\_\_\_?  
 \_\_\_\_ about \_\_\_\_ the \_\_\_\_ standards.  
 I \_\_\_\_ to \_\_\_\_ what the \_\_\_\_ steps \_\_\_\_ for Replacing \_\_\_\_ that \_\_\_\_ repaired.  
 Replacing devices \_\_\_\_ to be \_\_\_\_ thing that will happen.  
 \_\_\_\_ that are beyond repairability \_\_\_\_ interesting.  
 Replacing \_\_\_\_ that are \_\_\_\_ may \_\_\_\_ the \_\_\_\_ thing \_\_\_\_ would happen.  
 Is \_\_\_\_ a \_\_\_\_ replacement \_\_\_\_ beyond-repair \_\_\_\_?

Is there an \_\_\_\_\_ process \_\_\_\_\_ replacing \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_?

Replacing \_\_\_\_\_ that are \_\_\_\_\_ Standards seems \_\_\_\_\_ thing that will \_\_\_\_\_.

\_\_\_\_\_ that are \_\_\_\_\_ repairability standards \_\_\_\_\_ next thing \_\_\_\_\_ to be done.

\_\_\_\_\_ beyond \_\_\_\_\_ gadgets?

What \_\_\_\_\_ devices \_\_\_\_\_ impossible \_\_\_\_\_ them within standards?

\_\_\_\_\_ it comes to swap \_\_\_\_\_ unsalvageable phones, \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ exceeding repair limits?

Replacing \_\_\_\_\_ repairability \_\_\_\_\_ is probably \_\_\_\_\_ next thing that would \_\_\_\_\_ be \_\_\_\_\_.

\_\_\_\_\_ let \_\_\_\_\_ the next steps are \_\_\_\_\_ replacing devices \_\_\_\_\_ not repairable?

Are \_\_\_\_\_ after \_\_\_\_\_ repair limits?

\_\_\_\_\_ devices that are \_\_\_\_\_ repairability \_\_\_\_\_ is \_\_\_\_\_ consider.

\_\_\_\_\_ next steps for \_\_\_\_\_ it's \_\_\_\_\_ to fix them?

replacing \_\_\_\_\_ beyond \_\_\_\_\_ is \_\_\_\_\_ we need to \_\_\_\_\_

What's next \_\_\_\_\_ if \_\_\_\_\_ impossible \_\_\_\_\_ repair \_\_\_\_\_ standards?

\_\_\_\_\_ devices \_\_\_\_\_ are beyond repairability standards \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ devices beyond repair \_\_\_\_\_?

\_\_\_\_\_ is the \_\_\_\_\_ step \_\_\_\_\_ devices \_\_\_\_\_ they are \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ handle devices beyond repair \_\_\_\_\_?

Is a device \_\_\_\_\_ exceeding \_\_\_\_\_?

\_\_\_\_\_ after \_\_\_\_\_ replacements are \_\_\_\_\_ standards?

Is \_\_\_\_\_ any solution \_\_\_\_\_ soon?

\_\_\_\_\_ procedures \_\_\_\_\_ be in \_\_\_\_\_ to address \_\_\_\_\_ of \_\_\_\_\_ devices?

I was \_\_\_\_\_ what the \_\_\_\_\_ steps \_\_\_\_\_ replacing devices that \_\_\_\_\_.

What are the \_\_\_\_\_ take with \_\_\_\_\_ are \_\_\_\_\_?

Replacing \_\_\_\_\_ that \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ be \_\_\_\_\_ next \_\_\_\_\_.

\_\_\_\_\_ that \_\_\_\_\_ the next thing to need to \_\_\_\_\_ done.

\_\_\_\_\_ that are \_\_\_\_\_ repairability standards \_\_\_\_\_ possibly \_\_\_\_\_ next thing \_\_\_\_\_.

\_\_\_\_\_ devices that are beyond \_\_\_\_\_ seems to \_\_\_\_\_ the \_\_\_\_\_ thing \_\_\_\_\_ go \_\_\_\_\_.

\_\_\_\_\_ devices that are \_\_\_\_\_ repairability standards \_\_\_\_\_ problem.

How will \_\_\_\_\_ replace \_\_\_\_\_ going forward?

There are \_\_\_\_\_ on \_\_\_\_\_ non-repairable \_\_\_\_\_.

Replacing \_\_\_\_\_ that \_\_\_\_\_ is something \_\_\_\_\_ needs to be \_\_\_\_\_.

\_\_\_\_\_ the next step for replacing \_\_\_\_\_ not \_\_\_\_\_?

How \_\_\_\_\_ devices \_\_\_\_\_ repairability \_\_\_\_\_ could \_\_\_\_\_ discussed.

\_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ standards \_\_\_\_\_ be \_\_\_\_\_ next thing \_\_\_\_\_ would happen.

\_\_\_\_\_ happens \_\_\_\_\_ the \_\_\_\_\_ have \_\_\_\_\_ replaced \_\_\_\_\_ aren't repairable?

\_\_\_\_\_ are beyond repairability \_\_\_\_\_ should be \_\_\_\_\_.

Replacing \_\_\_\_\_ beyond \_\_\_\_\_ standards is \_\_\_\_\_.

\_\_\_\_\_ solutions for \_\_\_\_\_ unrepairable \_\_\_\_\_ soon?

Can \_\_\_\_\_ let \_\_\_\_\_ the next steps \_\_\_\_\_ for replacing \_\_\_\_\_ not \_\_\_\_\_ standards?

Replacing \_\_\_\_\_ devices \_\_\_\_\_?

Please let us \_\_\_\_\_ the next \_\_\_\_\_ replacing \_\_\_\_\_ are \_\_\_\_\_ up to \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ options after exceeding repair \_\_\_\_\_?

Is \_\_\_\_\_ have device \_\_\_\_\_ after exceeding \_\_\_\_\_ limits?

\_\_\_\_\_ devices \_\_\_\_\_ repairability \_\_\_\_\_ the next \_\_\_\_\_.

\_\_\_\_\_ replacements after exceeding \_\_\_\_\_?

What happens \_\_\_\_\_ of \_\_\_\_\_ beyond repairability standards?

\_\_\_\_\_ that \_\_\_\_\_ beyond repairability standards is \_\_\_\_\_ next thing that \_\_\_\_\_ to \_\_\_\_\_.

Replacing un fixable \_\_\_\_\_ will \_\_\_\_\_ forward.

\_\_\_\_\_ fixable devices \_\_\_\_\_ be your challenge \_\_\_\_\_.



\_\_\_\_\_ Devices \_\_\_\_\_ beyond \_\_\_\_\_ the next thing that \_\_\_\_\_ to be done.  
 \_\_\_\_\_ step for \_\_\_\_\_ beyond fixability?  
 \_\_\_\_\_ replacements after \_\_\_\_\_ limits?  
 \_\_\_\_\_ will \_\_\_\_\_ to devices that \_\_\_\_\_?  
 \_\_\_\_\_ devices \_\_\_\_\_ beyond repairability standards can \_\_\_\_\_ to do.  
 What \_\_\_\_\_ put in \_\_\_\_\_ replace \_\_\_\_\_ unsalvageable \_\_\_\_\_ going forward?  
 What is \_\_\_\_\_ to replace \_\_\_\_\_ that \_\_\_\_\_ longer \_\_\_\_\_?  
 \_\_\_\_\_ be strategies \_\_\_\_\_ un \_\_\_\_\_ appliances?  
 Replacing devices \_\_\_\_\_ are \_\_\_\_\_ standards is expected \_\_\_\_\_.  
 What \_\_\_\_\_ the \_\_\_\_\_ devices \_\_\_\_\_ don't \_\_\_\_\_ repair standards?  
 \_\_\_\_\_ are the \_\_\_\_\_ steps to be taken \_\_\_\_\_ that \_\_\_\_\_ beyond \_\_\_\_\_?  
 How \_\_\_\_\_ replace \_\_\_\_\_ device \_\_\_\_\_ exceeding repair \_\_\_\_\_?  
 What \_\_\_\_\_ the devices are \_\_\_\_\_ repairability \_\_\_\_\_?  
 Replacing devices \_\_\_\_\_ standards is a question \_\_\_\_\_ needs \_\_\_\_\_.  
 \_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ is \_\_\_\_\_ on the \_\_\_\_\_ block.  
 Replacing \_\_\_\_\_ that \_\_\_\_\_ beyond \_\_\_\_\_ is \_\_\_\_\_ next \_\_\_\_\_ that should \_\_\_\_\_.  
 Can \_\_\_\_\_ provide \_\_\_\_\_ update \_\_\_\_\_ procedure of \_\_\_\_\_ devices \_\_\_\_\_ are unable \_\_\_\_\_ meet \_\_\_\_\_?  
 Replacing \_\_\_\_\_ standards would \_\_\_\_\_ the next thing \_\_\_\_\_ be done  
 Can \_\_\_\_\_ give an update \_\_\_\_\_ process \_\_\_\_\_ devices \_\_\_\_\_ cannot \_\_\_\_\_ repair guidelines?  
 \_\_\_\_\_ know \_\_\_\_\_ steps are for \_\_\_\_\_ devices that cannot \_\_\_\_\_ repaired.  
 Can you \_\_\_\_\_ about the process \_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ meet \_\_\_\_\_ guidelines.  
 \_\_\_\_\_ standards is \_\_\_\_\_ question we \_\_\_\_\_ to ask.  
 Is \_\_\_\_\_ update on \_\_\_\_\_ devices?  
 \_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ standards is \_\_\_\_\_ you \_\_\_\_\_ have \_\_\_\_\_ do.  
 \_\_\_\_\_ unsalvageable devices is \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ are \_\_\_\_\_ steps regarding devices that \_\_\_\_\_ repairability?  
 What will \_\_\_\_\_ for \_\_\_\_\_ repair \_\_\_\_\_?  
 What is \_\_\_\_\_ when it is \_\_\_\_\_ them?  
 Replacing \_\_\_\_\_ beyond \_\_\_\_\_ standards seems \_\_\_\_\_ be \_\_\_\_\_ next thing \_\_\_\_\_ happen.  
 Replacing devices that are \_\_\_\_\_ standards is \_\_\_\_\_ we \_\_\_\_\_.  
 \_\_\_\_\_ like \_\_\_\_\_ know \_\_\_\_\_ the next steps \_\_\_\_\_ for replacing \_\_\_\_\_ that \_\_\_\_\_.  
 \_\_\_\_\_ are the next steps \_\_\_\_\_ devices \_\_\_\_\_ it \_\_\_\_\_ to repair \_\_\_\_\_ standards?  
 What is \_\_\_\_\_ unFixable device \_\_\_\_\_?  
 What happens \_\_\_\_\_ devices \_\_\_\_\_ repairability \_\_\_\_\_ replaced?  
 What are \_\_\_\_\_ for replacing \_\_\_\_\_ meet repair \_\_\_\_\_?  
 \_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ repairability standards is \_\_\_\_\_ next thing \_\_\_\_\_ will happen.  
 What \_\_\_\_\_ next steps \_\_\_\_\_ replace \_\_\_\_\_ cannot \_\_\_\_\_ repaired?  
 \_\_\_\_\_ are the \_\_\_\_\_ for replacing devices that \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ steps \_\_\_\_\_ take \_\_\_\_\_ replace devices that are \_\_\_\_\_ repairability \_\_\_\_\_?  
 Replacing devices that \_\_\_\_\_ beyond repairability seems \_\_\_\_\_ to \_\_\_\_\_.  
 \_\_\_\_\_ devices \_\_\_\_\_ standards seems to \_\_\_\_\_ the next thing \_\_\_\_\_ could \_\_\_\_\_.  
 The \_\_\_\_\_ thing would be to replace \_\_\_\_\_ beyond \_\_\_\_\_.  
 Is \_\_\_\_\_ an \_\_\_\_\_ process \_\_\_\_\_ devices that don't meet repair \_\_\_\_\_?  
 Replacement of \_\_\_\_\_ standards \_\_\_\_\_ a question \_\_\_\_\_ need \_\_\_\_\_ ask.  
 Is there a \_\_\_\_\_ replace \_\_\_\_\_ goods \_\_\_\_\_ covered by \_\_\_\_\_?  
 \_\_\_\_\_ there a strategy \_\_\_\_\_ with \_\_\_\_\_ fixable \_\_\_\_\_?  
 There \_\_\_\_\_ devices unsuitable \_\_\_\_\_.  
 Replacing devices that \_\_\_\_\_ beyond \_\_\_\_\_ may \_\_\_\_\_ to happen.  
 What is next \_\_\_\_\_ standards?  
 \_\_\_\_\_ can \_\_\_\_\_ when \_\_\_\_\_ can't \_\_\_\_\_ fixed?

Is \_\_\_\_\_ a device after exceeding repair \_\_\_\_\_?

How about \_\_\_\_\_ next \_\_\_\_\_ for \_\_\_\_\_ that are not up \_\_\_\_\_?

\_\_\_\_\_ you let me \_\_\_\_\_ steps for \_\_\_\_\_ devices \_\_\_\_\_ repairability standards?

\_\_\_\_\_ a plan for replacing devices \_\_\_\_\_ meet \_\_\_\_\_?

Replacing devices \_\_\_\_\_ beyond \_\_\_\_\_ standards \_\_\_\_\_ to be \_\_\_\_\_ next \_\_\_\_\_.

Will \_\_\_\_\_ the process of replacing devices \_\_\_\_\_ are \_\_\_\_\_ to meet \_\_\_\_\_?

Replacing devices \_\_\_\_\_ are \_\_\_\_\_ standards feels \_\_\_\_\_ question.

Now \_\_\_\_\_ we do with \_\_\_\_\_ are \_\_\_\_\_?

Are \_\_\_\_\_ any updates \_\_\_\_\_ of replacing \_\_\_\_\_ that are \_\_\_\_\_ to meet \_\_\_\_\_?

Will \_\_\_\_\_ on handling \_\_\_\_\_ devices?

\_\_\_\_\_ fixable \_\_\_\_\_ will be \_\_\_\_\_ you have \_\_\_\_\_ with \_\_\_\_\_ forward.

\_\_\_\_\_ devices \_\_\_\_\_ standards is something \_\_\_\_\_ might be \_\_\_\_\_ next.

\_\_\_\_\_ you deal \_\_\_\_\_ devices that \_\_\_\_\_ fixed?

What is the \_\_\_\_\_ replacing \_\_\_\_\_?

How \_\_\_\_\_ replace \_\_\_\_\_ that cannot be repaired?

\_\_\_\_\_ that \_\_\_\_\_ repairability standards is next \_\_\_\_\_ will happen.

\_\_\_\_\_ to replace \_\_\_\_\_ devices \_\_\_\_\_ forward?

\_\_\_\_\_ that \_\_\_\_\_ standards is the next \_\_\_\_\_ that could \_\_\_\_\_.

\_\_\_\_\_ you be \_\_\_\_\_ products that \_\_\_\_\_?

Replacement \_\_\_\_\_ beyond \_\_\_\_\_ next thing to be done.

Replacing devices that \_\_\_\_\_ seems to be the \_\_\_\_\_.

\_\_\_\_\_ that are \_\_\_\_\_ repairability standards \_\_\_\_\_ the next \_\_\_\_\_ that \_\_\_\_\_ by the wayside.

How \_\_\_\_\_ you deal with \_\_\_\_\_ that \_\_\_\_\_?

Replacing devices \_\_\_\_\_ not \_\_\_\_\_ could be the next thing \_\_\_\_\_.

What are the \_\_\_\_\_ is beyond \_\_\_\_\_ standards?

Replacing \_\_\_\_\_ are beyond \_\_\_\_\_ what's next.

Is there a next step \_\_\_\_\_ aren't \_\_\_\_\_ standards?

Replacing \_\_\_\_\_ longer meet repairability standards is \_\_\_\_\_.

What \_\_\_\_\_ devices \_\_\_\_\_ repair standards?

Can you give an update \_\_\_\_\_ of \_\_\_\_\_ devices that \_\_\_\_\_?

The \_\_\_\_\_ unsalvageable \_\_\_\_\_?

Replacing \_\_\_\_\_ repairability \_\_\_\_\_ be \_\_\_\_\_ next thing that would happen.

Replacing devices \_\_\_\_\_ are \_\_\_\_\_ repairability standards \_\_\_\_\_ to \_\_\_\_\_.

\_\_\_\_\_ procedures \_\_\_\_\_ be \_\_\_\_\_ in place to \_\_\_\_\_ are \_\_\_\_\_ salvageable?

What's next \_\_\_\_\_ when they \_\_\_\_\_ unable to \_\_\_\_\_ repaired \_\_\_\_\_?

\_\_\_\_\_ happens \_\_\_\_\_ the replacement \_\_\_\_\_ devices \_\_\_\_\_ standards?

\_\_\_\_\_ beyond \_\_\_\_\_ standards \_\_\_\_\_ be \_\_\_\_\_ thing to go \_\_\_\_\_ the chopping block.

\_\_\_\_\_ there anything new regarding \_\_\_\_\_?

Replacing \_\_\_\_\_ that \_\_\_\_\_ beyond repairability standards seems to \_\_\_\_\_ the \_\_\_\_\_ do.

\_\_\_\_\_ of beyond-repair \_\_\_\_\_ be done?

What happens to \_\_\_\_\_ beyond \_\_\_\_\_?

Replacing \_\_\_\_\_ will \_\_\_\_\_ challenge going \_\_\_\_\_.

I \_\_\_\_\_ to know \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ devices \_\_\_\_\_ can't be \_\_\_\_\_.

How \_\_\_\_\_ going to replace \_\_\_\_\_ that cannot \_\_\_\_\_?

What are \_\_\_\_\_ options for \_\_\_\_\_ after we \_\_\_\_\_?

\_\_\_\_\_ you give an \_\_\_\_\_ on how \_\_\_\_\_ unable \_\_\_\_\_ meet \_\_\_\_\_ guidelines?

\_\_\_\_\_ we \_\_\_\_\_ with \_\_\_\_\_ that \_\_\_\_\_ beyond repairability standards?

\_\_\_\_\_ be \_\_\_\_\_ in place to replace \_\_\_\_\_ going forward.

Replacing \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ probably \_\_\_\_\_ thing \_\_\_\_\_ do.

Is \_\_\_\_\_ an update \_\_\_\_\_ process of \_\_\_\_\_ meet repair guidelines.

\_\_\_\_\_ devices \_\_\_\_\_ repairability standards seems to \_\_\_\_\_ next thing \_\_\_\_\_ considered for elimination.

How \_\_\_\_\_ replacement of \_\_\_\_\_ handled?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ us information on \_\_\_\_\_ handle \_\_\_\_\_ beyond \_\_\_\_\_ standards?

Are \_\_\_\_\_ any \_\_\_\_\_ of \_\_\_\_\_ gadgets?

\_\_\_\_\_ next thing \_\_\_\_\_ will \_\_\_\_\_ is replacing \_\_\_\_\_ beyond repairability \_\_\_\_\_.

What happens \_\_\_\_\_ are replaced that \_\_\_\_\_ repairability \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ for beyond-repair gadgets?

Replacing \_\_\_\_\_ gadgets is a \_\_\_\_\_.

\_\_\_\_\_ devices that \_\_\_\_\_ repairability standards \_\_\_\_\_ the \_\_\_\_\_ question.

\_\_\_\_\_ criteria \_\_\_\_\_ are \_\_\_\_\_ next \_\_\_\_\_ for devices?

What \_\_\_\_\_ will \_\_\_\_\_ used to replace \_\_\_\_\_ devices \_\_\_\_\_ future?

The implications of un \_\_\_\_\_ plans \_\_\_\_\_?

What \_\_\_\_\_ next steps to \_\_\_\_\_ that \_\_\_\_\_ standards?

\_\_\_\_\_ beyond repairability \_\_\_\_\_ question we have to \_\_\_\_\_.

How \_\_\_\_\_ to \_\_\_\_\_ can't be fixed?

\_\_\_\_\_ going to replace \_\_\_\_\_ devices?

The next question \_\_\_\_\_ that \_\_\_\_\_ beyond repairability \_\_\_\_\_.

\_\_\_\_\_ there be any \_\_\_\_\_ replacing unrepairable \_\_\_\_\_?

Replacing \_\_\_\_\_ that \_\_\_\_\_ beyond repairability standards seems \_\_\_\_\_ thing that \_\_\_\_\_ lost.

Could \_\_\_\_\_ information on how to \_\_\_\_\_ beyond repairability \_\_\_\_\_?

\_\_\_\_\_ may have \_\_\_\_\_ be \_\_\_\_\_ after exceeding \_\_\_\_\_ limits.

How \_\_\_\_\_ the \_\_\_\_\_ devices be \_\_\_\_\_?

\_\_\_\_\_ devices that are beyond \_\_\_\_\_ is believed \_\_\_\_\_ next thing \_\_\_\_\_.

\_\_\_\_\_ an \_\_\_\_\_ for replacing devices \_\_\_\_\_ unable to \_\_\_\_\_ repair guidelines?

Replacing \_\_\_\_\_ repairability standards seem \_\_\_\_\_ be the \_\_\_\_\_ questions.

\_\_\_\_\_ after the devices \_\_\_\_\_ been replaced \_\_\_\_\_ are \_\_\_\_\_ standards?

\_\_\_\_\_ need \_\_\_\_\_ ask \_\_\_\_\_ of replacing devices beyond \_\_\_\_\_.

Replacing \_\_\_\_\_ are beyond repairability \_\_\_\_\_ to be the next \_\_\_\_\_.

\_\_\_\_\_ of \_\_\_\_\_ device \_\_\_\_\_ plans?

\_\_\_\_\_ replacing unrepairable devices \_\_\_\_\_?

Replacing devices that \_\_\_\_\_ beyond \_\_\_\_\_.

\_\_\_\_\_ may \_\_\_\_\_ some updates on \_\_\_\_\_.

\_\_\_\_\_ wanted to \_\_\_\_\_ how \_\_\_\_\_ devices \_\_\_\_\_ repairability standards.

Replacing \_\_\_\_\_ may \_\_\_\_\_ some solutions \_\_\_\_\_.

\_\_\_\_\_ any way \_\_\_\_\_ unrepairable devices \_\_\_\_\_.

\_\_\_\_\_ me \_\_\_\_\_ about the \_\_\_\_\_ of replacing devices \_\_\_\_\_ repair guidelines?

\_\_\_\_\_ plan for \_\_\_\_\_ gadgets beyond \_\_\_\_\_?

\_\_\_\_\_ have to \_\_\_\_\_ that are beyond \_\_\_\_\_ standards.

\_\_\_\_\_ about \_\_\_\_\_ for \_\_\_\_\_ are beyond repairability \_\_\_\_\_?

Can \_\_\_\_\_ updates about handling \_\_\_\_\_?

Is there an \_\_\_\_\_ non-repairable \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ standards is the next \_\_\_\_\_ be asked.

There are possible solutions \_\_\_\_\_.

What \_\_\_\_\_ after \_\_\_\_\_ is replaced \_\_\_\_\_ is beyond \_\_\_\_\_?

Can \_\_\_\_\_ give an update \_\_\_\_\_ how \_\_\_\_\_ devices \_\_\_\_\_ don't \_\_\_\_\_ repair \_\_\_\_\_?

Can \_\_\_\_\_ let people know the \_\_\_\_\_ steps for replacing \_\_\_\_\_ aren't \_\_\_\_\_?

What's \_\_\_\_\_ plan for gadgets \_\_\_\_\_ are \_\_\_\_\_?

Replacing \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ is the next \_\_\_\_\_.

\_\_\_\_\_ the next \_\_\_\_\_ devices if \_\_\_\_\_ is \_\_\_\_\_ them within standards?

\_\_\_\_\_ for devices that \_\_\_\_\_ be repaired?

I \_\_\_\_\_ to know about \_\_\_\_\_ replacing devices that \_\_\_\_\_ meet \_\_\_\_\_ guidelines.  
 \_\_\_\_\_ you \_\_\_\_\_ us know what \_\_\_\_\_ are for replacing \_\_\_\_\_ that are \_\_\_\_\_ to \_\_\_\_\_ standards?  
 \_\_\_\_\_ do with irreparable \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ new approach \_\_\_\_\_ non-repairable \_\_\_\_\_?  
 \_\_\_\_\_ will be adopted \_\_\_\_\_ replace unsalvageable \_\_\_\_\_ going \_\_\_\_\_?  
 What will the \_\_\_\_\_ be for \_\_\_\_\_ devices \_\_\_\_\_ can't \_\_\_\_\_?  
 \_\_\_\_\_ devices \_\_\_\_\_ standards should \_\_\_\_\_ decided upon next.  
 Can you \_\_\_\_\_ what the \_\_\_\_\_ steps are for \_\_\_\_\_ fixed?  
 What if \_\_\_\_\_ are beyond \_\_\_\_\_?  
 Is there \_\_\_\_\_ plan \_\_\_\_\_ damaged \_\_\_\_\_ covered by \_\_\_\_\_ guidelines?  
 Can \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ steps \_\_\_\_\_ for replacing \_\_\_\_\_ that aren't up \_\_\_\_\_ repairability \_\_\_\_\_?  
 \_\_\_\_\_ for devices \_\_\_\_\_ standards?  
 \_\_\_\_\_ do \_\_\_\_\_ devices \_\_\_\_\_ can't be fixed?  
 \_\_\_\_\_ happens \_\_\_\_\_ are replaced that are \_\_\_\_\_ standards?  
 \_\_\_\_\_ fixable devices \_\_\_\_\_ forward \_\_\_\_\_ be \_\_\_\_\_ issue.  
 What \_\_\_\_\_ the \_\_\_\_\_ unFixABLE \_\_\_\_\_ plans?  
 \_\_\_\_\_ there an update \_\_\_\_\_ of \_\_\_\_\_ devices \_\_\_\_\_ be repaired?  
 \_\_\_\_\_ procedures will \_\_\_\_\_ into place \_\_\_\_\_ replace unsalvageable \_\_\_\_\_ forward?  
 \_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ repairability standards \_\_\_\_\_ be \_\_\_\_\_ next \_\_\_\_\_ to \_\_\_\_\_ done.  
 \_\_\_\_\_ repairability standards is a question \_\_\_\_\_ know.  
 What will \_\_\_\_\_ replace unsalvageable \_\_\_\_\_?  
 What \_\_\_\_\_ beyond repair standards?  
 \_\_\_\_\_ devices that are \_\_\_\_\_ repairability standards could \_\_\_\_\_ next \_\_\_\_\_ be \_\_\_\_\_.  
 \_\_\_\_\_ devices if they are \_\_\_\_\_ standards?  
 Is there \_\_\_\_\_ for \_\_\_\_\_ gadgets?  
 \_\_\_\_\_ devices that \_\_\_\_\_ repairability \_\_\_\_\_ be the next \_\_\_\_\_.  
 What's the implications \_\_\_\_\_ un \_\_\_\_\_?  
 \_\_\_\_\_ is the \_\_\_\_\_ devices that don't \_\_\_\_\_ the \_\_\_\_\_?  
 Can \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ steps are \_\_\_\_\_ replacing devices not \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ do \_\_\_\_\_ a device that \_\_\_\_\_ meets \_\_\_\_\_ standards?  
 \_\_\_\_\_ devices \_\_\_\_\_ beyond \_\_\_\_\_ standards looks to be the \_\_\_\_\_ happen.  
 Replacing \_\_\_\_\_ that \_\_\_\_\_ standards seems to \_\_\_\_\_ next question  
 \_\_\_\_\_ there a plan \_\_\_\_\_ un \_\_\_\_\_?  
 How do we \_\_\_\_\_?  
 \_\_\_\_\_ devices \_\_\_\_\_ repairability standards is \_\_\_\_\_ question \_\_\_\_\_ need to \_\_\_\_\_.  
 Replacing \_\_\_\_\_ are \_\_\_\_\_ repairability standards seems to be \_\_\_\_\_ to \_\_\_\_\_.  
 \_\_\_\_\_ are the \_\_\_\_\_ fixable \_\_\_\_\_ plans?  
 \_\_\_\_\_ devices \_\_\_\_\_ repair standards?  
 What's \_\_\_\_\_ for \_\_\_\_\_ that don't meet \_\_\_\_\_?  
 Replacing devices that \_\_\_\_\_ repair \_\_\_\_\_ what is \_\_\_\_\_?  
 Is there \_\_\_\_\_ process for \_\_\_\_\_ devices \_\_\_\_\_ no longer \_\_\_\_\_?  
 \_\_\_\_\_ devices that \_\_\_\_\_ is the next question.  
 \_\_\_\_\_ about \_\_\_\_\_ are not \_\_\_\_\_ repairs?  
 \_\_\_\_\_ for device replacements \_\_\_\_\_ exceeding \_\_\_\_\_?  
 \_\_\_\_\_ un-fixesable \_\_\_\_\_ problem going forward.  
 \_\_\_\_\_ beyond repairability standards is \_\_\_\_\_.  
 What comes \_\_\_\_\_ gadgets \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ happens \_\_\_\_\_ devices \_\_\_\_\_ repair \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ repairability standards \_\_\_\_\_ be the \_\_\_\_\_ they do.  
 Replacing devices \_\_\_\_\_ standards is \_\_\_\_\_.

\_\_\_\_\_ will \_\_\_\_\_ deal \_\_\_\_\_ devices \_\_\_\_\_ up to par?

\_\_\_\_\_ exceeding repair \_\_\_\_\_ options for \_\_\_\_\_?

What should \_\_\_\_\_ when \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ standards \_\_\_\_\_ a question we ought to \_\_\_\_\_.

\_\_\_\_\_ next steps for replacing \_\_\_\_\_ that aren't \_\_\_\_\_?

\_\_\_\_\_ beyond \_\_\_\_\_ standards could \_\_\_\_\_ tell me about it?

\_\_\_\_\_ devices \_\_\_\_\_ no longer repairability \_\_\_\_\_?

Replacing \_\_\_\_\_ devices \_\_\_\_\_ something \_\_\_\_\_ be addressed going \_\_\_\_\_.

Do \_\_\_\_\_ replacement options after exceeding \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ repairability \_\_\_\_\_ to be the next thing \_\_\_\_\_ could \_\_\_\_\_ danger.

\_\_\_\_\_ happens when the \_\_\_\_\_ out of \_\_\_\_\_?

\_\_\_\_\_ let me \_\_\_\_\_ next steps for replacing \_\_\_\_\_ that are \_\_\_\_\_.

What might \_\_\_\_\_ can't \_\_\_\_\_ fixed?

What \_\_\_\_\_ happen \_\_\_\_\_ devices beyond \_\_\_\_\_?

\_\_\_\_\_ update \_\_\_\_\_ the process \_\_\_\_\_ replacing devices that are unable \_\_\_\_\_ the \_\_\_\_\_?

Can \_\_\_\_\_ explain \_\_\_\_\_ process of replacing \_\_\_\_\_ that \_\_\_\_\_ unable to \_\_\_\_\_?

Replacing \_\_\_\_\_ are beyond repairability \_\_\_\_\_ next challenge.

\_\_\_\_\_ replacement options after exceeding \_\_\_\_\_.

Is it \_\_\_\_\_ to \_\_\_\_\_ next \_\_\_\_\_ devices that are not \_\_\_\_\_?

I want \_\_\_\_\_ know \_\_\_\_\_ are \_\_\_\_\_ replace \_\_\_\_\_ that cannot \_\_\_\_\_ repaired.

\_\_\_\_\_ that \_\_\_\_\_ repairability \_\_\_\_\_ is one thing that \_\_\_\_\_ be done.

\_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ standards \_\_\_\_\_ thing \_\_\_\_\_ could be \_\_\_\_\_.

\_\_\_\_\_ effects of un \_\_\_\_\_ replacement plans?

\_\_\_\_\_ is \_\_\_\_\_ step \_\_\_\_\_ when it \_\_\_\_\_ to fix them?

Is there \_\_\_\_\_ process of replacing \_\_\_\_\_ to meet repair \_\_\_\_\_?

Will \_\_\_\_\_ be \_\_\_\_\_ about \_\_\_\_\_ fixable \_\_\_\_\_?

\_\_\_\_\_ that are \_\_\_\_\_ fit for \_\_\_\_\_.

\_\_\_\_\_ available \_\_\_\_\_ exceeding repair limits?

\_\_\_\_\_ standards will be replaced.

Replacing devices \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ to \_\_\_\_\_ next thing that might \_\_\_\_\_ chopping block.

\_\_\_\_\_ past \_\_\_\_\_ standards is a \_\_\_\_\_ we \_\_\_\_\_ ask.

\_\_\_\_\_ there \_\_\_\_\_ relating \_\_\_\_\_ fixable appliances?

Implications \_\_\_\_\_ replacements are \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ unrepairable devices?

\_\_\_\_\_ that \_\_\_\_\_ been \_\_\_\_\_ beyond repairability.

\_\_\_\_\_ devices that \_\_\_\_\_ standards \_\_\_\_\_ to \_\_\_\_\_ the next questions

I \_\_\_\_\_ what \_\_\_\_\_ devices \_\_\_\_\_ repair standards.

How will you deal with \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ devices that \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ the next \_\_\_\_\_ would \_\_\_\_\_.

\_\_\_\_\_ devices that \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ thing that could \_\_\_\_\_ on the chopping block.

What \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ repairable?

Can you \_\_\_\_\_ an \_\_\_\_\_ on \_\_\_\_\_ process \_\_\_\_\_ devices that are unable \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ seems to be the next question.

\_\_\_\_\_ you \_\_\_\_\_ next \_\_\_\_\_ for \_\_\_\_\_ devices that are not repairability \_\_\_\_\_?

Replacing devices that are \_\_\_\_\_ repairability \_\_\_\_\_

Replacing \_\_\_\_\_ don't \_\_\_\_\_ standards, what \_\_\_\_\_ the plan?

Are there \_\_\_\_\_ for replacing \_\_\_\_\_ that don't \_\_\_\_\_?

How are \_\_\_\_\_ going \_\_\_\_\_ replace \_\_\_\_\_?

Is \_\_\_\_\_ an \_\_\_\_\_ on how to \_\_\_\_\_ unable to \_\_\_\_\_?

How \_\_\_\_\_ with devices \_\_\_\_\_ are beyond repairability \_\_\_\_\_?

\_\_\_\_\_ repair gadgets is \_\_\_\_\_ needs a plan.

\_\_\_\_\_ the next \_\_\_\_\_ for devices, \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ beyond repairability \_\_\_\_\_ is one of the \_\_\_\_\_ happen.

\_\_\_\_\_ can you tell \_\_\_\_\_ how to handle \_\_\_\_\_ are \_\_\_\_\_ standards?

Is there next \_\_\_\_\_ can't \_\_\_\_\_?

\_\_\_\_\_ you tell me \_\_\_\_\_ the \_\_\_\_\_ for replacing \_\_\_\_\_ cannot \_\_\_\_\_ fixed?

I \_\_\_\_\_ the next steps are for \_\_\_\_\_ can't be fixed.

The \_\_\_\_\_ that were \_\_\_\_\_ standards.

The next time gadgets \_\_\_\_\_?

\_\_\_\_\_ are you \_\_\_\_\_ deal \_\_\_\_\_ devices that \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ thing to do might \_\_\_\_\_ to \_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_.

Could \_\_\_\_\_ tell us \_\_\_\_\_ to \_\_\_\_\_ devices \_\_\_\_\_ standards?

Can you \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ devices that are \_\_\_\_\_ to \_\_\_\_\_ guidelines?

Replacing \_\_\_\_\_ are \_\_\_\_\_ standards \_\_\_\_\_ like the next \_\_\_\_\_.

\_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ are for \_\_\_\_\_ devices that aren't \_\_\_\_\_?

\_\_\_\_\_ for replacing \_\_\_\_\_ unrepairable devices \_\_\_\_\_?

Replacing devices \_\_\_\_\_ repairability \_\_\_\_\_ seems \_\_\_\_\_ be next \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ devices beyond \_\_\_\_\_ standards is \_\_\_\_\_ question \_\_\_\_\_ need \_\_\_\_\_

\_\_\_\_\_ devices \_\_\_\_\_ beyond repairability \_\_\_\_\_ seems to be the next \_\_\_\_\_ the \_\_\_\_\_.

What is \_\_\_\_\_ devices \_\_\_\_\_ standards?

Can you tell \_\_\_\_\_ the process of \_\_\_\_\_ that \_\_\_\_\_ meet repair \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ repairability standards would seem to \_\_\_\_\_ thing.

Replacing devices \_\_\_\_\_ is \_\_\_\_\_ question.

\_\_\_\_\_ will be used \_\_\_\_\_ order \_\_\_\_\_ replace \_\_\_\_\_ devices?

Replacing devices \_\_\_\_\_ beyond repairability \_\_\_\_\_ a question that \_\_\_\_\_ answered.

\_\_\_\_\_ be a \_\_\_\_\_ plan \_\_\_\_\_ beyond repair \_\_\_\_\_?

Replacing devices \_\_\_\_\_ repairability standards is \_\_\_\_\_ ought \_\_\_\_\_ asked.

\_\_\_\_\_ happens when \_\_\_\_\_ are \_\_\_\_\_ that are \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ standards appear to \_\_\_\_\_ the next question.

\_\_\_\_\_ are \_\_\_\_\_ standards is one thing \_\_\_\_\_ could \_\_\_\_\_ on \_\_\_\_\_ chopping block.

\_\_\_\_\_ that don't \_\_\_\_\_ standards isn't \_\_\_\_\_.

\_\_\_\_\_ devices beyond repairability standards is \_\_\_\_\_ would \_\_\_\_\_ to \_\_\_\_\_.

\_\_\_\_\_ know what \_\_\_\_\_ next \_\_\_\_\_ are for replacing devices that \_\_\_\_\_ not \_\_\_\_\_ repairability standards.

\_\_\_\_\_ procedures \_\_\_\_\_ be used \_\_\_\_\_ replace \_\_\_\_\_ the future?

What \_\_\_\_\_ be used to \_\_\_\_\_ unsalvageable \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ take care of \_\_\_\_\_ can't \_\_\_\_\_ repaired?

Can \_\_\_\_\_ the \_\_\_\_\_ know the next \_\_\_\_\_ devices that \_\_\_\_\_ not \_\_\_\_\_?

What \_\_\_\_\_ happen to \_\_\_\_\_ standards?

The device replacement \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ procedures will \_\_\_\_\_ used \_\_\_\_\_ unsalvageable devices in \_\_\_\_\_.

I want to \_\_\_\_\_ next \_\_\_\_\_ devices not up \_\_\_\_\_ repairability \_\_\_\_\_.

\_\_\_\_\_ can't be fixed, \_\_\_\_\_ happen?

Replacing devices that \_\_\_\_\_ will happen next?

\_\_\_\_\_ will you \_\_\_\_\_ that \_\_\_\_\_ be fixed?

\_\_\_\_\_ that are beyond repairability \_\_\_\_\_ next \_\_\_\_\_ that \_\_\_\_\_ happen

\_\_\_\_\_ you tell us what the next \_\_\_\_\_ not \_\_\_\_\_ to \_\_\_\_\_ standards?

Replacing devices that \_\_\_\_\_ beyond repairability standards seems \_\_\_\_\_ next \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ devices beyond \_\_\_\_\_ standards.

\_\_\_\_\_ used to \_\_\_\_\_ un salvageable devices?

\_\_\_\_\_ the \_\_\_\_\_ for devices \_\_\_\_\_ standards?

\_\_\_\_\_ are beyond repairability is \_\_\_\_\_ that will happen.  
\_\_\_\_\_ know \_\_\_\_\_ the next \_\_\_\_\_ are \_\_\_\_\_ replacing \_\_\_\_\_ that are not repairability \_\_\_\_\_.  
\_\_\_\_\_ about consequences \_\_\_\_\_ unfixable \_\_\_\_\_ replacement \_\_\_\_\_?  
Can you \_\_\_\_\_ on \_\_\_\_\_ to \_\_\_\_\_ devices that are \_\_\_\_\_ repairability \_\_\_\_\_?  
\_\_\_\_\_ happens when \_\_\_\_\_ be \_\_\_\_\_.  
\_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ updates \_\_\_\_\_ non-repairable devices?  
\_\_\_\_\_ exceeding the repair \_\_\_\_\_?  
Replacing \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ is the next thing \_\_\_\_\_ will \_\_\_\_\_.  
\_\_\_\_\_ there \_\_\_\_\_ for replacing \_\_\_\_\_ that are \_\_\_\_\_ by repairability guidelines?  
When \_\_\_\_\_ out unsalvageable phones, what comes \_\_\_\_\_?  
Is \_\_\_\_\_ possible \_\_\_\_\_ give \_\_\_\_\_ the process of \_\_\_\_\_ that are unable \_\_\_\_\_ repair guidelines?  
Replacing \_\_\_\_\_ that are beyond repairability \_\_\_\_\_ the next thing \_\_\_\_\_ go \_\_\_\_\_ block.  
\_\_\_\_\_ will they \_\_\_\_\_ devices \_\_\_\_\_ future?  
\_\_\_\_\_ tell me \_\_\_\_\_ process \_\_\_\_\_ replacing devices \_\_\_\_\_ do \_\_\_\_\_ repair guidelines?  
\_\_\_\_\_ will \_\_\_\_\_ devices that are \_\_\_\_\_ repairable?  
It's \_\_\_\_\_ to do with irreparable \_\_\_\_\_.  
Replacing \_\_\_\_\_ beyond \_\_\_\_\_ is \_\_\_\_\_ subject \_\_\_\_\_ need \_\_\_\_\_ ask.  
Will \_\_\_\_\_ be replacement \_\_\_\_\_ repair \_\_\_\_\_?  
\_\_\_\_\_ if a \_\_\_\_\_ exceeds \_\_\_\_\_ guidelines?  
Replacing \_\_\_\_\_ repairability standards \_\_\_\_\_ question we need \_\_\_\_\_  
\_\_\_\_\_ that \_\_\_\_\_ repair \_\_\_\_\_ be replaced.  
\_\_\_\_\_ the plans for \_\_\_\_\_ replacement of \_\_\_\_\_ are \_\_\_\_\_ repair?  
\_\_\_\_\_ devices \_\_\_\_\_ no \_\_\_\_\_ meet \_\_\_\_\_ what is the \_\_\_\_\_?  
\_\_\_\_\_ there \_\_\_\_\_ developments \_\_\_\_\_ non-repairable devices?  
Replacing un fixable \_\_\_\_\_ will \_\_\_\_\_?  
What \_\_\_\_\_ the next \_\_\_\_\_ devices, \_\_\_\_\_ criteria?  
\_\_\_\_\_ plan \_\_\_\_\_ replacement of \_\_\_\_\_ beyond \_\_\_\_\_.  
\_\_\_\_\_ you do with \_\_\_\_\_ fixable \_\_\_\_\_ forward?  
What \_\_\_\_\_ device replacement \_\_\_\_\_ limits?  
\_\_\_\_\_ will happen \_\_\_\_\_ that are \_\_\_\_\_ repairs?  
Replacing devices that \_\_\_\_\_ beyond \_\_\_\_\_ soon be \_\_\_\_\_.  
\_\_\_\_\_ solutions \_\_\_\_\_ found \_\_\_\_\_ replacing \_\_\_\_\_ devices soon?  
\_\_\_\_\_ give \_\_\_\_\_ on the \_\_\_\_\_ of \_\_\_\_\_ that don't \_\_\_\_\_ repair guidelines?  
\_\_\_\_\_ you give \_\_\_\_\_ on \_\_\_\_\_ of \_\_\_\_\_ devices \_\_\_\_\_ to meet repair guidelines?  
\_\_\_\_\_ devices that are \_\_\_\_\_ repairability \_\_\_\_\_ to be \_\_\_\_\_ questions.  
\_\_\_\_\_ devices \_\_\_\_\_ past \_\_\_\_\_ seems to \_\_\_\_\_ the next question  
I \_\_\_\_\_ a question about the \_\_\_\_\_ steps \_\_\_\_\_ that can't \_\_\_\_\_.  
How do \_\_\_\_\_ that \_\_\_\_\_ meet \_\_\_\_\_ standards?  
What is \_\_\_\_\_ in the swap \_\_\_\_\_ salvageable phones?  
What \_\_\_\_\_ we do with \_\_\_\_\_ are \_\_\_\_\_ repairs?  
\_\_\_\_\_ beyond repairability standards \_\_\_\_\_ next  
Replacing \_\_\_\_\_ standards \_\_\_\_\_ question that needs \_\_\_\_\_ be considered.  
\_\_\_\_\_ happen \_\_\_\_\_ devices that cannot \_\_\_\_\_?  
\_\_\_\_\_ devices that \_\_\_\_\_ past \_\_\_\_\_ be \_\_\_\_\_ next thing \_\_\_\_\_ happen.  
\_\_\_\_\_ exceeding repair \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_?  
\_\_\_\_\_ devices that were \_\_\_\_\_ repairability \_\_\_\_\_.  
When \_\_\_\_\_ gadgets can't be \_\_\_\_\_ should \_\_\_\_\_ next?  
\_\_\_\_\_ for replacing \_\_\_\_\_ after \_\_\_\_\_ repair limits.  
Possible \_\_\_\_\_ after \_\_\_\_\_ limits?  
\_\_\_\_\_ devices will \_\_\_\_\_ addressed by \_\_\_\_\_ forward

Can you tell \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ repairability standards?  
\_\_\_\_\_ devices \_\_\_\_\_ repairability standards will \_\_\_\_\_ a \_\_\_\_\_ need \_\_\_\_\_ ask.  
\_\_\_\_\_ gadgets \_\_\_\_\_ be fixed what \_\_\_\_\_?  
\_\_\_\_\_ devices that are beyond repairability standards \_\_\_\_\_.

Replacing \_\_\_\_\_ that \_\_\_\_\_ beyond \_\_\_\_\_ to be the next \_\_\_\_\_ would \_\_\_\_\_.  
\_\_\_\_\_ that are \_\_\_\_\_ seems to \_\_\_\_\_ next thing that would \_\_\_\_\_ to \_\_\_\_\_.  
\_\_\_\_\_ you provide an \_\_\_\_\_ to \_\_\_\_\_ are unable to meet \_\_\_\_\_ guidelines?  
Is \_\_\_\_\_ update on the process \_\_\_\_\_ don't meet \_\_\_\_\_?  
There are \_\_\_\_\_ to \_\_\_\_\_ unrepairable \_\_\_\_\_?  
\_\_\_\_\_ for devices \_\_\_\_\_ beyond repair \_\_\_\_\_?  
\_\_\_\_\_ the next steps \_\_\_\_\_ replace \_\_\_\_\_ are beyond \_\_\_\_\_?  
\_\_\_\_\_ devices \_\_\_\_\_ are beyond repairability standards \_\_\_\_\_ be the next \_\_\_\_\_.  
\_\_\_\_\_ devices that are \_\_\_\_\_ standards \_\_\_\_\_ to \_\_\_\_\_ thing needed.  
\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ devices \_\_\_\_\_ the repairability standards?  
\_\_\_\_\_ thing \_\_\_\_\_ be to replace \_\_\_\_\_ that \_\_\_\_\_ repairability standards.  
Replacing \_\_\_\_\_ beyond repairability \_\_\_\_\_ be the next \_\_\_\_\_.  
What \_\_\_\_\_ with \_\_\_\_\_ repair \_\_\_\_\_?  
Replacing devices \_\_\_\_\_ are \_\_\_\_\_ something \_\_\_\_\_ needs \_\_\_\_\_ be tackled.  
What are \_\_\_\_\_ next steps \_\_\_\_\_ devices that \_\_\_\_\_?  
The \_\_\_\_\_ for \_\_\_\_\_ of gadgets \_\_\_\_\_?  
\_\_\_\_\_ to devices that \_\_\_\_\_ beyond \_\_\_\_\_ standards?  
What options \_\_\_\_\_ after exceeding repair limits?  
What \_\_\_\_\_ to replace \_\_\_\_\_ devices?  
Is \_\_\_\_\_ plan \_\_\_\_\_ goods \_\_\_\_\_ off-limits for repairs \_\_\_\_\_ repairability guidelines?  
\_\_\_\_\_ do \_\_\_\_\_ do \_\_\_\_\_ devices that \_\_\_\_\_?  
\_\_\_\_\_ devices \_\_\_\_\_ aren't repairable \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ question.  
\_\_\_\_\_ next things for \_\_\_\_\_ that cannot be \_\_\_\_\_?  
\_\_\_\_\_ will you \_\_\_\_\_ with devices \_\_\_\_\_ be \_\_\_\_\_?  
When \_\_\_\_\_ can't be \_\_\_\_\_ comes \_\_\_\_\_?  
\_\_\_\_\_ of \_\_\_\_\_ device \_\_\_\_\_ are what, \_\_\_\_\_?  
When \_\_\_\_\_ what's next?  
\_\_\_\_\_ do \_\_\_\_\_ with devices \_\_\_\_\_ standards?  
\_\_\_\_\_ happens \_\_\_\_\_ the \_\_\_\_\_ be fixed?  
\_\_\_\_\_ the \_\_\_\_\_ of un \_\_\_\_\_ device replacement \_\_\_\_\_.  
\_\_\_\_\_ beyond repairingability standards \_\_\_\_\_ a \_\_\_\_\_ we need \_\_\_\_\_.  
Replacing \_\_\_\_\_ what \_\_\_\_\_ plan?  
\_\_\_\_\_ devices beyond \_\_\_\_\_ standards?  
\_\_\_\_\_ is \_\_\_\_\_ plan for the \_\_\_\_\_ beyond repair?  
\_\_\_\_\_ are beyond \_\_\_\_\_ standards might \_\_\_\_\_ next.  
\_\_\_\_\_ what \_\_\_\_\_ the \_\_\_\_\_ to take \_\_\_\_\_ irreparable \_\_\_\_\_?  
\_\_\_\_\_ what \_\_\_\_\_ steps \_\_\_\_\_ with unreliable devices?  
Replacing devices \_\_\_\_\_ standards is \_\_\_\_\_ have \_\_\_\_\_ ask.  
How \_\_\_\_\_ replace \_\_\_\_\_ that are beyond \_\_\_\_\_?  
\_\_\_\_\_ devices \_\_\_\_\_ beyond \_\_\_\_\_ standards appears to be \_\_\_\_\_ next \_\_\_\_\_ that would need \_\_\_\_\_.  
\_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ to be the next thing that \_\_\_\_\_ require to \_\_\_\_\_.  
Replacing devices \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ have \_\_\_\_\_ done.  
Is \_\_\_\_\_ new \_\_\_\_\_ handling non-repairable devices moving \_\_\_\_\_?  
\_\_\_\_\_ to \_\_\_\_\_ are \_\_\_\_\_ repair standards?  
\_\_\_\_\_ devices that are beyond \_\_\_\_\_ the next puzzle.  
What are the consequences \_\_\_\_\_?



\_\_\_\_\_ know \_\_\_\_\_ for replacing devices that can't be \_\_\_\_\_.  
\_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ next thing that will happen  
\_\_\_\_\_ will \_\_\_\_\_ of \_\_\_\_\_ be done?  
\_\_\_\_\_ replacement \_\_\_\_\_ for a device after \_\_\_\_\_ repair \_\_\_\_\_?  
\_\_\_\_\_ when devices \_\_\_\_\_ beyond repairability standards are \_\_\_\_\_?  
\_\_\_\_\_ if devices are \_\_\_\_\_.  
\_\_\_\_\_ that are \_\_\_\_\_ repairability standards \_\_\_\_\_ a \_\_\_\_\_.  
\_\_\_\_\_ be fixed what next?  
\_\_\_\_\_ replace unrepairable devices \_\_\_\_\_?  
\_\_\_\_\_ the replacements are \_\_\_\_\_ repairability \_\_\_\_\_?  
\_\_\_\_\_ of \_\_\_\_\_ device \_\_\_\_\_ Plans are \_\_\_\_\_?  
\_\_\_\_\_ done about \_\_\_\_\_ that need \_\_\_\_\_?  
\_\_\_\_\_ now \_\_\_\_\_ are beyond repair \_\_\_\_\_?  
\_\_\_\_\_ devices \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ next question.  
\_\_\_\_\_ devices that are beyond \_\_\_\_\_ may \_\_\_\_\_ the \_\_\_\_\_ thing that \_\_\_\_\_ have \_\_\_\_\_.  
\_\_\_\_\_ are \_\_\_\_\_ implications \_\_\_\_\_ device replacement plans?  
Replacing \_\_\_\_\_ are beyond repairability \_\_\_\_\_ is the \_\_\_\_\_.  
Replacing \_\_\_\_\_ repairability standards seems \_\_\_\_\_ the \_\_\_\_\_ could go on the chopping block.  
\_\_\_\_\_ repairability \_\_\_\_\_ will be the \_\_\_\_\_ steps.  
The \_\_\_\_\_ steps for \_\_\_\_\_ not \_\_\_\_\_ to repairability \_\_\_\_\_?  
Replacing \_\_\_\_\_ could be the next thing \_\_\_\_\_ be \_\_\_\_\_.  
\_\_\_\_\_ about the \_\_\_\_\_ of \_\_\_\_\_ device replacement \_\_\_\_\_?  
\_\_\_\_\_ is \_\_\_\_\_ future of \_\_\_\_\_ beyond \_\_\_\_\_?  
\_\_\_\_\_ are the procedures \_\_\_\_\_ will \_\_\_\_\_ to \_\_\_\_\_ the unsalvageable \_\_\_\_\_?  
What \_\_\_\_\_ be \_\_\_\_\_ with devices \_\_\_\_\_ repair \_\_\_\_\_?  
\_\_\_\_\_ process \_\_\_\_\_ changing devices that \_\_\_\_\_ longer repairable?  
I \_\_\_\_\_ to \_\_\_\_\_ what \_\_\_\_\_ next \_\_\_\_\_ is \_\_\_\_\_ replacing devices \_\_\_\_\_ be \_\_\_\_\_.  
Replacing \_\_\_\_\_ beyond repairability \_\_\_\_\_ be the \_\_\_\_\_ thing that \_\_\_\_\_ on the \_\_\_\_\_.  
\_\_\_\_\_ happens \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ repairability?  
What \_\_\_\_\_ next \_\_\_\_\_ for devices \_\_\_\_\_ cannot \_\_\_\_\_ repaired?  
\_\_\_\_\_ should \_\_\_\_\_ do \_\_\_\_\_ our \_\_\_\_\_ can't be \_\_\_\_\_?  
\_\_\_\_\_ devices \_\_\_\_\_ repairability standards \_\_\_\_\_ be discussed.  
Replacing \_\_\_\_\_ meet repairability standards \_\_\_\_\_ a question.  
What's next for \_\_\_\_\_ when \_\_\_\_\_ repair \_\_\_\_\_?  
Is there a \_\_\_\_\_ replace damaged goods off \_\_\_\_\_ for \_\_\_\_\_?  
\_\_\_\_\_ that are beyond repairability \_\_\_\_\_ be the \_\_\_\_\_ question.  
\_\_\_\_\_ can we replace \_\_\_\_\_ that \_\_\_\_\_ meet \_\_\_\_\_?  
Replacing devices beyond \_\_\_\_\_ is a question \_\_\_\_\_.  
\_\_\_\_\_ will \_\_\_\_\_ replace \_\_\_\_\_ damaged \_\_\_\_\_?  
Replacing \_\_\_\_\_ gadgets is \_\_\_\_\_.  
Replacing \_\_\_\_\_ that are beyond repairability standards is \_\_\_\_\_.  
What's \_\_\_\_\_ devices \_\_\_\_\_ not possible to repair \_\_\_\_\_ within \_\_\_\_\_?  
\_\_\_\_\_ device replacements \_\_\_\_\_ what?  
\_\_\_\_\_ the next \_\_\_\_\_ for \_\_\_\_\_ that \_\_\_\_\_ be fixed?  
\_\_\_\_\_ devices that are \_\_\_\_\_ are what happens \_\_\_\_\_?  
\_\_\_\_\_ plan to replace \_\_\_\_\_ permanently off limits for \_\_\_\_\_?  
\_\_\_\_\_ devices \_\_\_\_\_ beyond repairability \_\_\_\_\_ would \_\_\_\_\_ the next \_\_\_\_\_.  
Replacing \_\_\_\_\_ standards \_\_\_\_\_ to be \_\_\_\_\_ next question.  
What \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ devices that \_\_\_\_\_ repaired?  
\_\_\_\_\_ be \_\_\_\_\_ place to replace \_\_\_\_\_ unsalvageable devices?

When it's \_\_\_\_\_ possible to \_\_\_\_\_ next for devices?  
\_\_\_\_\_ devices beyond \_\_\_\_\_ a big \_\_\_\_\_.  
\_\_\_\_\_ of beyond-repair gadgets?  
\_\_\_\_\_ to \_\_\_\_\_ replace devices beyond repairability standards.  
How will \_\_\_\_\_ replace \_\_\_\_\_ devices \_\_\_\_\_?  
\_\_\_\_\_ will you \_\_\_\_\_ devices \_\_\_\_\_ be \_\_\_\_\_?  
Replacing \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ the \_\_\_\_\_ happen.  
\_\_\_\_\_ will \_\_\_\_\_ be replacements for \_\_\_\_\_?  
Replacing \_\_\_\_\_ repairability \_\_\_\_\_ is \_\_\_\_\_ we \_\_\_\_\_ inquire about.  
I would like to \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ repairability standards.  
How \_\_\_\_\_ you \_\_\_\_\_ devices \_\_\_\_\_ forward?  
\_\_\_\_\_ replace devices \_\_\_\_\_ no longer meet repairability \_\_\_\_\_.  
Replacing \_\_\_\_\_ that \_\_\_\_\_ beyond repairability \_\_\_\_\_ is \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ block.  
\_\_\_\_\_ about \_\_\_\_\_ of gadgets \_\_\_\_\_?  
\_\_\_\_\_ be done with devices when \_\_\_\_\_ impossible \_\_\_\_\_ standards?  
What \_\_\_\_\_ the \_\_\_\_\_ step \_\_\_\_\_ when \_\_\_\_\_ impossible to \_\_\_\_\_ them?  
Replacing devices \_\_\_\_\_ repairability \_\_\_\_\_ be \_\_\_\_\_ next thing.  
\_\_\_\_\_ there any new \_\_\_\_\_ on \_\_\_\_\_?  
How \_\_\_\_\_ you handle devices \_\_\_\_\_ can \_\_\_\_\_?  
\_\_\_\_\_ that no \_\_\_\_\_ repairability \_\_\_\_\_ is \_\_\_\_\_ of a question.  
What \_\_\_\_\_ to replace \_\_\_\_\_ no longer meet repairability \_\_\_\_\_?  
\_\_\_\_\_ to devices \_\_\_\_\_ repair \_\_\_\_\_?  
\_\_\_\_\_ next \_\_\_\_\_ when devices are beyond \_\_\_\_\_?  
Replacing devices \_\_\_\_\_ standards \_\_\_\_\_ concern we need \_\_\_\_\_.  
\_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ standards, what \_\_\_\_\_ steps?  
The next \_\_\_\_\_ have \_\_\_\_\_ be done \_\_\_\_\_ devices that \_\_\_\_\_ repairability standards.  
Do \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ of beyond-repair gadgets?  
\_\_\_\_\_ is \_\_\_\_\_ next \_\_\_\_\_ devices when it \_\_\_\_\_ impossible \_\_\_\_\_ repair them \_\_\_\_\_?  
\_\_\_\_\_ that are beyond \_\_\_\_\_ standards is \_\_\_\_\_ need to \_\_\_\_\_ done.  
\_\_\_\_\_ happens when \_\_\_\_\_ devices that \_\_\_\_\_ replaced \_\_\_\_\_ beyondrepairability \_\_\_\_\_?  
\_\_\_\_\_ will happen \_\_\_\_\_ can't be \_\_\_\_\_?  
What \_\_\_\_\_ be \_\_\_\_\_ replacement \_\_\_\_\_ beyond repair?  
Replacing devices \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ seems \_\_\_\_\_ next \_\_\_\_\_ happen.  
When \_\_\_\_\_ have been \_\_\_\_\_ that \_\_\_\_\_ what happens?  
The devices \_\_\_\_\_ have \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ standards.  
What is \_\_\_\_\_ devices that cannot \_\_\_\_\_ fixed?  
Replacing devices that \_\_\_\_\_ can \_\_\_\_\_ next.  
\_\_\_\_\_ for \_\_\_\_\_ when they are \_\_\_\_\_ to \_\_\_\_\_?  
Replacing \_\_\_\_\_ beyond repairability standards \_\_\_\_\_.  
What \_\_\_\_\_ devices \_\_\_\_\_ standards?  
\_\_\_\_\_ procedures will \_\_\_\_\_ used \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ devices.  
The \_\_\_\_\_ is \_\_\_\_\_ to replace \_\_\_\_\_ that \_\_\_\_\_ beyond \_\_\_\_\_ standards.  
\_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ beyond-repair gadgets?  
\_\_\_\_\_ need \_\_\_\_\_ know \_\_\_\_\_ the next steps are \_\_\_\_\_ replacing \_\_\_\_\_ that are \_\_\_\_\_.  
\_\_\_\_\_ happens \_\_\_\_\_ replaced that \_\_\_\_\_ beyond repairability standards?  
Replacing \_\_\_\_\_ are \_\_\_\_\_ seems to \_\_\_\_\_ the next question.  
\_\_\_\_\_ cannot be fixed, \_\_\_\_\_ next \_\_\_\_\_?  
\_\_\_\_\_ devices \_\_\_\_\_ standards is a \_\_\_\_\_ we need \_\_\_\_\_.  
\_\_\_\_\_ will \_\_\_\_\_ handle \_\_\_\_\_ devices that can't \_\_\_\_\_?  
\_\_\_\_\_ happens \_\_\_\_\_ are beyondrepairability standards?

\_\_\_\_\_ devices \_\_\_\_\_ not \_\_\_\_\_ for repairs?

\_\_\_\_\_ devices \_\_\_\_\_ are beyond repairability \_\_\_\_\_ seems \_\_\_\_\_ the \_\_\_\_\_ thing \_\_\_\_\_ happen.

\_\_\_\_\_ that \_\_\_\_\_ un \_\_\_\_\_ will be a \_\_\_\_\_.

Options \_\_\_\_\_ device replacement \_\_\_\_\_ limits?

The implications of \_\_\_\_\_ fixable \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ the next steps \_\_\_\_\_ replace devices \_\_\_\_\_ are not \_\_\_\_\_ to \_\_\_\_\_?

What procedures will \_\_\_\_\_ unsalvageABLE \_\_\_\_\_?

What \_\_\_\_\_ devices \_\_\_\_\_ were \_\_\_\_\_ standards?

What's \_\_\_\_\_ plan \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ a device be replaced \_\_\_\_\_ repair \_\_\_\_\_?

\_\_\_\_\_ limits, \_\_\_\_\_ device replacement options?

What \_\_\_\_\_ next steps \_\_\_\_\_ for \_\_\_\_\_ devices that \_\_\_\_\_ be \_\_\_\_\_?

What's \_\_\_\_\_ devices \_\_\_\_\_ they cannot \_\_\_\_\_ repaired within standards?

\_\_\_\_\_ to repair them within \_\_\_\_\_ what are the next \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ repairability standards will be a \_\_\_\_\_ of \_\_\_\_\_.

After \_\_\_\_\_ repair \_\_\_\_\_ can \_\_\_\_\_ replacements \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ un \_\_\_\_\_ device \_\_\_\_\_ plans what?

\_\_\_\_\_ once the \_\_\_\_\_ are replaced that \_\_\_\_\_ repairability \_\_\_\_\_?

\_\_\_\_\_ that are \_\_\_\_\_ repairability standards seems \_\_\_\_\_ next thing that may go \_\_\_\_\_ chopping \_\_\_\_\_.

Is there \_\_\_\_\_ devices that \_\_\_\_\_ meet \_\_\_\_\_ standards?

\_\_\_\_\_ procedures \_\_\_\_\_ implemented to \_\_\_\_\_ un salvageable \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ the repair \_\_\_\_\_?

What \_\_\_\_\_ the plans \_\_\_\_\_ beyond-repair \_\_\_\_\_?

\_\_\_\_\_ devices that are beyond repairability \_\_\_\_\_ might \_\_\_\_\_ next \_\_\_\_\_.

Replacing devices \_\_\_\_\_ are \_\_\_\_\_ standards is \_\_\_\_\_ problem.

\_\_\_\_\_ you give \_\_\_\_\_ update on \_\_\_\_\_ to replace \_\_\_\_\_ that are \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ happen \_\_\_\_\_ gadgets cannot \_\_\_\_\_ fixed?

Can \_\_\_\_\_ give an update on the \_\_\_\_\_ of \_\_\_\_\_ repair guidelines.

What \_\_\_\_\_ the possible \_\_\_\_\_ devices?

Can \_\_\_\_\_ be \_\_\_\_\_ after exceeding \_\_\_\_\_?

Replacing devices \_\_\_\_\_ repairability \_\_\_\_\_ is a question that \_\_\_\_\_.

What \_\_\_\_\_ do about \_\_\_\_\_ beyond \_\_\_\_\_?

\_\_\_\_\_ tell me about \_\_\_\_\_ process \_\_\_\_\_ replacing \_\_\_\_\_ that can't \_\_\_\_\_?

\_\_\_\_\_ devices that \_\_\_\_\_ beyond repairability seems to \_\_\_\_\_.

\_\_\_\_\_ step \_\_\_\_\_ devices when they \_\_\_\_\_ be fixed within \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ are beyond repairability \_\_\_\_\_ seems \_\_\_\_\_ be \_\_\_\_\_ next \_\_\_\_\_.

What \_\_\_\_\_ plan for replacing devices \_\_\_\_\_ standards?

\_\_\_\_\_ you going to \_\_\_\_\_ fixable \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ meet repair \_\_\_\_\_ is a \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ steps to get \_\_\_\_\_ of \_\_\_\_\_ that \_\_\_\_\_ beyond \_\_\_\_\_ standards?

\_\_\_\_\_ are \_\_\_\_\_ standards is the next thing that \_\_\_\_\_ done.

\_\_\_\_\_ there \_\_\_\_\_ on \_\_\_\_\_ to \_\_\_\_\_ that are not \_\_\_\_\_ meet repair guidelines?

Replacing devices \_\_\_\_\_ are beyond \_\_\_\_\_ could \_\_\_\_\_ next \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ beyond repair \_\_\_\_\_?

Replacing devices \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ is \_\_\_\_\_ question we \_\_\_\_\_.

What is the \_\_\_\_\_ our gadgets \_\_\_\_\_ fixed?

Is there \_\_\_\_\_ about the process of replacing \_\_\_\_\_ to meet \_\_\_\_\_?

What happens when the \_\_\_\_\_?

Replacing devices \_\_\_\_\_ repairability \_\_\_\_\_ the next decision.

Replacing \_\_\_\_\_ that are \_\_\_\_\_ repairability \_\_\_\_\_ the \_\_\_\_\_ step?

Replacing \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ be next \_\_\_\_\_ done.

What are the next \_\_\_\_\_ of \_\_\_\_\_ are \_\_\_\_\_ standards?

\_\_\_\_\_ may \_\_\_\_\_ updates on \_\_\_\_\_ devices moving \_\_\_\_\_.

\_\_\_\_\_ want to \_\_\_\_\_ the next \_\_\_\_\_ for \_\_\_\_\_ that \_\_\_\_\_ repairability \_\_\_\_\_.

Replacing \_\_\_\_\_ devices going \_\_\_\_\_?

\_\_\_\_\_ you replace the \_\_\_\_\_ devices?

How \_\_\_\_\_ with \_\_\_\_\_ that cannot be \_\_\_\_\_?

\_\_\_\_\_ are you \_\_\_\_\_ handle \_\_\_\_\_ that can't \_\_\_\_\_ fixed?

What \_\_\_\_\_ happen \_\_\_\_\_ device \_\_\_\_\_ guidelines.

What's the \_\_\_\_\_ devices \_\_\_\_\_ it's impossible to \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ impossible to repair them?

\_\_\_\_\_ any solution \_\_\_\_\_ for replacing unrepairable devices \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ standards \_\_\_\_\_.

\_\_\_\_\_ devices \_\_\_\_\_ are beyond \_\_\_\_\_ could \_\_\_\_\_ to go.

\_\_\_\_\_ that are \_\_\_\_\_ repairability \_\_\_\_\_

Replacing \_\_\_\_\_ devices \_\_\_\_\_ question.

What's \_\_\_\_\_ next \_\_\_\_\_ for \_\_\_\_\_ fixability?

What \_\_\_\_\_ devices \_\_\_\_\_ are \_\_\_\_\_ repair?

\_\_\_\_\_ anyone \_\_\_\_\_ solution for \_\_\_\_\_ unrepairable \_\_\_\_\_ soon?

\_\_\_\_\_ device \_\_\_\_\_ options \_\_\_\_\_ repair limits?

\_\_\_\_\_ like the \_\_\_\_\_ that would happen \_\_\_\_\_ replacing \_\_\_\_\_ that are \_\_\_\_\_ repairability \_\_\_\_\_.

\_\_\_\_\_ gadgets \_\_\_\_\_ be \_\_\_\_\_ happens?

Replacing \_\_\_\_\_ beyond repairability \_\_\_\_\_ a \_\_\_\_\_ that we \_\_\_\_\_.

\_\_\_\_\_ devices \_\_\_\_\_ beyond repairability \_\_\_\_\_ likely to \_\_\_\_\_ in the \_\_\_\_\_.

\_\_\_\_\_ repairability standards is \_\_\_\_\_ we need \_\_\_\_\_ discuss.

Replacing un-fixable \_\_\_\_\_ a \_\_\_\_\_.

What's the \_\_\_\_\_ to \_\_\_\_\_ devices \_\_\_\_\_ repair standards?

Do \_\_\_\_\_ new \_\_\_\_\_ on \_\_\_\_\_ non-repairable \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ repairability \_\_\_\_\_ could you tell us \_\_\_\_\_ it?

\_\_\_\_\_ will \_\_\_\_\_ with devices \_\_\_\_\_ can't be \_\_\_\_\_?

\_\_\_\_\_ should we \_\_\_\_\_ with devices \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_?

Replacing devices \_\_\_\_\_ repairability \_\_\_\_\_ likely be the next thing \_\_\_\_\_.

\_\_\_\_\_ can't be repaired, \_\_\_\_\_ is the \_\_\_\_\_?

\_\_\_\_\_ devices \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ as \_\_\_\_\_ next thing \_\_\_\_\_ happen.

\_\_\_\_\_ solution for \_\_\_\_\_ beyond repair \_\_\_\_\_?

I need your advice \_\_\_\_\_ to handle \_\_\_\_\_ devices \_\_\_\_\_.

Replacing devices that \_\_\_\_\_ standards \_\_\_\_\_ what \_\_\_\_\_ next.

\_\_\_\_\_ you deal with \_\_\_\_\_ that \_\_\_\_\_ be fixed?

\_\_\_\_\_ next \_\_\_\_\_ gadgets when \_\_\_\_\_ impossible to \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ with \_\_\_\_\_ devices that \_\_\_\_\_ be fixed?

\_\_\_\_\_ if the \_\_\_\_\_ have \_\_\_\_\_ that are \_\_\_\_\_ standards?

\_\_\_\_\_ solution \_\_\_\_\_ replacing unrepairable devices \_\_\_\_\_?

\_\_\_\_\_ that are \_\_\_\_\_ repairability standards \_\_\_\_\_ be the \_\_\_\_\_ question.

\_\_\_\_\_ devices that \_\_\_\_\_ repairability standards \_\_\_\_\_ as \_\_\_\_\_ next thing \_\_\_\_\_ would \_\_\_\_\_.

\_\_\_\_\_ devices \_\_\_\_\_ are beyond repairability standards seems \_\_\_\_\_ be \_\_\_\_\_ thing \_\_\_\_\_ have \_\_\_\_\_.

How \_\_\_\_\_ we \_\_\_\_\_ that don't \_\_\_\_\_ standards?

\_\_\_\_\_ devices \_\_\_\_\_ beyond repairability standards \_\_\_\_\_ be the next thing \_\_\_\_\_ done.

\_\_\_\_\_ will \_\_\_\_\_ devices \_\_\_\_\_ be repaired?

Replacing \_\_\_\_\_ are \_\_\_\_\_ repairability \_\_\_\_\_ seems to be \_\_\_\_\_ next \_\_\_\_\_ happen.

\_\_\_\_\_ you have \_\_\_\_\_ update on the process \_\_\_\_\_ are \_\_\_\_\_ meet \_\_\_\_\_ guidelines?

What \_\_\_\_\_ when \_\_\_\_\_ impossible to repair them.

Replacing devices \_\_\_\_\_ repairability standards is next \_\_\_\_\_.

Replacing devices that are beyond \_\_\_\_\_ standards \_\_\_\_\_.

Replacing \_\_\_\_\_ are \_\_\_\_\_ standards seems \_\_\_\_\_ be the next thing \_\_\_\_\_ could \_\_\_\_\_.

Is there any \_\_\_\_\_ replacing \_\_\_\_\_ soon?

\_\_\_\_\_ next \_\_\_\_\_ replacing \_\_\_\_\_ that are beyond repairability \_\_\_\_\_.

When gadgets \_\_\_\_\_ be \_\_\_\_\_?

How will you \_\_\_\_\_ devices that can \_\_\_\_\_?

Can \_\_\_\_\_ us \_\_\_\_\_ next steps \_\_\_\_\_ devices \_\_\_\_\_ aren't repairable?

The \_\_\_\_\_ for \_\_\_\_\_ gadgets.

\_\_\_\_\_ when \_\_\_\_\_ devices are \_\_\_\_\_ repairability?

\_\_\_\_\_ able to replace un \_\_\_\_\_ devices \_\_\_\_\_?

\_\_\_\_\_ happens \_\_\_\_\_ the devices have \_\_\_\_\_ beyond repairability standards?

Can you \_\_\_\_\_ us know \_\_\_\_\_ devices \_\_\_\_\_ up \_\_\_\_\_ repairability standards?

What \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ un-salvageable devices going \_\_\_\_\_?

\_\_\_\_\_ beyond repairability \_\_\_\_\_ seems to \_\_\_\_\_ the next dilemma.

\_\_\_\_\_ about the consequences \_\_\_\_\_ device \_\_\_\_\_?

\_\_\_\_\_ devices that are \_\_\_\_\_ standards \_\_\_\_\_.

\_\_\_\_\_ gadgets \_\_\_\_\_ something that \_\_\_\_\_ a \_\_\_\_\_.

What \_\_\_\_\_ plan for \_\_\_\_\_ replacement of devices \_\_\_\_\_ don't \_\_\_\_\_?