

## [Demo] NLP Dataset for Customer Service Automation

Company Type	Natural Gas Companies
Inquiry Category	Gas meter relocation requests
Inquiry Sub-Category	Meter Relocation for Home Renovations
Description	Customers requesting to relocate their gas meter due to home renovations or remodeling projects, requiring the meter to be moved to a different location on the property.
Data Size	5,142 paraphrases
Want to buy data?	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

Masked sample paraphrases of one "Natural Gas Company" customer inquiry. (Purchased data will not be masked.)

\_\_\_\_\_ provide guidance \_\_\_\_\_ how far \_\_\_\_\_ from existing \_\_\_\_\_ we \_\_\_\_\_ our natural-gas meters during \_\_\_\_\_?

\_\_\_\_\_ me \_\_\_\_\_ far away \_\_\_\_\_ meters should be from \_\_\_\_\_?

\_\_\_\_\_ want \_\_\_\_\_ know how far from \_\_\_\_\_ structures \_\_\_\_\_ the natural-gas \_\_\_\_\_.

Do you know the permissible relocation \_\_\_\_\_ natural-gas \_\_\_\_\_ property \_\_\_\_\_?

How \_\_\_\_\_ should \_\_\_\_\_ move gas \_\_\_\_\_ we \_\_\_\_\_ homes?

\_\_\_\_\_ you \_\_\_\_\_ how \_\_\_\_\_ from current structures \_\_\_\_\_ can \_\_\_\_\_ our natural-gas \_\_\_\_\_?

Can anyone \_\_\_\_\_ me any tips \_\_\_\_\_ meters \_\_\_\_\_ from \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ natural-gas meters \_\_\_\_\_ property renovations?

We want to upgrade our \_\_\_\_\_ know \_\_\_\_\_ far we should move \_\_\_\_\_.

\_\_\_\_\_ guidelines \_\_\_\_\_ nearby structures when moving natura-gas meters?

What \_\_\_\_\_ exists regarding the \_\_\_\_\_ when \_\_\_\_\_ natura-gas \_\_\_\_\_?

Any \_\_\_\_\_ natural-gas \_\_\_\_\_ away from existing \_\_\_\_\_?

As \_\_\_\_\_ upcoming \_\_\_\_\_ project, \_\_\_\_\_ are \_\_\_\_\_ for guidance on how \_\_\_\_\_ we \_\_\_\_\_ safely move \_\_\_\_\_ meters.

Please tell \_\_\_\_\_ permissible relocation distance \_\_\_\_\_ our \_\_\_\_\_ renovations.

How \_\_\_\_\_ can \_\_\_\_\_ gas meters in a \_\_\_\_\_?

Can we get \_\_\_\_\_ distance to \_\_\_\_\_ our \_\_\_\_\_ natural-gas meter?

\_\_\_\_\_ the recommended \_\_\_\_\_ structures to move natural-gas \_\_\_\_\_?

\_\_\_\_\_ can I \_\_\_\_\_ gas \_\_\_\_\_ from my new property \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ guidelines \_\_\_\_\_ relocating \_\_\_\_\_ gas meters \_\_\_\_\_ our \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ recommendations for relocating our \_\_\_\_\_ proper distance \_\_\_\_\_ structures?

\_\_\_\_\_ an \_\_\_\_\_ distance for moving gas meters \_\_\_\_\_ property \_\_\_\_\_?

\_\_\_\_\_ property renovations, how \_\_\_\_\_ away \_\_\_\_\_ we relocate our \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ are looking for guidance on \_\_\_\_\_ far \_\_\_\_\_ can safely move \_\_\_\_\_

\_\_\_\_\_ to relocate \_\_\_\_\_ natural-gas meters \_\_\_\_\_ property enhancements?

\_\_\_\_\_ away from buildings \_\_\_\_\_ a \_\_\_\_\_?

How to move \_\_\_\_\_ away from \_\_\_\_\_ when we \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ we move \_\_\_\_\_ meter from the \_\_\_\_\_?

\_\_\_\_\_ space \_\_\_\_\_ meters be moved \_\_\_\_\_ building is renovated?

During \_\_\_\_\_ what \_\_\_\_\_ the recommended distance \_\_\_\_\_ natural-gas meters?

\_\_\_\_\_ there \_\_\_\_\_ proper \_\_\_\_\_ from \_\_\_\_\_ when moving gas \_\_\_\_\_?  
 \_\_\_\_\_ we move the \_\_\_\_\_ from \_\_\_\_\_ when \_\_\_\_\_ upgrade the property?  
 Is it possible to \_\_\_\_\_ on \_\_\_\_\_ removal \_\_\_\_\_ from \_\_\_\_\_ moving gas \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ much \_\_\_\_\_ should \_\_\_\_\_ left between \_\_\_\_\_ existing structures and \_\_\_\_\_ gas meters \_\_\_\_\_?  
 \_\_\_\_\_ much distance does \_\_\_\_\_ take \_\_\_\_\_ move \_\_\_\_\_ meters \_\_\_\_\_ home \_\_\_\_\_?  
 \_\_\_\_\_ how far \_\_\_\_\_ we move our \_\_\_\_\_ meters?  
 \_\_\_\_\_ are looking \_\_\_\_\_ help moving \_\_\_\_\_ natural-gas \_\_\_\_\_ from \_\_\_\_\_ part of \_\_\_\_\_ upgrade project.  
 Are \_\_\_\_\_ any ways \_\_\_\_\_ relocate \_\_\_\_\_ meters \_\_\_\_\_ improvements?  
 I need your \_\_\_\_\_ how \_\_\_\_\_ relocate our \_\_\_\_\_ meters.  
 \_\_\_\_\_ can we \_\_\_\_\_ gas meters during the property \_\_\_\_\_?  
 Should we relocation our \_\_\_\_\_ renovations?  
 How \_\_\_\_\_ space should \_\_\_\_\_ left between old \_\_\_\_\_ moving \_\_\_\_\_ meters \_\_\_\_\_?  
 When upgrading \_\_\_\_\_ should we \_\_\_\_\_ gas \_\_\_\_\_?  
 When moving \_\_\_\_\_ meters away \_\_\_\_\_ during \_\_\_\_\_ I \_\_\_\_\_ about \_\_\_\_\_ distances.  
 \_\_\_\_\_ much space \_\_\_\_\_ be \_\_\_\_\_ and gas meters \_\_\_\_\_ renovations?  
 \_\_\_\_\_ you have guidelines about the acceptable \_\_\_\_\_ renovated \_\_\_\_\_ and \_\_\_\_\_?  
 To \_\_\_\_\_ our gas meters for \_\_\_\_\_ how \_\_\_\_\_ is \_\_\_\_\_?  
 \_\_\_\_\_ far \_\_\_\_\_ relocate \_\_\_\_\_ meters to upgrade our \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ determine a \_\_\_\_\_ distance to \_\_\_\_\_ natural-gas meter \_\_\_\_\_ making \_\_\_\_\_ improvements?  
 I \_\_\_\_\_ how to move \_\_\_\_\_ meters \_\_\_\_\_ existing structures.  
 \_\_\_\_\_ you tell us the appropriate \_\_\_\_\_ meters \_\_\_\_\_ property \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ on moving our gas \_\_\_\_\_ when \_\_\_\_\_ upgrade our \_\_\_\_\_?  
 \_\_\_\_\_ is the recommended distance \_\_\_\_\_ relocation for \_\_\_\_\_ natural-gas \_\_\_\_\_?  
 When it \_\_\_\_\_ upgrades, how far \_\_\_\_\_ move \_\_\_\_\_ gas \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ us with relocating \_\_\_\_\_ natural-gas \_\_\_\_\_ property \_\_\_\_\_?  
 \_\_\_\_\_ far should \_\_\_\_\_ moved whenUpgrading \_\_\_\_\_?  
 How \_\_\_\_\_ away from \_\_\_\_\_ do \_\_\_\_\_ moving \_\_\_\_\_ meters?  
 \_\_\_\_\_ you \_\_\_\_\_ me about \_\_\_\_\_ of gas \_\_\_\_\_ relation \_\_\_\_\_ renovations?  
 We are \_\_\_\_\_ for \_\_\_\_\_ far we can \_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ the old \_\_\_\_\_.  
 Can you \_\_\_\_\_ information on \_\_\_\_\_ away from \_\_\_\_\_ our natural-gas meters?  
 \_\_\_\_\_ you \_\_\_\_\_ us how far away \_\_\_\_\_ we should be \_\_\_\_\_ natural-gas \_\_\_\_\_?  
 How far \_\_\_\_\_ natural-gas \_\_\_\_\_ be moved \_\_\_\_\_ improving \_\_\_\_\_?  
 Advice \_\_\_\_\_ needed \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ gas \_\_\_\_\_ an upgrade.  
 What amount of space \_\_\_\_\_ needed \_\_\_\_\_ relocate \_\_\_\_\_ meters \_\_\_\_\_?  
 \_\_\_\_\_ tell \_\_\_\_\_ how \_\_\_\_\_ move our \_\_\_\_\_ meters \_\_\_\_\_ the structures?  
 Is \_\_\_\_\_ to give recommendations for \_\_\_\_\_ meters \_\_\_\_\_ a proper \_\_\_\_\_ structures \_\_\_\_\_ property renovations?  
 \_\_\_\_\_ much space must be \_\_\_\_\_ from \_\_\_\_\_ to make \_\_\_\_\_ meters?  
 How \_\_\_\_\_ taken away \_\_\_\_\_ current \_\_\_\_\_ for \_\_\_\_\_ meters to \_\_\_\_\_ moved?  
 \_\_\_\_\_ any guidance regarding \_\_\_\_\_ distance from nearby \_\_\_\_\_ when \_\_\_\_\_ natura \_\_\_\_\_?  
 Advice \_\_\_\_\_ needed for \_\_\_\_\_ meters during upgrades.  
 When \_\_\_\_\_ natura-gas meters, \_\_\_\_\_ acceptable distance \_\_\_\_\_ nearby structures?  
 \_\_\_\_\_ you tell me the optimum \_\_\_\_\_ existing structures \_\_\_\_\_ meters?  
 \_\_\_\_\_ should our \_\_\_\_\_ meters be from \_\_\_\_\_ old \_\_\_\_\_?  
 When \_\_\_\_\_ our property, \_\_\_\_\_ tips \_\_\_\_\_ moving natural-gas meters \_\_\_\_\_?  
 \_\_\_\_\_ upgrade \_\_\_\_\_ gas meter \_\_\_\_\_ structures?  
 How \_\_\_\_\_ from \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ meters?  
 Advice \_\_\_\_\_ the distance for \_\_\_\_\_ meters during a \_\_\_\_\_.  
 \_\_\_\_\_ far is \_\_\_\_\_ appropriate \_\_\_\_\_ for \_\_\_\_\_ gas \_\_\_\_\_ during \_\_\_\_\_ upgrade?  
 Please \_\_\_\_\_ us \_\_\_\_\_ distance for our natural-gas \_\_\_\_\_ renovations.  
 Is \_\_\_\_\_ to \_\_\_\_\_ gas meters \_\_\_\_\_ from existing structures \_\_\_\_\_ property \_\_\_\_\_?

Can \_\_\_\_\_ me \_\_\_\_\_ far away \_\_\_\_\_ natural-gas \_\_\_\_\_ should be \_\_\_\_\_?

How \_\_\_\_\_ must be \_\_\_\_\_ current buildings to \_\_\_\_\_ gas \_\_\_\_\_?

I \_\_\_\_\_ to know \_\_\_\_\_ far \_\_\_\_\_ should move \_\_\_\_\_ gas \_\_\_\_\_ the \_\_\_\_\_ structures.

\_\_\_\_\_ would \_\_\_\_\_ to know the \_\_\_\_\_ for moving \_\_\_\_\_ property improvements.

\_\_\_\_\_ the gas \_\_\_\_\_ existing structures as part of the \_\_\_\_\_ upgrade?

Are \_\_\_\_\_ to \_\_\_\_\_ away \_\_\_\_\_ current buildings?

\_\_\_\_\_ possible \_\_\_\_\_ meters far \_\_\_\_\_ buildings \_\_\_\_\_ a property upgrade?

Can \_\_\_\_\_ some assistance \_\_\_\_\_ figuring \_\_\_\_\_ suitable \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ installed natural-gas \_\_\_\_\_?

\_\_\_\_\_ far should we \_\_\_\_\_ our gas \_\_\_\_\_ structure?

While enhancing a structure \_\_\_\_\_ far \_\_\_\_\_ meters \_\_\_\_\_?

\_\_\_\_\_ away from buildings \_\_\_\_\_ gas-meter \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ gas meter \_\_\_\_\_ from existing \_\_\_\_\_ part \_\_\_\_\_ our property renovations?

Is \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ gas meter \_\_\_\_\_ close or \_\_\_\_\_ for \_\_\_\_\_ renovations?

\_\_\_\_\_ from current \_\_\_\_\_ move natural-gas meters?

Is \_\_\_\_\_ guideline that \_\_\_\_\_ the \_\_\_\_\_ relocated gas meters \_\_\_\_\_ structures?

\_\_\_\_\_ there \_\_\_\_\_ recommendation for \_\_\_\_\_ meters \_\_\_\_\_ a proper distance from existing structures \_\_\_\_\_?

\_\_\_\_\_ distance should our natural-gas \_\_\_\_\_ be moved from \_\_\_\_\_ upgrade?

We \_\_\_\_\_ to \_\_\_\_\_ distance for moving \_\_\_\_\_ a property upgrade.

\_\_\_\_\_ far should \_\_\_\_\_ gas meter \_\_\_\_\_ the existing \_\_\_\_\_ as part \_\_\_\_\_ property \_\_\_\_\_?

\_\_\_\_\_ to safely relocate a gas \_\_\_\_\_ you \_\_\_\_\_?

How far \_\_\_\_\_ we \_\_\_\_\_ gas meters \_\_\_\_\_ we \_\_\_\_\_ home?

When moving \_\_\_\_\_ how \_\_\_\_\_ from \_\_\_\_\_ structures do \_\_\_\_\_ recommend?

\_\_\_\_\_ get some help figuring out \_\_\_\_\_ suitable \_\_\_\_\_ our \_\_\_\_\_ natural gas \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ my old gas \_\_\_\_\_ from my new \_\_\_\_\_?

\_\_\_\_\_ about the appropriate distance for \_\_\_\_\_ meters \_\_\_\_\_ renovations?

\_\_\_\_\_ a guideline detailing the \_\_\_\_\_ between \_\_\_\_\_ gas \_\_\_\_\_ existing \_\_\_\_\_?

How \_\_\_\_\_ natural gas meters \_\_\_\_\_ while \_\_\_\_\_ structure?

Do you have \_\_\_\_\_ advice \_\_\_\_\_ of \_\_\_\_\_ meters for \_\_\_\_\_?

You want to \_\_\_\_\_ gas meters for \_\_\_\_\_ fix-ups, \_\_\_\_\_ much \_\_\_\_\_ do \_\_\_\_\_?

Is there a \_\_\_\_\_ natural-gas meters \_\_\_\_\_ proper distance \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ how \_\_\_\_\_ relocate our \_\_\_\_\_ property improvements?

Do \_\_\_\_\_ a distance from \_\_\_\_\_ to move \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ distance \_\_\_\_\_ place \_\_\_\_\_ newly installed natural-gas \_\_\_\_\_ making the \_\_\_\_\_ improvements?

How can I \_\_\_\_\_ your \_\_\_\_\_ gas \_\_\_\_\_ away \_\_\_\_\_ property \_\_\_\_\_?

\_\_\_\_\_ be left between gas meters \_\_\_\_\_ structures during \_\_\_\_\_?

\_\_\_\_\_ away from existing structures \_\_\_\_\_ relocate natural-gas \_\_\_\_\_?

Is \_\_\_\_\_ recommendation \_\_\_\_\_ relocating \_\_\_\_\_ natural-gas meters \_\_\_\_\_ a proper \_\_\_\_\_ existing \_\_\_\_\_ during property \_\_\_\_\_?

How far \_\_\_\_\_ we move the \_\_\_\_\_?

\_\_\_\_\_ tell us how \_\_\_\_\_ away \_\_\_\_\_ existing structures \_\_\_\_\_ can \_\_\_\_\_ meters?

Is \_\_\_\_\_ possible to \_\_\_\_\_ on \_\_\_\_\_ existing structures when \_\_\_\_\_ meters?

How far \_\_\_\_\_ moved when you \_\_\_\_\_ properties?

\_\_\_\_\_ want \_\_\_\_\_ know \_\_\_\_\_ far \_\_\_\_\_ can \_\_\_\_\_ relocate our \_\_\_\_\_ meters from \_\_\_\_\_ structures \_\_\_\_\_ our property \_\_\_\_\_ project.

\_\_\_\_\_ would like \_\_\_\_\_ know \_\_\_\_\_ distance from existing \_\_\_\_\_ relocating gas \_\_\_\_\_.

\_\_\_\_\_ the recommended distance from \_\_\_\_\_ structures \_\_\_\_\_ during property improvements?

We \_\_\_\_\_ know \_\_\_\_\_ can safely move \_\_\_\_\_ natural-gas meters from structures as \_\_\_\_\_ upgrade project.

\_\_\_\_\_ guidelines \_\_\_\_\_ the \_\_\_\_\_ we need \_\_\_\_\_ relocate the gas meters?

Is \_\_\_\_\_ possible \_\_\_\_\_ our natural-gas \_\_\_\_\_ from existing \_\_\_\_\_ during \_\_\_\_\_ upgrades?

\_\_\_\_\_ are \_\_\_\_\_ sure \_\_\_\_\_ we can \_\_\_\_\_ move our \_\_\_\_\_ structures as part of our \_\_\_\_\_ upgrade \_\_\_\_\_.

\_\_\_\_\_ guideline for the \_\_\_\_\_ meters and existing structures?

Can \_\_\_\_\_ me about \_\_\_\_\_ away from structures?

What \_\_\_\_ advice on where to relocate \_\_\_\_ upgrade \_\_\_\_ meters?  
\_\_\_\_ need \_\_\_\_ with \_\_\_\_ distances \_\_\_\_ moving gas \_\_\_\_ from \_\_\_\_ buildings.  
Which space \_\_\_\_ current \_\_\_\_ must \_\_\_\_ meters \_\_\_\_ shifted?  
\_\_\_\_ recommended \_\_\_\_ between \_\_\_\_ properties and gas meters?  
Should \_\_\_\_ meters be \_\_\_\_ away \_\_\_\_ existing structures \_\_\_\_ property?  
\_\_\_\_ advice on \_\_\_\_ natural-gas meters in \_\_\_\_ renovations.  
\_\_\_\_ where these \_\_\_\_ natural-gas apparatuses \_\_\_\_ be \_\_\_\_ the property.  
\_\_\_\_ it possible \_\_\_\_ us to \_\_\_\_ our gas \_\_\_\_ close \_\_\_\_ far away \_\_\_\_?  
Can you tell \_\_\_\_ proper distance from \_\_\_\_ structures \_\_\_\_ gas \_\_\_\_?  
\_\_\_\_ know the \_\_\_\_ distance \_\_\_\_ moving gas meters during \_\_\_\_?  
We would like \_\_\_\_ a suitable \_\_\_\_ installed natural-gas meter after \_\_\_\_ improvements.  
How \_\_\_\_ buildings is \_\_\_\_ relocate gas meters?  
What is \_\_\_\_ recommended distance \_\_\_\_ the \_\_\_\_ to \_\_\_\_ natural-gas \_\_\_\_?  
There \_\_\_\_ improvements, \_\_\_\_ sure \_\_\_\_ distance to relocate \_\_\_\_ meters near \_\_\_\_.  
\_\_\_\_ need \_\_\_\_ the correct distance \_\_\_\_ gas \_\_\_\_ during \_\_\_\_ property upgrade.  
Does \_\_\_\_ know \_\_\_\_ far away we \_\_\_\_ our \_\_\_\_?  
\_\_\_\_ you have any \_\_\_\_ from \_\_\_\_ when relocating gas meters?  
\_\_\_\_ on how far \_\_\_\_ we should \_\_\_\_ the \_\_\_\_ meter.  
\_\_\_\_ is \_\_\_\_ move gas \_\_\_\_ far from a \_\_\_\_.  
Please \_\_\_\_ me how far \_\_\_\_ gas \_\_\_\_ from the \_\_\_\_ structures.  
\_\_\_\_ need to know \_\_\_\_ for \_\_\_\_ gas \_\_\_\_ during \_\_\_\_ changes.  
\_\_\_\_ need tips \_\_\_\_ natural-gas \_\_\_\_ existing structures when we upgrade \_\_\_\_.  
Can you \_\_\_\_ us \_\_\_\_ on \_\_\_\_ acceptable gap between renovated \_\_\_\_ meters?  
Is there \_\_\_\_ for \_\_\_\_ of \_\_\_\_ meters from \_\_\_\_ structures?  
\_\_\_\_ please tell \_\_\_\_ distance for moving \_\_\_\_ meters?  
\_\_\_\_ relocation \_\_\_\_ natural-gas \_\_\_\_ a \_\_\_\_ distance from \_\_\_\_ existing structures?  
\_\_\_\_ to relocate \_\_\_\_ meters far \_\_\_\_ buildings?  
How \_\_\_\_ space \_\_\_\_ be \_\_\_\_ the \_\_\_\_ and the gas \_\_\_\_ during \_\_\_\_?  
Is there a guideline \_\_\_\_ separation between \_\_\_\_ gas \_\_\_\_?  
\_\_\_\_ some help with determining \_\_\_\_ to place \_\_\_\_ new natural-gas \_\_\_\_?  
Should we move \_\_\_\_ gas \_\_\_\_ the \_\_\_\_ as \_\_\_\_ of \_\_\_\_ improvements?  
\_\_\_\_ range of gas meters \_\_\_\_ to renovations?  
We \_\_\_\_ to \_\_\_\_ property \_\_\_\_ we \_\_\_\_ know how \_\_\_\_ should move our gas \_\_\_\_.  
Can you \_\_\_\_ me suggestions \_\_\_\_ distance from \_\_\_\_ structures \_\_\_\_ meters to?  
We are \_\_\_\_ renovations and \_\_\_\_ to \_\_\_\_ the permissible \_\_\_\_ for \_\_\_\_ meters.  
\_\_\_\_ needed for \_\_\_\_ meters from \_\_\_\_ during renovations.  
\_\_\_\_ would it take \_\_\_\_ our gas \_\_\_\_ for \_\_\_\_ fixes?  
Any \_\_\_\_ appreciated for \_\_\_\_ natural-gas \_\_\_\_ when making \_\_\_\_ improvements  
Recommendations \_\_\_\_ in an upgrade project?  
\_\_\_\_ some \_\_\_\_ determining a suitable distance \_\_\_\_ place \_\_\_\_ natural-gas meter \_\_\_\_ making \_\_\_\_ improvements?  
There \_\_\_\_ planned \_\_\_\_ unsure of \_\_\_\_ distance to relocate gas \_\_\_\_.  
Is \_\_\_\_ possible to place natural gas \_\_\_\_ from \_\_\_\_?  
\_\_\_\_ advise \_\_\_\_ the permissible relocation distance \_\_\_\_ natural-gas \_\_\_\_ property renovations.  
Can you \_\_\_\_ distance from \_\_\_\_ where \_\_\_\_ should go?  
Can \_\_\_\_ us \_\_\_\_ right \_\_\_\_ for moving gas \_\_\_\_?  
\_\_\_\_ on \_\_\_\_ safely move our \_\_\_\_ meters \_\_\_\_ existing structures is being \_\_\_\_.  
How \_\_\_\_ away \_\_\_\_ move our natural-gas \_\_\_\_ during \_\_\_\_?  
\_\_\_\_ you have any \_\_\_\_ need to relocate \_\_\_\_ gas meters?  
Is there a \_\_\_\_ safe distance \_\_\_\_ natural-gas \_\_\_\_ required during \_\_\_\_ upgrade?  
\_\_\_\_ how far can \_\_\_\_ move our \_\_\_\_ meters?

What guidance do we have \_\_\_\_\_ the \_\_\_\_\_ nearby structures \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ distance \_\_\_\_\_ existing structures \_\_\_\_\_ moving \_\_\_\_\_ meters?

Is it possible \_\_\_\_\_ determine \_\_\_\_\_ suitable distance to \_\_\_\_\_ installed \_\_\_\_\_ we make property \_\_\_\_\_?

How \_\_\_\_\_ we move our \_\_\_\_\_ part of our property upgrades?

How much space must gas \_\_\_\_\_ current buildings?

\_\_\_\_\_ there enough space away \_\_\_\_\_ current buildings \_\_\_\_\_ shifted?

\_\_\_\_\_ possible \_\_\_\_\_ get assistance with determining \_\_\_\_\_ suitable distance to \_\_\_\_\_ natural-gas meter?

Please explain \_\_\_\_\_ for sufficient space \_\_\_\_\_ sites and \_\_\_\_\_.

I want to know how far \_\_\_\_\_ the \_\_\_\_\_ meters.

\_\_\_\_\_ you \_\_\_\_\_ how \_\_\_\_\_ away \_\_\_\_\_ existing structures our \_\_\_\_\_ meters should \_\_\_\_\_?

\_\_\_\_\_ the gas \_\_\_\_\_ be moved \_\_\_\_\_ the property \_\_\_\_\_?

We \_\_\_\_\_ looking \_\_\_\_\_ on \_\_\_\_\_ we \_\_\_\_\_ safely move \_\_\_\_\_ meters from \_\_\_\_\_ existing structures.

\_\_\_\_\_ to determine \_\_\_\_\_ suitable \_\_\_\_\_ us to \_\_\_\_\_ new natural-gas meter?

I want to \_\_\_\_\_ distances \_\_\_\_\_ should \_\_\_\_\_ natural-gas meters to.

\_\_\_\_\_ need help \_\_\_\_\_ meters \_\_\_\_\_ existing structures as part \_\_\_\_\_ the \_\_\_\_\_ upgrade \_\_\_\_\_.

\_\_\_\_\_ far should \_\_\_\_\_ meters when \_\_\_\_\_ changes?

\_\_\_\_\_ you \_\_\_\_\_ about \_\_\_\_\_ range \_\_\_\_\_ gas \_\_\_\_\_ that can \_\_\_\_\_ relocated \_\_\_\_\_ renovations?

How \_\_\_\_\_ should our \_\_\_\_\_ meters be \_\_\_\_\_ property improvements?

What is \_\_\_\_\_ guidance \_\_\_\_\_ the acceptable distance \_\_\_\_\_ when \_\_\_\_\_ natura-gas \_\_\_\_\_?

What is \_\_\_\_\_ recommended distance from current \_\_\_\_\_ during a \_\_\_\_\_?

\_\_\_\_\_ far away \_\_\_\_\_ move \_\_\_\_\_ gas meters when \_\_\_\_\_ house?

How far away \_\_\_\_\_ when \_\_\_\_\_ properties?

\_\_\_\_\_ us how \_\_\_\_\_ away from the structures we \_\_\_\_\_ natural-gas \_\_\_\_\_?

\_\_\_\_\_ from buildings \_\_\_\_\_ we allowed \_\_\_\_\_ gas meters?

Is \_\_\_\_\_ our natural-gas meters at a proper \_\_\_\_\_ existing \_\_\_\_\_ property improvements?

Guidance is \_\_\_\_\_ on \_\_\_\_\_ from \_\_\_\_\_ should move gas \_\_\_\_\_.

Should we relocate our \_\_\_\_\_ distance \_\_\_\_\_ existing structures?

How \_\_\_\_\_ should \_\_\_\_\_ move \_\_\_\_\_ gas meters if we \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ gas \_\_\_\_\_ move when \_\_\_\_\_ upgrade our \_\_\_\_\_?

\_\_\_\_\_ from current structures do you \_\_\_\_\_ to \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ the permitted relocation \_\_\_\_\_ for renovations?

How far from \_\_\_\_\_ can \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ is needed \_\_\_\_\_ distance for \_\_\_\_\_ gas meters \_\_\_\_\_ upgrade.

Can \_\_\_\_\_ tell \_\_\_\_\_ we should \_\_\_\_\_ the gas \_\_\_\_\_ from \_\_\_\_\_ structures?

There \_\_\_\_\_ but unsure of the \_\_\_\_\_ gas meters \_\_\_\_\_ buildings.

\_\_\_\_\_ you \_\_\_\_\_ far we \_\_\_\_\_ our gas \_\_\_\_\_ from the \_\_\_\_\_ structures?

\_\_\_\_\_ want \_\_\_\_\_ a \_\_\_\_\_ distance \_\_\_\_\_ installed \_\_\_\_\_ meter after making improvements to our property.

\_\_\_\_\_ we upgrade \_\_\_\_\_ natural-gas meters, \_\_\_\_\_ should we \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ relocation \_\_\_\_\_?

\_\_\_\_\_ gas \_\_\_\_\_ relocated safely in an upgrade \_\_\_\_\_?

\_\_\_\_\_ from the \_\_\_\_\_ gas meters to be \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ moving gas \_\_\_\_\_ farther \_\_\_\_\_ from properties.

How much space \_\_\_\_\_ to shift the gas meters?

What is the \_\_\_\_\_ for \_\_\_\_\_ natural- gas meters?

\_\_\_\_\_ need \_\_\_\_\_ know \_\_\_\_\_ far away from existing \_\_\_\_\_ we \_\_\_\_\_ be for \_\_\_\_\_.

Are \_\_\_\_\_ supposed to \_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ property improvements?

Is \_\_\_\_\_ possible to relocate \_\_\_\_\_ meters \_\_\_\_\_ improvement?

I would like \_\_\_\_\_ appropriate distance for \_\_\_\_\_ meters \_\_\_\_\_ property \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ know \_\_\_\_\_ move \_\_\_\_\_ Natural-gas meters away from the \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to provide us with \_\_\_\_\_ moving \_\_\_\_\_ meters?

Do you \_\_\_\_\_ on \_\_\_\_\_ away \_\_\_\_\_ to relocate the gas \_\_\_\_\_?

\_\_\_\_\_ safely \_\_\_\_\_ you \_\_\_\_\_ the property?

\_\_\_\_\_ we get \_\_\_\_\_ help \_\_\_\_\_ suitable \_\_\_\_\_ to place our natural-gas \_\_\_\_\_?

Can you \_\_\_\_\_ us with \_\_\_\_\_ meters \_\_\_\_\_ from the \_\_\_\_\_?

\_\_\_\_\_ an appropriate \_\_\_\_\_ gas \_\_\_\_\_ during property improvements?

Can we get some help \_\_\_\_\_ a \_\_\_\_\_ to place \_\_\_\_\_?

\_\_\_\_\_ from \_\_\_\_\_ for a \_\_\_\_\_ to change?

\_\_\_\_\_ amount \_\_\_\_\_ from current buildings \_\_\_\_\_ gas meters be \_\_\_\_\_?

How far \_\_\_\_\_ structures should \_\_\_\_\_ gas \_\_\_\_\_ property improvements?

\_\_\_\_\_ advise on \_\_\_\_\_ meters \_\_\_\_\_ from structures?

\_\_\_\_\_ it possible \_\_\_\_\_ recommendations for \_\_\_\_\_ natural-gas meters to \_\_\_\_\_ proper \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ away from \_\_\_\_\_ should natural-gas meters be \_\_\_\_\_?

\_\_\_\_\_ you have \_\_\_\_\_ the \_\_\_\_\_ from \_\_\_\_\_ to relocate gas meters?

How much \_\_\_\_\_ be left \_\_\_\_\_ current structures and \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ away from \_\_\_\_\_ must gas meters \_\_\_\_\_ moved?

\_\_\_\_\_ property, should we \_\_\_\_\_ meters away from existing \_\_\_\_\_?

Are you aware \_\_\_\_\_ the \_\_\_\_\_ safe \_\_\_\_\_ natural-gas \_\_\_\_\_ existing \_\_\_\_\_ during \_\_\_\_\_ upgrades?

\_\_\_\_\_ the appropriate \_\_\_\_\_ from \_\_\_\_\_ is \_\_\_\_\_ for gas meter \_\_\_\_\_.

What are the guidelines \_\_\_\_\_ gas \_\_\_\_\_ when \_\_\_\_\_ upgrade \_\_\_\_\_?

Please tell us \_\_\_\_\_ the permissible \_\_\_\_\_ distance \_\_\_\_\_ our natural-gas \_\_\_\_\_.

How \_\_\_\_\_ away \_\_\_\_\_ buildings should \_\_\_\_\_ meters \_\_\_\_\_ relocated?

What is \_\_\_\_\_ recommended \_\_\_\_\_ relocate \_\_\_\_\_ natural-gas \_\_\_\_\_ property improvements?

\_\_\_\_\_ there \_\_\_\_\_ proper \_\_\_\_\_ from existing structures \_\_\_\_\_ moving the \_\_\_\_\_?

Is \_\_\_\_\_ guidance \_\_\_\_\_ distance from nearby \_\_\_\_\_ when moving \_\_\_\_\_?

As \_\_\_\_\_ of our \_\_\_\_\_ project, we \_\_\_\_\_ looking \_\_\_\_\_ guidance on how far \_\_\_\_\_ move \_\_\_\_\_ meters.

How distant \_\_\_\_\_ move \_\_\_\_\_ meters \_\_\_\_\_ a \_\_\_\_\_ upgrade?

\_\_\_\_\_ explain \_\_\_\_\_ requirements \_\_\_\_\_ adequate \_\_\_\_\_ between upgraded \_\_\_\_\_ newly positioned gas \_\_\_\_\_.

\_\_\_\_\_ any \_\_\_\_\_ about \_\_\_\_\_ acceptable gap between \_\_\_\_\_ areas and \_\_\_\_\_ meters?

We \_\_\_\_\_ the appropriate \_\_\_\_\_ for \_\_\_\_\_ gas \_\_\_\_\_ during \_\_\_\_\_ upgrade.

Can \_\_\_\_\_ give \_\_\_\_\_ guidelines about \_\_\_\_\_ acceptable gap \_\_\_\_\_ areas \_\_\_\_\_ relocated \_\_\_\_\_ meter \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ keep the old gas meters \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ supposed \_\_\_\_\_ relocate our natural-gas meters \_\_\_\_\_ property \_\_\_\_\_?

For our upcoming \_\_\_\_\_ project, we want \_\_\_\_\_ know \_\_\_\_\_ we \_\_\_\_\_ move our \_\_\_\_\_ from existing \_\_\_\_\_.

Can \_\_\_\_\_ help us in \_\_\_\_\_ Natural-gas meters \_\_\_\_\_ from \_\_\_\_\_?

Can \_\_\_\_\_ get help determining \_\_\_\_\_ distance \_\_\_\_\_ natural-gas meter?

Can you tell me about \_\_\_\_\_ in \_\_\_\_\_ to renovations?

Any \_\_\_\_\_ appreciated \_\_\_\_\_ location \_\_\_\_\_ natural-gas \_\_\_\_\_ when making \_\_\_\_\_ improvements.

Can \_\_\_\_\_ tell us \_\_\_\_\_ should be \_\_\_\_\_ structures and gas \_\_\_\_\_?

Is \_\_\_\_\_ possible to determine a \_\_\_\_\_ installed natural-gas meter \_\_\_\_\_ improvements?

Is there anything you \_\_\_\_\_ me \_\_\_\_\_ relocating \_\_\_\_\_ at a \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ relocating \_\_\_\_\_ systems during improvements?

\_\_\_\_\_ in \_\_\_\_\_ how far we \_\_\_\_\_ move our natural-gas meters \_\_\_\_\_ existing \_\_\_\_\_.

We need \_\_\_\_\_ know how far \_\_\_\_\_ we \_\_\_\_\_ gas \_\_\_\_\_ relocation.

What distance do you \_\_\_\_\_ current \_\_\_\_\_ natural-gas meters?

\_\_\_\_\_ suitable distance \_\_\_\_\_ our \_\_\_\_\_ installed natural-gas meter after making \_\_\_\_\_ improvements, \_\_\_\_\_ get some \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ move \_\_\_\_\_ natural-gas meters from existing structures as part \_\_\_\_\_ property \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ suitable \_\_\_\_\_ to \_\_\_\_\_ natural-gas \_\_\_\_\_ making the property \_\_\_\_\_?

\_\_\_\_\_ you have any guidelines \_\_\_\_\_ far we \_\_\_\_\_ the \_\_\_\_\_ meters?

I'd like \_\_\_\_\_ far away from the structures \_\_\_\_\_ move \_\_\_\_\_ meters \_\_\_\_\_.

\_\_\_\_\_ you help \_\_\_\_\_ with moving \_\_\_\_\_ away from \_\_\_\_\_ structures?

\_\_\_\_\_ far from \_\_\_\_\_ we have \_\_\_\_\_ gas meters?

Is it possible \_\_\_\_ advise \_\_\_\_ the \_\_\_\_ from \_\_\_\_ structures to \_\_\_\_ \_\_\_\_ \_\_\_\_?

\_\_\_\_ can \_\_\_\_ gas \_\_\_\_ be \_\_\_\_ a property upgrade?

\_\_\_\_ us guidelines regarding \_\_\_\_ acceptable \_\_\_\_ between \_\_\_\_ areas and \_\_\_\_ gas \_\_\_\_?

We would \_\_\_\_ to know the permissible \_\_\_\_ for \_\_\_\_ natural-gas \_\_\_\_ we \_\_\_\_.

How \_\_\_\_ from existing structures \_\_\_\_ natural \_\_\_\_ be \_\_\_\_?

Can \_\_\_\_ tell \_\_\_\_ the correct distance \_\_\_\_ when \_\_\_\_ gas meters?

\_\_\_\_ want to \_\_\_\_ what distance \_\_\_\_ structures we need to move \_\_\_\_.

\_\_\_\_ distant should \_\_\_\_ relocate gas meters \_\_\_\_ upgrade \_\_\_\_?

How far can we \_\_\_\_ during property \_\_\_\_?

Is there a \_\_\_\_ relocate \_\_\_\_ natural-gas meters \_\_\_\_?

\_\_\_\_ of \_\_\_\_ project, \_\_\_\_ are \_\_\_\_ for guidance on how \_\_\_\_ we can safely move our \_\_\_\_ meters \_\_\_\_.

\_\_\_\_ know what \_\_\_\_ the structure we should move \_\_\_\_ to.

How should gas \_\_\_\_ locations \_\_\_\_ in an \_\_\_\_?

Is \_\_\_\_ to \_\_\_\_ meters far away \_\_\_\_ buildings?

How much space away \_\_\_\_ must \_\_\_\_ be moved?

\_\_\_\_ should we \_\_\_\_ our \_\_\_\_ meter when we \_\_\_\_ property?

Can you \_\_\_\_ between existing structures and relocated gas \_\_\_\_?

How much \_\_\_\_ be left between the \_\_\_\_ and the gas \_\_\_\_?

\_\_\_\_ it possible to move \_\_\_\_ property renovations?

Need advice \_\_\_\_ for \_\_\_\_ during an upgrade.

\_\_\_\_ much space \_\_\_\_ current buildings and \_\_\_\_ moved?

How \_\_\_\_ should we move \_\_\_\_ meter \_\_\_\_ current structures as \_\_\_\_ of \_\_\_\_?

I \_\_\_\_ some suggestions \_\_\_\_ far away \_\_\_\_ the \_\_\_\_ should \_\_\_\_ the \_\_\_\_ meters \_\_\_\_.

When \_\_\_\_ meters \_\_\_\_ renovations, \_\_\_\_ to know safe \_\_\_\_.

\_\_\_\_ have \_\_\_\_ relocating the gas \_\_\_\_ in \_\_\_\_ to \_\_\_\_ our property?

\_\_\_\_ advice appreciated, safe \_\_\_\_ of natural-gas \_\_\_\_ when making property \_\_\_\_.

\_\_\_\_ am wondering \_\_\_\_ tell \_\_\_\_ the \_\_\_\_ distance from existing \_\_\_\_ relocate \_\_\_\_ gas meters.

\_\_\_\_ our natural-gas \_\_\_\_ be moved from existing \_\_\_\_?

We \_\_\_\_ advice \_\_\_\_ relocating \_\_\_\_ meters \_\_\_\_ improvements.

How \_\_\_\_ room \_\_\_\_ be \_\_\_\_ between \_\_\_\_ structures \_\_\_\_ gas meters during \_\_\_\_?

\_\_\_\_ far can \_\_\_\_ be moved during \_\_\_\_ upgrade?

Can \_\_\_\_ suggest a distance between \_\_\_\_ structures \_\_\_\_ should move \_\_\_\_?

Can you provide advice \_\_\_\_ the \_\_\_\_ range \_\_\_\_ structures and \_\_\_\_ meters \_\_\_\_?

Is there a \_\_\_\_ guideline \_\_\_\_ relocated \_\_\_\_ meters \_\_\_\_ existing structures?

How \_\_\_\_ can \_\_\_\_ natural-gas \_\_\_\_ during property improvements?

During a \_\_\_\_ can we move \_\_\_\_ gas \_\_\_\_?

\_\_\_\_ you \_\_\_\_ me some suggestions \_\_\_\_ how \_\_\_\_ away \_\_\_\_ we \_\_\_\_ move \_\_\_\_ meters to?

How \_\_\_\_ you need \_\_\_\_ get \_\_\_\_ meters for home fixes?

How \_\_\_\_ we move \_\_\_\_ gas meter \_\_\_\_ structures?

\_\_\_\_ you \_\_\_\_ us how far \_\_\_\_ can \_\_\_\_ gas meter?

Is it possible to \_\_\_\_ meters far \_\_\_\_ buildings \_\_\_\_?

There \_\_\_\_ a need \_\_\_\_ guidance when \_\_\_\_ gas \_\_\_\_ from \_\_\_\_.

Should we \_\_\_\_ our \_\_\_\_ meters in \_\_\_\_?

\_\_\_\_ you have any \_\_\_\_ on \_\_\_\_ far \_\_\_\_ should move \_\_\_\_ meters to?

\_\_\_\_ far \_\_\_\_ do you \_\_\_\_ meters during a property upgrade?

We \_\_\_\_ determine \_\_\_\_ distance to \_\_\_\_ natural-gas meter \_\_\_\_ making \_\_\_\_ property improvements.

\_\_\_\_ property \_\_\_\_ what \_\_\_\_ distance for \_\_\_\_ relocation of natural-gas \_\_\_\_?

How \_\_\_\_ our \_\_\_\_ meters \_\_\_\_ existing structures is something \_\_\_\_ are \_\_\_\_ for guidance on.

Can \_\_\_\_ me \_\_\_\_ allowed relocation of \_\_\_\_ meters \_\_\_\_ to renovations?

\_\_\_\_ much \_\_\_\_ should be left \_\_\_\_ buildings \_\_\_\_ meters are \_\_\_\_?

How \_\_\_\_ away from \_\_\_\_ do we \_\_\_\_ to \_\_\_\_ the \_\_\_\_?

\_\_\_\_ guideline for the separation of \_\_\_\_ gas meters \_\_\_\_ existing \_\_\_\_?

Relating to safe distances when \_\_\_\_ away \_\_\_\_ renovations.

\_\_\_\_ you suggest how \_\_\_\_ the \_\_\_\_ meters \_\_\_\_ be from \_\_\_\_?

\_\_\_\_ distant should natural-gas \_\_\_\_ a structure?

\_\_\_\_ us with guidelines regarding the acceptable \_\_\_\_ areas and \_\_\_\_.

Recommendations \_\_\_\_ locations in an upgrade project?

Should \_\_\_\_ move \_\_\_\_ away from \_\_\_\_ existing \_\_\_\_ we upgrade?

Should we \_\_\_\_ moving \_\_\_\_ from \_\_\_\_ during \_\_\_\_?

\_\_\_\_ give us some guidelines about \_\_\_\_ gap between \_\_\_\_ and \_\_\_\_ gas \_\_\_\_?

\_\_\_\_ us \_\_\_\_ our natural-gas \_\_\_\_ in property improvements?

\_\_\_\_ should \_\_\_\_ meters \_\_\_\_ moved to \_\_\_\_ a structure?

How far should \_\_\_\_ move \_\_\_\_ from the existing \_\_\_\_ of \_\_\_\_ upgrade?

\_\_\_\_ to move gas meters \_\_\_\_ property renovations?

How far \_\_\_\_ we \_\_\_\_ natural-gas meters \_\_\_\_ renovations?

\_\_\_\_ you \_\_\_\_ me \_\_\_\_ suggestions on \_\_\_\_ far from the \_\_\_\_ the natural-gas \_\_\_\_ to?

How far \_\_\_\_ we relocate \_\_\_\_ we \_\_\_\_ to upgrade \_\_\_\_ property?

\_\_\_\_ tell me the proper \_\_\_\_ from \_\_\_\_ to \_\_\_\_ the \_\_\_\_ meters?

\_\_\_\_ far \_\_\_\_ should \_\_\_\_ move \_\_\_\_ we upgrade our property?

Can \_\_\_\_ guidelines on the acceptable gap \_\_\_\_ renovated \_\_\_\_ and \_\_\_\_?

\_\_\_\_ is the \_\_\_\_ buildings \_\_\_\_ gas-meter \_\_\_\_?

\_\_\_\_ far \_\_\_\_ from existing structures can we \_\_\_\_ natural \_\_\_\_ improvements?

\_\_\_\_ gas \_\_\_\_ be shifted \_\_\_\_ from \_\_\_\_ current \_\_\_\_?

Can \_\_\_\_ from structures where \_\_\_\_ meters \_\_\_\_ be moved?

\_\_\_\_ away \_\_\_\_ we relocate \_\_\_\_ meters during property \_\_\_\_?

\_\_\_\_ planned upgrades but they are unsure \_\_\_\_ relocate \_\_\_\_ meters.

\_\_\_\_ there a set \_\_\_\_ separation \_\_\_\_ relocated gas \_\_\_\_ existing structures?

\_\_\_\_ you have \_\_\_\_ guidelines as \_\_\_\_ we \_\_\_\_ the gas meters?

Was \_\_\_\_ meters allowed \_\_\_\_ be relocated in \_\_\_\_ to \_\_\_\_?

Can you tell me the \_\_\_\_ distance \_\_\_\_ existing \_\_\_\_ to \_\_\_\_?

Do \_\_\_\_ any guidelines \_\_\_\_ how far we \_\_\_\_ move \_\_\_\_ meters when we \_\_\_\_ our \_\_\_\_?

How \_\_\_\_ away \_\_\_\_ structures do \_\_\_\_ recommend for moving \_\_\_\_?

How \_\_\_\_ we have \_\_\_\_ relocate our gas meters?

Is there \_\_\_\_ acceptable distance \_\_\_\_ structures \_\_\_\_ natura gas meters?

Is there a \_\_\_\_ gas \_\_\_\_ from existing structures \_\_\_\_ renovations?

How \_\_\_\_ should \_\_\_\_ gas meters when renovations are performed?

\_\_\_\_ we get some help \_\_\_\_ figuring \_\_\_\_ suitable \_\_\_\_ the natural-gas \_\_\_\_?

Is there \_\_\_\_ guidelines \_\_\_\_ relocated gas meters \_\_\_\_ existing \_\_\_\_ during renovations?

\_\_\_\_ a specific guideline \_\_\_\_ the \_\_\_\_ of \_\_\_\_ meters and structures \_\_\_\_ relation \_\_\_\_?

\_\_\_\_ need help \_\_\_\_ natural-gas meters \_\_\_\_ existing structures when we \_\_\_\_.

Are \_\_\_\_ able \_\_\_\_ natural-gas \_\_\_\_ away from the structures?

\_\_\_\_ far from \_\_\_\_ we should \_\_\_\_ the natural-gas \_\_\_\_?

I \_\_\_\_ on what \_\_\_\_ from the structures we \_\_\_\_ move \_\_\_\_ natural-gas \_\_\_\_.

How \_\_\_\_ the \_\_\_\_ must gas meters be \_\_\_\_?

How far \_\_\_\_ we \_\_\_\_ an \_\_\_\_ structure as part \_\_\_\_ our property \_\_\_\_?

How \_\_\_\_ from \_\_\_\_ structures should \_\_\_\_ meters be \_\_\_\_?

\_\_\_\_ want to know \_\_\_\_ far we \_\_\_\_ safely \_\_\_\_ our natural-gas meters \_\_\_\_ structures \_\_\_\_ our upcoming \_\_\_\_.

\_\_\_\_ we \_\_\_\_ some assistance \_\_\_\_ determining \_\_\_\_ distance \_\_\_\_ our \_\_\_\_ natural-gas meter?

\_\_\_\_ would \_\_\_\_ know the right distance \_\_\_\_ moving \_\_\_\_ during a \_\_\_\_.

Should \_\_\_\_ inquire \_\_\_\_ the permissible \_\_\_\_ between existing \_\_\_\_ gas meters \_\_\_\_ improvements?



How far \_\_\_\_\_ current structures should \_\_\_\_\_ move \_\_\_\_\_?

\_\_\_\_\_ property's \_\_\_\_\_ need to be \_\_\_\_\_ what is \_\_\_\_\_ advice \_\_\_\_\_ where \_\_\_\_\_?

How \_\_\_\_\_ distance \_\_\_\_\_ take to \_\_\_\_\_ gas meters for \_\_\_\_\_?

How far \_\_\_\_\_ our gas \_\_\_\_\_ moved \_\_\_\_\_ we \_\_\_\_\_ property?

\_\_\_\_\_ move the \_\_\_\_\_ meters during the \_\_\_\_\_ upgrade?

We \_\_\_\_\_ looking for help \_\_\_\_\_ our \_\_\_\_\_ from \_\_\_\_\_ structures \_\_\_\_\_ part \_\_\_\_\_ property \_\_\_\_\_ project.

How far \_\_\_\_\_ do \_\_\_\_\_ suggest to move \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ far away from \_\_\_\_\_ structures \_\_\_\_\_ meters need to \_\_\_\_\_?

\_\_\_\_\_ permitted relocation \_\_\_\_\_ gas \_\_\_\_\_ for renovations?

Is there \_\_\_\_\_ guidelines \_\_\_\_\_ far away \_\_\_\_\_ need to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ from \_\_\_\_\_ can we move \_\_\_\_\_ meters during \_\_\_\_\_?

\_\_\_\_\_ space \_\_\_\_\_ be moved away from current \_\_\_\_\_?

Advice \_\_\_\_\_ for \_\_\_\_\_ for moving \_\_\_\_\_ meters from \_\_\_\_\_.

\_\_\_\_\_ tell \_\_\_\_\_ far away \_\_\_\_\_ structures it is \_\_\_\_\_ to \_\_\_\_\_ natural-gas meters?

I \_\_\_\_\_ guidance on \_\_\_\_\_ distances \_\_\_\_\_ meters \_\_\_\_\_ current buildings during \_\_\_\_\_.

\_\_\_\_\_ need \_\_\_\_\_ how \_\_\_\_\_ from buildings \_\_\_\_\_ move gas \_\_\_\_\_.

Do you have any guidelines \_\_\_\_\_ far we \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ distance \_\_\_\_\_ natural-gas meters during property improvements?

\_\_\_\_\_ it \_\_\_\_\_ give recommendations \_\_\_\_\_ relocating natural-gas \_\_\_\_\_ at a \_\_\_\_\_ distance \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ space away \_\_\_\_\_ current \_\_\_\_\_ needed for gas \_\_\_\_\_ to \_\_\_\_\_ shifted?

\_\_\_\_\_ I keep \_\_\_\_\_ gas \_\_\_\_\_ the new property improvements?

How far we \_\_\_\_\_ move our natural-gas \_\_\_\_\_ from \_\_\_\_\_ is something we \_\_\_\_\_ for \_\_\_\_\_.

Is it possible \_\_\_\_\_ you \_\_\_\_\_ give recommendations for \_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ distance \_\_\_\_\_ structures?

Were \_\_\_\_\_ to \_\_\_\_\_ us how \_\_\_\_\_ we \_\_\_\_\_ our \_\_\_\_\_ meter from existing \_\_\_\_\_?

\_\_\_\_\_ there guidelines for \_\_\_\_\_ far we \_\_\_\_\_ relocate the \_\_\_\_\_ when we \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ we \_\_\_\_\_ meters during \_\_\_\_\_ property upgrade?

\_\_\_\_\_ far away should \_\_\_\_\_ natural-gas meters \_\_\_\_\_ during renovations?

\_\_\_\_\_ upgrade \_\_\_\_\_ far \_\_\_\_\_ we go to \_\_\_\_\_ gas meters?

How \_\_\_\_\_ can we move natural-gas \_\_\_\_\_ a \_\_\_\_\_.

\_\_\_\_\_ need advice \_\_\_\_\_ how \_\_\_\_\_ away gas \_\_\_\_\_ should \_\_\_\_\_ from \_\_\_\_\_.

\_\_\_\_\_ on \_\_\_\_\_ distance \_\_\_\_\_ gas meters to \_\_\_\_\_ moved.

How far from \_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ relocated?

\_\_\_\_\_ space should be \_\_\_\_\_ some \_\_\_\_\_ and \_\_\_\_\_ meters during \_\_\_\_\_?

\_\_\_\_\_ looking for \_\_\_\_\_ moving \_\_\_\_\_ natural-gas \_\_\_\_\_ from \_\_\_\_\_ as part of \_\_\_\_\_ upcoming \_\_\_\_\_ upgrade \_\_\_\_\_.

\_\_\_\_\_ the recommended \_\_\_\_\_ structures to move \_\_\_\_\_ gas meters?

There \_\_\_\_\_ planned, but not sure about \_\_\_\_\_ distance \_\_\_\_\_.

Can \_\_\_\_\_ what \_\_\_\_\_ we should move the \_\_\_\_\_ meters to?

Is \_\_\_\_\_ possible to provide \_\_\_\_\_ relocating our \_\_\_\_\_ proper \_\_\_\_\_ from \_\_\_\_\_ structures?

As \_\_\_\_\_ upcoming \_\_\_\_\_ upgrade project \_\_\_\_\_ on \_\_\_\_\_ far we can safely move \_\_\_\_\_ natural-gas \_\_\_\_\_.

Should we \_\_\_\_\_ our gas \_\_\_\_\_ from \_\_\_\_\_ as part \_\_\_\_\_ property \_\_\_\_\_?

Relocate natural-gas \_\_\_\_\_ away \_\_\_\_\_?

\_\_\_\_\_ be moved when upgrading properties?

Can \_\_\_\_\_ with \_\_\_\_\_ our Natural-gas meters \_\_\_\_\_ our structures?

\_\_\_\_\_ far \_\_\_\_\_ the \_\_\_\_\_ we able \_\_\_\_\_ relocate our gas \_\_\_\_\_?

Advice was \_\_\_\_\_ the distance \_\_\_\_\_ gas \_\_\_\_\_ buildings.

\_\_\_\_\_ suggestions \_\_\_\_\_ how \_\_\_\_\_ move natural-gas \_\_\_\_\_ away from \_\_\_\_\_?

Can you \_\_\_\_\_ much \_\_\_\_\_ should \_\_\_\_\_ existing structures and gas meters \_\_\_\_\_?

Can you \_\_\_\_\_ how far \_\_\_\_\_ structures \_\_\_\_\_ the \_\_\_\_\_ meters?

\_\_\_\_\_ would like to know the correct distance from \_\_\_\_\_.

\_\_\_\_\_ away from buildings \_\_\_\_\_ allowed to relocate our \_\_\_\_\_?

\_\_\_\_\_ meter locations \_\_\_\_\_ reallocated safely in an \_\_\_\_\_ ?  
 Is there any recommendations \_\_\_\_\_ relocating \_\_\_\_\_ proper \_\_\_\_\_ from \_\_\_\_\_ structures?  
 You need \_\_\_\_\_ on the distance for \_\_\_\_\_ .  
 \_\_\_\_\_ much \_\_\_\_\_ must \_\_\_\_\_ be \_\_\_\_\_ when the building is \_\_\_\_\_ ?  
 I want \_\_\_\_\_ know how \_\_\_\_\_ from existing structures \_\_\_\_\_ move our \_\_\_\_\_ .  
 \_\_\_\_\_ appropriate \_\_\_\_\_ for moving gas \_\_\_\_\_ during \_\_\_\_\_ upgrades?  
 Can \_\_\_\_\_ how \_\_\_\_\_ we should \_\_\_\_\_ gas meter from \_\_\_\_\_ structures?  
 \_\_\_\_\_ an appropriate \_\_\_\_\_ moving \_\_\_\_\_ during a property upgrade?  
 How far \_\_\_\_\_ from \_\_\_\_\_ move the natural-gas \_\_\_\_\_ ?  
 \_\_\_\_\_ property should \_\_\_\_\_ meters be moved?  
 \_\_\_\_\_ us \_\_\_\_\_ relocation distance for our natural-gas \_\_\_\_\_ we conduct \_\_\_\_\_ renovations.  
 \_\_\_\_\_ possible \_\_\_\_\_ give recommendations \_\_\_\_\_ natural gas \_\_\_\_\_ at a \_\_\_\_\_ from \_\_\_\_\_ structures?  
 \_\_\_\_\_ know \_\_\_\_\_ appropriate distance \_\_\_\_\_ moving gas meters during a \_\_\_\_\_ .  
 \_\_\_\_\_ needed \_\_\_\_\_ moving gas \_\_\_\_\_ away from current buildings \_\_\_\_\_ .  
 \_\_\_\_\_ should we go \_\_\_\_\_ move \_\_\_\_\_ for a property \_\_\_\_\_ ?  
 There \_\_\_\_\_ improvements \_\_\_\_\_ unsure about the distance \_\_\_\_\_ gas meters \_\_\_\_\_ .  
 \_\_\_\_\_ you \_\_\_\_\_ to give information about \_\_\_\_\_ natural-gas \_\_\_\_\_ improvements?  
 \_\_\_\_\_ should we \_\_\_\_\_ in order to make our property \_\_\_\_\_ ?  
 \_\_\_\_\_ possible \_\_\_\_\_ our natural-gas \_\_\_\_\_ away from existing \_\_\_\_\_ during \_\_\_\_\_ property \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ us how \_\_\_\_\_ existing structures \_\_\_\_\_ need \_\_\_\_\_ move our \_\_\_\_\_ meters?  
 Advice \_\_\_\_\_ needed for moving \_\_\_\_\_ from buildings to \_\_\_\_\_ .  
 \_\_\_\_\_ guidance on \_\_\_\_\_ distances when \_\_\_\_\_ meters \_\_\_\_\_ buildings during \_\_\_\_\_ .  
 Can you \_\_\_\_\_ the permissible \_\_\_\_\_ existing \_\_\_\_\_ and \_\_\_\_\_ gas meters?  
 Are \_\_\_\_\_ able to \_\_\_\_\_ advice \_\_\_\_\_ the permissible range \_\_\_\_\_ and relocated \_\_\_\_\_ ?  
 \_\_\_\_\_ there any \_\_\_\_\_ far \_\_\_\_\_ need to relocate the \_\_\_\_\_ meters?  
 \_\_\_\_\_ would like to know how \_\_\_\_\_ meters should \_\_\_\_\_ moved \_\_\_\_\_ a \_\_\_\_\_ .  
 What's \_\_\_\_\_ buildings to gas-meter \_\_\_\_\_ ?  
 \_\_\_\_\_ the \_\_\_\_\_ gap between \_\_\_\_\_ areas \_\_\_\_\_ relocated gas meter \_\_\_\_\_ needed.  
 How \_\_\_\_\_ away \_\_\_\_\_ current buildings \_\_\_\_\_ meters need \_\_\_\_\_ shifted?  
 Does anyone have \_\_\_\_\_ far we need to \_\_\_\_\_ the \_\_\_\_\_ ?  
 Please inform \_\_\_\_\_ distance for our natural-gas meters \_\_\_\_\_ .  
 Do \_\_\_\_\_ know \_\_\_\_\_ you \_\_\_\_\_ systems during improvements?  
 The \_\_\_\_\_ to relocate \_\_\_\_\_ meters \_\_\_\_\_ property \_\_\_\_\_ is \_\_\_\_\_ .  
 Can you \_\_\_\_\_ how far away from \_\_\_\_\_ structures \_\_\_\_\_ can \_\_\_\_\_ our \_\_\_\_\_ ?  
 Guidance \_\_\_\_\_ on how far away from \_\_\_\_\_ should \_\_\_\_\_ meters.  
 How \_\_\_\_\_ can \_\_\_\_\_ our \_\_\_\_\_ meters during an \_\_\_\_\_ ?  
 When \_\_\_\_\_ upgrade \_\_\_\_\_ property, \_\_\_\_\_ should \_\_\_\_\_ do \_\_\_\_\_ natural-gas \_\_\_\_\_ ?  
 \_\_\_\_\_ improvements, \_\_\_\_\_ the \_\_\_\_\_ distance \_\_\_\_\_ relocate the natural-gas meters?  
 How \_\_\_\_\_ can \_\_\_\_\_ our \_\_\_\_\_ from existing structures is a \_\_\_\_\_ we are \_\_\_\_\_ on.  
 Can we get some \_\_\_\_\_ with figuring \_\_\_\_\_ distance \_\_\_\_\_ new natural-gas \_\_\_\_\_ ?  
 \_\_\_\_\_ to know \_\_\_\_\_ proper distance \_\_\_\_\_ moving \_\_\_\_\_ during \_\_\_\_\_ improvements.  
 \_\_\_\_\_ possible to \_\_\_\_\_ about \_\_\_\_\_ metering systems during improvements?  
 Is it \_\_\_\_\_ to put \_\_\_\_\_ from \_\_\_\_\_ upgrades?  
 Can you \_\_\_\_\_ how far away \_\_\_\_\_ existing \_\_\_\_\_ we \_\_\_\_\_ move \_\_\_\_\_ .  
 How \_\_\_\_\_ away \_\_\_\_\_ we have to relocate \_\_\_\_\_ meters?  
 Can \_\_\_\_\_ the range of gas \_\_\_\_\_ ?  
 How far \_\_\_\_\_ from \_\_\_\_\_ can \_\_\_\_\_ our gas meters?  
 Can you \_\_\_\_\_ me the distance \_\_\_\_\_ structures that \_\_\_\_\_ should \_\_\_\_\_ ?  
 How far \_\_\_\_\_ for \_\_\_\_\_ gas-meter \_\_\_\_\_ ?  
 \_\_\_\_\_ property \_\_\_\_\_ far \_\_\_\_\_ we move our \_\_\_\_\_ meters?

\_\_\_\_\_ for \_\_\_\_\_ on how to \_\_\_\_\_ move our natural-gas meters \_\_\_\_\_ of our property \_\_\_\_\_ project.

How far \_\_\_\_\_ can \_\_\_\_\_ move our \_\_\_\_\_ meters during \_\_\_\_\_?

Will \_\_\_\_\_ able \_\_\_\_\_ assistance with \_\_\_\_\_ a \_\_\_\_\_ distance \_\_\_\_\_ our newly installed natural-gas meter?

\_\_\_\_\_ need guidance regarding \_\_\_\_\_ gas meters away from \_\_\_\_\_.

Is \_\_\_\_\_ possible \_\_\_\_\_ put \_\_\_\_\_ meters away \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ you suggest how \_\_\_\_\_ away \_\_\_\_\_ natural-gas \_\_\_\_\_ should \_\_\_\_\_ from \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ us \_\_\_\_\_ our \_\_\_\_\_ meters \_\_\_\_\_ the existing structures?

\_\_\_\_\_ you \_\_\_\_\_ far \_\_\_\_\_ the structures \_\_\_\_\_ should move \_\_\_\_\_ meters to?

For our \_\_\_\_\_ property \_\_\_\_\_ project, we \_\_\_\_\_ on how far \_\_\_\_\_ move our natural-gas \_\_\_\_\_ structures.

Should \_\_\_\_\_ move our \_\_\_\_\_ from \_\_\_\_\_ structures \_\_\_\_\_ property improvements?

Can we get \_\_\_\_\_ distance \_\_\_\_\_ place the natural-gas \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ natural-gas meters at a \_\_\_\_\_ distance \_\_\_\_\_ existing structures during \_\_\_\_\_?

Guidance \_\_\_\_\_ distances \_\_\_\_\_ moving gas meters \_\_\_\_\_.

Do \_\_\_\_\_ how to \_\_\_\_\_ natural-gas \_\_\_\_\_ property upgrades?

How far \_\_\_\_\_ buildings \_\_\_\_\_ have to be \_\_\_\_\_?

\_\_\_\_\_ should be left from \_\_\_\_\_ for gas meters to \_\_\_\_\_?

\_\_\_\_\_ to upgrade our property's natural-gas \_\_\_\_\_ your advice \_\_\_\_\_ relocate?

\_\_\_\_\_ a \_\_\_\_\_ to determine a \_\_\_\_\_ distance \_\_\_\_\_ a \_\_\_\_\_ meter \_\_\_\_\_ making property \_\_\_\_\_?

How \_\_\_\_\_ buildings \_\_\_\_\_ we able \_\_\_\_\_ gas meters?

\_\_\_\_\_ go to \_\_\_\_\_ gas meters when \_\_\_\_\_ properties?

Please explain the requirements regarding \_\_\_\_\_ sites \_\_\_\_\_ gas \_\_\_\_\_.

\_\_\_\_\_ of \_\_\_\_\_ upgrade \_\_\_\_\_ we would \_\_\_\_\_ to know how \_\_\_\_\_ safely move \_\_\_\_\_ meters from existing structures

\_\_\_\_\_ advice appreciated, \_\_\_\_\_ allowed for \_\_\_\_\_ location \_\_\_\_\_ meters \_\_\_\_\_ property improvements

Is \_\_\_\_\_ for us to \_\_\_\_\_ meters \_\_\_\_\_ existing structures?

How \_\_\_\_\_ move natural-gas meters \_\_\_\_\_ upgrade \_\_\_\_\_ property?

Questioning the permissible range \_\_\_\_\_ existing \_\_\_\_\_ meters \_\_\_\_\_ you \_\_\_\_\_ advice?

Are we \_\_\_\_\_ to get \_\_\_\_\_ a suitable \_\_\_\_\_ our \_\_\_\_\_ installed \_\_\_\_\_ meter?

How \_\_\_\_\_ can \_\_\_\_\_ move \_\_\_\_\_ meters during \_\_\_\_\_ renovations?

We need \_\_\_\_\_ how \_\_\_\_\_ away \_\_\_\_\_ structures \_\_\_\_\_ move the \_\_\_\_\_ meter.

\_\_\_\_\_ to know the \_\_\_\_\_ distance from structures for \_\_\_\_\_.

Can you \_\_\_\_\_ give us guidelines regarding \_\_\_\_\_ acceptable \_\_\_\_\_ between \_\_\_\_\_ relocated \_\_\_\_\_?

\_\_\_\_\_ far should \_\_\_\_\_ meters \_\_\_\_\_ we upgrade properties?

\_\_\_\_\_ the \_\_\_\_\_ relocation \_\_\_\_\_ our natural-gas meters while we are \_\_\_\_\_.

\_\_\_\_\_ we upgrade our property's \_\_\_\_\_ meters, what \_\_\_\_\_ your \_\_\_\_\_ where \_\_\_\_\_?

\_\_\_\_\_ should our \_\_\_\_\_ meter \_\_\_\_\_ moved from \_\_\_\_\_ structures \_\_\_\_\_ of our \_\_\_\_\_ upgrade?

Is \_\_\_\_\_ possible \_\_\_\_\_ tell me the proper \_\_\_\_\_ structures \_\_\_\_\_ relocating \_\_\_\_\_ gas \_\_\_\_\_?

\_\_\_\_\_ you tell us \_\_\_\_\_ space \_\_\_\_\_ left \_\_\_\_\_ existing structures \_\_\_\_\_ gas meters \_\_\_\_\_?

Guidance is needed \_\_\_\_\_ away \_\_\_\_\_ properties.

When we \_\_\_\_\_ property, \_\_\_\_\_ any tips \_\_\_\_\_ moving \_\_\_\_\_ from existing structures?

\_\_\_\_\_ much \_\_\_\_\_ left between \_\_\_\_\_ structures and relocated \_\_\_\_\_ meters \_\_\_\_\_ renovations?

\_\_\_\_\_ planned \_\_\_\_\_ but unsure of \_\_\_\_\_ to relocate gas \_\_\_\_\_.

\_\_\_\_\_ property \_\_\_\_\_ how \_\_\_\_\_ go with natural-gas meters?

How \_\_\_\_\_ I \_\_\_\_\_ your old \_\_\_\_\_ the renovations?

Is \_\_\_\_\_ relocation range \_\_\_\_\_ gas \_\_\_\_\_ in relation \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ we move the \_\_\_\_\_ from the \_\_\_\_\_?

During property \_\_\_\_\_ how \_\_\_\_\_ can \_\_\_\_\_ gas meters?

Is \_\_\_\_\_ possible to \_\_\_\_\_ recommendations \_\_\_\_\_ the \_\_\_\_\_ at a \_\_\_\_\_ distance \_\_\_\_\_ structures?

\_\_\_\_\_ tell me how \_\_\_\_\_ natural-gas meters away from \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ for relocation of our \_\_\_\_\_ proper \_\_\_\_\_ from existing \_\_\_\_\_?

\_\_\_\_\_ you tell us \_\_\_\_\_ away \_\_\_\_\_ structures we should \_\_\_\_\_ meters?

Is there anything \_\_\_\_ can \_\_\_\_ me \_\_\_\_ at \_\_\_\_ proper distance \_\_\_\_ structures?

\_\_\_\_ of our upcoming \_\_\_\_ upgrade project \_\_\_\_ seeking \_\_\_\_ how \_\_\_\_ we can safely move \_\_\_\_ meters.

\_\_\_\_ anyone give \_\_\_\_ tips \_\_\_\_ moving natural-gas \_\_\_\_ from existing \_\_\_\_?

We \_\_\_\_ on \_\_\_\_ we can \_\_\_\_ move \_\_\_\_ natural-gas meters \_\_\_\_ as \_\_\_\_ of the property upgrade \_\_\_\_.

\_\_\_\_ far can \_\_\_\_ gas meters \_\_\_\_ moved \_\_\_\_ improvements?

\_\_\_\_ should gas meters be \_\_\_\_ a property \_\_\_\_?

\_\_\_\_ are \_\_\_\_ upgrades but \_\_\_\_ the \_\_\_\_ to \_\_\_\_ gas \_\_\_\_ near buildings.

How far \_\_\_\_ from current \_\_\_\_ could \_\_\_\_ moved?

\_\_\_\_ can \_\_\_\_ about \_\_\_\_ natural-gas meters \_\_\_\_ from structures.

\_\_\_\_ space away \_\_\_\_ current \_\_\_\_ must \_\_\_\_ meters \_\_\_\_ shifted?

\_\_\_\_ we \_\_\_\_ the gas meters \_\_\_\_ upgrade the property?

We \_\_\_\_ how \_\_\_\_ buildings we \_\_\_\_ our gas meters.

\_\_\_\_ our property, how far can \_\_\_\_ move our \_\_\_\_?

\_\_\_\_ far from \_\_\_\_ put \_\_\_\_ gas meters?

\_\_\_\_ we move \_\_\_\_ gas \_\_\_\_ when upgrading our \_\_\_\_?

\_\_\_\_ far away \_\_\_\_ our natural-gas meters when \_\_\_\_ property?

Tell \_\_\_\_ the \_\_\_\_ natural-gas apparatuses can be \_\_\_\_ we \_\_\_\_ improve \_\_\_\_?

We \_\_\_\_ trying \_\_\_\_ figure out \_\_\_\_ can safely move \_\_\_\_ existing structures as \_\_\_\_ our property \_\_\_\_ project.

\_\_\_\_ on \_\_\_\_ distances when moving gas \_\_\_\_ away \_\_\_\_ during \_\_\_\_.

\_\_\_\_ would \_\_\_\_ to \_\_\_\_ what distance from \_\_\_\_ we \_\_\_\_ natural-gas meters \_\_\_\_.

Advice \_\_\_\_ how \_\_\_\_ move gas \_\_\_\_ during renovations.

\_\_\_\_ needed on \_\_\_\_ for \_\_\_\_ from buildings during upgrades.

\_\_\_\_ is \_\_\_\_ distance \_\_\_\_ nearby structures \_\_\_\_ natura-gas meters?

Are there \_\_\_\_ distances for \_\_\_\_ gas \_\_\_\_ a \_\_\_\_?

How far \_\_\_\_ need to \_\_\_\_ meters when we \_\_\_\_ our \_\_\_\_?

During \_\_\_\_ how far \_\_\_\_ we move \_\_\_\_ meters?

Is it \_\_\_\_ to advise on \_\_\_\_ existing \_\_\_\_ when \_\_\_\_ gas \_\_\_\_?

How \_\_\_\_ should we \_\_\_\_ the gas meters \_\_\_\_ upgrade \_\_\_\_?

There is a need \_\_\_\_ when \_\_\_\_ away \_\_\_\_ buildings.

\_\_\_\_ you \_\_\_\_ about the range \_\_\_\_ gas \_\_\_\_ for \_\_\_\_?

\_\_\_\_ recommended distance \_\_\_\_ meters during property improvements \_\_\_\_.

\_\_\_\_ to \_\_\_\_ to safely \_\_\_\_ our natural-gas \_\_\_\_ existing structures as part of \_\_\_\_ upgrade \_\_\_\_.

\_\_\_\_ move our gas meters when \_\_\_\_ upgrade?

We want \_\_\_\_ how far \_\_\_\_ can \_\_\_\_ move our natural-gas \_\_\_\_ existing structures \_\_\_\_ part \_\_\_\_ upgrade \_\_\_\_.

We \_\_\_\_ trying to find \_\_\_\_ how \_\_\_\_ can safely \_\_\_\_ natural-gas \_\_\_\_ from \_\_\_\_.

\_\_\_\_ on how \_\_\_\_ away \_\_\_\_ should be \_\_\_\_ buildings.

I \_\_\_\_ advice on \_\_\_\_ distance for \_\_\_\_ meters \_\_\_\_ an \_\_\_\_.

\_\_\_\_ are \_\_\_\_ if \_\_\_\_ can \_\_\_\_ our natural-gas meters from \_\_\_\_ part of \_\_\_\_ upcoming property \_\_\_\_ project.

Is it \_\_\_\_ to give recommendations \_\_\_\_ our \_\_\_\_ distance from existing \_\_\_\_?

Is there \_\_\_\_ specific \_\_\_\_ about the \_\_\_\_ between the \_\_\_\_ gas \_\_\_\_ and \_\_\_\_?

\_\_\_\_ you \_\_\_\_ for \_\_\_\_ the gas \_\_\_\_ when \_\_\_\_ upgrade our \_\_\_\_?

We \_\_\_\_ help \_\_\_\_ moving our \_\_\_\_ meters \_\_\_\_ from the \_\_\_\_.

\_\_\_\_ there \_\_\_\_ guideline detailing \_\_\_\_ separation \_\_\_\_ between relocated \_\_\_\_ meters \_\_\_\_ existing \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ keep \_\_\_\_ away from my \_\_\_\_ property improvements?

Do you \_\_\_\_ far \_\_\_\_ should move \_\_\_\_ from existing structures?

Is \_\_\_\_ to relocation \_\_\_\_ meters \_\_\_\_ improvements?

Can you \_\_\_\_ on how \_\_\_\_ the structures \_\_\_\_ move the natural-gas \_\_\_\_?

\_\_\_\_ are \_\_\_\_ guidance on how \_\_\_\_ we \_\_\_\_ natural-gas \_\_\_\_ existing \_\_\_\_ as \_\_\_\_ of our property upgrade project.

\_\_\_\_ what should \_\_\_\_ distance from \_\_\_\_ structures be?

For our \_\_\_\_\_ property upgrade \_\_\_\_\_ we are looking \_\_\_\_\_ on \_\_\_\_\_ we can safely \_\_\_\_\_.

\_\_\_\_\_ safely \_\_\_\_\_ from existing structures as \_\_\_\_\_ of \_\_\_\_\_ upcoming \_\_\_\_\_ upgrade project?

Is there \_\_\_\_\_ specific guideline \_\_\_\_\_ gas meters \_\_\_\_\_ existing structures?

Can you tell me \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_ our gas meters \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to offer recommendations for relocating \_\_\_\_\_ a correct distance \_\_\_\_\_?

Is \_\_\_\_\_ move \_\_\_\_\_ meters from buildings during \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ how much \_\_\_\_\_ between gas \_\_\_\_\_ and structures during \_\_\_\_\_?

Can we \_\_\_\_\_ gas \_\_\_\_\_ from \_\_\_\_\_?

How distant should \_\_\_\_\_ gas \_\_\_\_\_ be \_\_\_\_\_ properties?

Should \_\_\_\_\_ move the \_\_\_\_\_ the \_\_\_\_\_ part of our \_\_\_\_\_ improvements?

How \_\_\_\_\_ should \_\_\_\_\_ meter be moved \_\_\_\_\_ existing \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ natural-gas meters \_\_\_\_\_ existing structures as \_\_\_\_\_ of \_\_\_\_\_ property \_\_\_\_\_ project?

How \_\_\_\_\_ space away \_\_\_\_\_ current \_\_\_\_\_ gas \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ distance do \_\_\_\_\_ recommend \_\_\_\_\_ current structures \_\_\_\_\_ moving \_\_\_\_\_ meters?

\_\_\_\_\_ much space \_\_\_\_\_ be \_\_\_\_\_ structures \_\_\_\_\_ new gas meters?

\_\_\_\_\_ tell me the \_\_\_\_\_ removal distance \_\_\_\_\_ existing \_\_\_\_\_ when relocating \_\_\_\_\_?

Can you help us \_\_\_\_\_ the Natural \_\_\_\_\_ meters \_\_\_\_\_?

How \_\_\_\_\_ from \_\_\_\_\_ can \_\_\_\_\_ our gas \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ distance from \_\_\_\_\_ structures when relocating \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ be \_\_\_\_\_ when our property is upgraded?

\_\_\_\_\_ far can \_\_\_\_\_ during a property upgrade?

\_\_\_\_\_ on \_\_\_\_\_ of gas meters for renovations.

Directions \_\_\_\_\_ needed \_\_\_\_\_ gas \_\_\_\_\_ relocation from \_\_\_\_\_.

Do \_\_\_\_\_ minimum \_\_\_\_\_ distance between \_\_\_\_\_ meters and \_\_\_\_\_ property upgrade?

Can you tell \_\_\_\_\_ the proper \_\_\_\_\_ existing \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_?

How much space between \_\_\_\_\_ and \_\_\_\_\_ shifted?

\_\_\_\_\_ want to \_\_\_\_\_ how \_\_\_\_\_ can \_\_\_\_\_ move \_\_\_\_\_ meters \_\_\_\_\_ part of our property \_\_\_\_\_ project.

\_\_\_\_\_ space \_\_\_\_\_ be left between moved \_\_\_\_\_ structures during renovations?

\_\_\_\_\_ do \_\_\_\_\_ old gas meters \_\_\_\_\_ from the \_\_\_\_\_ property \_\_\_\_\_?

Can you \_\_\_\_\_ us in \_\_\_\_\_ away from the \_\_\_\_\_?

I would \_\_\_\_\_ to know \_\_\_\_\_ the \_\_\_\_\_ natural gas meters to.

Any advice \_\_\_\_\_ about safe distances \_\_\_\_\_ meters \_\_\_\_\_ improvements.

\_\_\_\_\_ need help relocating \_\_\_\_\_ in a \_\_\_\_\_ upgrade.

\_\_\_\_\_ to \_\_\_\_\_ what \_\_\_\_\_ from structures \_\_\_\_\_ should \_\_\_\_\_ the natural-gas meters \_\_\_\_\_.

Please \_\_\_\_\_ the \_\_\_\_\_ adequate space \_\_\_\_\_ upgraded \_\_\_\_\_ and \_\_\_\_\_ meters.

How much \_\_\_\_\_ should \_\_\_\_\_ between existing \_\_\_\_\_ meters during renovation?

\_\_\_\_\_ your input \_\_\_\_\_ how \_\_\_\_\_ we \_\_\_\_\_ relocate \_\_\_\_\_ natural gas \_\_\_\_\_.

\_\_\_\_\_ needed on \_\_\_\_\_ appropriate \_\_\_\_\_ from existing \_\_\_\_\_ for gas \_\_\_\_\_.

\_\_\_\_\_ you tell \_\_\_\_\_ away \_\_\_\_\_ existing \_\_\_\_\_ should remove our gas \_\_\_\_\_ for \_\_\_\_\_ improvements?

How far \_\_\_\_\_ buildings \_\_\_\_\_ it \_\_\_\_\_ relocate gas \_\_\_\_\_?

I \_\_\_\_\_ on moving natural-gas meters \_\_\_\_\_ from \_\_\_\_\_.

Is it possible \_\_\_\_\_ natural-gas meters far \_\_\_\_\_ property \_\_\_\_\_?

\_\_\_\_\_ to ask about the permissible \_\_\_\_\_ existing structures \_\_\_\_\_ gas \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ move our gas meters for \_\_\_\_\_?

Should we put our natural-gas meters \_\_\_\_\_ in \_\_\_\_\_?

Can you tell \_\_\_\_\_ about \_\_\_\_\_ appropriate distance for \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ natural-gas meters \_\_\_\_\_ the structures when \_\_\_\_\_ upgrade \_\_\_\_\_ property?

How \_\_\_\_\_ space should \_\_\_\_\_ left between \_\_\_\_\_ structures \_\_\_\_\_ the \_\_\_\_\_ meters?

\_\_\_\_\_ we \_\_\_\_\_ gas meters \_\_\_\_\_ away from \_\_\_\_\_?

\_\_\_\_\_ you have \_\_\_\_\_ our \_\_\_\_\_ when we upgrade \_\_\_\_\_ property?

How \_\_\_\_\_ current structures do you \_\_\_\_\_ relocate \_\_\_\_\_ meters?

I \_\_\_\_\_ to \_\_\_\_\_ how far away \_\_\_\_\_ structures \_\_\_\_\_ natural-gas meters \_\_\_\_\_.

Do \_\_\_\_\_ have \_\_\_\_\_ guidelines \_\_\_\_\_ relocate the gas \_\_\_\_\_ when we upgrade \_\_\_\_\_?

\_\_\_\_\_ you have a \_\_\_\_\_ for \_\_\_\_\_ need to \_\_\_\_\_ the gas meters?

\_\_\_\_\_ you \_\_\_\_\_ me suggestions on \_\_\_\_\_ away from \_\_\_\_\_ move the \_\_\_\_\_ to?

Can we \_\_\_\_\_ our \_\_\_\_\_ far \_\_\_\_\_ buildings?

\_\_\_\_\_ part of the \_\_\_\_\_ project, we \_\_\_\_\_ seeking \_\_\_\_\_ on how far \_\_\_\_\_ our \_\_\_\_\_ from existing structures

How far \_\_\_\_\_ move \_\_\_\_\_ gas meter \_\_\_\_\_ the current \_\_\_\_\_?

\_\_\_\_\_ need to \_\_\_\_\_ the \_\_\_\_\_ distance \_\_\_\_\_ moving \_\_\_\_\_ property upgrades.

Is \_\_\_\_\_ possible to give recommendations for \_\_\_\_\_ proper \_\_\_\_\_ during \_\_\_\_\_ property upgrade?

There \_\_\_\_\_ planned upgrades, \_\_\_\_\_ the \_\_\_\_\_ to relocate \_\_\_\_\_ meters \_\_\_\_\_ buildings.

Is \_\_\_\_\_ a \_\_\_\_\_ guideline for separation \_\_\_\_\_ and structures \_\_\_\_\_?

Is \_\_\_\_\_ guidance regarding \_\_\_\_\_ distance \_\_\_\_\_ nearby \_\_\_\_\_ when \_\_\_\_\_ natura-gas \_\_\_\_\_?

How \_\_\_\_\_ away \_\_\_\_\_ buildings \_\_\_\_\_ where \_\_\_\_\_ changes \_\_\_\_\_?

How \_\_\_\_\_ space must \_\_\_\_\_ the \_\_\_\_\_ buildings \_\_\_\_\_ way for \_\_\_\_\_ meters?

\_\_\_\_\_ far from structures \_\_\_\_\_ you recommend \_\_\_\_\_ natural-gas meters during \_\_\_\_\_?

Where \_\_\_\_\_ meters \_\_\_\_\_ we upgrade our property?

Guidance \_\_\_\_\_ needed, how \_\_\_\_\_ we move \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ natural-gas \_\_\_\_\_ from existing structures \_\_\_\_\_ renovations?

Can you tell \_\_\_\_\_ from \_\_\_\_\_ we \_\_\_\_\_ move our \_\_\_\_\_ meters?

\_\_\_\_\_ meters \_\_\_\_\_ away from existing \_\_\_\_\_ when we upgrade \_\_\_\_\_.

I would like to know how \_\_\_\_\_ away \_\_\_\_\_ be moved.

\_\_\_\_\_ far \_\_\_\_\_ go with our gas \_\_\_\_\_ a \_\_\_\_\_ upgrade?

I \_\_\_\_\_ know how far away \_\_\_\_\_ existing \_\_\_\_\_ we move \_\_\_\_\_.

Can you assist \_\_\_\_\_ moving our \_\_\_\_\_ from the \_\_\_\_\_?

Can \_\_\_\_\_ moving our Natural-gas meters away \_\_\_\_\_?

When \_\_\_\_\_ upgrade our property, how \_\_\_\_\_ moving natural-gas \_\_\_\_\_?

There are \_\_\_\_\_ of \_\_\_\_\_ required distance to relocate \_\_\_\_\_ buildings.

I want \_\_\_\_\_ what \_\_\_\_\_ from the \_\_\_\_\_ take \_\_\_\_\_ meters to.

\_\_\_\_\_ do I \_\_\_\_\_ old gas meters \_\_\_\_\_ from my \_\_\_\_\_?

Can you \_\_\_\_\_ us to move \_\_\_\_\_ meters \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ need to know how \_\_\_\_\_ from structures \_\_\_\_\_ to \_\_\_\_\_ gas \_\_\_\_\_.

\_\_\_\_\_ from buildings can \_\_\_\_\_ relocate \_\_\_\_\_?

We \_\_\_\_\_ for guidance \_\_\_\_\_ how far we can safely move \_\_\_\_\_ meters \_\_\_\_\_ our \_\_\_\_\_ upgrade \_\_\_\_\_.

\_\_\_\_\_ should we move our gas \_\_\_\_\_ the \_\_\_\_\_?

How far \_\_\_\_\_ meters \_\_\_\_\_ renovations?

\_\_\_\_\_ gas-meter \_\_\_\_\_ far from \_\_\_\_\_ it?

\_\_\_\_\_ you \_\_\_\_\_ of a way \_\_\_\_\_ relocate natural-gas \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ best \_\_\_\_\_ from \_\_\_\_\_ structures to \_\_\_\_\_ natural-gas \_\_\_\_\_?

How far \_\_\_\_\_ move natural-gas \_\_\_\_\_ property upgrade?

\_\_\_\_\_ give \_\_\_\_\_ suggestions on how far \_\_\_\_\_ we should move \_\_\_\_\_ natural-gas \_\_\_\_\_?

Do \_\_\_\_\_ know how \_\_\_\_\_ keep \_\_\_\_\_ old gas meters \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ proper removal \_\_\_\_\_ structures when relocating \_\_\_\_\_ meters?

\_\_\_\_\_ much space is needed \_\_\_\_\_ away \_\_\_\_\_ current buildings?

\_\_\_\_\_ natural-gas \_\_\_\_\_ for enhancing a structure?

How \_\_\_\_\_ can \_\_\_\_\_ our gas meters \_\_\_\_\_ property \_\_\_\_\_?

\_\_\_\_\_ tell \_\_\_\_\_ the removal \_\_\_\_\_ existing \_\_\_\_\_ relocating gas meters?

Do you \_\_\_\_\_ for \_\_\_\_\_ gas \_\_\_\_\_ when \_\_\_\_\_ upgrade?

When \_\_\_\_\_ comes \_\_\_\_\_ natural-gas meters, how \_\_\_\_\_ do you recommend?

\_\_\_\_\_ me \_\_\_\_\_ proper removal distance from existing \_\_\_\_\_ when moving \_\_\_\_\_?

How \_\_\_\_ from the buildings \_\_\_\_ we have \_\_\_\_ relocate \_\_\_\_ \_\_\_\_ ?

Can \_\_\_\_ for assistance with \_\_\_\_ suitable \_\_\_\_ our \_\_\_\_ natural-gas meter?

Do you have any guidelines \_\_\_\_ of the gas meters \_\_\_\_ ?

What distance \_\_\_\_ you recommend for moving \_\_\_\_ ?

\_\_\_\_ you \_\_\_\_ me how \_\_\_\_ space should be \_\_\_\_ structures and \_\_\_\_ gas \_\_\_\_ ?

\_\_\_\_ to determine a suitable \_\_\_\_ to place \_\_\_\_ natural-gas \_\_\_\_ after \_\_\_\_ the property \_\_\_\_ ?

\_\_\_\_ it \_\_\_\_ to get assistance \_\_\_\_ a suitable \_\_\_\_ to place \_\_\_\_ meter?

\_\_\_\_ about the acceptable \_\_\_\_ between renovated \_\_\_\_ gas \_\_\_\_ are needed.

\_\_\_\_ far \_\_\_\_ we \_\_\_\_ meters during \_\_\_\_ improvement?

\_\_\_\_ we \_\_\_\_ gas meter from existing structures \_\_\_\_ of \_\_\_\_ improvements?

I \_\_\_\_ wondering how \_\_\_\_ should \_\_\_\_ between \_\_\_\_ and gas meters during \_\_\_\_ .

\_\_\_\_ far \_\_\_\_ move natural-gas meters while the \_\_\_\_ is \_\_\_\_ ?

\_\_\_\_ need \_\_\_\_ natural-gas meters \_\_\_\_ property improvements.

Is there a \_\_\_\_ guideline \_\_\_\_ separation \_\_\_\_ gas meters \_\_\_\_ old \_\_\_\_ ?

I'm looking \_\_\_\_ tips \_\_\_\_ moving \_\_\_\_ existing structures.

\_\_\_\_ it \_\_\_\_ advise on the \_\_\_\_ from \_\_\_\_ when relocating \_\_\_\_ meters?

\_\_\_\_ safe \_\_\_\_ for \_\_\_\_ gas meters \_\_\_\_ from \_\_\_\_ buildings \_\_\_\_ renovations.

How far \_\_\_\_ structures should \_\_\_\_ natural-gas \_\_\_\_ moved during \_\_\_\_ upgrade?

Are there proper \_\_\_\_ from existing \_\_\_\_ gas \_\_\_\_ ?

Do you know the \_\_\_\_ existing structures when \_\_\_\_ ?

\_\_\_\_ you have \_\_\_\_ guidelines on \_\_\_\_ move the gas \_\_\_\_ we \_\_\_\_ our \_\_\_\_ ?

Can \_\_\_\_ tell us the \_\_\_\_ distance for \_\_\_\_ meters \_\_\_\_ a \_\_\_\_ ?

\_\_\_\_ like \_\_\_\_ how \_\_\_\_ away we should move our \_\_\_\_ meter from \_\_\_\_ .

\_\_\_\_ you know the correct distance \_\_\_\_ structures \_\_\_\_ meters?

\_\_\_\_ guidance exist \_\_\_\_ distances from \_\_\_\_ when \_\_\_\_ natura-gas meters?

Will you \_\_\_\_ us the appropriate \_\_\_\_ moving \_\_\_\_ ?

Should we \_\_\_\_ natural-gas \_\_\_\_ away from \_\_\_\_ we upgrade \_\_\_\_ property?

\_\_\_\_ need \_\_\_\_ know how far \_\_\_\_ gas meter relocation.

We would like \_\_\_\_ know \_\_\_\_ appropriate distance \_\_\_\_ moving \_\_\_\_ during \_\_\_\_ .

Is there \_\_\_\_ information \_\_\_\_ about moving the gas \_\_\_\_ the existing \_\_\_\_ ?

\_\_\_\_ much \_\_\_\_ should \_\_\_\_ left between existing \_\_\_\_ and \_\_\_\_ the renovations?

\_\_\_\_ suitable distance for \_\_\_\_ gas \_\_\_\_ property improvements?

\_\_\_\_ it \_\_\_\_ to \_\_\_\_ with determining a \_\_\_\_ distance to place \_\_\_\_ new \_\_\_\_ ?

Advice is needed \_\_\_\_ the \_\_\_\_ gas \_\_\_\_ renovations.

\_\_\_\_ room should \_\_\_\_ existing structures and \_\_\_\_ meters \_\_\_\_ renovations?

\_\_\_\_ it \_\_\_\_ to give \_\_\_\_ for relocating our \_\_\_\_ meters at \_\_\_\_ proper \_\_\_\_ existing \_\_\_\_ ?

\_\_\_\_ needs advice on the distance \_\_\_\_ moving \_\_\_\_ .

How far \_\_\_\_ should \_\_\_\_ gas meters?

How much \_\_\_\_ should \_\_\_\_ left between \_\_\_\_ and \_\_\_\_ meters \_\_\_\_ ?

\_\_\_\_ there \_\_\_\_ meters that \_\_\_\_ be relocated \_\_\_\_ relation to renovations?

\_\_\_\_ you \_\_\_\_ natural-gas meters \_\_\_\_ existing structures?

\_\_\_\_ you please tell us \_\_\_\_ we can relocate \_\_\_\_ meter?

\_\_\_\_ minimum safe distance between \_\_\_\_ during property upgrades?

How \_\_\_\_ should we move \_\_\_\_ gas \_\_\_\_ current \_\_\_\_ ?

Please \_\_\_\_ us the \_\_\_\_ relocation distance \_\_\_\_ our \_\_\_\_ during \_\_\_\_ .

Is \_\_\_\_ possible to \_\_\_\_ natural-gas \_\_\_\_ during \_\_\_\_ upgrade?

\_\_\_\_ are looking for \_\_\_\_ on \_\_\_\_ we \_\_\_\_ the natural-gas \_\_\_\_ from \_\_\_\_ structures.

\_\_\_\_ you \_\_\_\_ how \_\_\_\_ away from \_\_\_\_ can move our \_\_\_\_ meters?

\_\_\_\_ you \_\_\_\_ the \_\_\_\_ distance \_\_\_\_ existing \_\_\_\_ when \_\_\_\_ our gas meters?

Can \_\_\_\_ tell us the \_\_\_\_ for \_\_\_\_ gas \_\_\_\_ during \_\_\_\_ ?

\_\_\_\_\_ on \_\_\_\_\_ for moving gas meters \_\_\_\_\_ buildings \_\_\_\_\_.

\_\_\_\_\_ regarding \_\_\_\_\_ when moving \_\_\_\_\_ during renovations.

\_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ distance \_\_\_\_\_ meters \_\_\_\_\_ structures that \_\_\_\_\_ be upgraded?

How far \_\_\_\_\_ are we \_\_\_\_\_ to \_\_\_\_\_ gas \_\_\_\_\_?

How \_\_\_\_\_ be \_\_\_\_\_ current buildings for gas meters \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ certain distance from current \_\_\_\_\_ for moving \_\_\_\_\_ meters?

\_\_\_\_\_ recommendations \_\_\_\_\_ relocation \_\_\_\_\_ natural-gas \_\_\_\_\_ at a proper distance \_\_\_\_\_ existing structures?

\_\_\_\_\_ much \_\_\_\_\_ it take to move \_\_\_\_\_ home fix-ups?

I would like to \_\_\_\_\_ there is \_\_\_\_\_ proper removal \_\_\_\_\_ from existing \_\_\_\_\_.

\_\_\_\_\_ you tell \_\_\_\_\_ the appropriate \_\_\_\_\_ for moving \_\_\_\_\_ during \_\_\_\_\_ property \_\_\_\_\_?

Can \_\_\_\_\_ a suitable distance \_\_\_\_\_ place \_\_\_\_\_ newly \_\_\_\_\_ natural-gas meter?

We \_\_\_\_\_ to know \_\_\_\_\_ correct distance \_\_\_\_\_ meters \_\_\_\_\_ property \_\_\_\_\_.

Is it \_\_\_\_\_ our natural-gas \_\_\_\_\_ away from \_\_\_\_\_ renovations?

Do you \_\_\_\_\_ away from existing \_\_\_\_\_ natural-gas \_\_\_\_\_ should \_\_\_\_\_ relocated?

guidance on \_\_\_\_\_ far we can safely \_\_\_\_\_ our \_\_\_\_\_ meters from existing \_\_\_\_\_ we \_\_\_\_\_.

How \_\_\_\_\_ gas \_\_\_\_\_ be \_\_\_\_\_ we upgrade our \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ buildings \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ moved?

\_\_\_\_\_ is needed for \_\_\_\_\_ gas meter \_\_\_\_\_ be moved?

\_\_\_\_\_ want \_\_\_\_\_ far we can safely move \_\_\_\_\_ natural gas meters \_\_\_\_\_.

How \_\_\_\_\_ keep my old \_\_\_\_\_ meters \_\_\_\_\_ from my \_\_\_\_\_?

I want \_\_\_\_\_ distance from structures we \_\_\_\_\_ move \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ our \_\_\_\_\_ meters to upgrade our \_\_\_\_\_?

How far \_\_\_\_\_ our \_\_\_\_\_ be from \_\_\_\_\_ buildings?

Do \_\_\_\_\_ have \_\_\_\_\_ advice \_\_\_\_\_ how \_\_\_\_\_ to relocate \_\_\_\_\_ gas meters?

How much room \_\_\_\_\_ left \_\_\_\_\_ structures \_\_\_\_\_ the \_\_\_\_\_ during renovations?

\_\_\_\_\_ a \_\_\_\_\_ upgrade, how far \_\_\_\_\_ natural gas \_\_\_\_\_?

Do \_\_\_\_\_ have guidelines \_\_\_\_\_ when we \_\_\_\_\_ our property?

\_\_\_\_\_ buildings \_\_\_\_\_ we need to move the \_\_\_\_\_?

\_\_\_\_\_ need of \_\_\_\_\_ guidance on how \_\_\_\_\_ we \_\_\_\_\_ move our natural-gas \_\_\_\_\_ existing structures.

How far \_\_\_\_\_ gas \_\_\_\_\_ moved \_\_\_\_\_ a \_\_\_\_\_ upgrade?

We \_\_\_\_\_ to know \_\_\_\_\_ from \_\_\_\_\_ structures \_\_\_\_\_ should \_\_\_\_\_ gas meter \_\_\_\_\_.

\_\_\_\_\_ safe distances for moving gas meters \_\_\_\_\_ renovations.

Do you \_\_\_\_\_ reallocating \_\_\_\_\_ meter locations \_\_\_\_\_ project?

\_\_\_\_\_ space \_\_\_\_\_ between \_\_\_\_\_ structures and gas meters \_\_\_\_\_ renovations \_\_\_\_\_ done?

\_\_\_\_\_ we \_\_\_\_\_ the \_\_\_\_\_ meters \_\_\_\_\_ from existing \_\_\_\_\_ when we \_\_\_\_\_ property?

We \_\_\_\_\_ looking \_\_\_\_\_ moving our \_\_\_\_\_ structures \_\_\_\_\_ part of our upcoming property upgrade \_\_\_\_\_.

\_\_\_\_\_ you have \_\_\_\_\_ for \_\_\_\_\_ distance \_\_\_\_\_ need \_\_\_\_\_ relocate \_\_\_\_\_ gas meters?

\_\_\_\_\_ a recommendation for \_\_\_\_\_ our natural-gas \_\_\_\_\_ at a \_\_\_\_\_ from \_\_\_\_\_?

Is it \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ natural-gas meters \_\_\_\_\_ existing \_\_\_\_\_ upgrade?

\_\_\_\_\_ our property's natural-gas \_\_\_\_\_ guidance on where to relocate?

Is there a \_\_\_\_\_ guideline \_\_\_\_\_ gas meters from \_\_\_\_\_?

Is \_\_\_\_\_ possible to give \_\_\_\_\_ relocating our natural-gas \_\_\_\_\_ distance \_\_\_\_\_ structures?

How \_\_\_\_\_ buildings is \_\_\_\_\_ gas \_\_\_\_\_ shift?

\_\_\_\_\_ want to know how \_\_\_\_\_ structures we should \_\_\_\_\_ gas meters \_\_\_\_\_.

Can you suggest \_\_\_\_\_ far \_\_\_\_\_ structures \_\_\_\_\_ the natural-gas \_\_\_\_\_?

Is \_\_\_\_\_ possible to tell \_\_\_\_\_ from \_\_\_\_\_ structures when \_\_\_\_\_ gas \_\_\_\_\_?

Is \_\_\_\_\_ proper \_\_\_\_\_ distance \_\_\_\_\_ existing structures when \_\_\_\_\_ meters for \_\_\_\_\_?

\_\_\_\_\_ how \_\_\_\_\_ structures we should \_\_\_\_\_ the natural-gas meters \_\_\_\_\_?

Do \_\_\_\_\_ any guidelines \_\_\_\_\_ the \_\_\_\_\_ between \_\_\_\_\_ areas \_\_\_\_\_ relocated \_\_\_\_\_ meter placement?

\_\_\_\_\_ should our natural-gas \_\_\_\_\_ our current structures?



How distant \_\_\_\_\_ move \_\_\_\_\_ meters \_\_\_\_\_ we \_\_\_\_\_ homes?

Can \_\_\_\_\_ some assistance \_\_\_\_\_ a suitable \_\_\_\_\_ place our \_\_\_\_\_ meter?

How much \_\_\_\_\_ should \_\_\_\_\_ left \_\_\_\_\_ and \_\_\_\_\_ gas meters \_\_\_\_\_ renovations?

How much \_\_\_\_\_ should \_\_\_\_\_ existing structures \_\_\_\_\_ gas meters?

Is it \_\_\_\_\_ to advise \_\_\_\_\_ proper distance from existing \_\_\_\_\_?

How \_\_\_\_\_ gas meters when we \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ distances should \_\_\_\_\_ meters be moved \_\_\_\_\_?

\_\_\_\_\_ tell us \_\_\_\_\_ the \_\_\_\_\_ gas meters for \_\_\_\_\_?

How far \_\_\_\_\_ meters be \_\_\_\_\_ improvements?

How \_\_\_\_\_ away \_\_\_\_\_ current buildings do gas \_\_\_\_\_ have \_\_\_\_\_?

\_\_\_\_\_ there appropriate \_\_\_\_\_ gas \_\_\_\_\_ during property renovations?

\_\_\_\_\_ how far \_\_\_\_\_ the structures we \_\_\_\_\_ move natural-gas \_\_\_\_\_ to.

How \_\_\_\_\_ away \_\_\_\_\_ buildings must gas \_\_\_\_\_ changed?

How far can \_\_\_\_\_ move \_\_\_\_\_ changes?

How \_\_\_\_\_ should we move gas \_\_\_\_\_?

\_\_\_\_\_ wondering what distance from \_\_\_\_\_ move the \_\_\_\_\_ meters \_\_\_\_\_.

Questioning the permissible \_\_\_\_\_ and relocated \_\_\_\_\_ meters \_\_\_\_\_ you \_\_\_\_\_ advice?

We need \_\_\_\_\_ far we can \_\_\_\_\_ our \_\_\_\_\_ from existing structures \_\_\_\_\_ property upgrade project.

Are we able \_\_\_\_\_ natural-gas \_\_\_\_\_ far \_\_\_\_\_ from \_\_\_\_\_ structures \_\_\_\_\_ improvements?

Is \_\_\_\_\_ possible to advise \_\_\_\_\_ the \_\_\_\_\_ from \_\_\_\_\_ when \_\_\_\_\_ meters?

How much \_\_\_\_\_ between \_\_\_\_\_ structures and \_\_\_\_\_ meters during renovations?

\_\_\_\_\_ we \_\_\_\_\_ natural-gas meters \_\_\_\_\_ distance from existing \_\_\_\_\_ during a property \_\_\_\_\_?

\_\_\_\_\_ guidance \_\_\_\_\_ the acceptable distance from \_\_\_\_\_ Natural-gas meters?

\_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ the \_\_\_\_\_ where the natural-gas \_\_\_\_\_ should be \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ meters in property \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ the gas meters \_\_\_\_\_ property \_\_\_\_\_?

\_\_\_\_\_ would like to \_\_\_\_\_ how \_\_\_\_\_ meters \_\_\_\_\_ be moved during \_\_\_\_\_.

How far \_\_\_\_\_ move our natural-gas \_\_\_\_\_ structures \_\_\_\_\_ part of our \_\_\_\_\_ project?

\_\_\_\_\_ distance \_\_\_\_\_ structures \_\_\_\_\_ should \_\_\_\_\_ the natural-gas meters \_\_\_\_\_?

\_\_\_\_\_ you tell me \_\_\_\_\_ distance from \_\_\_\_\_ structures to \_\_\_\_\_ gas \_\_\_\_\_?

How \_\_\_\_\_ should \_\_\_\_\_ our gas \_\_\_\_\_ from the \_\_\_\_\_ structures \_\_\_\_\_ our property \_\_\_\_\_?

\_\_\_\_\_ far \_\_\_\_\_ are \_\_\_\_\_ meters \_\_\_\_\_ shift?

Is it \_\_\_\_\_ to remove gas \_\_\_\_\_ structures \_\_\_\_\_ for \_\_\_\_\_ improvements?

Is \_\_\_\_\_ to \_\_\_\_\_ natural gas meters \_\_\_\_\_ property \_\_\_\_\_?

\_\_\_\_\_ space must \_\_\_\_\_ left \_\_\_\_\_ the current \_\_\_\_\_ for \_\_\_\_\_ meters to \_\_\_\_\_ shifted?

\_\_\_\_\_ relocating our natural-gas meters \_\_\_\_\_ property improvements.

We \_\_\_\_\_ your help \_\_\_\_\_ natural \_\_\_\_\_ meters \_\_\_\_\_ from the \_\_\_\_\_.

\_\_\_\_\_ far \_\_\_\_\_ our gas meter from \_\_\_\_\_ structures?

Can you \_\_\_\_\_ guidelines on how far \_\_\_\_\_ to relocate \_\_\_\_\_?

\_\_\_\_\_ you give us any guidelines on \_\_\_\_\_ need to \_\_\_\_\_?

Is there a specific \_\_\_\_\_ of relocated \_\_\_\_\_ meters \_\_\_\_\_ existing \_\_\_\_\_?

Is it \_\_\_\_\_ to give \_\_\_\_\_ for \_\_\_\_\_ our natural-gas meters at a \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ far from \_\_\_\_\_ gas \_\_\_\_\_ be \_\_\_\_\_?

Can you help \_\_\_\_\_ the \_\_\_\_\_ from the \_\_\_\_\_?

\_\_\_\_\_ some suggestions \_\_\_\_\_ far away \_\_\_\_\_ structures \_\_\_\_\_ should move the natural-gas meters to?

\_\_\_\_\_ is \_\_\_\_\_ recommended distance between \_\_\_\_\_ upgraded properties?

\_\_\_\_\_ our natural-gas \_\_\_\_\_ a proper \_\_\_\_\_ from existing structures \_\_\_\_\_ upgrades?

Are we \_\_\_\_\_ to \_\_\_\_\_ our \_\_\_\_\_ meters far \_\_\_\_\_ structures?

\_\_\_\_\_ you tell \_\_\_\_\_ move the gas \_\_\_\_\_ the existing structures?

Is \_\_\_\_\_ a \_\_\_\_\_ of gas \_\_\_\_\_ to be relocated \_\_\_\_\_ to \_\_\_\_\_?

I \_\_\_\_ your \_\_\_\_ relocating natural-gas meters in \_\_\_\_.

I \_\_\_\_ for moving gas meters during property \_\_\_\_.

\_\_\_\_ a \_\_\_\_ how \_\_\_\_ should \_\_\_\_ meters be?

\_\_\_\_ you \_\_\_\_ me \_\_\_\_ natural-gas meters away from \_\_\_\_?

\_\_\_\_ updating properties, how \_\_\_\_ we \_\_\_\_ gas \_\_\_\_?

\_\_\_\_ you suggest \_\_\_\_ from \_\_\_\_ structures we \_\_\_\_ move the \_\_\_\_ to?

\_\_\_\_ need your help relocating \_\_\_\_ meters in \_\_\_\_.

\_\_\_\_ of guidelines \_\_\_\_ the \_\_\_\_ gap between \_\_\_\_ areas and \_\_\_\_ gas \_\_\_\_?

How \_\_\_\_ current structures and \_\_\_\_ meters during renovations?

\_\_\_\_ us how \_\_\_\_ away we \_\_\_\_ move our \_\_\_\_ during renovations?

\_\_\_\_ it possible \_\_\_\_ me the proper distance from \_\_\_\_ relocate \_\_\_\_ gas \_\_\_\_?

Advice on the \_\_\_\_ gas meters during \_\_\_\_.

Please \_\_\_\_ about \_\_\_\_ permissible \_\_\_\_ for our natural-gas \_\_\_\_ during \_\_\_\_ property \_\_\_\_.

I \_\_\_\_ to \_\_\_\_ how \_\_\_\_ we should \_\_\_\_ our gas \_\_\_\_ from \_\_\_\_.

\_\_\_\_ far away \_\_\_\_ it from \_\_\_\_ to \_\_\_\_ gas \_\_\_\_?

Can \_\_\_\_ meters away \_\_\_\_ the buildings?

For \_\_\_\_ much distance \_\_\_\_ you recommend from \_\_\_\_ structures?

As \_\_\_\_ of our upcoming property \_\_\_\_ project, \_\_\_\_ looking \_\_\_\_ guidance \_\_\_\_ can safely move our \_\_\_\_ planned \_\_\_\_ but \_\_\_\_ of \_\_\_\_ distance \_\_\_\_ relocate gas meters near \_\_\_\_.

\_\_\_\_ meters, what \_\_\_\_ out there regarding \_\_\_\_ acceptable distance \_\_\_\_ nearby \_\_\_\_?

We \_\_\_\_ your assistance \_\_\_\_ moving \_\_\_\_ the existing structures.

\_\_\_\_ we move \_\_\_\_ meters to \_\_\_\_ a property?

Can \_\_\_\_ we \_\_\_\_ our natural-gas meters far away from \_\_\_\_?

\_\_\_\_ on \_\_\_\_ far \_\_\_\_ buildings to \_\_\_\_ gas meters during \_\_\_\_.

\_\_\_\_ you tell \_\_\_\_ about \_\_\_\_ allowed relocation \_\_\_\_ of gas \_\_\_\_ to \_\_\_\_?

\_\_\_\_ to know what \_\_\_\_ structures we should move the \_\_\_\_ meters \_\_\_\_.

\_\_\_\_ far from \_\_\_\_ shifts?

\_\_\_\_ it possible to tell \_\_\_\_ about \_\_\_\_ meters away \_\_\_\_?

\_\_\_\_ far \_\_\_\_ from \_\_\_\_ can we \_\_\_\_ our natural-gas \_\_\_\_ the \_\_\_\_ upgrade?

Is it possible to give \_\_\_\_ for relocating \_\_\_\_ meters \_\_\_\_ a \_\_\_\_?

\_\_\_\_ you need \_\_\_\_ far from buildings to \_\_\_\_ gas \_\_\_\_?

How far can we \_\_\_\_ our natural-gas meters from \_\_\_\_ of \_\_\_\_ upcoming property \_\_\_\_?

\_\_\_\_ we \_\_\_\_ assistance \_\_\_\_ determining a suitable distance \_\_\_\_ natural-gas \_\_\_\_?

Can \_\_\_\_ help \_\_\_\_ meters \_\_\_\_ from our buildings?

\_\_\_\_ it possible \_\_\_\_ our \_\_\_\_ meter \_\_\_\_ away for property renovations?

We need to \_\_\_\_ from \_\_\_\_ should move the \_\_\_\_ meter.

Please explain \_\_\_\_ sufficient \_\_\_\_ between upgraded sites \_\_\_\_ gas meters.

Can you tell us \_\_\_\_ far \_\_\_\_ move \_\_\_\_ from \_\_\_\_ structures?

\_\_\_\_ far can \_\_\_\_ natural-gas meters at \_\_\_\_ upgrade?

We would \_\_\_\_ to \_\_\_\_ the \_\_\_\_ distance for \_\_\_\_ our renovations.

I would like to know \_\_\_\_ far \_\_\_\_ we \_\_\_\_ move \_\_\_\_ gas \_\_\_\_.

\_\_\_\_ there anyone \_\_\_\_ a suitable \_\_\_\_ place our new natural-gas meter?

How much space should be \_\_\_\_ structures and \_\_\_\_ gas meters \_\_\_\_?

When \_\_\_\_ property, any tips on moving \_\_\_\_ meters \_\_\_\_?

\_\_\_\_ far \_\_\_\_ our gas \_\_\_\_ go when we \_\_\_\_?

\_\_\_\_ far can \_\_\_\_ be moved \_\_\_\_ renovations?

How far \_\_\_\_ can \_\_\_\_ move the gas \_\_\_\_?

\_\_\_\_ we \_\_\_\_ our property, \_\_\_\_ meters be \_\_\_\_ away from \_\_\_\_?

Is it possible \_\_\_\_ relocate \_\_\_\_ meter for \_\_\_\_?

How much space \_\_\_\_ be \_\_\_\_ between \_\_\_\_ and \_\_\_\_ meters during \_\_\_\_?

guidance \_\_\_\_ needed \_\_\_\_ how \_\_\_\_ we can safely move \_\_\_\_ natural-gas \_\_\_\_ from \_\_\_\_ structures \_\_\_\_ part \_\_\_\_ \_\_\_\_  
 upgrade \_\_\_\_  
 \_\_\_\_ away \_\_\_\_ buildings are \_\_\_\_ shifts during \_\_\_\_?  
 Is \_\_\_\_ possible to put natural \_\_\_\_ away \_\_\_\_ upgrades?  
 \_\_\_\_ far \_\_\_\_ going \_\_\_\_ to get our gas meters for \_\_\_\_?  
 \_\_\_\_ tell us how \_\_\_\_ we should remove \_\_\_\_ meters \_\_\_\_ property improvements?  
 Will \_\_\_\_ get \_\_\_\_ with \_\_\_\_ suitable \_\_\_\_ to place \_\_\_\_ new natural-gas meter?  
 \_\_\_\_ any guidance \_\_\_\_ the \_\_\_\_ distance from nearby \_\_\_\_ when \_\_\_\_ gas \_\_\_\_?  
 How far away \_\_\_\_ buildings \_\_\_\_ meters \_\_\_\_ moved?  
 How far \_\_\_\_ we \_\_\_\_ meters \_\_\_\_ we upgrade our property?  
 \_\_\_\_ you provide \_\_\_\_ with guidelines \_\_\_\_ the acceptable \_\_\_\_ areas \_\_\_\_ relocated \_\_\_\_ meters?  
 How far \_\_\_\_ buildings \_\_\_\_ gas \_\_\_\_ be moved?  
 \_\_\_\_ can I \_\_\_\_ my old \_\_\_\_ from my new \_\_\_\_?  
 \_\_\_\_ advise us about the \_\_\_\_ for our natural-gas meters \_\_\_\_.  
 \_\_\_\_ are \_\_\_\_ for \_\_\_\_ gas meter locations in \_\_\_\_ project?  
 \_\_\_\_ want to know \_\_\_\_ for moving gas \_\_\_\_ during \_\_\_\_ property \_\_\_\_.  
 We are \_\_\_\_ on how \_\_\_\_ can \_\_\_\_ our natural-gas meters \_\_\_\_ structures.  
 Do \_\_\_\_ know the minimum \_\_\_\_ between natural-gas \_\_\_\_ during an \_\_\_\_?  
 Do you \_\_\_\_ any \_\_\_\_ how far we should \_\_\_\_ gas meters \_\_\_\_ we \_\_\_\_?  
 \_\_\_\_ much space \_\_\_\_ left \_\_\_\_ the old structures \_\_\_\_ moved \_\_\_\_?  
 \_\_\_\_ moving \_\_\_\_ from buildings during \_\_\_\_ want guidance \_\_\_\_ safe distances.  
 Can you tell me how \_\_\_\_ meter from \_\_\_\_ structures?  
 I \_\_\_\_ know how much space should \_\_\_\_ between \_\_\_\_ gas \_\_\_\_ renovations.  
 When we upgrade \_\_\_\_ we \_\_\_\_ like \_\_\_\_ natural-gas meters \_\_\_\_ from \_\_\_\_.  
 \_\_\_\_ is needed \_\_\_\_ moving \_\_\_\_ from \_\_\_\_ the upgrade.  
 When upgrading \_\_\_\_ how \_\_\_\_ gas \_\_\_\_?  
 I \_\_\_\_ looking for \_\_\_\_ moving natural-gas meters away \_\_\_\_.  
 Can \_\_\_\_ help determining a \_\_\_\_ place \_\_\_\_ new natural-gas \_\_\_\_?  
 What \_\_\_\_ you tell \_\_\_\_ about how far \_\_\_\_ existing structures \_\_\_\_ can \_\_\_\_?  
 \_\_\_\_ range \_\_\_\_ meters \_\_\_\_ be relocated in relation \_\_\_\_?  
 \_\_\_\_ you tell me \_\_\_\_ existing structures \_\_\_\_ can move \_\_\_\_ natural gas \_\_\_\_?  
 \_\_\_\_ tell us about the \_\_\_\_ distances \_\_\_\_ our \_\_\_\_ during \_\_\_\_.  
 As \_\_\_\_ of our property \_\_\_\_ project, \_\_\_\_ need guidance \_\_\_\_ can safely move \_\_\_\_ meters.  
 \_\_\_\_ much space \_\_\_\_ from \_\_\_\_ buildings must gas \_\_\_\_ be \_\_\_\_?  
 Can \_\_\_\_ me about the \_\_\_\_ be relocated during renovations?  
 \_\_\_\_ regarding safe \_\_\_\_ when \_\_\_\_ from current buildings is \_\_\_\_.  
 Are \_\_\_\_ recommendations \_\_\_\_ at a \_\_\_\_ distance from existing structures?  
 \_\_\_\_ far should the \_\_\_\_ meter be \_\_\_\_ part \_\_\_\_ our property improvements?  
 \_\_\_\_ upgrading properties, how \_\_\_\_ away \_\_\_\_ we \_\_\_\_ meters?  
 We \_\_\_\_ to know \_\_\_\_ for \_\_\_\_ meters during a property \_\_\_\_.  
 Is it \_\_\_\_ for \_\_\_\_ move our natural-gas \_\_\_\_ away \_\_\_\_ existing \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ move the \_\_\_\_ from the buildings?  
 We're \_\_\_\_ help moving our \_\_\_\_ structures as \_\_\_\_ our property \_\_\_\_ project.  
 \_\_\_\_ of \_\_\_\_ should \_\_\_\_ left between existing \_\_\_\_ and \_\_\_\_ during renovations?  
 \_\_\_\_ know how \_\_\_\_ structures can we move our \_\_\_\_ meters?  
 How distant \_\_\_\_ move \_\_\_\_ meters?  
 Is it possible to \_\_\_\_ far \_\_\_\_ upgrades?  
 Should I ask about the \_\_\_\_ range of \_\_\_\_ meters \_\_\_\_?  
 \_\_\_\_ need \_\_\_\_ help \_\_\_\_ our natural-gas meters \_\_\_\_ property \_\_\_\_.  
 How \_\_\_\_ away do \_\_\_\_ from \_\_\_\_ structures \_\_\_\_ moving natural \_\_\_\_?  
 Will we \_\_\_\_ able to get some \_\_\_\_ determining \_\_\_\_ distance to \_\_\_\_?

\_\_\_\_ you have any guidelines for relocating the \_\_\_\_ when \_\_\_\_?

\_\_\_\_ want to know how \_\_\_\_ we can safely \_\_\_\_ existing \_\_\_\_ in \_\_\_\_ property upgrade project.

How \_\_\_\_ space must be \_\_\_\_ buildings for \_\_\_\_ to be \_\_\_\_?

How \_\_\_\_ I keep \_\_\_\_ gas meters away \_\_\_\_ new \_\_\_\_?

How \_\_\_\_ gas \_\_\_\_ be shifted \_\_\_\_ from \_\_\_\_ buildings?

We \_\_\_\_ to know \_\_\_\_ away from existing \_\_\_\_ to \_\_\_\_ the \_\_\_\_ meter.

We want to \_\_\_\_ how far we \_\_\_\_ structures as \_\_\_\_ of \_\_\_\_ property upgrade project.

I'm seeking guidance on \_\_\_\_ meters during \_\_\_\_\_.

\_\_\_\_ much space should be \_\_\_\_ old \_\_\_\_ and \_\_\_\_ meters during \_\_\_\_?

\_\_\_\_ you let us \_\_\_\_ how \_\_\_\_ or \_\_\_\_ relocate \_\_\_\_ gas meter?

\_\_\_\_ you \_\_\_\_ any recommendations on \_\_\_\_ we \_\_\_\_ relocate the gas \_\_\_\_?

\_\_\_\_ to find a suitable \_\_\_\_ the natural-gas \_\_\_\_ after \_\_\_\_ some property \_\_\_\_?

Is \_\_\_\_ a \_\_\_\_ relocate natural-gas meters \_\_\_\_ renovations?

Is there any guidance \_\_\_\_ acceptable \_\_\_\_ from \_\_\_\_ structures \_\_\_\_ moving \_\_\_\_?

Where should \_\_\_\_ moved when \_\_\_\_ building \_\_\_\_ renovated?

Is it possible to provide advice \_\_\_\_ permissible \_\_\_\_ gas meters \_\_\_\_?

\_\_\_\_ me \_\_\_\_ much space should \_\_\_\_ between \_\_\_\_ and gas meters during \_\_\_\_?

\_\_\_\_ advise us regarding the \_\_\_\_ relocation distance \_\_\_\_ natural-gas \_\_\_\_\_.

When \_\_\_\_ upgrade our property, \_\_\_\_ natural gas \_\_\_\_ away from \_\_\_\_?

Is it possible \_\_\_\_ correct removal distance from existing \_\_\_\_ gas \_\_\_\_?

\_\_\_\_ know how to \_\_\_\_ systems during improvements?

Is there \_\_\_\_ recommendation \_\_\_\_ our \_\_\_\_ meters \_\_\_\_ a proper \_\_\_\_ during \_\_\_\_ property \_\_\_\_?

How \_\_\_\_ away from \_\_\_\_ are \_\_\_\_ to \_\_\_\_ natural-gas meters?

For property renovations, \_\_\_\_ close or far away \_\_\_\_?

Is it \_\_\_\_ me the \_\_\_\_ from existing structures to \_\_\_\_ gas \_\_\_\_?

How \_\_\_\_ we move \_\_\_\_ gas meter \_\_\_\_ to upgrade \_\_\_\_?

Can we \_\_\_\_ some \_\_\_\_ a suitable \_\_\_\_ for \_\_\_\_ meter after we \_\_\_\_ some \_\_\_\_ improvements?

As \_\_\_\_ the \_\_\_\_ property upgrade \_\_\_\_ we are looking \_\_\_\_ far \_\_\_\_ safely move \_\_\_\_ natural-gas meters.

\_\_\_\_ get some assistance with \_\_\_\_ to place our \_\_\_\_ meter?

Please \_\_\_\_ of \_\_\_\_ permissible relocation distance \_\_\_\_ natural-gas meters \_\_\_\_ we \_\_\_\_ property \_\_\_\_\_.

\_\_\_\_ know the \_\_\_\_ removal \_\_\_\_ from existing structures \_\_\_\_ relocating \_\_\_\_ gas \_\_\_\_\_.

\_\_\_\_ there a \_\_\_\_ guideline for \_\_\_\_ between \_\_\_\_ gas \_\_\_\_ in relation \_\_\_\_ renovations?

\_\_\_\_ should \_\_\_\_ gas meters \_\_\_\_ we change properties?

Can \_\_\_\_ us any \_\_\_\_ for how \_\_\_\_ to \_\_\_\_ the \_\_\_\_ meters?

\_\_\_\_ it possible \_\_\_\_ determine a \_\_\_\_ to place \_\_\_\_ natural-gas \_\_\_\_ after \_\_\_\_?

\_\_\_\_ can advise on relocating \_\_\_\_ meters \_\_\_\_\_.

Can you \_\_\_\_ me \_\_\_\_ natural-gas meters \_\_\_\_ from \_\_\_\_?

Can you \_\_\_\_ us \_\_\_\_ for \_\_\_\_ meters \_\_\_\_ we \_\_\_\_ our property?

Is it possible \_\_\_\_ move our \_\_\_\_ in \_\_\_\_?

\_\_\_\_ to \_\_\_\_ meters \_\_\_\_ from existing \_\_\_\_?

\_\_\_\_ far from existing \_\_\_\_ natural-gas \_\_\_\_ relocated?

\_\_\_\_ you \_\_\_\_ us the \_\_\_\_ distance \_\_\_\_ moving \_\_\_\_ property improvements?

\_\_\_\_ much \_\_\_\_ can we take away \_\_\_\_ natural-gas \_\_\_\_ upgrade?

\_\_\_\_ you suggest guidelines \_\_\_\_ between \_\_\_\_ areas \_\_\_\_ relocated gas meters?

Is \_\_\_\_ a way \_\_\_\_ put our \_\_\_\_ from the \_\_\_\_?

\_\_\_\_ natural-gas \_\_\_\_ be moved away from existing \_\_\_\_?

\_\_\_\_ property \_\_\_\_ how far \_\_\_\_ we move the \_\_\_\_?

\_\_\_\_ need help with safe \_\_\_\_ moving gas \_\_\_\_ away \_\_\_\_\_.

Advice \_\_\_\_ between buildings for \_\_\_\_ gas \_\_\_\_?

Do you have \_\_\_\_ help us relocate \_\_\_\_ gas meters when \_\_\_\_?

Can you \_\_\_\_ us \_\_\_\_ far \_\_\_\_ existing structures \_\_\_\_ be when \_\_\_\_ gas \_\_\_\_?

Can you tell \_\_\_\_ how far we \_\_\_\_ when \_\_\_\_ upgrade \_\_\_\_ property?

\_\_\_\_ a \_\_\_\_ be moved from an \_\_\_\_ structure \_\_\_\_ of \_\_\_\_ property upgrade?

\_\_\_\_ far away the natural-gas meters should \_\_\_\_?

How \_\_\_\_ can \_\_\_\_ moved during \_\_\_\_?

How \_\_\_\_ meters \_\_\_\_ when making improvements?

How much \_\_\_\_ do you recommend \_\_\_\_ structures \_\_\_\_?

As \_\_\_\_ the upcoming property \_\_\_\_ need \_\_\_\_ on how far \_\_\_\_ can \_\_\_\_ move our \_\_\_\_.

\_\_\_\_ there \_\_\_\_ way to determine a suitable \_\_\_\_ to \_\_\_\_ natural-gas \_\_\_\_?

\_\_\_\_ you help \_\_\_\_ move our \_\_\_\_ away from the \_\_\_\_?

We \_\_\_\_ to know how far we \_\_\_\_ from the \_\_\_\_ structures \_\_\_\_ part \_\_\_\_ property upgrade project.

Do \_\_\_\_ have \_\_\_\_ about \_\_\_\_ acceptable gap \_\_\_\_ renovated \_\_\_\_ gas meter placement?

Can \_\_\_\_ help \_\_\_\_ move our \_\_\_\_ from our existing \_\_\_\_?

\_\_\_\_ should we \_\_\_\_ gas \_\_\_\_ we upgrade properties?

\_\_\_\_ possible to tell me \_\_\_\_ distance \_\_\_\_ meters during \_\_\_\_ improvements?

\_\_\_\_ you \_\_\_\_ with moving \_\_\_\_ away from the structures?

\_\_\_\_ you tell \_\_\_\_ far we \_\_\_\_ move our \_\_\_\_ when we upgrade \_\_\_\_?

\_\_\_\_ are looking for \_\_\_\_ on \_\_\_\_ we can safely \_\_\_\_ meters \_\_\_\_ structures.

\_\_\_\_ much \_\_\_\_ be \_\_\_\_ between old \_\_\_\_ and \_\_\_\_ meters during renovations?

\_\_\_\_ tell \_\_\_\_ about the \_\_\_\_ of gas meters \_\_\_\_ be relocated \_\_\_\_ to \_\_\_\_?

Do \_\_\_\_ know \_\_\_\_ far \_\_\_\_ existing \_\_\_\_ we \_\_\_\_ remove our gas \_\_\_\_ property \_\_\_\_?

\_\_\_\_ we get \_\_\_\_ determining \_\_\_\_ to place our new \_\_\_\_ meter?