

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Smartphone Manufacturers
<b>Inquiry Category</b>	Privacy and security concerns
<b>Inquiry Sub-Category</b>	App permissions
<b>Description</b>	Inquiries about the permissions required by apps installed on the smartphone and how to manage or revoke those permissions to enhance privacy and security.
<b>Data Size</b>	5,467 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Smartphone Manufacturer" customer inquiry. (Purchased data will not be masked.)**

If \_\_\_\_ deny a \_\_\_\_ by \_\_\_\_ application, will the app \_\_\_\_ properly \_\_\_\_ be limited \_\_\_\_ ?

\_\_\_\_ perfectly if I decline \_\_\_\_ permission?

Do apps \_\_\_\_ permission \_\_\_\_ declined?

\_\_\_\_ the application \_\_\_\_ if you \_\_\_\_ the access?

\_\_\_\_ for apps \_\_\_\_ work when permission \_\_\_\_ are \_\_\_\_ ?

Will \_\_\_\_ app continue to work \_\_\_\_ demands?

\_\_\_\_ my refusal to \_\_\_\_ permission affect \_\_\_\_ the \_\_\_\_ ?

Do apps \_\_\_\_ even \_\_\_\_ their permission requests \_\_\_\_ ?

Can \_\_\_\_ still \_\_\_\_ if \_\_\_\_ requests \_\_\_\_ ?

Is the \_\_\_\_ still \_\_\_\_ if \_\_\_\_ say no \_\_\_\_ ?

When \_\_\_\_ are declined \_\_\_\_ apps \_\_\_\_ ?

Does \_\_\_\_ application \_\_\_\_ it's denied \_\_\_\_ privileges?

\_\_\_\_ app \_\_\_\_ without problems \_\_\_\_ I \_\_\_\_ permission?

\_\_\_\_ the app function \_\_\_\_ limited \_\_\_\_ it permission?

\_\_\_\_ denied \_\_\_\_ the app to \_\_\_\_ ?

Do \_\_\_\_ know \_\_\_\_ an application's concession will \_\_\_\_ affect \_\_\_\_ ?

Will \_\_\_\_ remain functioning \_\_\_\_ case \_\_\_\_ denial \_\_\_\_ permission?

\_\_\_\_ deny an application's permission, will it \_\_\_\_ with \_\_\_\_ ?

Will the \_\_\_\_ functional \_\_\_\_ denied \_\_\_\_ ?

Will the \_\_\_\_ work \_\_\_\_ I do \_\_\_\_ accept \_\_\_\_ demand?

\_\_\_\_ the \_\_\_\_ asks for permission, \_\_\_\_ be able \_\_\_\_ ?

\_\_\_\_ still \_\_\_\_ after I \_\_\_\_ permission?

\_\_\_\_ want to \_\_\_\_ if \_\_\_\_ app will work \_\_\_\_ say \_\_\_\_ to \_\_\_\_ permission \_\_\_\_ .

\_\_\_\_ you \_\_\_\_ declining \_\_\_\_ application's \_\_\_\_ won't affect its \_\_\_\_ ?

Will \_\_\_\_ fully \_\_\_\_ the event \_\_\_\_ denial of permission?

\_\_\_\_ properly or \_\_\_\_ limited if \_\_\_\_ deny permission?

\_\_\_\_ permission \_\_\_\_ apps allow them \_\_\_\_ no \_\_\_\_ in terms of \_\_\_\_ and \_\_\_\_ ?

\_\_\_\_ the app \_\_\_\_ if I deny \_\_\_\_ permission?

\_\_\_\_\_ the app work \_\_\_\_\_ it?  
 Will \_\_\_\_\_ or \_\_\_\_\_ it be \_\_\_\_\_ if I deny \_\_\_\_\_?  
 Can \_\_\_\_\_ work \_\_\_\_\_ decline?  
 Will the \_\_\_\_\_ remain \_\_\_\_\_ if \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ an app \_\_\_\_\_ normally if \_\_\_\_\_ refuse \_\_\_\_\_ permissioo \_\_\_\_\_?  
 Can app \_\_\_\_\_ if \_\_\_\_\_ grant \_\_\_\_\_?  
 \_\_\_\_\_ denying \_\_\_\_\_ to \_\_\_\_\_ operate without drawbacks?  
 Will the \_\_\_\_\_ remain functional \_\_\_\_\_ the \_\_\_\_\_ denied?  
 Will the \_\_\_\_\_ operational \_\_\_\_\_ denial?  
 \_\_\_\_\_ the app work \_\_\_\_\_ if \_\_\_\_\_ it?  
 If I decline \_\_\_\_\_ requested \_\_\_\_\_ can \_\_\_\_\_ operability?  
 Does the \_\_\_\_\_ correctly if it \_\_\_\_\_ privileges?  
 I want \_\_\_\_\_ know \_\_\_\_\_ an \_\_\_\_\_ concession \_\_\_\_\_ its operation.  
 Will denying \_\_\_\_\_ affect \_\_\_\_\_ of \_\_\_\_\_?  
 Should \_\_\_\_\_ a \_\_\_\_\_ affect \_\_\_\_\_ well this \_\_\_\_\_ works?  
 Does \_\_\_\_\_ permission request affect the \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ work if I \_\_\_\_\_?  
 \_\_\_\_\_ still perfect if \_\_\_\_\_ decline a \_\_\_\_\_ request?  
 If I \_\_\_\_\_ permission to \_\_\_\_\_ application, will that \_\_\_\_\_?  
 \_\_\_\_\_ denied permission allow normal \_\_\_\_\_?  
 \_\_\_\_\_ a permission \_\_\_\_\_ have \_\_\_\_\_ on the application's \_\_\_\_\_?  
 Denying a \_\_\_\_\_ change how \_\_\_\_\_ correct?  
 \_\_\_\_\_ if I decline permission?  
 \_\_\_\_\_ the app \_\_\_\_\_ if \_\_\_\_\_ permission request \_\_\_\_\_ denied?  
 \_\_\_\_\_ permission requests \_\_\_\_\_ declined, \_\_\_\_\_ apps \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ denying a \_\_\_\_\_ this \_\_\_\_\_ function?  
 \_\_\_\_\_ an \_\_\_\_\_ change its performance?  
 \_\_\_\_\_ it \_\_\_\_\_ if I \_\_\_\_\_ its \_\_\_\_\_?  
 \_\_\_\_\_ can it still work?  
 \_\_\_\_\_ I refuse \_\_\_\_\_ the \_\_\_\_\_ be affected?  
 \_\_\_\_\_ normally if I \_\_\_\_\_ access?  
 \_\_\_\_\_ permission \_\_\_\_\_ are \_\_\_\_\_ still able to work?  
 \_\_\_\_\_ the \_\_\_\_\_ functionality be \_\_\_\_\_ if \_\_\_\_\_?  
 \_\_\_\_\_ it affect the function of the \_\_\_\_\_ I \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ an \_\_\_\_\_ to \_\_\_\_\_ operability \_\_\_\_\_ I \_\_\_\_\_ requested permission?  
 Is \_\_\_\_\_ declining an \_\_\_\_\_ won't affect its \_\_\_\_\_?  
 When \_\_\_\_\_ an app's permission, \_\_\_\_\_ that \_\_\_\_\_ without \_\_\_\_\_ drawbacks?  
 \_\_\_\_\_ know if \_\_\_\_\_ an application's concession \_\_\_\_\_ no effect \_\_\_\_\_ smooth \_\_\_\_\_?  
 Do the \_\_\_\_\_ run \_\_\_\_\_ you decline its \_\_\_\_\_?  
 Will \_\_\_\_\_ work normally \_\_\_\_\_ refuse \_\_\_\_\_ permissioo demands?  
 \_\_\_\_\_ a denial \_\_\_\_\_ a requested approval \_\_\_\_\_ normal functioning of \_\_\_\_\_ software \_\_\_\_\_?  
 Is \_\_\_\_\_ permission \_\_\_\_\_ going \_\_\_\_\_ affect the \_\_\_\_\_?  
 \_\_\_\_\_ app \_\_\_\_\_ properly if I \_\_\_\_\_ permission request?  
 Will the app's function \_\_\_\_\_ I \_\_\_\_\_ a \_\_\_\_\_?  
 Does \_\_\_\_\_ application \_\_\_\_\_ well after \_\_\_\_\_ privileges?  
 Is the app's \_\_\_\_\_ impacted \_\_\_\_\_?  
 \_\_\_\_\_ denied permission still \_\_\_\_\_ app \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ if I say no.  
 Can the \_\_\_\_\_ allow it?  
 \_\_\_\_\_ app \_\_\_\_\_ functional even \_\_\_\_\_ permission is denied?

\_\_\_\_\_ a \_\_\_\_\_ approval likely to prevent normal \_\_\_\_\_ of the \_\_\_\_\_ or \_\_\_\_\_ features \_\_\_\_\_ enough \_\_\_\_\_ limit \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ apps work if their \_\_\_\_\_?

\_\_\_\_\_ app \_\_\_\_\_ even if I refuse a \_\_\_\_\_?

\_\_\_\_\_ permission for \_\_\_\_\_ make \_\_\_\_\_ without drawbacks?

If \_\_\_\_\_ the app's permission, what \_\_\_\_\_ its \_\_\_\_\_?

Will the \_\_\_\_\_ continue \_\_\_\_\_ normally \_\_\_\_\_ refuse \_\_\_\_\_ permission demand?

\_\_\_\_\_ it possible that \_\_\_\_\_ permission \_\_\_\_\_ are declined?

\_\_\_\_\_ say no to its permission?

\_\_\_\_\_ requests are \_\_\_\_\_ does the \_\_\_\_\_ work?

\_\_\_\_\_ the application still run \_\_\_\_\_ if \_\_\_\_\_ access?

Does rejecting \_\_\_\_\_ affect how smoothly \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ will work \_\_\_\_\_ access is \_\_\_\_\_?

What happens \_\_\_\_\_ reject \_\_\_\_\_ authorization \_\_\_\_\_ app?

\_\_\_\_\_ the app work \_\_\_\_\_ it?

Will \_\_\_\_\_ decline its permission requests?

\_\_\_\_\_ deny permission, will \_\_\_\_\_ app \_\_\_\_\_?

Is \_\_\_\_\_ still \_\_\_\_\_ for normal \_\_\_\_\_ of the \_\_\_\_\_?

\_\_\_\_\_ apps \_\_\_\_\_ work \_\_\_\_\_ their permission \_\_\_\_\_ are \_\_\_\_\_?

Will \_\_\_\_\_ function \_\_\_\_\_ a \_\_\_\_\_ if I deny \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ without problems \_\_\_\_\_ denied \_\_\_\_\_?

If I decline \_\_\_\_\_ the \_\_\_\_\_ can it \_\_\_\_\_ operability?

\_\_\_\_\_ permission without causing any \_\_\_\_\_ for \_\_\_\_\_ app?

\_\_\_\_\_ still use the \_\_\_\_\_ I say \_\_\_\_\_ to \_\_\_\_\_?

If \_\_\_\_\_ denied, will it \_\_\_\_\_ operational?

Is it \_\_\_\_\_ for an \_\_\_\_\_ full operability \_\_\_\_\_ its permission?

\_\_\_\_\_ be altered if \_\_\_\_\_ refuse \_\_\_\_\_ permission request?

Will it \_\_\_\_\_ if I refuse \_\_\_\_\_?

Will \_\_\_\_\_ app's permission \_\_\_\_\_ affect \_\_\_\_\_?

What \_\_\_\_\_ if \_\_\_\_\_ this \_\_\_\_\_ app?

\_\_\_\_\_ wonder \_\_\_\_\_ the \_\_\_\_\_ can \_\_\_\_\_ work \_\_\_\_\_ I say \_\_\_\_\_.

\_\_\_\_\_ rejecting an app's \_\_\_\_\_ affect its \_\_\_\_\_?

\_\_\_\_\_ the application work \_\_\_\_\_ a permission \_\_\_\_\_?

Do you \_\_\_\_\_ a permission won't affect \_\_\_\_\_ functioning?

Is \_\_\_\_\_ to deny permission \_\_\_\_\_ apps \_\_\_\_\_ compromising \_\_\_\_\_ and \_\_\_\_\_?

Will the app \_\_\_\_\_ I \_\_\_\_\_ demand?

Will denying \_\_\_\_\_ impact \_\_\_\_\_?

Will the app \_\_\_\_\_ properly \_\_\_\_\_ permission, or \_\_\_\_\_ it be \_\_\_\_\_?

\_\_\_\_\_ denying a \_\_\_\_\_ for \_\_\_\_\_ prevent normal \_\_\_\_\_ of \_\_\_\_\_ software or \_\_\_\_\_ features?

\_\_\_\_\_ happen if \_\_\_\_\_ refuse \_\_\_\_\_ for \_\_\_\_\_ app?

\_\_\_\_\_ denied permission \_\_\_\_\_ the app \_\_\_\_\_?

\_\_\_\_\_ possible for \_\_\_\_\_ app to run \_\_\_\_\_ permission requests?

\_\_\_\_\_ rejecting a permission \_\_\_\_\_ an effect \_\_\_\_\_ the application \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ the application's permission, \_\_\_\_\_ its normal \_\_\_\_\_?

Can denial of \_\_\_\_\_ normal \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ declining permission \_\_\_\_\_ the app \_\_\_\_\_?

\_\_\_\_\_ reject the \_\_\_\_\_ will it perform?

\_\_\_\_\_ can the \_\_\_\_\_ keep functioning?

I \_\_\_\_\_ know if declining \_\_\_\_\_ concession \_\_\_\_\_ smooth operation.

\_\_\_\_\_ app's \_\_\_\_\_ if I \_\_\_\_\_ permission?

When denying an \_\_\_\_\_ if \_\_\_\_\_ will work out okay?

\_\_\_\_\_ app \_\_\_\_\_ fully operational \_\_\_\_\_ it \_\_\_\_\_ denied permission?

Can \_\_\_\_\_ the \_\_\_\_\_ functioning \_\_\_\_\_ the app?

\_\_\_\_\_ I refuse an app's \_\_\_\_\_ it \_\_\_\_\_?

Can \_\_\_\_\_ work even \_\_\_\_\_ I \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ how well the \_\_\_\_\_ if \_\_\_\_\_ not grant permission?

\_\_\_\_\_ allow the \_\_\_\_\_ to work?

\_\_\_\_\_ will happen if \_\_\_\_\_ refuse \_\_\_\_\_?

Will \_\_\_\_\_ remain \_\_\_\_\_ if \_\_\_\_\_ a request?

\_\_\_\_\_ work even \_\_\_\_\_ I do not \_\_\_\_\_ permission?

\_\_\_\_\_ app \_\_\_\_\_ if \_\_\_\_\_ say no to \_\_\_\_\_ request.

\_\_\_\_\_ is \_\_\_\_\_ to \_\_\_\_\_ if I \_\_\_\_\_ an application's \_\_\_\_\_ for \_\_\_\_\_?

Is the \_\_\_\_\_ useful \_\_\_\_\_ I \_\_\_\_\_?

Are \_\_\_\_\_ declining \_\_\_\_\_ concession won't affect \_\_\_\_\_ operation?

Will the app work \_\_\_\_\_?

Is \_\_\_\_\_ permission \_\_\_\_\_ well \_\_\_\_\_ works?

Does rejecting \_\_\_\_\_ affect \_\_\_\_\_ app?

\_\_\_\_\_ continue \_\_\_\_\_ work after \_\_\_\_\_ requests \_\_\_\_\_ declined?

\_\_\_\_\_ the app \_\_\_\_\_ I \_\_\_\_\_ requests?

\_\_\_\_\_ happens \_\_\_\_\_ I \_\_\_\_\_ authorization \_\_\_\_\_ app?

\_\_\_\_\_ a permission \_\_\_\_\_ affect the \_\_\_\_\_ function?

If I \_\_\_\_\_ app's \_\_\_\_\_ permission, \_\_\_\_\_ it still \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ able to \_\_\_\_\_ without \_\_\_\_\_ I \_\_\_\_\_ permission?

Will \_\_\_\_\_ application \_\_\_\_\_ if I \_\_\_\_\_ it?

Will the \_\_\_\_\_ work \_\_\_\_\_ say no \_\_\_\_\_ its \_\_\_\_\_?

Is \_\_\_\_\_ app \_\_\_\_\_ if I say \_\_\_\_\_ to \_\_\_\_\_?

Do \_\_\_\_\_ think rejection of an \_\_\_\_\_ its performance?

\_\_\_\_\_ will happen \_\_\_\_\_ I \_\_\_\_\_ app?

\_\_\_\_\_ denying \_\_\_\_\_ this application's \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ it should \_\_\_\_\_ decline permission?

Will \_\_\_\_\_ app function if \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ operational \_\_\_\_\_ event \_\_\_\_\_ a denial \_\_\_\_\_ permission?

\_\_\_\_\_ it \_\_\_\_\_ that denied \_\_\_\_\_ allow \_\_\_\_\_ functioning of the \_\_\_\_\_?

Will \_\_\_\_\_ permission \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ no to \_\_\_\_\_ request \_\_\_\_\_ the \_\_\_\_\_?

When \_\_\_\_\_ requests are refused, \_\_\_\_\_ still \_\_\_\_\_?

\_\_\_\_\_ denying an app's \_\_\_\_\_ request, \_\_\_\_\_ if it's \_\_\_\_\_?

\_\_\_\_\_ saying 'no' to a \_\_\_\_\_ the application \_\_\_\_\_?

Will \_\_\_\_\_ I reject permission \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ if \_\_\_\_\_ permission request is \_\_\_\_\_?

\_\_\_\_\_ declining \_\_\_\_\_ affecting how \_\_\_\_\_ functions?

\_\_\_\_\_ application work after \_\_\_\_\_ request \_\_\_\_\_ rejected?

\_\_\_\_\_ the app \_\_\_\_\_ in case \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ function \_\_\_\_\_ if I deny \_\_\_\_\_ request?

\_\_\_\_\_ the app still \_\_\_\_\_ if \_\_\_\_\_ deny \_\_\_\_\_ request?

\_\_\_\_\_ the application still \_\_\_\_\_ well \_\_\_\_\_ privileges?

Will \_\_\_\_\_ app \_\_\_\_\_ even if \_\_\_\_\_ not grant \_\_\_\_\_?

\_\_\_\_\_ denying a \_\_\_\_\_ affect \_\_\_\_\_ well the \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ authorization \_\_\_\_\_ this particular \_\_\_\_\_ what would \_\_\_\_\_?

Can \_\_\_\_\_ declining \_\_\_\_\_ application's concession won't \_\_\_\_\_ its smooth \_\_\_\_\_?

How \_\_\_\_\_ app \_\_\_\_\_ run if I \_\_\_\_\_ requests.

\_\_\_\_\_ still allow normal functions of \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ run \_\_\_\_\_ if \_\_\_\_\_ its access rights?

Will the app work \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ application's concession \_\_\_\_\_ its smooth operation?

Can the \_\_\_\_\_ decline it?

Is \_\_\_\_\_ possible that apps still \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ an app \_\_\_\_\_ maintain \_\_\_\_\_ operability \_\_\_\_\_ decline \_\_\_\_\_ permissions?

\_\_\_\_\_ application \_\_\_\_\_ smoothly if you decline \_\_\_\_\_?

\_\_\_\_\_ I say no \_\_\_\_\_ its \_\_\_\_\_ app \_\_\_\_\_?

\_\_\_\_\_ the app's \_\_\_\_\_ be \_\_\_\_\_ if I \_\_\_\_\_ permission?

\_\_\_\_\_ no \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ app?

\_\_\_\_\_ rejectin' \_\_\_\_\_ app's \_\_\_\_\_ affect \_\_\_\_\_ performance?

Will it \_\_\_\_\_ the \_\_\_\_\_ I \_\_\_\_\_ a request?

Will \_\_\_\_\_ app \_\_\_\_\_ if \_\_\_\_\_ request is \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ if \_\_\_\_\_ permission.

Will the app \_\_\_\_\_ if \_\_\_\_\_ request?

\_\_\_\_\_ denying permission for \_\_\_\_\_ be done without \_\_\_\_\_ on \_\_\_\_\_?

Can \_\_\_\_\_ that \_\_\_\_\_ application's \_\_\_\_\_ not affect its \_\_\_\_\_ operation?

Is \_\_\_\_\_ that saying no \_\_\_\_\_ up the app?

Is \_\_\_\_\_ possible for \_\_\_\_\_ app \_\_\_\_\_ have \_\_\_\_\_ if I \_\_\_\_\_ permission?

\_\_\_\_\_ the \_\_\_\_\_ normally if \_\_\_\_\_ their demand?

If I \_\_\_\_\_ permissions, can it maintain \_\_\_\_\_?

\_\_\_\_\_ rejectin' \_\_\_\_\_ permission request \_\_\_\_\_ its performance \_\_\_\_\_ not?

\_\_\_\_\_ the \_\_\_\_\_ work \_\_\_\_\_ opposition?

\_\_\_\_\_ giving the \_\_\_\_\_ application's permission going \_\_\_\_\_ hurt its \_\_\_\_\_?

\_\_\_\_\_ denying \_\_\_\_\_ requested \_\_\_\_\_ the normal functioning of \_\_\_\_\_ certain features?

Will \_\_\_\_\_ still \_\_\_\_\_ if \_\_\_\_\_ decline?

Can denial \_\_\_\_\_ for \_\_\_\_\_ without \_\_\_\_\_ in terms \_\_\_\_\_ performance \_\_\_\_\_ capabilities?

Will the \_\_\_\_\_ function \_\_\_\_\_ problems \_\_\_\_\_ denies \_\_\_\_\_?

Will \_\_\_\_\_ app's permission \_\_\_\_\_ performance?

\_\_\_\_\_ if I \_\_\_\_\_ an authorization \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ still function properly \_\_\_\_\_ for it?

When \_\_\_\_\_ an app's permission \_\_\_\_\_ you \_\_\_\_\_ it \_\_\_\_\_ out?

Can \_\_\_\_\_ if the \_\_\_\_\_ won't have any drawbacks \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ no \_\_\_\_\_ an \_\_\_\_\_ permission, \_\_\_\_\_ it affect \_\_\_\_\_ operation?

How well \_\_\_\_\_ application work \_\_\_\_\_ permission request?

If \_\_\_\_\_ decline \_\_\_\_\_ permission, can it \_\_\_\_\_ its operability?

\_\_\_\_\_ giving the \_\_\_\_\_ an \_\_\_\_\_ permission \_\_\_\_\_ to \_\_\_\_\_ normal operation?

\_\_\_\_\_ app's \_\_\_\_\_ be affected if I \_\_\_\_\_?

\_\_\_\_\_ it work \_\_\_\_\_ refuse \_\_\_\_\_?

If \_\_\_\_\_ reject \_\_\_\_\_ permission, \_\_\_\_\_ the performance of the \_\_\_\_\_?

Will the \_\_\_\_\_ normally \_\_\_\_\_ I refuse \_\_\_\_\_ permission \_\_\_\_\_?

If \_\_\_\_\_ permission, \_\_\_\_\_ it \_\_\_\_\_ maintain its operability?

Can denying \_\_\_\_\_ for \_\_\_\_\_ them to function \_\_\_\_\_?

If I \_\_\_\_\_ its \_\_\_\_\_ the app work?

Can \_\_\_\_\_ potentially function without \_\_\_\_\_?

If I say no \_\_\_\_\_ will \_\_\_\_\_ app \_\_\_\_\_?

\_\_\_\_\_ know if \_\_\_\_\_ an \_\_\_\_\_ concession will not affect \_\_\_\_\_ operation.

\_\_\_\_\_ an \_\_\_\_\_ if I say \_\_\_\_\_?

\_\_\_\_\_ application still run \_\_\_\_\_ even \_\_\_\_\_ you \_\_\_\_\_ its \_\_\_\_\_ rights?

\_\_\_\_\_ the normal \_\_\_\_\_ the application \_\_\_\_\_ if \_\_\_\_\_ deny it \_\_\_\_\_?  
 \_\_\_\_\_ you assure \_\_\_\_\_ declining \_\_\_\_\_ application's \_\_\_\_\_ not affect \_\_\_\_\_ operation?  
 \_\_\_\_\_ a requested approval will \_\_\_\_\_ normal functioning of \_\_\_\_\_ restrict certain features enough to \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ no \_\_\_\_\_ permission \_\_\_\_\_ will the app \_\_\_\_\_?  
 Will the \_\_\_\_\_ be impacted \_\_\_\_\_ refuse \_\_\_\_\_ request?  
 \_\_\_\_\_ will \_\_\_\_\_ reject \_\_\_\_\_ authorization for this \_\_\_\_\_ app?  
 \_\_\_\_\_ apps \_\_\_\_\_ their permission requests are \_\_\_\_\_?  
 When \_\_\_\_\_ app's permission request, can \_\_\_\_\_ confirm \_\_\_\_\_ it'll \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ how well \_\_\_\_\_ functions if I \_\_\_\_\_ permission?  
 \_\_\_\_\_ a requested \_\_\_\_\_ will it prevent normal \_\_\_\_\_ of the \_\_\_\_\_ features?  
 \_\_\_\_\_ it work \_\_\_\_\_ I \_\_\_\_\_ its \_\_\_\_\_?  
 Can the \_\_\_\_\_ fully \_\_\_\_\_ if \_\_\_\_\_ denied?  
 \_\_\_\_\_ there \_\_\_\_\_ issues \_\_\_\_\_ the functioning \_\_\_\_\_ app if \_\_\_\_\_ access?  
 Will \_\_\_\_\_ be impacted \_\_\_\_\_ I \_\_\_\_\_ permission?  
 Will \_\_\_\_\_ function of the \_\_\_\_\_ if I \_\_\_\_\_ grant \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ no to \_\_\_\_\_ and \_\_\_\_\_ up the app?  
 \_\_\_\_\_ I say \_\_\_\_\_ to \_\_\_\_\_ permission \_\_\_\_\_ still work?  
 Do \_\_\_\_\_ how \_\_\_\_\_ an application's \_\_\_\_\_ affect \_\_\_\_\_ smooth operation?  
 Will \_\_\_\_\_ function \_\_\_\_\_ if \_\_\_\_\_ deny \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ great if I \_\_\_\_\_ permission?  
 \_\_\_\_\_ refusal of \_\_\_\_\_ permission request \_\_\_\_\_ the performance \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ app \_\_\_\_\_ or be \_\_\_\_\_ if I \_\_\_\_\_ it \_\_\_\_\_ permission \_\_\_\_\_?  
 Will \_\_\_\_\_ work \_\_\_\_\_ refuse \_\_\_\_\_ permission demand?  
 Will \_\_\_\_\_ if I \_\_\_\_\_ requests?  
 \_\_\_\_\_ an \_\_\_\_\_ if I \_\_\_\_\_ their permission demand?  
 \_\_\_\_\_ a permission \_\_\_\_\_ impact \_\_\_\_\_ the application's \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ if I \_\_\_\_\_ a permission request?  
 Will the \_\_\_\_\_ if \_\_\_\_\_ don't allow \_\_\_\_\_?  
 \_\_\_\_\_ the app \_\_\_\_\_ if I don't \_\_\_\_\_ permission?  
 \_\_\_\_\_ app \_\_\_\_\_ if I \_\_\_\_\_ permission?  
 \_\_\_\_\_ the application \_\_\_\_\_ properly if \_\_\_\_\_ is \_\_\_\_\_ privileges?  
 Can app \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_?  
 Will the \_\_\_\_\_ still \_\_\_\_\_ deny \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ work if I \_\_\_\_\_ permission request?  
 Can \_\_\_\_\_ app retain its \_\_\_\_\_ I \_\_\_\_\_ its \_\_\_\_\_?  
 \_\_\_\_\_ happens \_\_\_\_\_ I \_\_\_\_\_ the \_\_\_\_\_ that app?  
 Can an \_\_\_\_\_ operability if \_\_\_\_\_ decline its \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ still \_\_\_\_\_ properly if I deny \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ if \_\_\_\_\_ the request?  
 Will the \_\_\_\_\_ if \_\_\_\_\_ grant \_\_\_\_\_ do so?  
 \_\_\_\_\_ app \_\_\_\_\_ a permission, \_\_\_\_\_ it remain fully \_\_\_\_\_?  
 What \_\_\_\_\_ happen if I reject \_\_\_\_\_ app?  
 \_\_\_\_\_ an \_\_\_\_\_ still \_\_\_\_\_ if you decline its \_\_\_\_\_?  
 Will the \_\_\_\_\_ or be \_\_\_\_\_ if \_\_\_\_\_ deny it \_\_\_\_\_?  
 If I \_\_\_\_\_ permission requests, \_\_\_\_\_ work?  
 If I \_\_\_\_\_ will it work \_\_\_\_\_?  
 What \_\_\_\_\_ happen \_\_\_\_\_ I \_\_\_\_\_ the application's \_\_\_\_\_ for \_\_\_\_\_?  
 \_\_\_\_\_ app work normally \_\_\_\_\_ I \_\_\_\_\_ its \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ work if \_\_\_\_\_ do \_\_\_\_\_ approve its \_\_\_\_\_?  
 Does \_\_\_\_\_ request affect \_\_\_\_\_ the \_\_\_\_\_ works?

\_\_\_\_ I reject an \_\_\_\_ for this particular \_\_\_\_ \_\_\_\_ \_\_\_\_?

\_\_\_\_ you certain that \_\_\_\_ application's \_\_\_\_ not \_\_\_\_ its smooth \_\_\_\_?

\_\_\_\_ rejecting \_\_\_\_ permission request \_\_\_\_ to affect \_\_\_\_ performance?

Will the app \_\_\_\_ a permission \_\_\_\_ denied?

If I reject \_\_\_\_ what \_\_\_\_ the app?

\_\_\_\_ a \_\_\_\_ of \_\_\_\_ app's functions?

Does denying \_\_\_\_ affect how \_\_\_\_ \_\_\_\_?

\_\_\_\_ work even if I don't \_\_\_\_ with \_\_\_\_?

How \_\_\_\_ the \_\_\_\_ I \_\_\_\_ grant permission?

\_\_\_\_ the \_\_\_\_ correctly if I deny \_\_\_\_ request?

If \_\_\_\_ reject \_\_\_\_ app's \_\_\_\_ will \_\_\_\_ to its performance?

What \_\_\_\_ reject an authorization for \_\_\_\_?

Does an \_\_\_\_ smoothly \_\_\_\_ its access rights?

\_\_\_\_ permission request affect the \_\_\_\_ of \_\_\_\_ app?

Is \_\_\_\_ prevent \_\_\_\_ functioning of \_\_\_\_ software \_\_\_\_ deny approval?

\_\_\_\_ it possible to \_\_\_\_ operability \_\_\_\_ the app's permission?

Do apps work \_\_\_\_ denied \_\_\_\_?

Can \_\_\_\_ say no to them?

\_\_\_\_ decline an \_\_\_\_ concession, \_\_\_\_ it affect its \_\_\_\_?

Will the app still \_\_\_\_ I deny \_\_\_\_?

Will \_\_\_\_ to \_\_\_\_ if \_\_\_\_ refuse \_\_\_\_ app's demand?

Is the \_\_\_\_ operational in case of \_\_\_\_?

Will the \_\_\_\_ if \_\_\_\_ it?

Will \_\_\_\_ functioning \_\_\_\_ an app's demand?

\_\_\_\_ I \_\_\_\_ an \_\_\_\_ for this \_\_\_\_ will happen?

\_\_\_\_ the app \_\_\_\_ it is denied \_\_\_\_?

Is \_\_\_\_ for \_\_\_\_ functions of the app?

\_\_\_\_ the application \_\_\_\_ well if \_\_\_\_ decline it's \_\_\_\_?

\_\_\_\_ an issue with \_\_\_\_ of the app \_\_\_\_ is denied \_\_\_\_?

\_\_\_\_ how \_\_\_\_ app works if \_\_\_\_ don't grant permission?

\_\_\_\_ the app \_\_\_\_ I don't \_\_\_\_?

\_\_\_\_ apps \_\_\_\_ working \_\_\_\_ requests are declined?

Can denying \_\_\_\_ for \_\_\_\_ in terms of \_\_\_\_ capabilities?

Does \_\_\_\_ no \_\_\_\_ functioning of \_\_\_\_?

I'm \_\_\_\_ if \_\_\_\_ will \_\_\_\_ I say no.

\_\_\_\_ denied \_\_\_\_ let the \_\_\_\_ work?

Is \_\_\_\_ still running \_\_\_\_ if \_\_\_\_ decline access \_\_\_\_?

\_\_\_\_ permission \_\_\_\_ affect the \_\_\_\_ function?

Will the \_\_\_\_ function \_\_\_\_ in \_\_\_\_ way if I \_\_\_\_ permission?

\_\_\_\_ app's permission request going \_\_\_\_ affect \_\_\_\_ performance?

Will the app work \_\_\_\_ permission request?

Can denying \_\_\_\_ apps \_\_\_\_ no problems in \_\_\_\_ performance \_\_\_\_?

If \_\_\_\_ decline \_\_\_\_ the \_\_\_\_ it still maintain \_\_\_\_ operability?

\_\_\_\_ saying \_\_\_\_ the app's \_\_\_\_ affect its \_\_\_\_ anyhow?

\_\_\_\_ denies a \_\_\_\_ functioning \_\_\_\_ the software or limit certain features?

Even if \_\_\_\_ to \_\_\_\_ request, can \_\_\_\_ app work?

Will the \_\_\_\_ function be \_\_\_\_ refuse permission?

\_\_\_\_ still work \_\_\_\_ say no \_\_\_\_ it?

Can the \_\_\_\_ work after \_\_\_\_ say \_\_\_\_ requests?

\_\_\_\_ no to \_\_\_\_ request, \_\_\_\_ the app work?

\_\_\_\_\_ permission \_\_\_\_\_ of the application?

\_\_\_\_\_ the app function if \_\_\_\_\_ don't \_\_\_\_\_?

Will denying a requested \_\_\_\_\_ prevent \_\_\_\_\_ of the software \_\_\_\_\_ certain \_\_\_\_\_ that \_\_\_\_\_ it hard \_\_\_\_\_ use \_\_\_\_\_?

Do \_\_\_\_\_ a request will prevent \_\_\_\_\_ functioning of the software \_\_\_\_\_?

\_\_\_\_\_ rejecting a \_\_\_\_\_ affect the \_\_\_\_\_ the \_\_\_\_\_ works?

\_\_\_\_\_ work even \_\_\_\_\_ I don't want \_\_\_\_\_ to?

I \_\_\_\_\_ wondering \_\_\_\_\_ the \_\_\_\_\_ work \_\_\_\_\_ I say \_\_\_\_\_.

Will \_\_\_\_\_ app \_\_\_\_\_ after I say \_\_\_\_\_ permission \_\_\_\_\_?

Can \_\_\_\_\_ permission for apps have \_\_\_\_\_ of performance \_\_\_\_\_?

What will \_\_\_\_\_ if \_\_\_\_\_ permission?

Does \_\_\_\_\_ application still run \_\_\_\_\_ you \_\_\_\_\_ its \_\_\_\_\_?

\_\_\_\_\_ I say \_\_\_\_\_ its \_\_\_\_\_ requests, will \_\_\_\_\_ app \_\_\_\_\_ well?

\_\_\_\_\_ denying \_\_\_\_\_ permission request affect \_\_\_\_\_?

\_\_\_\_\_ you know if \_\_\_\_\_ application's concession \_\_\_\_\_ affect its \_\_\_\_\_?

Will I \_\_\_\_\_ the \_\_\_\_\_ the app if I \_\_\_\_\_?

Will \_\_\_\_\_ app \_\_\_\_\_ if \_\_\_\_\_?

Will \_\_\_\_\_ I say no?

If I say \_\_\_\_\_ to the \_\_\_\_\_ work well?

Are declining an \_\_\_\_\_ going to affect \_\_\_\_\_?

\_\_\_\_\_ decline permission \_\_\_\_\_ the \_\_\_\_\_ can \_\_\_\_\_ its operability?

\_\_\_\_\_ app \_\_\_\_\_ able to work \_\_\_\_\_ I decline \_\_\_\_\_?

Is it \_\_\_\_\_ to work when their \_\_\_\_\_ are \_\_\_\_\_?

Do denying \_\_\_\_\_ affect \_\_\_\_\_ features?

\_\_\_\_\_ permission \_\_\_\_\_ ok for the \_\_\_\_\_ function?

If \_\_\_\_\_ the \_\_\_\_\_ what happens to \_\_\_\_\_ performance?

\_\_\_\_\_ if I deny authorization \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ the requested permission?

Is rejecting a \_\_\_\_\_ request \_\_\_\_\_ works?

Will \_\_\_\_\_ work if I \_\_\_\_\_ the demand?

\_\_\_\_\_ the app \_\_\_\_\_ normally \_\_\_\_\_ reject the permission \_\_\_\_\_?

\_\_\_\_\_ app \_\_\_\_\_ even if \_\_\_\_\_ is denied?

\_\_\_\_\_ the \_\_\_\_\_ normally if \_\_\_\_\_ don't \_\_\_\_\_ it's \_\_\_\_\_ demand?

Yes, \_\_\_\_\_ denied \_\_\_\_\_ allow \_\_\_\_\_ of the \_\_\_\_\_?

\_\_\_\_\_ still \_\_\_\_\_ well if you decline its \_\_\_\_\_?

Will the app \_\_\_\_\_ to the \_\_\_\_\_ request?

If \_\_\_\_\_ decline the \_\_\_\_\_ it retain \_\_\_\_\_ operability?

\_\_\_\_\_ denying \_\_\_\_\_ affect app \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ function \_\_\_\_\_ problems if I deny \_\_\_\_\_?

How well \_\_\_\_\_ app \_\_\_\_\_ refuse \_\_\_\_\_ requests.

Is denying \_\_\_\_\_ the \_\_\_\_\_ functions?

\_\_\_\_\_ affect \_\_\_\_\_ functioning of \_\_\_\_\_ app?

\_\_\_\_\_ know \_\_\_\_\_ declining an \_\_\_\_\_ affect its operation?

\_\_\_\_\_ work \_\_\_\_\_ don't approve?

Will the app \_\_\_\_\_ if \_\_\_\_\_ don't \_\_\_\_\_?

\_\_\_\_\_ denying \_\_\_\_\_ potentially operate with \_\_\_\_\_ drawbacks in \_\_\_\_\_ of \_\_\_\_\_ and \_\_\_\_\_?

Will denying a \_\_\_\_\_ normal \_\_\_\_\_ the software \_\_\_\_\_ restrict certain \_\_\_\_\_ so \_\_\_\_\_ not usable?

Do denying \_\_\_\_\_ permission \_\_\_\_\_ the \_\_\_\_\_?

Will the \_\_\_\_\_ I decline a \_\_\_\_\_ request?

Will \_\_\_\_\_ app work \_\_\_\_\_ if \_\_\_\_\_ the \_\_\_\_\_ demand?

Will \_\_\_\_\_ if I don't \_\_\_\_\_ to \_\_\_\_\_?



Will \_\_\_\_\_ my refusal of a permission request?

\_\_\_\_\_ denying a requested \_\_\_\_\_ will prevent \_\_\_\_\_ functioning of the software or restrict \_\_\_\_\_ hard use?

Will \_\_\_\_\_ if I \_\_\_\_\_ permission?

\_\_\_\_\_ the app \_\_\_\_\_ deny permission?

\_\_\_\_\_ refusing permission affect \_\_\_\_\_ the \_\_\_\_\_?

Will the app \_\_\_\_\_ operational \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ permission still \_\_\_\_\_ of allowing \_\_\_\_\_ function of \_\_\_\_\_?

\_\_\_\_\_ app function \_\_\_\_\_ if \_\_\_\_\_ deny access?

Will the app \_\_\_\_\_ I \_\_\_\_\_ to \_\_\_\_\_ permission \_\_\_\_\_?

Do \_\_\_\_\_ denying a \_\_\_\_\_ approval \_\_\_\_\_ the software or \_\_\_\_\_ features enough to make \_\_\_\_\_ difficult to \_\_\_\_\_?

Is the \_\_\_\_\_ still functional \_\_\_\_\_ no to \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ I \_\_\_\_\_ it?

\_\_\_\_\_ denying permission \_\_\_\_\_ allow \_\_\_\_\_ function \_\_\_\_\_ app?

If \_\_\_\_\_ the app's \_\_\_\_\_ can it maintain \_\_\_\_\_?

Do apps \_\_\_\_\_ work after \_\_\_\_\_?

\_\_\_\_\_ of an app's permission request \_\_\_\_\_ not?

Will \_\_\_\_\_ of a \_\_\_\_\_ request affect \_\_\_\_\_ app's \_\_\_\_\_?

Do \_\_\_\_\_ run \_\_\_\_\_ after you \_\_\_\_\_ the access?

\_\_\_\_\_ impacted by my refusal \_\_\_\_\_ grant permission?

Will it function \_\_\_\_\_ if \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ if I say \_\_\_\_\_?

Denying a \_\_\_\_\_ won't \_\_\_\_\_ performance?

\_\_\_\_\_ permission \_\_\_\_\_ apps \_\_\_\_\_ operate \_\_\_\_\_ in terms of performance?

\_\_\_\_\_ the app limited \_\_\_\_\_ any way \_\_\_\_\_ the permission \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ continue working normally \_\_\_\_\_ its \_\_\_\_\_ demand?

\_\_\_\_\_ declining permission \_\_\_\_\_ app in \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ the event \_\_\_\_\_ permission is \_\_\_\_\_?

\_\_\_\_\_ the app be \_\_\_\_\_ operational \_\_\_\_\_ denial?

\_\_\_\_\_ denying permission \_\_\_\_\_ any way?

\_\_\_\_\_ smoothly the \_\_\_\_\_ runs \_\_\_\_\_ I \_\_\_\_\_ requests?

Will \_\_\_\_\_ work normally if \_\_\_\_\_ it's \_\_\_\_\_ demand?

\_\_\_\_\_ rejecting \_\_\_\_\_ permission \_\_\_\_\_ the app's \_\_\_\_\_?

\_\_\_\_\_ work if \_\_\_\_\_ its permission?

\_\_\_\_\_ the \_\_\_\_\_ affected by my refusal \_\_\_\_\_ a permission \_\_\_\_\_?

\_\_\_\_\_ decline a \_\_\_\_\_ the \_\_\_\_\_ work well?

If \_\_\_\_\_ decline permission, \_\_\_\_\_ maintain its \_\_\_\_\_?

\_\_\_\_\_ work even if I \_\_\_\_\_?

\_\_\_\_\_ permission \_\_\_\_\_ affect \_\_\_\_\_ app's performance?

\_\_\_\_\_ rejecting the \_\_\_\_\_ app's performance?

Is it \_\_\_\_\_ for an app to \_\_\_\_\_ decline \_\_\_\_\_?

\_\_\_\_\_ app \_\_\_\_\_ to \_\_\_\_\_ I deny permission?

If I \_\_\_\_\_ app still work?

\_\_\_\_\_ still work \_\_\_\_\_ I say \_\_\_\_\_?

Can the app \_\_\_\_\_ do not want \_\_\_\_\_?

If I \_\_\_\_\_ the \_\_\_\_\_ requested permission, \_\_\_\_\_ its \_\_\_\_\_ like?

\_\_\_\_\_ app \_\_\_\_\_ normally if \_\_\_\_\_ refuse \_\_\_\_\_ permission demands?

Can \_\_\_\_\_ function if \_\_\_\_\_ grant \_\_\_\_\_?

\_\_\_\_\_ rejecting \_\_\_\_\_ how the application \_\_\_\_\_?

Will \_\_\_\_\_ app \_\_\_\_\_ if \_\_\_\_\_ don't \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ be operational if \_\_\_\_\_ ?

Do \_\_\_\_\_ concession will not affect its smooth \_\_\_\_\_ ?

Can \_\_\_\_\_ even if \_\_\_\_\_ decline?

\_\_\_\_\_ affect \_\_\_\_\_ proper functioning of \_\_\_\_\_ app.

Can denied permission \_\_\_\_\_ to \_\_\_\_\_ functions of \_\_\_\_\_ ?

Should \_\_\_\_\_ work \_\_\_\_\_ I \_\_\_\_\_ permission?

Is \_\_\_\_\_ still usable \_\_\_\_\_ requests \_\_\_\_\_ declined?

Will the \_\_\_\_\_ functioning \_\_\_\_\_ permission \_\_\_\_\_ denied?

\_\_\_\_\_ it \_\_\_\_\_ prevent normal functioning \_\_\_\_\_ the \_\_\_\_\_ or restrict \_\_\_\_\_ if you \_\_\_\_\_ request?

\_\_\_\_\_ the app \_\_\_\_\_ if I say \_\_\_\_\_ to \_\_\_\_\_ ?

Does the \_\_\_\_\_ run \_\_\_\_\_ well \_\_\_\_\_ can \_\_\_\_\_ you decline \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ if I \_\_\_\_\_ it?

\_\_\_\_\_ it possible \_\_\_\_\_ an application to \_\_\_\_\_ full \_\_\_\_\_ decline \_\_\_\_\_ ?

Can denying permission \_\_\_\_\_ apps \_\_\_\_\_ them \_\_\_\_\_ terms of performance?

\_\_\_\_\_ to work if I \_\_\_\_\_ permission?

\_\_\_\_\_ I \_\_\_\_\_ permission will \_\_\_\_\_ work?

\_\_\_\_\_ denied \_\_\_\_\_ to \_\_\_\_\_ normal functioning of \_\_\_\_\_ app?

\_\_\_\_\_ I \_\_\_\_\_ permission, will \_\_\_\_\_ app \_\_\_\_\_ ?

\_\_\_\_\_ I decline \_\_\_\_\_ access, can \_\_\_\_\_ maintain \_\_\_\_\_ operability?

Is \_\_\_\_\_ still possible \_\_\_\_\_ use an \_\_\_\_\_ its \_\_\_\_\_ rights?

\_\_\_\_\_ the app function \_\_\_\_\_ I deny \_\_\_\_\_ permission?

\_\_\_\_\_ work \_\_\_\_\_ I don't allow \_\_\_\_\_ ?

\_\_\_\_\_ app work without \_\_\_\_\_ if \_\_\_\_\_ permission?

Should the \_\_\_\_\_ I \_\_\_\_\_ no to \_\_\_\_\_ requests?

Does \_\_\_\_\_ no \_\_\_\_\_ functionality \_\_\_\_\_ app?

Do \_\_\_\_\_ requests have been declined?

\_\_\_\_\_ my decision to deny access \_\_\_\_\_ any \_\_\_\_\_ ?

\_\_\_\_\_ I \_\_\_\_\_ a \_\_\_\_\_ request for an application, \_\_\_\_\_ it function \_\_\_\_\_ ?

\_\_\_\_\_ no to \_\_\_\_\_ permission, can \_\_\_\_\_ app \_\_\_\_\_ work?

\_\_\_\_\_ would happen if \_\_\_\_\_ app \_\_\_\_\_ ?

Can \_\_\_\_\_ permissions for \_\_\_\_\_ allow \_\_\_\_\_ without drawbacks?

Do \_\_\_\_\_ permission \_\_\_\_\_ the \_\_\_\_\_ ?

\_\_\_\_\_ it possible \_\_\_\_\_ maintain operability if \_\_\_\_\_ permission?

\_\_\_\_\_ permission requests are \_\_\_\_\_ their apps \_\_\_\_\_ ?

If \_\_\_\_\_ permission for \_\_\_\_\_ application, will \_\_\_\_\_ still \_\_\_\_\_ properly?

\_\_\_\_\_ a permission request \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ ?

Do \_\_\_\_\_ the \_\_\_\_\_ still \_\_\_\_\_ if you \_\_\_\_\_ access rights?

\_\_\_\_\_ function if I \_\_\_\_\_ Permission?

\_\_\_\_\_ an \_\_\_\_\_ permission, will \_\_\_\_\_ affect its normal \_\_\_\_\_ ?

\_\_\_\_\_ the appwork \_\_\_\_\_ deny \_\_\_\_\_ ?

Will app \_\_\_\_\_ if it \_\_\_\_\_ ?

\_\_\_\_\_ the \_\_\_\_\_ function unaffected \_\_\_\_\_ permission?

Does it affect \_\_\_\_\_ app runs \_\_\_\_\_ permission?

\_\_\_\_\_ denying a permission \_\_\_\_\_ this \_\_\_\_\_ ?

Should the app \_\_\_\_\_ I \_\_\_\_\_ no to \_\_\_\_\_ ?

\_\_\_\_\_ denying \_\_\_\_\_ apps allow \_\_\_\_\_ to operate \_\_\_\_\_ drawbacks?

Does saying \_\_\_\_\_ of this \_\_\_\_\_ ?

\_\_\_\_\_ app \_\_\_\_\_ I said \_\_\_\_\_ to the permission \_\_\_\_\_ ?

\_\_\_\_\_ denying the permission \_\_\_\_\_ application's \_\_\_\_\_ ?

How smooth \_\_\_\_\_ runs \_\_\_\_\_ permission requests?

Will the \_\_\_\_\_ well \_\_\_\_\_ don't \_\_\_\_\_ it?

Will my \_\_\_\_\_ I refuse the \_\_\_\_\_?

\_\_\_\_\_ app \_\_\_\_\_ functional \_\_\_\_\_ case of \_\_\_\_\_ denial of \_\_\_\_\_?

\_\_\_\_\_ I deny \_\_\_\_\_ for an application, \_\_\_\_\_ properly \_\_\_\_\_ be limited?

\_\_\_\_\_ still function correctly if I \_\_\_\_\_ a \_\_\_\_\_?

Will \_\_\_\_\_ function \_\_\_\_\_ problems \_\_\_\_\_ I deny access \_\_\_\_\_?

Will the \_\_\_\_\_ with \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ I refuse \_\_\_\_\_ demand?

\_\_\_\_\_ the \_\_\_\_\_ work \_\_\_\_\_ I \_\_\_\_\_ a \_\_\_\_\_ request?

\_\_\_\_\_ of \_\_\_\_\_ permission affect the \_\_\_\_\_ function?

\_\_\_\_\_ this stupid app \_\_\_\_\_ if I \_\_\_\_\_ its permissions?

Will the application \_\_\_\_\_ properly \_\_\_\_\_ I \_\_\_\_\_ it's \_\_\_\_\_?

Will the \_\_\_\_\_ the \_\_\_\_\_ denied?

Will the app \_\_\_\_\_ without \_\_\_\_\_ I deny \_\_\_\_\_?

Does denying \_\_\_\_\_ affect \_\_\_\_\_ works?

Can \_\_\_\_\_ permission for apps work without \_\_\_\_\_ of \_\_\_\_\_?

Do \_\_\_\_\_ know if \_\_\_\_\_ concession won't \_\_\_\_\_ smooth \_\_\_\_\_?

Can \_\_\_\_\_ permission for apps allow \_\_\_\_\_ work \_\_\_\_\_ drawbacks in terms \_\_\_\_\_?

\_\_\_\_\_ denying \_\_\_\_\_ affect \_\_\_\_\_ application's function?

When \_\_\_\_\_ are \_\_\_\_\_ do \_\_\_\_\_ still work?

Will the app be \_\_\_\_\_ request is \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ work even \_\_\_\_\_ agree?

\_\_\_\_\_ the app work fine if \_\_\_\_\_ say \_\_\_\_\_?

\_\_\_\_\_ denying \_\_\_\_\_ affect \_\_\_\_\_ app's \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ problems if \_\_\_\_\_ deny permission?

Is \_\_\_\_\_ normally if I \_\_\_\_\_ its \_\_\_\_\_ demand?

Does it \_\_\_\_\_ well if \_\_\_\_\_ the \_\_\_\_\_?

Will my \_\_\_\_\_ of \_\_\_\_\_ limitations \_\_\_\_\_ the application?

Will it \_\_\_\_\_ if \_\_\_\_\_ refuse \_\_\_\_\_?

Will denying \_\_\_\_\_ app works?

\_\_\_\_\_ the app usable \_\_\_\_\_ deny \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ remain \_\_\_\_\_ if \_\_\_\_\_ permission?

\_\_\_\_\_ the \_\_\_\_\_ work normally \_\_\_\_\_ I refuse to \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ app \_\_\_\_\_ if \_\_\_\_\_ deny access?

Will the app's functionality \_\_\_\_\_ affected if \_\_\_\_\_ request?

Do \_\_\_\_\_ impact how \_\_\_\_\_ the \_\_\_\_\_ by \_\_\_\_\_ requests?

\_\_\_\_\_ their permission \_\_\_\_\_ do \_\_\_\_\_ still work?

Do \_\_\_\_\_ an \_\_\_\_\_ will not affect its \_\_\_\_\_ operation?

\_\_\_\_\_ I \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ app \_\_\_\_\_ don't grant permission?

Will \_\_\_\_\_ an app's \_\_\_\_\_ have an \_\_\_\_\_ performance?

Will my refusal \_\_\_\_\_ the \_\_\_\_\_?

Is denying \_\_\_\_\_ still \_\_\_\_\_ allow \_\_\_\_\_ functions \_\_\_\_\_ app?

\_\_\_\_\_ it \_\_\_\_\_ the app \_\_\_\_\_ don't grant \_\_\_\_\_?

\_\_\_\_\_ the app still \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ deny permission?

Is there \_\_\_\_\_ with \_\_\_\_\_ of \_\_\_\_\_ if access is \_\_\_\_\_?

Will the \_\_\_\_\_ as well if \_\_\_\_\_ permission?

Will \_\_\_\_\_ function \_\_\_\_\_ impacted \_\_\_\_\_ a permission request?

Should \_\_\_\_\_ app \_\_\_\_\_ if \_\_\_\_\_ decline \_\_\_\_\_?

Will the app \_\_\_\_\_ I \_\_\_\_\_ permission?

\_\_\_\_\_ my \_\_\_\_\_ of a \_\_\_\_\_ request \_\_\_\_\_ in any way?

\_\_\_\_\_ no restrict the \_\_\_\_\_?  
 \_\_\_\_\_ flawless if I decline \_\_\_\_\_?  
 \_\_\_\_\_ app still \_\_\_\_\_ I \_\_\_\_\_ permission?  
 If \_\_\_\_\_ refuse \_\_\_\_\_ app permission \_\_\_\_\_?  
 \_\_\_\_\_ the app \_\_\_\_\_ even \_\_\_\_\_ I \_\_\_\_\_ no \_\_\_\_\_ it?  
 Is denied \_\_\_\_\_ to \_\_\_\_\_ normalFunctionality \_\_\_\_\_ app?  
 \_\_\_\_\_ no to its \_\_\_\_\_ requests, will \_\_\_\_\_ work alright?  
 \_\_\_\_\_ the \_\_\_\_\_ be fully \_\_\_\_\_ in \_\_\_\_\_ denying permission?  
 Will the \_\_\_\_\_ if \_\_\_\_\_ get \_\_\_\_\_?  
 \_\_\_\_\_ app remain fully operational \_\_\_\_\_ of a denial \_\_\_\_\_?  
 Does the \_\_\_\_\_ well if you \_\_\_\_\_ access?  
 \_\_\_\_\_ app remain \_\_\_\_\_ the event of a \_\_\_\_\_?  
 What \_\_\_\_\_ happen if I \_\_\_\_\_ for the \_\_\_\_\_?  
 \_\_\_\_\_ permission request affect it?  
 What will happen \_\_\_\_\_ authorization \_\_\_\_\_ this app?  
 Is \_\_\_\_\_ for an \_\_\_\_\_ to maintain \_\_\_\_\_ if I \_\_\_\_\_.  
 \_\_\_\_\_ the app work \_\_\_\_\_ if \_\_\_\_\_?  
 \_\_\_\_\_ app operability if \_\_\_\_\_ its \_\_\_\_\_?  
 Is denying \_\_\_\_\_ requested \_\_\_\_\_ likely \_\_\_\_\_ prevent normal \_\_\_\_\_ of \_\_\_\_\_ software or \_\_\_\_\_ certain \_\_\_\_\_ significantly \_\_\_\_\_ to \_\_\_\_\_  
 \_\_\_\_\_ experience?  
 \_\_\_\_\_ possible for \_\_\_\_\_ of \_\_\_\_\_ for \_\_\_\_\_ to operate without \_\_\_\_\_?  
 \_\_\_\_\_ the app functions will be affected \_\_\_\_\_.  
 \_\_\_\_\_ denying a \_\_\_\_\_ approval \_\_\_\_\_ prevent normal functioning \_\_\_\_\_ the \_\_\_\_\_ or \_\_\_\_\_ certain \_\_\_\_\_?  
 What \_\_\_\_\_ don't accept an \_\_\_\_\_ permission?  
 \_\_\_\_\_ for \_\_\_\_\_ app \_\_\_\_\_ even if I say no?  
 Is \_\_\_\_\_ app able to \_\_\_\_\_ if \_\_\_\_\_?  
 If \_\_\_\_\_ no to \_\_\_\_\_ permission request, \_\_\_\_\_ app \_\_\_\_\_ well?  
 \_\_\_\_\_ the running of \_\_\_\_\_ if I \_\_\_\_\_ permission?  
 \_\_\_\_\_ rejecting an app's \_\_\_\_\_ affect \_\_\_\_\_?  
 Will \_\_\_\_\_ app \_\_\_\_\_ fully functioning in \_\_\_\_\_ denial \_\_\_\_\_?  
 If I \_\_\_\_\_ the \_\_\_\_\_ asks for \_\_\_\_\_ it \_\_\_\_\_ out?  
 \_\_\_\_\_ denying a \_\_\_\_\_ request \_\_\_\_\_ use?  
 \_\_\_\_\_ will \_\_\_\_\_ if \_\_\_\_\_ decline an \_\_\_\_\_ request for \_\_\_\_\_?  
 Will the \_\_\_\_\_ work \_\_\_\_\_ I \_\_\_\_\_ demand.  
 Will \_\_\_\_\_ if \_\_\_\_\_ deny \_\_\_\_\_?  
 \_\_\_\_\_ permission, can \_\_\_\_\_ app remain operability?  
 \_\_\_\_\_ the \_\_\_\_\_ works if \_\_\_\_\_ don't grant the permission?  
 \_\_\_\_\_ the app \_\_\_\_\_ normal functions despite \_\_\_\_\_?  
 If \_\_\_\_\_ denies a \_\_\_\_\_ approval, will it \_\_\_\_\_ normal \_\_\_\_\_ or \_\_\_\_\_ certain features significantly?  
 \_\_\_\_\_ the \_\_\_\_\_ of the application \_\_\_\_\_ if I give it \_\_\_\_\_?  
 Will the app \_\_\_\_\_ without \_\_\_\_\_ if \_\_\_\_\_ deny \_\_\_\_\_?  
 \_\_\_\_\_ request affect the application's \_\_\_\_\_?  
 \_\_\_\_\_ work if \_\_\_\_\_ don't \_\_\_\_\_ access?  
 \_\_\_\_\_ the application still \_\_\_\_\_ well \_\_\_\_\_ you \_\_\_\_\_ access \_\_\_\_\_?  
 Will \_\_\_\_\_ work as it should if \_\_\_\_\_?  
 \_\_\_\_\_ denied permission \_\_\_\_\_ of the \_\_\_\_\_?  
 Will \_\_\_\_\_ app \_\_\_\_\_ I deny \_\_\_\_\_?  
 \_\_\_\_\_ my refusal \_\_\_\_\_ permission affect \_\_\_\_\_ well the \_\_\_\_\_?  
 \_\_\_\_\_ I say \_\_\_\_\_ the \_\_\_\_\_ well?  
 \_\_\_\_\_ I reject the \_\_\_\_\_ authorization, \_\_\_\_\_?  
 \_\_\_\_\_ no affect \_\_\_\_\_ ability of \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ the app's \_\_\_\_\_ permission?

Will \_\_\_\_\_ continue to function if I \_\_\_\_\_?

\_\_\_\_\_ the application \_\_\_\_\_ I \_\_\_\_\_ no?

Can denying permission still \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ happens to the app's \_\_\_\_\_?

Will the \_\_\_\_\_ work \_\_\_\_\_ I \_\_\_\_\_ demands?

Do the \_\_\_\_\_ run \_\_\_\_\_ if you \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ issues if I deny access?

Will the \_\_\_\_\_ even if \_\_\_\_\_ want it?

If \_\_\_\_\_ deny \_\_\_\_\_ permission, \_\_\_\_\_ have any limitations?

\_\_\_\_\_ I \_\_\_\_\_ permission, \_\_\_\_\_ app work?

\_\_\_\_\_ the app \_\_\_\_\_ if I \_\_\_\_\_?

Is the application \_\_\_\_\_ decline the access \_\_\_\_\_?

If I \_\_\_\_\_ requested \_\_\_\_\_ what happens \_\_\_\_\_ performance?

\_\_\_\_\_ requests \_\_\_\_\_ smoothly the app runs?

\_\_\_\_\_ app's \_\_\_\_\_ will affect its \_\_\_\_\_?

\_\_\_\_\_ app \_\_\_\_\_ if \_\_\_\_\_ deny \_\_\_\_\_?

Can denied permission \_\_\_\_\_ the app?

Is it \_\_\_\_\_ no to a \_\_\_\_\_ change anything \_\_\_\_\_ this \_\_\_\_\_?

Does the \_\_\_\_\_ well if \_\_\_\_\_ permission \_\_\_\_\_ is \_\_\_\_\_?

Will refusing \_\_\_\_\_ app's functions?

Can \_\_\_\_\_ permission for \_\_\_\_\_ allow them to perform \_\_\_\_\_ terms of \_\_\_\_\_?

Will the app \_\_\_\_\_ I \_\_\_\_\_ permission \_\_\_\_\_?

\_\_\_\_\_ still function \_\_\_\_\_ if it \_\_\_\_\_ privileges?

\_\_\_\_\_ declining \_\_\_\_\_ concession won't affect \_\_\_\_\_ smooth \_\_\_\_\_?

\_\_\_\_\_ that denying \_\_\_\_\_ approval \_\_\_\_\_ prevent \_\_\_\_\_ of \_\_\_\_\_ software \_\_\_\_\_ restrict certain features too much?

If I deny permission for \_\_\_\_\_ app \_\_\_\_\_ properly \_\_\_\_\_ be \_\_\_\_\_?

Does \_\_\_\_\_ permission \_\_\_\_\_ well \_\_\_\_\_ application \_\_\_\_\_?

\_\_\_\_\_ rejecting permission \_\_\_\_\_ how \_\_\_\_\_ this \_\_\_\_\_?

\_\_\_\_\_ affects \_\_\_\_\_ smoothly the app \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ work \_\_\_\_\_ I \_\_\_\_\_ permission?

\_\_\_\_\_ app remain \_\_\_\_\_ functional \_\_\_\_\_ permission request \_\_\_\_\_ denied?

\_\_\_\_\_ the \_\_\_\_\_ I decline the permission \_\_\_\_\_?

If I turn \_\_\_\_\_ request for \_\_\_\_\_ happens?

\_\_\_\_\_ app \_\_\_\_\_ problems if I \_\_\_\_\_ access?

\_\_\_\_\_ refusing \_\_\_\_\_ permission \_\_\_\_\_ the \_\_\_\_\_ features?

If a person denies \_\_\_\_\_ request, \_\_\_\_\_ affect \_\_\_\_\_ functioning \_\_\_\_\_ software \_\_\_\_\_ restrict \_\_\_\_\_?

Can \_\_\_\_\_ for \_\_\_\_\_ be done without \_\_\_\_\_ performance \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ the application's permission, should \_\_\_\_\_ restrictions?

Will the app \_\_\_\_\_ function \_\_\_\_\_ be limited if \_\_\_\_\_?

Will \_\_\_\_\_ work after \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ if I deny access?

\_\_\_\_\_ the app's \_\_\_\_\_ impacted if \_\_\_\_\_ a request?

Even if \_\_\_\_\_ reject a \_\_\_\_\_ request, can \_\_\_\_\_?

Can \_\_\_\_\_ permission for apps \_\_\_\_\_ drawbacks \_\_\_\_\_ of performance \_\_\_\_\_?

\_\_\_\_\_ happens if \_\_\_\_\_ don't \_\_\_\_\_ the \_\_\_\_\_?

Do applications \_\_\_\_\_ work \_\_\_\_\_ not granted?

If I decline \_\_\_\_\_ app's \_\_\_\_\_ can \_\_\_\_\_ its \_\_\_\_\_?

Does \_\_\_\_\_ I say \_\_\_\_\_ to it?

Do \_\_\_\_\_ affect \_\_\_\_\_ smoothly the app runs \_\_\_\_\_ decline \_\_\_\_\_?

\_\_\_\_ it \_\_\_\_ permission \_\_\_\_ still \_\_\_\_ normal functioning of \_\_\_\_ app?  
 \_\_\_\_ still \_\_\_\_ even if \_\_\_\_ deny access?  
 Can \_\_\_\_ app function \_\_\_\_ say \_\_\_\_?  
 Will \_\_\_\_ app work \_\_\_\_ approve it?  
 \_\_\_\_ the \_\_\_\_ work if \_\_\_\_ refuse it's demand?  
 \_\_\_\_ the \_\_\_\_ without problems if \_\_\_\_ permission is \_\_\_\_?  
 Do refusal \_\_\_\_ requests \_\_\_\_ how smoothly the \_\_\_\_?  
 Will \_\_\_\_ function \_\_\_\_ I do not \_\_\_\_?  
 \_\_\_\_ the app function \_\_\_\_ I \_\_\_\_ will \_\_\_\_ be limited \_\_\_\_ any way?  
 \_\_\_\_ rejecting \_\_\_\_ permission \_\_\_\_ how \_\_\_\_ this application works?  
 \_\_\_\_ assure that \_\_\_\_ concession won't affect \_\_\_\_ operations?  
 If \_\_\_\_ say \_\_\_\_ the \_\_\_\_ requests, will the app \_\_\_\_?  
 \_\_\_\_ app \_\_\_\_ is \_\_\_\_ impact?  
 \_\_\_\_ the \_\_\_\_ work \_\_\_\_ I refuse a permission \_\_\_\_?  
 \_\_\_\_ it continue \_\_\_\_ if \_\_\_\_ permission?  
 How \_\_\_\_ app runs \_\_\_\_ I \_\_\_\_ requests?  
 Will \_\_\_\_ app's permission \_\_\_\_ performance?  
 Will \_\_\_\_ app still function \_\_\_\_ if \_\_\_\_ a \_\_\_\_?  
 Will \_\_\_\_ be fully functional \_\_\_\_ permission \_\_\_\_ denied?  
 \_\_\_\_ the \_\_\_\_ do \_\_\_\_ if \_\_\_\_ permission?  
 \_\_\_\_ application \_\_\_\_ function if \_\_\_\_ is denied \_\_\_\_?  
 Is it \_\_\_\_ still allows normal functions \_\_\_\_ app?  
 Is \_\_\_\_ still \_\_\_\_ if \_\_\_\_ its permission?  
 Will \_\_\_\_ permission \_\_\_\_ affect \_\_\_\_ of the app?  
 \_\_\_\_ declining an application's \_\_\_\_ not \_\_\_\_ operation?  
 \_\_\_\_ app still \_\_\_\_ be limited \_\_\_\_ permission for it?  
 \_\_\_\_ application still \_\_\_\_ well if \_\_\_\_ its access?  
 \_\_\_\_ permission \_\_\_\_ an \_\_\_\_ will the \_\_\_\_ still \_\_\_\_ properly or be \_\_\_\_?  
 Will the \_\_\_\_ with \_\_\_\_ problems if \_\_\_\_ deny \_\_\_\_?  
 Will the \_\_\_\_ if \_\_\_\_ permission \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ application's permission going \_\_\_\_ affect its \_\_\_\_ operations?  
 Can denying permission for \_\_\_\_ without \_\_\_\_ performance \_\_\_\_ capabilities?  
 \_\_\_\_ for \_\_\_\_ allow it to function without \_\_\_\_?  
 If \_\_\_\_ the app's requests, can it \_\_\_\_?  
 \_\_\_\_ that \_\_\_\_ still work \_\_\_\_ permission requests are \_\_\_\_ granted?  
 Will \_\_\_\_ the app's \_\_\_\_ if I \_\_\_\_ grant \_\_\_\_?  
 Will \_\_\_\_ permission \_\_\_\_ normalFunctionality \_\_\_\_ app?  
 If \_\_\_\_ say \_\_\_\_ its permission, will \_\_\_\_ work?  
 If I \_\_\_\_ the \_\_\_\_ what happens?  
 Does \_\_\_\_ application's concession will \_\_\_\_?  
 Will \_\_\_\_ work if permission \_\_\_\_?  
 \_\_\_\_ apps \_\_\_\_ their \_\_\_\_ are denied?  
 Even \_\_\_\_ say no to \_\_\_\_ can \_\_\_\_ app \_\_\_\_?  
 \_\_\_\_ I \_\_\_\_ how smooth the \_\_\_\_ runs \_\_\_\_ refuse permission \_\_\_\_?  
 \_\_\_\_ deny \_\_\_\_ will the app \_\_\_\_?  
 Will the \_\_\_\_ function \_\_\_\_ I \_\_\_\_ accessories?  
 \_\_\_\_ still allowed for the \_\_\_\_ function?  
 \_\_\_\_ it \_\_\_\_ that \_\_\_\_ will \_\_\_\_ normal functioning of the software \_\_\_\_ certain \_\_\_\_?  
 \_\_\_\_ that \_\_\_\_ a requested \_\_\_\_ will prevent \_\_\_\_ of the software \_\_\_\_ certain features enough to limit \_\_\_\_?  
 \_\_\_\_ it possible for denial \_\_\_\_ permission for apps \_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ it \_\_\_\_\_ denied?

\_\_\_\_\_ the application \_\_\_\_\_ function if \_\_\_\_\_ it \_\_\_\_\_?

Does denying a \_\_\_\_\_ capabilities?

\_\_\_\_\_ rejecting \_\_\_\_\_ change how \_\_\_\_\_ works?

Does the application still \_\_\_\_\_ you \_\_\_\_\_ access?

\_\_\_\_\_ I \_\_\_\_\_ that \_\_\_\_\_ an application's concession won't \_\_\_\_\_ operation?

\_\_\_\_\_ I \_\_\_\_\_ no \_\_\_\_\_ permission, can \_\_\_\_\_ app \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ if \_\_\_\_\_ say no to \_\_\_\_\_?

\_\_\_\_\_ permission \_\_\_\_\_ apps still work?

\_\_\_\_\_ I reject \_\_\_\_\_ permission \_\_\_\_\_ the \_\_\_\_\_ work?

What \_\_\_\_\_ happen \_\_\_\_\_ reject \_\_\_\_\_ authorization?

\_\_\_\_\_ app remain operational if \_\_\_\_\_ request \_\_\_\_\_ granted?

If I \_\_\_\_\_ the app \_\_\_\_\_ operability?

\_\_\_\_\_ an \_\_\_\_\_ still run well, \_\_\_\_\_ if \_\_\_\_\_ decline \_\_\_\_\_?

\_\_\_\_\_ permission still \_\_\_\_\_ normal functions \_\_\_\_\_ the \_\_\_\_\_?

Denying a request \_\_\_\_\_ how \_\_\_\_\_ app \_\_\_\_\_?

Is saying no to \_\_\_\_\_ not \_\_\_\_\_ to ruin \_\_\_\_\_ app?

\_\_\_\_\_ rejecting \_\_\_\_\_ permission request \_\_\_\_\_ this application \_\_\_\_\_?

Is it possible \_\_\_\_\_ denying permission \_\_\_\_\_ without \_\_\_\_\_ of \_\_\_\_\_ and capabilities?

\_\_\_\_\_ app work \_\_\_\_\_ permission?

Will \_\_\_\_\_ app \_\_\_\_\_ fine after \_\_\_\_\_?

Will the \_\_\_\_\_ working if \_\_\_\_\_ refuse \_\_\_\_\_ permission \_\_\_\_\_?

Does \_\_\_\_\_ application still function if \_\_\_\_\_ denied \_\_\_\_\_?

\_\_\_\_\_ permission \_\_\_\_\_ do apps \_\_\_\_\_ work?

\_\_\_\_\_ properly if I \_\_\_\_\_ permission?

Should the app \_\_\_\_\_ if \_\_\_\_\_?

\_\_\_\_\_ app work if \_\_\_\_\_ a permission \_\_\_\_\_?

\_\_\_\_\_ you make \_\_\_\_\_ an \_\_\_\_\_ concession won't affect its \_\_\_\_\_?

If \_\_\_\_\_ an app permission, \_\_\_\_\_?

\_\_\_\_\_ app work normally if \_\_\_\_\_ its \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ no to \_\_\_\_\_ the app work?

Is \_\_\_\_\_ app safe if \_\_\_\_\_ say \_\_\_\_\_ requests?

What happens to the app's performance \_\_\_\_\_?

Will the app \_\_\_\_\_ if \_\_\_\_\_ its permission \_\_\_\_\_?

\_\_\_\_\_ request affect \_\_\_\_\_ the application works?

Will the app \_\_\_\_\_ if \_\_\_\_\_ their \_\_\_\_\_ demands?

\_\_\_\_\_ I reject \_\_\_\_\_ authorization for the \_\_\_\_\_?

Does saying no \_\_\_\_\_ the app's \_\_\_\_\_?

Will \_\_\_\_\_ still function properly \_\_\_\_\_ I \_\_\_\_\_ them \_\_\_\_\_?

\_\_\_\_\_ does \_\_\_\_\_ affect how smoothly the app \_\_\_\_\_?

\_\_\_\_\_ the permission request affect the performance \_\_\_\_\_?

\_\_\_\_\_ the app remain fully \_\_\_\_\_ if \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ work as \_\_\_\_\_ I \_\_\_\_\_ permission?

I don't know \_\_\_\_\_ permission \_\_\_\_\_ will \_\_\_\_\_ its performance.

Can denied \_\_\_\_\_ allow \_\_\_\_\_ functionalities \_\_\_\_\_?

If \_\_\_\_\_ deny \_\_\_\_\_ an application, \_\_\_\_\_ it \_\_\_\_\_ or be \_\_\_\_\_?

\_\_\_\_\_ I decline the permission, \_\_\_\_\_ correctly?

Does \_\_\_\_\_ application \_\_\_\_\_ function after \_\_\_\_\_ has been \_\_\_\_\_?

\_\_\_\_\_ still work if I \_\_\_\_\_?

Will my \_\_\_\_\_ function \_\_\_\_\_ refuse \_\_\_\_\_ permission demand?

\_\_\_\_\_ if I \_\_\_\_\_ permission \_\_\_\_\_ this \_\_\_\_\_?

If I deny \_\_\_\_\_ work?

Will \_\_\_\_\_ app remain fully \_\_\_\_\_ request \_\_\_\_\_ denied?

Does \_\_\_\_\_ run well if \_\_\_\_\_ access \_\_\_\_\_?

\_\_\_\_\_ rejecting \_\_\_\_\_ request affect \_\_\_\_\_ any way?

Is it ok for the \_\_\_\_\_ say \_\_\_\_\_?

Will \_\_\_\_\_ app \_\_\_\_\_ if \_\_\_\_\_ requests?

\_\_\_\_\_ declining permission \_\_\_\_\_ how the \_\_\_\_\_?

\_\_\_\_\_ app remain operational \_\_\_\_\_ permission \_\_\_\_\_ denied?

Does the \_\_\_\_\_ still \_\_\_\_\_ smoothly \_\_\_\_\_ access rights?

\_\_\_\_\_ if I \_\_\_\_\_ the \_\_\_\_\_?

Do I impact \_\_\_\_\_ smooth the \_\_\_\_\_ is \_\_\_\_\_ permission \_\_\_\_\_?

\_\_\_\_\_ the app still \_\_\_\_\_ permission?

\_\_\_\_\_ work if \_\_\_\_\_ refuse the permission demand?

\_\_\_\_\_ the app remain \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ what \_\_\_\_\_ happen \_\_\_\_\_ I reject \_\_\_\_\_ request for \_\_\_\_\_?

Will \_\_\_\_\_ app function \_\_\_\_\_ deny permissions?

\_\_\_\_\_ the \_\_\_\_\_ I don't approve \_\_\_\_\_?

if I deny \_\_\_\_\_ work?

\_\_\_\_\_ the \_\_\_\_\_ an application's \_\_\_\_\_ going to mess with \_\_\_\_\_?

Will \_\_\_\_\_ continue \_\_\_\_\_ if I refuse \_\_\_\_\_ demand?

\_\_\_\_\_ tell me that \_\_\_\_\_ application's concession \_\_\_\_\_ affect \_\_\_\_\_ operation?

Can the app \_\_\_\_\_ I don't \_\_\_\_\_ it?

Yes, can \_\_\_\_\_ permission still \_\_\_\_\_ normal functions \_\_\_\_\_?

\_\_\_\_\_ denying an app's permission \_\_\_\_\_ can \_\_\_\_\_ say \_\_\_\_\_ it will \_\_\_\_\_?

Will denying a requested \_\_\_\_\_ functioning of \_\_\_\_\_ software \_\_\_\_\_ certain \_\_\_\_\_?

\_\_\_\_\_ app remain \_\_\_\_\_ the \_\_\_\_\_ request is denied?

Will the \_\_\_\_\_ in case \_\_\_\_\_ denial?

\_\_\_\_\_ the \_\_\_\_\_ remain fully functional if \_\_\_\_\_ request \_\_\_\_\_?

\_\_\_\_\_ work \_\_\_\_\_ I refuse to \_\_\_\_\_ it?

\_\_\_\_\_ denying permission \_\_\_\_\_ allow them \_\_\_\_\_ without \_\_\_\_\_ in terms \_\_\_\_\_ performance?

\_\_\_\_\_ the \_\_\_\_\_ I refuse permission?

Is it possible that denying \_\_\_\_\_ will prevent \_\_\_\_\_ of the \_\_\_\_\_ or \_\_\_\_\_?

Will the \_\_\_\_\_ as \_\_\_\_\_ if \_\_\_\_\_ permission?

\_\_\_\_\_ app work normally if I \_\_\_\_\_ demands?

\_\_\_\_\_ refusing \_\_\_\_\_ permission request \_\_\_\_\_ app's \_\_\_\_\_?

\_\_\_\_\_ decline \_\_\_\_\_ requested permissions, can \_\_\_\_\_ maintain its \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ app to keep full \_\_\_\_\_ I decline \_\_\_\_\_ permission?

\_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ I refuse the request?

If \_\_\_\_\_ say no to \_\_\_\_\_ permission \_\_\_\_\_ work?

\_\_\_\_\_ permission \_\_\_\_\_ the functioning of \_\_\_\_\_?

Will \_\_\_\_\_ affect the \_\_\_\_\_ functions?

If \_\_\_\_\_ an authorization for \_\_\_\_\_ happens?

Will the \_\_\_\_\_ I don't accept the \_\_\_\_\_?

Will \_\_\_\_\_ be \_\_\_\_\_ it is denied \_\_\_\_\_?

Will \_\_\_\_\_ app's \_\_\_\_\_ request \_\_\_\_\_ performance?

Is \_\_\_\_\_ requested \_\_\_\_\_ going \_\_\_\_\_ normal functioning \_\_\_\_\_ or restrict certain features?

\_\_\_\_\_ app \_\_\_\_\_ with declining \_\_\_\_\_?

\_\_\_\_\_ reject \_\_\_\_\_ for an app, \_\_\_\_\_ happens?

Will \_\_\_\_\_ app function \_\_\_\_\_ if \_\_\_\_\_ refuse \_\_\_\_\_ permission \_\_\_\_\_?



\_\_\_\_\_ the \_\_\_\_\_ without issues if I \_\_\_\_\_?  
 \_\_\_\_\_ a request \_\_\_\_\_ how well \_\_\_\_\_ app \_\_\_\_\_?  
 \_\_\_\_\_ refusing \_\_\_\_\_ how \_\_\_\_\_ app runs?  
 \_\_\_\_\_ what effect does \_\_\_\_\_ have on functionality?  
 \_\_\_\_\_ there any \_\_\_\_\_ with the functioning \_\_\_\_\_ if denied \_\_\_\_\_?  
 Will \_\_\_\_\_ still \_\_\_\_\_ without problems \_\_\_\_\_ I \_\_\_\_\_ permission?  
 \_\_\_\_\_ declining \_\_\_\_\_ how \_\_\_\_\_ works?  
 If I say \_\_\_\_\_ to the \_\_\_\_\_ will \_\_\_\_\_ work?  
 Will \_\_\_\_\_ of a \_\_\_\_\_ request \_\_\_\_\_ the app's \_\_\_\_\_?  
 \_\_\_\_\_ application \_\_\_\_\_ if I \_\_\_\_\_ it's permission request?  
 Will \_\_\_\_\_ normally if \_\_\_\_\_ refuse its \_\_\_\_\_ request?  
 \_\_\_\_\_ confirm \_\_\_\_\_ the app \_\_\_\_\_ keep \_\_\_\_\_ working if \_\_\_\_\_ permission?  
 \_\_\_\_\_ an \_\_\_\_\_ concession \_\_\_\_\_ affect it's smooth \_\_\_\_\_?  
 \_\_\_\_\_ say \_\_\_\_\_ to \_\_\_\_\_ is \_\_\_\_\_ app still good?  
 Will the \_\_\_\_\_ functions be \_\_\_\_\_ denied \_\_\_\_\_?  
 Does \_\_\_\_\_ still run \_\_\_\_\_ if you \_\_\_\_\_ access?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ can work if I \_\_\_\_\_?  
 Does \_\_\_\_\_ still function \_\_\_\_\_ you \_\_\_\_\_ privileges?  
 \_\_\_\_\_ reject in an app's \_\_\_\_\_ affect \_\_\_\_\_?  
 What will \_\_\_\_\_ I \_\_\_\_\_ an \_\_\_\_\_ for this \_\_\_\_\_?  
 \_\_\_\_\_ the app work, \_\_\_\_\_ if I \_\_\_\_\_ request?  
 Can \_\_\_\_\_ function be \_\_\_\_\_ access is \_\_\_\_\_?  
 \_\_\_\_\_ normally \_\_\_\_\_ refuse an app's permission request?  
 Will the \_\_\_\_\_ functioning \_\_\_\_\_ of a denial \_\_\_\_\_ permission?  
 \_\_\_\_\_ application \_\_\_\_\_ run \_\_\_\_\_ you decline \_\_\_\_\_ to it?  
 Does \_\_\_\_\_ a \_\_\_\_\_ request \_\_\_\_\_ application's \_\_\_\_\_?  
 Can \_\_\_\_\_ permission \_\_\_\_\_ causing an issue for \_\_\_\_\_?  
 \_\_\_\_\_ app function \_\_\_\_\_ don't grant permission?  
 \_\_\_\_\_ an app's permission request affect the \_\_\_\_\_?  
 \_\_\_\_\_ work normally \_\_\_\_\_ I refuse its \_\_\_\_\_?  
 If \_\_\_\_\_ say no to \_\_\_\_\_ application, will it \_\_\_\_\_?  
 \_\_\_\_\_ apps cause no drawbacks in \_\_\_\_\_ of \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ request impact \_\_\_\_\_ application's functions?  
 \_\_\_\_\_ denying \_\_\_\_\_ affecting this application's \_\_\_\_\_?  
 Not \_\_\_\_\_ permission \_\_\_\_\_ work?  
 I want \_\_\_\_\_ know \_\_\_\_\_ the app will work \_\_\_\_\_.  
 Can an app remain operability \_\_\_\_\_?  
 Should apps \_\_\_\_\_ work \_\_\_\_\_ declined?  
 \_\_\_\_\_ function \_\_\_\_\_ limited \_\_\_\_\_ I deny it permission?  
 Do \_\_\_\_\_ of \_\_\_\_\_ permission \_\_\_\_\_ how \_\_\_\_\_ this application \_\_\_\_\_?  
 \_\_\_\_\_ if I reject \_\_\_\_\_ app?  
 \_\_\_\_\_ happens \_\_\_\_\_ I \_\_\_\_\_ the app's \_\_\_\_\_?  
 If \_\_\_\_\_ permission, can \_\_\_\_\_ continue to \_\_\_\_\_?  
 If \_\_\_\_\_ an app \_\_\_\_\_ what \_\_\_\_\_?  
 \_\_\_\_\_ I reject \_\_\_\_\_ request \_\_\_\_\_ permission, what will \_\_\_\_\_?  
 Will \_\_\_\_\_ be affected \_\_\_\_\_ reject permission requests?  
 When permission \_\_\_\_\_ are \_\_\_\_\_ apps \_\_\_\_\_ working?  
 When their permission requests are declined, \_\_\_\_\_?  
 \_\_\_\_\_ the application \_\_\_\_\_ well as it \_\_\_\_\_ if you decline \_\_\_\_\_?  
 \_\_\_\_\_ impact the app's \_\_\_\_\_?

If \_\_\_\_\_ an \_\_\_\_\_ what would \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ if I \_\_\_\_\_ no to the \_\_\_\_\_?  
 \_\_\_\_\_ function correctly after being \_\_\_\_\_ privileges?  
 \_\_\_\_\_ I \_\_\_\_\_ will the app work?  
 \_\_\_\_\_ the \_\_\_\_\_ continue functioning if \_\_\_\_\_ refuse \_\_\_\_\_?  
 \_\_\_\_\_ work when \_\_\_\_\_ requests \_\_\_\_\_ declined?  
 \_\_\_\_\_ app to function normally?  
 Will \_\_\_\_\_ app \_\_\_\_\_ if the \_\_\_\_\_ is denied?  
 \_\_\_\_\_ app \_\_\_\_\_ even \_\_\_\_\_ say no?  
 Will \_\_\_\_\_ function \_\_\_\_\_ problems \_\_\_\_\_ I deny \_\_\_\_\_?  
 \_\_\_\_\_ if I don't allow \_\_\_\_\_?  
 If I \_\_\_\_\_ the \_\_\_\_\_ can \_\_\_\_\_ maintain operability?  
 \_\_\_\_\_ affect the \_\_\_\_\_ functioning?  
 \_\_\_\_\_ reject \_\_\_\_\_ an app's \_\_\_\_\_ affect \_\_\_\_\_ performance \_\_\_\_\_ cripple it?  
 \_\_\_\_\_ the no to \_\_\_\_\_ application's \_\_\_\_\_ affect \_\_\_\_\_ normal operation?  
 What \_\_\_\_\_ to \_\_\_\_\_ performance \_\_\_\_\_ app if \_\_\_\_\_ its permission?  
 \_\_\_\_\_ it \_\_\_\_\_ if I say \_\_\_\_\_ to \_\_\_\_\_ permission?  
 \_\_\_\_\_ denied \_\_\_\_\_ normal functions of the \_\_\_\_\_?  
 \_\_\_\_\_ the app still function \_\_\_\_\_ I \_\_\_\_\_?  
 \_\_\_\_\_ app still function \_\_\_\_\_ if I deny \_\_\_\_\_?  
 \_\_\_\_\_ I decline the permission, \_\_\_\_\_ work \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ function \_\_\_\_\_ if I deny \_\_\_\_\_ for \_\_\_\_\_?  
 If \_\_\_\_\_ reject \_\_\_\_\_ app's \_\_\_\_\_ mean for its performance?  
 Will the \_\_\_\_\_ if \_\_\_\_\_ permission?  
 Can \_\_\_\_\_ say \_\_\_\_\_ an application's \_\_\_\_\_ affect \_\_\_\_\_ operations?  
 Does saying no to \_\_\_\_\_ the functioning \_\_\_\_\_ this \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ me that declining \_\_\_\_\_ application's \_\_\_\_\_ affect its \_\_\_\_\_?  
 \_\_\_\_\_ an \_\_\_\_\_ permission request \_\_\_\_\_ performance?  
 How well \_\_\_\_\_ application works if a \_\_\_\_\_?  
 \_\_\_\_\_ the app \_\_\_\_\_ if \_\_\_\_\_ do \_\_\_\_\_ it?  
 Will \_\_\_\_\_ app \_\_\_\_\_ even if \_\_\_\_\_?  
 \_\_\_\_\_ a request \_\_\_\_\_ affect \_\_\_\_\_ app's \_\_\_\_\_?  
 \_\_\_\_\_ the app \_\_\_\_\_ functioning if \_\_\_\_\_ refuse \_\_\_\_\_?  
 \_\_\_\_\_ consequential to how \_\_\_\_\_ the \_\_\_\_\_ if I \_\_\_\_\_ requests?  
 \_\_\_\_\_ refusing permission \_\_\_\_\_ function?  
 If \_\_\_\_\_ say \_\_\_\_\_ can \_\_\_\_\_ work?  
 \_\_\_\_\_ the \_\_\_\_\_ still function or \_\_\_\_\_ limited \_\_\_\_\_ it a \_\_\_\_\_?  
 Will \_\_\_\_\_ app \_\_\_\_\_ functioning \_\_\_\_\_ of permission?  
 \_\_\_\_\_ an \_\_\_\_\_ request \_\_\_\_\_ rejected will \_\_\_\_\_ affect \_\_\_\_\_ performance?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ operability \_\_\_\_\_ I decline \_\_\_\_\_?  
 \_\_\_\_\_ I deny \_\_\_\_\_ to \_\_\_\_\_ application, will \_\_\_\_\_ normal operation?  
 \_\_\_\_\_ decline \_\_\_\_\_ request will \_\_\_\_\_ app work smoothly?  
 \_\_\_\_\_ the app's \_\_\_\_\_ what \_\_\_\_\_ to the performance?  
 \_\_\_\_\_ still \_\_\_\_\_ it is denied privileges?  
 If \_\_\_\_\_ no when the \_\_\_\_\_ will it work?  
 If \_\_\_\_\_ reject \_\_\_\_\_ permission, \_\_\_\_\_ that affect \_\_\_\_\_ normal \_\_\_\_\_?  
 Will the \_\_\_\_\_ continue \_\_\_\_\_ if \_\_\_\_\_ refuse \_\_\_\_\_?  
 What \_\_\_\_\_ I do \_\_\_\_\_ this \_\_\_\_\_?  
 If I \_\_\_\_\_ will the \_\_\_\_\_ to work?  
 \_\_\_\_\_ I \_\_\_\_\_ should it have any limitations?

Will rejectin the \_\_\_\_ request affect \_\_\_\_ app?

Is it possible \_\_\_\_ an application's \_\_\_\_ won't \_\_\_\_?

\_\_\_\_ an \_\_\_\_ survive \_\_\_\_ its permission?

Do I affect \_\_\_\_ running of \_\_\_\_ I refuse \_\_\_\_?

\_\_\_\_ the app \_\_\_\_ function \_\_\_\_ will \_\_\_\_ be \_\_\_\_ deny \_\_\_\_ permission request?

Will \_\_\_\_ remain \_\_\_\_ if denied \_\_\_\_?

If \_\_\_\_ decline a \_\_\_\_ will \_\_\_\_ app still \_\_\_\_?

What happen \_\_\_\_ I \_\_\_\_ an \_\_\_\_?

\_\_\_\_ this stupid app \_\_\_\_ work \_\_\_\_ deny \_\_\_\_ some \_\_\_\_?

\_\_\_\_ I say no to a \_\_\_\_ request?

\_\_\_\_ the app work \_\_\_\_ deny \_\_\_\_

\_\_\_\_ denying \_\_\_\_ for \_\_\_\_ function without \_\_\_\_?

Will the \_\_\_\_ remain \_\_\_\_ if the permission request \_\_\_\_?

\_\_\_\_ a \_\_\_\_ request, \_\_\_\_ normal functioning of the \_\_\_\_ or restrict certain \_\_\_\_?

\_\_\_\_ denied permission still valid \_\_\_\_ functions \_\_\_\_ the \_\_\_\_?

\_\_\_\_ the \_\_\_\_ still \_\_\_\_ if \_\_\_\_ permission?

Can \_\_\_\_ work \_\_\_\_ I say \_\_\_\_ to \_\_\_\_?

Can denying \_\_\_\_ apps \_\_\_\_ them \_\_\_\_ operate \_\_\_\_ drawbacks?

Will \_\_\_\_ if \_\_\_\_ to deny permission?

\_\_\_\_ you think \_\_\_\_ affects \_\_\_\_ functioning \_\_\_\_ the app?

Will the \_\_\_\_ properly or be limited \_\_\_\_ deny \_\_\_\_?

If \_\_\_\_ can \_\_\_\_ app remain \_\_\_\_?

\_\_\_\_ still \_\_\_\_ even \_\_\_\_ permission requests \_\_\_\_ denied?

If one \_\_\_\_ approval, \_\_\_\_ it affect \_\_\_\_ functioning \_\_\_\_ software or \_\_\_\_ certain \_\_\_\_?

Does \_\_\_\_ to \_\_\_\_ permission affect \_\_\_\_ of \_\_\_\_ app?

\_\_\_\_ impacted if I refuse permission?

Will the \_\_\_\_ without any \_\_\_\_ deny Permissions?

\_\_\_\_ the app's function \_\_\_\_ affected \_\_\_\_ the \_\_\_\_ a \_\_\_\_ request?

Can \_\_\_\_ app still function \_\_\_\_ problems if \_\_\_\_?

\_\_\_\_ the \_\_\_\_ to function \_\_\_\_ I deny permission?

Is \_\_\_\_ possible \_\_\_\_ can still \_\_\_\_ normal \_\_\_\_ of the \_\_\_\_?

How \_\_\_\_ the \_\_\_\_ runs \_\_\_\_ I refuse \_\_\_\_?

Will \_\_\_\_ of \_\_\_\_ requests \_\_\_\_ smoothly the app \_\_\_\_?

Will the \_\_\_\_ if I \_\_\_\_?

\_\_\_\_ rejectin' the \_\_\_\_ permission \_\_\_\_ affect \_\_\_\_?

\_\_\_\_ deny \_\_\_\_ application, \_\_\_\_ it function properly \_\_\_\_ be limited?

\_\_\_\_ the app work \_\_\_\_ deny approval?

\_\_\_\_ apps \_\_\_\_ after their permission requests \_\_\_\_?

Do \_\_\_\_ work after \_\_\_\_ are declined?

\_\_\_\_ app function normally if \_\_\_\_ its \_\_\_\_ demand?

\_\_\_\_ function without \_\_\_\_ if I \_\_\_\_ permission

Does \_\_\_\_ a permission \_\_\_\_ this application works?

\_\_\_\_ app \_\_\_\_ I refuse its permission demand?

If \_\_\_\_ decline the \_\_\_\_ the app \_\_\_\_ well?

Will the \_\_\_\_ the request?

Will the app remain \_\_\_\_ if \_\_\_\_ permission \_\_\_\_?

\_\_\_\_ giving \_\_\_\_ application's \_\_\_\_ going \_\_\_\_ ruin its normal operations?

Will \_\_\_\_ continue \_\_\_\_ work if I refuse \_\_\_\_?

Is \_\_\_\_ app alright \_\_\_\_ I \_\_\_\_ to \_\_\_\_ request?

\_\_\_\_ rejecting an app's \_\_\_\_ request \_\_\_\_ performance or \_\_\_\_?

Will the app \_\_\_\_\_ normally \_\_\_\_\_ reject the \_\_\_\_\_?

Will \_\_\_\_\_ if it's not \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ permission request?

\_\_\_\_\_ the app's \_\_\_\_\_ be \_\_\_\_\_ if I \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ after \_\_\_\_\_ a permission request?

Is the app okay \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ if I decline a \_\_\_\_\_ request?

Will \_\_\_\_\_ the no to \_\_\_\_\_ application's permission mess \_\_\_\_\_?

\_\_\_\_\_ apps still \_\_\_\_\_ when permission \_\_\_\_\_?

\_\_\_\_\_ app requests, how does \_\_\_\_\_?

\_\_\_\_\_ Function Without Problems if I \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ continue \_\_\_\_\_ if I \_\_\_\_\_ permission?

Will \_\_\_\_\_ app \_\_\_\_\_ deny permission?

If \_\_\_\_\_ decline a permission \_\_\_\_\_ app work \_\_\_\_\_?

Will \_\_\_\_\_ impact the \_\_\_\_\_ functions?

Will refusing \_\_\_\_\_ impact the \_\_\_\_\_?

\_\_\_\_\_ denying \_\_\_\_\_ of the app?

\_\_\_\_\_ work \_\_\_\_\_ I decline a permission \_\_\_\_\_?

Is it \_\_\_\_\_ permission for \_\_\_\_\_ function without \_\_\_\_\_?

\_\_\_\_\_ the application still \_\_\_\_\_ well if \_\_\_\_\_?

\_\_\_\_\_ app remain \_\_\_\_\_ if \_\_\_\_\_ decline \_\_\_\_\_?

Will the app function \_\_\_\_\_ limited \_\_\_\_\_ I deny \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ declining an application's \_\_\_\_\_ won't \_\_\_\_\_ smooth operation?

Do I \_\_\_\_\_ the app's \_\_\_\_\_ if \_\_\_\_\_ permission?

\_\_\_\_\_ applications still run \_\_\_\_\_ you decline its \_\_\_\_\_?

\_\_\_\_\_ you think \_\_\_\_\_ will work \_\_\_\_\_ I \_\_\_\_\_ no?

\_\_\_\_\_ normally \_\_\_\_\_ I deny permission?

\_\_\_\_\_ app still work \_\_\_\_\_ it?

\_\_\_\_\_ I say \_\_\_\_\_ requests, will \_\_\_\_\_ app work?

Is the \_\_\_\_\_ still able \_\_\_\_\_ denial of \_\_\_\_\_?

If I \_\_\_\_\_ it \_\_\_\_\_ the \_\_\_\_\_ functions?

Will \_\_\_\_\_ I do not \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ up \_\_\_\_\_ if \_\_\_\_\_ permission request \_\_\_\_\_ denied?

Will this \_\_\_\_\_ actually \_\_\_\_\_ if I \_\_\_\_\_ some of \_\_\_\_\_?

What \_\_\_\_\_ I \_\_\_\_\_ an app \_\_\_\_\_?

Will the app \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_?

Will the app \_\_\_\_\_ if \_\_\_\_\_ approve?

\_\_\_\_\_ I decline \_\_\_\_\_ the \_\_\_\_\_ work \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ permission request \_\_\_\_\_ the \_\_\_\_\_ work perfectly?

Can \_\_\_\_\_ permission for \_\_\_\_\_ without negatively \_\_\_\_\_ performance \_\_\_\_\_ capabilities?

Will \_\_\_\_\_ app work \_\_\_\_\_ if \_\_\_\_\_ the permission \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ normally if I \_\_\_\_\_ its \_\_\_\_\_ demand?

\_\_\_\_\_ the \_\_\_\_\_ fine if \_\_\_\_\_ decline the \_\_\_\_\_?

If the \_\_\_\_\_ is \_\_\_\_\_ will it \_\_\_\_\_ fully \_\_\_\_\_?

\_\_\_\_\_ the permission \_\_\_\_\_ the \_\_\_\_\_ function?

Does \_\_\_\_\_ work if \_\_\_\_\_ permission?

Will \_\_\_\_\_ app \_\_\_\_\_ able to \_\_\_\_\_ without \_\_\_\_\_ granted \_\_\_\_\_?

\_\_\_\_\_ denying permission affect \_\_\_\_\_?

\_\_\_\_\_ the app \_\_\_\_\_ despite \_\_\_\_\_ no \_\_\_\_\_ permission \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ be affected if \_\_\_\_\_ permission request?

\_\_\_\_\_ happens to \_\_\_\_\_ performance if \_\_\_\_\_ permission?

\_\_\_\_\_ the \_\_\_\_\_ if I denial \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ an application if \_\_\_\_\_ decline access?

Do \_\_\_\_\_ a permission \_\_\_\_\_ application's \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ an application if you \_\_\_\_\_ access \_\_\_\_\_?

\_\_\_\_\_ app function if \_\_\_\_\_ access?

\_\_\_\_\_ giving the \_\_\_\_\_ to an \_\_\_\_\_ going to \_\_\_\_\_ its \_\_\_\_\_?

Will \_\_\_\_\_ app \_\_\_\_\_ I \_\_\_\_\_ give permission?

Will the app \_\_\_\_\_ properly if I \_\_\_\_\_?

Will the app still function \_\_\_\_\_ I \_\_\_\_\_?

\_\_\_\_\_ will happen if I refuse \_\_\_\_\_ permission \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ an \_\_\_\_\_ operability if I decline \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to retain \_\_\_\_\_ operability if I \_\_\_\_\_ permission?

\_\_\_\_\_ app \_\_\_\_\_ fully \_\_\_\_\_ in the \_\_\_\_\_ of denial of \_\_\_\_\_?

Is \_\_\_\_\_ issue with the \_\_\_\_\_ app if \_\_\_\_\_ is \_\_\_\_\_ access?

\_\_\_\_\_ the \_\_\_\_\_ I don't let \_\_\_\_\_?

\_\_\_\_\_ if I deny \_\_\_\_\_ permission?

\_\_\_\_\_ are \_\_\_\_\_ apps still usable?

Will \_\_\_\_\_ an \_\_\_\_\_ concession \_\_\_\_\_ affect its \_\_\_\_\_?

If I \_\_\_\_\_ it retain its operability?

\_\_\_\_\_ to \_\_\_\_\_ app if I refuse a \_\_\_\_\_ request?

Will the \_\_\_\_\_ properly \_\_\_\_\_ in \_\_\_\_\_ way \_\_\_\_\_ I deny \_\_\_\_\_ permission request?

When permission \_\_\_\_\_ apps still \_\_\_\_\_?