## [Demo] NLP Dataset for Customer Service Automation

| Company<br>Type             | Car Dealerships  |
|-----------------------------|--|
| Inquiry<br>Category         | Technical issues and troubleshooting assistance  |
| Inquiry<br>Sub-<br>Category | Tire and wheel troubles  |
| Description                 | Customers may seek guidance for problems like flat tires, vibration at high speeds, abnormal tire wear, or concerns about tire pressure monitoring systems, to ensure safe and comfortable driving conditions. |
| Data Size                   | 5,168 paraphrases  |
| Want to<br>buy data?        | Please contact nlp-data@qross.me via your business email address.  |

## Masked sample paraphrases of one "Car Dealership" customer inquiry. (Purchased data will not be masked.)

| both           | rear tyres        | replaced    | d wh      | en one is _ | be      | eyond     | ?        |           |            |            |
|----------------|-------------------|-------------|-----------|-------------|---------|-----------|----------|-----------|------------|------------|
| Should front   | rear tires        | if ther     | re        |             | a d     | lamaged   | SO       | on?       |            |            |
| it             | idea repla        | ce the      | and rear  | tires       | they _  |           | ?        |           |            |            |
| When a is o    | damaged rep       | air, should | fron      | t and rear  | tires _ |           |          |           | ?          |            |
| front          | r                 | ew ones aft | ter b     | een damag   | ed?     |           |          |           |            |            |
| a goo          | d idea to replace | front a     | and       | if          | _ is    |           | ?        |           |            |            |
|                | rear              |             |           |             |         |           |          |           |            |            |
| I both         | n the ba          | ack tires   | one       | wrong?      |         |           |          |           |            |            |
|                | fronts _          |             |           |             |         |           |          |           |            |            |
|                | one replacin      |             |           | ?           |         |           |          |           |            |            |
| it             | _ change the from | t           | _ tires?  |             |         |           |          |           |            |            |
| Should and     | l get new on      | es if they  |           | ?           | )       |           |          |           |            |            |
|                | e and rear _      |             |           |             |         |           |          |           |            |            |
| If is _        | damaged, is       | t           | o replace | front       |         | tires     | s?       |           |            |            |
| Should both    | _ front           | tires       | ?         |             |         |           |          |           |            |            |
| Replacing      | is                | good        | idea in   |             | a c     | lamaged   | one      | _ fixed.  |            |            |
|                | to                |             |           |             |         |           |          |           | ond to rep | airs?      |
|                | replace front and |             |           |             |         |           |          |           |            |            |
| a              | to replace        | front       | rear      |             | is      | respon    | se from  | repairs?  |            |            |
|                | both a            | nd back pai | rs.       |             |         |           |          |           |            |            |
|                | eyond             |             |           |             |         |           |          |           |            |            |
|                | s repla           |             |           | tires wh    | en it's | damaged   | l?       |           |            |            |
| Is required    | replace bot       | h front     | _ rear    | _ at        |         | ?         |          |           |            |            |
| a              |                   | front       | rear      | together    | when a  | damage    | d one do | esn't res | pond       | _ repairs? |
| It's good id   | lea to front _    |             | in the    | event       |         |           | fixed    | before.   |            |            |
| Should damaged | l front           | have t      | .0        | ?           |         |           |          |           |            |            |
| you think _    | good              | to          | front and |             | if      | _ are dan | naged?   |           |            |            |
| front          | and room times    |             | domogo    | a           |         |           |          |           |            |            |

| Should a front changed?   |
|---|
| a damaged front and respond to a good to it together?                     |
| good to replace and in event they are damaged?                            |
| Should front be replaced is damage beyond?                                |
| Replacing rear tires in damaged a good idea.                              |
| It is to replace and rear tires when respond further                      |
| Should front get ones after they ?  |
| It's a idea replace front rear tires if isn't isn't                       |
| When a is you both front tires?   |
| you it's idea replace both and rear tyres damaged?                        |
| When damaged rear not to is it idea to replace both?                      |
| Should front or rear ?  |
| Should front tire?  |
| a good and rear in the of a one?  |
| If and rear isn't fixed soon, it's a to to                                |
| replace rear and ?  |
| it to damaged front tires?  |
| Should front back tires be in damaged?                                    |
| good to replace and rear tires if damaged one longer?                     |
| If they replace front rear tires?   |
| Should front rear tires be changed ?                                      |
| Is it idea to and tires when a not respond repair?                        |
| it good idea and rear event they are no longer?                           |
| Is it necessary replace back the same?                                    |
| Is idea to replace front tires if are?                                    |
| you think it be to replace rear together?                                 |
| If the front tires become irreparably should?                             |
| Should tyres be replaced if damaged ?                                     |
| When a damaged does not further repair, a idea replace both front         |
| tyres be REPLACED if a isn't soon? front rear be replaced in the one is ? |
| If tires are damaged, should replaced?                                    |
| both frontback tire be?   |
| Does make to replace and rear when not to ?                               |
| Should rear be together a doesn't respond to?                             |
| good to replace both and rear tires one ?                                 |
| Is a good replace both and rear tires if not ?                            |
| believe a good replace both front tires?                                  |
| It's idea replace front in case a damaged one                             |
| Should the tires front and ?  |
| Is it to replace tyres if respond to repairs?                             |
| Should damaged or replaced?   |
| Do think good to front rear if damaged?                                   |
| Replacing together a damaged one doesn't respond to repair.               |
| If tire can't fixed anymore, suggest all tires?                           |
| Is necessary replace damaged front rear with ?                            |
| Is it a good idea to if one isn't before?                                 |
| Is it a to replace rear in event damaged beyond repair?                   |
| When a damaged doesn't repair, is a replace both and rear?                |
| damaged front rear tires be each?   |

| Is there a  |                   |                    |                        | they are no longer safe?         |
|-------------|-------------------|--------------------|------------------------|----------------------------------|
|             | way               | front              | _rear?                 |                                  |
| Should      | and pa            | irs be             | tires?                 |                                  |
| Do you      | to                | o both             | and rear tires         | _ it's?                          |
|             | rear tyre         | s be replac        | ced if they            | _ repair.                        |
| Is it       | replace bo        | oth                | tires                  | one is repairable?               |
| it          | idea to           | replace both       | and i                  | f is repairable?                 |
|             | _ one's           | and rea            | r tires.               |                                  |
| Should      | replace the f     | ront               | tyres go               | ?                                |
| Do          | it's              | idea to            | and rear tire          | when?                            |
| When        | damaged           | not resp           | ond further            | is a to replace front rear tyres |
| Should fro  | ont ti            | res replac         | ed the th              | ney are?                         |
| Do you      | it's              |                    | and tyres a            | fter they've been?               |
|             | front and rear    | are                | it a good              | them?                            |
| fron        | t rear tires      | s in _             | a damage               | d fixed quickly?                 |
| fron        | t rear tires      | s be a             | a damaged one          | ?                                |
| Is          | to replace _      | front and re       | ear                    | damaged?                         |
|             | good              | _ to replace fro   | nt rear tires _        | the event damaged is repair?     |
| Do          | it is necess      | ary to change _    |                        | tyres?                           |
| Does        |                   | _ replace front    | and tires if           | damaged one isn't?               |
|             | and rear tyres    | be replaced        | the damaged            | soon?                            |
| It's a good | d idea to replace | ;                  | they                   | respond repair.                  |
|             |                   | n and rear         |                        |                                  |
| Is it a goo | d idea            |                    | rear replac            | ed?                              |
| it ma       | ake to rep        | ace 1              | rear when              | one does respond to?             |
|             | front tire        | s replaced         | together?              |                                  |
| tire        | replacements _    | both front _       | pairs at _             | ?                                |
| Should      | and rear          | replaced           | d if a damaged         | repaired ?                       |
| Is          | to replace fr     | ront rear _        | is be                  | eyond?                           |
| Replacing   | front             | _ tyres the        | e a                    | one is idea.                     |
|             | good ide          | a to f             | front and rear tires i | ıf repair?                       |
| it a _      |                   | both front         | rear wh                | en there's a one?                |
| Do you      | it's              | re                 | place both front       | tires together?                  |
|             | a necessity to    |                    | and at t               | he same time?                    |
| Should      | a                 | nd rear tires if _ | beyond _               | ?                                |
| If one      | beyond            | both               | go?                    |                                  |
| the         | and rear _        | be replaced        | the time               | e become?                        |
|             | a good idea to    | replace ar         | nd when                | damaged isn't to?                |
| Is a        | to re             | place the front    |                        | _ they are?                      |
| If front    | tires be          | ecome              | they re                | eplaced simultaneously?          |
| Should fro  | ont               | replac             | ed together ca         | ase they are?                    |
| you         | think it's a good | idea               | front and              | damaged ?                        |
| Replacem    | ent front _       | rear               | a good                 | event of damaged one.            |
|             |                   |                    | tires if a             |                                  |
| Should bo   | th                | have o             | nes they are _         | ?                                |
|             | tire              | s together when    | n a damaged one do     | esn't respond repair good        |
|             | include b         | oth and h          | ack ?                  |                                  |
|             |                   | ,oui und be        | ion                    |                                  |
|             |                   |                    |                        | the event of?                    |

| Do you it's better replace rear when they ?                     |      |
|---|------|
| Should back get new if they repair?                             |      |
| a to replace rear front the event a damaged?                    |      |
| we replace front and if are beyond?                             |      |
| it necessary both front and rear at?                            |      |
| you it's best both front tire?                                  |      |
| Should or tires changed as?                                     |      |
| Is necessary to change the rear break?                          |      |
| Do damaged and rear tyre?                                       |      |
| rear in event that one is irreparably damaged?                  |      |
| Should the front rear replaced?                                 |      |
| Should front and tires be each?                                 |      |
| and back tires if are wrecked?                                  |      |
| Should change damaged or?                                       |      |
| front and back pairs tire replaced?                             |      |
| you best the and rear tire?                                     |      |
| front rear have changed?  |      |
| I front rear tyres is not repairable?                           |      |
| is a idea replace front and tires if damaged before             |      |
| of front and tires beyond do we replace?                        |      |
| it a good idea front and rear they're?                          |      |
| Can the tires be ?  |      |
| both front and rear tire is beyond repair?                      |      |
| the front rear tires repairable, should I them?                 |      |
| Replacing front and together is idea one does not respond to    |      |
| one respond to a good idea to front and rear tyres?             |      |
| damaged and tire doesn't respond to it good idea them together? |      |
| Do you it to both front tyres?                                  |      |
| When a damaged doesn't is it a good idea replace rear ?         |      |
| Do mean to the front and same?                                  |      |
| a good idea and and damaged one doesn't get fixed?              |      |
| Is a to replace tires when a damaged fixed?                     |      |
| Should be be the same when they are damaged?                    |      |
| Is a good replace and rear tires damaged one does not ?         |      |
| front and rear tires if is damaged?                             |      |
| Is a good front if they not safe?                               |      |
| Should a damaged tire be?                                       |      |
| need both and rear tires?                                       |      |
| Do you think it's good to front tyres if repair?                |      |
| a good idea tyres a one doesn't to repairs.                     |      |
| Shouldn't and tires if damaged isn't fixed before?              |      |
| Should both back pairs included during ?                        |      |
| Do you both and tires once?                                     |      |
| Should we front tyres?  |      |
| When damaged respond repairs, is a idea and rear tires toget    | her? |
| and rear tires if damaged isn't fixed?                          |      |
| front tyres replaced together when doesn't respond repair?      |      |
| it necessity to replace and rear at?                            |      |
| replace and rear the same time?                                 |      |
| front and roar ho with one 2                                    |      |

| a does not to should and tires replaced together?  |
|--|
| front and rear tires damaged, should replaced?   |
| Do you necessary to both rear?   |
| pairs be included the tire change?   |
| think it's a idea to both front  |
| you think it a good idea the rear?   |
| s it good to replace and tires are?  |
| Replacing front and idea if a damaged not  |
| front tires be changed a wrecked?  |
| and rear tires at the ?  |
| one damaged irreparably, wise both front and tires?  |
| should replace front and if are  |
| s it idea to front and if damaged one doesn't ?  |
| it a good and back tires an accident?  |
| it idea replace and tyres in of damage?  |
| When front and rear tires should be replaced?  |
| change front and rear they are unrepairable?   |
| When a and tire isn't fixed it idea to ?   |
| Does make sense change front rear ?  |
| front back receive new ones been?  |
| The front rear tires at the  |
| changing front and rear ?  |
|  |
| you have damaged or rear;  |
|  |
| rear tyres be replaced in a one?   |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?   |
| rear tyres be replaced in a one? s to replace front rear case are damaged? front rear necessary when one unrepairable? front rear if they  |
| rear tyres be replaced in a one?  to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?   |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?   |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Do replace and front tires beyond?   |
| rear tyres be replaced inaone?  sto replacefrontrearcaseare damaged?  frontrearnecessary when oneunrepairable?  frontrearif they  Shouldreplacedthetime if they becomedamaged?  you think it'sreplace the fronttyre?  Doreplaceand front tiresbeyond?  Do you thinkwiseboth frontrearthey're?  |
| rear tyres be replaced inaone?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Do replace and front tires beyond?  Do you think wise both front rear they're?  front rear replaced in the that a is no?   |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Do replace and front tires beyond?  Do you think wise both front rear they're?  front rear replaced in the that a is no?  the front and get they break?  |
| rear tyres be replaced inaone?  sto replacefrontrearcase are damaged? frontrear necessary when oneunrepairable?  frontrear if they  Shouldreplacedthetime if they becomedamaged?  you think it's replace the front tyre?  Doreplace and front tires beyond?  Do you think wise both front rear they're?  front replaced in the that a is no?  the front andget they break?  and back tires be at time one irreparably?   |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Do replace and front tires beyond?  Do you think wise both front rear they're?  front rear replaced in the that a is no ?  the front and get they break?  and back tires be at time one irreparably?  s it a idea front and if only bad?   |
| rear tyres be replaced in a one?  to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Oo replace and front tires beyond?  Oo you think wise both front rear they're?  front rear replaced in the that a is no?  the front and get they break?  and back tires be at time one irreparably?  s it a idea front and if only bad?  faulty, and rear tires  |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Do replace and front tires beyond?  Do you think wise both front rear they're?  front rear replaced in the that a is no ?  the front and get they break?  and back tires be at time one irreparably ?  is it a idea front and if only bad?  faulty, and rear tires  Should and back pairs be at time ?   |
| rear tyres be replaced in a one?  to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Oo replace and front tires beyond?  Oo you think wise both front rear they're?  front rear replaced in the that a is no?  the front and get they break?  and back tires be at time one irreparably?  s it a idea front and if only bad?  faulty, and rear tires  |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Do replace and front tires beyond?  Do you think wise both front rear they're?  front rear replaced in the that a is no?  the front and get they break?  and back tires be at time one irreparably?  si ta idea front and if only bad?  faulty, and rear tires  Should and back pairs be at time ?  Should both and be replaced when are ?   |
| rear tyres be replaced in a one?  to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Oo replace and front tires beyond?  Oo you think wise both front rear they're?  front rear replaced in the that a is no?  the front and get they break?  and back tires be at time one irreparably?  is it a idea front and if only bad?  faulty, and rear tires  Should and back pairs be at time ?  a idea to front and tires if isn't fixed?  Should both and be replaced when are ?  sit good replace and rear?  |
| rear tyres be replaced in a one?  to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  you think wise beyond ?  you think wise both front rear they're ?  front rear replaced in the that a is no ?  the front and get they break?  and back tires be at time one irreparably ?  si ta idea front and if only bad?  faulty, and rear tires  Should and back pairs be at time ?  Should both and be replaced when are ?  Should damaged front replace and rear ?  Should damaged front replace and rear ?  |
| rear tyres be replaced in a one?  to replacefrontrear case are damaged? frontrear necessary when one unrepairable? frontrear if they  Should replaced the time if they become damaged? you think it's replace the front tyre?  Ooreplace and front tires beyond?  Oo you think wise both front rear they're? front rear replaced in the that a is no?  the front and get they break?  and back tires be at time one irreparably?  si t aidea front and if only bad?  faulty, and rear tires  Should and back pairs be at time ?  si t good replace and rear?  Should both and be replaced when are ?  Should damaged front replaced beside one?  schanging tyres necessary when unrepairable?  |
| rear tyres be replaced in a one?  to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  you think wise beyond ?  you think wise both front rear they're ?  front rear replaced in the that a is no ?  the front and get they break?  and back tires be at time one irreparably ?  si ta idea front and if only bad?  faulty, and rear tires  Should and back pairs be at time ?  Should both and be replaced when are ?  Should damaged front replace and rear ?  Should damaged front replace and rear ?  |
| rear tyres be replaced in a one?  to replacefrontrear case are damaged? frontrear necessary when one unrepairable? frontrear if they  Should replaced the time if they become damaged? you think it's replace the front tyre?  Ooreplace and front tires beyond?  Oo you think wise both front rear they're? front rear replaced in the that a is no?  the front and get they break?  and back tires be at time one irreparably?  si t aidea front and if only bad?  faulty, and rear tires  Should and back pairs be at time ?  si t good replace and rear?  Should both and be replaced when are ?  Should damaged front replaced beside one?  schanging tyres necessary when unrepairable?  |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Oo replace and front tires beyond?  Oo you think wise both front rear they're ?  front rear replaced in the that a is no ?  the front and get they break?  and back tires be at time one irreparably ?  si t a idea front and if only bad?  faulty, and rear tires ?  Should and back pairs be at time ?  Should both and be replaced when are ?  Should damaged front replaced beside one ?  Should damaged front replaced beside one ?  Schould front rear tires are damaged?  |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Do replace and front tires beyond ?  Do you think wise both front rear they're ?  front rear replaced in the that a is no ?  the front and get they break?  and back tires be at time one irreparably ?  si ti a idea front and if only bad?  and rear tires a idea to front and tires if isn't fixed ?  Should and back pairs be at time ?  si ti good replace and rear ?  Should damaged front replaced when are ?  schanging tyres necessary when unrepairable?  Should front rear tires are damaged?  Replacing and rear tyres a damaged one respond to is idea.       |
| rear tyres be replaced inaone?  sto replacefrontrearcase are damaged? frontrearnecessary when oneunrepairable? frontrear if they  Should replaced the time if they become damaged? you think it's replace the front tyre?  Do replace and front tires beyond?  Do you think wise both front rear they're?  front rear replaced in the that a is no?  the front and get they break?     and back tires be at time one irreparably?  s it a idea front and if only bad?     faulty, and rear tires ?  Should and back pairs be at time ?  Should both and be replaced when are ?  Should damaged front replaced beside one?  Should damaged front replaced beside one?  Should front rear tires are damaged?  Replacing and rear tyres a damaged one respond to is idea.  I replace front and they're no repairable? |
| rear tyres be replaced in a one?  s  |
| rear tyres be replaced in a one?  s to replace front rear case are damaged?  front rear necessary when one unrepairable?  front rear if they  Should replaced the time if they become damaged?  you think it's replace the front tyre?  Do replace and front tires beyond?  Do you think wise both front rear they're?  front rear replaced in the that a is no?  and back tires be at if only bad?  and back tires be at time one irreparably?  s it a idea front and if only bad?  and back pairs be at time ?  Should and back pairs be at time ?  sit good replaced when are ?  Should damaged front replaced beside one?  s changing tyres necessary when unrepairable?  Should front rear tires admaged one respond to is idea.  I replace front and they're no replace tires?                               |

| it a good to and rear tires damaged one is ?                                      |
|---|
| both front rear are damaged repair, a idea?                                       |
| Does make sense to replace rear when doesn't ?                                    |
| Is it a good idea front and together there ?                                      |
| Should both front tyres?  |
| Replacing with one another?   |
| Replacing rear be if a damaged one  |
| You might want front rear   |
| Is replacement of both front one irreparably?                                     |
| I front and rear if one ?   |
| Is a to replace front rear damaged?   |
| changing front and recommended?   |
| front rear tyres be when a damaged to?  |
| Is a good idea to front rear in fixed?  |
| it appropriate replace front and tires?   |
| Should I replace front and rear only repairable?                                  |
| the and tires if you get ?  |
| Should I tyres if one is not?   |
|   |
| necessary replace both fronts rears that been? it to front and tires they become? |
|   |
| it aidea to replace and rear a will not repairs?                                  |
| good to replace front rear tires you damaged?                                     |
| If the front and irreparably they at same time?                                   |
| a good to and tires when damaged one before.                                      |
| If do you to and tires?   |
| When damaged repair, should and be ?  |
| damaged and tires also ?  |
| front respond to repair, it a to them together?                                   |
| Should front be replaced at time?   |
| front and tyres be when unrepairable?   |
| front tires be out?   |
| I front and rear if is repairable?  |
| I if necessary replace rear at the time.  |
| Should and rear if damaged one is necessary?                                      |
| both rear tires the time necessary?   |
| front and tires they damaged?   |
| Should front tyres be become unrepairable?  |
| both and tires when one them no longer?   |
| Replacing and is good idea the event damaged                                      |
| Should replace rear tires?  |
| this good idea front and damaged beyond repair?                                   |
| Should tires replaced when damaged one not respond repair?                        |
| a good not respond rear tires when a damaged not respond repairs?                 |
| Is it a good isn't in the damaged isn't   |
| think it is to front and tires?   |
| of damaged and tires done alongside one   |
| only one of tires is not should I ?   |
| Should damaged rear and ?   |
| a idea to replace in case one isn't fixed   |
| wise the front back tires get wrecked?  |

| When one             | front             | tires            | repa             | air should they b | e replac  | ed?             |           |
|----------------------|-------------------|------------------|------------------|-------------------|-----------|-----------------|-----------|
| How about            | damaged           | or               | ?                |                   |           |                 |           |
| and                  | tires rej         | placed in        | one gets?        | •                 |           |                 |           |
| When a damaged       | one not res       | spond            | repair,          | a good            | to        | and             | together. |
| If                   | fix, must t       | yres?            |                  |                   |           |                 |           |
| it                   | to front ar       | nd rear tires if | damaged          | no                |           | ?               |           |
| Do you it's w        | ise to            | front and        | _ tires          | ?                 |           |                 |           |
| Is changing both f   | ront back         | if               | ?                |                   |           |                 |           |
| front                | pairs should      | included         | in the           | ·                 |           |                 |           |
| Should the           | back b            | oe               | is wrecked       | ?                 |           |                 |           |
| you think it i       | s                 | to               | front rea        | ar tire when      | d         | amaged?         |           |
| Is it necessary to a | eplace            | tires _          | ?                |                   |           |                 |           |
| front _              | n                 | need to be repla | aced?            |                   |           |                 |           |
| front and            | be                | if o             | one becomes _    | damaged?          |           |                 |           |
| think _              | is a good         | to from          | nt ty            | res after they _  |           | damaged?        |           |
| Is good              | to fr             | ont and rear _   | one _            | longer            | needed    | ?               |           |
| you                  | it's to           | both front       | and tires?       | P                 |           |                 |           |
| Is                   | idea if front and | d tire           | _ damaged        | ?                 |           |                 |           |
| front                | be                | _ at the t       | ime if one       | _damaged?         | ?         |                 |           |
| Is it ide            | a replace         | and rear         | tires            | respondin         | ng        | repair?         |           |
| it good              | idea repla        | ce and re        | ar tyres         | damaged on        | ne 1      | not responding  | ?         |
| aı                   | ıd rear           | in case          | e they are       | damaged?          |           |                 |           |
| front and            | tires             | together?        |                  |                   |           |                 |           |
| front                | tires is          | good idea        | event _          | damaged on        | ne r      | no longer       |           |
| Should of            | SV                | vapped if        | of is            | s beyond repair?  |           |                 |           |
| both go              | goes              | s fix?           |                  |                   |           |                 |           |
| When front _         |                   | to r             | epair, is a      | good idea         | replace   | together?       |           |
| se                   | nse to replace _  | and rear t       | ires when        | a                 | ?         |                 |           |
| a good               | to bo             | oth front1       | rear             | they irrepa       | arably da | amaged?         |           |
| Should front         | tyres             | s if t           | they dama        | aged?             |           |                 |           |
| Is good              | idea to bo        | oth              | tyres            | doesn't re        | spond _   | repair?         |           |
| Should I replace _   | and _             | if               | _ fails?         |                   |           |                 |           |
| Is necessary         | to both fro       | ont              | after a          | ?                 |           |                 |           |
| believe              | a                 | to               | _ both front an  | d rear tyres?     |           |                 |           |
| Should repla         | ce front and      | tl               | ney              | repair?           |           |                 |           |
| Do you               | is to             | front            | tires            | they are dam      | naged?    |                 |           |
| Do think             | god               | od to            | _ both front     | rear if _         |           | _ damaged beyon | d repair? |
| Is both front        | and               | necessary        | _ a tire         | ?                 |           |                 |           |
| you it i             | s wise to         |                  | rear toge        | ether?            |           |                 |           |
| Should and _         |                   | in e             | vent a           | is no longer s    | afe?      |                 |           |
| Should front         |                   | replaced in th   | ie that          | is?               |           |                 |           |
| Is a good            | _ to replace      | t                | yres a           | one fixed         | d?        |                 |           |
| you                  | _ a idea to       | o replace front  | tyre             | es if are         | ?         |                 |           |
| a damaged f          | ont or            | need             | replaced?        |                   |           |                 |           |
| Is                   | to da             | amaged a         | and rear tires a | longside an       | other?    |                 |           |
| front re             | ar tyres re       | eplaced when _   | damaged _        | does not          |           | further?        |           |
| Is ide               | a                 | rear and fro     | nt?              |                   |           |                 |           |
| It is a idea to      |                   |                  |                  |                   |           |                 |           |
| we change _          |                   |                  |                  |                   |           |                 |           |
| front                | tires             | replaced to      | ogether.         |                   |           |                 |           |

| Should front       |                |              |              | -          |            |           |         |
|--------------------|----------------|--------------|--------------|------------|------------|-----------|---------|
|                    | tyres be rep   | laced if     | _ damaged    | one        | long       | ger safe? |         |
| it's               | wise           | front        | _ rear tires | after the  | y've       | damaged?  |         |
| Is a good          | _ to           | t            | ires if they | daı        | maged      | _ repair? |         |
| Is wise to         | _ both an      | d tires      | one _        | irre       | parably    | ?         |         |
| Can front and rear | tires          |              | unre         | pairable?  |            |           |         |
| it t               |                |              |              |            |            |           |         |
| Should replace     |                |              |              | ·          | J          |           |         |
| I replace          |                |              |              |            |            |           |         |
| Should             |                |              |              | 2          |            |           |         |
| it                 |                |              |              |            |            |           |         |
| Should front       |                |              |              |            | ut bo      | foro      |         |
|                    |                |              |              |            |            |           | 2       |
|                    |                |              |              |            |            |           | f       |
| it make sense      |                |              |              |            |            |           |         |
| Is a good          |                |              |              |            |            | e isn't   | ?       |
| If one wrecked     |                |              |              |            |            |           |         |
| Is there a way to  |                |              |              |            |            |           |         |
| it i               |                |              |              |            |            |           | before? |
| front and rear     | be replac      | ced          |              | isn't _    | before     | e then?   |         |
| Do think           | is necessary _ | bo           | oth fronts _ |            | ?          |           |         |
| Should and ba      | ick new _      |              | been da      | maged?     |            |           |         |
|                    | idea re        | place front  | and rear ti  | res        | damaged?   |           |         |
| front and rear     | ' a _          | if           | the          | isn't      | fixed.     |           |         |
| Do we aı           | nd ii          | f they are _ | ?            |            |            |           |         |
| Should front o     | or tire        | as _         | ?            |            |            |           |         |
| If one the from    |                |              |              | ?          |            |           |         |
| think it's         |                |              |              |            | after      |           | 7       |
| damaged fron       |                |              |              |            |            |           |         |
| Is it a idea       |                |              |              |            |            |           |         |
| you replace fr     |                |              |              |            |            |           |         |
| Do we              |                |              |              |            |            |           |         |
| You both           |                |              |              |            |            |           |         |
|                    |                |              | - <b>·</b>   |            |            |           |         |
| front or           |                |              | 2            |            |            |           |         |
| Should replace     |                |              |              |            |            |           |         |
| If r               |                |              |              |            |            |           | 0       |
| Is replacement     |                |              |              |            | .e irre    | eparably  | ?       |
| replace l          |                |              |              | ?          |            |           |         |
| inc                |                |              |              |            |            |           |         |
| the                |                |              |              | k?         |            |           |         |
| Is it              | the from       | its and      | .?           |            |            |           |         |
| Do believe         | is             |              | both front   | and        | tires?     |           |         |
| Should front _     | rear           | be replaced  | l            | ?          |            |           |         |
| it a idea          | to replace     | _ and        |              | the        | does not _ | to        | _?      |
| Should             | tyres be R     | EPLACED _    | a            | re 1       | repair?    |           |         |
| believe i          | t best to 1    | replace      | and          | rear tires | s          | _ have    | ?       |
| it                 |                |              |              |            |            |           |         |
| it a idea          |                |              |              |            |            |           |         |
| Does damage neces  |                |              |              |            |            | J         |         |
| Shouldn't need     |                |              |              |            |            |           |         |
| Should front       |                |              |              |            | ev hecome  | dam:      | aged?   |
|                    |                |              | , Junio      | ப          | cy become  | , uaille  | agou:   |

| Is it a good idea rear when a damaged repair           | r?            |
|--|---------------|
| Should and rear tires replaced if is no ?              |               |
| a good idea to replace front rear fixed before?        |               |
| Is possible we both rear?                              |               |
| Can a idea both tires damaged beyond repair?           |               |
| aidea to replace and rear tires repair.                |               |
| idea replace front and if damaged one isn't safe?      |               |
| I replace front and back tires bad?                    |               |
| Is it good replace front and after damaged one respond | ?             |
| Will both rear if is beyond repair?                    |               |
| Can we front rear ?                                    |               |
| Is it a necessity front and at time?                   |               |
| you thedamaged at same time?                           |               |
| is unrepairable, is it to front rear?                  |               |
| front tires damaged one isn't fixed in a?              |               |
| Is it necessity change both front ?                    |               |
| If of the and front beyond do we ?                     |               |
| Is it good idea and tires if a is?                     |               |
| Shouldn't rear replaced in event damaged one?          |               |
| a good idea front and rear tyres does not respond      | ropair?       |
| you to the front tires together?                       | repair:       |
| If a one does further is it idea to replace real       | n togothon?   |
|  |               |
| It isgood front and damaged doesn't respond            | i to repairs. |
| consider the and back ?                                |               |
| Should both be replaced at time.                       |               |
| a idea to replace rear you lose them?                  |               |
| Is a idea to replace and damaged them?                 |               |
| front be replaced they are damaged repair?             |               |
| Is a to front rear tires?                              | 2             |
| Should front replaced in that a one is longer          | <i>(</i>      |
| Is necessary the damaged and?                          |               |
| Is it important to change tires when ?                 |               |
| a one does not respond to repair it good idea replace  | together.     |
| It is idea to and rear when does to further            |               |
| the replacement of tyres front pairs?                  |               |
| it a good idea to and tyres respond to?                |               |
| Should front tyres be they before then?                |               |
| If one the front and tires is damaged, advisable       | ?             |
| front be replaced if damaged not repaired time?        |               |
| it make sense change front tires after ?               |               |
| front and tires be replaced them longer repairable     | ·?            |
| one damaged.   |               |
| good idea?   |               |
| If do need to and rear?                                |               |
| it good idea to replace front and rear tires damaged   | repair?       |
| Is it good to damaged front tire?                      |               |
| Is necessary to both and tires at if become d          | amaged?       |
| it to replace front and tyres event that dama          | ged?          |
| change both front back pairs?                          |               |
| Changing and rear considered.                          |               |

| Is a to front tyres when does not respond repair?  |
|--|
| it's to the front and rear after they've ?   |
| Do think the is to both front rear?  |
| the front tires be out?  |
| front and get ones?  |
| Should both front and at at if they get ?  |
| Will it be necessary change rear?  |
| Is a to and tyres they aren't fixed?   |
| If one front and tyres replace them?   |
| Should and rear tyres event a isn't fixed?   |
| Should front tires changed,?   |
| you good idea replace front and rear when there a ?  |
| If and rear tire isn't is it a to?   |
| Should I replace rear if one is ?  |
| both and with one may be   |
| both and tires if one is no repairable?  |
| and tires be replaced after it's?  |
| If front rear tires is damaged, to them together?  |
| Should front rear tires replaced same time they're?  |
| front rear tires necessary when one ?  |
| Should damaged and rear with ones?   |
| rear be changed they're damaged?   |
| Is changing the front advisable wrecked?   |
| Do think it's idea to replace both tires damaged?  |
| When a damaged rear repair, is it idea to replace together?  |
| rear tires replaced in the same?   |
|  |
| Is it idea rear if they're damaged?  |
| Is it idea rear if they're damaged? it change front and back after crash?  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  Is replacing the at time necessary?   |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  Is replacing the at time necessary? think is a to replace both front rear it damaged?   |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  Is replacing the at time necessary?  think is a to replace both front rear it damaged?  a idea and rear if they are damaged?  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  Is replacing the at time necessary?  think is a to replace both front rear it damaged?  a idea and rear if they are damaged?  Does it make sense to replace front one no ?  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  Is replacing the at time necessary?  think is a to replace both front rear it damaged?  a idea and rear if they are damaged?  Does it make sense to replace front one no ?  Should the and be?  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  Is replacing the at time necessary?  think is a to replace both front rear it damaged?  Does it make sense to replace front one no ?  Should the and be?  Should tires in damaged?  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  Is replacing the at time necessary?  think is a to replace both front rear it damaged?  a idea and rear if they are damaged?  Does it make sense to replace front one no?  Should the and be?  Should tires in damaged?  think a idea to replace front if damaged one?  |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair?  front tires in event a damaged one is fixed?  Is replacing the at time necessary?  think is a to replace both front rear it damaged?  a idea and rear if they are damaged?  Does it make sense to replace front one no ?  Should the and be?  Should tires in damaged?  think a idea to replace front if damaged one?  Should the and back after they?  |
| Is itidearearif they're damaged?itchangefront and backaftercrash?  When onenotto further repair,good ideareplace fronttires.  Doit's aidea toand rear tyrestheybeyond repair? fronttiresineventa damaged one isfixed?  Is replacing theattime necessary? thinkis ato replace both frontrearitdamaged?  Does it make sense to replace frontif they are damaged?  Does it make sense to replace frontif they are damaged?  Should theandbe?  Should tiresindamaged? thinkaidea to replace frontifdamaged one?  Should theand backafter they?  Is itgoodand rearwhen oneresponding to?  |
| Is itidearearif they're damaged?itchangefront and backaftercrash? Whenonenotto further repair,good ideareplace fronttires.  Doit's aidea toand rear tyrestheybeyond repair?fronttiresineventa damaged one isfixed?  Is replacing theattime necessary?thinkis ato replace both frontrearitdamaged?aideaand rearif they are damaged?  Does it make sense to replace frontoneno?  Should theandbe?  Should tiresindamaged?thinkaidea to replace frontifdamaged one?  Should theand backafter they?  Is itgoodand rearwhen oneresponding to?  Isidea to replace theand rear tires?   |
| Is itidearearif they're damaged?itchangefront and backaftercrash? Whenonenotto further repair,good ideareplace fronttires.  Doit's aidea toand rear tyrestheybeyond repair?fronttiresineventa damaged one isfixed?  Is replacing theattime necessary?thinkis ato replace both frontrearitdamaged?aideaand rearif they are damaged?  Does it make sense to replace frontoneno?  Should theanddamaged?thinkaidea to replace frontifdamaged one?  Should theand backafter they?  Is itgoodand rearwhen oneresponding to?  Shouldidea to replace theand rear tires?  Shouldrearbe?   |
| Is it idea rear if they're damaged? it change front and back after crash?  When one not to further repair, good idea replace front tires.  Do it's a idea to and rear tyres they beyond repair? front tires in event a damaged one is fixed?  Is replacing the at time necessary? think is a to replace both front rear it damaged?  a idea and rear if they are damaged?  Does it make sense to replace front one no ?  Should the and be?  Should tires in damaged? think a idea to replace front if damaged one?  Should the and back after they?  Is it good and rear when one responding to?  Should front rear be?  Should front rear be?  Should front rear be? |
| Is itidea  |
| Is itidea  |
| Is itideaif they're damaged?itchangefront and backaftercrash? Whenonenot to further repair,good ideareplace fronttires.  Doit's aidea toand rear tyres theybeyond repair?fronttiresineventa damaged one isfixed?  Is replacing theat   |
| Is itidea  |
| Is itideaif they're damaged?itchangefront and backaftercrash? Whenonenotto further repair,good ideareplace fronttires.  Doit's aidea toand rear tyrestheybeyond repair?fronttiresineventa damaged one isfixed?  Is replacing theattime necessary?thinkis ato replace both frontrearitdamaged? a ideaand rearif they are damaged?  Does it make sense to replace frontoneno?  Should theandbe?  Should tiresindea to replace frontifdamaged one?  Shouldand backafter they?  Is itgoodand rearwhen oneresponding to?  Shouldfrontrearbe?  Shouldfrontbe?  Shouldtires   |

| and ty             | res be replaced a          | re               | spond to r    | epair?                    |
|--------------------|----------------------------|------------------|---------------|---------------------------|
| Replacing front    | is a idea if a             | a damaged one    |               |                           |
| Do                 | a good idea to replace _   | and              | tires         | are damaged?              |
| do you             | replacement and            | tires?           |               |                           |
| the front          | be included                | the tire?        |               |                           |
| front and rear tyr | res replaced               | same?            |               |                           |
| Do think           | advisable                  | front and bad    | ck tires?     |                           |
| it a idea          | front and rear tires       | s a damage       | ed            | further repair?           |
| Does make sense    | front                      | if the           | one is beyond | d?                        |
| Do front and       | d rear tyres               | _?               |               |                           |
| it a idea if _     | tire is                    | s beyond re      | epair?        |                           |
| and ty             | res be a damag             | ed one not       | respond       | ?                         |
| In the event       | damaged rear               | is it a good     | i             | ?                         |
| both               | should be requir           | ed.              |               |                           |
| Should rear        | tires be c                 | ase damag        | je?           |                           |
| If one the ar      | nd tires is repai          | r,               | it?           |                           |
| If a front and     | tire doesn't               | it               | good idea     | replace them?             |
| you be             | est to both front and r    | rear when        | ?             |                           |
| of the             | and rear is repa           | air do repla     | ace?          |                           |
| 1                  | rear tires replaced alo    | ongside each oth | ner?          |                           |
| Replace front      | tires.                     |                  |               |                           |
| and ba             | ack tire are damaged beyor | nd repair, i     | it            | ?                         |
| When one _         | respond further            | is               | good to       | front and tires together? |
| Should replaceme   | ent of tyre                | and back?        |               |                           |
| fronts rears       | with damaged?              |                  |               |                           |
| front and rear tir | es be is                   | ?                |               |                           |
| Should             | or rear be changed         | as?              |               |                           |
| front and tin      | res necessary or           | ne becomes       | _•            |                           |
| Is to change       | e back tire                | s?               |               |                           |
| we                 | rear tires together?       |                  |               |                           |
|                    | etter both front           |                  |               | naged?                    |
| Should front and   | pairs included             | of               | ?             |                           |
|                    | replaced                   |                  | ?             |                           |
|                    | rears with o               |                  |               |                           |
|                    | _ tyres be replaced th     |                  |               |                           |
|                    | idea replace bot           |                  |               |                           |
|                    | front and tyre             |                  |               | red                       |
|                    | and tyres if they          |                  | ?             |                           |
|                    | both front and rear tir    |                  |               |                           |
|                    | replace ti                 |                  |               |                           |
|                    | replace both front _       |                  |               | ged?                      |
|                    | ace and rear               |                  |               |                           |
|                    | to replace                 |                  |               | maged?                    |
|                    | should included in         |                  |               |                           |
|                    | be replaced together       |                  |               | bly?                      |
|                    | both f                     |                  |               |                           |
|                    | tires they                 |                  |               | 2                         |
|                    | es replaced together       |                  |               | _{                        |
|                    | replace both front _       |                  |               |                           |

| Should both front and _ |                 | re              | placed at      | the         | ey become _ | ?                  |            |
|-------------------------|-----------------|-----------------|----------------|-------------|-------------|--------------------|------------|
| Should front            |                 | includ          | ed in ti       | re replacei | ment?       |                    |            |
|                         | and rear        | _ be replaced   | _ a            | is:         | fixed soon? |                    |            |
| Should _                | front and _     | pairs be        | replac         | ing?        |             |                    |            |
| It's                    | idea to re      | eplace and _    | tires          | ha          | ve          | one.               |            |
|                         | _ a             | replace         | rear t         | yres in cas | se they     | _ damaged beyond _ | ?          |
|                         | and rear        | _ be when _     | break?         |             |             |                    |            |
| When the                | front and       | _ tyres unre    | pairable,      |             | cha         | ange?              |            |
|                         | _ a             | replace fron    | t and rear tii | res if a    | _ one       | ?                  |            |
| If                      |                 | rear is         | no longer re   | pairable,   | should      | replace?           |            |
| Should fr               | ont             | be              | _ when dam     | aged beyo   | nd?         |                    |            |
| Is                      | good            | to replace f    | ront rea       | ar tires    |             | _ a one?           |            |
| Do t                    | think it's      | to both         |                | after       | it's damage | d?                 |            |
|                         | idea to         | replace         | tires          | when a da   | maged       | respond            | _ repairs. |
| Do we rej               | place front     | tires           | one            | ?           |             |                    |            |
| one                     | do the _        | and back        | _ the          | ?           |             |                    |            |
|                         | _ a good idea _ | aı              | nd rear        | when you    | don't respo | nd                 | ?          |
| Does                    |                 | replace         | and            | _ when a    | one _       | no longer neces    | ssary?     |
|                         | _ a good idea t | to replace an   | nd tires       | in          |             | fixed?             |            |
| When                    | damaged         | rear tire       | re             | espond to   | is it a     | good               | them?      |
|                         | it's a _        | idea to replace | e the damage   | ed          | rear        | _?                 |            |
| a go                    | ood             | replace and     | rear           | the         | _ one isn't | fixed              |            |
| the                     | front and       | go she          | ould           | them?       |             |                    |            |
|                         | _ a             | to front and    | back tires?    |             |             |                    |            |
| a                       | front           | back tire       | ?              |             |             |                    |            |
|                         | _ and tyr       | es be?          |                |             |             |                    |            |
| it                      | good idea       | to front        | tires _        | there       | dama        | ge.                |            |
| Is b                    | etter           | _ both          | back tires?    |             |             |                    |            |
|                         |                 | replace both    |                |             | it          | repair?            |            |
|                         |                 | lude both front |                |             |             |                    |            |
|                         |                 |                 |                |             |             | to replace         | tires.     |
|                         | to repla        | ace front rea   | r tires when   |             | is no       | needed?            |            |
|                         |                 | replace bo      |                |             |             |                    |            |
|                         |                 |                 |                |             |             | ont rear tires     |            |
|                         |                 |                 |                |             |             | aged one res       | ond?       |
|                         |                 | ack on          |                |             |             |                    |            |
| Is it wise              | change _        | and             | _ tires after  |             | .?          |                    |            |
|                         |                 | th              |                |             |             |                    |            |
|                         |                 | re              |                |             |             | ?                  |            |
|                         |                 | the front       |                |             |             |                    |            |
|                         |                 | case            |                |             |             |                    |            |
|                         |                 |                 |                |             |             | ot                 |            |
|                         |                 |                 |                |             |             | a damaged on       | e.         |
|                         |                 | be replaced     |                |             |             |                    |            |
|                         |                 |                 |                |             |             | replaced togethe   | r?         |
|                         |                 | rear when th    |                |             |             |                    |            |
|                         |                 | both front ba   |                |             |             |                    |            |
|                         |                 | replace ar      |                |             |             |                    |            |
| you                     |                 | to replace      |                |             |             |                    |            |
|                         |                 | replace front   |                |             | d           |                    |            |

| Is a idea to replace rear is to repair?                 |
|---|
| rear tires a good idea a damaged one                    |
| In of damaged and it a good to replace?                 |
| youit good to replace both rear tires when damaged?     |
| it make sense front back the same time?                 |
| front rear tyres be is beyond repair?                   |
| good to replace in case a damaged one is ?              |
| Should front back get new are?                          |
| replace both front if one beyond repair?                |
| it to both rears?                                       |
| Do you think it replace rears?                          |
| Is it good to and tyres if the damaged one ?            |
| If and rear tires damaged beyond Is idea?               |
| front or rear changed.                                  |
| Should front be in the a one no safe?                   |
| front tyres are damaged, should be together?            |
| front or tire changed?                                  |
| Do front tires to changed get wrecked?                  |
| and rear aren't fixed soon, good idea to                |
| one respond repair.                                     |
| it a idea front a one doesn't respond to repairs?       |
| Do to replace both rear same time?                      |
| damaged or rear to as well?                             |
| it a idea replace front and they aren't ?               |
| you think it's both front rear it been damaged?         |
| Should front and be case a longer needed?               |
| you think wise to replace rear when it is?              |
| Do replace the back ?                                   |
| it both and tires after a wreck?                        |
| it replace and rear a damaged one is longer?            |
| time when one breaks on tires?                          |
| Should back and pairs?                                  |
| a front rear tire together?                             |
| a damaged doesn't respond to is a idea front and tires? |
| Should front tires replaced                             |
|   |
| Is a to replace front and rear after one ?              |
| to both front tires case of damage?                     |
| Is both tyres go wrecked beyond repair?                 |
| front tires should replaced they damaged.               |
| good idea to replace front tire?                        |
| back pairs included in the tyre?                        |
| it's damaged beyond repair, do thinkidea to both rear?  |
| it good to both rear tires when one to ?                |
| Do believe it is both rear tires when damaged?          |
| Does we both front and ?                                |
| Should and tires event that a damaged isn't fixed?      |
| Should front and rear tires one doesn't get?            |
| one tire irreparably is it advisable to replace both ?  |
| the front and at same time if one becomes ?             |
| I replace both of the and goes bad?                     |

| Is a idea replace and rear a damaged is no safe?             |
|--|
| ceplace front and rear damaged one no longer needed?         |
| Should a tire prompt entire changed?                         |
| Is best to front and back wreck?                             |
| one should all tires be at time?                             |
| front and rear tires damage?                                 |
| idea replace and rear tires if the damaged not?              |
| Do you think a idea to replace once they been damaged        |
| If one beyond tyres?   |
| Is a replace both rear tires the same?                       |
| Does one replace and rear tires at same time one irreparably |
| and tires replaced they get damaged?                         |
| Should both rears replaced damaged?                          |
| damaged rear to be replaced?                                 |
| Do is best to replace both rear tires damaged?               |
| a good idea replace and tyres in event damaged one ?         |
| both back pairs of be?                                       |
| good idea to replace and rear tires damaged is ?             |
| Do replace front and one is ?                                |
| Is it a to replace tire?                                     |
| wondering if I should and tires.                             |
| both the front rear damaged a good idea?                     |
| Do think it's a good rear tires once are?                    |
| it change front back tires?                                  |
| It's a good idea to and rear one                             |
| Is it a good front tires if the damaged                      |
| Should entire be changed of a ?                              |
| it a good idea rear event of a broken?                       |
| Should front be changed after wreck?                         |
| Front back the same breaks?                                  |
| good replace front and rear tires they damaged.              |
| and back be replaced the time?                               |
| Is a good to replace tyres event is no longer safe?          |
| it to the front back ?                                       |
| the front become is necessary to change ?                    |
| front rear tire changed?                                     |
|  |
|  |
| and rear tires the event a one is repair?                    |
| Do you it's replace both and rear tires?                     |
| If the front and are damaged it a ?                          |
| Is it to back if you get?                                    |
| Is a good replace front rear the one isn't then?             |
| better to replace front rear a one fixed?                    |
| Should both and back ?                                       |
| front and rear be break?                                     |
| damaged rear tires replaced?                                 |
| is a front and a good idea to them?                          |
| Should entire replaced if one tire ?                         |
| Do replace front and tires?                                  |
| Should rear tires be in of irreparably ?                     |

| front rear after a damaged fixed good idea.                     |
|---|
| it best to front rear when damaged?                             |
| it a one to respond repairs?                                    |
| If should and rear tires.                                       |
| it a good idea replace if they damaged?                         |
| Should damage to the front and ?                                |
| it necessary replace front if you damaged?                      |
| a tire doesn't to further it is good idea front rear            |
| front tires become necessary to change them?                    |
| Should rear need be changed?                                    |
| Is a replace and rear tyres?                                    |
| only one bad, should replace front back?                        |
| and tires after a one is no safe is                             |
| Is is a damaged?  |
| replacement the and back?                                       |
| and ire becomes should it be?                                   |
|   |
| it change front tires?  |
| Is it wise replace rears ones?                                  |
| it permissible replace rear tires?                              |
| rear and front tires ?  |
| If the tyres is damaged beyond be replaced together?            |
| If one's front rear tires?                                      |
| If of the is damaged beyond should be replaced?                 |
| Is wise to and rear they beyond?                                |
| Should front andtires be REPLACED if longer?                    |
| Is a idea to front rear alongside?                              |
| bad, should I replace front tires?                              |
| Is that new tires is beyond repair?                             |
| front and back when they are?                                   |
| is a good idea to replace front rear damaged                    |
| Is it idea both front when damaged one doesn't respond repairs? |
| you changing front and if get wrecked?                          |
| front be given new?   |
| Is good idea to front if go bad?                                |
| Replacement of both tires same time.                            |
| replaced with both and pairs?                                   |
| a idea to front rear a damaged no longer safe?                  |
| replacement should include back pairs?                          |
| one tire can replacements tires be?                             |
| replacing and rear tires?                                       |
| Do you it's idea to replace and tyres damaged beyond?           |
| Replacing front rear the time would if one irreparably          |
| Is it to front and rear tires a?                                |
| Should tires REPLACED a isn't fixed soon?                       |
| Is a good to replace rear if isn't time?                        |
| a good to replace front and when does not to repairs?           |
| a good to rear tires in event damaged isn't fixed before?       |
| Should damaged tires replaced with one?                         |
| I both and tires?   |
| Is changing front necessary when unrepairable?                  |

| the front back pairs in the ?                           |
|---|
| better replace front and damaged one isn't before then? |
| Does a damaging both tires?                             |
| Should the damaged have to changed?                     |
| Is it good change due to damage?                        |
| Replacing front and one is longer a good idea.          |
| one respond to repairs, is it a idea replace and tyres? |
| Changing and tires is if unrepairable.                  |
| good idea to and rear tires if there ?                  |
| Is necessary to replace the tires same?                 |
| believe it best replace and rear after they damaged?    |
| If goes should front back tires?                        |
| make sense to replace both and rear they are ?          |
| you think is a good idea to front and after it ?        |
| Should front tires be at time?                          |
| Should front tires be one damaged repair?               |
| If beyond repair, both tires ?                          |
| one becomes is it to and rear ?                         |
| a good idea replace rear adamaged doesn't respond to ?  |
| Is the and back advisable after ?                       |
| Is worthwhile to replace both front ?                   |
| Is idea to redo both of a one is?                       |
| rear tires replaced they beyond repair?                 |
| youit'sgoodtoboth front andtiresthey're damaged?        |
| Should the front and receive after ?                    |
| one and rear tires is it replace it together?           |
| all rear tires replaced at same ?                       |
| it's to replace the front and tires when ?              |
| it idea to front rear after they're ?                   |
| Is it a idea and when is damaged?                       |
| Should damaged back together?                           |
| tire replacements front pairs?                          |
| Does it replace and tires damaged one fixed quickly?    |
| it sense to tires if the one fixed?                     |
| tire replacements include both ?                        |
| front and rear tires is good if no longer               |
| think a good to and tires they're damaged?              |
| Replacing front or ?                                    |
| becomes is to change front and rear?                    |
| it a good to replace if they're beyond?                 |
| Do it's replace and rear they are damaged?              |
| Do you necessary to replace front rear ?                |
| a to redo both sets of tires is                         |
| When malfunctioning, front and tires replaced together? |
| Replacing front if damaged one is safe good idea.       |
| you recommend replacing and tires the same?             |
| If only one of rear is should replace?                  |
| it is best to both and rear once they ?                 |
| Replacing front rear tyres when a one is .              |
| If rear and tires is not repairable, should ?           |
|   |

| We front an                   | d if ar                  | e beyond    | _•             |                |                  |
|-------------------------------|--------------------------|-------------|----------------|----------------|------------------|
| it good                       | _ to replace front and _ | tires       | _ they         | ?              |                  |
| of the front                  | tires h                  | oad, should | replace        | th             | em?              |
| Is it to                      | rear tires t             | ogether?    |                |                |                  |
| Do you it's                   | replace both             | rear tir    | es it's        | s?             |                  |
| Should and                    | rear tires be            | ?           |                |                |                  |
| Replacing tire should i       | nclude                   | ·           |                |                |                  |
| Is it a                       | replace front rear       | r if there  | e              | ?              |                  |
| Do you repl                   | ace both front rea       | ar?         |                |                |                  |
| Is good                       | replace ar               | nd rear     | the            | is no          | longer needed?   |
| Replacing front               | tires is if              | _ is        |                |                |                  |
| Is replacing                  | and ti                   | ires at the | _ time?        |                |                  |
| Should replace _              | front                    | if one of _ | fails?         |                |                  |
| and rear                      | be in the even           | t a dama    | nged           | soc            | n?               |
| Is good                       | redo                     | tires       | one is c       | ompletely rui  | ned?             |
| there dama                    | ge repair, should        |             | tyres          | replaced t     | ogether?         |
| Replacing and                 | aa                       | isn't fixed | l then         | is a ide       | a.               |
| Is it necessary               | front                    | tires       | one u          | nrepairable?   |                  |
| Is necessary                  | both the _               | and rears   | ?              |                |                  |
| Do think a _                  | idea replace             | ar          | d rear tires   | s when they a  | re?              |
| Do you think                  | both front               | rear        | when           | damaged        | beyond?          |
| Should front or _             | change                   | d?          |                |                |                  |
| When a damaged                | does to                  | is it       | to             | o replace both | ·?               |
| both front                    | pairs include            | d in a      | ?              |                |                  |
| a a                           | to replace a damaged     | front and   | ?              |                |                  |
| Shouldn't ir                  | nclude front back        | ?           |                |                |                  |
| one becomes                   | to cl                    | nange both  | and rea        | r?             |                  |
| Should front and              | tires replaced           |             | one isn't $\_$ | ?              |                  |
| Should front                  | _ back repla             | ced at s    | ame?           |                |                  |
| Do you think is w             | ise replace              | front       |                | it bee         | en?              |
| If one irreparably            | / is it                  | rep         | lace           | and            | tires together?  |
| and                           | be replaced              |             |                |                |                  |
| If one bad, !                 | I both front             | tyr         | es?            |                |                  |
| Should front                  | _ rear be to             | gether d    | amaged?        |                |                  |
| You front _                   | tires the                | same time.  |                |                |                  |
| a damaged front               | rear fi                  | xed it is   |                | to             | them.            |
| it's be                       | st both                  | ti          | res after it   | 's been damaç  | jed?             |
| If the front $\_\_$ rear $\_$ | don't re                 | epair, is   |                | idea to replac | ce?              |
| Do you think it's a           | _ idea to replace        |             | tyres          |                | ?                |
| Should rear                   | tyres be the             | e i         | s long         | er safe?       |                  |
| Is good                       | _ to and                 | toget       | her a          | one doe        | s not respond to |
| Do you it's 9                 | good idea to replace     | front and _ |                |                | damaged?         |
| damaged ar                    | nd tire chang            | ged,?       |                |                |                  |
| front and                     | alongside                | _ another?  |                |                |                  |
| I replace both                | rear whe                 | n one no    | )              | _?             |                  |
| it a good to                  | replace front and rear   | tires when  |                |                | ?                |
| Should front rear             | ' if the                 | y d         | amaged?        |                |                  |
| we fro                        | ont and rear if          | is rep      | air?           |                |                  |
| front and ti                  | res ide                  | a if a tir  | e              | _ soon.        |                  |
| you it's a go                 | ood idea replace         |             | rear           | after          | been damaged?    |

| It a replace and tyres a is no longer safe.                          |
|--|
| you think best to rear tires?  |
| I and tires when one no longer?                                      |
| If one's damaged, they replace and?                                  |
| Should the and tires changed become?                                 |
| Is to the and rear become unrepairable?                              |
| think it best to replace and rear are damaged?                       |
| Is a good both and tires if one not respond ?                        |
| When tire respond to is good idea to front and tires?                |
| you believe replace both and rear tires?                             |
| it necessary to replace both front ?                                 |
| front and rear tires the after damaged?                              |
| front and replaced the a damaged one is needed?                      |
| Is it a good to rear tires one?                                      |
| it make to replace front rear they are?                              |
| it good to replace and rear tires you ?                              |
| recommend replacing rear tires together?                             |
| Is good idea to replace and if isn't?                                |
| When a damaged does is a good idea to front rear together?           |
| Is it replace and at the time?                                       |
| and be included a tire replacement?                                  |
| a and tires if damaged one is not fixed                              |
| good idea to the and at once?  |
| Should I replace back if bad?  |
| Should front and have be replaced?                                   |
| a good to replace front rear tires a one to?                         |
| Should tyres be when a isn't soon?                                   |
| Should I both when one completely?                                   |
| you think to to rear tires when they're beyond repair?               |
| Should a front back pairs?   |
| Is good idea replace front if is damaged repair?                     |
| it a good to rear tires if yours ?                                   |
| it make to replace and of a one?                                     |
| When one does not respond to good to front rear together?            |
| there front and rear tire, is it idea replace?                       |
| Is a good and tyres if damaged one doesn't repair?                   |
| one rear tires should they be replaced together?                     |
| a damaged one does not further it's replace rear tyres together.     |
| front rear be replaced in they are longer?                           |
| Should both one is repair?   |
| Is a good idea to replace front tires the does repairs?              |
| When a damaged rear tire does to further repair is replace together? |
| rear tires be replaced a get fixed?                                  |
| Do you the front back get ?  |
| rear front tires be together?  |
| Does if one becomes damaged?   |
| both and get after they are?   |
| I and if they not repairable?  |
| Do need redo both sets of ruined?                                    |
| Should front and tires replaced together when not respond ?          |

| Do you t    | hink it is a go | ood idea  | both fron                  | t             | tyres        |             | ?                |           |
|-------------|-----------------|-----------|----------------------------|---------------|--------------|-------------|------------------|-----------|
| it _        | good            | to        | _ front rear               | when th       | ey don't     | ?           |                  |           |
| Is          | good ide        | ea to     | back                       | tires         | _ a wreck?   | ?           |                  |           |
| on          | e's fron        | t re      | ar                         |               |              |             |                  |           |
| Do          | think it        |           | idea to replace fr         | ont and       |              | ?           |                  |           |
|             | best to rep     | olace bot | n front and                | when          |              | ?           |                  |           |
| Should t    | he and          | rear      | _ be in                    | ?             |              |             |                  |           |
| it _        | to              | both      | rear tires at              | same _        | ?            |             |                  |           |
| Replacin    | ng              | rear      | a                          | respon        | nd to furthe | er repair _ | a idea.          |           |
| Is it a go  | ood idea        | bo        | th front                   | 0             | ne           | ?           |                  |           |
| Should $\_$ | front an        | d re      | ceive ones                 | they          | ?            |             |                  |           |
|             | front           | rea       | ar tire be?                |               |              |             |                  |           |
|             | front           | rea       | ar at the same             | time?         |              |             |                  |           |
| a d         | lamaged         |           | tire fixed, _              | it            | good idea    | to it       | ?                |           |
| on          | e               |           | rear is beyon              | nd repair, sh | ould we      | it?         |                  |           |
| Is it       | _ good          | to replac | e front                    | when a        |              |             | _ before?        |           |
|             | good idea       | rep       | lace front and rear $\_$   |               | 0            | ne isn't _  | ·                |           |
| Is it       | _ good          | rep       | ace and t                  | tires a       |              | is lo       | onger safe?      |           |
|             | damaged _       | doe       | sn't respond re            | epairs        | a goo        | d idea      | replace and rear | together? |
|             |                 | back are  | e beyond                   | should        | get new o    | nes?        |                  |           |
| Is a        | advisable       |           | rear                       | if dam        | aged one is  | s rej       | pair?            |           |
| you         | ı i             | s a good  | idea to replace            |               | after        | they        | damaged?         |           |
| Does it r   | nake to         |           | _ and rear tires           | a             | is           | ?           |                  |           |
|             | to re           | place bot | h front rear               | the           | e same       | _?          |                  |           |
| Is          | a good idea _   |           | front rear                 |               | _ is a       | ?           |                  |           |
|             |                 |           | ont tires                  |               |              |             |                  |           |
|             |                 |           | include both fro           |               |              |             |                  |           |
|             |                 |           | replaced when              |               |              |             |                  |           |
|             |                 |           | replaced                   |               |              |             |                  |           |
|             |                 |           | place both front and       |               |              |             |                  |           |
|             |                 |           | necessary to cha           |               |              | ear tyres?  |                  |           |
|             |                 |           | e to                       |               |              |             |                  |           |
|             |                 |           | and                        |               |              |             |                  |           |
|             |                 |           | and tires                  |               |              |             |                  |           |
|             |                 |           | at                         |               |              | damaged     | ?                |           |
|             |                 |           | ront rear                  |               |              |             | 1 10             |           |
|             |                 |           | ooth the _                 |               | becoi        | mes         | damaged?         |           |
|             |                 |           | _ the front rea            |               | 2            |             |                  |           |
|             |                 |           | replace the front and      |               |              | onobler dos | magad?           |           |
|             |                 |           | ar tires if they are       |               | птер         | arabiy ua   | mayeur           |           |
|             |                 |           | olacement of               |               |              |             |                  |           |
|             |                 |           | front :                    |               | thoviro      | damagod     | 19               |           |
|             |                 |           |                            |               |              |             | ι:               |           |
|             |                 |           | replaced<br>es be replaced |               |              |             |                  |           |
|             |                 |           | e front rear tire          |               |              |             | 2                |           |
|             |                 |           | n a lot of                 |               |              |             | _ <del></del> ;  |           |
|             |                 |           | a lot of<br>in the eve     |               | damaged?     |             |                  |           |
|             |                 |           | tires da                   |               | aamageu:     |             |                  |           |
|             |                 |           | replaced if                |               | is           | ?           |                  |           |

| it advisable to change front back after ?                          |
|--|
| How about or rear?   |
| one beyond both go?  |
| lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:                           |
| It's a idea to replace front if isn't then.                        |
| both front and be replaced they are ?                              |
| front and rear be replaced alongside ?                             |
| Do we replace and if repair?                                       |
| I'm wondering if $\_$ redo both $\_$ one is $\_$ .                 |
| Replacing front rear one is no longer safe is                      |
| Do best to replace both front and tyres ?                          |
| wonder necessary to both fronts rears.                             |
| Is it good idea to front and not not repair?                       |
| If of rear is no longer repairable them?                           |
| Should the and rear is damaged?                                    |
| a good idea to and rear tires if ?                                 |
| you get wrecked, is to the tires?                                  |
| you think it's idea to replace and rear tires damaged?             |
| Is it best replace front and time?                                 |
| the front receive new after they ?                                 |
| If just goes should I the front ?                                  |
| Is it to replace tires at the ?                                    |
| front and back tires one breaks?                                   |
| good to replace rear tyres if no longer safe?                      |
| front and rear tyres replaced is?                                  |
| Should replace and if one is damaged?                              |
| Is good idea to and tyres a damaged one not repair?                |
| Is it to to the and when you wrecked?                              |
| Should the rear tire be they ?                                     |
| and replaced if a one isn't fixed in?                              |
| the front tires be replaced?                                       |
| it make front tires when does not respond to?                      |
| Should both and rear tires if of?                                  |
| Is to front rear when they are?                                    |
| damaged front and fixed soon, is a idea it?                        |
| front rear tires is damaged.                                       |
| Does it make sense and rear a isn't then?                          |
| Is it a idea replace rear tires when damaged ?                     |
| If the and rear become irreparably necessary simultaneously?       |
| a good a good and rear tires when damaged isn't responding further |
| you think it to replace both rear?                                 |
| Should tires be replaced at time if irreparably?                   |
| Do it's both front and rear it's damaged?                          |
| you think idea to replace rear tires when beyond repair?           |
| it a to replace rear tires the one isn't?                          |
| Is changing the tires when is unrepairable?                        |
| tire becomes is necessary replace front and rear?                  |
| front and tires advisable one wrecked?                             |
| it a idea replace front and tires the there a ?                    |
|  |

| I both           | n of        | (            | one of the  | n           | ruin       | ed?      |           |         |          |           |            |       |
|------------------|-------------|--------------|-------------|-------------|------------|----------|-----------|---------|----------|-----------|------------|-------|
| If front         | rear        | are dam      | aged beyo   | nd          | the        | еу       | _ replace | ed      | _?       |           |            |       |
| When one is      | _ repair, _ |              |             | tires?      |            |          |           |         |          |           |            |       |
|                  | repla       | ce both _    | and         |             | when or    | ie beco  | mes uni   | repaira | able?    |           |            |       |
| Does             | to          |              | rear t      | yres whe    | n a dam    | aged _   |           | _ resp  | ond      | _ repairs | s?         |       |
| Is it wise       | front _     |              | if          |             | is 1       | not repa | aired?    |         |          |           |            |       |
| it a good        |             | ;            | and 1       | tyres       | _ a        | one is   | n't fixed | 1?      |          |           |            |       |
| Is it a          |             | front        | _ rear      | if the t    | ire        | fixed    | ?         |         |          |           |            |       |
| Does             | sense to re | eplace       | _ and       | if          |            | dan      | naged?    |         |          |           |            |       |
| When a damaged   | d           | _ rear tire  | s don't res | spond       | repai      | rs,      | 6         | a good  |          |           | them       | ?     |
| When             | vehicle _   | not res      | pond        |             |            | a        | _ idea to | o       | front ar | nd t      | tires toge | ther? |
| Shouldn't a      | and rears b | e            |             | ?           |            |          |           |         |          |           |            |       |
|                  | to re       | place front  | rea         | r w         | hen a da   | maged    | ·         | fix     | æd.      |           |            |       |
|                  | a god       | od idea to   | the _       | and         |            | afte     | r they a  | re      | _?       |           |            |       |
| Should the front | rear        |              |             | _ the sar   | ne time    | th       | ney       | _       | ?        |           |            |       |
| a good idea      | a repl      | ace front    |             | tires       | _ a dan    | aged o   | ne        |         | •        |           |            |       |
| I replace th     | ne front an | d            |             | of          | goes       | ?        |           |         |          |           |            |       |
| a idea           | a repl      | lace front a | and t       | ires if a _ |            |          | fi        | ixed.   |          |           |            |       |
| If rea           | r tires are |              | repair, _   |             | a          | idea?    |           |         |          |           |            |       |
| changing b       | oth front a | nd ti        | res         |             | _ if you _ |          | ?         |         |          |           |            |       |
| Do you recomme   | end         | front _      | rear        |             | once?      |          |           |         |          |           |            |       |
| The and          | sł          | nould be re  | placed      |             | be         | yond re  | pair.     |         |          |           |            |       |