

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Automotive manufacturers
<b>Inquiry Category</b>	Assistance with vehicle navigation and multimedia systems
<b>Inquiry Sub-Category</b>	Integration with other vehicle features
<b>Description</b>	Supporting customers in integrating their navigation and multimedia systems with other vehicle features like voice recognition, steering wheel controls, or vehicle settings customization.
<b>Data Size</b>	5,009 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Automotive manufacturer" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ upgrading firmware/software periodically disrupt \_\_\_\_\_ within \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ disrupt dashboard unit connections?

\_\_\_\_\_ \_\_\_\_\_ affected by firmware/software \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ \_\_\_\_\_ disrupt current dashboard \_\_\_\_\_?

Does any \_\_\_\_\_ my dashboard \_\_\_\_\_?

\_\_\_\_\_ \_\_\_\_\_ disrupt \_\_\_\_\_ \_\_\_\_\_ connections in the dashboard unit?

\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ when \_\_\_\_\_ new software is used in the \_\_\_\_\_ unit?

\_\_\_\_\_ updating software \_\_\_\_\_?

Does updating the \_\_\_\_\_ \_\_\_\_\_?

\_\_\_\_\_ frequent upgrades \_\_\_\_\_ dashboard \_\_\_\_\_?

Will \_\_\_\_\_ connections be \_\_\_\_\_ changing \_\_\_\_\_ in \_\_\_\_\_ dashboard?

Is the \_\_\_\_\_ \_\_\_\_\_ software upgrading?

\_\_\_\_\_ software in \_\_\_\_\_ \_\_\_\_\_ cause disruptions?

Will the dashboard unit's \_\_\_\_\_ \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ there be problems with \_\_\_\_\_ dashboard \_\_\_\_\_ due \_\_\_\_\_ \_\_\_\_\_ upgrades?

Updating \_\_\_\_\_ unit's software may \_\_\_\_\_.

\_\_\_\_\_ dashboard \_\_\_\_\_ \_\_\_\_\_ by periodic upgrade?

Is \_\_\_\_\_ software \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ dashboard unit connections \_\_\_\_\_ \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ \_\_\_\_\_ connections be disrupted \_\_\_\_\_ \_\_\_\_\_ upgrade?

Will \_\_\_\_\_ dashboard \_\_\_\_\_ connections be disrupted \_\_\_\_\_ \_\_\_\_\_ periodic \_\_\_\_\_?

\_\_\_\_\_ \_\_\_\_\_ dashboard unit's connections \_\_\_\_\_ \_\_\_\_\_ when \_\_\_\_\_ the software?

Will \_\_\_\_\_ \_\_\_\_\_ interrupt links \_\_\_\_\_ \_\_\_\_\_ dashboard?

\_\_\_\_\_ periodic upgrades \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ every \_\_\_\_\_ to \_\_\_\_\_ \_\_\_\_\_ up the dashboard \_\_\_\_\_?

\_\_\_\_\_ \_\_\_\_\_ my \_\_\_\_\_ frequently, can I \_\_\_\_\_ \_\_\_\_\_ to the dashboard \_\_\_\_\_?

Do \_\_\_\_\_ connections \_\_\_\_\_ affected \_\_\_\_\_?

\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ connections be \_\_\_\_\_ by \_\_\_\_\_ upgrades?

\_\_\_\_\_ expect problems when \_\_\_\_\_ software on the \_\_\_\_\_ unit?

\_\_\_\_\_ connections might be \_\_\_\_\_ software \_\_\_\_\_.

\_\_\_\_\_ connections within \_\_\_\_\_ by \_\_\_\_\_ upgrade of vehicle \_\_\_\_\_ software.

Will \_\_\_\_\_ dashboard unit's \_\_\_\_\_ connections?

\_\_\_\_\_ software \_\_\_\_\_ dashboard \_\_\_\_\_ connections?

\_\_\_\_\_ could affect my \_\_\_\_\_ connection.

\_\_\_\_\_ the upgrade \_\_\_\_\_ Connection?

Will \_\_\_\_\_ cause disruptions to \_\_\_\_\_ unit?

\_\_\_\_\_ a \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard links?

Is \_\_\_\_\_ affected \_\_\_\_\_ upgrades?

Can \_\_\_\_\_ dashboard \_\_\_\_\_ any \_\_\_\_\_ when \_\_\_\_\_ upgrade the software?

Is an \_\_\_\_\_ on \_\_\_\_\_ dashboard \_\_\_\_\_?

Are \_\_\_\_\_ to \_\_\_\_\_ connections in \_\_\_\_\_?

Will \_\_\_\_\_ dashboard unit \_\_\_\_\_ software \_\_\_\_\_?

Will an \_\_\_\_\_ inside the \_\_\_\_\_?

Can the upgrades \_\_\_\_\_ to \_\_\_\_\_?

There \_\_\_\_\_ and do \_\_\_\_\_ upgrades affect them?

Current \_\_\_\_\_ can be \_\_\_\_\_ by periodic \_\_\_\_\_ of vehicle \_\_\_\_\_ software.

\_\_\_\_\_ the \_\_\_\_\_ disrupted periodically by the upgrade \_\_\_\_\_ software?

The \_\_\_\_\_ has \_\_\_\_\_ connections but \_\_\_\_\_ they \_\_\_\_\_ by \_\_\_\_\_?

\_\_\_\_\_ active \_\_\_\_\_ in the dashboard may \_\_\_\_\_ by \_\_\_\_\_.

\_\_\_\_\_ system \_\_\_\_\_ hit \_\_\_\_\_ links?

Updating the software \_\_\_\_\_ unit might \_\_\_\_\_ disruptions \_\_\_\_\_ existing \_\_\_\_\_.

Will \_\_\_\_\_ disrupted by upgrades?

\_\_\_\_\_ connection be affected by \_\_\_\_\_?

\_\_\_\_\_ updating the \_\_\_\_\_ on my dashboard \_\_\_\_\_ causing \_\_\_\_\_?

\_\_\_\_\_ upgrade \_\_\_\_\_ up my \_\_\_\_\_ connections?

Will this interrupt \_\_\_\_\_ unit if I \_\_\_\_\_ my \_\_\_\_\_ frequently?

Is \_\_\_\_\_ possible \_\_\_\_\_ routine upgrades \_\_\_\_\_ cause disruptions in \_\_\_\_\_?

Does \_\_\_\_\_ connections get disrupted \_\_\_\_\_?

\_\_\_\_\_ impacting \_\_\_\_\_ dashboard's current connection?

\_\_\_\_\_ suffer from frequent software \_\_\_\_\_?

The dashboard may have \_\_\_\_\_ updates.

Will there be problems connecting \_\_\_\_\_ new software \_\_\_\_\_?

Will the \_\_\_\_\_ dashboard be \_\_\_\_\_ by the \_\_\_\_\_?

Will \_\_\_\_\_ of \_\_\_\_\_ dashboard \_\_\_\_\_ disrupt connections?

Are the \_\_\_\_\_ unit's \_\_\_\_\_ by \_\_\_\_\_?

Should I expect any \_\_\_\_\_ I \_\_\_\_\_ unit?

Is it possible to \_\_\_\_\_ with upgraded \_\_\_\_\_ the \_\_\_\_\_?

Will the \_\_\_\_\_ my \_\_\_\_\_ unit \_\_\_\_\_ disrupted if \_\_\_\_\_ upgrade the \_\_\_\_\_?

\_\_\_\_\_ upgrade interrupt links \_\_\_\_\_ dashboard?

\_\_\_\_\_ dashboard \_\_\_\_\_ interrupted \_\_\_\_\_ software \_\_\_\_\_?

Will \_\_\_\_\_ be interruptions \_\_\_\_\_ because \_\_\_\_\_ routine upgrades?

Will the dashboard \_\_\_\_\_ connection \_\_\_\_\_ by \_\_\_\_\_ to \_\_\_\_\_ software?

\_\_\_\_\_ updating software \_\_\_\_\_ links?

\_\_\_\_\_ every \_\_\_\_\_ messing \_\_\_\_\_ my dashboard \_\_\_\_\_?

Does \_\_\_\_\_ in \_\_\_\_\_ dashboard unit affect \_\_\_\_\_?

\_\_\_\_\_ it possible that \_\_\_\_\_ the dashboards?

Will dashboard \_\_\_\_\_ disruptions be \_\_\_\_\_?

Updating \_\_\_\_\_ in the \_\_\_\_\_ might \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ the dashboard \_\_\_\_\_ be disrupted by \_\_\_\_\_ to \_\_\_\_\_ software?  
\_\_\_\_\_ the \_\_\_\_\_ unit's \_\_\_\_\_ be \_\_\_\_\_ by the upgrade \_\_\_\_\_ software?  
\_\_\_\_\_ dashboard connections \_\_\_\_\_ by \_\_\_\_\_ software and \_\_\_\_\_ upgrades?  
\_\_\_\_\_ updating the \_\_\_\_\_ existing connections?  
\_\_\_\_\_ software \_\_\_\_\_ dashboard unit can \_\_\_\_\_.  
Will periodic \_\_\_\_\_ interfere with \_\_\_\_\_?  
Can \_\_\_\_\_ expect \_\_\_\_\_ with connection \_\_\_\_\_ I \_\_\_\_\_ software on \_\_\_\_\_ dashboard \_\_\_\_\_?  
\_\_\_\_\_ dashboard connection impacted by \_\_\_\_\_?  
\_\_\_\_\_ it \_\_\_\_\_ connections \_\_\_\_\_ affected by \_\_\_\_\_ software upgrades?  
\_\_\_\_\_ software in \_\_\_\_\_ dashboard unit \_\_\_\_\_?  
\_\_\_\_\_ dashboard \_\_\_\_\_ be \_\_\_\_\_ the upgrade.  
Will \_\_\_\_\_ be any \_\_\_\_\_ to \_\_\_\_\_ when I upgrade \_\_\_\_\_?  
Will \_\_\_\_\_ connections \_\_\_\_\_ disrupted by \_\_\_\_\_?  
\_\_\_\_\_ dashboard \_\_\_\_\_ get affected by \_\_\_\_\_?  
Does \_\_\_\_\_ interrupt \_\_\_\_\_ dashboard \_\_\_\_\_?  
Can \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ when I upgrade software?  
Dashboard \_\_\_\_\_ can be disrupted \_\_\_\_\_.  
\_\_\_\_\_ updating \_\_\_\_\_ a problem with existing connections?  
Will \_\_\_\_\_ the \_\_\_\_\_ connections in \_\_\_\_\_ dashboard \_\_\_\_\_ if \_\_\_\_\_ the software \_\_\_\_\_?  
Current connections \_\_\_\_\_ the dashboard might be \_\_\_\_\_ periodic upgrading \_\_\_\_\_.  
\_\_\_\_\_ the \_\_\_\_\_ connections on \_\_\_\_\_ dashboard?  
\_\_\_\_\_ dashboard \_\_\_\_\_ be disrupted \_\_\_\_\_ by the \_\_\_\_\_ of software?  
Is \_\_\_\_\_ dashboard's \_\_\_\_\_ periodic \_\_\_\_\_ updates?  
\_\_\_\_\_ the current connections \_\_\_\_\_ dashboard \_\_\_\_\_ be disrupted \_\_\_\_\_ the \_\_\_\_\_ more frequently?  
\_\_\_\_\_ possible \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ disrupted when I upgrade the \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ by the installation \_\_\_\_\_ upgraded \_\_\_\_\_?  
\_\_\_\_\_ software impacting my \_\_\_\_\_ connection?  
\_\_\_\_\_ periodic \_\_\_\_\_ cause issues \_\_\_\_\_ dashboard \_\_\_\_\_?  
\_\_\_\_\_ your \_\_\_\_\_ affect your \_\_\_\_\_?  
Will links \_\_\_\_\_ the dashboard be \_\_\_\_\_ by the \_\_\_\_\_?  
\_\_\_\_\_ I upgrade my software \_\_\_\_\_ can \_\_\_\_\_ disruptions \_\_\_\_\_ the dashboard \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ the firmware breaking \_\_\_\_\_ dashboard \_\_\_\_\_?  
Can \_\_\_\_\_ dashboard connections?  
\_\_\_\_\_ connection inside the \_\_\_\_\_ by any upgrade?  
\_\_\_\_\_ the connection \_\_\_\_\_ dashboard unit \_\_\_\_\_ by \_\_\_\_\_ software upgrade?  
Will the dashboard \_\_\_\_\_ links after \_\_\_\_\_ of \_\_\_\_\_?  
Does \_\_\_\_\_ of software \_\_\_\_\_ the \_\_\_\_\_ connections?  
\_\_\_\_\_ connections within the \_\_\_\_\_ are affected \_\_\_\_\_ of vehicle \_\_\_\_\_ software.  
\_\_\_\_\_ current \_\_\_\_\_ in the \_\_\_\_\_ be \_\_\_\_\_ I upgrade?  
Can \_\_\_\_\_ any connection disruptions \_\_\_\_\_ I upgrade \_\_\_\_\_ unit \_\_\_\_\_?  
Could \_\_\_\_\_ affect \_\_\_\_\_ with my \_\_\_\_\_ device?  
\_\_\_\_\_ this interrupt \_\_\_\_\_ in \_\_\_\_\_ dashboard unit \_\_\_\_\_ upgrade \_\_\_\_\_ software frequently?  
\_\_\_\_\_ periodic software \_\_\_\_\_ established \_\_\_\_\_ the dashboard's interface?  
Does updating the software \_\_\_\_\_ the connections?  
\_\_\_\_\_ the dashboard \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ to software.  
\_\_\_\_\_ possible \_\_\_\_\_ a software \_\_\_\_\_ to cause disruptions to \_\_\_\_\_?  
\_\_\_\_\_ the dashboard's \_\_\_\_\_ have \_\_\_\_\_ due \_\_\_\_\_ software upgrades?  
Does updating \_\_\_\_\_ in \_\_\_\_\_ unit cause \_\_\_\_\_?  
\_\_\_\_\_ unit connections be \_\_\_\_\_ routine \_\_\_\_\_?  
\_\_\_\_\_ frequent \_\_\_\_\_ affect dashboard \_\_\_\_\_?

Does \_\_\_\_\_ the \_\_\_\_\_ connections \_\_\_\_\_ my dashboard \_\_\_\_\_ I \_\_\_\_\_ software frequently?

Do \_\_\_\_\_ due to \_\_\_\_\_ upgrades?

\_\_\_\_\_ a \_\_\_\_\_ update \_\_\_\_\_ disruptions to the connections \_\_\_\_\_ dashboard \_\_\_\_\_?

Will \_\_\_\_\_ unit's connection \_\_\_\_\_ disrupted \_\_\_\_\_ upgrade to \_\_\_\_\_?

\_\_\_\_\_ for the \_\_\_\_\_ unit \_\_\_\_\_ be disrupted when \_\_\_\_\_ the software?

Will the \_\_\_\_\_ inside the \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ updates \_\_\_\_\_ dashboard \_\_\_\_\_?

Is \_\_\_\_\_ upgrades \_\_\_\_\_ to \_\_\_\_\_ unit \_\_\_\_\_?

Will \_\_\_\_\_ interrupt the \_\_\_\_\_ unit if \_\_\_\_\_ upgrade my software \_\_\_\_\_?

Will \_\_\_\_\_ affect \_\_\_\_\_ connection inside of \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ disruptions \_\_\_\_\_ connections when a \_\_\_\_\_ installed into \_\_\_\_\_ dashboard \_\_\_\_\_?

Does every \_\_\_\_\_ up the \_\_\_\_\_ connections?

Can there be \_\_\_\_\_ dashboard when \_\_\_\_\_ upgrade \_\_\_\_\_ software \_\_\_\_\_?

Does an \_\_\_\_\_ ruin \_\_\_\_\_?

Will \_\_\_\_\_ upgrades \_\_\_\_\_ connections?

Does updating \_\_\_\_\_ software \_\_\_\_\_ the \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ any issues with \_\_\_\_\_ upgrade my dashboard \_\_\_\_\_?

\_\_\_\_\_ think the firmware will mess \_\_\_\_\_ the \_\_\_\_\_ dashboard \_\_\_\_\_ once \_\_\_\_\_ while?

Will the \_\_\_\_\_ unit's \_\_\_\_\_ by \_\_\_\_\_ upgrade?

\_\_\_\_\_ periodic \_\_\_\_\_ the dashboard \_\_\_\_\_ connections?

Will \_\_\_\_\_ dashboard \_\_\_\_\_ connection be disrupted \_\_\_\_\_ to \_\_\_\_\_?

Is \_\_\_\_\_ possible that the \_\_\_\_\_ experience connection issues \_\_\_\_\_ software?

\_\_\_\_\_ the \_\_\_\_\_ connection be disrupted \_\_\_\_\_ there is \_\_\_\_\_ upgrade to \_\_\_\_\_?

Can a \_\_\_\_\_ disruptions to connections \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ enhancements to the software \_\_\_\_\_?

Will \_\_\_\_\_ unit \_\_\_\_\_ periodic upgrades?

Is \_\_\_\_\_ that periodic \_\_\_\_\_ updates disrupt \_\_\_\_\_ connections \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the links in the dashboard \_\_\_\_\_ software?

Current \_\_\_\_\_ the \_\_\_\_\_ could be \_\_\_\_\_ by \_\_\_\_\_ updates.

Do periodic \_\_\_\_\_ disrupt \_\_\_\_\_ on the \_\_\_\_\_?

Is it \_\_\_\_\_ Firmware upgrade can \_\_\_\_\_ dashboard \_\_\_\_\_?

Are dashboard \_\_\_\_\_ by \_\_\_\_\_?

Do \_\_\_\_\_ affect \_\_\_\_\_ on \_\_\_\_\_ dashboard?

Will \_\_\_\_\_ connections inside the \_\_\_\_\_?

Will an \_\_\_\_\_ inside the \_\_\_\_\_?

Will \_\_\_\_\_ connections \_\_\_\_\_ unit be disrupted if I \_\_\_\_\_ frequently?

\_\_\_\_\_ current connections be affected \_\_\_\_\_ the dashboard?

\_\_\_\_\_ connections when \_\_\_\_\_ new \_\_\_\_\_ is installed \_\_\_\_\_ the dashboard unit?

Will \_\_\_\_\_ the \_\_\_\_\_ affect \_\_\_\_\_ connections?

\_\_\_\_\_ updated \_\_\_\_\_ affect \_\_\_\_\_ connections?

Is established \_\_\_\_\_ connections \_\_\_\_\_ periodical \_\_\_\_\_?

Does every \_\_\_\_\_ to the software \_\_\_\_\_?

\_\_\_\_\_ dashboard \_\_\_\_\_ periodical upgrades?

Does updating \_\_\_\_\_ unit cause any \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ unit's \_\_\_\_\_ get \_\_\_\_\_ by an upgrade to \_\_\_\_\_ software?

\_\_\_\_\_ dashboard unit experience any connection disruptions \_\_\_\_\_ frequently?

\_\_\_\_\_ updating \_\_\_\_\_ software on my \_\_\_\_\_ unit affect \_\_\_\_\_?

Updating \_\_\_\_\_ cause \_\_\_\_\_ to existing connections.

Does \_\_\_\_\_ to \_\_\_\_\_ mess \_\_\_\_\_ connections?

\_\_\_\_\_ updating software in the \_\_\_\_\_ unit \_\_\_\_\_?

Do each \_\_\_\_\_ mess up \_\_\_\_\_ ?

\_\_\_\_\_ within the \_\_\_\_\_ be impacted \_\_\_\_\_ periodic upgrade \_\_\_\_\_ system software.

Does \_\_\_\_\_ software \_\_\_\_\_ unit cause issues \_\_\_\_\_ connections?

\_\_\_\_\_ the software \_\_\_\_\_ dashboard links?

Will \_\_\_\_\_ the \_\_\_\_\_ connections?

\_\_\_\_\_ it \_\_\_\_\_ software upgrading \_\_\_\_\_ dashboard links?

Will \_\_\_\_\_ messed \_\_\_\_\_ software upgrades?

\_\_\_\_\_ dashboard unit connections?

Does \_\_\_\_\_ software on the \_\_\_\_\_ unit affect \_\_\_\_\_ ?

Is \_\_\_\_\_ the firmware \_\_\_\_\_ my \_\_\_\_\_ ?

Is \_\_\_\_\_ frequent software \_\_\_\_\_ firmware updates?

\_\_\_\_\_ the \_\_\_\_\_ unit's \_\_\_\_\_ by an upgrade to \_\_\_\_\_ ?

\_\_\_\_\_ that the \_\_\_\_\_ with my car's \_\_\_\_\_ device \_\_\_\_\_ disrupted by \_\_\_\_\_ upgrade?

\_\_\_\_\_ disruptions \_\_\_\_\_ connections when there \_\_\_\_\_ a new \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard unit?

Will \_\_\_\_\_ affect the \_\_\_\_\_ ?

Will \_\_\_\_\_ be \_\_\_\_\_ disrupted \_\_\_\_\_ new software is \_\_\_\_\_ dashboard unit?

Will a connection \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ upgrade?

\_\_\_\_\_ dashboard \_\_\_\_\_ by \_\_\_\_\_ software upgrades.

Will the current connections in my \_\_\_\_\_ be \_\_\_\_\_ software \_\_\_\_\_ ?

\_\_\_\_\_ the \_\_\_\_\_ unit's software \_\_\_\_\_ connections

The connection \_\_\_\_\_ dashboard \_\_\_\_\_ probably \_\_\_\_\_ by the \_\_\_\_\_.

\_\_\_\_\_ periodic \_\_\_\_\_ dashboard unit \_\_\_\_\_ ?

\_\_\_\_\_ it \_\_\_\_\_ software \_\_\_\_\_ disrupt connections \_\_\_\_\_ car's dashboard device?

\_\_\_\_\_ on my dashboard unit \_\_\_\_\_ cause disruptions \_\_\_\_\_ connections.

\_\_\_\_\_ upgrade affect \_\_\_\_\_ connections?

\_\_\_\_\_ dashboard unit connections be \_\_\_\_\_ routine \_\_\_\_\_ ?

\_\_\_\_\_ dashboard unit \_\_\_\_\_ issues when I \_\_\_\_\_ software?

\_\_\_\_\_ regular \_\_\_\_\_ affect \_\_\_\_\_ connections?

\_\_\_\_\_ current connections \_\_\_\_\_ affected \_\_\_\_\_ upgrades \_\_\_\_\_ dashboard?

\_\_\_\_\_ of the \_\_\_\_\_ unit disrupt \_\_\_\_\_ connections?

Is \_\_\_\_\_ software \_\_\_\_\_ my dashboard \_\_\_\_\_ affecting \_\_\_\_\_ connections?

Could the \_\_\_\_\_ car's \_\_\_\_\_ device \_\_\_\_\_ current connections?

\_\_\_\_\_ the \_\_\_\_\_ impacted by periodical \_\_\_\_\_ ?

\_\_\_\_\_ updating \_\_\_\_\_ to the connections on my \_\_\_\_\_ unit?

The \_\_\_\_\_ interface \_\_\_\_\_ be \_\_\_\_\_ periodic software \_\_\_\_\_.

\_\_\_\_\_ possible that \_\_\_\_\_ disrupt current dashboard links?

Will \_\_\_\_\_ dashboard unit's \_\_\_\_\_ upgrade to the software?

\_\_\_\_\_ dashboard unit software \_\_\_\_\_ existing \_\_\_\_\_ ?

Will the upgraded \_\_\_\_\_ in the \_\_\_\_\_ ?

\_\_\_\_\_ on established \_\_\_\_\_ from periodical \_\_\_\_\_ ?

\_\_\_\_\_ links \_\_\_\_\_ the dashboard \_\_\_\_\_ disrupted \_\_\_\_\_ the \_\_\_\_\_ of upgraded \_\_\_\_\_ ?

\_\_\_\_\_ dashboard unit \_\_\_\_\_ connection disruptions when \_\_\_\_\_ my software regularly?

Can \_\_\_\_\_ current dashboard links \_\_\_\_\_ Firmware \_\_\_\_\_ ?

Will \_\_\_\_\_ upgrade \_\_\_\_\_ connections \_\_\_\_\_ the \_\_\_\_\_ unit?

Will \_\_\_\_\_ software cause \_\_\_\_\_ to existing connections?

Will the \_\_\_\_\_ the dashboard \_\_\_\_\_ affected by \_\_\_\_\_ ?

Does a \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard \_\_\_\_\_ ?

\_\_\_\_\_ dashboard \_\_\_\_\_ have its connection \_\_\_\_\_ an \_\_\_\_\_ the software?

Does \_\_\_\_\_ to \_\_\_\_\_ mess up my \_\_\_\_\_ ?

\_\_\_\_\_ the current \_\_\_\_\_ dash be disrupted \_\_\_\_\_ I \_\_\_\_\_ ?

Will the connection \_\_\_\_ the \_\_\_\_ be \_\_\_\_ the \_\_\_\_ ?

\_\_\_\_ dashboard connections affected by \_\_\_\_ updates?

Current linkages \_\_\_\_ the \_\_\_\_ be hampered \_\_\_\_.

Does updating \_\_\_\_ on \_\_\_\_ dashboard \_\_\_\_ any disruptions?

\_\_\_\_ I expect a \_\_\_\_ I \_\_\_\_ the software \_\_\_\_ dashboard \_\_\_\_?

\_\_\_\_ dashboard upgrade \_\_\_\_?

\_\_\_\_ current \_\_\_\_ in \_\_\_\_ dashboard \_\_\_\_ interrupted \_\_\_\_ I frequently upgrade \_\_\_\_ Firmware \_\_\_\_ software?

Will dashboard \_\_\_\_ be \_\_\_\_ upgrades?

Does \_\_\_\_ software on my \_\_\_\_ unit cause \_\_\_\_?

Is \_\_\_\_ interrupting dashboard \_\_\_\_?

\_\_\_\_ the \_\_\_\_ unit \_\_\_\_ disrupted \_\_\_\_ an upgrade to the software?

Should \_\_\_\_ about updating \_\_\_\_ impacting \_\_\_\_ dashboard's \_\_\_\_ connections?

Will \_\_\_\_ hurt my \_\_\_\_?

Can there be connection \_\_\_\_ the dashboard \_\_\_\_ I \_\_\_\_ frequently?

\_\_\_\_ the links \_\_\_\_ dashboard \_\_\_\_ interrupted \_\_\_\_ upgraded firmware?

\_\_\_\_ there be \_\_\_\_ issues \_\_\_\_ upgrade the \_\_\_\_ unit with new \_\_\_\_?

Will \_\_\_\_ affect \_\_\_\_ connections?

Is \_\_\_\_ updating \_\_\_\_ software \_\_\_\_ current dashboard links?

\_\_\_\_ dashboard are impacted \_\_\_\_ periodic upgrade of \_\_\_\_ software.

Current linkages \_\_\_\_ dash \_\_\_\_ by \_\_\_\_?

Is \_\_\_\_ for the \_\_\_\_ unit \_\_\_\_ when I upgrade \_\_\_\_ software?

Is \_\_\_\_ possible that \_\_\_\_ dashboard unit \_\_\_\_ disruptions \_\_\_\_ I \_\_\_\_ the software \_\_\_\_?

\_\_\_\_ be \_\_\_\_ if a new \_\_\_\_ is added to \_\_\_\_ unit?

\_\_\_\_ connections be disrupted \_\_\_\_ a \_\_\_\_ to the dashboard unit?

\_\_\_\_ links \_\_\_\_ be \_\_\_\_ by the installation \_\_\_\_ upgraded software?

Is \_\_\_\_ dashboard's interface \_\_\_\_ by \_\_\_\_ upgrades \_\_\_\_?

Will \_\_\_\_ the \_\_\_\_ software \_\_\_\_ relationships?

Will the \_\_\_\_ affect \_\_\_\_ dashboard?

\_\_\_\_ disrupt current connections \_\_\_\_ dash?

\_\_\_\_ the dashboard unit \_\_\_\_ to \_\_\_\_ routine upgrades?

Will \_\_\_\_ software disrupt \_\_\_\_ within the \_\_\_\_?

\_\_\_\_ dashboard \_\_\_\_ connections be \_\_\_\_ the \_\_\_\_ is done?

Will the current \_\_\_\_ in \_\_\_\_ dashboard \_\_\_\_ be \_\_\_\_ I \_\_\_\_ my \_\_\_\_?

Is \_\_\_\_ interrupt \_\_\_\_ inside the dashboard when \_\_\_\_ upgraded \_\_\_\_?

Will upgrade \_\_\_\_ connections \_\_\_\_ dash?

Is the \_\_\_\_ interrupt \_\_\_\_ dashboard links?

\_\_\_\_ there a correlation \_\_\_\_ software \_\_\_\_ and disrupted \_\_\_\_ the dashboard's \_\_\_\_?

\_\_\_\_ upgrade \_\_\_\_ the \_\_\_\_ cause the \_\_\_\_ unit's \_\_\_\_ to \_\_\_\_ disrupted?

Does the periodic upgrade of \_\_\_\_ affect \_\_\_\_ in \_\_\_\_?

Updating \_\_\_\_ unit's \_\_\_\_ existing connections.

Does \_\_\_\_ the dashboard \_\_\_\_?

\_\_\_\_ possible that updating \_\_\_\_ software could \_\_\_\_ current \_\_\_\_ with \_\_\_\_ car's dashboard \_\_\_\_?

\_\_\_\_ the \_\_\_\_ system software upgrade impacting \_\_\_\_ dashboards?

\_\_\_\_ the dashboard unit's software \_\_\_\_?

Is it normal \_\_\_\_ software \_\_\_\_ established connections \_\_\_\_ dashboard?

Is \_\_\_\_ affected by \_\_\_\_ firmware/software \_\_\_\_?

Will \_\_\_\_ interrupt \_\_\_\_ connections in \_\_\_\_ if I change \_\_\_\_ software \_\_\_\_?

Does a periodical \_\_\_\_ connections?

\_\_\_\_ regular \_\_\_\_ dashboard connections?

\_\_\_\_ updates disrupt \_\_\_\_ connections?

\_\_\_\_\_ take their toll on \_\_\_\_\_ links?

\_\_\_\_\_ an upgrade \_\_\_\_\_ links in \_\_\_\_\_?

\_\_\_\_\_ software upgrade interrupt the \_\_\_\_\_?

\_\_\_\_\_ upgrades \_\_\_\_\_ the current \_\_\_\_\_ dashboard unit?

\_\_\_\_\_ updating the \_\_\_\_\_ my dashboard \_\_\_\_\_ problems?

Will periodic upgrades affect \_\_\_\_\_?

Current \_\_\_\_\_ occasionally be \_\_\_\_\_ firmware upgrade.

\_\_\_\_\_ updating \_\_\_\_\_ connections on \_\_\_\_\_ dashboard?

\_\_\_\_\_ updating \_\_\_\_\_ dashboard unit's software \_\_\_\_\_ existing \_\_\_\_\_?

Will \_\_\_\_\_ dashboard \_\_\_\_\_ connection problems if \_\_\_\_\_ software frequently?

\_\_\_\_\_ the \_\_\_\_\_ disrupted by \_\_\_\_\_ update \_\_\_\_\_ the software?

\_\_\_\_\_ software \_\_\_\_\_ cause \_\_\_\_\_ unit to be disrupted?

Will \_\_\_\_\_ connections in my \_\_\_\_\_ if \_\_\_\_\_ upgrade the \_\_\_\_\_ and firmware?

Will the \_\_\_\_\_ connections \_\_\_\_\_ the \_\_\_\_\_ disrupted \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ links \_\_\_\_\_ be disrupted \_\_\_\_\_ upgrade.

Will dashboard \_\_\_\_\_ be \_\_\_\_\_ software upgrade?

Will \_\_\_\_\_ affect \_\_\_\_\_ the dash?

Current \_\_\_\_\_ dashboards may be \_\_\_\_\_ periodic \_\_\_\_\_ vehicle \_\_\_\_\_ software.

Current connections will be \_\_\_\_\_ within \_\_\_\_\_ dashboard.

Does software \_\_\_\_\_ dashboard \_\_\_\_\_?

Will the current connections \_\_\_\_\_ dashboard unit \_\_\_\_\_ upgrade the \_\_\_\_\_ Software \_\_\_\_\_?

\_\_\_\_\_ updating \_\_\_\_\_ software \_\_\_\_\_ connections in the dashboard \_\_\_\_\_?

Are connections within \_\_\_\_\_ updates?

\_\_\_\_\_ linkage in \_\_\_\_\_ can \_\_\_\_\_ hampered \_\_\_\_\_ software \_\_\_\_\_.

Do \_\_\_\_\_ in software \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ in dash \_\_\_\_\_ by Firmware/software updates.

\_\_\_\_\_ unit's \_\_\_\_\_ be \_\_\_\_\_ occasionally by software upgrades?

Do \_\_\_\_\_ I'll end up \_\_\_\_\_ the \_\_\_\_\_ my dashboard \_\_\_\_\_ when I upgrade \_\_\_\_\_?

Updating \_\_\_\_\_ my car's dashboard device could \_\_\_\_\_ current \_\_\_\_\_.

\_\_\_\_\_ links \_\_\_\_\_ the \_\_\_\_\_ be disrupted by \_\_\_\_\_ software?

Can \_\_\_\_\_ expect disruption \_\_\_\_\_ the \_\_\_\_\_ when \_\_\_\_\_ upgrade \_\_\_\_\_ software?

\_\_\_\_\_ the upgrades can \_\_\_\_\_ current dashboard links?

Will upgrades \_\_\_\_\_ connections \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ an upgrade \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ dashboard unit experience disruptions when \_\_\_\_\_ is a \_\_\_\_\_?

\_\_\_\_\_ I expect \_\_\_\_\_ connection \_\_\_\_\_ the dashboard unit's software?

Does a \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ the dashboard unit's \_\_\_\_\_ disrupted from \_\_\_\_\_ to the \_\_\_\_\_?

Does an \_\_\_\_\_ to the dashboard \_\_\_\_\_ cause \_\_\_\_\_?

Do \_\_\_\_\_ dashboard connections?

\_\_\_\_\_ connections within dash?

\_\_\_\_\_ updating software disrupt \_\_\_\_\_ connections \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ may be \_\_\_\_\_ frequent \_\_\_\_\_ upgrades.

Does \_\_\_\_\_ interrupt \_\_\_\_\_ links \_\_\_\_\_ dashboard?

Can I \_\_\_\_\_ connection \_\_\_\_\_ when I \_\_\_\_\_ on \_\_\_\_\_ unit?

\_\_\_\_\_ upgrades \_\_\_\_\_ links in \_\_\_\_\_ dashboard?

Is the \_\_\_\_\_ my dashboard \_\_\_\_\_?

Is \_\_\_\_\_ dashboard connections \_\_\_\_\_ to \_\_\_\_\_ this \_\_\_\_\_ again?

\_\_\_\_\_ upgrades affect connections on \_\_\_\_\_?

\_\_\_\_\_ updating the \_\_\_\_\_ on \_\_\_\_\_ dashboard \_\_\_\_\_ my connection?

Does \_\_\_\_\_ mess \_\_\_\_\_ my dashboard \_\_\_\_\_?

\_\_\_\_\_ connections in the \_\_\_\_\_ can \_\_\_\_\_ affected \_\_\_\_\_ software \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ links \_\_\_\_\_ by \_\_\_\_\_ upgrade?

Are \_\_\_\_\_ the dashboard's \_\_\_\_\_ disrupted by \_\_\_\_\_ upgrades?

Will \_\_\_\_\_ the \_\_\_\_\_ software \_\_\_\_\_ existing \_\_\_\_\_?

Will the \_\_\_\_\_ the dashboard unit be \_\_\_\_\_ software?

Is it possible \_\_\_\_\_ updating firmware \_\_\_\_\_?

Will \_\_\_\_\_ mess \_\_\_\_\_ the dashboard \_\_\_\_\_?

Current \_\_\_\_\_ be disrupted \_\_\_\_\_ upgrades.

\_\_\_\_\_ upgrade to the software \_\_\_\_\_ unit's connection.

\_\_\_\_\_ affect the dashboard links?

Will \_\_\_\_\_ dashboard \_\_\_\_\_ affected by a software \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ upgrade \_\_\_\_\_ disrupt dashboard \_\_\_\_\_?

Does \_\_\_\_\_ software in the \_\_\_\_\_ problems \_\_\_\_\_?

\_\_\_\_\_ there be disruptions \_\_\_\_\_ the connections \_\_\_\_\_ a new software \_\_\_\_\_ dashboard \_\_\_\_\_?

Current \_\_\_\_\_ within the \_\_\_\_\_ may be \_\_\_\_\_ periodic \_\_\_\_\_ vehicle \_\_\_\_\_ software.

\_\_\_\_\_ the \_\_\_\_\_ unit \_\_\_\_\_ existing connections?

\_\_\_\_\_ the dashboard \_\_\_\_\_ system \_\_\_\_\_?

\_\_\_\_\_ interrupt \_\_\_\_\_ links?

\_\_\_\_\_ dashboard \_\_\_\_\_ by periodic upgrade?

\_\_\_\_\_ updating \_\_\_\_\_ interrupt \_\_\_\_\_ links?

\_\_\_\_\_ that dashboard connections are \_\_\_\_\_ by periodic \_\_\_\_\_?

Do \_\_\_\_\_ connections in \_\_\_\_\_ get interrupted by \_\_\_\_\_?

\_\_\_\_\_ may \_\_\_\_\_ dashboards.

\_\_\_\_\_ the \_\_\_\_\_ by periodic updates to \_\_\_\_\_ software?

Will \_\_\_\_\_ dashboard unit's software/firmware \_\_\_\_\_?

Can the \_\_\_\_\_ the dashboard \_\_\_\_\_ by an \_\_\_\_\_?

Will this \_\_\_\_\_ connections \_\_\_\_\_ dashboard \_\_\_\_\_ I upgrade the software \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ problems when \_\_\_\_\_ unit gets \_\_\_\_\_ new \_\_\_\_\_?

Current \_\_\_\_\_ the dashboard may be \_\_\_\_\_ periodic \_\_\_\_\_ of \_\_\_\_\_ vehicle \_\_\_\_\_.

\_\_\_\_\_ unit gets \_\_\_\_\_ new \_\_\_\_\_ will there \_\_\_\_\_ disruptions \_\_\_\_\_ connections?

Will current \_\_\_\_\_ if the dashboard \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ interrupt \_\_\_\_\_ links \_\_\_\_\_ the dashboard with \_\_\_\_\_ firmware?

Will \_\_\_\_\_ disrupt \_\_\_\_\_ in \_\_\_\_\_ dash?

\_\_\_\_\_ connections within \_\_\_\_\_ can be impacted \_\_\_\_\_ of vehicle system \_\_\_\_\_.

\_\_\_\_\_ in the \_\_\_\_\_ cause disruptions?

\_\_\_\_\_ that software \_\_\_\_\_ affect \_\_\_\_\_ connections?

\_\_\_\_\_ upgrade disrupt \_\_\_\_\_ connections on \_\_\_\_\_ dashboard's interface?

\_\_\_\_\_ the \_\_\_\_\_ breaking my \_\_\_\_\_ links?

\_\_\_\_\_ the \_\_\_\_\_ links inside \_\_\_\_\_ dashboard?

\_\_\_\_\_ the dashboard \_\_\_\_\_ be disrupted \_\_\_\_\_ upgrade to software?

Will \_\_\_\_\_ dashboard \_\_\_\_\_ by \_\_\_\_\_ upgrade?

Is \_\_\_\_\_ interfering \_\_\_\_\_ existing dashboard \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ change my \_\_\_\_\_?

\_\_\_\_\_ the dashboard's \_\_\_\_\_ due to \_\_\_\_\_ firmware/software \_\_\_\_\_?

\_\_\_\_\_ unit experience \_\_\_\_\_ connection \_\_\_\_\_ when \_\_\_\_\_ the software frequently?

Will updating the \_\_\_\_\_ ruin \_\_\_\_\_?

\_\_\_\_\_ the upgrade interrupt \_\_\_\_\_?

\_\_\_\_\_ in \_\_\_\_\_ dashboard unit will \_\_\_\_\_ interrupted \_\_\_\_\_ I \_\_\_\_\_ software frequently.

Will \_\_\_\_\_ in the dashboard \_\_\_\_\_?



Is \_\_\_\_\_ by the periodical \_\_\_\_\_?

Will this \_\_\_\_\_ the connections \_\_\_\_\_ unit \_\_\_\_\_ upgrade the \_\_\_\_\_ frequently?

\_\_\_\_\_ dashboard's interface be \_\_\_\_\_ by \_\_\_\_\_ upgrades?

Does \_\_\_\_\_ connections \_\_\_\_\_ disrupted \_\_\_\_\_ periodic \_\_\_\_\_?

Will the \_\_\_\_\_ when it is \_\_\_\_\_?

Will \_\_\_\_\_ interrupt \_\_\_\_\_ my dashboard \_\_\_\_\_ upgraded the software frequently?

Can \_\_\_\_\_ issues when I upgrade \_\_\_\_\_ software?

Do \_\_\_\_\_ links \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_?

Do \_\_\_\_\_ current linkages in \_\_\_\_\_?

Will my car's dashboard unit \_\_\_\_\_ connection problems \_\_\_\_\_ regularly?

Current connections \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ software \_\_\_\_\_?

Will an \_\_\_\_\_ existing links inside \_\_\_\_\_?

Will \_\_\_\_\_ affect dashboard \_\_\_\_\_ connections?

Will the dashboard \_\_\_\_\_ be disrupted \_\_\_\_\_ of \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ unit's connection be \_\_\_\_\_ by an \_\_\_\_\_?

Updating \_\_\_\_\_ software \_\_\_\_\_ my \_\_\_\_\_ could cause disruptions to \_\_\_\_\_.

Can the upgrade \_\_\_\_\_?

\_\_\_\_\_ be disruptions to the dashboard \_\_\_\_\_ my \_\_\_\_\_ frequently?

Is it true \_\_\_\_\_ dashboard \_\_\_\_\_ by \_\_\_\_\_ upgrades?

\_\_\_\_\_ the dashboard might \_\_\_\_\_ impacted by \_\_\_\_\_ upgrade \_\_\_\_\_ system software.

\_\_\_\_\_ connections \_\_\_\_\_ the \_\_\_\_\_ unit \_\_\_\_\_ disrupted by \_\_\_\_\_ upgrades?

Is the \_\_\_\_\_ impacted \_\_\_\_\_ software \_\_\_\_\_?

\_\_\_\_\_ firmware might break \_\_\_\_\_ dashboard \_\_\_\_\_.

Will a \_\_\_\_\_ upgrade \_\_\_\_\_ existing \_\_\_\_\_ in \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ updating software in the dashboard \_\_\_\_\_?

Will frequent \_\_\_\_\_ unit \_\_\_\_\_?

\_\_\_\_\_ upgrade \_\_\_\_\_ disrupt current \_\_\_\_\_ with my dashboard device?

\_\_\_\_\_ dashboard unit's \_\_\_\_\_ going to be \_\_\_\_\_ upgrades?

\_\_\_\_\_ enhancements may affect \_\_\_\_\_.

\_\_\_\_\_ upgrade interrupt the links \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ mess \_\_\_\_\_ the \_\_\_\_\_ connections?

Is software/firmware enhancements \_\_\_\_\_ connections \_\_\_\_\_?

\_\_\_\_\_ the dashboard \_\_\_\_\_ affect existing \_\_\_\_\_?

Can \_\_\_\_\_ connection \_\_\_\_\_ to my \_\_\_\_\_ upgrade my software regularly?

\_\_\_\_\_ disrupt \_\_\_\_\_ current dashboard links?

Do every \_\_\_\_\_ dashboard connections?

\_\_\_\_\_ the \_\_\_\_\_ dashboard's interface disrupted by \_\_\_\_\_ upgrade?

\_\_\_\_\_ will disrupt \_\_\_\_\_ connections

\_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ be harmed by \_\_\_\_\_ upgrade?

\_\_\_\_\_ the \_\_\_\_\_ unit cause \_\_\_\_\_ with the \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ to the \_\_\_\_\_ unit when I upgrade \_\_\_\_\_ frequently?

Will the connection \_\_\_\_\_ dashboard \_\_\_\_\_ affected \_\_\_\_\_ the \_\_\_\_\_?

Do \_\_\_\_\_ the software \_\_\_\_\_?

Is the dashboard's \_\_\_\_\_ software \_\_\_\_\_?

\_\_\_\_\_ updating the \_\_\_\_\_ software change \_\_\_\_\_?

\_\_\_\_\_ software/firmware affect existing connections?

Will \_\_\_\_\_ connections be \_\_\_\_\_ the \_\_\_\_\_ within the \_\_\_\_\_?

\_\_\_\_\_ updating \_\_\_\_\_ software change existing \_\_\_\_\_?

Will \_\_\_\_\_ the \_\_\_\_\_ software \_\_\_\_\_ its \_\_\_\_\_?

Will \_\_\_\_\_ unit's software disrupt the \_\_\_\_\_?

Is \_\_\_\_\_ software \_\_\_\_\_ the dashboard \_\_\_\_\_ cause \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ current connections?  
\_\_\_\_\_ I expect \_\_\_\_\_ issues \_\_\_\_\_ I upgrade \_\_\_\_\_ on the \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ connections \_\_\_\_\_ dashboard unit \_\_\_\_\_ if \_\_\_\_\_ the \_\_\_\_\_ or software frequently?  
\_\_\_\_\_ the \_\_\_\_\_ connections with \_\_\_\_\_ car's dashboard device.  
\_\_\_\_\_ the \_\_\_\_\_ unit's software \_\_\_\_\_ existing \_\_\_\_\_.  
\_\_\_\_\_ my \_\_\_\_\_ be \_\_\_\_\_ by a software upgrade?  
\_\_\_\_\_ current connections in the dashboard unit \_\_\_\_\_ if \_\_\_\_\_ the \_\_\_\_\_?  
\_\_\_\_\_ disrupt \_\_\_\_\_ unit connections?

Can \_\_\_\_\_ software update \_\_\_\_\_ dashboard unit?  
\_\_\_\_\_ dashboard connections affected by \_\_\_\_\_?  
\_\_\_\_\_ current \_\_\_\_\_ unit \_\_\_\_\_ affected if I \_\_\_\_\_ my software frequently?  
\_\_\_\_\_ connections disrupted \_\_\_\_\_ upgrade to the software?

Will \_\_\_\_\_ to \_\_\_\_\_ dashboard \_\_\_\_\_ disrupt \_\_\_\_\_?  
Will \_\_\_\_\_ inside the dashboard be \_\_\_\_\_ upgrade?  
\_\_\_\_\_ there be disruptions \_\_\_\_\_ connections \_\_\_\_\_ a new \_\_\_\_\_ to \_\_\_\_\_ unit?

Is \_\_\_\_\_ an upgrade can \_\_\_\_\_ dashboard links?  
\_\_\_\_\_ my dashboard unit that \_\_\_\_\_ disrupted by \_\_\_\_\_ software update.

Does updating \_\_\_\_\_ unit's \_\_\_\_\_ cause \_\_\_\_\_ existing connections?  
The \_\_\_\_\_ interface \_\_\_\_\_ be disrupted \_\_\_\_\_ periodic \_\_\_\_\_.  
\_\_\_\_\_ the software in the \_\_\_\_\_ unit \_\_\_\_\_ disruptions to \_\_\_\_\_.  
\_\_\_\_\_ dashboard unit be \_\_\_\_\_ the upgrade \_\_\_\_\_ software \_\_\_\_\_ firmware?  
\_\_\_\_\_ the dashboard \_\_\_\_\_ existing connections.  
dashboard \_\_\_\_\_ might \_\_\_\_\_ disrupted \_\_\_\_\_ upgrades.  
\_\_\_\_\_ to \_\_\_\_\_ my dash links?

Will \_\_\_\_\_ be \_\_\_\_\_ connection \_\_\_\_\_ when \_\_\_\_\_ the dashboard \_\_\_\_\_ software?  
\_\_\_\_\_ connections \_\_\_\_\_ the \_\_\_\_\_ get interrupted by system \_\_\_\_\_?  
\_\_\_\_\_ the upgrades \_\_\_\_\_ existing \_\_\_\_\_ within the \_\_\_\_\_ unit?  
\_\_\_\_\_ connection impacted by \_\_\_\_\_ software \_\_\_\_\_?  
\_\_\_\_\_ any \_\_\_\_\_ affect \_\_\_\_\_ dashboard connections?

Will the \_\_\_\_\_ dashboard be disrupted \_\_\_\_\_ upgrade?  
Will \_\_\_\_\_ connecting inside \_\_\_\_\_ affected by the \_\_\_\_\_?  
Will \_\_\_\_\_ the \_\_\_\_\_ affect \_\_\_\_\_ connections?

Does \_\_\_\_\_ links from the \_\_\_\_\_?  
\_\_\_\_\_ by periodical upgrades?

Will \_\_\_\_\_ the \_\_\_\_\_ connections \_\_\_\_\_ the \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ connection disrupted \_\_\_\_\_ an upgrade of \_\_\_\_\_?  
\_\_\_\_\_ to worry \_\_\_\_\_ impacting my dashboard's connection?  
\_\_\_\_\_ will \_\_\_\_\_ connection inside \_\_\_\_\_ dashboard \_\_\_\_\_ by \_\_\_\_\_ upgrade?  
\_\_\_\_\_ be disrupted if I \_\_\_\_\_?

Current \_\_\_\_\_ within dashboards may be affected by \_\_\_\_\_.

Is it \_\_\_\_\_ updates impact \_\_\_\_\_ connections?  
Is \_\_\_\_\_ established dashboard \_\_\_\_\_ upgrades?  
\_\_\_\_\_ dashboard connection impacted by \_\_\_\_\_?  
\_\_\_\_\_ updating \_\_\_\_\_ unit's software or firmware \_\_\_\_\_ connections?

Will \_\_\_\_\_ dashboard unit's \_\_\_\_\_ disruption?  
\_\_\_\_\_ vehicle system software \_\_\_\_\_ impacting current \_\_\_\_\_ dashboards?  
dashboard unit \_\_\_\_\_ may be \_\_\_\_\_.  
Updating software \_\_\_\_\_ unit \_\_\_\_\_ connections.  
\_\_\_\_\_ upgrade \_\_\_\_\_ dashboard links?

Is \_\_\_\_ software update \_\_\_\_ the connections \_\_\_\_ \_\_\_\_ \_\_\_\_ unit?

\_\_\_\_ \_\_\_\_ dashboard \_\_\_\_ affect my connections?

\_\_\_\_ unit \_\_\_\_ be disrupted during \_\_\_\_ ?

\_\_\_\_ updating software disrupt \_\_\_\_ \_\_\_\_ \_\_\_\_ unit?

\_\_\_\_ dashboard unit \_\_\_\_ \_\_\_\_ \_\_\_\_ by the \_\_\_\_ of software?

\_\_\_\_ linkages \_\_\_\_ hampered by \_\_\_\_ updates \_\_\_\_ \_\_\_\_ dash?

\_\_\_\_ dashboard links \_\_\_\_ interrupted by \_\_\_\_ \_\_\_\_ ?

Can current \_\_\_\_ with \_\_\_\_ \_\_\_\_ device \_\_\_\_ disrupted \_\_\_\_ \_\_\_\_ software upgrade?

\_\_\_\_ \_\_\_\_ dashboard \_\_\_\_ \_\_\_\_ be disrupted \_\_\_\_ periodic Upgrades?

Software \_\_\_\_ \_\_\_\_ affect \_\_\_\_ \_\_\_\_ the dash.

Will \_\_\_\_ current \_\_\_\_ in \_\_\_\_ dash be \_\_\_\_ \_\_\_\_ \_\_\_\_ upgrade?

\_\_\_\_ the updating of \_\_\_\_ \_\_\_\_ unit's \_\_\_\_ affect \_\_\_\_ connections?

\_\_\_\_ linkages in \_\_\_\_ dash can be affected \_\_\_\_ \_\_\_\_ \_\_\_\_ .

\_\_\_\_ the \_\_\_\_ changes \_\_\_\_ \_\_\_\_ dashboard connections?

\_\_\_\_ the current \_\_\_\_ in my \_\_\_\_ unit \_\_\_\_ \_\_\_\_ \_\_\_\_ upgrade the system \_\_\_\_ ?

\_\_\_\_ it \_\_\_\_ \_\_\_\_ software \_\_\_\_ disrupt connections with my \_\_\_\_ device?

Will \_\_\_\_ \_\_\_\_ unit update \_\_\_\_ software to disrupt \_\_\_\_ \_\_\_\_ ?

Will periodic \_\_\_\_ affect \_\_\_\_ \_\_\_\_ ?

\_\_\_\_ software might affect \_\_\_\_ \_\_\_\_ .

\_\_\_\_ updating software inside \_\_\_\_ \_\_\_\_ \_\_\_\_ current connections?

Current connections within \_\_\_\_ \_\_\_\_ might \_\_\_\_ \_\_\_\_ \_\_\_\_ periodic upgrades of \_\_\_\_ \_\_\_\_ software.

Will regular \_\_\_\_ \_\_\_\_ dashboard \_\_\_\_ ?

\_\_\_\_ updating \_\_\_\_ software on my \_\_\_\_ \_\_\_\_ \_\_\_\_ my connections?

\_\_\_\_ \_\_\_\_ \_\_\_\_ software upgrade affect current \_\_\_\_ ?

\_\_\_\_ \_\_\_\_ software \_\_\_\_ \_\_\_\_ dashboard connections again?

\_\_\_\_ it \_\_\_\_ for \_\_\_\_ \_\_\_\_ to \_\_\_\_ connection issues \_\_\_\_ I \_\_\_\_ the software?

\_\_\_\_ \_\_\_\_ connections \_\_\_\_ impacted by firmware/software \_\_\_\_ ?

Will \_\_\_\_ upgrade interrupt the \_\_\_\_ \_\_\_\_ \_\_\_\_ ?

\_\_\_\_ links \_\_\_\_ the \_\_\_\_ \_\_\_\_ interrupted \_\_\_\_ the installation of upgraded \_\_\_\_ ?

Will \_\_\_\_ \_\_\_\_ connections \_\_\_\_ my \_\_\_\_ unit \_\_\_\_ I upgrade \_\_\_\_ software frequently?

\_\_\_\_ there \_\_\_\_ disruptions \_\_\_\_ connections when \_\_\_\_ \_\_\_\_ unit \_\_\_\_ updated?

\_\_\_\_ system \_\_\_\_ \_\_\_\_ my \_\_\_\_ links \_\_\_\_ updates?

Will there \_\_\_\_ \_\_\_\_ connecting to the dashboard unit \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ software \_\_\_\_ ?

Does \_\_\_\_ the \_\_\_\_ unit \_\_\_\_ \_\_\_\_ connections?

\_\_\_\_ \_\_\_\_ upgrade to software \_\_\_\_ \_\_\_\_ dashboard \_\_\_\_ ?

\_\_\_\_ dashboard \_\_\_\_ connections \_\_\_\_ disrupted \_\_\_\_ firmware \_\_\_\_ ?

\_\_\_\_ \_\_\_\_ \_\_\_\_ dashboard unit be \_\_\_\_ when \_\_\_\_ \_\_\_\_ my software regularly?

Does software \_\_\_\_ \_\_\_\_ \_\_\_\_ connections?

\_\_\_\_ \_\_\_\_ upgrade \_\_\_\_ existing dashboard \_\_\_\_ ?

Does \_\_\_\_ \_\_\_\_ established dashboard \_\_\_\_ ?

Is the \_\_\_\_ unit \_\_\_\_ to \_\_\_\_ \_\_\_\_ \_\_\_\_ upgrade my software frequently?

\_\_\_\_ linkages in \_\_\_\_ dash can \_\_\_\_ adversely \_\_\_\_ \_\_\_\_ \_\_\_\_ updates.

\_\_\_\_ a \_\_\_\_ \_\_\_\_ links \_\_\_\_ the dashboard?

\_\_\_\_ there be problems with \_\_\_\_ when a \_\_\_\_ software \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ unit?

Is updating \_\_\_\_ affecting \_\_\_\_ \_\_\_\_ current \_\_\_\_ ?

Is \_\_\_\_ upgrades going \_\_\_\_ \_\_\_\_ \_\_\_\_ connections?

Can the \_\_\_\_ \_\_\_\_ links be \_\_\_\_ \_\_\_\_ \_\_\_\_ ?

\_\_\_\_ updating \_\_\_\_ software \_\_\_\_ the \_\_\_\_ \_\_\_\_ disrupting the connections?

Is \_\_\_\_ upgrades \_\_\_\_ \_\_\_\_ connections?

\_\_\_\_ \_\_\_\_ \_\_\_\_ the dashboard unit affect the \_\_\_\_ ?

Does a software \_\_\_\_\_ link?

\_\_\_\_\_ upgrade affect \_\_\_\_\_ connection?

\_\_\_\_\_ in \_\_\_\_\_ unit be \_\_\_\_\_ if I frequently upgrade \_\_\_\_\_ software?

\_\_\_\_\_ periodic upgrade interrupt \_\_\_\_\_?

\_\_\_\_\_ the dashboard \_\_\_\_\_ disrupted by \_\_\_\_\_?

\_\_\_\_\_ dashboard unit's \_\_\_\_\_ affect connections?

Does \_\_\_\_\_ upgraded software \_\_\_\_\_ the \_\_\_\_\_ dashboard?

Is \_\_\_\_\_ links \_\_\_\_\_ updating firmware?

\_\_\_\_\_ updating the \_\_\_\_\_ dashboard unit \_\_\_\_\_ connections?

Do periodic software \_\_\_\_\_ affect established connections \_\_\_\_\_?

Is it \_\_\_\_\_ upgrading \_\_\_\_\_ disrupt \_\_\_\_\_ links?

Will the connection \_\_\_\_\_ the \_\_\_\_\_ disrupted by \_\_\_\_\_ upgrade?

\_\_\_\_\_ software \_\_\_\_\_ dashboard connections?

Is dashboard \_\_\_\_\_ upgrades?

Will the \_\_\_\_\_ connections \_\_\_\_\_ my \_\_\_\_\_ if I \_\_\_\_\_?

\_\_\_\_\_ you think I'm \_\_\_\_\_ to \_\_\_\_\_ with \_\_\_\_\_ on \_\_\_\_\_ unit when \_\_\_\_\_ upgrade?

\_\_\_\_\_ connections get \_\_\_\_\_ frequent \_\_\_\_\_ upgrade?

\_\_\_\_\_ dashboard unit's connections be \_\_\_\_\_ upgraded software?

Will this interrupt \_\_\_\_\_ current connections \_\_\_\_\_ dashboard \_\_\_\_\_ update \_\_\_\_\_ frequently?

\_\_\_\_\_ software updates \_\_\_\_\_ connections?

Will the \_\_\_\_\_ unit \_\_\_\_\_ disrupted by \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ upgrades affect \_\_\_\_\_ connections?

Will the \_\_\_\_\_ the \_\_\_\_\_ be disrupted \_\_\_\_\_ upgrade?

Are dashboard \_\_\_\_\_ software \_\_\_\_\_?

Does periodic \_\_\_\_\_ dashboard \_\_\_\_\_?

Does \_\_\_\_\_ software \_\_\_\_\_ affect \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ dashboard \_\_\_\_\_ be disrupted \_\_\_\_\_ firmware.

Will \_\_\_\_\_ current connections \_\_\_\_\_ dashboard unit \_\_\_\_\_ I \_\_\_\_\_ upgrade \_\_\_\_\_ software or \_\_\_\_\_?

Will the current connections in \_\_\_\_\_ if \_\_\_\_\_ my software or \_\_\_\_\_?

When \_\_\_\_\_ upgrade \_\_\_\_\_ software on \_\_\_\_\_ dashboard \_\_\_\_\_ I \_\_\_\_\_ issues?

Does \_\_\_\_\_ interrupt \_\_\_\_\_ links?

\_\_\_\_\_ the \_\_\_\_\_ dashboard \_\_\_\_\_ by an upgrade?

Can \_\_\_\_\_ the dashboard unit when I \_\_\_\_\_ my \_\_\_\_\_?

Will \_\_\_\_\_ to \_\_\_\_\_ dashboard unit \_\_\_\_\_ a \_\_\_\_\_ software \_\_\_\_\_ installed?

Can there \_\_\_\_\_ disruptions \_\_\_\_\_ unit \_\_\_\_\_ I upgrade my software \_\_\_\_\_?

Do \_\_\_\_\_ connections on the \_\_\_\_\_?

Do \_\_\_\_\_ think \_\_\_\_\_ the firmware \_\_\_\_\_ dashboard unit will be \_\_\_\_\_?

\_\_\_\_\_ upgrade \_\_\_\_\_ the \_\_\_\_\_ cause \_\_\_\_\_ dashboard unit's \_\_\_\_\_ be disrupted?

Does \_\_\_\_\_ connections \_\_\_\_\_ by \_\_\_\_\_ software upgrades?

\_\_\_\_\_ this interrupt \_\_\_\_\_ current \_\_\_\_\_ in \_\_\_\_\_ unit if I \_\_\_\_\_ upgrade \_\_\_\_\_ firmware \_\_\_\_\_?

Will the \_\_\_\_\_ have \_\_\_\_\_ to routine upgrades?

Will the \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ upgrade?

\_\_\_\_\_ going \_\_\_\_\_ connections inside the \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ dashboard \_\_\_\_\_ be disrupted when I \_\_\_\_\_ frequently?

Is \_\_\_\_\_ ruin my dashboard \_\_\_\_\_?

\_\_\_\_\_ dashboard \_\_\_\_\_ any changes to existing connections?

Will \_\_\_\_\_ disrupt \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ an \_\_\_\_\_ disrupt \_\_\_\_\_ connections \_\_\_\_\_ the \_\_\_\_\_ unit?

Is \_\_\_\_\_ correlation between \_\_\_\_\_ upgrade \_\_\_\_\_ on the dashboard's interface?

\_\_\_\_\_ the dashboard unit connectivity \_\_\_\_\_?

\_\_\_\_\_ update going to \_\_\_\_\_ disruptions \_\_\_\_\_ dashboard unit?  
\_\_\_\_\_ it \_\_\_\_\_ that updates \_\_\_\_\_ dashboard \_\_\_\_\_?  
\_\_\_\_\_ current \_\_\_\_\_ links be disrupted \_\_\_\_\_ is upgraded?  
Updating \_\_\_\_\_ affect \_\_\_\_\_ connections.  
\_\_\_\_\_ will \_\_\_\_\_ when \_\_\_\_\_ new software \_\_\_\_\_ upgraded within \_\_\_\_\_ dashboard unit.  
Does the \_\_\_\_\_ upgrade \_\_\_\_\_ vehicle system \_\_\_\_\_ affect the current \_\_\_\_\_?  
\_\_\_\_\_ possible \_\_\_\_\_ dashboard's \_\_\_\_\_ can be \_\_\_\_\_ by periodic \_\_\_\_\_ updates?  
\_\_\_\_\_ to \_\_\_\_\_ dashboard unit disrupt \_\_\_\_\_ connections?  
\_\_\_\_\_ want \_\_\_\_\_ I \_\_\_\_\_ any connection issues when \_\_\_\_\_ upgrade the dashboard \_\_\_\_\_.  
Will \_\_\_\_\_ connections \_\_\_\_\_ affected \_\_\_\_\_ software \_\_\_\_\_ upgraded \_\_\_\_\_ the \_\_\_\_\_?  
When \_\_\_\_\_ upgrade the \_\_\_\_\_ the dashboard \_\_\_\_\_ can \_\_\_\_\_ expect any \_\_\_\_\_ connection?  
Will the connection \_\_\_\_\_ be affected \_\_\_\_\_ upgrade \_\_\_\_\_ done?  
\_\_\_\_\_ dashboard unit's \_\_\_\_\_ cause disruptions to existing \_\_\_\_\_?  
Does a \_\_\_\_\_ upgrade \_\_\_\_\_ system software \_\_\_\_\_ connections \_\_\_\_\_ dashboard?  
\_\_\_\_\_ expect any \_\_\_\_\_ the dashboard unit \_\_\_\_\_ I upgrade \_\_\_\_\_?  
\_\_\_\_\_ there \_\_\_\_\_ any connection \_\_\_\_\_ upgrading \_\_\_\_\_ dashboard unit?  
\_\_\_\_\_ periodic upgrades \_\_\_\_\_ disrupt dashboard \_\_\_\_\_?  
Is \_\_\_\_\_ disrupting \_\_\_\_\_ dashboard links?  
\_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ unit be \_\_\_\_\_ I update the \_\_\_\_\_ frequently?  
\_\_\_\_\_ my dashboard \_\_\_\_\_ can cause \_\_\_\_\_ to existing connections.  
\_\_\_\_\_ the software on my \_\_\_\_\_ unit cause \_\_\_\_\_?  
\_\_\_\_\_ the dash be disrupted if I \_\_\_\_\_?  
Current linkages in the \_\_\_\_\_ updates?  
\_\_\_\_\_ updating software in \_\_\_\_\_ change \_\_\_\_\_ connections?  
\_\_\_\_\_ dashboard's active \_\_\_\_\_ may be \_\_\_\_\_ updates.  
Does \_\_\_\_\_ dashboard \_\_\_\_\_ existing connections?  
When \_\_\_\_\_ upgrade my \_\_\_\_\_ can I expect connection \_\_\_\_\_?  
\_\_\_\_\_ dashboard \_\_\_\_\_ connection be \_\_\_\_\_ by an upgrade \_\_\_\_\_ software?  
\_\_\_\_\_ software \_\_\_\_\_ affect \_\_\_\_\_ connections?  
Do the \_\_\_\_\_ up my \_\_\_\_\_?  
\_\_\_\_\_ updating software affect \_\_\_\_\_?  
\_\_\_\_\_ an update \_\_\_\_\_ unit affect \_\_\_\_\_ connections?  
\_\_\_\_\_ upgrade \_\_\_\_\_ the \_\_\_\_\_ connections inside \_\_\_\_\_ dash?  
Will \_\_\_\_\_ software \_\_\_\_\_ connections?  
\_\_\_\_\_ links \_\_\_\_\_ the dashboard \_\_\_\_\_ by \_\_\_\_\_ upgraded firmware?  
\_\_\_\_\_ current connections be affected \_\_\_\_\_ within the \_\_\_\_\_?  
Is the dashboard \_\_\_\_\_ system updates?  
\_\_\_\_\_ there be \_\_\_\_\_ connections when \_\_\_\_\_ dashboard unit \_\_\_\_\_ a \_\_\_\_\_?  
The established dashboard \_\_\_\_\_ may \_\_\_\_\_ upgrades.  
Is the \_\_\_\_\_ interface \_\_\_\_\_ software upgrades?  
\_\_\_\_\_ dashboard connections \_\_\_\_\_ affected \_\_\_\_\_ firmware/software \_\_\_\_\_?  
Will \_\_\_\_\_ dashboard be interrupted by \_\_\_\_\_ upgraded \_\_\_\_\_?  
Will \_\_\_\_\_ dashboard Unit's \_\_\_\_\_ disrupted \_\_\_\_\_ upgrade to \_\_\_\_\_ software?  
Does \_\_\_\_\_ dashboard unit \_\_\_\_\_ problems with \_\_\_\_\_ connections?  
\_\_\_\_\_ connections be impacted by \_\_\_\_\_?  
\_\_\_\_\_ an upgrade \_\_\_\_\_ the current connections \_\_\_\_\_ dashboard \_\_\_\_\_?  
\_\_\_\_\_ upgrade \_\_\_\_\_ the \_\_\_\_\_ ruin \_\_\_\_\_ dashboard connections?  
\_\_\_\_\_ upgrade affect the \_\_\_\_\_ the dash?  
Will \_\_\_\_\_ dashboard's \_\_\_\_\_ of an \_\_\_\_\_ to the software?  
Will the dashboard \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ to the \_\_\_\_\_?

Will \_\_\_\_\_ current connections in the \_\_\_\_\_ be interrupted \_\_\_\_\_ software?  
 \_\_\_\_\_ the \_\_\_\_\_ connection be disrupted because of an \_\_\_\_\_?

Does \_\_\_\_\_ the \_\_\_\_\_ the dashboard?

Will my \_\_\_\_\_ ruined by \_\_\_\_\_?

Will \_\_\_\_\_ dashboard unit's connections \_\_\_\_\_ periodically \_\_\_\_\_ software?  
 \_\_\_\_\_ it \_\_\_\_\_ that periodic software \_\_\_\_\_ disrupt \_\_\_\_\_ dashboard interface?

Current linkages \_\_\_\_\_ dash \_\_\_\_\_ be hampered by \_\_\_\_\_.

Will \_\_\_\_\_ dashboard \_\_\_\_\_ connection \_\_\_\_\_ a software upgrade?  
 \_\_\_\_\_ expect connection disruptions \_\_\_\_\_ I upgrade my \_\_\_\_\_?

Do \_\_\_\_\_ updating \_\_\_\_\_ dashboard unit's software \_\_\_\_\_ connections?

Will \_\_\_\_\_ the current connections \_\_\_\_\_ my \_\_\_\_\_ unit \_\_\_\_\_ upgrade the \_\_\_\_\_.

I \_\_\_\_\_ if \_\_\_\_\_ software \_\_\_\_\_ ruin my \_\_\_\_\_ again.

Is \_\_\_\_\_ by the upgrades?

Is \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard links?

current \_\_\_\_\_ by software updates?

Will \_\_\_\_\_ connection inside the \_\_\_\_\_ be \_\_\_\_\_ upgrade.  
 \_\_\_\_\_ software \_\_\_\_\_ within the dashboard \_\_\_\_\_ the \_\_\_\_\_?

Will the links \_\_\_\_\_ be \_\_\_\_\_ the installation \_\_\_\_\_ upgraded \_\_\_\_\_?

Will \_\_\_\_\_ the \_\_\_\_\_ unit'sware \_\_\_\_\_ connections?  
 \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard \_\_\_\_\_ connections?  
 \_\_\_\_\_ mess \_\_\_\_\_ my dashboard connections?

Do \_\_\_\_\_ system software \_\_\_\_\_ current connections \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ the software upgrading \_\_\_\_\_ dashboard \_\_\_\_\_?

Could \_\_\_\_\_ software affect current \_\_\_\_\_ my \_\_\_\_\_ device?

If I \_\_\_\_\_ current connections \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_?

Will \_\_\_\_\_ dashboard \_\_\_\_\_ be \_\_\_\_\_ by the \_\_\_\_\_?  
 \_\_\_\_\_ linkages in \_\_\_\_\_ dash are \_\_\_\_\_ by \_\_\_\_\_ Firmware/software \_\_\_\_\_.

How \_\_\_\_\_ software \_\_\_\_\_ my dashboard \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ update cause disruptions \_\_\_\_\_ unit?  
 \_\_\_\_\_ the \_\_\_\_\_ inside the dashboard \_\_\_\_\_ the upgrade?  
 \_\_\_\_\_ dashboard \_\_\_\_\_ cause disruptions to existing connections?

Current \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_ software upgrade.  
 \_\_\_\_\_ to the dashboard \_\_\_\_\_ when I upgrade software \_\_\_\_\_?

Current connections with \_\_\_\_\_ dashboard device could \_\_\_\_\_ disrupted \_\_\_\_\_.

\_\_\_\_\_ updating the \_\_\_\_\_ the \_\_\_\_\_?

Updating software may \_\_\_\_\_ connectivity.  
 \_\_\_\_\_ the software \_\_\_\_\_ unit cause problems?  
 \_\_\_\_\_ upgraded software \_\_\_\_\_ connections?

Has dashboard connections \_\_\_\_\_ by \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ affecting the \_\_\_\_\_?  
 \_\_\_\_\_ upgrade \_\_\_\_\_ the current \_\_\_\_\_ in \_\_\_\_\_ dashboard unit?  
 \_\_\_\_\_ upgrade impact \_\_\_\_\_ dashboard \_\_\_\_\_?  
 \_\_\_\_\_ to the \_\_\_\_\_ unit cause any \_\_\_\_\_?  
 \_\_\_\_\_ the software \_\_\_\_\_ links to \_\_\_\_\_?

Does the dashboard \_\_\_\_\_ connection will \_\_\_\_\_ by \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ any disruptions to the \_\_\_\_\_ unit when \_\_\_\_\_ frequently?

Does \_\_\_\_\_ upgrades \_\_\_\_\_ connections?

Is updating \_\_\_\_\_ on my \_\_\_\_\_ causing disruptions \_\_\_\_\_ connections?  
 \_\_\_\_\_ periodic \_\_\_\_\_ disruptive \_\_\_\_\_ connections?

Will the dashboardunit's \_\_\_\_\_ be \_\_\_\_\_ upgrade to \_\_\_\_\_?

\_\_\_\_ it possible that periodic software \_\_\_\_ connections on the \_\_\_\_?  
 Do the dashboard's \_\_\_\_ connections \_\_\_\_ by periodic \_\_\_\_?  
 \_\_\_\_ be upgraded to affect \_\_\_\_?  
 \_\_\_\_ some \_\_\_\_ with \_\_\_\_ dashboard unit \_\_\_\_ I upgrade \_\_\_\_ software?  
 \_\_\_\_ dashboard unit's \_\_\_\_ be disrupted by \_\_\_\_ software?  
 \_\_\_\_ connections inside the \_\_\_\_ affected \_\_\_\_ the \_\_\_\_?  
 Will dashboard \_\_\_\_ disrupted \_\_\_\_ upgrades?  
 Is \_\_\_\_ possible that upgraded \_\_\_\_ disrupt \_\_\_\_ links?  
 Do dashboard \_\_\_\_ get \_\_\_\_ periodic \_\_\_\_?  
 Is updating \_\_\_\_ affecting \_\_\_\_?  
 \_\_\_\_ I expect \_\_\_\_ problems \_\_\_\_ upgrade the dashboard \_\_\_\_?  
 \_\_\_\_ dashboard unit's \_\_\_\_ be updated to \_\_\_\_ connections?  
 Is \_\_\_\_ software \_\_\_\_ dashboard links?  
 There will be \_\_\_\_ to \_\_\_\_ connections when \_\_\_\_ new \_\_\_\_ installed \_\_\_\_ dashboard \_\_\_\_.  
 \_\_\_\_ enhancements in \_\_\_\_ connections within \_\_\_\_?  
 Will \_\_\_\_ connection \_\_\_\_ the \_\_\_\_ be \_\_\_\_ if \_\_\_\_ upgrade?  
 When \_\_\_\_ in the dashboard unit, will there be \_\_\_\_?  
 Is it \_\_\_\_ the \_\_\_\_ dashboard links \_\_\_\_ be disrupted \_\_\_\_?  
 \_\_\_\_ connections \_\_\_\_ car's dashboard device \_\_\_\_ by \_\_\_\_ software upgrade?  
 Will \_\_\_\_ dashboard \_\_\_\_ by an upgrade to \_\_\_\_?  
 Does \_\_\_\_ the \_\_\_\_ on my dashboard \_\_\_\_?  
 Could changing the software \_\_\_\_ dashboard \_\_\_\_ connections?  
 \_\_\_\_ the dashboard be \_\_\_\_ by \_\_\_\_ installation \_\_\_\_ firmware?  
 Is \_\_\_\_ vehicle \_\_\_\_ affecting \_\_\_\_ current \_\_\_\_ in the dashboard?  
 Is \_\_\_\_ software \_\_\_\_ disrupt \_\_\_\_ connections within the \_\_\_\_?  
 Will \_\_\_\_ current \_\_\_\_ the \_\_\_\_ be affected if \_\_\_\_?  
 Is \_\_\_\_ connections \_\_\_\_ dash?  
 \_\_\_\_ connection be disrupted by \_\_\_\_ to the \_\_\_\_?  
 \_\_\_\_ software \_\_\_\_ existing \_\_\_\_ inside the dashboard?  
 \_\_\_\_ software \_\_\_\_ dashboard links?  
 Will the upgrade \_\_\_\_ existing \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ software \_\_\_\_ my \_\_\_\_ connections?  
 Is \_\_\_\_ possible that an \_\_\_\_ disrupt current \_\_\_\_?  
 Will \_\_\_\_ interrupt \_\_\_\_ existing \_\_\_\_ in \_\_\_\_ dashboard.  
 Is established \_\_\_\_ by \_\_\_\_ upgrades?  
 \_\_\_\_ inside the \_\_\_\_ be \_\_\_\_ by the \_\_\_\_ of \_\_\_\_ firmware?  
 \_\_\_\_ software upgrades \_\_\_\_ established connections \_\_\_\_ the dashboard \_\_\_\_?  
 \_\_\_\_ dashboard \_\_\_\_ connection be \_\_\_\_ due to an \_\_\_\_ the \_\_\_\_?  
 Will \_\_\_\_ upgrade \_\_\_\_ the dashboard \_\_\_\_?  
 Could \_\_\_\_ connections with \_\_\_\_ dashboard \_\_\_\_ be \_\_\_\_ upgrade to \_\_\_\_ software?  
 Will \_\_\_\_ connections when a \_\_\_\_ software \_\_\_\_ added to the \_\_\_\_?  
 \_\_\_\_ periodic \_\_\_\_ cause problems \_\_\_\_ dashboard \_\_\_\_?  
 Does \_\_\_\_ upgrades impact \_\_\_\_?  
 Will \_\_\_\_ to the dashboard \_\_\_\_ software \_\_\_\_ existing \_\_\_\_?  
 \_\_\_\_ connection in the dashboard \_\_\_\_ affected by \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ cause \_\_\_\_ the connections \_\_\_\_ my dashboard unit?  
 \_\_\_\_ dashboard Connection \_\_\_\_ periodic upgrades?  
 \_\_\_\_ software \_\_\_\_ the dashboard unit cause \_\_\_\_ to \_\_\_\_?  
 Does software \_\_\_\_ interfere \_\_\_\_?  
 \_\_\_\_ it possible that dashboard \_\_\_\_ be \_\_\_\_ periodical \_\_\_\_?

\_\_\_\_\_ the connection \_\_\_\_\_ the \_\_\_\_\_ by \_\_\_\_\_ upgrade?

\_\_\_\_\_ updating software \_\_\_\_\_ links?

Is \_\_\_\_\_ dashboard links interrupted \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ upgrade \_\_\_\_\_ existing dashboard \_\_\_\_\_?

\_\_\_\_\_ the software \_\_\_\_\_ dashboard links?

\_\_\_\_\_ upgrade interrupt dashboard \_\_\_\_\_?

Is \_\_\_\_\_ disrupted by \_\_\_\_\_ and firmware updates?

Will the connection \_\_\_\_\_ by the upgrade?

Will \_\_\_\_\_ the \_\_\_\_\_ be \_\_\_\_\_ by an upgrade?

Is \_\_\_\_\_ possible that \_\_\_\_\_ are \_\_\_\_\_ by software \_\_\_\_\_?

Does the \_\_\_\_\_ change interrupt \_\_\_\_\_?

Will \_\_\_\_\_ unit connections \_\_\_\_\_ by \_\_\_\_\_?

Updating firmware might \_\_\_\_\_.

\_\_\_\_\_ dashboard unit's connection be \_\_\_\_\_ new software?

\_\_\_\_\_ I \_\_\_\_\_ disruptions to the dashboard unit \_\_\_\_\_ upgrade my \_\_\_\_\_?

Do \_\_\_\_\_ established \_\_\_\_\_ dashboard interface?

\_\_\_\_\_ the dashboard \_\_\_\_\_ update \_\_\_\_\_ disrupt connections?

Does a periodic upgrade of \_\_\_\_\_ connections in \_\_\_\_\_?

\_\_\_\_\_ current \_\_\_\_\_ in my \_\_\_\_\_ unit interrupted \_\_\_\_\_ upgrade the \_\_\_\_\_ frequently?

\_\_\_\_\_ dashboard \_\_\_\_\_ connection \_\_\_\_\_ affected \_\_\_\_\_ the \_\_\_\_\_ to software?

Do \_\_\_\_\_ get \_\_\_\_\_ by frequent \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ dashboard unit could affect \_\_\_\_\_ connections.

\_\_\_\_\_ software on \_\_\_\_\_ unit cause any disruptions?

Current \_\_\_\_\_ dash \_\_\_\_\_ affected by \_\_\_\_\_ updates.

Will a \_\_\_\_\_ upgrade \_\_\_\_\_ connections \_\_\_\_\_ unit?

\_\_\_\_\_ the dashboard \_\_\_\_\_ have \_\_\_\_\_ because \_\_\_\_\_ routine upgrades?

\_\_\_\_\_ it \_\_\_\_\_ existing \_\_\_\_\_ by installing \_\_\_\_\_ inside the dashboard?

Is \_\_\_\_\_ possible \_\_\_\_\_ my dashboard \_\_\_\_\_?

\_\_\_\_\_ periodic updates \_\_\_\_\_ on the dashboard \_\_\_\_\_?

\_\_\_\_\_ I expect a connection issue \_\_\_\_\_ with new \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ car's \_\_\_\_\_ device could be disrupted \_\_\_\_\_ a software upgrade?

Will \_\_\_\_\_ connections be \_\_\_\_\_ when \_\_\_\_\_?

\_\_\_\_\_ current dashboard links \_\_\_\_\_ disrupted \_\_\_\_\_ firmware \_\_\_\_\_?

Is \_\_\_\_\_ possible that the \_\_\_\_\_ is disrupted \_\_\_\_\_ periodic \_\_\_\_\_?

Software \_\_\_\_\_ disrupt \_\_\_\_\_ dash.

Does frequent \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ upgrades \_\_\_\_\_ established \_\_\_\_\_ connections

Will software \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ the dashboard \_\_\_\_\_ the \_\_\_\_\_?

Will the \_\_\_\_\_ unit's \_\_\_\_\_ by \_\_\_\_\_ updating of \_\_\_\_\_ software?

\_\_\_\_\_ dashboard's \_\_\_\_\_ disrupted \_\_\_\_\_ periodic \_\_\_\_\_ and firmware upgrades?

\_\_\_\_\_ affected \_\_\_\_\_ Firmware/software upgrades?

\_\_\_\_\_ there be connection \_\_\_\_\_ to the \_\_\_\_\_ unit \_\_\_\_\_ I \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ the dashboard \_\_\_\_\_ updated software \_\_\_\_\_ current \_\_\_\_\_?

Can there be \_\_\_\_\_ to \_\_\_\_\_ when I \_\_\_\_\_ frequently?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ interrupt \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ periodic upgrade \_\_\_\_\_ dashboard \_\_\_\_\_?

Will \_\_\_\_\_ upgrade \_\_\_\_\_ affect the \_\_\_\_\_ connections?

\_\_\_\_\_ the \_\_\_\_\_ unit connection?

Will changing software \_\_\_\_\_ the \_\_\_\_\_?



\_\_\_\_\_ upgrade the \_\_\_\_\_ on \_\_\_\_\_ car's dashboard \_\_\_\_\_ could it \_\_\_\_\_ connections?

\_\_\_\_\_ unit may cause some disruptions.

Is \_\_\_\_\_ update \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ I expect \_\_\_\_\_ the dashboard unit when I \_\_\_\_\_ frequently?

\_\_\_\_\_ car's-dashboard unit experience connection problems \_\_\_\_\_ software \_\_\_\_\_?

Will software \_\_\_\_\_ dashboard \_\_\_\_\_.

\_\_\_\_\_ upgrade affect \_\_\_\_\_ connections?

\_\_\_\_\_ an upgrade \_\_\_\_\_ current \_\_\_\_\_?

I \_\_\_\_\_ a software update will \_\_\_\_\_ to \_\_\_\_\_ unit.

Should \_\_\_\_\_ connections \_\_\_\_\_ affected by \_\_\_\_\_?

\_\_\_\_\_ current \_\_\_\_\_ in the dashboard unit \_\_\_\_\_ I \_\_\_\_\_ software frequently?

\_\_\_\_\_ the software \_\_\_\_\_ my dashboard \_\_\_\_\_ cause any changes \_\_\_\_\_?

\_\_\_\_\_ might disrupt connections \_\_\_\_\_.

\_\_\_\_\_ current \_\_\_\_\_ inside the \_\_\_\_\_ be disrupted \_\_\_\_\_ a \_\_\_\_\_?

Can \_\_\_\_\_ upgrade \_\_\_\_\_ connections?

\_\_\_\_\_ the dashboard unit be disrupted \_\_\_\_\_ upgrade my \_\_\_\_\_ frequently?

Existing unit \_\_\_\_\_ by \_\_\_\_\_?

Updating the software in the \_\_\_\_\_ unit \_\_\_\_\_.

\_\_\_\_\_ periodic \_\_\_\_\_ affect established \_\_\_\_\_ on the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ system software change current \_\_\_\_\_ in \_\_\_\_\_?

Can \_\_\_\_\_ expect \_\_\_\_\_ upgrade the dashboard unit?

\_\_\_\_\_ existing links \_\_\_\_\_ the dashboard?

Current \_\_\_\_\_ within the \_\_\_\_\_ might \_\_\_\_\_ by periodic \_\_\_\_\_ vehicle \_\_\_\_\_ software.

Will \_\_\_\_\_ disrupted by software \_\_\_\_\_?

\_\_\_\_\_ software \_\_\_\_\_ current \_\_\_\_\_ links?

\_\_\_\_\_ the connection \_\_\_\_\_ by upgrade?

\_\_\_\_\_ the \_\_\_\_\_ the dashboard unit \_\_\_\_\_ disruptions.

\_\_\_\_\_ this interrupt \_\_\_\_\_ in my \_\_\_\_\_ I upgrade the software \_\_\_\_\_?

\_\_\_\_\_ upgrade \_\_\_\_\_ dashboard unit's \_\_\_\_\_ expect any connection problems?

\_\_\_\_\_ updating the \_\_\_\_\_ on the dashboard unit \_\_\_\_\_ to \_\_\_\_\_?

Will the \_\_\_\_\_ the \_\_\_\_\_ be disrupted if \_\_\_\_\_?

\_\_\_\_\_ upgrade of the software interrupt \_\_\_\_\_?

Will the connections in \_\_\_\_\_ dashboard \_\_\_\_\_ I upgrade \_\_\_\_\_ software \_\_\_\_\_?

Has \_\_\_\_\_ dash's connections \_\_\_\_\_ enhancements?

Will \_\_\_\_\_ current \_\_\_\_\_ in \_\_\_\_\_ dashboardunit be disrupted \_\_\_\_\_ I upgrade \_\_\_\_\_?

\_\_\_\_\_ dashboard \_\_\_\_\_ connection be disrupted after \_\_\_\_\_?

\_\_\_\_\_ within \_\_\_\_\_ dashboard \_\_\_\_\_ current connections?

\_\_\_\_\_ affect \_\_\_\_\_ within dash.

\_\_\_\_\_ disrupt \_\_\_\_\_ unit connections?

\_\_\_\_\_ dashboard unit's connection \_\_\_\_\_ disrupted \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ unit's connections \_\_\_\_\_ disrupted by the \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ updating \_\_\_\_\_ dashboard \_\_\_\_\_ disrupt already \_\_\_\_\_ connections?

Will the dashboard \_\_\_\_\_ due to \_\_\_\_\_ upgrades?

\_\_\_\_\_ issues when I upgrade the \_\_\_\_\_ units?

Is dashboard connections \_\_\_\_\_ and \_\_\_\_\_ upgrades?

\_\_\_\_\_ the \_\_\_\_\_ disrupt the \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ it possible periodical \_\_\_\_\_ impact \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ hurt my \_\_\_\_\_ connections?

Will \_\_\_\_\_ affect \_\_\_\_\_ connected \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ that \_\_\_\_\_ upgrade will \_\_\_\_\_ current \_\_\_\_\_ links.

Will \_\_\_\_\_ be affected \_\_\_\_\_ software \_\_\_\_\_?

Will \_\_\_\_\_ unit's connections \_\_\_\_\_ disrupted by \_\_\_\_\_ upgrade?  
\_\_\_\_\_ software \_\_\_\_\_ dashboard link?

Does a frequent \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ the upgrade \_\_\_\_\_ my \_\_\_\_\_?

\_\_\_\_\_ this \_\_\_\_\_ dashboard \_\_\_\_\_ connections if \_\_\_\_\_ frequently upgrade \_\_\_\_\_ software?  
\_\_\_\_\_ an \_\_\_\_\_ disrupt current \_\_\_\_\_?

Should \_\_\_\_\_ connection \_\_\_\_\_ be \_\_\_\_\_ by the upgrade?

Did \_\_\_\_\_ disrupt connections \_\_\_\_\_ the dash?  
\_\_\_\_\_ dashboard \_\_\_\_\_ connectivity \_\_\_\_\_ the upgrades?  
\_\_\_\_\_ software/firmware \_\_\_\_\_ connections in \_\_\_\_\_?

Is this \_\_\_\_\_ ruin \_\_\_\_\_ connections again?

Will there \_\_\_\_\_ to \_\_\_\_\_ when \_\_\_\_\_ is installed in \_\_\_\_\_ dashboard \_\_\_\_\_?

Will \_\_\_\_\_ connections \_\_\_\_\_ affected by \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard?

Will \_\_\_\_\_ connection inside \_\_\_\_\_ dashboard \_\_\_\_\_ upgrading firmware?

Will my dashboard \_\_\_\_\_ be \_\_\_\_\_?

\_\_\_\_\_ interrupt my \_\_\_\_\_ connections if \_\_\_\_\_ upgrade \_\_\_\_\_ software frequently?  
\_\_\_\_\_ the \_\_\_\_\_ unit's \_\_\_\_\_ there is an upgrade to \_\_\_\_\_ software?

Will \_\_\_\_\_ upgrades \_\_\_\_\_ connections?

Will \_\_\_\_\_ disrupted periodically by software upgrades?

Does \_\_\_\_\_ interrupt \_\_\_\_\_ dashboard \_\_\_\_\_?

Will \_\_\_\_\_ dashboard \_\_\_\_\_ upgrade \_\_\_\_\_?

Will \_\_\_\_\_ software to disrupt existing connections?  
\_\_\_\_\_ it possible that \_\_\_\_\_ could disrupt \_\_\_\_\_ links.

Is \_\_\_\_\_ for \_\_\_\_\_ to have connection issues when \_\_\_\_\_ upgrade \_\_\_\_\_?

Will periodic \_\_\_\_\_ disrupt \_\_\_\_\_?

Updating \_\_\_\_\_ software \_\_\_\_\_ the \_\_\_\_\_.  
\_\_\_\_\_ links \_\_\_\_\_ the dashboard \_\_\_\_\_ the installation of \_\_\_\_\_ firmware?  
\_\_\_\_\_ an update \_\_\_\_\_ software on \_\_\_\_\_ dashboard \_\_\_\_\_ affect the \_\_\_\_\_?

Will \_\_\_\_\_ dash links?

Will \_\_\_\_\_ dashboard unit \_\_\_\_\_?

Are there \_\_\_\_\_ connections when a new \_\_\_\_\_ is \_\_\_\_\_ unit?  
\_\_\_\_\_ dashboard's software upgrade affect \_\_\_\_\_?  
\_\_\_\_\_ software \_\_\_\_\_ my \_\_\_\_\_ links?

Is a \_\_\_\_\_ a cause of disruptions \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ interrupt existing \_\_\_\_\_.  
\_\_\_\_\_ dashboard \_\_\_\_\_ get impacted \_\_\_\_\_ frequent \_\_\_\_\_?

Updating \_\_\_\_\_ the dashboard \_\_\_\_\_ may \_\_\_\_\_ existing \_\_\_\_\_.  
\_\_\_\_\_ to the dashboard unit cause \_\_\_\_\_ to \_\_\_\_\_?

Does updating \_\_\_\_\_ software on my \_\_\_\_\_ unit \_\_\_\_\_ disruptions \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ vehicle system \_\_\_\_\_ change the \_\_\_\_\_ connections in \_\_\_\_\_?

Is \_\_\_\_\_ disruptions to \_\_\_\_\_ dashboard unit \_\_\_\_\_ I \_\_\_\_\_ software regularly?

Will the \_\_\_\_\_ current connections?  
\_\_\_\_\_ expect \_\_\_\_\_ problem when I upgrade \_\_\_\_\_ dashboard \_\_\_\_\_?  
\_\_\_\_\_ the dashboard unit's \_\_\_\_\_ affect \_\_\_\_\_.  
\_\_\_\_\_ software \_\_\_\_\_ interrupt the links \_\_\_\_\_ dashboard?

Will the \_\_\_\_\_ my dashboard \_\_\_\_\_ be disrupted \_\_\_\_\_ software frequently?

Current dashboard links \_\_\_\_\_ disrupted \_\_\_\_\_.

Is \_\_\_\_\_ the \_\_\_\_\_ dashboard's \_\_\_\_\_ connection?  
\_\_\_\_\_ in \_\_\_\_\_ dashboard unit be \_\_\_\_\_ by routine \_\_\_\_\_?

Does updating \_\_\_\_\_ software on the \_\_\_\_\_ unit \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ have problems with \_\_\_\_\_ due \_\_\_\_\_ routine upgrades?

Is \_\_\_\_\_ dashboard \_\_\_\_\_ disturbed \_\_\_\_\_ upgrades?

Will existing connections \_\_\_\_\_ the \_\_\_\_\_ is upgraded?

\_\_\_\_\_ updating my \_\_\_\_\_ dashboard's current \_\_\_\_\_?

Is the connection \_\_\_\_\_ to be affected \_\_\_\_\_ upgrade?

\_\_\_\_\_ disruptions to \_\_\_\_\_ software is \_\_\_\_\_ on the dashboard unit?

Will \_\_\_\_\_ of \_\_\_\_\_ software \_\_\_\_\_ the \_\_\_\_\_ unit's connection?

Can I expect a \_\_\_\_\_ I upgrade \_\_\_\_\_?

Current connections within \_\_\_\_\_ may be impacted by \_\_\_\_\_.

Is an upgrade \_\_\_\_\_ up my \_\_\_\_\_?

\_\_\_\_\_ my software \_\_\_\_\_ can I expect any disruptions \_\_\_\_\_ unit?

\_\_\_\_\_ software \_\_\_\_\_ affect the \_\_\_\_\_.

\_\_\_\_\_ software \_\_\_\_\_ to cause \_\_\_\_\_ in my dashboard unit?

\_\_\_\_\_ having active connections \_\_\_\_\_ by system \_\_\_\_\_?

Will \_\_\_\_\_ current \_\_\_\_\_ unit be interrupted \_\_\_\_\_ the \_\_\_\_\_ or software frequently?

\_\_\_\_\_ unit connections be \_\_\_\_\_ upgrades?

Will my \_\_\_\_\_ disrupted \_\_\_\_\_ upgrade my \_\_\_\_\_ frequently?

\_\_\_\_\_ periodic \_\_\_\_\_ dashboard connections?

Will the \_\_\_\_\_ the \_\_\_\_\_ by \_\_\_\_\_ upgrading of firmware?

Will \_\_\_\_\_ firmware interrupt \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ dashboard \_\_\_\_\_ software might \_\_\_\_\_ existing \_\_\_\_\_.

Will \_\_\_\_\_ upgrade within \_\_\_\_\_ affect \_\_\_\_\_?

Current connections within \_\_\_\_\_ dashboard \_\_\_\_\_ be impacted by \_\_\_\_\_ vehicle \_\_\_\_\_.

Could the current connections with \_\_\_\_\_ dashboard device \_\_\_\_\_ upgrade?

\_\_\_\_\_ connections be \_\_\_\_\_ frequent software \_\_\_\_\_?

Will the \_\_\_\_\_ inside \_\_\_\_\_ dashboard be \_\_\_\_\_ upgrade?

\_\_\_\_\_ it possible for \_\_\_\_\_ issues \_\_\_\_\_ upgrade the \_\_\_\_\_ unit's \_\_\_\_\_?

\_\_\_\_\_ updates \_\_\_\_\_ dashboard affect \_\_\_\_\_ connections?

\_\_\_\_\_ it \_\_\_\_\_ have connection \_\_\_\_\_ when \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard unit?

\_\_\_\_\_ unit connections \_\_\_\_\_ by upgrading \_\_\_\_\_?

\_\_\_\_\_ connections be \_\_\_\_\_ by \_\_\_\_\_ upgrades?

Does \_\_\_\_\_ the dashboard connections?

Do \_\_\_\_\_ updates \_\_\_\_\_ connections on \_\_\_\_\_ dashboard's \_\_\_\_\_?

\_\_\_\_\_ in \_\_\_\_\_ dashboard be disrupted \_\_\_\_\_ installation of \_\_\_\_\_ software?

Does updating \_\_\_\_\_ in the \_\_\_\_\_ any \_\_\_\_\_?

I \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ update will cause disruptions to \_\_\_\_\_.

Do you \_\_\_\_\_ I'll get to \_\_\_\_\_ with \_\_\_\_\_ my dashboard unit when \_\_\_\_\_?

Updating software \_\_\_\_\_ can cause \_\_\_\_\_ with \_\_\_\_\_ connections.

Do dashboard \_\_\_\_\_ get \_\_\_\_\_ software \_\_\_\_\_?

Can \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ dashboard \_\_\_\_\_ when I \_\_\_\_\_ software?

Will \_\_\_\_\_ connections \_\_\_\_\_ disrupted when a \_\_\_\_\_ is installed?

Will \_\_\_\_\_ dashboard connections?

Is \_\_\_\_\_ connections are impacted \_\_\_\_\_ software updates?

\_\_\_\_\_ dashboard \_\_\_\_\_ be affected \_\_\_\_\_ software \_\_\_\_\_?

\_\_\_\_\_ this \_\_\_\_\_ current \_\_\_\_\_ if I upgrade the software often?

\_\_\_\_\_ the \_\_\_\_\_ dashboard links?

Can \_\_\_\_\_ issues \_\_\_\_\_ the \_\_\_\_\_ unit \_\_\_\_\_ I upgrade \_\_\_\_\_ software frequently?

\_\_\_\_\_ upgrade the \_\_\_\_\_ unit's software can I \_\_\_\_\_ issues?

Will \_\_\_\_\_ dashboard unit experience \_\_\_\_\_ connection \_\_\_\_\_ upgrade \_\_\_\_\_ software \_\_\_\_\_?

Does the dashboard's \_\_\_\_\_ to \_\_\_\_\_ disrupted \_\_\_\_\_ upgrades?

Will \_\_\_\_\_ unit's \_\_\_\_\_ be disrupted during \_\_\_\_\_?

\_\_\_\_\_ unit \_\_\_\_\_ be disrupted \_\_\_\_\_ periodic \_\_\_\_\_?

\_\_\_\_\_ unit's \_\_\_\_\_ be \_\_\_\_\_ an upgrade to the software?

\_\_\_\_\_ within \_\_\_\_\_ may be impacted \_\_\_\_\_ periodic \_\_\_\_\_ upgrade.

\_\_\_\_\_ periodic \_\_\_\_\_ dashboard connections?

Does \_\_\_\_\_ update \_\_\_\_\_ the \_\_\_\_\_ my dashboard unit?

\_\_\_\_\_ disrupt links to \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ upgrading interrupt \_\_\_\_\_ links?

Will periodic \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ interface \_\_\_\_\_ by periodic \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ be disrupted by upgrading?

\_\_\_\_\_ interrupt dashboard links?

Some connections \_\_\_\_\_ dashboard's \_\_\_\_\_ are \_\_\_\_\_ by \_\_\_\_\_ software \_\_\_\_\_.

\_\_\_\_\_ dashboard unit experience \_\_\_\_\_ software is installed?

\_\_\_\_\_ the upgrade \_\_\_\_\_ affect \_\_\_\_\_ current connections?

Does updating \_\_\_\_\_ dashboard \_\_\_\_\_ cause \_\_\_\_\_?

\_\_\_\_\_ it possible for the \_\_\_\_\_ unit \_\_\_\_\_ when \_\_\_\_\_ the software regularly?

\_\_\_\_\_ periodic \_\_\_\_\_ affect \_\_\_\_\_ connections?

Is \_\_\_\_\_ dashboard's interface disrupted \_\_\_\_\_ periodic software \_\_\_\_\_?

\_\_\_\_\_ within \_\_\_\_\_ affected by periodic \_\_\_\_\_ vehicle system software.

Updating software \_\_\_\_\_ dashboard unit can \_\_\_\_\_ problems \_\_\_\_\_.

Is \_\_\_\_\_ connections \_\_\_\_\_ by frequent \_\_\_\_\_?

\_\_\_\_\_ it possible for the dashboard \_\_\_\_\_ be \_\_\_\_\_ upgrade my \_\_\_\_\_?

Will \_\_\_\_\_ issues \_\_\_\_\_ connections \_\_\_\_\_ dashboard unit \_\_\_\_\_ new software upgrade?

Does \_\_\_\_\_ updating of \_\_\_\_\_ dashboard?

\_\_\_\_\_ dashboard units \_\_\_\_\_ disrupted by \_\_\_\_\_?

\_\_\_\_\_ connections get \_\_\_\_\_ by periodic \_\_\_\_\_?

\_\_\_\_\_ upgrade \_\_\_\_\_ the \_\_\_\_\_ connection?

Is \_\_\_\_\_ disrupted by \_\_\_\_\_ software/hardware \_\_\_\_\_?

\_\_\_\_\_ periodic software \_\_\_\_\_ disrupt \_\_\_\_\_ dashboard?

Will \_\_\_\_\_ dashboard unit's \_\_\_\_\_ disrupted \_\_\_\_\_ Upgrades?

\_\_\_\_\_ a \_\_\_\_\_ when I \_\_\_\_\_ software on my dashboard unit?

Will \_\_\_\_\_ interrupt \_\_\_\_\_ connections in \_\_\_\_\_ unit if \_\_\_\_\_ the software \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ have \_\_\_\_\_ connections \_\_\_\_\_ by \_\_\_\_\_ software upgrades?

\_\_\_\_\_ upgrade disrupt \_\_\_\_\_ dashboard connections?

\_\_\_\_\_ the dashboard's interface \_\_\_\_\_ software \_\_\_\_\_?

\_\_\_\_\_ dashboard's interface disrupted \_\_\_\_\_ periodic \_\_\_\_\_ upgrades?

\_\_\_\_\_ be any disruptions \_\_\_\_\_ dashboard unit \_\_\_\_\_ upgrade \_\_\_\_\_ software frequently?

\_\_\_\_\_ dashboard unit's connections \_\_\_\_\_ disrupted \_\_\_\_\_ to \_\_\_\_\_ software?

Will \_\_\_\_\_ unit connections \_\_\_\_\_ routine \_\_\_\_\_?

\_\_\_\_\_ active connections \_\_\_\_\_ be interrupted \_\_\_\_\_ system \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ inside \_\_\_\_\_ dashboard be affected \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ expect a connection issue if \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard \_\_\_\_\_?

Will \_\_\_\_\_ disruptions \_\_\_\_\_ connections when \_\_\_\_\_ new \_\_\_\_\_ is \_\_\_\_\_ the dashboard \_\_\_\_\_?

Will changes to \_\_\_\_\_ dashboard \_\_\_\_\_?

Will \_\_\_\_\_ software affect existing \_\_\_\_\_ within \_\_\_\_\_?

Is it \_\_\_\_\_ that \_\_\_\_\_ upgrade will \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ be disrupted by \_\_\_\_\_ Upgrades?

Do regular software \_\_\_\_\_ established connections \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ to the software affect \_\_\_\_\_ ?

\_\_\_\_\_ possible that \_\_\_\_\_ disrupt current \_\_\_\_\_ links.

Does \_\_\_\_\_ upgrade \_\_\_\_\_ dashboards?

\_\_\_\_\_ the connection inside the \_\_\_\_\_ be affected \_\_\_\_\_ ?

Can \_\_\_\_\_ expect any \_\_\_\_\_ when \_\_\_\_\_ the dashboard \_\_\_\_\_?

Did periodic \_\_\_\_\_ dashboard \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ disrupted \_\_\_\_\_ periodic upgrade?

Current \_\_\_\_\_ links can \_\_\_\_\_ firmware.

Is the \_\_\_\_\_ existing dashboard \_\_\_\_\_?

\_\_\_\_\_ there be \_\_\_\_\_ when \_\_\_\_\_ upgrade \_\_\_\_\_ dashboard unit?

\_\_\_\_\_ the \_\_\_\_\_ connection be \_\_\_\_\_ a software \_\_\_\_\_?

\_\_\_\_\_ problems with \_\_\_\_\_ when \_\_\_\_\_ new software is \_\_\_\_\_ dashboard unit?

Is \_\_\_\_\_ going \_\_\_\_\_ my dashboard \_\_\_\_\_?

\_\_\_\_\_ dashboard device could be \_\_\_\_\_ by \_\_\_\_\_ software.

Will \_\_\_\_\_ be interrupted \_\_\_\_\_ the installation of upgraded \_\_\_\_\_?

\_\_\_\_\_ interrupt \_\_\_\_\_ links in the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ be disrupted \_\_\_\_\_ an upgrade?

Will there \_\_\_\_\_ problems \_\_\_\_\_ connections \_\_\_\_\_ a \_\_\_\_\_ software is installed?

Is it possible \_\_\_\_\_ connections are impacted \_\_\_\_\_?

\_\_\_\_\_ upgrades \_\_\_\_\_ existing \_\_\_\_\_ inside the \_\_\_\_\_?

\_\_\_\_\_ updating the \_\_\_\_\_ on \_\_\_\_\_ dashboard unit \_\_\_\_\_ disruptions?

\_\_\_\_\_ connections \_\_\_\_\_ be disrupted \_\_\_\_\_ upgrades.