

## [Demo] NLP Dataset for Customer Service Automation

Company Type	Water and Wastewater Utility Companies
Inquiry Category	Construction and development applications
Inquiry Sub-Category	Permitting and Approval Guidelines
Description	Customers inquire about the specific permits, inspections, and approvals necessary for construction or development projects involving water and wastewater utilities.
Data Size	5,055 paraphrases
Want to buy data?	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Water and Wastewater Utility Company" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ separate authorization for installing \_\_\_\_\_ systems alongside city-supplied \_\_\_\_\_ at \_\_\_\_\_ premises?  
\_\_\_\_\_ a separate approval for the installation \_\_\_\_\_ on \_\_\_\_\_?  
\_\_\_\_\_ for additional approval to \_\_\_\_\_ the rainwater \_\_\_\_\_ our facility?  
Do we need to \_\_\_\_\_ install Rainwater \_\_\_\_\_?  
\_\_\_\_\_ authorization \_\_\_\_\_ the installation of rainwater harvesting \_\_\_\_\_ city-piped water \_\_\_\_\_?  
Is \_\_\_\_\_ a requirement \_\_\_\_\_ separate authorization when \_\_\_\_\_ collectors \_\_\_\_\_ of \_\_\_\_\_?  
\_\_\_\_\_ a \_\_\_\_\_ capture system require separate authorization \_\_\_\_\_ site?  
\_\_\_\_\_ me if adding \_\_\_\_\_ stuff \_\_\_\_\_ the city-supplied pipes requires special \_\_\_\_\_?  
Do \_\_\_\_\_ require specific \_\_\_\_\_ us \_\_\_\_\_ up rainwater \_\_\_\_\_ at the \_\_\_\_\_?  
\_\_\_\_\_ are city-supplied \_\_\_\_\_ services at \_\_\_\_\_ business \_\_\_\_\_ we need \_\_\_\_\_ for installing \_\_\_\_\_ harvesting \_\_\_\_\_?  
Business premises \_\_\_\_\_ to get \_\_\_\_\_ rain harvesting.  
Do we need \_\_\_\_\_ get permission \_\_\_\_\_ the \_\_\_\_\_ rainwater \_\_\_\_\_ systems at \_\_\_\_\_ business \_\_\_\_\_?  
Do there \_\_\_\_\_ approvals in \_\_\_\_\_ to set up \_\_\_\_\_ rainwater \_\_\_\_\_ our \_\_\_\_\_ facility?  
Is \_\_\_\_\_ for \_\_\_\_\_ of rain \_\_\_\_\_ along city \_\_\_\_\_ at our site?  
\_\_\_\_\_ city supplied piped-water services \_\_\_\_\_ installed \_\_\_\_\_ premises, but \_\_\_\_\_ install \_\_\_\_\_ harvesting?  
Is \_\_\_\_\_ separate \_\_\_\_\_ for \_\_\_\_\_ rain water harvesting to \_\_\_\_\_ location?  
Can \_\_\_\_\_ tell me if \_\_\_\_\_ required \_\_\_\_\_ setting up \_\_\_\_\_ harvesting system at our \_\_\_\_\_?  
Is it \_\_\_\_\_ to set \_\_\_\_\_ systems that collect rain \_\_\_\_\_ services in \_\_\_\_\_ establishment?  
\_\_\_\_\_ supplies piped-water services to \_\_\_\_\_ premises, \_\_\_\_\_ authorized to install rain \_\_\_\_\_?  
Do \_\_\_\_\_ need \_\_\_\_\_ from the \_\_\_\_\_ to install \_\_\_\_\_ harvesting \_\_\_\_\_ premises?  
\_\_\_\_\_ necessary \_\_\_\_\_ different \_\_\_\_\_ be found \_\_\_\_\_ combining public-piped and harvested \_\_\_\_\_ water on \_\_\_\_\_?  
\_\_\_\_\_ separate \_\_\_\_\_ for \_\_\_\_\_ rain harvesting systems with city water?  
\_\_\_\_\_ we \_\_\_\_\_ separate permission to \_\_\_\_\_ rain \_\_\_\_\_ the \_\_\_\_\_ lines at our \_\_\_\_\_?  
\_\_\_\_\_ it \_\_\_\_\_ idea to \_\_\_\_\_ authorization for installing rainfall mechanisms \_\_\_\_\_ on \_\_\_\_\_ grounds?  
Should we \_\_\_\_\_ for \_\_\_\_\_ consent \_\_\_\_\_ devices along with \_\_\_\_\_ at our site?  
The \_\_\_\_\_ installed at our business \_\_\_\_\_ but \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ harvesting?  
\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ separate approval \_\_\_\_\_ rainwater harvesting setup?  
Is a \_\_\_\_\_ approval \_\_\_\_\_ for \_\_\_\_\_ rain \_\_\_\_\_ business location.

\_\_\_\_ it \_\_\_\_ to get \_\_\_\_ approval for implementing the collection of \_\_\_\_ our \_\_\_\_?  
 \_\_\_\_ to \_\_\_\_ up a system \_\_\_\_ rain on our premises?  
 Is it \_\_\_\_ find \_\_\_\_ different \_\_\_\_ rain water on company property?  
 Do \_\_\_\_ a \_\_\_\_ authorization \_\_\_\_ the installation of \_\_\_\_ systems?  
 Are \_\_\_\_ required \_\_\_\_ get \_\_\_\_ approval for implementing \_\_\_\_ collection \_\_\_\_ rain \_\_\_\_ our \_\_\_\_?  
 \_\_\_\_ extra consent before \_\_\_\_ rain \_\_\_\_ devices \_\_\_\_ piped water \_\_\_\_ our \_\_\_\_?  
 Will \_\_\_\_ separate \_\_\_\_ be \_\_\_\_ if \_\_\_\_ want to \_\_\_\_ up \_\_\_\_ harvesting \_\_\_\_ next to \_\_\_\_ facilities?  
 Is \_\_\_\_ necessary \_\_\_\_ authority \_\_\_\_ established \_\_\_\_ want to set \_\_\_\_ rain harvesting \_\_\_\_ on the business \_\_\_\_?  
 Do \_\_\_\_ additional authorization \_\_\_\_ set \_\_\_\_ harvesting \_\_\_\_ at \_\_\_\_ business location?  
 Business premises \_\_\_\_ approval for \_\_\_\_ alongside piped- water \_\_\_\_.  
 \_\_\_\_ we \_\_\_\_ for more consent before \_\_\_\_ up systems that \_\_\_\_ services in \_\_\_\_ establishment?  
 Will \_\_\_\_ be necessary \_\_\_\_ we \_\_\_\_ to set \_\_\_\_ rainwater harvest \_\_\_\_ on \_\_\_\_ business \_\_\_\_?  
 \_\_\_\_ current municipal \_\_\_\_ setup is in \_\_\_\_ business \_\_\_\_ should we seek separate \_\_\_\_ before installing \_\_\_\_?  
 Is \_\_\_\_ authorization \_\_\_\_ the installation of \_\_\_\_ with piped-water services at \_\_\_\_?  
 Should \_\_\_\_ be separate permits \_\_\_\_ harvesting \_\_\_\_ our \_\_\_\_?  
 Is \_\_\_\_ approval \_\_\_\_ rain harvesting to \_\_\_\_ business?  
 Before \_\_\_\_ that collect \_\_\_\_ municipal \_\_\_\_ services in our \_\_\_\_ must \_\_\_\_ be \_\_\_\_ sought?  
 \_\_\_\_ the \_\_\_\_ municipal water service \_\_\_\_ in place for our business premises, should \_\_\_\_ separate \_\_\_\_ before \_\_\_\_.  
 \_\_\_\_ need to \_\_\_\_ from \_\_\_\_ city to set up water harvesting \_\_\_\_ our \_\_\_\_?  
 Is there \_\_\_\_ approval needed \_\_\_\_ installation \_\_\_\_ and \_\_\_\_ pipes?  
 Is \_\_\_\_ for \_\_\_\_ premises \_\_\_\_ an \_\_\_\_ for installing rain harvesting?  
 \_\_\_\_ if independent authorization \_\_\_\_ required \_\_\_\_ setting up a rainwater \_\_\_\_ system next to \_\_\_\_ commercial \_\_\_\_?  
 \_\_\_\_ our business premises have \_\_\_\_ for \_\_\_\_ harvesting \_\_\_\_?  
 Do \_\_\_\_ if adding rain \_\_\_\_ harvesting \_\_\_\_ the \_\_\_\_ special permission?  
 \_\_\_\_ the \_\_\_\_ municipal water \_\_\_\_ for \_\_\_\_ business \_\_\_\_ it \_\_\_\_ good \_\_\_\_ seek separate approval before \_\_\_\_ rain water solutions?  
 Can you \_\_\_\_ if \_\_\_\_ harvesting \_\_\_\_ next to \_\_\_\_ pipes \_\_\_\_ permission?  
 Do we need \_\_\_\_ permit to \_\_\_\_ a \_\_\_\_ at \_\_\_\_?  
 Does the \_\_\_\_ of a \_\_\_\_ capture system at our \_\_\_\_ separately \_\_\_\_?  
 \_\_\_\_ premises \_\_\_\_ to get additional approval \_\_\_\_ install rain \_\_\_\_ services?  
 \_\_\_\_ we have \_\_\_\_ consent \_\_\_\_ up rainfall \_\_\_\_ mechanisms \_\_\_\_ the municipal \_\_\_\_ supply \_\_\_\_ company grounds?  
 Is \_\_\_\_ additional \_\_\_\_ before setting up systems that collect rain \_\_\_\_ piped-water \_\_\_\_ our \_\_\_\_?  
 \_\_\_\_ need separate \_\_\_\_ to \_\_\_\_ rain collectors \_\_\_\_ our business \_\_\_\_?  
 Is \_\_\_\_ necessary \_\_\_\_ us \_\_\_\_ to install \_\_\_\_ harvesting into \_\_\_\_ business?  
 Is \_\_\_\_ business premises to \_\_\_\_ approval for \_\_\_\_ rain \_\_\_\_?  
 Do you \_\_\_\_ specific \_\_\_\_ for us to put \_\_\_\_ water \_\_\_\_ our \_\_\_\_?  
 Do we need \_\_\_\_ permit \_\_\_\_ a rain harvesting system \_\_\_\_?  
 Can \_\_\_\_ tell me \_\_\_\_ is necessary \_\_\_\_ setting \_\_\_\_ rainwater harvesting system \_\_\_\_ to \_\_\_\_ piped-water \_\_\_\_?  
 Is individual authorization necessary for \_\_\_\_ at \_\_\_\_?  
 \_\_\_\_ our business premises \_\_\_\_ install rain harvesting \_\_\_\_?  
 Is \_\_\_\_ necessary for \_\_\_\_ authorization to \_\_\_\_ rain harvesting \_\_\_\_?  
 Will a \_\_\_\_ authority \_\_\_\_ if we want \_\_\_\_ set up \_\_\_\_ on our \_\_\_\_ property?  
 \_\_\_\_ it \_\_\_\_ distinct authority \_\_\_\_ be \_\_\_\_ if we want to \_\_\_\_ up rain \_\_\_\_ the \_\_\_\_ property?  
 \_\_\_\_ permission for us to \_\_\_\_ harvesting systems and city water \_\_\_\_?  
 Do we \_\_\_\_ to get \_\_\_\_ permission \_\_\_\_ rain \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ separate authorization \_\_\_\_ the \_\_\_\_ of rain \_\_\_\_ systems \_\_\_\_ premises?  
 Is it necessary \_\_\_\_ to get separate \_\_\_\_ rain \_\_\_\_ systems \_\_\_\_ site?  
 \_\_\_\_ separate \_\_\_\_ to install a rainwater \_\_\_\_ system \_\_\_\_ our \_\_\_\_ venue?  
 Should \_\_\_\_ systems require separate authorization as \_\_\_\_ as city-piped \_\_\_\_?

Can you \_\_\_\_ me if \_\_\_\_ rain harvesting \_\_\_\_ to the \_\_\_\_ special \_\_\_\_?

Should \_\_\_\_ consent before installing rain catchment devices \_\_\_\_?

\_\_\_\_ separate permits for installing \_\_\_\_ on our premises?

Special \_\_\_\_ are needed for \_\_\_\_ a \_\_\_\_ rain water \_\_\_\_ business \_\_\_\_.

Are we \_\_\_\_ to \_\_\_\_ to implement \_\_\_\_ collection of \_\_\_\_ in \_\_\_\_ establishment?

\_\_\_\_ premises have separate permits \_\_\_\_ installing \_\_\_\_ harvesting \_\_\_\_?

Can \_\_\_\_ tell me \_\_\_\_ adding rain \_\_\_\_ to \_\_\_\_ special permission?

\_\_\_\_ it \_\_\_\_ for \_\_\_\_ premises \_\_\_\_ approval \_\_\_\_ rain water harvesting?

Is \_\_\_\_ for \_\_\_\_ installation \_\_\_\_ rain systems next \_\_\_\_ the \_\_\_\_ water supplies?

\_\_\_\_ you require \_\_\_\_ permission \_\_\_\_ put up \_\_\_\_ systems \_\_\_\_ our business location?

Do we need authorization for the \_\_\_\_ harvesting \_\_\_\_ our \_\_\_\_?

Business premises \_\_\_\_ need \_\_\_\_ installing \_\_\_\_ harvesting \_\_\_\_

\_\_\_\_ another \_\_\_\_ to \_\_\_\_ up the \_\_\_\_ devices at \_\_\_\_ office location?

\_\_\_\_ need \_\_\_\_ permit to install \_\_\_\_ rain \_\_\_\_ system in \_\_\_\_ business \_\_\_\_?

The \_\_\_\_ water \_\_\_\_ setup is in place for our \_\_\_\_ should we seek \_\_\_\_ rainfall \_\_\_\_ solutions?

Will \_\_\_\_ rainwater \_\_\_\_ need \_\_\_\_ approval?

\_\_\_\_ there an \_\_\_\_ to \_\_\_\_ for implementing rainwater \_\_\_\_ alongside \_\_\_\_ in \_\_\_\_ establishment?

Is \_\_\_\_ a \_\_\_\_ approval \_\_\_\_ the \_\_\_\_ water along \_\_\_\_ pipes at \_\_\_\_ site?

Is it \_\_\_\_ additional consent \_\_\_\_ rain harvesters at \_\_\_\_ property?

\_\_\_\_ good idea to apply \_\_\_\_ if we want \_\_\_\_ rain \_\_\_\_ at our business \_\_\_\_?

Should businesses \_\_\_\_ separate \_\_\_\_ rain \_\_\_\_ systems \_\_\_\_ to the \_\_\_\_?

Do we \_\_\_\_ separate \_\_\_\_ to \_\_\_\_ rainwater \_\_\_\_ systems \_\_\_\_ business \_\_\_\_?

Do \_\_\_\_ specific \_\_\_\_ for \_\_\_\_ to \_\_\_\_ up \_\_\_\_ harvesting systems \_\_\_\_ the \_\_\_\_ supply?

\_\_\_\_ be required \_\_\_\_ we want \_\_\_\_ set up rain harvesting systems \_\_\_\_ to \_\_\_\_ facility?

Is \_\_\_\_ a \_\_\_\_ required for \_\_\_\_ rain harvesting \_\_\_\_?

\_\_\_\_ for \_\_\_\_ authorization for installing rain harvesting \_\_\_\_ workplace?

Do we \_\_\_\_ get additional \_\_\_\_ to install \_\_\_\_ our \_\_\_\_?

Is \_\_\_\_ authorization required for \_\_\_\_ piped-water \_\_\_\_ at our \_\_\_\_ site?

\_\_\_\_ to integrate rain harvesting systems \_\_\_\_ piped-water services \_\_\_\_ facility.

Should we have \_\_\_\_ installing rain \_\_\_\_ on \_\_\_\_?

With \_\_\_\_ municipal \_\_\_\_ service setup in \_\_\_\_ business premises, should \_\_\_\_ approval \_\_\_\_ installing \_\_\_\_ water solutions?

\_\_\_\_ city \_\_\_\_ piped-water services are installed \_\_\_\_ our \_\_\_\_ we \_\_\_\_ harvest rain?

Do \_\_\_\_ install rain \_\_\_\_ with the \_\_\_\_ lines at \_\_\_\_ business place?

Is \_\_\_\_ an obligation for us to \_\_\_\_ implementing \_\_\_\_ collection \_\_\_\_ piped-water \_\_\_\_?

The piped-water \_\_\_\_ installed at our business \_\_\_\_ we \_\_\_\_ install rain \_\_\_\_?

Do \_\_\_\_ to \_\_\_\_ additional authorization \_\_\_\_ set up \_\_\_\_ harvesting \_\_\_\_ at \_\_\_\_ business \_\_\_\_?

\_\_\_\_ to give us \_\_\_\_ to set \_\_\_\_ rainwater harvesting systems at \_\_\_\_ location?

\_\_\_\_ possible \_\_\_\_ our \_\_\_\_ premises \_\_\_\_ separate permits \_\_\_\_ rainwater harvesting?

Is \_\_\_\_ for a separate \_\_\_\_ to be \_\_\_\_ for installing \_\_\_\_ our \_\_\_\_?

\_\_\_\_ don't \_\_\_\_ if \_\_\_\_ need separate authorization \_\_\_\_ install \_\_\_\_ systems \_\_\_\_ our \_\_\_\_ premises.

\_\_\_\_ it necessary \_\_\_\_ authorization \_\_\_\_ rain \_\_\_\_ systems \_\_\_\_ our business site?

Is it necessary \_\_\_\_ installing \_\_\_\_ Harvesters at \_\_\_\_ business \_\_\_\_?

Are we \_\_\_\_ get separate \_\_\_\_ implementing \_\_\_\_ water \_\_\_\_ our establishment?

Do we need \_\_\_\_ to install \_\_\_\_ and \_\_\_\_ municipal water \_\_\_\_ our \_\_\_\_?

\_\_\_\_ a \_\_\_\_ for \_\_\_\_ separate approval for \_\_\_\_ rain harvesting \_\_\_\_ our \_\_\_\_ location?

\_\_\_\_ have separate permits \_\_\_\_ rain harvesting systems \_\_\_\_ to \_\_\_\_ services?

Do \_\_\_\_ require \_\_\_\_ for \_\_\_\_ to set \_\_\_\_ Harvesting \_\_\_\_ at \_\_\_\_ business location?

\_\_\_\_ there \_\_\_\_ needed for the installation of rainwater \_\_\_\_ business venue?

Do we need to \_\_\_\_ rainwater harvesting \_\_\_\_ at our \_\_\_\_?

When setting \_\_\_\_ rainfall \_\_\_\_ mechanisms parallel to \_\_\_\_ water \_\_\_\_ our company grounds \_\_\_\_ to \_\_\_\_ consent?

\_\_\_\_ it \_\_\_\_ to add \_\_\_\_ approval for rain \_\_\_\_ to \_\_\_\_ business \_\_\_\_?

\_\_\_\_ the \_\_\_\_ premises \_\_\_\_ separate \_\_\_\_ to install \_\_\_\_ rainwater \_\_\_\_ systems?

\_\_\_\_ for \_\_\_\_ get \_\_\_\_ consent from the \_\_\_\_ for the addition of a rainwater \_\_\_\_?

\_\_\_\_ there \_\_\_\_ separate authorization required for installing \_\_\_\_ with \_\_\_\_?

\_\_\_\_ a \_\_\_\_ be required \_\_\_\_ set \_\_\_\_ rainwater harvesting \_\_\_\_ next \_\_\_\_ piped-water service?

\_\_\_\_ it \_\_\_\_ good \_\_\_\_ obtain \_\_\_\_ installing rainfall \_\_\_\_ mechanisms on business grounds?

\_\_\_\_ we \_\_\_\_ to set \_\_\_\_ systems that collect \_\_\_\_ alongside \_\_\_\_ piped-water \_\_\_\_ our establishment?

\_\_\_\_ municipal \_\_\_\_ service setup in place \_\_\_\_ premises, \_\_\_\_ seek separate \_\_\_\_ before installing \_\_\_\_ rain garden solutions?

Are \_\_\_\_ to get \_\_\_\_ permission \_\_\_\_ set \_\_\_\_ water \_\_\_\_ at our business \_\_\_\_?

Is \_\_\_\_ separate permission \_\_\_\_ install \_\_\_\_ rainwater \_\_\_\_ in our \_\_\_\_ premises?

Is \_\_\_\_ separate \_\_\_\_ needed for \_\_\_\_ rainwater \_\_\_\_ to be \_\_\_\_?

Is \_\_\_\_ separate \_\_\_\_ for \_\_\_\_ rainwater \_\_\_\_ to \_\_\_\_ location?

With \_\_\_\_ municipal water \_\_\_\_ setup in place for \_\_\_\_ business \_\_\_\_ we \_\_\_\_ approval before \_\_\_\_ solutions?

Is it necessary to get \_\_\_\_ installing rain \_\_\_\_ our site?

\_\_\_\_ it necessary for us \_\_\_\_ get \_\_\_\_ implement \_\_\_\_ harvesting \_\_\_\_ the property?

I \_\_\_\_ wondering \_\_\_\_ our business \_\_\_\_ have \_\_\_\_ for rain \_\_\_\_.

Is it \_\_\_\_ for business \_\_\_\_ for installing rain harvesting \_\_\_\_?

\_\_\_\_ necessary \_\_\_\_ get separate approval for \_\_\_\_ installation \_\_\_\_ rain \_\_\_\_ our \_\_\_\_?

Do you require specific \_\_\_\_ up \_\_\_\_ our location?

Should we seek additional \_\_\_\_ installing \_\_\_\_ devices along \_\_\_\_ piped \_\_\_\_ at \_\_\_\_?

Will \_\_\_\_ setting \_\_\_\_ of the rain \_\_\_\_ approval?

Is there a separate \_\_\_\_ a \_\_\_\_ to the business?

Is a separate authorization needed \_\_\_\_ install \_\_\_\_ venue?

Shall business \_\_\_\_ be \_\_\_\_ get \_\_\_\_ install rain harvesting?

\_\_\_\_ it necessary \_\_\_\_ get separate \_\_\_\_ for installing rain \_\_\_\_?

Will \_\_\_\_ separate \_\_\_\_ up rain harvesting \_\_\_\_ beside water sources on \_\_\_\_?

Is it \_\_\_\_ to \_\_\_\_ approval for \_\_\_\_ rain \_\_\_\_ our location?

When \_\_\_\_ rainfall \_\_\_\_ mechanisms \_\_\_\_ to \_\_\_\_ municipal water \_\_\_\_ company \_\_\_\_ are \_\_\_\_ required to have \_\_\_\_ consent?

Should our business \_\_\_\_ separate permits \_\_\_\_ rain \_\_\_\_?

\_\_\_\_ you \_\_\_\_ permission for us to \_\_\_\_ up \_\_\_\_ at \_\_\_\_ location?

\_\_\_\_ it \_\_\_\_ for us to separately authorize the \_\_\_\_ of \_\_\_\_ alongside piped-water \_\_\_\_ our \_\_\_\_?

Is it possible \_\_\_\_ our business premises \_\_\_\_ permits \_\_\_\_?

\_\_\_\_ it \_\_\_\_ for business premises \_\_\_\_ install rain harvesting \_\_\_\_?

Should \_\_\_\_ of \_\_\_\_ harvesting systems \_\_\_\_ authorizations?

\_\_\_\_ there \_\_\_\_ need \_\_\_\_ separate \_\_\_\_ for \_\_\_\_ of rain harvesting \_\_\_\_ at our \_\_\_\_?

With the \_\_\_\_ service setup in place \_\_\_\_ our \_\_\_\_ premises, should \_\_\_\_ separate \_\_\_\_ rainfall \_\_\_\_?

\_\_\_\_ a separate \_\_\_\_ adding \_\_\_\_ harvesting \_\_\_\_ our business location.

\_\_\_\_ there be \_\_\_\_ required to \_\_\_\_ harvesting systems on \_\_\_\_ premises?

\_\_\_\_ the installation \_\_\_\_ capture \_\_\_\_ require separate authorization \_\_\_\_ our \_\_\_\_ site?

Is it necessary \_\_\_\_ us to \_\_\_\_ consent \_\_\_\_ incorporating rain \_\_\_\_ commercial \_\_\_\_?

When setting up \_\_\_\_ rainwater collection \_\_\_\_ our \_\_\_\_ facility, \_\_\_\_ needed?

Is it \_\_\_\_ for \_\_\_\_ to \_\_\_\_ additional \_\_\_\_ order \_\_\_\_ include \_\_\_\_ harvesters?

The \_\_\_\_ municipal water service setup \_\_\_\_ in place \_\_\_\_ should \_\_\_\_ seek \_\_\_\_ installing rain water solutions?

Does a \_\_\_\_ system \_\_\_\_ authorization \_\_\_\_ our business \_\_\_\_?

\_\_\_\_ you \_\_\_\_ us to \_\_\_\_ specific permission \_\_\_\_ water \_\_\_\_ at \_\_\_\_ business location?

Is it \_\_\_\_ for \_\_\_\_ get a separate \_\_\_\_ rain \_\_\_\_ setup?

Is it a good \_\_\_\_ for \_\_\_\_ are \_\_\_\_ to install rainwater \_\_\_\_ technology at our \_\_\_\_?

Should we \_\_\_\_\_ to install precipitation \_\_\_\_\_ urban tap \_\_\_\_\_ services \_\_\_\_\_ our \_\_\_\_\_?

Should there \_\_\_\_\_ authorizations for the installation \_\_\_\_\_ systems and \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ separate approval \_\_\_\_\_ for \_\_\_\_\_ a \_\_\_\_\_ harvesting setup \_\_\_\_\_ location?

Should \_\_\_\_\_ separate permits if we install \_\_\_\_\_ at our business \_\_\_\_\_?

Do we \_\_\_\_\_ separate \_\_\_\_\_ rain \_\_\_\_\_ in our \_\_\_\_\_ premises?

Is \_\_\_\_\_ of \_\_\_\_\_ rainwater capture \_\_\_\_\_ business site required \_\_\_\_\_ approval?

Do we need \_\_\_\_\_ to \_\_\_\_\_ systems?

\_\_\_\_\_ installation \_\_\_\_\_ a rainwater \_\_\_\_\_ at the business \_\_\_\_\_ for separate \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ separate authorization for the \_\_\_\_\_ rainwater \_\_\_\_\_ system \_\_\_\_\_ business site?

Should we seek extra consent before \_\_\_\_\_ catchment \_\_\_\_\_ with \_\_\_\_\_ supplied piped \_\_\_\_\_?

Is it \_\_\_\_\_ business premises \_\_\_\_\_ separate \_\_\_\_\_ harvesting systems?

\_\_\_\_\_ us \_\_\_\_\_ set up water \_\_\_\_\_ systems \_\_\_\_\_ our business location?

\_\_\_\_\_ get separate \_\_\_\_\_ for adding \_\_\_\_\_ system to our \_\_\_\_\_?

\_\_\_\_\_ installing \_\_\_\_\_ water capture \_\_\_\_\_ at our business site \_\_\_\_\_?

\_\_\_\_\_ it necessary for \_\_\_\_\_ separate authorization for installing \_\_\_\_\_ alongside \_\_\_\_\_ services at our \_\_\_\_\_?

\_\_\_\_\_ premises have separate \_\_\_\_\_ rainwater \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ a rainwater \_\_\_\_\_ setup to our \_\_\_\_\_ location?

Does our business premises \_\_\_\_\_ for rain \_\_\_\_\_?

Should \_\_\_\_\_ have separate \_\_\_\_\_ the \_\_\_\_\_ of rainwater harvesting systems \_\_\_\_\_?

\_\_\_\_\_ any special approvals needed when setting up a \_\_\_\_\_ facility?

\_\_\_\_\_ premises should \_\_\_\_\_ permits for rain harvesting \_\_\_\_\_.

\_\_\_\_\_ it necessary \_\_\_\_\_ obtain \_\_\_\_\_ for rain \_\_\_\_\_ to \_\_\_\_\_ at our commercial \_\_\_\_\_?

Is it necessary for us \_\_\_\_\_ to install \_\_\_\_\_ harvesting systems \_\_\_\_\_ business premises?

Is \_\_\_\_\_ for \_\_\_\_\_ approval \_\_\_\_\_ fit \_\_\_\_\_ harvesters \_\_\_\_\_ commercial property?

\_\_\_\_\_ we need additional authorization \_\_\_\_\_ up rain \_\_\_\_\_ systems \_\_\_\_\_ location?

\_\_\_\_\_ I apply \_\_\_\_\_ permits if we install technology to \_\_\_\_\_ at \_\_\_\_\_?

Is individual authorization \_\_\_\_\_ the installation \_\_\_\_\_ rainwater \_\_\_\_\_ site?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ consent \_\_\_\_\_ have rain \_\_\_\_\_ on our \_\_\_\_\_ property?

\_\_\_\_\_ separate \_\_\_\_\_ for the setting \_\_\_\_\_ rain \_\_\_\_\_ systems \_\_\_\_\_ the premises?

Is there a \_\_\_\_\_ need \_\_\_\_\_ rainwater system \_\_\_\_\_ our \_\_\_\_\_?

Is \_\_\_\_\_ for a separate authority \_\_\_\_\_ be \_\_\_\_\_ if \_\_\_\_\_ to \_\_\_\_\_ up rain \_\_\_\_\_ systems \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ independent \_\_\_\_\_ necessary \_\_\_\_\_ a \_\_\_\_\_ harvesting system next \_\_\_\_\_ the \_\_\_\_\_ utilities at \_\_\_\_\_ commercial site?

Is \_\_\_\_\_ authorization \_\_\_\_\_ to \_\_\_\_\_ collection systems \_\_\_\_\_ to the \_\_\_\_\_ services?

\_\_\_\_\_ separate permit be required \_\_\_\_\_ up \_\_\_\_\_ systems on our \_\_\_\_\_?

Should our \_\_\_\_\_ separate permits \_\_\_\_\_ the \_\_\_\_\_ rain harvesting \_\_\_\_\_?

Do you require \_\_\_\_\_ set up \_\_\_\_\_ harvesting \_\_\_\_\_ at \_\_\_\_\_ business \_\_\_\_\_?

\_\_\_\_\_ we ask \_\_\_\_\_ to \_\_\_\_\_ devices along with city-supplied piped \_\_\_\_\_ our \_\_\_\_\_?

Do \_\_\_\_\_ need a \_\_\_\_\_ to install \_\_\_\_\_ System \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for a separate \_\_\_\_\_ water harvesting to our \_\_\_\_\_?

Will \_\_\_\_\_ permit \_\_\_\_\_ needed \_\_\_\_\_ set \_\_\_\_\_ rainwater harvesting systems on \_\_\_\_\_?

Are we required to \_\_\_\_\_ separate \_\_\_\_\_ rainwater \_\_\_\_\_ our company \_\_\_\_\_?

Do \_\_\_\_\_ to get additional \_\_\_\_\_ to \_\_\_\_\_ up \_\_\_\_\_ rain \_\_\_\_\_ systems at \_\_\_\_\_?

\_\_\_\_\_ we ask for permission to install \_\_\_\_\_ conjunction \_\_\_\_\_ water services at \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ required for \_\_\_\_\_ a \_\_\_\_\_ harvesting \_\_\_\_\_ the business site?

\_\_\_\_\_ it necessary to \_\_\_\_\_ separate \_\_\_\_\_ rain water \_\_\_\_\_ site?

Is it mandatory \_\_\_\_\_ separate consent for setting up \_\_\_\_\_ catchment \_\_\_\_\_ the \_\_\_\_\_ our company grounds?

\_\_\_\_\_ is city-supplied \_\_\_\_\_ services at our business \_\_\_\_\_ we need \_\_\_\_\_ authorization for \_\_\_\_\_?

Should \_\_\_\_\_ have \_\_\_\_\_ permits for \_\_\_\_\_ rainwater harvesting systems \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ obtain separate approval \_\_\_\_\_ implementing rainwater collection \_\_\_\_\_ piped-water services in our \_\_\_\_\_?

Should \_\_\_\_ ask \_\_\_\_ consent \_\_\_\_ rain \_\_\_\_ water at our site?

\_\_\_\_ it necessary \_\_\_\_ separate \_\_\_\_ the installation of rain \_\_\_\_ site?

Will \_\_\_\_ separate authority \_\_\_\_ required if \_\_\_\_ want \_\_\_\_ systems next to \_\_\_\_ piped- \_\_\_\_ facilities?

Is \_\_\_\_ additional \_\_\_\_ to set up water \_\_\_\_ systems at \_\_\_\_ business \_\_\_\_?

\_\_\_\_ needed for adding rain \_\_\_\_ our location?

Should our business \_\_\_\_ separate permits \_\_\_\_ of \_\_\_\_ systems?

The city \_\_\_\_ services \_\_\_\_ on \_\_\_\_ business premises, but are \_\_\_\_ to \_\_\_\_ rain \_\_\_\_?

\_\_\_\_ city \_\_\_\_ piped-water \_\_\_\_ are installed \_\_\_\_ business \_\_\_\_ are we \_\_\_\_ install rain \_\_\_\_?

Should \_\_\_\_ premises \_\_\_\_ get \_\_\_\_ approval to \_\_\_\_ rainwater \_\_\_\_ alongside \_\_\_\_ services?

\_\_\_\_ it necessary to \_\_\_\_ additional \_\_\_\_ rain \_\_\_\_ our business?

Is \_\_\_\_ requirement for separate authorization \_\_\_\_ installation \_\_\_\_ harvesting \_\_\_\_ our site?

Do we need separate \_\_\_\_ to \_\_\_\_ at \_\_\_\_ business \_\_\_\_?

Is it \_\_\_\_ for us \_\_\_\_ to \_\_\_\_ up rainwater harvesting systems near \_\_\_\_ city \_\_\_\_?

\_\_\_\_ it \_\_\_\_ for \_\_\_\_ business \_\_\_\_ to have \_\_\_\_ installing rain \_\_\_\_ systems?

Do we \_\_\_\_ to install the rainwater system \_\_\_\_?

Do we need \_\_\_\_ rain water \_\_\_\_ at our \_\_\_\_ premises?

\_\_\_\_ the current \_\_\_\_ service \_\_\_\_ business \_\_\_\_ is it necessary for us to seek \_\_\_\_ approval \_\_\_\_ installation of \_\_\_\_

Is independent \_\_\_\_ needed \_\_\_\_ setting up a rainwater \_\_\_\_ next to \_\_\_\_ utilities \_\_\_\_ site?

Should we ask for \_\_\_\_ consent before \_\_\_\_ rain \_\_\_\_ piped \_\_\_\_?

\_\_\_\_ the current municipal water service \_\_\_\_ place \_\_\_\_ our \_\_\_\_ premises, \_\_\_\_ make sense \_\_\_\_ apply for \_\_\_\_ installing rainfall \_\_\_\_

Is \_\_\_\_ necessary \_\_\_\_ get separate approval \_\_\_\_ installation of \_\_\_\_ alongside \_\_\_\_ pipes \_\_\_\_ site?

Will a \_\_\_\_ authority \_\_\_\_ want to set \_\_\_\_ rain on our business property?

\_\_\_\_ it necessary to \_\_\_\_ a \_\_\_\_ approval for \_\_\_\_ to our \_\_\_\_ location?

\_\_\_\_ a \_\_\_\_ service \_\_\_\_ premises, \_\_\_\_ separate \_\_\_\_ be \_\_\_\_ to set up rain harvesting systems?

Should we \_\_\_\_ separate \_\_\_\_ rainwater harvesting systems \_\_\_\_ premises?

\_\_\_\_ it \_\_\_\_ for individual authorization \_\_\_\_ Harvesters \_\_\_\_ business site?

Do \_\_\_\_ need \_\_\_\_ authorization \_\_\_\_ install \_\_\_\_ at our \_\_\_\_?

Are we \_\_\_\_ approval \_\_\_\_ the city for \_\_\_\_ collection?

\_\_\_\_ the current \_\_\_\_ service \_\_\_\_ for \_\_\_\_ it necessary to seek \_\_\_\_ approval before \_\_\_\_ rain water solutions?

Should we \_\_\_\_ permission to install \_\_\_\_?

\_\_\_\_ to \_\_\_\_ separate \_\_\_\_ rainwater trapping system \_\_\_\_ be \_\_\_\_ to our premises?

Is \_\_\_\_ necessary for us \_\_\_\_ to install \_\_\_\_ with \_\_\_\_ services?

\_\_\_\_ the \_\_\_\_ a \_\_\_\_ at our business site need separate \_\_\_\_?

Do \_\_\_\_ for \_\_\_\_ the collection \_\_\_\_ rain water \_\_\_\_ our company \_\_\_\_?

\_\_\_\_ seek extra \_\_\_\_ before \_\_\_\_ catchments and \_\_\_\_ at our site?

Do we need \_\_\_\_ get more \_\_\_\_ install \_\_\_\_ in \_\_\_\_?

\_\_\_\_ necessary for business \_\_\_\_ have \_\_\_\_ approval \_\_\_\_ install rainwater \_\_\_\_?

\_\_\_\_ necessary for \_\_\_\_ to get separate \_\_\_\_ trapping system to be \_\_\_\_ to our \_\_\_\_?

Is it necessary \_\_\_\_ us \_\_\_\_ get separate consent for \_\_\_\_ addition \_\_\_\_?

There \_\_\_\_ piped-water \_\_\_\_ installed \_\_\_\_ our \_\_\_\_ premises, \_\_\_\_ are \_\_\_\_ install rain Harvesting?

\_\_\_\_ we \_\_\_\_ permission to install \_\_\_\_ water harvesting \_\_\_\_?

Should we seek \_\_\_\_ before \_\_\_\_ along \_\_\_\_ at our site?

There \_\_\_\_ permits for \_\_\_\_ harvesting systems at \_\_\_\_ premises.

Should we \_\_\_\_ separate permits \_\_\_\_ on our \_\_\_\_?

Will there \_\_\_\_ separate approvals for \_\_\_\_ up \_\_\_\_ to \_\_\_\_ sources \_\_\_\_ premises?

Is \_\_\_\_ a \_\_\_\_ for the installation \_\_\_\_ rain harvesting \_\_\_\_ our \_\_\_\_?

Should we \_\_\_\_ separate permits for \_\_\_\_ our \_\_\_\_?

\_\_\_\_ separate authorizations be \_\_\_\_ for the installation \_\_\_\_ city \_\_\_\_ services?

Is \_\_\_\_\_ needed to \_\_\_\_\_ the \_\_\_\_\_ collection systems next to the \_\_\_\_\_?

Is it possible to \_\_\_\_\_ setting \_\_\_\_\_ rainwater \_\_\_\_\_ our premises?

\_\_\_\_\_ the current \_\_\_\_\_ water \_\_\_\_\_ setup \_\_\_\_\_ business \_\_\_\_\_ should we seek separate approval \_\_\_\_\_ storm water \_\_\_\_\_?

Is there an obligation for us \_\_\_\_\_ implementing rainwater \_\_\_\_\_ piped-water services \_\_\_\_\_ company \_\_\_\_\_?

\_\_\_\_\_ a good idea \_\_\_\_\_ for \_\_\_\_\_ we \_\_\_\_\_ rainwater capture technology at the \_\_\_\_\_ site?

Is \_\_\_\_\_ to \_\_\_\_\_ rainwater harvesters \_\_\_\_\_ piped-water \_\_\_\_\_ our site?

Is \_\_\_\_\_ a separate approval \_\_\_\_\_ a \_\_\_\_\_ harvesting \_\_\_\_\_ the \_\_\_\_\_ location?

\_\_\_\_\_ get separate consent \_\_\_\_\_ adding a \_\_\_\_\_ trapping \_\_\_\_\_ to the \_\_\_\_\_?

Business \_\_\_\_\_ may \_\_\_\_\_ additional approval for installing \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ separate approval needed for the \_\_\_\_\_ of \_\_\_\_\_ at \_\_\_\_\_?

Should \_\_\_\_\_ ask \_\_\_\_\_ more consent before \_\_\_\_\_ up \_\_\_\_\_ in \_\_\_\_\_ establishment?

\_\_\_\_\_ there \_\_\_\_\_ special approvals \_\_\_\_\_ when \_\_\_\_\_ a \_\_\_\_\_ rain water \_\_\_\_\_ our business \_\_\_\_\_?

Do we need \_\_\_\_\_ a \_\_\_\_\_ system in our \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ us to get \_\_\_\_\_ consent \_\_\_\_\_ adding \_\_\_\_\_ rain \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ it necessary to have separate approval for \_\_\_\_\_ on \_\_\_\_\_?

\_\_\_\_\_ need for a \_\_\_\_\_ approval \_\_\_\_\_ a rainwater harvesting \_\_\_\_\_ the \_\_\_\_\_ location.

\_\_\_\_\_ it necessary \_\_\_\_\_ for installing rain \_\_\_\_\_ at our business?

\_\_\_\_\_ a \_\_\_\_\_ if \_\_\_\_\_ to set \_\_\_\_\_ rain harvesting systems on our \_\_\_\_\_ property?

\_\_\_\_\_ a \_\_\_\_\_ required \_\_\_\_\_ adding \_\_\_\_\_ harvesting setup to our \_\_\_\_\_?

Is independent authorization \_\_\_\_\_ up a \_\_\_\_\_ harvesting system next \_\_\_\_\_ utilities \_\_\_\_\_ commercial \_\_\_\_\_?

\_\_\_\_\_ premises \_\_\_\_\_ additional approval \_\_\_\_\_ install \_\_\_\_\_ harvesting \_\_\_\_\_ piped-water services.

Is individual \_\_\_\_\_ required \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ harvesters with \_\_\_\_\_ at \_\_\_\_\_ site?

Do we need separate \_\_\_\_\_ to \_\_\_\_\_ at our \_\_\_\_\_?

Should separate approvals be required for \_\_\_\_\_ systems \_\_\_\_\_ city-piped \_\_\_\_\_?

Is \_\_\_\_\_ authorization required to \_\_\_\_\_ systems at \_\_\_\_\_ business \_\_\_\_\_?

Is a separate approval \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ location?

Should business \_\_\_\_\_ required \_\_\_\_\_ get \_\_\_\_\_ approval \_\_\_\_\_ install rain \_\_\_\_\_?

\_\_\_\_\_ city-supplied \_\_\_\_\_ services \_\_\_\_\_ our \_\_\_\_\_ premises, \_\_\_\_\_ we \_\_\_\_\_ for installing rainwater harvesting systems there?

\_\_\_\_\_ there \_\_\_\_\_ authorization \_\_\_\_\_ for the installation \_\_\_\_\_ water harvesting systems \_\_\_\_\_ business \_\_\_\_\_?

Do there need to \_\_\_\_\_ approvals \_\_\_\_\_ collection in \_\_\_\_\_?

Do we need a \_\_\_\_\_ permit to \_\_\_\_\_ Rainwater \_\_\_\_\_ location?

Is \_\_\_\_\_ required for \_\_\_\_\_ be installed at our \_\_\_\_\_?

Is \_\_\_\_\_ necessary to get \_\_\_\_\_ to \_\_\_\_\_ harvesters \_\_\_\_\_ commercial property?

Is there a \_\_\_\_\_ separate \_\_\_\_\_ collectors and the existing municipal \_\_\_\_\_ lines at \_\_\_\_\_?

\_\_\_\_\_ our business \_\_\_\_\_ need \_\_\_\_\_ to set up \_\_\_\_\_ harvesting systems?

\_\_\_\_\_ our \_\_\_\_\_ premises have \_\_\_\_\_ install \_\_\_\_\_ harvesting systems?

\_\_\_\_\_ I \_\_\_\_\_ a second \_\_\_\_\_ put up precipitation collection devices \_\_\_\_\_ location?

Do you require \_\_\_\_\_ us \_\_\_\_\_ rain \_\_\_\_\_ systems \_\_\_\_\_ our business?

\_\_\_\_\_ want to know \_\_\_\_\_ premises have \_\_\_\_\_ permits for \_\_\_\_\_ systems.

\_\_\_\_\_ we need \_\_\_\_\_ get additional \_\_\_\_\_ set up water \_\_\_\_\_ at our \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ required \_\_\_\_\_ rain water \_\_\_\_\_ systems at our site?

Is \_\_\_\_\_ separate permission \_\_\_\_\_ to install \_\_\_\_\_ systems \_\_\_\_\_ water supplies?

\_\_\_\_\_ a \_\_\_\_\_ needed \_\_\_\_\_ the \_\_\_\_\_ harvesting \_\_\_\_\_ to \_\_\_\_\_ added to the business \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ install \_\_\_\_\_ rainwater collection \_\_\_\_\_ at our business \_\_\_\_\_?

Should \_\_\_\_\_ have separate \_\_\_\_\_ the \_\_\_\_\_ systems on our premises?

When \_\_\_\_\_ parallel to \_\_\_\_\_ water \_\_\_\_\_ company grounds, are we mandated to have \_\_\_\_\_ consent?

\_\_\_\_\_ are city-supplied \_\_\_\_\_ services at \_\_\_\_\_ business premises, do we \_\_\_\_\_ harvesting systems?

\_\_\_\_\_ you tell me \_\_\_\_\_ authorization \_\_\_\_\_ setting up \_\_\_\_\_ rainwater \_\_\_\_\_ system next to the \_\_\_\_\_ utilities?

Will a separate \_\_\_\_\_ needed \_\_\_\_\_ we want to set \_\_\_\_\_ rainwater \_\_\_\_\_ next \_\_\_\_\_ the \_\_\_\_\_?

Do \_\_\_\_\_ to get permission from the city \_\_\_\_\_ systems \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ good idea \_\_\_\_\_ for \_\_\_\_\_ permits \_\_\_\_\_ we plan \_\_\_\_\_ capture technology \_\_\_\_\_ the business site?

With \_\_\_\_\_ municipal \_\_\_\_\_ service \_\_\_\_\_ place for our business \_\_\_\_\_ should \_\_\_\_\_ seek separate \_\_\_\_\_ the installation of \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ approval to install \_\_\_\_\_ Harvesting along with \_\_\_\_\_.

\_\_\_\_\_ separate \_\_\_\_\_ be required \_\_\_\_\_ we want to \_\_\_\_\_ systems on our \_\_\_\_\_?

\_\_\_\_\_ it necessary for us \_\_\_\_\_ apply \_\_\_\_\_ separate \_\_\_\_\_ to \_\_\_\_\_ systems on our \_\_\_\_\_?

\_\_\_\_\_ rainfall catchment mechanisms near \_\_\_\_\_ faucets on \_\_\_\_\_ be considered.

\_\_\_\_\_ we get extra consent \_\_\_\_\_ installing \_\_\_\_\_ catchment \_\_\_\_\_ site?

When \_\_\_\_\_ a collection \_\_\_\_\_ water at our \_\_\_\_\_ do \_\_\_\_\_ permission \_\_\_\_\_?

Is there \_\_\_\_\_ permission \_\_\_\_\_ for rainwater \_\_\_\_\_ installed \_\_\_\_\_ the \_\_\_\_\_ water supplies?

\_\_\_\_\_ business premises need \_\_\_\_\_ install rain harvesting?

\_\_\_\_\_ be required \_\_\_\_\_ get additional \_\_\_\_\_ to \_\_\_\_\_ water harvesting?

The \_\_\_\_\_ municipal water \_\_\_\_\_ is \_\_\_\_\_ place for our business \_\_\_\_\_ we seek separate \_\_\_\_\_ of \_\_\_\_\_ catchment \_\_\_\_\_?

\_\_\_\_\_ we obligated to \_\_\_\_\_ separate \_\_\_\_\_ rainwater collection \_\_\_\_\_ establishment?

There \_\_\_\_\_ piped-water services at our \_\_\_\_\_ premises so \_\_\_\_\_ we need \_\_\_\_\_ authorization to \_\_\_\_\_?

\_\_\_\_\_ separate permission for the installation \_\_\_\_\_ water \_\_\_\_\_ systems?

Should we \_\_\_\_\_ consent \_\_\_\_\_ installing \_\_\_\_\_ devices and city-supplied \_\_\_\_\_ at \_\_\_\_\_ site?

\_\_\_\_\_ permit be required for the set \_\_\_\_\_ rainwater \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ get additional \_\_\_\_\_ for incorporating \_\_\_\_\_ our commercial property.

\_\_\_\_\_ need a separate authority \_\_\_\_\_ want \_\_\_\_\_ rain harvesting systems on the \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ up water \_\_\_\_\_ systems at our business \_\_\_\_\_?

Will \_\_\_\_\_ setting up \_\_\_\_\_ rain \_\_\_\_\_ on the premises \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ systems on our premises?

Is \_\_\_\_\_ authorization needed \_\_\_\_\_ collection systems at our \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ us to \_\_\_\_\_ separate \_\_\_\_\_ to \_\_\_\_\_ the rainwater \_\_\_\_\_ property?

Is there a \_\_\_\_\_ installing rain \_\_\_\_\_ at our \_\_\_\_\_ place?

Is there \_\_\_\_\_ separate permission required \_\_\_\_\_ the installation \_\_\_\_\_ rainwater \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ up rain \_\_\_\_\_ systems at our business location?

\_\_\_\_\_ it \_\_\_\_\_ additional permission to be \_\_\_\_\_ up a collection \_\_\_\_\_ water \_\_\_\_\_ our premises?

Are business \_\_\_\_\_ get \_\_\_\_\_ approval \_\_\_\_\_ installing \_\_\_\_\_ harvesting?

Do we need separate \_\_\_\_\_ when \_\_\_\_\_ collector \_\_\_\_\_ business \_\_\_\_\_?

\_\_\_\_\_ for separate \_\_\_\_\_ the \_\_\_\_\_ up of rain harvesting \_\_\_\_\_ on our \_\_\_\_\_?

\_\_\_\_\_ additional approval \_\_\_\_\_ installing rainwater harvesting.

\_\_\_\_\_ have \_\_\_\_\_ separate permit for the set \_\_\_\_\_ of \_\_\_\_\_ systems on \_\_\_\_\_ premises?

\_\_\_\_\_ it necessary \_\_\_\_\_ individual \_\_\_\_\_ to install \_\_\_\_\_ Harvesters at \_\_\_\_\_?

Should \_\_\_\_\_ for consent \_\_\_\_\_ rain \_\_\_\_\_ devices \_\_\_\_\_ piped water at our \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ for additional \_\_\_\_\_ before installing rain \_\_\_\_\_ devices \_\_\_\_\_ city-supplied \_\_\_\_\_ at our \_\_\_\_\_?

Is it necessary to have \_\_\_\_\_ rain \_\_\_\_\_ systems \_\_\_\_\_ our \_\_\_\_\_?

Do \_\_\_\_\_ require \_\_\_\_\_ get specific permission to set \_\_\_\_\_ harvesting \_\_\_\_\_ location?

\_\_\_\_\_ a \_\_\_\_\_ for separate \_\_\_\_\_ rainwater \_\_\_\_\_ in our business premises?

Is a \_\_\_\_\_ approval required for \_\_\_\_\_ rain harvesting \_\_\_\_\_?

\_\_\_\_\_ the current \_\_\_\_\_ water \_\_\_\_\_ in place \_\_\_\_\_ premises, should \_\_\_\_\_ be separate approval \_\_\_\_\_ of rainfall catchment \_\_\_\_\_?

\_\_\_\_\_ it necessary for us to \_\_\_\_\_ authorization for installing \_\_\_\_\_ water \_\_\_\_\_?

Do we need separate permission to \_\_\_\_\_ collectors \_\_\_\_\_ water \_\_\_\_\_ place \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to obtain \_\_\_\_\_ authorization for \_\_\_\_\_ installation \_\_\_\_\_ rain \_\_\_\_\_ at \_\_\_\_\_ site?

\_\_\_\_\_ to \_\_\_\_\_ separate authorization for \_\_\_\_\_ rain \_\_\_\_\_ systems at \_\_\_\_\_ business \_\_\_\_\_?

Will a separate authority \_\_\_\_\_ if we want \_\_\_\_\_ water \_\_\_\_\_ on \_\_\_\_\_ business \_\_\_\_\_?



\_\_\_\_\_ are \_\_\_\_\_ approvals needed to set up \_\_\_\_\_ collection \_\_\_\_\_ piped-water \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ necessary for business premises to \_\_\_\_\_ approval \_\_\_\_\_ water harvesting?  
 Should \_\_\_\_\_ be separate \_\_\_\_\_ of rain water harvesting \_\_\_\_\_ at \_\_\_\_\_?  
 Should we seek \_\_\_\_\_ before \_\_\_\_\_ and piped \_\_\_\_\_ at \_\_\_\_\_?  
 \_\_\_\_\_ premises \_\_\_\_\_ need \_\_\_\_\_ approval to \_\_\_\_\_ rain \_\_\_\_\_ city-supplied \_\_\_\_\_ services.  
 \_\_\_\_\_ piped-water service on our \_\_\_\_\_ so will \_\_\_\_\_ separate \_\_\_\_\_ be required \_\_\_\_\_ up \_\_\_\_\_ systems?  
 Is there \_\_\_\_\_ need for \_\_\_\_\_ for \_\_\_\_\_ rain harvesting \_\_\_\_\_ at \_\_\_\_\_ business \_\_\_\_\_?  
 Should I \_\_\_\_\_ approval if I \_\_\_\_\_ up devices \_\_\_\_\_ at \_\_\_\_\_ office \_\_\_\_\_?  
 There should be \_\_\_\_\_ authorization \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ systems \_\_\_\_\_ our \_\_\_\_\_.  
 \_\_\_\_\_ individual authorization \_\_\_\_\_ installation of \_\_\_\_\_ harvesting at \_\_\_\_\_ business \_\_\_\_\_?  
 With the current municipal \_\_\_\_\_ in \_\_\_\_\_ for \_\_\_\_\_ business premises \_\_\_\_\_ make \_\_\_\_\_ to seek separate \_\_\_\_\_ catchment solutions?  
 When \_\_\_\_\_ rainfall catchment mechanisms parallel to the \_\_\_\_\_ supply \_\_\_\_\_ our \_\_\_\_\_ grounds \_\_\_\_\_ we \_\_\_\_\_ distinct \_\_\_\_\_?  
 Is \_\_\_\_\_ separate authorization required for \_\_\_\_\_ the \_\_\_\_\_ harvesting \_\_\_\_\_ at \_\_\_\_\_?  
 \_\_\_\_\_ it necessary for separate \_\_\_\_\_ the \_\_\_\_\_ systems on our premises?  
 \_\_\_\_\_ it \_\_\_\_\_ get \_\_\_\_\_ authorization \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ harvesting systems \_\_\_\_\_ our site?  
 \_\_\_\_\_ necessary \_\_\_\_\_ find a \_\_\_\_\_ agreement \_\_\_\_\_ public-piped and harvesting rain \_\_\_\_\_ company \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ piped-water services at our \_\_\_\_\_ need separate authorization for installing water \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary \_\_\_\_\_ us to \_\_\_\_\_ rain \_\_\_\_\_ at our workplace?  
 Do you \_\_\_\_\_ for \_\_\_\_\_ our rainwater harvesting \_\_\_\_\_ at our \_\_\_\_\_ location?  
 With \_\_\_\_\_ service setup \_\_\_\_\_ place \_\_\_\_\_ premises, does it make \_\_\_\_\_ seek \_\_\_\_\_ before installing rainfall solutions?  
 \_\_\_\_\_ it necessary for a \_\_\_\_\_ when \_\_\_\_\_ public-piped \_\_\_\_\_ harvest rain on company \_\_\_\_\_?  
 Is \_\_\_\_\_ authorization \_\_\_\_\_ for \_\_\_\_\_ a rainwater \_\_\_\_\_ to the piped-water \_\_\_\_\_ at \_\_\_\_\_ commercial site?  
 \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ catchment \_\_\_\_\_ along with citysupplied piped water \_\_\_\_\_ site?  
 \_\_\_\_\_ special approvals \_\_\_\_\_ when setting up a rainwater \_\_\_\_\_ business \_\_\_\_\_?  
 Is \_\_\_\_\_ separate approval needed \_\_\_\_\_ rainwater harvesting setup \_\_\_\_\_ added \_\_\_\_\_ our \_\_\_\_\_?  
 Is \_\_\_\_\_ separate \_\_\_\_\_ required to \_\_\_\_\_ collection \_\_\_\_\_ at our business \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary for \_\_\_\_\_ to get \_\_\_\_\_ authorization \_\_\_\_\_ install rain \_\_\_\_\_ on \_\_\_\_\_?  
 Is \_\_\_\_\_ any special \_\_\_\_\_ when \_\_\_\_\_ up \_\_\_\_\_ rain water \_\_\_\_\_ business facility?  
 Should a \_\_\_\_\_ required to \_\_\_\_\_ rain harvesting \_\_\_\_\_ our premises?  
 Is \_\_\_\_\_ for us \_\_\_\_\_ get \_\_\_\_\_ authorization \_\_\_\_\_ set \_\_\_\_\_ harvesting systems at \_\_\_\_\_ location?  
 Should \_\_\_\_\_ seek extra consent \_\_\_\_\_ rain catchment \_\_\_\_\_ along \_\_\_\_\_ the \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ have to \_\_\_\_\_ separate permission to \_\_\_\_\_ collectors \_\_\_\_\_ with \_\_\_\_\_ water lines?  
 Is there \_\_\_\_\_ separate permission required to \_\_\_\_\_ a \_\_\_\_\_ system \_\_\_\_\_?  
 Is \_\_\_\_\_ for \_\_\_\_\_ premises \_\_\_\_\_ get approval \_\_\_\_\_ install rainwater harvesting \_\_\_\_\_?  
 Is individual \_\_\_\_\_ necessary \_\_\_\_\_ Harvesters with \_\_\_\_\_ services \_\_\_\_\_ business site?  
 \_\_\_\_\_ might \_\_\_\_\_ permit if \_\_\_\_\_ want to set \_\_\_\_\_ system for \_\_\_\_\_ and using rain \_\_\_\_\_ supplied \_\_\_\_\_ water services  
 Is independent \_\_\_\_\_ necessary \_\_\_\_\_ up a \_\_\_\_\_ system \_\_\_\_\_ our commercial \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary for \_\_\_\_\_ approval for \_\_\_\_\_ a \_\_\_\_\_ harvesting \_\_\_\_\_?  
 \_\_\_\_\_ have to \_\_\_\_\_ separate authorization to \_\_\_\_\_ rain \_\_\_\_\_ and \_\_\_\_\_ lines \_\_\_\_\_ our \_\_\_\_\_?  
 While using city-supplied piped-water \_\_\_\_\_ our \_\_\_\_\_ allowed \_\_\_\_\_ rainwater collection \_\_\_\_\_?  
 \_\_\_\_\_ piped-water \_\_\_\_\_ is installed at our business \_\_\_\_\_ are \_\_\_\_\_ authorized \_\_\_\_\_ install rain \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ permit be needed \_\_\_\_\_ set \_\_\_\_\_ water \_\_\_\_\_ systems \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ idea \_\_\_\_\_ apply for \_\_\_\_\_ to \_\_\_\_\_ capture technology at our business site?  
 Is there \_\_\_\_\_ separate \_\_\_\_\_ of rain water on \_\_\_\_\_?  
 Do we \_\_\_\_\_ install \_\_\_\_\_ harvesting \_\_\_\_\_ our business?  
 Should \_\_\_\_\_ seek \_\_\_\_\_ rain \_\_\_\_\_ devices and \_\_\_\_\_ at our site?  
 Is there an \_\_\_\_\_ to get \_\_\_\_\_ for implementing \_\_\_\_\_ rain water in our \_\_\_\_\_?  
 Should we \_\_\_\_\_ permits \_\_\_\_\_ installing rainwater \_\_\_\_\_ on our \_\_\_\_\_?

\_\_\_\_ we ask for \_\_\_\_ before installing rain capture \_\_\_\_ piped \_\_\_\_ at \_\_\_\_ ?  
 Should I \_\_\_\_ for separate permits \_\_\_\_ we \_\_\_\_ rainwater capture \_\_\_\_ the \_\_\_\_ ?  
 Do we \_\_\_\_ additional authorization to \_\_\_\_ rain \_\_\_\_ at our \_\_\_\_ ?  
 Is \_\_\_\_ necessary to get separate \_\_\_\_ systems in \_\_\_\_ premises?  
 Is \_\_\_\_ individual authorization for \_\_\_\_ of \_\_\_\_ harvesters \_\_\_\_ our business \_\_\_\_ ?  
 \_\_\_\_ the installation \_\_\_\_ a rainwater \_\_\_\_ authorizations at our \_\_\_\_ site?  
 \_\_\_\_ approval to install Rainwater Harvesting \_\_\_\_ water services.  
 \_\_\_\_ we \_\_\_\_ more \_\_\_\_ before installing rain catchment \_\_\_\_ and \_\_\_\_ water \_\_\_\_ our \_\_\_\_ ?  
 Special approvals are needed \_\_\_\_ setting \_\_\_\_ rainwater \_\_\_\_ access \_\_\_\_ a \_\_\_\_ .  
 Shall \_\_\_\_ get additional approval \_\_\_\_ install water \_\_\_\_ ?  
 \_\_\_\_ it \_\_\_\_ get \_\_\_\_ for the \_\_\_\_ of \_\_\_\_ water \_\_\_\_ city pipes at \_\_\_\_ site?  
 \_\_\_\_ there need to be special approvals \_\_\_\_ rainwater \_\_\_\_ business \_\_\_\_ ?  
 Should a \_\_\_\_ authorization \_\_\_\_ required for the installation \_\_\_\_ at \_\_\_\_ ?  
 Is it necessary for us \_\_\_\_ install \_\_\_\_ harvesters?  
 Is \_\_\_\_ authorization \_\_\_\_ for the \_\_\_\_ of \_\_\_\_ harvesters at \_\_\_\_ ?  
 Do we need separate \_\_\_\_ rain \_\_\_\_ the \_\_\_\_ lines at our \_\_\_\_ ?  
 \_\_\_\_ be allowed \_\_\_\_ install precipitation collectors and urban \_\_\_\_ at \_\_\_\_ ?  
 \_\_\_\_ the \_\_\_\_ a \_\_\_\_ system at our business \_\_\_\_ necessary \_\_\_\_ authorization?  
 There \_\_\_\_ separate \_\_\_\_ for \_\_\_\_ rain harvesting \_\_\_\_ business premises.  
 \_\_\_\_ there \_\_\_\_ separate approval required for \_\_\_\_ on \_\_\_\_ site?  
 Is it \_\_\_\_ for \_\_\_\_ to get \_\_\_\_ to install \_\_\_\_ systems \_\_\_\_ premises?  
 \_\_\_\_ required \_\_\_\_ additional authorization \_\_\_\_ rainwater \_\_\_\_ systems at the business location?  
 \_\_\_\_ needed \_\_\_\_ the installation of \_\_\_\_ water \_\_\_\_ our site?  
 \_\_\_\_ it \_\_\_\_ for \_\_\_\_ approval for adding rain \_\_\_\_ to \_\_\_\_ business \_\_\_\_ ?  
 Is \_\_\_\_ a \_\_\_\_ for \_\_\_\_ the installation \_\_\_\_ rain \_\_\_\_ our site?  
 Does \_\_\_\_ installation of a \_\_\_\_ system at \_\_\_\_ separate authorization?  
 \_\_\_\_ special consent \_\_\_\_ install rain systems \_\_\_\_ business facility?  
 \_\_\_\_ I get a \_\_\_\_ if I \_\_\_\_ precipitation collection \_\_\_\_ office?  
 Is a \_\_\_\_ authorization required \_\_\_\_ systems at \_\_\_\_ venue?  
 There should \_\_\_\_ separate \_\_\_\_ harvesting systems \_\_\_\_ premises.  
 Is \_\_\_\_ a \_\_\_\_ rain water on our site?  
 \_\_\_\_ ask \_\_\_\_ extra consent before installing rain \_\_\_\_ devices \_\_\_\_ city-supplied \_\_\_\_ site?  
 \_\_\_\_ a distinct authority \_\_\_\_ needed if \_\_\_\_ to set \_\_\_\_ on the \_\_\_\_ property?  
 \_\_\_\_ for separate approval \_\_\_\_ rain water \_\_\_\_ our site?  
 \_\_\_\_ authority be \_\_\_\_ we \_\_\_\_ set up rain \_\_\_\_ systems on the business \_\_\_\_ ?  
 \_\_\_\_ we required \_\_\_\_ obtain \_\_\_\_ approval for implementing rain \_\_\_\_ company \_\_\_\_ ?  
 \_\_\_\_ it necessary \_\_\_\_ get separate authorization for \_\_\_\_ the \_\_\_\_ lines \_\_\_\_ our \_\_\_\_ place?  
 Shall our \_\_\_\_ premises have \_\_\_\_ permits \_\_\_\_ systems?  
 \_\_\_\_ we \_\_\_\_ separate \_\_\_\_ install \_\_\_\_ rain harvesting systems \_\_\_\_ our \_\_\_\_ premises?  
 Is \_\_\_\_ a good idea \_\_\_\_ install \_\_\_\_ near urban \_\_\_\_ on business grounds?  
 In \_\_\_\_ business location, do \_\_\_\_ need \_\_\_\_ separate \_\_\_\_ to install \_\_\_\_ ?  
 \_\_\_\_ for us \_\_\_\_ set \_\_\_\_ rainwater harvesting systems at our place \_\_\_\_ ?  
 We don't \_\_\_\_ if we \_\_\_\_ separate \_\_\_\_ rainwater \_\_\_\_ systems at \_\_\_\_ premises.  
 There are special approvals \_\_\_\_ setting \_\_\_\_ with \_\_\_\_ access in \_\_\_\_ facility.  
 \_\_\_\_ it \_\_\_\_ us \_\_\_\_ get additional \_\_\_\_ for incorporating \_\_\_\_ harvesters \_\_\_\_ property?  
 \_\_\_\_ we have \_\_\_\_ authorization to install \_\_\_\_ harvesting?  
 \_\_\_\_ it \_\_\_\_ additional \_\_\_\_ to install rainwater \_\_\_\_ piped-water services?  
 \_\_\_\_ supplies \_\_\_\_ to our business premises, \_\_\_\_ authorized \_\_\_\_ install \_\_\_\_ harvesting?  
 Is \_\_\_\_ authorization necessary \_\_\_\_ the \_\_\_\_ of rain \_\_\_\_ our \_\_\_\_ ?  
 Do we need a \_\_\_\_ systems \_\_\_\_ our business?

\_\_\_\_\_ necessary \_\_\_\_\_ get additional \_\_\_\_\_ have rain \_\_\_\_\_ and \_\_\_\_\_ on the property?  
 There \_\_\_\_\_ for installing rain harvesting systems on \_\_\_\_\_.  
 \_\_\_\_\_ have \_\_\_\_\_ permits to \_\_\_\_\_ harvesting \_\_\_\_\_ next to \_\_\_\_\_ services?  
 Do \_\_\_\_\_ to \_\_\_\_\_ additional authorization to \_\_\_\_\_ up \_\_\_\_\_ water \_\_\_\_\_ systems \_\_\_\_\_ business?  
 \_\_\_\_\_ we need a \_\_\_\_\_ to install \_\_\_\_\_ at \_\_\_\_\_ business \_\_\_\_\_?  
 Do we \_\_\_\_\_ to \_\_\_\_\_ authorization \_\_\_\_\_ set \_\_\_\_\_ systems at our \_\_\_\_\_ location?  
 \_\_\_\_\_ to get \_\_\_\_\_ approval for \_\_\_\_\_ rain water collection \_\_\_\_\_ establishment?  
 Is it \_\_\_\_\_ good \_\_\_\_\_ apply \_\_\_\_\_ permits if \_\_\_\_\_ on \_\_\_\_\_ rain capture \_\_\_\_\_ at our business \_\_\_\_\_?  
 Should \_\_\_\_\_ separate \_\_\_\_\_ to install \_\_\_\_\_ to the \_\_\_\_\_ supplies?  
 \_\_\_\_\_ any \_\_\_\_\_ needed when setting up a collection \_\_\_\_\_ rain \_\_\_\_\_ in \_\_\_\_\_?  
 Is it necessary for separate \_\_\_\_\_ harvesting \_\_\_\_\_ premises?  
 \_\_\_\_\_ there \_\_\_\_\_ special approvals \_\_\_\_\_ setting up a rainwater collection \_\_\_\_\_ business \_\_\_\_\_?  
 \_\_\_\_\_ for \_\_\_\_\_ to get separate authorization \_\_\_\_\_ the rain harvesting \_\_\_\_\_ at \_\_\_\_\_ premises?  
 \_\_\_\_\_ get another \_\_\_\_\_ to put \_\_\_\_\_ precipitation \_\_\_\_\_ devices \_\_\_\_\_ my office \_\_\_\_\_?  
 \_\_\_\_\_ it necessary for \_\_\_\_\_ to \_\_\_\_\_ the installation \_\_\_\_\_ rain harvesting \_\_\_\_\_ our business premises?  
 Should business \_\_\_\_\_ the approval \_\_\_\_\_ the city for \_\_\_\_\_ installation \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ to get \_\_\_\_\_ approval \_\_\_\_\_ implementing the collection of \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ services at our business premises \_\_\_\_\_ do we need \_\_\_\_\_ authorization for \_\_\_\_\_ systems?  
 \_\_\_\_\_ you \_\_\_\_\_ permission for us \_\_\_\_\_ up rain \_\_\_\_\_ at \_\_\_\_\_ location?  
 With the \_\_\_\_\_ water service \_\_\_\_\_ for our business \_\_\_\_\_ necessary \_\_\_\_\_ us to seek separate approval \_\_\_\_\_ solutions?  
 Is \_\_\_\_\_ premises allowed \_\_\_\_\_ install rain \_\_\_\_\_ city piped-water \_\_\_\_\_?  
 \_\_\_\_\_ seek extra consent before \_\_\_\_\_ and \_\_\_\_\_ piped water \_\_\_\_\_ site?  
 \_\_\_\_\_ required to \_\_\_\_\_ from the \_\_\_\_\_ for \_\_\_\_\_ rainwater collection?  
 \_\_\_\_\_ necessary \_\_\_\_\_ additional consent \_\_\_\_\_ Rain Harvesters \_\_\_\_\_ be \_\_\_\_\_ to our commercial \_\_\_\_\_?  
 Is \_\_\_\_\_ possible to \_\_\_\_\_ if you \_\_\_\_\_ rainwater \_\_\_\_\_ with city \_\_\_\_\_ at our \_\_\_\_\_?  
 \_\_\_\_\_ a requirement for separate \_\_\_\_\_ for installing \_\_\_\_\_ harvesting \_\_\_\_\_ our \_\_\_\_\_?  
 \_\_\_\_\_ a separate \_\_\_\_\_ for rainwater \_\_\_\_\_ to \_\_\_\_\_ added to \_\_\_\_\_ location?  
 \_\_\_\_\_ we \_\_\_\_\_ separate \_\_\_\_\_ for installing rain harvesting \_\_\_\_\_ on \_\_\_\_\_?  
 Is it \_\_\_\_\_ idea \_\_\_\_\_ separate \_\_\_\_\_ for \_\_\_\_\_ of rainwater \_\_\_\_\_ technology \_\_\_\_\_ our business site?  
 Please confirm if \_\_\_\_\_ required for \_\_\_\_\_  
 \_\_\_\_\_ you require specific \_\_\_\_\_ for \_\_\_\_\_ to install water \_\_\_\_\_ location?  
 Is it \_\_\_\_\_ additional \_\_\_\_\_ to \_\_\_\_\_ obtained before \_\_\_\_\_ up \_\_\_\_\_ that \_\_\_\_\_ in our establishment?  
 \_\_\_\_\_ there a \_\_\_\_\_ for \_\_\_\_\_ rain harvesting \_\_\_\_\_ city water?  
 \_\_\_\_\_ know \_\_\_\_\_ we need \_\_\_\_\_ authorization for \_\_\_\_\_ rain \_\_\_\_\_ alongside \_\_\_\_\_ at our business premises.  
 \_\_\_\_\_ get \_\_\_\_\_ authorization to set up the \_\_\_\_\_ harvesting \_\_\_\_\_ at \_\_\_\_\_ business?  
 Does the \_\_\_\_\_ a \_\_\_\_\_ capture system \_\_\_\_\_ business \_\_\_\_\_ require separate \_\_\_\_\_?  
 Is \_\_\_\_\_ for \_\_\_\_\_ to be \_\_\_\_\_ we want \_\_\_\_\_ up rain harvesting systems on our business \_\_\_\_\_?  
 Should businesses \_\_\_\_\_ separate \_\_\_\_\_ for \_\_\_\_\_ rain \_\_\_\_\_ city services?  
 \_\_\_\_\_ a distinct authority \_\_\_\_\_ necessary if \_\_\_\_\_ want to set \_\_\_\_\_ systems \_\_\_\_\_ business \_\_\_\_\_?  
 Is \_\_\_\_\_ additional consent to be \_\_\_\_\_ rain collection \_\_\_\_\_ in our \_\_\_\_\_?  
 Is \_\_\_\_\_ a separate permit \_\_\_\_\_ harvesting \_\_\_\_\_ business \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ authorization \_\_\_\_\_ rain collectors and \_\_\_\_\_ at the \_\_\_\_\_ place?  
 Is \_\_\_\_\_ requirement \_\_\_\_\_ separate \_\_\_\_\_ to install the collection \_\_\_\_\_ at our \_\_\_\_\_?  
 Is it necessary for us \_\_\_\_\_ to \_\_\_\_\_ rain \_\_\_\_\_ systems on \_\_\_\_\_?  
 \_\_\_\_\_ necessary for us to \_\_\_\_\_ separate \_\_\_\_\_ installing rain \_\_\_\_\_ at \_\_\_\_\_ site?  
 Our \_\_\_\_\_ separate permits for the \_\_\_\_\_ of \_\_\_\_\_ systems.  
 With \_\_\_\_\_ current municipal water \_\_\_\_\_ in \_\_\_\_\_ our \_\_\_\_\_ should we \_\_\_\_\_ separate approval \_\_\_\_\_ any \_\_\_\_\_ water solutions?  
 \_\_\_\_\_ require specific permission \_\_\_\_\_ allow us to set \_\_\_\_\_ at our \_\_\_\_\_?  
 \_\_\_\_\_ when installing \_\_\_\_\_ collectors \_\_\_\_\_ lines at our place of business?

\_\_\_\_\_ an obligation to obtain separate approval \_\_\_\_\_ water \_\_\_\_\_ in \_\_\_\_\_ establishment?

Is \_\_\_\_\_ necessary for \_\_\_\_\_ to \_\_\_\_\_ separate authorization for the \_\_\_\_\_ at our business \_\_\_\_\_?

Are we required to \_\_\_\_\_ additional \_\_\_\_\_ to \_\_\_\_\_ harvesting systems \_\_\_\_\_ business \_\_\_\_\_?

\_\_\_\_\_ specific permission \_\_\_\_\_ install \_\_\_\_\_ harvesting systems at our business?

Is there \_\_\_\_\_ obligation \_\_\_\_\_ us \_\_\_\_\_ for implementing \_\_\_\_\_ collection \_\_\_\_\_ our \_\_\_\_\_ establishment?

\_\_\_\_\_ approval \_\_\_\_\_ for adding \_\_\_\_\_ rainwater harvesting setup \_\_\_\_\_ our business \_\_\_\_\_?

\_\_\_\_\_ separate \_\_\_\_\_ install the collection \_\_\_\_\_ the business venue?

Do \_\_\_\_\_ need approval to install \_\_\_\_\_ in \_\_\_\_\_?

Is \_\_\_\_\_ needed \_\_\_\_\_ of water collection systems at our business \_\_\_\_\_?

Can you \_\_\_\_\_ me if \_\_\_\_\_ to the city-supplied \_\_\_\_\_ special \_\_\_\_\_?

The current \_\_\_\_\_ water service \_\_\_\_\_ in \_\_\_\_\_ so should we \_\_\_\_\_ separate \_\_\_\_\_ installing rainfall catchment solutions?

The city \_\_\_\_\_ services are \_\_\_\_\_ business \_\_\_\_\_ we \_\_\_\_\_ to install rain Harvesting?

\_\_\_\_\_ our business \_\_\_\_\_ separate \_\_\_\_\_ install \_\_\_\_\_ harvesting systems \_\_\_\_\_ to city \_\_\_\_\_?

Do \_\_\_\_\_ to \_\_\_\_\_ permission \_\_\_\_\_ add rain harvesting to \_\_\_\_\_?

Is it \_\_\_\_\_ for \_\_\_\_\_ to have additional authorization \_\_\_\_\_ rainwater harvesting \_\_\_\_\_ at \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ up rain harvesting systems at \_\_\_\_\_ location?

\_\_\_\_\_ there separate approval \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ at our \_\_\_\_\_?

\_\_\_\_\_ separate \_\_\_\_\_ required for adding a rainwater \_\_\_\_\_?

Do \_\_\_\_\_ have to get \_\_\_\_\_ to \_\_\_\_\_ rain \_\_\_\_\_ along with \_\_\_\_\_?

When setting \_\_\_\_\_ mechanisms parallel to \_\_\_\_\_ municipal \_\_\_\_\_ supply on our \_\_\_\_\_ we \_\_\_\_\_ to have \_\_\_\_\_?

\_\_\_\_\_ approval to \_\_\_\_\_ collection devices at my office location?

There is \_\_\_\_\_ on \_\_\_\_\_ premises, \_\_\_\_\_ permit \_\_\_\_\_ required to \_\_\_\_\_ up rainwater harvesting systems?

Do we \_\_\_\_\_ to \_\_\_\_\_ additional \_\_\_\_\_ to \_\_\_\_\_ systems at \_\_\_\_\_ business?

The \_\_\_\_\_ supplied piped-water services \_\_\_\_\_ installed \_\_\_\_\_ but \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ rain \_\_\_\_\_?

The \_\_\_\_\_ at our \_\_\_\_\_ premises, but are \_\_\_\_\_ authorized \_\_\_\_\_ harvest rain?

\_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ authorization to install rain collection systems \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ additional authorization to \_\_\_\_\_ rain harvesting \_\_\_\_\_ our \_\_\_\_\_?

Should \_\_\_\_\_ before installing rain catchment devices \_\_\_\_\_ at our \_\_\_\_\_?

Is \_\_\_\_\_ authorization required for \_\_\_\_\_ our site?

\_\_\_\_\_ it \_\_\_\_\_ permit \_\_\_\_\_ set up \_\_\_\_\_ rain harvesting systems on our premises?

Should \_\_\_\_\_ separate \_\_\_\_\_ be needed \_\_\_\_\_ to set \_\_\_\_\_ a rainwater harvesting system \_\_\_\_\_ business \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ separate authorization \_\_\_\_\_ install \_\_\_\_\_ harvesting systems \_\_\_\_\_ our \_\_\_\_\_ site?

Are we \_\_\_\_\_ separate approval for \_\_\_\_\_ collection alongside \_\_\_\_\_ in the \_\_\_\_\_?

Is \_\_\_\_\_ a separate \_\_\_\_\_ for installing \_\_\_\_\_ our \_\_\_\_\_?

Is there \_\_\_\_\_ authorization \_\_\_\_\_ the \_\_\_\_\_ of a \_\_\_\_\_ capture \_\_\_\_\_ at \_\_\_\_\_ business \_\_\_\_\_?

Is it \_\_\_\_\_ for \_\_\_\_\_ authorization \_\_\_\_\_ the installation \_\_\_\_\_ our site?

Is it necessary \_\_\_\_\_ obtain \_\_\_\_\_ for adding \_\_\_\_\_ the premises?

Is \_\_\_\_\_ necessary \_\_\_\_\_ us to \_\_\_\_\_ additional \_\_\_\_\_ harvesters on our commercial \_\_\_\_\_?

\_\_\_\_\_ a separate \_\_\_\_\_ for \_\_\_\_\_ installation \_\_\_\_\_ water on our site?

Is \_\_\_\_\_ me \_\_\_\_\_ another \_\_\_\_\_ I put \_\_\_\_\_ collection devices at my office location?

\_\_\_\_\_ for \_\_\_\_\_ to get additional approval to \_\_\_\_\_ rain \_\_\_\_\_ services?

\_\_\_\_\_ for \_\_\_\_\_ consent before installing \_\_\_\_\_ basins along with piped \_\_\_\_\_ our \_\_\_\_\_?

Should we \_\_\_\_\_ consent before installing \_\_\_\_\_ piped \_\_\_\_\_ at \_\_\_\_\_ site?

\_\_\_\_\_ a separate \_\_\_\_\_ install rain \_\_\_\_\_ at our business \_\_\_\_\_?

Is \_\_\_\_\_ necessary to \_\_\_\_\_ different \_\_\_\_\_ combining public-piped \_\_\_\_\_ rain on company \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ separate \_\_\_\_\_ rain \_\_\_\_\_ existing water lines at our business \_\_\_\_\_?

Do we need \_\_\_\_\_ add \_\_\_\_\_ harvesting \_\_\_\_\_ our \_\_\_\_\_?

Should we \_\_\_\_\_ permission \_\_\_\_\_ install systems that \_\_\_\_\_?

Is it \_\_\_\_\_ catchment mechanisms \_\_\_\_\_ urban faucets \_\_\_\_\_ with separate authorization?

Should we get extra consent \_\_\_\_\_ installing \_\_\_\_\_ catchments \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_ we have \_\_\_\_ for the \_\_\_\_ rainwater harvesting \_\_\_\_ in our \_\_\_\_ ?  
 \_\_\_\_ it obligated \_\_\_\_ get \_\_\_\_ implementing \_\_\_\_ collection of rain water in our \_\_\_\_ establishment?  
 \_\_\_\_ it necessary \_\_\_\_ individual authorization \_\_\_\_ install \_\_\_\_ Harvesters \_\_\_\_ business \_\_\_\_ ?  
 \_\_\_\_ it necessary \_\_\_\_ a separate \_\_\_\_ to \_\_\_\_ rainwater \_\_\_\_ to \_\_\_\_ location?  
 \_\_\_\_ installation of \_\_\_\_ water harvesting systems \_\_\_\_ separate \_\_\_\_ ?  
 Shall business \_\_\_\_ need \_\_\_\_ approval \_\_\_\_ want to \_\_\_\_ rain harvesting?  
 Do we need \_\_\_\_ authorization \_\_\_\_ at our \_\_\_\_ premises?  
 \_\_\_\_ possible for \_\_\_\_ to \_\_\_\_ another approval if I put up \_\_\_\_ collection \_\_\_\_ my \_\_\_\_ ?  
 Is \_\_\_\_ necessary for \_\_\_\_ premises \_\_\_\_ get \_\_\_\_ approval to \_\_\_\_ harvesting \_\_\_\_ piped-water \_\_\_\_ ?  
 Should \_\_\_\_ for extra \_\_\_\_ rain \_\_\_\_ and city-supplied piped water \_\_\_\_ site?  
 \_\_\_\_ it necessary \_\_\_\_ us \_\_\_\_ get separate \_\_\_\_ implement \_\_\_\_ rain water \_\_\_\_ ?  
 Is it \_\_\_\_ to \_\_\_\_ approval for the installation of \_\_\_\_ ?  
 Shall \_\_\_\_ need to get \_\_\_\_ install rain \_\_\_\_ ?  
 \_\_\_\_ a \_\_\_\_ authority be \_\_\_\_ if \_\_\_\_ to install rain harvesting \_\_\_\_ on \_\_\_\_ ?  
 Is individual authorization required \_\_\_\_ of \_\_\_\_ harvesters \_\_\_\_ business \_\_\_\_ ?  
 Do \_\_\_\_ separate \_\_\_\_ to install \_\_\_\_ at the business place?  
 Is it a good idea to \_\_\_\_ if \_\_\_\_ plan \_\_\_\_ at our business site?  
 Should \_\_\_\_ premises \_\_\_\_ to \_\_\_\_ approval \_\_\_\_ install rain harvesting?  
 Do we \_\_\_\_ separate \_\_\_\_ when they \_\_\_\_ installed \_\_\_\_ business place?  
 \_\_\_\_ have \_\_\_\_ installing \_\_\_\_ systems at our business premises?  
 Is \_\_\_\_ possible \_\_\_\_ permission for setting up \_\_\_\_ collectors with \_\_\_\_ water \_\_\_\_ our \_\_\_\_ ?  
 Will additional approval \_\_\_\_ required \_\_\_\_ fitting \_\_\_\_ on \_\_\_\_ property?  
 Is \_\_\_\_ for us to \_\_\_\_ implement rainwater harvesting \_\_\_\_ the \_\_\_\_ water service?  
 \_\_\_\_ our business \_\_\_\_ have permits \_\_\_\_ rain harvesting \_\_\_\_ ?  
 \_\_\_\_ we need \_\_\_\_ set up water harvesting \_\_\_\_ in our \_\_\_\_ location?  
 \_\_\_\_ it \_\_\_\_ business premises to \_\_\_\_ additional \_\_\_\_ for \_\_\_\_ alongside piped-water services?  
 With the \_\_\_\_ in place for \_\_\_\_ business \_\_\_\_ we \_\_\_\_ seek separate \_\_\_\_ before installing rainfall \_\_\_\_ solutions?  
 \_\_\_\_ separate authority be required if \_\_\_\_ want to set \_\_\_\_ a \_\_\_\_ harvesting \_\_\_\_ business \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ permission \_\_\_\_ install \_\_\_\_ rainwater system \_\_\_\_ the water supplies?  
 \_\_\_\_ separate \_\_\_\_ for \_\_\_\_ up of rainwater \_\_\_\_ systems on our \_\_\_\_ ?  
 \_\_\_\_ needed \_\_\_\_ install rainwater harvesters \_\_\_\_ piped-water services at \_\_\_\_ site?  
 Should we ask for additional \_\_\_\_ rain \_\_\_\_ along with city \_\_\_\_ ?  
 \_\_\_\_ need a \_\_\_\_ permit \_\_\_\_ a rainwater system \_\_\_\_ our \_\_\_\_ ?  
 \_\_\_\_ to allow \_\_\_\_ up rainwater \_\_\_\_ systems at our business location?  
 \_\_\_\_ I get \_\_\_\_ precipitation collection devices \_\_\_\_ my office?  
 Should \_\_\_\_ business \_\_\_\_ have \_\_\_\_ permits for \_\_\_\_ the rain \_\_\_\_ ?  
 Is \_\_\_\_ for our \_\_\_\_ premises \_\_\_\_ have \_\_\_\_ permits to install \_\_\_\_ ?  
 There are city-supplied \_\_\_\_ at our \_\_\_\_ so \_\_\_\_ we need \_\_\_\_ authorization \_\_\_\_ rain harvesting \_\_\_\_ ?  
 Do \_\_\_\_ permission for us \_\_\_\_ set \_\_\_\_ water harvesting \_\_\_\_ business?  
 Do you require \_\_\_\_ for \_\_\_\_ up \_\_\_\_ harvesting \_\_\_\_ place of business?  
 \_\_\_\_ we be \_\_\_\_ to have \_\_\_\_ to install \_\_\_\_ systems?  
 Will a \_\_\_\_ authority \_\_\_\_ required if we want \_\_\_\_ up \_\_\_\_ system \_\_\_\_ municipal water facilities?  
 Will \_\_\_\_ separate \_\_\_\_ we \_\_\_\_ to set up rainwater harvesting systems \_\_\_\_ property?  
 Should our \_\_\_\_ separate permits for \_\_\_\_ and city \_\_\_\_ ?  
 \_\_\_\_ the current municipal water service \_\_\_\_ in \_\_\_\_ our \_\_\_\_ should we seek \_\_\_\_ before installing \_\_\_\_ ?  
 Is \_\_\_\_ premises \_\_\_\_ to have separate permits \_\_\_\_ harvesting \_\_\_\_ ?  
 Will \_\_\_\_ separate authority be \_\_\_\_ to \_\_\_\_ harvesting systems on \_\_\_\_ property?  
 \_\_\_\_ you tell \_\_\_\_ independent authorization \_\_\_\_ up \_\_\_\_ rainwater \_\_\_\_ system next to the \_\_\_\_ utilities?  
 Is \_\_\_\_ necessary \_\_\_\_ obtain separate approval for \_\_\_\_ rain \_\_\_\_ our \_\_\_\_ ?  
 Please confirm \_\_\_\_ consent \_\_\_\_ for \_\_\_\_ rainfall collectors

Is \_\_\_\_\_ install rainwater collection systems at \_\_\_\_\_ business \_\_\_\_\_?

Should \_\_\_\_\_ consent be obtained \_\_\_\_\_ rain harvesters \_\_\_\_\_ with \_\_\_\_\_ tap \_\_\_\_\_ at \_\_\_\_\_?

Is it \_\_\_\_\_ get \_\_\_\_\_ permission for setting \_\_\_\_\_ a \_\_\_\_\_ collector \_\_\_\_\_ water at \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ different \_\_\_\_\_ to \_\_\_\_\_ when \_\_\_\_\_ and harvest of \_\_\_\_\_ company property?

Do \_\_\_\_\_ need separate \_\_\_\_\_ rain collectors along \_\_\_\_\_ lines at \_\_\_\_\_ business?

Do \_\_\_\_\_ at \_\_\_\_\_ site require separate authorization to install \_\_\_\_\_ capture \_\_\_\_\_?

\_\_\_\_\_ current \_\_\_\_\_ is in place for \_\_\_\_\_ business premises, but should we \_\_\_\_\_ before installing rainfall \_\_\_\_\_?

Should we seek extra consent \_\_\_\_\_ installing \_\_\_\_\_ city-supplied \_\_\_\_\_ at \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ separate authorization for \_\_\_\_\_ installation of rain \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ for us to obtain \_\_\_\_\_ harvesters \_\_\_\_\_ our property?

There \_\_\_\_\_ a \_\_\_\_\_ service \_\_\_\_\_ our \_\_\_\_\_ will \_\_\_\_\_ separate permit \_\_\_\_\_ set \_\_\_\_\_ rain harvesting system?

\_\_\_\_\_ are piped-water \_\_\_\_\_ we need separate authorization for \_\_\_\_\_ rain harvesting systems?

Do \_\_\_\_\_ rain collectors at our business?

\_\_\_\_\_ we \_\_\_\_\_ additional authorization to \_\_\_\_\_ up \_\_\_\_\_ harvesting \_\_\_\_\_ our business \_\_\_\_\_?

\_\_\_\_\_ any special \_\_\_\_\_ needed \_\_\_\_\_ set up \_\_\_\_\_ rain water in \_\_\_\_\_ facility?

\_\_\_\_\_ we \_\_\_\_\_ separate permission \_\_\_\_\_ rain harvesting systems at our \_\_\_\_\_?

Is \_\_\_\_\_ a good idea \_\_\_\_\_ permits \_\_\_\_\_ the installation \_\_\_\_\_ rain \_\_\_\_\_ technology \_\_\_\_\_ the \_\_\_\_\_ site?

Is there \_\_\_\_\_ to install \_\_\_\_\_ collection systems \_\_\_\_\_ the business \_\_\_\_\_?

Is \_\_\_\_\_ for separate authorization for \_\_\_\_\_ water \_\_\_\_\_ at the business \_\_\_\_\_?

\_\_\_\_\_ premises require \_\_\_\_\_ for installing rain \_\_\_\_\_ harvesting?

Are \_\_\_\_\_ to \_\_\_\_\_ approval for \_\_\_\_\_ rain \_\_\_\_\_ collection in our \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ needed for \_\_\_\_\_ installation of rain \_\_\_\_\_ city pipes?

\_\_\_\_\_ ask for additional consent \_\_\_\_\_ setting \_\_\_\_\_ that collect \_\_\_\_\_ alongside \_\_\_\_\_ piped-water services \_\_\_\_\_ our \_\_\_\_\_?

Is \_\_\_\_\_ possible \_\_\_\_\_ get \_\_\_\_\_ permission if you set \_\_\_\_\_ rainwater \_\_\_\_\_ the \_\_\_\_\_ water \_\_\_\_\_ premises?

Is it necessary \_\_\_\_\_ get a separate \_\_\_\_\_ adding \_\_\_\_\_ location?

Is \_\_\_\_\_ the installation of rainwater \_\_\_\_\_ systems \_\_\_\_\_ the business site?

\_\_\_\_\_ a distinct \_\_\_\_\_ be \_\_\_\_\_ we \_\_\_\_\_ up a rainwater harvesting system on our \_\_\_\_\_?

Is it required \_\_\_\_\_ the \_\_\_\_\_ rain \_\_\_\_\_ our business \_\_\_\_\_?

Do \_\_\_\_\_ authorization to \_\_\_\_\_ the \_\_\_\_\_ harvesting \_\_\_\_\_ at the \_\_\_\_\_ location?

Do \_\_\_\_\_ approval to \_\_\_\_\_ harvesting \_\_\_\_\_ addition to piped-water \_\_\_\_\_?

\_\_\_\_\_ we have \_\_\_\_\_ for \_\_\_\_\_ water \_\_\_\_\_ systems \_\_\_\_\_ our premises?

Is a separate \_\_\_\_\_ for adding a rainwater \_\_\_\_\_ setup \_\_\_\_\_.

Does \_\_\_\_\_ business \_\_\_\_\_ have \_\_\_\_\_ for \_\_\_\_\_ harvesting systems?

Is \_\_\_\_\_ necessary \_\_\_\_\_ get \_\_\_\_\_ consent for incorporating rain \_\_\_\_\_ at \_\_\_\_\_?

Should \_\_\_\_\_ consent \_\_\_\_\_ set up \_\_\_\_\_ collect rain alongside the \_\_\_\_\_ services \_\_\_\_\_ establishment?

\_\_\_\_\_ separate permits for \_\_\_\_\_ Harvesting \_\_\_\_\_ on our \_\_\_\_\_ premises?

Can \_\_\_\_\_ if independent \_\_\_\_\_ needed \_\_\_\_\_ the setting up \_\_\_\_\_ a \_\_\_\_\_ system \_\_\_\_\_ to the \_\_\_\_\_ utilities?

Is it necessary \_\_\_\_\_ a \_\_\_\_\_ rainwater harvesting setup to our \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ separate \_\_\_\_\_ for the \_\_\_\_\_ at our site?

Will \_\_\_\_\_ separate authority be needed if we want \_\_\_\_\_ up \_\_\_\_\_ rainwater harvesting \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ current municipal \_\_\_\_\_ service setup is \_\_\_\_\_ place \_\_\_\_\_ our \_\_\_\_\_ and \_\_\_\_\_ seek separate approval before \_\_\_\_\_ catchment \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ additional \_\_\_\_\_ for incorporating \_\_\_\_\_ at our \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ approval \_\_\_\_\_ a rainwater harvesting \_\_\_\_\_ with city-supplied \_\_\_\_\_?

Should \_\_\_\_\_ to install rain \_\_\_\_\_ systems?

\_\_\_\_\_ business premises have separate \_\_\_\_\_ for \_\_\_\_\_ harvesting and \_\_\_\_\_?

Should \_\_\_\_\_ seek \_\_\_\_\_ consent before \_\_\_\_\_ devices and piped \_\_\_\_\_ site?

\_\_\_\_\_ it necessary \_\_\_\_\_ additional consent to \_\_\_\_\_ before \_\_\_\_\_ that collect \_\_\_\_\_ our establishment?

Are \_\_\_\_\_ required \_\_\_\_\_ for implementing \_\_\_\_\_ collection in our \_\_\_\_\_?

\_\_\_\_\_ necessary to get separate \_\_\_\_\_ rain water systems in \_\_\_\_\_?

Do \_\_\_\_ need additional authorization \_\_\_\_ set up rain \_\_\_\_ at \_\_\_\_?

\_\_\_\_ municipal water service \_\_\_\_ in place for \_\_\_\_ business \_\_\_\_ should we \_\_\_\_ approval \_\_\_\_ installing rainfall catchment \_\_\_\_?

\_\_\_\_ individual authorization \_\_\_\_ install \_\_\_\_ harvesters with piped-water \_\_\_\_ at \_\_\_\_?

Is \_\_\_\_ a \_\_\_\_ the installation \_\_\_\_ alongside \_\_\_\_ city pipes \_\_\_\_ our site?

Is there \_\_\_\_ separate \_\_\_\_ installed next to the \_\_\_\_ water supplies?

Do \_\_\_\_ know if adding \_\_\_\_ harvesting \_\_\_\_ city-supplied pipes needs \_\_\_\_ special \_\_\_\_?

Should I apply \_\_\_\_ approval to put \_\_\_\_ precipitation \_\_\_\_ at \_\_\_\_?

\_\_\_\_ business premises \_\_\_\_ additional approval \_\_\_\_ install \_\_\_\_ harvesting?

Should \_\_\_\_ for additional \_\_\_\_ before installing \_\_\_\_ devices and \_\_\_\_ water \_\_\_\_ site?

\_\_\_\_ it necessary \_\_\_\_ install rain harvesting \_\_\_\_ piped water \_\_\_\_ for \_\_\_\_?

Is \_\_\_\_ necessary \_\_\_\_ obtain separate permission to \_\_\_\_ rainwater \_\_\_\_?

\_\_\_\_ there \_\_\_\_ us \_\_\_\_ obtain \_\_\_\_ approval for implementing \_\_\_\_ in our \_\_\_\_ establishment?

\_\_\_\_ possible to \_\_\_\_ additional \_\_\_\_ to set \_\_\_\_ a rainwater \_\_\_\_ in \_\_\_\_ city's water \_\_\_\_ our premises?

Is there a \_\_\_\_ permit \_\_\_\_ installation of \_\_\_\_ harvesting \_\_\_\_ at \_\_\_\_ site?

\_\_\_\_ it \_\_\_\_ for a \_\_\_\_ approval \_\_\_\_ setting \_\_\_\_ a rainwater \_\_\_\_ the water \_\_\_\_?

\_\_\_\_ I put \_\_\_\_ collection devices \_\_\_\_ office \_\_\_\_ should they \_\_\_\_ another \_\_\_\_?

If \_\_\_\_ to set \_\_\_\_ harvesting \_\_\_\_ our business property, will \_\_\_\_ authority be \_\_\_\_?

Is \_\_\_\_ necessary to get separate approvals \_\_\_\_ at \_\_\_\_?

\_\_\_\_ a \_\_\_\_ harvesting setup with city-supplied \_\_\_\_ business \_\_\_\_ would need a \_\_\_\_.

\_\_\_\_ our \_\_\_\_ premises be \_\_\_\_ to \_\_\_\_ rain \_\_\_\_ city water services?

Should we seek \_\_\_\_ for the installation \_\_\_\_ devices \_\_\_\_ at \_\_\_\_ site?

\_\_\_\_ there \_\_\_\_ separate \_\_\_\_ needed \_\_\_\_ adding \_\_\_\_ harvesting to our \_\_\_\_?

\_\_\_\_ install rain harvesting \_\_\_\_ city-supplied piped-water services \_\_\_\_ business?

\_\_\_\_ business premises have separate \_\_\_\_ for \_\_\_\_ harvesting \_\_\_\_?

Should \_\_\_\_ premises require \_\_\_\_ approval to \_\_\_\_?

Is it necessary \_\_\_\_ to \_\_\_\_ additional \_\_\_\_ to \_\_\_\_ rain \_\_\_\_ on \_\_\_\_?

Is \_\_\_\_ for us to install \_\_\_\_ alongside piped-water \_\_\_\_ for \_\_\_\_?

Should we \_\_\_\_ before \_\_\_\_ catchers \_\_\_\_ with \_\_\_\_ water at our \_\_\_\_?

\_\_\_\_ extra consent \_\_\_\_ installing \_\_\_\_ devices and piped water \_\_\_\_ the site?

\_\_\_\_ it \_\_\_\_ additional \_\_\_\_ to \_\_\_\_ granted when \_\_\_\_ collectors with city-supplied water at \_\_\_\_ premises?

Is \_\_\_\_ us to get separate authorization \_\_\_\_ rainwater harvesting systems \_\_\_\_?

\_\_\_\_ there \_\_\_\_ separate \_\_\_\_ for \_\_\_\_ rain water \_\_\_\_ our site?

Is it a good \_\_\_\_ separate \_\_\_\_ water \_\_\_\_ current municipal \_\_\_\_ service setup for our \_\_\_\_ premises?

Should \_\_\_\_ premises \_\_\_\_ to get additional \_\_\_\_ rain \_\_\_\_ alongside piped-water \_\_\_\_?

If we want \_\_\_\_ up \_\_\_\_ harvesting systems \_\_\_\_ will a \_\_\_\_ be necessary?

Is \_\_\_\_ a separate \_\_\_\_ for installing \_\_\_\_ system at \_\_\_\_ site?

With \_\_\_\_ current \_\_\_\_ water service \_\_\_\_ in \_\_\_\_ for our business \_\_\_\_ seek separate approval \_\_\_\_ in \_\_\_\_ catchment \_\_\_\_?

Should we ask for \_\_\_\_ installing \_\_\_\_ catchments \_\_\_\_ at our \_\_\_\_?

Is \_\_\_\_ necessary for separate \_\_\_\_ given \_\_\_\_ water on our \_\_\_\_?

\_\_\_\_ it necessary for us to get separate \_\_\_\_ for \_\_\_\_ rain \_\_\_\_?

\_\_\_\_ using city-supplied piped-water services at our \_\_\_\_ rainwater \_\_\_\_ systems?

\_\_\_\_ necessary for \_\_\_\_ to obtain \_\_\_\_ to set \_\_\_\_ at our business location?

Do we \_\_\_\_ rain harvesting systems \_\_\_\_ our premises?

\_\_\_\_ it necessary \_\_\_\_ us \_\_\_\_ consent \_\_\_\_ rain harvesters at our \_\_\_\_ property?

Is \_\_\_\_ necessary \_\_\_\_ to obtain additional authorization to set up \_\_\_\_ business \_\_\_\_?

\_\_\_\_ there an obligation \_\_\_\_ get separate approval \_\_\_\_ implementing \_\_\_\_ of rain \_\_\_\_ establishment?

\_\_\_\_ need to \_\_\_\_ permission \_\_\_\_ the city to \_\_\_\_ harvesting \_\_\_\_ at our \_\_\_\_?

\_\_\_\_ our business \_\_\_\_ for rainwater \_\_\_\_ systems?

\_\_\_\_ setting \_\_\_\_ of rain harvesting systems \_\_\_\_ premises \_\_\_\_ separate \_\_\_\_?

Is \_\_\_\_\_ for adding a rainwater harvesting setup \_\_\_\_\_ the \_\_\_\_\_?

Should we seek extra \_\_\_\_\_ installing \_\_\_\_\_ city-supplied \_\_\_\_\_ at \_\_\_\_\_ site?

\_\_\_\_\_ for \_\_\_\_\_ consent to \_\_\_\_\_ up \_\_\_\_\_ collect \_\_\_\_\_ alongside municipal piped-water services \_\_\_\_\_ our establishment?

\_\_\_\_\_ be \_\_\_\_\_ before \_\_\_\_\_ rain collection systems in our establishment?

\_\_\_\_\_ apply for separate \_\_\_\_\_ for \_\_\_\_\_ water \_\_\_\_\_ municipal water service setup?

Shall business premises be \_\_\_\_\_ get \_\_\_\_\_ install rain \_\_\_\_\_ piped-water \_\_\_\_\_?

\_\_\_\_\_ necessary to \_\_\_\_\_ separate authorization for installing rain water harvesting \_\_\_\_\_?

We don't \_\_\_\_\_ we \_\_\_\_\_ separate authorization \_\_\_\_\_ the \_\_\_\_\_ of rain \_\_\_\_\_ systems \_\_\_\_\_ premises.

\_\_\_\_\_ we \_\_\_\_\_ separate permission \_\_\_\_\_ rainwater \_\_\_\_\_ systems?

\_\_\_\_\_ separate authorization \_\_\_\_\_ for \_\_\_\_\_ systems with city-supplied water?

Does \_\_\_\_\_ at our \_\_\_\_\_ site require separate authorization?

\_\_\_\_\_ it \_\_\_\_\_ us to have \_\_\_\_\_ consent \_\_\_\_\_ setting \_\_\_\_\_ catchment mechanisms \_\_\_\_\_ to the water \_\_\_\_\_ our \_\_\_\_\_ grounds?

\_\_\_\_\_ may need \_\_\_\_\_ obtain additional approval \_\_\_\_\_ install \_\_\_\_\_.

Do \_\_\_\_\_ require specific \_\_\_\_\_ us to \_\_\_\_\_ rain \_\_\_\_\_ systems in \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ separate \_\_\_\_\_ for \_\_\_\_\_ harvesting systems on our \_\_\_\_\_?

Are \_\_\_\_\_ approval for implementing \_\_\_\_\_ alongside piped-water \_\_\_\_\_ in our company \_\_\_\_\_?

Does installing \_\_\_\_\_ capture \_\_\_\_\_ at our \_\_\_\_\_ separate \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ a rainwater trapping \_\_\_\_\_ to our premises?

\_\_\_\_\_ we \_\_\_\_\_ separate \_\_\_\_\_ the installation \_\_\_\_\_ rain water \_\_\_\_\_ at \_\_\_\_\_ business premises?

Are \_\_\_\_\_ obligated \_\_\_\_\_ obtain separate approval \_\_\_\_\_ rain \_\_\_\_\_ in \_\_\_\_\_ establishment?

\_\_\_\_\_ it necessary for a separate \_\_\_\_\_ be established if \_\_\_\_\_ want \_\_\_\_\_ set \_\_\_\_\_ business property?

Is it \_\_\_\_\_ us to \_\_\_\_\_ consent for \_\_\_\_\_ a \_\_\_\_\_ system \_\_\_\_\_ to piped-water \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ apply for separate \_\_\_\_\_ to implement \_\_\_\_\_ rainwater \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ approval if I \_\_\_\_\_ up precipitation \_\_\_\_\_ equipment at \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ authorization for \_\_\_\_\_ a rainwater capture system \_\_\_\_\_ our \_\_\_\_\_.

\_\_\_\_\_ require specific permission \_\_\_\_\_ us to \_\_\_\_\_ up \_\_\_\_\_ harvesting \_\_\_\_\_ location?

\_\_\_\_\_ it \_\_\_\_\_ us \_\_\_\_\_ get \_\_\_\_\_ permission \_\_\_\_\_ install \_\_\_\_\_ systems in our \_\_\_\_\_?

\_\_\_\_\_ premises \_\_\_\_\_ to install rain harvesting.

Is \_\_\_\_\_ separate \_\_\_\_\_ required \_\_\_\_\_ rain collection systems \_\_\_\_\_ to piped-water \_\_\_\_\_?

\_\_\_\_\_ necessary \_\_\_\_\_ get additional \_\_\_\_\_ setting \_\_\_\_\_ rain \_\_\_\_\_ in our establishment?

Should \_\_\_\_\_ premises have separate \_\_\_\_\_ Rain \_\_\_\_\_ systems?

Is there a separate \_\_\_\_\_ rainwater \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ location?

Is there an obligation \_\_\_\_\_ to get \_\_\_\_\_ for \_\_\_\_\_ alongside city-supplied \_\_\_\_\_ services in \_\_\_\_\_ establishment?

Should we get \_\_\_\_\_ precipitation collectors in \_\_\_\_\_ to \_\_\_\_\_ at our \_\_\_\_\_?

\_\_\_\_\_ a separate approval \_\_\_\_\_ for \_\_\_\_\_ setup to \_\_\_\_\_ to \_\_\_\_\_ location?

Is it \_\_\_\_\_ to \_\_\_\_\_ rain harvesters \_\_\_\_\_ tap water on \_\_\_\_\_ property?

Is a \_\_\_\_\_ needed for rainwater harvesting \_\_\_\_\_ be added \_\_\_\_\_?

\_\_\_\_\_ necessary for business premises to \_\_\_\_\_ installing \_\_\_\_\_ harvesting?

Is \_\_\_\_\_ an \_\_\_\_\_ get \_\_\_\_\_ approval for implementing \_\_\_\_\_ of rain water in our \_\_\_\_\_?

Do you \_\_\_\_\_ specific \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_ up \_\_\_\_\_ systems \_\_\_\_\_ city \_\_\_\_\_ supply?

\_\_\_\_\_ it necessary \_\_\_\_\_ us \_\_\_\_\_ get \_\_\_\_\_ the rain harvesting \_\_\_\_\_ be implemented \_\_\_\_\_ our property?

\_\_\_\_\_ necessary for \_\_\_\_\_ to have \_\_\_\_\_ approval \_\_\_\_\_ rain harvesting?

Is it \_\_\_\_\_ for \_\_\_\_\_ separate permission to \_\_\_\_\_ Rainwater \_\_\_\_\_ on our \_\_\_\_\_?

\_\_\_\_\_ it necessary to get separate \_\_\_\_\_ adding \_\_\_\_\_ trapping \_\_\_\_\_ to piped-water supplies in \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for us to get separate \_\_\_\_\_ implement \_\_\_\_\_ Systems \_\_\_\_\_ property?

Will \_\_\_\_\_ permit \_\_\_\_\_ to set up a \_\_\_\_\_ system \_\_\_\_\_ premises?

Business premises \_\_\_\_\_ need to \_\_\_\_\_ additional \_\_\_\_\_ alongside piped-water services.

\_\_\_\_\_ I get another \_\_\_\_\_ if I \_\_\_\_\_ up \_\_\_\_\_ collecting devices \_\_\_\_\_?

\_\_\_\_\_ we need \_\_\_\_\_ rain collectors \_\_\_\_\_ our business place?

Is \_\_\_\_\_ get \_\_\_\_\_ the installation of rain water systems at \_\_\_\_\_?



\_\_\_\_\_ a separate \_\_\_\_\_ install \_\_\_\_\_ collection systems \_\_\_\_\_ our venue?

Is it necessary for \_\_\_\_\_ additional consent \_\_\_\_\_ installing \_\_\_\_\_ that \_\_\_\_\_ in \_\_\_\_\_ establishment?

Is it \_\_\_\_\_ to \_\_\_\_\_ authorization for \_\_\_\_\_ rain \_\_\_\_\_ our site?

The \_\_\_\_\_ supplied \_\_\_\_\_ are installed in \_\_\_\_\_ premises, \_\_\_\_\_ are \_\_\_\_\_ authorized \_\_\_\_\_ harvesting?

\_\_\_\_\_ we need permission to \_\_\_\_\_ rain \_\_\_\_\_ our \_\_\_\_\_ premises?

\_\_\_\_\_ the current municipal \_\_\_\_\_ service \_\_\_\_\_ in \_\_\_\_\_ for our \_\_\_\_\_ premises is \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ separate approval \_\_\_\_\_ rainfall \_\_\_\_\_?

Should \_\_\_\_\_ separate permits for installing water \_\_\_\_\_?

Do we have \_\_\_\_\_ have separate consent \_\_\_\_\_ catchment mechanisms \_\_\_\_\_ water supply \_\_\_\_\_ company grounds?

\_\_\_\_\_ requirement for \_\_\_\_\_ authorization for \_\_\_\_\_ rain \_\_\_\_\_ systems \_\_\_\_\_ our business \_\_\_\_\_?

Business \_\_\_\_\_ have \_\_\_\_\_ get \_\_\_\_\_ approval to \_\_\_\_\_ rain \_\_\_\_\_ alongside \_\_\_\_\_ services.

Will \_\_\_\_\_ up \_\_\_\_\_ systems on \_\_\_\_\_ premises \_\_\_\_\_ separate \_\_\_\_\_?

Is \_\_\_\_\_ permission required to install a rainwater \_\_\_\_\_ next \_\_\_\_\_?

Should \_\_\_\_\_ premises have separate \_\_\_\_\_ for the installation \_\_\_\_\_?

\_\_\_\_\_ be sought before \_\_\_\_\_ up \_\_\_\_\_ systems in our \_\_\_\_\_?

\_\_\_\_\_ separate \_\_\_\_\_ be required \_\_\_\_\_ the installation \_\_\_\_\_ systems at our \_\_\_\_\_?

When setting up \_\_\_\_\_ the \_\_\_\_\_ water supply on \_\_\_\_\_ company grounds, do \_\_\_\_\_ have \_\_\_\_\_ have \_\_\_\_\_?

Is it necessary \_\_\_\_\_ get \_\_\_\_\_ to install \_\_\_\_\_ collectors \_\_\_\_\_ existing municipal water lines?

Do we \_\_\_\_\_ have separate consent \_\_\_\_\_ setting \_\_\_\_\_ catchment \_\_\_\_\_ parallel \_\_\_\_\_ water \_\_\_\_\_ our company?

\_\_\_\_\_ a \_\_\_\_\_ authorization \_\_\_\_\_ the installation of \_\_\_\_\_ harvesting systems?

Do we \_\_\_\_\_ the installation \_\_\_\_\_ a rainwater \_\_\_\_\_ on \_\_\_\_\_ business site?

Should we \_\_\_\_\_ permission to install \_\_\_\_\_ systems?

Is \_\_\_\_\_ for \_\_\_\_\_ adding rainwater harvesting \_\_\_\_\_ our business location?

Do \_\_\_\_\_ specific permission for \_\_\_\_\_ up rain \_\_\_\_\_ systems at \_\_\_\_\_ location?

\_\_\_\_\_ it \_\_\_\_\_ for us \_\_\_\_\_ get \_\_\_\_\_ to \_\_\_\_\_ water harvesting \_\_\_\_\_ our business location?

Should \_\_\_\_\_ separate authorization \_\_\_\_\_ installation of rainwater \_\_\_\_\_ systems \_\_\_\_\_ city-piped \_\_\_\_\_?

Is it \_\_\_\_\_ agreement \_\_\_\_\_ combining \_\_\_\_\_ and harvested rain water \_\_\_\_\_ company \_\_\_\_\_?

Is \_\_\_\_\_ necessary for us \_\_\_\_\_ to set up rainwater \_\_\_\_\_ systems \_\_\_\_\_ the city \_\_\_\_\_?

Do \_\_\_\_\_ need separate authorization \_\_\_\_\_ capture system at our \_\_\_\_\_?

\_\_\_\_\_ additional consent be \_\_\_\_\_ for incorporating rain \_\_\_\_\_ at \_\_\_\_\_ commercial property?

\_\_\_\_\_ premises \_\_\_\_\_ need \_\_\_\_\_ get approval \_\_\_\_\_ to install rain \_\_\_\_\_.

Are we \_\_\_\_\_ get separate \_\_\_\_\_ for \_\_\_\_\_ collection in \_\_\_\_\_?

We \_\_\_\_\_ know \_\_\_\_\_ we need \_\_\_\_\_ authorization for \_\_\_\_\_ the rain \_\_\_\_\_ at \_\_\_\_\_.

\_\_\_\_\_ separate \_\_\_\_\_ needed \_\_\_\_\_ install the rainwater \_\_\_\_\_ at \_\_\_\_\_ venue?

Do we \_\_\_\_\_ separate authorization to install \_\_\_\_\_ collectors \_\_\_\_\_ existing \_\_\_\_\_ water lines \_\_\_\_\_ our \_\_\_\_\_?

Should the installation of \_\_\_\_\_ systems \_\_\_\_\_?

Should we \_\_\_\_\_ separate \_\_\_\_\_ install precipitation \_\_\_\_\_ our facility?

Do \_\_\_\_\_ specific permission \_\_\_\_\_ us to \_\_\_\_\_ rainwater \_\_\_\_\_ systems at \_\_\_\_\_?

If \_\_\_\_\_ a \_\_\_\_\_ harvest \_\_\_\_\_ our business property, will we need \_\_\_\_\_ separate authority?

\_\_\_\_\_ we need additional authorization to \_\_\_\_\_ rain \_\_\_\_\_ systems at \_\_\_\_\_?

Are we \_\_\_\_\_ to get separate \_\_\_\_\_ from \_\_\_\_\_ city \_\_\_\_\_ the collection \_\_\_\_\_ in our \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ for us to set up \_\_\_\_\_ systems \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ business premises have \_\_\_\_\_ rain \_\_\_\_\_ systems?

Prerequisite for \_\_\_\_\_ up systems \_\_\_\_\_ collect \_\_\_\_\_ piped-water \_\_\_\_\_ in our \_\_\_\_\_ additional consent.

Is there an \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ rainwater collection alongside piped-water \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ business \_\_\_\_\_ separate \_\_\_\_\_ for installing water harvesting \_\_\_\_\_?

Do \_\_\_\_\_ get \_\_\_\_\_ for implementing rain \_\_\_\_\_ collection in our \_\_\_\_\_?

The \_\_\_\_\_ facility has piped-water access, \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ collection?

\_\_\_\_\_ to get separate approval \_\_\_\_\_ rain collection in \_\_\_\_\_ company \_\_\_\_\_?

Can you confirm \_\_\_\_\_ authorization is \_\_\_\_\_ when \_\_\_\_\_ a \_\_\_\_\_ system \_\_\_\_\_ our \_\_\_\_\_ site?

Is \_\_\_\_\_ an \_\_\_\_\_ install the \_\_\_\_\_ at our business \_\_\_\_\_?

Is \_\_\_\_\_ separate \_\_\_\_\_ for \_\_\_\_\_ the rainwater collection systems at our \_\_\_\_\_?

There are piped-water services at \_\_\_\_\_ business \_\_\_\_\_ do \_\_\_\_\_ separate \_\_\_\_\_ harvesting systems?  
\_\_\_\_\_ to \_\_\_\_\_ up systems that \_\_\_\_\_ rain in \_\_\_\_\_ establishment.

Is it necessary \_\_\_\_\_ separate \_\_\_\_\_ installing \_\_\_\_\_ harvesting at \_\_\_\_\_ business \_\_\_\_\_?

Should \_\_\_\_\_ business premises have separate \_\_\_\_\_?

There are \_\_\_\_\_ approvals \_\_\_\_\_ for \_\_\_\_\_ rainwater collection \_\_\_\_\_ piped-water access \_\_\_\_\_ our \_\_\_\_\_.

\_\_\_\_\_ to get \_\_\_\_\_ approval \_\_\_\_\_ install rain \_\_\_\_\_ piped- water services?

\_\_\_\_\_ the current municipal water service \_\_\_\_\_ in \_\_\_\_\_ for our business premises, \_\_\_\_\_ a \_\_\_\_\_ approval for  
\_\_\_\_\_ installation \_\_\_\_\_

\_\_\_\_\_ current \_\_\_\_\_ service setup \_\_\_\_\_ our business \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ separate approval for the  
installation of rain

\_\_\_\_\_ it necessary for \_\_\_\_\_ separate authority \_\_\_\_\_ be \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ rain \_\_\_\_\_ systems \_\_\_\_\_ the business  
property?

The \_\_\_\_\_ water \_\_\_\_\_ is \_\_\_\_\_ place for \_\_\_\_\_ premises, and \_\_\_\_\_ seek separate approval before \_\_\_\_\_  
catchment solutions?

\_\_\_\_\_ required for \_\_\_\_\_ installation of the rainwater harvesting systems \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ to get additional approval \_\_\_\_\_ want to install \_\_\_\_\_ harvesting.

\_\_\_\_\_ we need additional authorization to \_\_\_\_\_ up the \_\_\_\_\_ at \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ for \_\_\_\_\_ harvesting \_\_\_\_\_ the business location?

\_\_\_\_\_ it \_\_\_\_\_ idea \_\_\_\_\_ separate authorization \_\_\_\_\_ rainfall catchment mechanisms near urban faucets \_\_\_\_\_ business  
\_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ additional permission if you \_\_\_\_\_ a rainwater \_\_\_\_\_ with \_\_\_\_\_ water \_\_\_\_\_ our \_\_\_\_\_?

The \_\_\_\_\_ water service \_\_\_\_\_ is \_\_\_\_\_ for our business \_\_\_\_\_ we seek separate approval before \_\_\_\_\_  
solutions?

\_\_\_\_\_ necessary \_\_\_\_\_ to be sought before setting up \_\_\_\_\_ collect \_\_\_\_\_ in \_\_\_\_\_?

Do we \_\_\_\_\_ additional \_\_\_\_\_ to set \_\_\_\_\_ the \_\_\_\_\_ water \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ a \_\_\_\_\_ approval \_\_\_\_\_ add rain \_\_\_\_\_ setup \_\_\_\_\_ our location?

\_\_\_\_\_ harvesting systems on our \_\_\_\_\_ need separate \_\_\_\_\_?

Shall \_\_\_\_\_ be required to \_\_\_\_\_ an additional \_\_\_\_\_ harvesting?

\_\_\_\_\_ we need \_\_\_\_\_ obtain additional authorization \_\_\_\_\_ set up \_\_\_\_\_ harvesting systems \_\_\_\_\_?

\_\_\_\_\_ it necessary \_\_\_\_\_ separate consent for the \_\_\_\_\_ trapping system \_\_\_\_\_ added?

Is \_\_\_\_\_ to seek \_\_\_\_\_ different \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ and \_\_\_\_\_ rain on company \_\_\_\_\_?

Are we required \_\_\_\_\_ get \_\_\_\_\_ approval \_\_\_\_\_ of \_\_\_\_\_ in our company \_\_\_\_\_?

Business \_\_\_\_\_ need \_\_\_\_\_ approval \_\_\_\_\_ rainwater \_\_\_\_\_.

Should \_\_\_\_\_ consent \_\_\_\_\_ installing rain catchments and city-supplied \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ want to set \_\_\_\_\_ for collecting and using \_\_\_\_\_ pipe-based water services will an exclusive  
\_\_\_\_\_ be \_\_\_\_\_

Can \_\_\_\_\_ confirm \_\_\_\_\_ independent authorization is \_\_\_\_\_ set up \_\_\_\_\_ rainwater \_\_\_\_\_ system \_\_\_\_\_ site?

Will \_\_\_\_\_ permit be \_\_\_\_\_ to set \_\_\_\_\_ a \_\_\_\_\_ the premises?

Is it required for \_\_\_\_\_ separate \_\_\_\_\_ adding a \_\_\_\_\_ system \_\_\_\_\_ premises?

Should \_\_\_\_\_ installation of \_\_\_\_\_ harvesting \_\_\_\_\_ separate authorization from the \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ us \_\_\_\_\_ additional approval to install rain \_\_\_\_\_ our business?

\_\_\_\_\_ business premises be \_\_\_\_\_ to \_\_\_\_\_ additional approval for \_\_\_\_\_?

\_\_\_\_\_ necessary \_\_\_\_\_ us to get additional \_\_\_\_\_ to \_\_\_\_\_ rainwater \_\_\_\_\_ and \_\_\_\_\_?

Do \_\_\_\_\_ need \_\_\_\_\_ to \_\_\_\_\_ rain \_\_\_\_\_ along \_\_\_\_\_ the \_\_\_\_\_ at our business?

\_\_\_\_\_ we have \_\_\_\_\_ permits to \_\_\_\_\_ our business premises?

\_\_\_\_\_ required for the \_\_\_\_\_ of rain \_\_\_\_\_ our \_\_\_\_\_ site?

\_\_\_\_\_ necessary for us to \_\_\_\_\_ additional approval \_\_\_\_\_ rain \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ for separate authorization \_\_\_\_\_ rainwater \_\_\_\_\_ systems \_\_\_\_\_ our site?

Is \_\_\_\_\_ a \_\_\_\_\_ approval \_\_\_\_\_ rain \_\_\_\_\_ setup to our location?

\_\_\_\_\_ it necessary for \_\_\_\_\_ get separate \_\_\_\_\_ the \_\_\_\_\_ a rainwater trapping system in \_\_\_\_\_?

Is there \_\_\_\_\_ separate \_\_\_\_\_ required \_\_\_\_\_ the installation \_\_\_\_\_ systems in \_\_\_\_\_?

Does \_\_\_\_\_ to be separate authorization for the installation \_\_\_\_\_ capture \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ us to set up \_\_\_\_\_ harvesting systems \_\_\_\_\_ our business?

\_\_\_\_\_ business \_\_\_\_\_ to get additional approval to \_\_\_\_\_?

\_\_\_\_\_ a separate \_\_\_\_\_ for adding \_\_\_\_\_ harvesting \_\_\_\_\_ to our \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ before installing \_\_\_\_\_ along with piped water?

\_\_\_\_\_ you need \_\_\_\_\_ permission for \_\_\_\_\_ to \_\_\_\_\_ up rainwater \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ get additional \_\_\_\_\_ for \_\_\_\_\_ rain harvesting alongside \_\_\_\_\_ services?

\_\_\_\_\_ premises \_\_\_\_\_ additional approval for \_\_\_\_\_ Rainwater \_\_\_\_\_ piped-water services.

Is it \_\_\_\_\_ to get additional \_\_\_\_\_ to \_\_\_\_\_ rain \_\_\_\_\_ commercial \_\_\_\_\_?

Will \_\_\_\_\_ separate authority \_\_\_\_\_ we want \_\_\_\_\_ install \_\_\_\_\_ systems on \_\_\_\_\_ business \_\_\_\_\_?

Special \_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ rainwater collection with \_\_\_\_\_ in our \_\_\_\_\_.

Is \_\_\_\_\_ an \_\_\_\_\_ obtain separate approval \_\_\_\_\_ implementing \_\_\_\_\_ collection \_\_\_\_\_ in \_\_\_\_\_ company establishment?

\_\_\_\_\_ setting up \_\_\_\_\_ catchment \_\_\_\_\_ parallel \_\_\_\_\_ supply \_\_\_\_\_ our company \_\_\_\_\_ is \_\_\_\_\_ required \_\_\_\_\_ have separate consent?

Is \_\_\_\_\_ business premises \_\_\_\_\_ rainwater harvesting \_\_\_\_\_ next \_\_\_\_\_ city \_\_\_\_\_?

\_\_\_\_\_ it possible to get \_\_\_\_\_ permission \_\_\_\_\_ rainwater collectors in conjunction \_\_\_\_\_ city's water \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ consent \_\_\_\_\_ the \_\_\_\_\_ up of \_\_\_\_\_ mechanisms on the company \_\_\_\_\_?

\_\_\_\_\_ service \_\_\_\_\_ in \_\_\_\_\_ for our business \_\_\_\_\_ should we seek separate approval \_\_\_\_\_ installing rainfed \_\_\_\_\_?

\_\_\_\_\_ piped-water \_\_\_\_\_ at our \_\_\_\_\_ so \_\_\_\_\_ separate \_\_\_\_\_ to install rain harvesting systems?

With the current municipal \_\_\_\_\_ service \_\_\_\_\_ in \_\_\_\_\_ business premises, \_\_\_\_\_ look for \_\_\_\_\_ approval \_\_\_\_\_ installing rain \_\_\_\_\_?

Is there any \_\_\_\_\_ needed \_\_\_\_\_ set \_\_\_\_\_ a collection \_\_\_\_\_ water \_\_\_\_\_ facility?

\_\_\_\_\_ you \_\_\_\_\_ specific \_\_\_\_\_ us to setup \_\_\_\_\_ harvesting \_\_\_\_\_ at our \_\_\_\_\_?

\_\_\_\_\_ necessary to \_\_\_\_\_ additional \_\_\_\_\_ to \_\_\_\_\_ rain \_\_\_\_\_ in our commercial \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ before installing rain \_\_\_\_\_ and city-supplied \_\_\_\_\_ water on our \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ if adding rainwater harvesting \_\_\_\_\_ the \_\_\_\_\_ special permission?

Is \_\_\_\_\_ separate approval for \_\_\_\_\_ collection of rain \_\_\_\_\_ our establishment?

\_\_\_\_\_ us to set \_\_\_\_\_ harvesting systems at our business?

Setting \_\_\_\_\_ that collect \_\_\_\_\_ municipal \_\_\_\_\_ services in \_\_\_\_\_ requires additional \_\_\_\_\_.

Is it \_\_\_\_\_ separate permit \_\_\_\_\_ the \_\_\_\_\_ systems next to the \_\_\_\_\_ service?

\_\_\_\_\_ a \_\_\_\_\_ authority be \_\_\_\_\_ if we want to \_\_\_\_\_ rainwater \_\_\_\_\_ next to the \_\_\_\_\_?

Should \_\_\_\_\_ additional \_\_\_\_\_ installing rain catchment devices \_\_\_\_\_ city-supplied \_\_\_\_\_ our site?

Do we \_\_\_\_\_ separate authorization to install \_\_\_\_\_ with the \_\_\_\_\_ at our \_\_\_\_\_?

Should a separate authorization be required for \_\_\_\_\_ of \_\_\_\_\_ harvesting \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ separate permission to install rain \_\_\_\_\_ along \_\_\_\_\_ lines \_\_\_\_\_ place?

Is there a need for \_\_\_\_\_ separate \_\_\_\_\_ want \_\_\_\_\_ up \_\_\_\_\_ systems \_\_\_\_\_ our property?

Should \_\_\_\_\_ business premises \_\_\_\_\_ permits \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ systems?

\_\_\_\_\_ authorizations required for rain collection \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ independent authorization \_\_\_\_\_ when setting \_\_\_\_\_ harvesting \_\_\_\_\_ at our \_\_\_\_\_ site?

Should \_\_\_\_\_ premises have \_\_\_\_\_ for \_\_\_\_\_ rain \_\_\_\_\_ harvesting?

\_\_\_\_\_ we \_\_\_\_\_ permission to install \_\_\_\_\_ next to water services?

Shall business \_\_\_\_\_ need to \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_ harvesting?

\_\_\_\_\_ individual \_\_\_\_\_ required for \_\_\_\_\_ installation \_\_\_\_\_ rain water harvesting \_\_\_\_\_ business \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for \_\_\_\_\_ add a rain harvesting setup \_\_\_\_\_ location?

\_\_\_\_\_ a \_\_\_\_\_ needed \_\_\_\_\_ we want \_\_\_\_\_ set \_\_\_\_\_ rainwater harvest systems next \_\_\_\_\_ the \_\_\_\_\_ facility?

With \_\_\_\_\_ municipal water \_\_\_\_\_ in place for \_\_\_\_\_ business premises, is \_\_\_\_\_ appropriate \_\_\_\_\_ separate \_\_\_\_\_ before rainfall \_\_\_\_\_?

Should \_\_\_\_\_ apply \_\_\_\_\_ separate permits \_\_\_\_\_ install \_\_\_\_\_ capture \_\_\_\_\_ our site?

\_\_\_\_\_ it necessary for \_\_\_\_\_ authorization to set \_\_\_\_\_ rainwater \_\_\_\_\_ systems at \_\_\_\_\_ business \_\_\_\_\_?

Will \_\_\_\_\_ we want to set up rainwater \_\_\_\_\_ on our business \_\_\_\_\_?

Will \_\_\_\_\_ separate \_\_\_\_\_ be required \_\_\_\_\_ want \_\_\_\_\_ set up \_\_\_\_\_ harvest systems \_\_\_\_\_ business \_\_\_\_\_?

\_\_\_\_ it \_\_\_\_ us \_\_\_\_ additional \_\_\_\_ to have rain \_\_\_\_ water at our property?  
 Is it \_\_\_\_ business \_\_\_\_ get \_\_\_\_ for installing \_\_\_\_ harvesting?  
 \_\_\_\_ rainwater capture \_\_\_\_ at \_\_\_\_ business site require separate approval?  
 \_\_\_\_ a \_\_\_\_ to install \_\_\_\_ rain water harvesting \_\_\_\_ in \_\_\_\_ business \_\_\_\_?  
 \_\_\_\_ a distinct \_\_\_\_ be \_\_\_\_ if \_\_\_\_ want to \_\_\_\_ a rainwater \_\_\_\_ system \_\_\_\_ our business \_\_\_\_?  
 Is it \_\_\_\_ for separate \_\_\_\_ harvesting \_\_\_\_ pipe-fed \_\_\_\_ sources on \_\_\_\_ premises?  
 Are we \_\_\_\_ separate \_\_\_\_ from \_\_\_\_ implementing rainwater \_\_\_\_ in our \_\_\_\_ establishment?  
 Do \_\_\_\_ specific permission \_\_\_\_ us \_\_\_\_ systems at our site?  
 Is \_\_\_\_ for \_\_\_\_ separate authorization \_\_\_\_ harvesting systems \_\_\_\_ our \_\_\_\_ site?  
 \_\_\_\_ separate \_\_\_\_ for adding rainwater harvesting \_\_\_\_ to our location?  
 Do \_\_\_\_ specific permission \_\_\_\_ set up the \_\_\_\_ harvesting \_\_\_\_?  
 \_\_\_\_ need separate authorization for \_\_\_\_ of rain \_\_\_\_ systems on \_\_\_\_?  
 Does \_\_\_\_ installation of \_\_\_\_ capture \_\_\_\_ our business \_\_\_\_ separate authorization?  
 \_\_\_\_ for independent authorization \_\_\_\_ set \_\_\_\_ a rainwater \_\_\_\_ system next to \_\_\_\_ piped-water utilities?  
 Should \_\_\_\_ premises require \_\_\_\_ approval \_\_\_\_ harvesting?  
 \_\_\_\_ necessary for \_\_\_\_ be \_\_\_\_ set up systems that collect rain in \_\_\_\_ establishment?  
 Do \_\_\_\_ get \_\_\_\_ city to \_\_\_\_ up water harvesting \_\_\_\_ at \_\_\_\_ business?  
 \_\_\_\_ there \_\_\_\_ separate authorizations for \_\_\_\_ of rain \_\_\_\_ systems \_\_\_\_ services?  
 \_\_\_\_ there any \_\_\_\_ needed for setting \_\_\_\_ a rainwater \_\_\_\_ in \_\_\_\_?  
 Is \_\_\_\_ for \_\_\_\_ obtain \_\_\_\_ authorization to \_\_\_\_ harvesting \_\_\_\_ at our business location?  
 Is \_\_\_\_ separate \_\_\_\_ a \_\_\_\_ harvesting setup to our \_\_\_\_?  
 Will \_\_\_\_ required to set \_\_\_\_ rain \_\_\_\_ systems next to \_\_\_\_ service \_\_\_\_ premises?  
 \_\_\_\_ you require permission for us \_\_\_\_ set up \_\_\_\_ at \_\_\_\_?  
 \_\_\_\_ approval \_\_\_\_ for \_\_\_\_ a rainwater \_\_\_\_ setup to the \_\_\_\_ location?  
 \_\_\_\_ necessary for \_\_\_\_ approval \_\_\_\_ harvesting systems \_\_\_\_ our facility?  
 Is \_\_\_\_ necessary for business premises \_\_\_\_ installing \_\_\_\_ water \_\_\_\_?  
 \_\_\_\_ authorization for \_\_\_\_ installation of \_\_\_\_ harvesting systems \_\_\_\_ our \_\_\_\_ premises?  
 Are we \_\_\_\_ to \_\_\_\_ approval for \_\_\_\_ rainwater \_\_\_\_ piped-water \_\_\_\_?  
 \_\_\_\_ there any need \_\_\_\_ approvals \_\_\_\_ setting \_\_\_\_ collection \_\_\_\_ our facility?  
 \_\_\_\_ the \_\_\_\_ of rain \_\_\_\_ harvesting \_\_\_\_ require separate \_\_\_\_?  
 \_\_\_\_ necessary to have additional approval to \_\_\_\_ with \_\_\_\_ services?  
 Is there \_\_\_\_ approvals \_\_\_\_ installation of \_\_\_\_ water on \_\_\_\_ site?  
 \_\_\_\_ we have \_\_\_\_ that harvest the rain?  
 \_\_\_\_ if \_\_\_\_ consent is required \_\_\_\_ premises rainfall \_\_\_\_  
 \_\_\_\_ we seek the consent \_\_\_\_ the \_\_\_\_ before \_\_\_\_ devices \_\_\_\_ piped water at \_\_\_\_?  
 Should \_\_\_\_ ask \_\_\_\_ before installing rain catchments \_\_\_\_ piped \_\_\_\_ at \_\_\_\_ site?  
 Is \_\_\_\_ separate \_\_\_\_ for installing \_\_\_\_ harvesting \_\_\_\_ our \_\_\_\_ site?  
 \_\_\_\_ a \_\_\_\_ necessary for \_\_\_\_ rain harvesting \_\_\_\_ our \_\_\_\_?  
 \_\_\_\_ to \_\_\_\_ special approvals \_\_\_\_ setting up a \_\_\_\_ of rain \_\_\_\_ our \_\_\_\_?  
 The \_\_\_\_ supplied piped-water \_\_\_\_ are \_\_\_\_ at \_\_\_\_ premises, but \_\_\_\_ authorized to \_\_\_\_ rain \_\_\_\_?  
 Should additional consent be sought \_\_\_\_ collection systems \_\_\_\_?  
 \_\_\_\_ required \_\_\_\_ obtain separate approval for \_\_\_\_ rain \_\_\_\_ our \_\_\_\_ establishment?  
 \_\_\_\_ get \_\_\_\_ consent for \_\_\_\_ rainwater trapping system \_\_\_\_ urban piped-water supplies in \_\_\_\_?  
 Can \_\_\_\_ tell \_\_\_\_ independent authorization is \_\_\_\_ up a rainwater \_\_\_\_ system next to \_\_\_\_ utilities?  
 \_\_\_\_ don't \_\_\_\_ if we need \_\_\_\_ rain harvesting \_\_\_\_ at our \_\_\_\_ premises.  
 \_\_\_\_ approval \_\_\_\_ for \_\_\_\_ rain \_\_\_\_ setups to \_\_\_\_ business location?  
 \_\_\_\_ we need to have separate \_\_\_\_ for \_\_\_\_ rainfall catchment \_\_\_\_ parallel \_\_\_\_ water supply on \_\_\_\_?  
 Is \_\_\_\_ any \_\_\_\_ for \_\_\_\_ for \_\_\_\_ water on \_\_\_\_ site?  
 \_\_\_\_ authority \_\_\_\_ if \_\_\_\_ want to set up a rainwater harvest \_\_\_\_ on \_\_\_\_ property?  
 With the current \_\_\_\_ water service setup \_\_\_\_ for \_\_\_\_ business \_\_\_\_ it make \_\_\_\_ for us \_\_\_\_ before \_\_\_\_  
 rainfall \_\_\_\_

Can \_\_\_\_ tell me if independent authorization \_\_\_\_ up \_\_\_\_ rainwater \_\_\_\_ system at our \_\_\_\_?

Is \_\_\_\_ necessary to \_\_\_\_ to \_\_\_\_ harvesters at \_\_\_\_ commercial property?

Is \_\_\_\_ separate \_\_\_\_ to \_\_\_\_ harvesting systems at \_\_\_\_ business site?

Should the \_\_\_\_ have \_\_\_\_ permits for \_\_\_\_ rain \_\_\_\_ systems?

\_\_\_\_ there \_\_\_\_ requirement \_\_\_\_ authorization for \_\_\_\_ rain harvesting systems \_\_\_\_ city \_\_\_\_?

Is \_\_\_\_ approval \_\_\_\_ for adding \_\_\_\_ our business location?

\_\_\_\_ need additional \_\_\_\_ install \_\_\_\_ harvesting next to \_\_\_\_ water?

\_\_\_\_ authorization \_\_\_\_ for \_\_\_\_ installation of the \_\_\_\_ collection systems \_\_\_\_ business venue?

Do we \_\_\_\_ authorization for \_\_\_\_ harvesting systems \_\_\_\_ business?

\_\_\_\_ we have \_\_\_\_ get \_\_\_\_ from \_\_\_\_ city \_\_\_\_ implementing rainwater \_\_\_\_ in \_\_\_\_?

\_\_\_\_ we \_\_\_\_ installing rain \_\_\_\_ and \_\_\_\_ water at our site?

\_\_\_\_ there a requirement for separate authorization \_\_\_\_ systems \_\_\_\_ business \_\_\_\_?

\_\_\_\_ it \_\_\_\_ separate \_\_\_\_ for \_\_\_\_ rainwater \_\_\_\_ to be installed \_\_\_\_ our business \_\_\_\_?

Should we \_\_\_\_ consent before installing \_\_\_\_ with \_\_\_\_ water \_\_\_\_ our \_\_\_\_?

\_\_\_\_ for \_\_\_\_ get separate approval for \_\_\_\_ water \_\_\_\_ our company establishment?

Should \_\_\_\_ be sought \_\_\_\_ setting up \_\_\_\_ that collect \_\_\_\_ services \_\_\_\_ our \_\_\_\_?

Should we have \_\_\_\_ permits for Rain \_\_\_\_ on \_\_\_\_?

\_\_\_\_ separate \_\_\_\_ for the installation of \_\_\_\_ harvesting \_\_\_\_?

\_\_\_\_ we \_\_\_\_ to get \_\_\_\_ for implementing the collection \_\_\_\_ our company?

Should \_\_\_\_ given separate permission to \_\_\_\_ rain \_\_\_\_?

Is a separate \_\_\_\_ required for \_\_\_\_ installation of \_\_\_\_ venue?

\_\_\_\_ we \_\_\_\_ to get separate \_\_\_\_ for implementing \_\_\_\_ collection \_\_\_\_ city-supplied \_\_\_\_?

\_\_\_\_ separate \_\_\_\_ adding rain harvesting \_\_\_\_ to our \_\_\_\_ location.

\_\_\_\_ approval \_\_\_\_ adding rain harvesting \_\_\_\_ our business location?

There \_\_\_\_ city-supplied \_\_\_\_ services at our business premises, \_\_\_\_ we \_\_\_\_ authorization \_\_\_\_ harvesting \_\_\_\_?

\_\_\_\_ independent authorization \_\_\_\_ rainwater harvesting system \_\_\_\_ piped-water utilities at \_\_\_\_ commercial site?

\_\_\_\_ seek additional \_\_\_\_ before \_\_\_\_ and \_\_\_\_ piped water \_\_\_\_ our site?

\_\_\_\_ required for installing rain harvesting at \_\_\_\_?

Will \_\_\_\_ be required to \_\_\_\_ up the \_\_\_\_ systems \_\_\_\_ our \_\_\_\_?

\_\_\_\_ business premises need to get additional \_\_\_\_ installing \_\_\_\_?

Is \_\_\_\_ needed \_\_\_\_ install \_\_\_\_ collection \_\_\_\_ to piped-water services?

Is it a \_\_\_\_ idea to \_\_\_\_ for separate \_\_\_\_ I \_\_\_\_ to \_\_\_\_ rainwater capture \_\_\_\_ business \_\_\_\_?

\_\_\_\_ we \_\_\_\_ permits for installing \_\_\_\_ harvesting systems \_\_\_\_ business?

Should business premises \_\_\_\_ to get \_\_\_\_ from \_\_\_\_ for \_\_\_\_?

\_\_\_\_ need additional \_\_\_\_ for \_\_\_\_ installation of \_\_\_\_ harvesting.

\_\_\_\_ separate permits \_\_\_\_ install rainwater \_\_\_\_ next to city services?

Is \_\_\_\_ a \_\_\_\_ needed to install the collection \_\_\_\_ business \_\_\_\_?

Is \_\_\_\_ necessary for \_\_\_\_ have \_\_\_\_ for \_\_\_\_ rainwater harvesting?

Is it \_\_\_\_ to get separate \_\_\_\_ rain \_\_\_\_ systems?

\_\_\_\_ specific permission for \_\_\_\_ set \_\_\_\_ storm water \_\_\_\_ systems at \_\_\_\_ business?

Should \_\_\_\_ before \_\_\_\_ rain catchments \_\_\_\_ our site?

There \_\_\_\_ a separate permit be necessary to set up rainwater harvesting \_\_\_\_?

\_\_\_\_ business premises have permits \_\_\_\_ install \_\_\_\_ harvesting \_\_\_\_?

Is \_\_\_\_ necessary for \_\_\_\_ for \_\_\_\_ up a \_\_\_\_?

Is there a \_\_\_\_ the \_\_\_\_ rain water \_\_\_\_ our site?

Is \_\_\_\_ possible for the \_\_\_\_ to grant additional \_\_\_\_ the \_\_\_\_ up \_\_\_\_ at \_\_\_\_ premises?