

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Home Repair and Maintenance Companies
<b>Inquiry Category</b>	Pool pump repair
<b>Inquiry Sub-Category</b>	Pump not turning on
<b>Description</b>	Customers contact us when their pool pump fails to start, and they need assistance troubleshooting and fixing the issue to ensure their pool stays clean and functional.
<b>Data Size</b>	6,686 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Home Repair and Maintenance Company" customer inquiry. (Purchased data will not be masked.)**

Can \_\_\_\_ confirm \_\_\_\_ all \_\_\_\_ valves \_\_\_\_ in their correct \_\_\_\_ \_\_\_\_ \_\_\_\_ on?  
\_\_\_\_ check the valve spots \_\_\_\_ \_\_\_\_ \_\_\_\_.

Is there a \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_ should be before \_\_\_\_ on?

Do \_\_\_\_ know if necessary \_\_\_\_ are \_\_\_\_ \_\_\_\_ before \_\_\_\_?

Before powering up, please ensure \_\_\_\_ positioning \_\_\_\_ \_\_\_\_ \_\_\_\_ \_\_\_\_.

Before turning \_\_\_\_ \_\_\_\_ the valves \_\_\_\_ \_\_\_\_ positions?

Can you \_\_\_\_ \_\_\_\_ valves \_\_\_\_ you \_\_\_\_ \_\_\_\_ on?

Before starting, \_\_\_\_ confirm \_\_\_\_ \_\_\_\_ valves \_\_\_\_ \_\_\_\_ place.

\_\_\_\_ all of \_\_\_\_ valves positioned \_\_\_\_ \_\_\_\_ \_\_\_\_ turn on?

Is it \_\_\_\_ \_\_\_\_ count \_\_\_\_ the valve \_\_\_\_ \_\_\_\_ accurate \_\_\_\_ \_\_\_\_ it up?

Before you \_\_\_\_ \_\_\_\_ \_\_\_\_ aligned?

Will \_\_\_\_ have confirmation regarding \_\_\_\_ \_\_\_\_ alignment and \_\_\_\_ \_\_\_\_?

Should you \_\_\_\_ valves \_\_\_\_ you \_\_\_\_ \_\_\_\_?

\_\_\_\_ check \_\_\_\_ \_\_\_\_ spots before \_\_\_\_ begin?

Before turning \_\_\_\_ \_\_\_\_ required valves are \_\_\_\_ their \_\_\_\_ \_\_\_\_.

\_\_\_\_ correct \_\_\_\_ ask \_\_\_\_ valves where \_\_\_\_ \_\_\_\_ be before turning \_\_\_\_ on?

\_\_\_\_ up, confirm \_\_\_\_ \_\_\_\_ valve has been \_\_\_\_ correctly.

\_\_\_\_ we \_\_\_\_ \_\_\_\_ the valve spots.

\_\_\_\_ good idea to \_\_\_\_ the \_\_\_\_ spots before \_\_\_\_ \_\_\_\_.

\_\_\_\_ are going to check \_\_\_\_ \_\_\_\_ valves \_\_\_\_ \_\_\_\_ before you \_\_\_\_.

\_\_\_\_ valves that \_\_\_\_ to be in \_\_\_\_ \_\_\_\_ positions \_\_\_\_ turning \_\_\_\_.

The \_\_\_\_ should \_\_\_\_ in their \_\_\_\_ positions \_\_\_\_ \_\_\_\_ turn \_\_\_\_.

Before power \_\_\_\_ up, \_\_\_\_ proper \_\_\_\_ \_\_\_\_ the valves.

\_\_\_\_ you know \_\_\_\_ the \_\_\_\_ in their correct \_\_\_\_ \_\_\_\_ \_\_\_\_ on?

\_\_\_\_ the \_\_\_\_ before I \_\_\_\_ on?

\_\_\_\_ you going \_\_\_\_ check \_\_\_\_ the \_\_\_\_ \_\_\_\_ before \_\_\_\_ the switch?

Can I \_\_\_\_ that \_\_\_\_ location is \_\_\_\_ before \_\_\_\_ it?

\_\_\_\_ turning \_\_\_\_ are \_\_\_\_ \_\_\_\_ properly positioned?

Is \_\_\_\_\_ valves are placed correctly \_\_\_\_\_ switch \_\_\_\_\_?

Is \_\_\_\_\_ about \_\_\_\_\_ prior to \_\_\_\_\_.

\_\_\_\_\_ you double-check \_\_\_\_\_ valves \_\_\_\_\_ you \_\_\_\_\_?

check \_\_\_\_\_ we start?

Before \_\_\_\_\_ are all \_\_\_\_\_ properly \_\_\_\_\_?

If all key \_\_\_\_\_ aligned correctly for \_\_\_\_\_.

Did you \_\_\_\_\_ valve \_\_\_\_\_ before \_\_\_\_\_?

\_\_\_\_\_ double-check the valves \_\_\_\_\_ starting?

\_\_\_\_\_ you \_\_\_\_\_ if the \_\_\_\_\_ are in their \_\_\_\_\_ before \_\_\_\_\_ on?

\_\_\_\_\_ the \_\_\_\_\_ right before \_\_\_\_\_ are \_\_\_\_\_?

Before \_\_\_\_\_ activation, are all \_\_\_\_\_ \_\_\_\_\_?

Proper \_\_\_\_\_ valves \_\_\_\_\_ the power goes on.

\_\_\_\_\_ validation done on \_\_\_\_\_ alignment \_\_\_\_\_ goes \_\_\_\_\_?

\_\_\_\_\_ valves \_\_\_\_\_ correctly before I \_\_\_\_\_ it \_\_\_\_\_?

Do \_\_\_\_\_ the valves \_\_\_\_\_ moving \_\_\_\_\_?

Can I count \_\_\_\_\_ the \_\_\_\_\_ of the valves \_\_\_\_\_ when \_\_\_\_\_?

Check valve \_\_\_\_\_ up.

Do you \_\_\_\_\_ if \_\_\_\_\_ essential valve has \_\_\_\_\_?

Do you \_\_\_\_\_ all valves before \_\_\_\_\_ switch \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ the valve location being accurate \_\_\_\_\_ starting \_\_\_\_\_?

\_\_\_\_\_ starting, \_\_\_\_\_ if every \_\_\_\_\_ valve \_\_\_\_\_ been \_\_\_\_\_ set.

\_\_\_\_\_ all \_\_\_\_\_ ready \_\_\_\_\_ turn \_\_\_\_\_?

Can you confirm if the \_\_\_\_\_ in their \_\_\_\_\_?

\_\_\_\_\_ all \_\_\_\_\_ before \_\_\_\_\_ on?

\_\_\_\_\_ proper \_\_\_\_\_ placement is a \_\_\_\_\_.

Ensure \_\_\_\_\_ positioning \_\_\_\_\_ valves \_\_\_\_\_ power up

Is there \_\_\_\_\_ regarding \_\_\_\_\_ alignment and \_\_\_\_\_ status?

\_\_\_\_\_ it certain that \_\_\_\_\_ is \_\_\_\_\_ to being switched \_\_\_\_\_?

Have \_\_\_\_\_ fixed \_\_\_\_\_ in time for the \_\_\_\_\_?

You \_\_\_\_\_ to \_\_\_\_\_ valve \_\_\_\_\_ we start.

Can \_\_\_\_\_ verify the \_\_\_\_\_ of the \_\_\_\_\_ before \_\_\_\_\_?

Can you \_\_\_\_\_ placed right?

\_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ valves \_\_\_\_\_ in \_\_\_\_\_ correct position.

\_\_\_\_\_ all vital valves need \_\_\_\_\_ be positioned \_\_\_\_\_?

Are \_\_\_\_\_ assured \_\_\_\_\_ valve \_\_\_\_\_ before \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ that \_\_\_\_\_ essential \_\_\_\_\_ fixed in \_\_\_\_\_ being switched on?

All valves \_\_\_\_\_ positioned \_\_\_\_\_ turning on.

Before \_\_\_\_\_ engine, \_\_\_\_\_ verify valve \_\_\_\_\_.

Are valve \_\_\_\_\_ assured \_\_\_\_\_?

\_\_\_\_\_ check Valves \_\_\_\_\_ you switch \_\_\_\_\_?

Can \_\_\_\_\_ be sure about valve \_\_\_\_\_ on?

Do \_\_\_\_\_ vital valves \_\_\_\_\_ to be \_\_\_\_\_ before \_\_\_\_\_?

Can you \_\_\_\_\_ the \_\_\_\_\_ before you switch \_\_\_\_\_?

\_\_\_\_\_ on valves, are \_\_\_\_\_ they \_\_\_\_\_ be?

\_\_\_\_\_ you know \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ when \_\_\_\_\_ power on?

Can \_\_\_\_\_ be \_\_\_\_\_ the \_\_\_\_\_ valve \_\_\_\_\_ is accurate \_\_\_\_\_ I \_\_\_\_\_ it?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ sure that each \_\_\_\_\_ valve \_\_\_\_\_ ready for \_\_\_\_\_?

\_\_\_\_\_ we have any \_\_\_\_\_ regarding \_\_\_\_\_ valve \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ it possible to have \_\_\_\_\_ about \_\_\_\_\_ positions \_\_\_\_\_?

Before \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_ their correct positions?

Pre-activation \_\_\_\_\_ precise valve \_\_\_\_\_.

Correctly \_\_\_\_\_ before \_\_\_\_\_ on?

Is the \_\_\_\_\_ confirmed \_\_\_\_\_ on?

\_\_\_\_\_ you \_\_\_\_\_ valve \_\_\_\_\_ before \_\_\_\_\_ start?

Before \_\_\_\_\_ start, you need \_\_\_\_\_ if \_\_\_\_\_ valves \_\_\_\_\_.

Ensure \_\_\_\_\_ every essential \_\_\_\_\_ has been \_\_\_\_\_ to \_\_\_\_\_.

Are you going to \_\_\_\_\_ the \_\_\_\_\_ start?

Well, \_\_\_\_\_ valves should be \_\_\_\_\_ before \_\_\_\_\_ on.

Before you \_\_\_\_\_ are going \_\_\_\_\_ the \_\_\_\_\_ did up?

\_\_\_\_\_ the \_\_\_\_\_ valves \_\_\_\_\_ to be aligned \_\_\_\_\_ energy?

Are \_\_\_\_\_ valves \_\_\_\_\_ before the \_\_\_\_\_?

\_\_\_\_\_ you confirm \_\_\_\_\_ alignment \_\_\_\_\_ switch?

Should \_\_\_\_\_ valves \_\_\_\_\_ positioned \_\_\_\_\_ on?

I \_\_\_\_\_ to know if the \_\_\_\_\_ are placed \_\_\_\_\_ I \_\_\_\_\_.

To \_\_\_\_\_ sure, do you \_\_\_\_\_ are good \_\_\_\_\_ go?

Before \_\_\_\_\_ please confirm whether \_\_\_\_\_ valve \_\_\_\_\_ set.

\_\_\_\_\_ to make \_\_\_\_\_ the valves are positioned \_\_\_\_\_?

\_\_\_\_\_ valves \_\_\_\_\_ aligned \_\_\_\_\_ the event.

All \_\_\_\_\_ valves \_\_\_\_\_ positioned \_\_\_\_\_ to turning on.

Can \_\_\_\_\_ ask \_\_\_\_\_ make sure \_\_\_\_\_ crucial \_\_\_\_\_ is ready \_\_\_\_\_ use \_\_\_\_\_?

Is \_\_\_\_\_ valve \_\_\_\_\_ before \_\_\_\_\_ on?

Will \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ before?

We \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ necessary \_\_\_\_\_ are \_\_\_\_\_ before operating.

\_\_\_\_\_ will check \_\_\_\_\_ see if \_\_\_\_\_ valves did up \_\_\_\_\_?

\_\_\_\_\_ positioning needs \_\_\_\_\_ verified before \_\_\_\_\_ up.

\_\_\_\_\_ all the valves \_\_\_\_\_ positioned correctly before \_\_\_\_\_?

\_\_\_\_\_ to make \_\_\_\_\_ that the \_\_\_\_\_ in \_\_\_\_\_ place.

You \_\_\_\_\_ check if \_\_\_\_\_ did up before \_\_\_\_\_.

\_\_\_\_\_ it necessary to check if all the \_\_\_\_\_?

\_\_\_\_\_ valves should \_\_\_\_\_ correctly \_\_\_\_\_ to turning \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ that every \_\_\_\_\_ is \_\_\_\_\_ before \_\_\_\_\_ switched on?

Do we \_\_\_\_\_ the \_\_\_\_\_ positions \_\_\_\_\_?

\_\_\_\_\_ are the valves \_\_\_\_\_?

Before \_\_\_\_\_ are \_\_\_\_\_ valves \_\_\_\_\_ positions?

Will \_\_\_\_\_ aligned before the \_\_\_\_\_?

Is \_\_\_\_\_ placed correctly before the \_\_\_\_\_ on?

\_\_\_\_\_ all \_\_\_\_\_ correctly \_\_\_\_\_ turning on?

\_\_\_\_\_ you know if \_\_\_\_\_ valve is \_\_\_\_\_ before \_\_\_\_\_?

To \_\_\_\_\_ have you \_\_\_\_\_ that \_\_\_\_\_ necessary \_\_\_\_\_ to go?

Can \_\_\_\_\_ make \_\_\_\_\_ that the \_\_\_\_\_ positioned correctly \_\_\_\_\_ start?

Is there \_\_\_\_\_ every \_\_\_\_\_ is \_\_\_\_\_ situated \_\_\_\_\_ activation?

\_\_\_\_\_ you \_\_\_\_\_ to check valve \_\_\_\_\_?

Do we know \_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ properly set \_\_\_\_\_ before you \_\_\_\_\_ on?

\_\_\_\_\_ should \_\_\_\_\_ correctly before the \_\_\_\_\_ on.

Before \_\_\_\_\_ the \_\_\_\_\_ in proper places.

\_\_\_\_\_ proper \_\_\_\_\_ before the power goes on?

\_\_\_\_\_ me before I \_\_\_\_\_ correct valve alignment?

\_\_\_\_\_ have been \_\_\_\_\_ about \_\_\_\_\_ alignment before \_\_\_\_\_?

\_\_\_\_\_ the valves \_\_\_\_\_ they \_\_\_\_\_ activated?

Can you \_\_\_\_\_ make sure \_\_\_\_\_ their correct positions?  
\_\_\_\_\_ the \_\_\_\_\_ where they need \_\_\_\_\_ before turning \_\_\_\_\_ on?  
There \_\_\_\_\_ for \_\_\_\_\_ on precise valve \_\_\_\_\_ activation.  
\_\_\_\_\_ confirm \_\_\_\_\_ the \_\_\_\_\_ are placed \_\_\_\_\_  
\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ please ensure \_\_\_\_\_ positioning of \_\_\_\_\_ valves.  
Is \_\_\_\_\_ to confirm the position \_\_\_\_\_ activation?  
Is all \_\_\_\_\_ in their \_\_\_\_\_ for \_\_\_\_\_?  
\_\_\_\_\_ you \_\_\_\_\_ the valves \_\_\_\_\_ you \_\_\_\_\_?  
\_\_\_\_\_ it possible \_\_\_\_\_ have \_\_\_\_\_ positions \_\_\_\_\_ turning on?  
\_\_\_\_\_ the valves right \_\_\_\_\_ on?  
\_\_\_\_\_ valves aligned before \_\_\_\_\_ on?  
Is \_\_\_\_\_ possible \_\_\_\_\_ count \_\_\_\_\_ each \_\_\_\_\_ being accurate before \_\_\_\_\_ up?  
\_\_\_\_\_ you verify valve \_\_\_\_\_ before \_\_\_\_\_?  
Is \_\_\_\_\_ any \_\_\_\_\_ of valve \_\_\_\_\_ to \_\_\_\_\_?  
Will \_\_\_\_\_ to \_\_\_\_\_ valves have been properly \_\_\_\_\_?  
\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ did up \_\_\_\_\_ you start?  
\_\_\_\_\_ proper valve \_\_\_\_\_ power up?  
You'll check \_\_\_\_\_ done \_\_\_\_\_ you start.  
Can \_\_\_\_\_ valves were \_\_\_\_\_ correctly?  
\_\_\_\_\_ you check \_\_\_\_\_ valves were done \_\_\_\_\_ before \_\_\_\_\_?  
Is it \_\_\_\_\_ I would request to \_\_\_\_\_ valve \_\_\_\_\_ ready \_\_\_\_\_ use?  
Are the \_\_\_\_\_ activated?  
\_\_\_\_\_ you be \_\_\_\_\_ verify valve placement before \_\_\_\_\_?  
\_\_\_\_\_ the valves \_\_\_\_\_ aligned \_\_\_\_\_ working?  
Before \_\_\_\_\_ whether the valves \_\_\_\_\_ in their \_\_\_\_\_ positions?  
\_\_\_\_\_ want \_\_\_\_\_ make sure the \_\_\_\_\_ have \_\_\_\_\_ placed \_\_\_\_\_?  
Do we have assurances \_\_\_\_\_?  
\_\_\_\_\_ check \_\_\_\_\_ the necessary valves \_\_\_\_\_ in \_\_\_\_\_ before \_\_\_\_\_.  
\_\_\_\_\_ vital \_\_\_\_\_ be \_\_\_\_\_ turning on?  
Are \_\_\_\_\_ valves \_\_\_\_\_ before turning \_\_\_\_\_?  
Is it \_\_\_\_\_ correct valve placement \_\_\_\_\_ it?  
Do you know \_\_\_\_\_ crucial \_\_\_\_\_ set \_\_\_\_\_ flipping \_\_\_\_\_ switch?  
Please \_\_\_\_\_ sure \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_.  
\_\_\_\_\_ you can power up, \_\_\_\_\_ valve \_\_\_\_\_.  
\_\_\_\_\_ the essential \_\_\_\_\_ positioned \_\_\_\_\_ you \_\_\_\_\_ on?  
The valves \_\_\_\_\_ to \_\_\_\_\_ placed \_\_\_\_\_ the \_\_\_\_\_.  
\_\_\_\_\_ make \_\_\_\_\_ is positioned correctly \_\_\_\_\_ starting.  
\_\_\_\_\_ ensured that \_\_\_\_\_ valve \_\_\_\_\_ fixed before you switch \_\_\_\_\_?  
Can \_\_\_\_\_ confirm \_\_\_\_\_ you switch on?  
Can \_\_\_\_\_ sure that \_\_\_\_\_ valve is properly \_\_\_\_\_?  
\_\_\_\_\_ turning \_\_\_\_\_ the valves should be in \_\_\_\_\_.  
Is \_\_\_\_\_ possible \_\_\_\_\_ correct valve \_\_\_\_\_ prior to \_\_\_\_\_?  
Have \_\_\_\_\_ every essential valve is fixed \_\_\_\_\_ the \_\_\_\_\_?  
Is it \_\_\_\_\_ valve \_\_\_\_\_ before running \_\_\_\_\_?  
Can you \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ are set correctly \_\_\_\_\_?  
\_\_\_\_\_ going to \_\_\_\_\_ if \_\_\_\_\_ valves are good \_\_\_\_\_ flip the \_\_\_\_\_?  
Is \_\_\_\_\_ chance \_\_\_\_\_ you'll make \_\_\_\_\_ valves are good \_\_\_\_\_ flip the \_\_\_\_\_?  
Has a \_\_\_\_\_ valve placement before the \_\_\_\_\_?  
Please make sure \_\_\_\_\_ valve \_\_\_\_\_ correct \_\_\_\_\_ start.  
\_\_\_\_\_ you ensured \_\_\_\_\_ all essential \_\_\_\_\_ prior \_\_\_\_\_ being switched \_\_\_\_\_?

Make sure \_\_\_\_\_ mistakes with \_\_\_\_\_ positioning \_\_\_\_\_.

Can you \_\_\_\_\_ me whether \_\_\_\_\_ valves are \_\_\_\_\_ before \_\_\_\_\_ on?  
\_\_\_\_\_ starting, \_\_\_\_\_ that necessary \_\_\_\_\_ are \_\_\_\_\_.

Before the activation, \_\_\_\_\_ in \_\_\_\_\_ positions?

\_\_\_\_\_ valves should \_\_\_\_\_ aligned \_\_\_\_\_ energy.

What's \_\_\_\_\_ of all the \_\_\_\_\_ turn on?

It is recommended \_\_\_\_\_ verify proper valve \_\_\_\_\_ up.

\_\_\_\_\_ you confirm the \_\_\_\_\_ to the \_\_\_\_\_ on?

\_\_\_\_\_ turning \_\_\_\_\_ are the \_\_\_\_\_ positioned?

\_\_\_\_\_ please check \_\_\_\_\_ valve spots?

Is it possible \_\_\_\_\_ positions prior \_\_\_\_\_ the \_\_\_\_\_ on?

Confirmation \_\_\_\_\_ and \_\_\_\_\_ status is \_\_\_\_\_.

Is it \_\_\_\_\_ to \_\_\_\_\_ to make sure \_\_\_\_\_ crucial \_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_?

Are all valves \_\_\_\_\_ switch \_\_\_\_\_?

Please confirm \_\_\_\_\_ valves \_\_\_\_\_ before \_\_\_\_\_.

Are \_\_\_\_\_ going \_\_\_\_\_ check \_\_\_\_\_ valves before flip \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ confirm if every \_\_\_\_\_ is \_\_\_\_\_ right \_\_\_\_\_?

You \_\_\_\_\_ valves \_\_\_\_\_ you switch \_\_\_\_\_.

\_\_\_\_\_ valves been positioned \_\_\_\_\_ to \_\_\_\_\_?

Before \_\_\_\_\_ is \_\_\_\_\_ valves \_\_\_\_\_?

Validate \_\_\_\_\_ valve positioning \_\_\_\_\_ up.

Can you \_\_\_\_\_ at \_\_\_\_\_ you \_\_\_\_\_ on?

Proper positioning of \_\_\_\_\_ required before \_\_\_\_\_ power \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ check if the valves \_\_\_\_\_ placed \_\_\_\_\_?

Before \_\_\_\_\_ switch on, \_\_\_\_\_ all \_\_\_\_\_?

\_\_\_\_\_ sure that the \_\_\_\_\_ location \_\_\_\_\_ correct \_\_\_\_\_ I \_\_\_\_\_ it?

Is it safe \_\_\_\_\_ valves?

Before \_\_\_\_\_ switch \_\_\_\_\_ valves right?

Will \_\_\_\_\_ make \_\_\_\_\_ the \_\_\_\_\_ are \_\_\_\_\_ flip the switch?

Before \_\_\_\_\_ on, \_\_\_\_\_ valve positions?

Are \_\_\_\_\_ right \_\_\_\_\_ power goes up?

Will \_\_\_\_\_ be \_\_\_\_\_ valves before \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for you to confirm \_\_\_\_\_ first?

\_\_\_\_\_ need to confirm \_\_\_\_\_ all \_\_\_\_\_ set.

If all key \_\_\_\_\_ are aligned \_\_\_\_\_.

I \_\_\_\_\_ like \_\_\_\_\_ ensure that each \_\_\_\_\_ ready for \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ the correct \_\_\_\_\_ alignment prior \_\_\_\_\_ on?

\_\_\_\_\_ true that the valves \_\_\_\_\_ placed \_\_\_\_\_ before \_\_\_\_\_ switch \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to ensure \_\_\_\_\_ crucial \_\_\_\_\_ is accurately located \_\_\_\_\_ ready for \_\_\_\_\_?

Before \_\_\_\_\_ is \_\_\_\_\_ valves positioned?

\_\_\_\_\_ it possible to \_\_\_\_\_ valve positions \_\_\_\_\_?

Is \_\_\_\_\_ certain \_\_\_\_\_ all required \_\_\_\_\_ in \_\_\_\_\_ proper locations \_\_\_\_\_?

Is valves \_\_\_\_\_ on?

\_\_\_\_\_ you power \_\_\_\_\_ please \_\_\_\_\_ valve positioning.

Do you \_\_\_\_\_ if all \_\_\_\_\_ valves \_\_\_\_\_ you power \_\_\_\_\_?

All \_\_\_\_\_ essential valves \_\_\_\_\_ to \_\_\_\_\_ before you \_\_\_\_\_.

\_\_\_\_\_ all the \_\_\_\_\_ before \_\_\_\_\_ switch \_\_\_\_\_.

Can you \_\_\_\_\_ the \_\_\_\_\_ on?

Ensure proper positioning of \_\_\_\_\_ powered \_\_\_\_\_.

\_\_\_\_\_ aligned \_\_\_\_\_ before you \_\_\_\_\_ on?

Can \_\_\_\_\_ about \_\_\_\_\_ before power on?  
\_\_\_\_\_ of the valve \_\_\_\_\_ accurate prior to starting it?  
Check the \_\_\_\_\_ before \_\_\_\_\_.  
Is it possible \_\_\_\_\_ every valve \_\_\_\_\_ before activation?  
\_\_\_\_\_ location of all \_\_\_\_\_ turning them on?  
Will the \_\_\_\_\_ be \_\_\_\_\_ prior \_\_\_\_\_?  
\_\_\_\_\_ it possible \_\_\_\_\_ every \_\_\_\_\_ is positioned \_\_\_\_\_ the activation?  
Does all \_\_\_\_\_ to \_\_\_\_\_ prior to \_\_\_\_\_ on?  
To \_\_\_\_\_ up, please \_\_\_\_\_ positioning \_\_\_\_\_ all required \_\_\_\_\_.  
\_\_\_\_\_ valve positioning \_\_\_\_\_ you start.  
\_\_\_\_\_ you make certain \_\_\_\_\_ essential \_\_\_\_\_ fixed before \_\_\_\_\_ on?  
Do \_\_\_\_\_ valves before \_\_\_\_\_ everything?  
\_\_\_\_\_ it \_\_\_\_\_ to count \_\_\_\_\_ the \_\_\_\_\_ accurate \_\_\_\_\_ to \_\_\_\_\_ it up?  
\_\_\_\_\_ changing on, is it \_\_\_\_\_ that the \_\_\_\_\_?  
Let's \_\_\_\_\_ before we start.  
You will have to check if the \_\_\_\_\_.  
\_\_\_\_\_ you double-check \_\_\_\_\_ before \_\_\_\_\_?  
\_\_\_\_\_ you verify the correct \_\_\_\_\_ before you \_\_\_\_\_?  
\_\_\_\_\_ I know \_\_\_\_\_ precise \_\_\_\_\_ the required valve \_\_\_\_\_ to \_\_\_\_\_?  
\_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ are in their right positions \_\_\_\_\_ on?  
Does assurance about \_\_\_\_\_ prior \_\_\_\_\_?  
\_\_\_\_\_ it \_\_\_\_\_ that \_\_\_\_\_ may request \_\_\_\_\_ make sure \_\_\_\_\_ each valve \_\_\_\_\_ ready \_\_\_\_\_?  
Can \_\_\_\_\_ make \_\_\_\_\_ the \_\_\_\_\_ are positioned correctly?  
Can you \_\_\_\_\_ if \_\_\_\_\_ set \_\_\_\_\_ flipping \_\_\_\_\_ switch?  
Can \_\_\_\_\_ the \_\_\_\_\_ before the switch on?  
Can the \_\_\_\_\_ be properly \_\_\_\_\_?  
Do \_\_\_\_\_ know if \_\_\_\_\_ valves \_\_\_\_\_ before \_\_\_\_\_ start?  
\_\_\_\_\_ the valves \_\_\_\_\_ correctly placed.  
\_\_\_\_\_ we \_\_\_\_\_ regarding \_\_\_\_\_ and switch-on status?  
Are \_\_\_\_\_ positioned \_\_\_\_\_ prior \_\_\_\_\_ the activation?  
\_\_\_\_\_ you test if \_\_\_\_\_ valves \_\_\_\_\_ set \_\_\_\_\_?  
Do \_\_\_\_\_ make \_\_\_\_\_ the essential \_\_\_\_\_ are \_\_\_\_\_ before being switched \_\_\_\_\_?  
\_\_\_\_\_ know if the \_\_\_\_\_ are safe before \_\_\_\_\_?  
Did you \_\_\_\_\_ sure that \_\_\_\_\_ before \_\_\_\_\_ switched on?  
What \_\_\_\_\_ vital \_\_\_\_\_ on?  
All valves \_\_\_\_\_ be positioned \_\_\_\_\_ on.  
They \_\_\_\_\_ check \_\_\_\_\_ before we \_\_\_\_\_.  
\_\_\_\_\_ check \_\_\_\_\_ valves have been placed \_\_\_\_\_?  
Can you \_\_\_\_\_ if vital valves \_\_\_\_\_ correctly before \_\_\_\_\_?  
Is \_\_\_\_\_ check valves before you \_\_\_\_\_?  
\_\_\_\_\_ the valve \_\_\_\_\_ we start, \_\_\_\_\_?  
Have you made \_\_\_\_\_ your \_\_\_\_\_ are fixed before \_\_\_\_\_?  
Will the \_\_\_\_\_ positioned correctly \_\_\_\_\_ turn \_\_\_\_\_?  
\_\_\_\_\_ starting up, \_\_\_\_\_ confirm \_\_\_\_\_ essential valve has \_\_\_\_\_ correctly.  
\_\_\_\_\_ you \_\_\_\_\_ to confirm the \_\_\_\_\_ valve alignment \_\_\_\_\_?  
\_\_\_\_\_ valve positions \_\_\_\_\_ to turning \_\_\_\_\_?  
Please confirm \_\_\_\_\_ necessary \_\_\_\_\_ installed \_\_\_\_\_ start.  
Are there \_\_\_\_\_ assurances \_\_\_\_\_ power-on?  
\_\_\_\_\_ confirm \_\_\_\_\_ before turning \_\_\_\_\_.  
Can \_\_\_\_\_ check to make \_\_\_\_\_ placed right?

Before \_\_\_\_\_ on the \_\_\_\_\_ are \_\_\_\_\_ their proper \_\_\_\_\_.

\_\_\_\_\_ possible \_\_\_\_\_ confirm \_\_\_\_\_ positions before you \_\_\_\_\_ on?

Tell \_\_\_\_\_ the valves \_\_\_\_\_ correctly before \_\_\_\_\_ power \_\_\_\_\_ up.

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ valves \_\_\_\_\_ switch \_\_\_\_\_?

Is \_\_\_\_\_ to count \_\_\_\_\_ the \_\_\_\_\_ of the required \_\_\_\_\_ accurate \_\_\_\_\_ starting \_\_\_\_\_?

\_\_\_\_\_ the valves before \_\_\_\_\_ switch \_\_\_\_\_?

\_\_\_\_\_ going to \_\_\_\_\_ the valves \_\_\_\_\_ right before flipping \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ that each \_\_\_\_\_ is accurate before starting \_\_\_\_\_?

How well \_\_\_\_\_ positioned before \_\_\_\_\_?

\_\_\_\_\_ all valves \_\_\_\_\_ before \_\_\_\_\_ on?

\_\_\_\_\_ you double check \_\_\_\_\_ valves \_\_\_\_\_?

Before \_\_\_\_\_ goes \_\_\_\_\_ proper positioning of valves.

Is \_\_\_\_\_ valves are \_\_\_\_\_ properly before operating?

Can you tell \_\_\_\_\_ the \_\_\_\_\_ set correctly prior \_\_\_\_\_ flipping \_\_\_\_\_?

Before we \_\_\_\_\_ the valve \_\_\_\_\_?

Is there any \_\_\_\_\_ about \_\_\_\_\_ valve \_\_\_\_\_ switch-on \_\_\_\_\_?

\_\_\_\_\_ the valves right \_\_\_\_\_ you \_\_\_\_\_?

The \_\_\_\_\_ to \_\_\_\_\_ their \_\_\_\_\_ positions before turning \_\_\_\_\_.

\_\_\_\_\_ you double-check the \_\_\_\_\_ you \_\_\_\_\_?

\_\_\_\_\_ verify if \_\_\_\_\_ valves were \_\_\_\_\_.

\_\_\_\_\_ valves placed \_\_\_\_\_ before?

Do you \_\_\_\_\_ sure that every \_\_\_\_\_ prior \_\_\_\_\_ switched \_\_\_\_\_?

Can you \_\_\_\_\_ if \_\_\_\_\_ crucial \_\_\_\_\_ are set \_\_\_\_\_ flipping \_\_\_\_\_?

\_\_\_\_\_ you check to make sure \_\_\_\_\_ valves \_\_\_\_\_?

\_\_\_\_\_ want \_\_\_\_\_ make \_\_\_\_\_ the \_\_\_\_\_ have been put in \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ proper valve alignment \_\_\_\_\_ on?

\_\_\_\_\_ we \_\_\_\_\_ about \_\_\_\_\_ prior \_\_\_\_\_ power-on?

\_\_\_\_\_ necessary valves \_\_\_\_\_ before starting.

\_\_\_\_\_ you \_\_\_\_\_ before \_\_\_\_\_ a switch?

Ensure \_\_\_\_\_ been set prior to starting.

\_\_\_\_\_ possible \_\_\_\_\_ confirm whether the \_\_\_\_\_ positions before turning on?

\_\_\_\_\_ you switch on, \_\_\_\_\_ valves \_\_\_\_\_?

\_\_\_\_\_ valve placement \_\_\_\_\_ activation.

\_\_\_\_\_ you do double \_\_\_\_\_ the valves \_\_\_\_\_?

Before \_\_\_\_\_ start, \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ valves \_\_\_\_\_ aligned \_\_\_\_\_ activation?

Check the \_\_\_\_\_ before we \_\_\_\_\_?

\_\_\_\_\_ proper valve \_\_\_\_\_ verified prior \_\_\_\_\_ up?

Before \_\_\_\_\_ begin, will \_\_\_\_\_ the \_\_\_\_\_?

All \_\_\_\_\_ vital valves should be \_\_\_\_\_ turning \_\_\_\_\_.

\_\_\_\_\_ you be \_\_\_\_\_ to \_\_\_\_\_ placement \_\_\_\_\_?

Before you power \_\_\_\_\_ please \_\_\_\_\_ proper positioning \_\_\_\_\_.

\_\_\_\_\_ on \_\_\_\_\_ all the required \_\_\_\_\_ their \_\_\_\_\_ positions?

Before \_\_\_\_\_ need to be \_\_\_\_\_ positions.

Can I \_\_\_\_\_ on \_\_\_\_\_ of \_\_\_\_\_ being accurate before \_\_\_\_\_ it up?

\_\_\_\_\_ I be sure that \_\_\_\_\_ required \_\_\_\_\_ location \_\_\_\_\_ I \_\_\_\_\_ up?

Can \_\_\_\_\_ make sure there \_\_\_\_\_ when you switch \_\_\_\_\_?

I would like \_\_\_\_\_ valve \_\_\_\_\_ for use before \_\_\_\_\_.

Confirmation \_\_\_\_\_ placement \_\_\_\_\_ activation.

Do \_\_\_\_\_ double-check \_\_\_\_\_ valves, \_\_\_\_\_ start?

\_\_\_\_\_ proper \_\_\_\_\_ all required \_\_\_\_\_ before \_\_\_\_\_ powered up.  
 Can you \_\_\_\_\_ if valves are \_\_\_\_\_ flipping \_\_\_\_\_ switch?  
 \_\_\_\_\_ valves should \_\_\_\_\_ positions before \_\_\_\_\_ on.  
 Are \_\_\_\_\_ placed \_\_\_\_\_ before the \_\_\_\_\_ goes \_\_\_\_\_?  
 \_\_\_\_\_ there any assurance \_\_\_\_\_ before \_\_\_\_\_?  
 Can \_\_\_\_\_ valve \_\_\_\_\_ prior to \_\_\_\_\_?  
 Can \_\_\_\_\_ be \_\_\_\_\_ about \_\_\_\_\_ before \_\_\_\_\_ power on?  
 Is it possible to \_\_\_\_\_ valve \_\_\_\_\_ positioned correctly \_\_\_\_\_?  
 Is a \_\_\_\_\_ check done \_\_\_\_\_ placement \_\_\_\_\_ begin?  
 Can you \_\_\_\_\_ alignment if \_\_\_\_\_?  
 \_\_\_\_\_ it be \_\_\_\_\_ to \_\_\_\_\_ if every \_\_\_\_\_ is \_\_\_\_\_ before \_\_\_\_\_?  
 \_\_\_\_\_ that the \_\_\_\_\_ are placed \_\_\_\_\_  
 Are \_\_\_\_\_ valves \_\_\_\_\_ they are \_\_\_\_\_?  
 Before the \_\_\_\_\_ of \_\_\_\_\_ a \_\_\_\_\_ been \_\_\_\_\_ for valve \_\_\_\_\_?  
 \_\_\_\_\_ if \_\_\_\_\_ valve is positioned \_\_\_\_\_ before you power \_\_\_\_\_?  
 \_\_\_\_\_ y'all \_\_\_\_\_ check \_\_\_\_\_ the valves \_\_\_\_\_ flipping the switch?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ position vital \_\_\_\_\_ turning on?  
 Is \_\_\_\_\_ a \_\_\_\_\_ all \_\_\_\_\_ to be before \_\_\_\_\_ anything \_\_\_\_\_?  
 Should \_\_\_\_\_ in proper \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ it possible to \_\_\_\_\_ that \_\_\_\_\_ crucial \_\_\_\_\_ prepared \_\_\_\_\_ use before \_\_\_\_\_?  
 \_\_\_\_\_ valves should be \_\_\_\_\_ activation.  
 Can \_\_\_\_\_ please \_\_\_\_\_ the valves have \_\_\_\_\_ placed \_\_\_\_\_?  
 \_\_\_\_\_ know if there are valve \_\_\_\_\_ before \_\_\_\_\_?  
 \_\_\_\_\_ to check if \_\_\_\_\_ are \_\_\_\_\_ before flipping the \_\_\_\_\_?  
 Before \_\_\_\_\_ up, please \_\_\_\_\_ positioning of all \_\_\_\_\_ valves.  
 Does \_\_\_\_\_ the \_\_\_\_\_ before you switch \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ count on \_\_\_\_\_ valve location \_\_\_\_\_ accurate \_\_\_\_\_ to \_\_\_\_\_ it?  
 \_\_\_\_\_ of each required \_\_\_\_\_ before \_\_\_\_\_ start it?  
 \_\_\_\_\_ we begin, do you think \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ the valves \_\_\_\_\_ before \_\_\_\_\_ up?  
 Is \_\_\_\_\_ sure that \_\_\_\_\_ valve is \_\_\_\_\_ for use?  
 \_\_\_\_\_ check \_\_\_\_\_ sure that every valve \_\_\_\_\_ positioned?  
 Do you have the \_\_\_\_\_ to \_\_\_\_\_ positioning \_\_\_\_\_ you \_\_\_\_\_?  
 \_\_\_\_\_ check \_\_\_\_\_ before starting them?  
 Before \_\_\_\_\_ turn \_\_\_\_\_ all the \_\_\_\_\_ positioned \_\_\_\_\_?  
 \_\_\_\_\_ valves \_\_\_\_\_ they need \_\_\_\_\_ be before \_\_\_\_\_ on?  
 \_\_\_\_\_ check valves before \_\_\_\_\_ on?  
 Alrighty, \_\_\_\_\_ valve \_\_\_\_\_ we start.  
 \_\_\_\_\_ it possible \_\_\_\_\_ proper valve \_\_\_\_\_?  
 \_\_\_\_\_ turning on, Valves \_\_\_\_\_ positions.  
 \_\_\_\_\_ assurance about \_\_\_\_\_ positions before \_\_\_\_\_?  
 \_\_\_\_\_ confirm \_\_\_\_\_ before you start?  
 \_\_\_\_\_ it correct \_\_\_\_\_ position \_\_\_\_\_ valves \_\_\_\_\_ turning \_\_\_\_\_?  
 \_\_\_\_\_ in \_\_\_\_\_ alignment before activation?  
 Make sure there aren't \_\_\_\_\_ mistakes \_\_\_\_\_.  
 \_\_\_\_\_ you confirm that \_\_\_\_\_ is \_\_\_\_\_ before you power \_\_\_\_\_?  
 You \_\_\_\_\_ the correct valve \_\_\_\_\_ before \_\_\_\_\_ switch \_\_\_\_\_.  
 Can \_\_\_\_\_ the location of \_\_\_\_\_ required \_\_\_\_\_ to starting \_\_\_\_\_?  
 \_\_\_\_\_ on, can \_\_\_\_\_ just \_\_\_\_\_ valves?  
 \_\_\_\_\_ to check \_\_\_\_\_ valves \_\_\_\_\_ you switch on?



\_\_\_\_\_ valves perfectly \_\_\_\_\_ before \_\_\_\_\_ goes on?

Is every valve \_\_\_\_\_ turning \_\_\_\_\_?

Before \_\_\_\_\_ should be in \_\_\_\_\_.

Is \_\_\_\_\_ possible that every \_\_\_\_\_ to \_\_\_\_\_ switched on?

\_\_\_\_\_ on, are \_\_\_\_\_ valves \_\_\_\_\_ right?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ if all \_\_\_\_\_ valves were \_\_\_\_\_?

Before \_\_\_\_\_ happens, \_\_\_\_\_ aligned?

Before \_\_\_\_\_ turn on the \_\_\_\_\_ correctly?

Is it possible that \_\_\_\_\_ valves are \_\_\_\_\_ correctly \_\_\_\_\_?

Can you make sure \_\_\_\_\_ right \_\_\_\_\_ you \_\_\_\_\_ on?

\_\_\_\_\_ that \_\_\_\_\_ valves are placed \_\_\_\_\_?

Before \_\_\_\_\_ even \_\_\_\_\_ sure to check \_\_\_\_\_ spots.

Before \_\_\_\_\_ it \_\_\_\_\_ need to check if \_\_\_\_\_ valves \_\_\_\_\_.

\_\_\_\_\_ want to know \_\_\_\_\_ the valves are \_\_\_\_\_ perfectly \_\_\_\_\_ goes \_\_\_\_\_.

\_\_\_\_\_ all valves OK \_\_\_\_\_ I \_\_\_\_\_?

I \_\_\_\_\_ know if \_\_\_\_\_ are \_\_\_\_\_ I switch them on.

\_\_\_\_\_ verify that \_\_\_\_\_ valves \_\_\_\_\_ in place \_\_\_\_\_.

\_\_\_\_\_ you confirm the \_\_\_\_\_ before you switch \_\_\_\_\_?

Have \_\_\_\_\_ thorough \_\_\_\_\_ for \_\_\_\_\_ valve \_\_\_\_\_ before operations?

\_\_\_\_\_ you \_\_\_\_\_ the correct \_\_\_\_\_ alignment before you \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ all \_\_\_\_\_ are \_\_\_\_\_ correctly before I switch them \_\_\_\_\_.

\_\_\_\_\_ you verify valve positions \_\_\_\_\_?

\_\_\_\_\_ I be \_\_\_\_\_ valve location \_\_\_\_\_ accurate \_\_\_\_\_ starting it up?

You're going \_\_\_\_\_ check \_\_\_\_\_ valves are \_\_\_\_\_ start.

\_\_\_\_\_ there \_\_\_\_\_ done regarding \_\_\_\_\_ prior \_\_\_\_\_ power up?

\_\_\_\_\_ right valve \_\_\_\_\_ before you \_\_\_\_\_ on?

\_\_\_\_\_ I know \_\_\_\_\_ exact location of \_\_\_\_\_ required \_\_\_\_\_ starting it \_\_\_\_\_?

\_\_\_\_\_ the required \_\_\_\_\_ should \_\_\_\_\_ in their proper \_\_\_\_\_ before \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ in the \_\_\_\_\_ activation?

\_\_\_\_\_ we know if \_\_\_\_\_ are positioned \_\_\_\_\_ before \_\_\_\_\_?

\_\_\_\_\_ that the valves are in \_\_\_\_\_ positions \_\_\_\_\_ start-up?

Is there \_\_\_\_\_ valve \_\_\_\_\_ power-on.

\_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_ correct positions when \_\_\_\_\_ on?

I \_\_\_\_\_ know \_\_\_\_\_ the \_\_\_\_\_ placed before power goes \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ if every \_\_\_\_\_ is accurate \_\_\_\_\_ activation?

All \_\_\_\_\_ the essential \_\_\_\_\_ should \_\_\_\_\_ aligned \_\_\_\_\_ power \_\_\_\_\_.

Will \_\_\_\_\_ have \_\_\_\_\_ prior to power-on?

\_\_\_\_\_ ensure \_\_\_\_\_ each \_\_\_\_\_ valve is ready for use?

\_\_\_\_\_ the valves are properly positioned \_\_\_\_\_ start?

Is the \_\_\_\_\_ I turn \_\_\_\_\_?

There \_\_\_\_\_ proper \_\_\_\_\_ power goes up.

\_\_\_\_\_ valves positioned correctly before \_\_\_\_\_?

Can \_\_\_\_\_ required \_\_\_\_\_ location is \_\_\_\_\_ before I start?

Please \_\_\_\_\_ that the \_\_\_\_\_ are placed correctly.

\_\_\_\_\_ check \_\_\_\_\_ spots before we \_\_\_\_\_.

\_\_\_\_\_ in \_\_\_\_\_ positions before \_\_\_\_\_ on?

\_\_\_\_\_ up, please ensure \_\_\_\_\_ positioning of \_\_\_\_\_ valves.

\_\_\_\_\_ placed perfectly \_\_\_\_\_ you \_\_\_\_\_ up?

Right? Valves \_\_\_\_\_ before they \_\_\_\_\_.

Are you \_\_\_\_\_ if the \_\_\_\_\_ right before \_\_\_\_\_ switch?

Is \_\_\_\_\_ to \_\_\_\_\_ valve placement \_\_\_\_\_?

\_\_\_\_\_ vital \_\_\_\_\_ be positioned \_\_\_\_\_ turning \_\_\_\_\_?

Do \_\_\_\_\_ to check the valve \_\_\_\_\_ we \_\_\_\_\_?

Are you able \_\_\_\_\_ detect \_\_\_\_\_?

Is \_\_\_\_\_ certain that \_\_\_\_\_ valves are where \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ the valves \_\_\_\_\_ start.

If you \_\_\_\_\_ to power up, \_\_\_\_\_ positioning.

Is \_\_\_\_\_ that the required valves are \_\_\_\_\_ start-up?

\_\_\_\_\_ you \_\_\_\_\_ valves before \_\_\_\_\_ start?

Before \_\_\_\_\_ are all the \_\_\_\_\_ properly \_\_\_\_\_?

Is \_\_\_\_\_ possible for \_\_\_\_\_ to ensure that \_\_\_\_\_ valve \_\_\_\_\_ use before \_\_\_\_\_?

All necessary valves should \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ power up, \_\_\_\_\_ verify valve \_\_\_\_\_.

Before \_\_\_\_\_ power up, \_\_\_\_\_ proper \_\_\_\_\_ positioning.

Is \_\_\_\_\_ an \_\_\_\_\_ valve positions \_\_\_\_\_ power-on?

\_\_\_\_\_ you \_\_\_\_\_ sure that the valves \_\_\_\_\_ put in \_\_\_\_\_?

\_\_\_\_\_ certain \_\_\_\_\_ every essential valve \_\_\_\_\_ fixed \_\_\_\_\_ being \_\_\_\_\_ on?

\_\_\_\_\_ make sense \_\_\_\_\_ valve \_\_\_\_\_ before running them?

\_\_\_\_\_ we know if the necessary \_\_\_\_\_ are \_\_\_\_\_ before \_\_\_\_\_?

Are \_\_\_\_\_ that \_\_\_\_\_ essential valve \_\_\_\_\_ fixed \_\_\_\_\_ it is \_\_\_\_\_?

levers \_\_\_\_\_ turn on?

\_\_\_\_\_ going to \_\_\_\_\_ if their \_\_\_\_\_ are right \_\_\_\_\_ switch?

It's \_\_\_\_\_ the \_\_\_\_\_ spots \_\_\_\_\_ we start.

\_\_\_\_\_ the essential \_\_\_\_\_ aligned \_\_\_\_\_ power on?

Before \_\_\_\_\_ switch \_\_\_\_\_ all \_\_\_\_\_ right?

\_\_\_\_\_ possible that the \_\_\_\_\_ are where \_\_\_\_\_ turning on something?

Is \_\_\_\_\_ verify valve positioning \_\_\_\_\_ them?

The \_\_\_\_\_ positions \_\_\_\_\_ to \_\_\_\_\_ before \_\_\_\_\_ on.

Can \_\_\_\_\_ be \_\_\_\_\_ that \_\_\_\_\_ location is accurate before \_\_\_\_\_ start \_\_\_\_\_?

Can \_\_\_\_\_ valve positions \_\_\_\_\_ to power on?

Are we going to check \_\_\_\_\_ valves \_\_\_\_\_?

Before \_\_\_\_\_ on, \_\_\_\_\_ all \_\_\_\_\_ valves \_\_\_\_\_ correct places?

\_\_\_\_\_ it possible \_\_\_\_\_ each \_\_\_\_\_ valve is ready \_\_\_\_\_ use before initiation?

Prior \_\_\_\_\_ starting \_\_\_\_\_ can I \_\_\_\_\_ on its \_\_\_\_\_ accurate?

Before \_\_\_\_\_ are \_\_\_\_\_ valves \_\_\_\_\_ positioned?

You should \_\_\_\_\_ to verify valve \_\_\_\_\_ running \_\_\_\_\_.

Should you make \_\_\_\_\_ you flip the switch?

Is each \_\_\_\_\_ correctly \_\_\_\_\_ on?

\_\_\_\_\_ checked all \_\_\_\_\_ valves \_\_\_\_\_ you \_\_\_\_\_ on?

\_\_\_\_\_ you \_\_\_\_\_ correct valve \_\_\_\_\_ turning on?

\_\_\_\_\_ you \_\_\_\_\_ can \_\_\_\_\_ valve alignment?

Can you \_\_\_\_\_ sure \_\_\_\_\_ correct \_\_\_\_\_ done before?

\_\_\_\_\_ valves should \_\_\_\_\_ correctly before \_\_\_\_\_.

Is \_\_\_\_\_ a good idea \_\_\_\_\_ check \_\_\_\_\_ valve \_\_\_\_\_ before \_\_\_\_\_?

\_\_\_\_\_ request \_\_\_\_\_ make \_\_\_\_\_ each \_\_\_\_\_ is ready for use?

Will the \_\_\_\_\_ be \_\_\_\_\_ employing \_\_\_\_\_?

Can \_\_\_\_\_ valves \_\_\_\_\_ aligned \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ positioning before \_\_\_\_\_ them?

\_\_\_\_\_ you can power \_\_\_\_\_ please \_\_\_\_\_ proper valve \_\_\_\_\_.

\_\_\_\_\_ that you confirmed \_\_\_\_\_ positions before turning \_\_\_\_\_?

\_\_\_\_\_ able to \_\_\_\_\_ out \_\_\_\_\_ positioning first?

\_\_\_\_\_ valves are activated, \_\_\_\_\_ aligned?

\_\_\_\_\_ you want \_\_\_\_\_ make sure the \_\_\_\_\_ are \_\_\_\_\_ switch?

\_\_\_\_\_ running \_\_\_\_\_ can you \_\_\_\_\_ positioning?

\_\_\_\_\_ sure \_\_\_\_\_ stinkin' valves are \_\_\_\_\_ go \_\_\_\_\_ the switch.

Can \_\_\_\_\_ check the valves \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ valve alignment first?

Have you \_\_\_\_\_ sure that every valve \_\_\_\_\_ switched \_\_\_\_\_?

\_\_\_\_\_ check \_\_\_\_\_ the \_\_\_\_\_ are placed \_\_\_\_\_

Before \_\_\_\_\_ on, are \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ positions?

\_\_\_\_\_ the \_\_\_\_\_ need \_\_\_\_\_ be in \_\_\_\_\_ correct \_\_\_\_\_ before turning \_\_\_\_\_?

\_\_\_\_\_ spots before \_\_\_\_\_ start.

\_\_\_\_\_ check the valve \_\_\_\_\_ you \_\_\_\_\_.

Does \_\_\_\_\_ been \_\_\_\_\_ valve alignment before power \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ sure that valves are \_\_\_\_\_?

\_\_\_\_\_ placed valves \_\_\_\_\_ on?

\_\_\_\_\_ you check \_\_\_\_\_ switch them on?

\_\_\_\_\_ it possible \_\_\_\_\_ make sure each \_\_\_\_\_ valve \_\_\_\_\_ ready \_\_\_\_\_ initiation?

\_\_\_\_\_ safe to place \_\_\_\_\_ valves \_\_\_\_\_ on?

Before you \_\_\_\_\_ everything, do you \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ before the power goes up?

Before \_\_\_\_\_ all vital valves \_\_\_\_\_?

Do you \_\_\_\_\_ the \_\_\_\_\_?

Please make \_\_\_\_\_ the \_\_\_\_\_ is \_\_\_\_\_ correctly \_\_\_\_\_ start.

\_\_\_\_\_ you ensure \_\_\_\_\_ essential valve is \_\_\_\_\_ before \_\_\_\_\_ switch \_\_\_\_\_?

\_\_\_\_\_ powered up, \_\_\_\_\_ verify it.

\_\_\_\_\_ I count \_\_\_\_\_ location of \_\_\_\_\_ accurate \_\_\_\_\_ I start them?

Will you \_\_\_\_\_ see \_\_\_\_\_ the \_\_\_\_\_ have \_\_\_\_\_ placed \_\_\_\_\_?

Is every \_\_\_\_\_ correctly positioned \_\_\_\_\_?

\_\_\_\_\_ confirm the \_\_\_\_\_ valve position \_\_\_\_\_ you switch \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ if all \_\_\_\_\_ valves \_\_\_\_\_ put in correctly?

Can \_\_\_\_\_ know the location of \_\_\_\_\_ valve \_\_\_\_\_?

Did you make sure that \_\_\_\_\_ valve \_\_\_\_\_ on?

Is \_\_\_\_\_ location \_\_\_\_\_ before I \_\_\_\_\_ up?

\_\_\_\_\_ there \_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ before using them?

Valves in \_\_\_\_\_ proper \_\_\_\_\_ on?

Are valves \_\_\_\_\_ to turning \_\_\_\_\_?

\_\_\_\_\_ possible that \_\_\_\_\_ valve \_\_\_\_\_ positioned before activation?

Will you \_\_\_\_\_ able \_\_\_\_\_ the correct \_\_\_\_\_ you switch \_\_\_\_\_?

Should \_\_\_\_\_ be \_\_\_\_\_ aligned \_\_\_\_\_ activation?

\_\_\_\_\_ confirm that \_\_\_\_\_ valves \_\_\_\_\_ correctly before you \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ spots before we start?

Before turning on, \_\_\_\_\_ valves need to \_\_\_\_\_.

\_\_\_\_\_ valves right to \_\_\_\_\_ on?

\_\_\_\_\_ the valves \_\_\_\_\_ position \_\_\_\_\_ they \_\_\_\_\_ activated?

Please \_\_\_\_\_ the valves are \_\_\_\_\_.

\_\_\_\_\_ each \_\_\_\_\_ valve's location being accurate prior \_\_\_\_\_ starting it?

\_\_\_\_\_ sure \_\_\_\_\_ valves are placed \_\_\_\_\_ before \_\_\_\_\_ switch on?

Tell \_\_\_\_\_ if \_\_\_\_\_ placed correctly before \_\_\_\_\_ power \_\_\_\_\_ on.

Is it \_\_\_\_\_ about \_\_\_\_\_ power-on?

\_\_\_\_\_ test \_\_\_\_\_ placement before?

Before we \_\_\_\_\_ the \_\_\_\_\_?

Are we \_\_\_\_\_ all \_\_\_\_\_ are \_\_\_\_\_ correctly before \_\_\_\_\_?

Can you tell \_\_\_\_\_ if \_\_\_\_\_ positions before I \_\_\_\_\_?

Can we \_\_\_\_\_ the status of \_\_\_\_\_?

Has a \_\_\_\_\_ precise \_\_\_\_\_ placement \_\_\_\_\_ of operations?

\_\_\_\_\_ you make \_\_\_\_\_ every essential valve is fixed \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ alignment before \_\_\_\_\_ switch on?

\_\_\_\_\_ valves should be placed \_\_\_\_\_ switch \_\_\_\_\_.

\_\_\_\_\_ proper valve \_\_\_\_\_ is \_\_\_\_\_ before \_\_\_\_\_ power up.

Is \_\_\_\_\_ possible to confirm \_\_\_\_\_ alignment \_\_\_\_\_ switch \_\_\_\_\_?

\_\_\_\_\_ to power-on, \_\_\_\_\_ we have \_\_\_\_\_ valve \_\_\_\_\_?

\_\_\_\_\_ should be \_\_\_\_\_ before.

\_\_\_\_\_ have \_\_\_\_\_ to verify valve positioning \_\_\_\_\_?

Will all \_\_\_\_\_ be \_\_\_\_\_ when you \_\_\_\_\_?

Go and \_\_\_\_\_ the valve \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ for valve placement \_\_\_\_\_ operations start?

Have \_\_\_\_\_ confirmed valve \_\_\_\_\_ you \_\_\_\_\_?

Ensure proper positioning of \_\_\_\_\_ before \_\_\_\_\_.

Is \_\_\_\_\_ possible for \_\_\_\_\_ that \_\_\_\_\_ crucial valve is \_\_\_\_\_ use?

\_\_\_\_\_ possible \_\_\_\_\_ request that each \_\_\_\_\_ valve \_\_\_\_\_ located \_\_\_\_\_ ready for \_\_\_\_\_ before \_\_\_\_\_?

Will the \_\_\_\_\_ be positioned \_\_\_\_\_ on?

Is \_\_\_\_\_ to switch \_\_\_\_\_ valves \_\_\_\_\_?

\_\_\_\_\_ like to make \_\_\_\_\_ each important \_\_\_\_\_ is ready \_\_\_\_\_ before \_\_\_\_\_.

Will \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ valves have been \_\_\_\_\_?

\_\_\_\_\_ confirmation \_\_\_\_\_ proper \_\_\_\_\_ placement.

\_\_\_\_\_ you \_\_\_\_\_ the valves prior \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ I turn on?

\_\_\_\_\_ valves before \_\_\_\_\_ start everything?

Is \_\_\_\_\_ possible \_\_\_\_\_ I \_\_\_\_\_ request \_\_\_\_\_ ensure \_\_\_\_\_ each valve \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ to check out ideal valve \_\_\_\_\_?

\_\_\_\_\_ start \_\_\_\_\_ you \_\_\_\_\_ check to see if the valves \_\_\_\_\_.

\_\_\_\_\_ valves \_\_\_\_\_ you switch?

\_\_\_\_\_ it possible to \_\_\_\_\_ positioning \_\_\_\_\_?

Is \_\_\_\_\_ valves \_\_\_\_\_ my \_\_\_\_\_ on?

\_\_\_\_\_ the valves \_\_\_\_\_ the power \_\_\_\_\_ up?

\_\_\_\_\_ valves be positioned \_\_\_\_\_ on?

\_\_\_\_\_ check the valve spots \_\_\_\_\_.

Can \_\_\_\_\_ confirm \_\_\_\_\_ of the valves before \_\_\_\_\_?

Is \_\_\_\_\_ valve \_\_\_\_\_ turns on?

\_\_\_\_\_ well are the \_\_\_\_\_ valves positioned \_\_\_\_\_?

\_\_\_\_\_ check \_\_\_\_\_ the valves \_\_\_\_\_ before \_\_\_\_\_ start.

\_\_\_\_\_ the \_\_\_\_\_ perfectly \_\_\_\_\_ before \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ you sure \_\_\_\_\_ the \_\_\_\_\_ positions \_\_\_\_\_ on?

\_\_\_\_\_ you confirm valve \_\_\_\_\_ turn \_\_\_\_\_?

Before you start, \_\_\_\_\_ want \_\_\_\_\_ if the \_\_\_\_\_?

\_\_\_\_\_ make sure \_\_\_\_\_ necessary \_\_\_\_\_ in \_\_\_\_\_ before starting.

\_\_\_\_\_ it possible to \_\_\_\_\_ whether \_\_\_\_\_ properly \_\_\_\_\_ before activation?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ or \_\_\_\_\_ every \_\_\_\_\_ is right before \_\_\_\_\_?

\_\_\_\_\_ power goes \_\_\_\_\_ proper valve positioning.

\_\_\_\_ you \_\_\_\_\_ verify the \_\_\_\_ position.  
\_\_\_\_\_ to \_\_\_\_ the valves \_\_\_\_ you switch?  
Have you \_\_\_\_\_ any \_\_\_\_\_ is \_\_\_\_ before being switched \_\_\_\_?  
Before \_\_\_\_ is restored, please \_\_\_\_\_.  
Is \_\_\_\_\_ to verify the \_\_\_\_\_ placement \_\_\_\_ to the \_\_\_\_?  
\_\_\_\_\_ know if \_\_\_\_ valves \_\_\_\_ in \_\_\_\_\_ positions before \_\_\_\_ event?  
Is it possible \_\_\_\_\_ each \_\_\_\_\_ being accurate \_\_\_\_ to starting \_\_\_\_?  
Make sure \_\_\_\_\_ problems \_\_\_\_ valve \_\_\_\_ before.  
\_\_\_\_\_ the \_\_\_\_ in their \_\_\_\_\_ the activation?  
\_\_\_\_\_ certain \_\_\_\_ accurate valve \_\_\_\_ and \_\_\_\_ status?  
\_\_\_\_\_ there an assurance about \_\_\_\_ positions \_\_\_\_\_ power \_\_\_\_?  
I \_\_\_\_\_ sure \_\_\_\_\_ crucial valve is \_\_\_\_ for use before \_\_\_\_.  
\_\_\_\_\_ if every \_\_\_\_ is correct before the event?  
\_\_\_\_\_ turning on \_\_\_\_\_ are they \_\_\_\_ their \_\_\_\_ positions?  
Are \_\_\_\_\_ check \_\_\_\_ positioning first?  
Do you \_\_\_\_\_ the valves \_\_\_\_\_ proper position \_\_\_\_ they \_\_\_\_ activated?  
Is there any certainty \_\_\_\_\_ positions \_\_\_\_\_?  
Do you \_\_\_\_ if \_\_\_\_ valves are \_\_\_\_\_ you power \_\_\_\_?  
Are \_\_\_\_ going \_\_\_\_\_ that \_\_\_\_ valves are right before \_\_\_\_\_ switch?  
I would \_\_\_\_\_ know if \_\_\_\_ valves are \_\_\_\_\_ power \_\_\_\_ up.  
Is \_\_\_\_ possible \_\_\_\_\_ sure that \_\_\_\_ valve is ready to \_\_\_\_\_?  
Will I \_\_\_\_\_ to request to \_\_\_\_\_ valve is \_\_\_\_\_ use?  
Is it possible to \_\_\_\_ correct \_\_\_\_ placement \_\_\_\_\_?  
I would like \_\_\_\_\_ if the \_\_\_\_\_ before turning \_\_\_\_.  
Is it possible to verify \_\_\_\_ positioning \_\_\_\_\_?  
\_\_\_\_\_ verify if necessary \_\_\_\_\_ are in \_\_\_\_\_ you \_\_\_\_.  
Is \_\_\_\_ possible that \_\_\_\_ are \_\_\_\_\_ turning on?  
\_\_\_\_\_ it \_\_\_\_ for all the valves to be \_\_\_\_ they \_\_\_\_\_ something?  
\_\_\_\_\_ vital \_\_\_\_ properly \_\_\_\_\_ turning on?  
Please \_\_\_\_ if the valves \_\_\_\_\_.  
\_\_\_\_\_ know if \_\_\_\_ essential valve has been \_\_\_\_ before \_\_\_\_\_?  
Do you \_\_\_\_\_ if the valves are \_\_\_\_ before \_\_\_\_\_ the \_\_\_\_?  
\_\_\_\_\_ turn on the \_\_\_\_ are \_\_\_\_\_ their \_\_\_\_ positions?  
\_\_\_\_\_ verify that \_\_\_\_ valves \_\_\_\_ positioned correctly \_\_\_\_\_ start?  
\_\_\_\_\_ it possible to ensure \_\_\_\_ each \_\_\_\_ valve is \_\_\_\_\_?  
Before \_\_\_\_\_ the \_\_\_\_ are they \_\_\_\_\_ correct positions?  
Before power \_\_\_\_ restored, please \_\_\_\_\_.  
\_\_\_\_\_ turning \_\_\_\_\_ all \_\_\_\_ required valves in \_\_\_\_ positions?  
\_\_\_\_\_ you check \_\_\_\_\_ positions \_\_\_\_ to the \_\_\_\_ on?  
Before you \_\_\_\_ up, \_\_\_\_\_ sure \_\_\_\_ valve \_\_\_\_\_ correct.  
\_\_\_\_\_ up, \_\_\_\_ verify \_\_\_\_ valve positioning.  
Okay, check \_\_\_\_\_ we start.  
\_\_\_\_\_ the \_\_\_\_ valves \_\_\_\_\_ positioned before turning on.  
Can I \_\_\_\_ on \_\_\_\_ location of \_\_\_\_\_ being \_\_\_\_\_ it?  
Have \_\_\_\_\_ that every \_\_\_\_ is fixed before \_\_\_\_\_?  
\_\_\_\_\_ correctly prior \_\_\_\_ turning on?  
Should all \_\_\_\_\_ positioned \_\_\_\_\_ on?  
Are \_\_\_\_\_ valves \_\_\_\_\_ correct positions \_\_\_\_\_ turn on?  
Are \_\_\_\_ able \_\_\_\_ verify correct \_\_\_\_\_ the event?  
\_\_\_\_\_ all \_\_\_\_ valves \_\_\_\_\_ you switch?

Is \_\_\_\_\_ before \_\_\_\_\_ power goes up?

Is the \_\_\_\_\_ certain \_\_\_\_\_ start-up?

\_\_\_\_\_ might be able to \_\_\_\_\_ they \_\_\_\_\_ valves are \_\_\_\_\_ flip the switch.

\_\_\_\_\_ start, \_\_\_\_\_ will \_\_\_\_\_ check if the valves did \_\_\_\_\_.

\_\_\_\_\_ valves \_\_\_\_\_ their \_\_\_\_\_ positions prior \_\_\_\_\_ activation?

Can \_\_\_\_\_ the valves \_\_\_\_\_ before \_\_\_\_\_ it on?

Do valves \_\_\_\_\_ proper \_\_\_\_\_ activation?

\_\_\_\_\_ proper \_\_\_\_\_ of \_\_\_\_\_ valves before \_\_\_\_\_ up.

Do \_\_\_\_\_ double check \_\_\_\_\_ before \_\_\_\_\_ go \_\_\_\_\_ and \_\_\_\_\_?

\_\_\_\_\_ mean \_\_\_\_\_ check the \_\_\_\_\_ spots before \_\_\_\_\_ start?

Proper positioning \_\_\_\_\_ required valves \_\_\_\_\_ be done before \_\_\_\_\_.

\_\_\_\_\_ you confirm the \_\_\_\_\_ valve \_\_\_\_\_ before \_\_\_\_\_?

Can you \_\_\_\_\_ me \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ correct \_\_\_\_\_ before \_\_\_\_\_ on?

Is it \_\_\_\_\_ that \_\_\_\_\_ are where they should \_\_\_\_\_?

\_\_\_\_\_ make \_\_\_\_\_ valves \_\_\_\_\_ correctly before flipping the switch?

Can \_\_\_\_\_ valves \_\_\_\_\_ switch on?

\_\_\_\_\_ know if \_\_\_\_\_ are in place before \_\_\_\_\_?

Before turning \_\_\_\_\_ they \_\_\_\_\_ valves \_\_\_\_\_.

Can \_\_\_\_\_ before you switch on?

Do you \_\_\_\_\_ to \_\_\_\_\_ before \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ aligned \_\_\_\_\_ activated?

Will you \_\_\_\_\_ see if the \_\_\_\_\_ have \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ on the \_\_\_\_\_ required valve being accurate \_\_\_\_\_ it?

Can \_\_\_\_\_ the \_\_\_\_\_ is correct before starting it?

Should you \_\_\_\_\_ before \_\_\_\_\_ switch \_\_\_\_\_?

Prior to turning on, \_\_\_\_\_ all \_\_\_\_\_?

Are we sure \_\_\_\_\_ before \_\_\_\_\_?

Will \_\_\_\_\_ check to see if \_\_\_\_\_ been placed \_\_\_\_\_?

Is there a \_\_\_\_\_ is correctly \_\_\_\_\_ before \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ important valve is \_\_\_\_\_ before \_\_\_\_\_ switched on?

Can \_\_\_\_\_ be \_\_\_\_\_ aligned \_\_\_\_\_ it \_\_\_\_\_?

\_\_\_\_\_ the valve \_\_\_\_\_ prior to \_\_\_\_\_?

\_\_\_\_\_ turning on, \_\_\_\_\_ all \_\_\_\_\_ properly?

Before you switch \_\_\_\_\_ is \_\_\_\_\_?

Do \_\_\_\_\_ all \_\_\_\_\_ valves before \_\_\_\_\_?

\_\_\_\_\_ confirm \_\_\_\_\_ necessary valves \_\_\_\_\_ place before \_\_\_\_\_.

Before you start, \_\_\_\_\_ gonna check if \_\_\_\_\_.

\_\_\_\_\_ you \_\_\_\_\_ check valves \_\_\_\_\_ starting \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ on \_\_\_\_\_ being accurate prior \_\_\_\_\_ starting it \_\_\_\_\_?

\_\_\_\_\_ on the valves should \_\_\_\_\_ in \_\_\_\_\_ correct \_\_\_\_\_.

Is \_\_\_\_\_ to confirm whether each \_\_\_\_\_ correctly \_\_\_\_\_ activation?

Prior \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ in proper \_\_\_\_\_?

Is it possible to \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ valve \_\_\_\_\_?

Are \_\_\_\_\_ to verify valve positions \_\_\_\_\_ on?

Do \_\_\_\_\_ necessary valves \_\_\_\_\_ aligned prior to \_\_\_\_\_?

\_\_\_\_\_ should be \_\_\_\_\_ before \_\_\_\_\_ switch \_\_\_\_\_.

\_\_\_\_\_ we \_\_\_\_\_ up, \_\_\_\_\_ verify valve \_\_\_\_\_.

Are \_\_\_\_\_ check ideal \_\_\_\_\_ positioning \_\_\_\_\_?

Before \_\_\_\_\_ are the \_\_\_\_\_ positions?

Make sure \_\_\_\_\_ are no mistakes \_\_\_\_\_ positioning \_\_\_\_\_.

\_\_\_\_ you \_\_\_\_ check the \_\_\_\_ time?

Can \_\_\_\_ test valve \_\_\_\_ before \_\_\_\_?

Can \_\_\_\_ confirm \_\_\_\_ accurate \_\_\_\_ and \_\_\_\_ status?

\_\_\_\_ anything \_\_\_\_ turned on, \_\_\_\_ the \_\_\_\_ they should be?

\_\_\_\_ should be in \_\_\_\_ positions \_\_\_\_ turning \_\_\_\_.

Can \_\_\_\_ the valves correctly \_\_\_\_ switch \_\_\_\_ on?

\_\_\_\_ starting, please make sure \_\_\_\_ valves are \_\_\_\_.

Before \_\_\_\_ you will \_\_\_\_ to \_\_\_\_ if \_\_\_\_ valves did \_\_\_\_.

Valves should \_\_\_\_ positioned \_\_\_\_ before \_\_\_\_.

\_\_\_\_ double check the valves \_\_\_\_ start \_\_\_\_?

\_\_\_\_ the power \_\_\_\_ please \_\_\_\_ proper positioning \_\_\_\_ valves.

\_\_\_\_ sure \_\_\_\_ valve is \_\_\_\_ right \_\_\_\_ power up.

Is \_\_\_\_ that all \_\_\_\_ are \_\_\_\_ correctly \_\_\_\_ turning on?

\_\_\_\_ you power up, \_\_\_\_ the \_\_\_\_ of the \_\_\_\_.

Confirmation \_\_\_\_ alignment \_\_\_\_ status is important.

Is \_\_\_\_ that valves \_\_\_\_ positioned \_\_\_\_ before they \_\_\_\_?

\_\_\_\_ you double-check \_\_\_\_ valves before \_\_\_\_?

\_\_\_\_ correctly \_\_\_\_ you switch \_\_\_\_ on?

Do you \_\_\_\_ to \_\_\_\_ sure \_\_\_\_ the valves \_\_\_\_ been \_\_\_\_?

Is \_\_\_\_ possible to \_\_\_\_ is positioned \_\_\_\_ to activation?

\_\_\_\_ need to \_\_\_\_ before \_\_\_\_ them.

Is \_\_\_\_ possible to \_\_\_\_ valve \_\_\_\_ before \_\_\_\_?

I \_\_\_\_ like \_\_\_\_ make \_\_\_\_ each crucial \_\_\_\_ ready for \_\_\_\_.

Is validation \_\_\_\_ valve alignment \_\_\_\_ up?

Have \_\_\_\_ made \_\_\_\_ is fixed before \_\_\_\_ switch it \_\_\_\_?

\_\_\_\_ turning \_\_\_\_ valves \_\_\_\_ be in \_\_\_\_.

Before turning on all \_\_\_\_ to \_\_\_\_ in \_\_\_\_ correct \_\_\_\_.

Is it \_\_\_\_ the valves are \_\_\_\_ before \_\_\_\_ switch \_\_\_\_?

Is \_\_\_\_ right prior \_\_\_\_ turning \_\_\_\_?

Check \_\_\_\_ place before starting.

All \_\_\_\_ the valves \_\_\_\_ positioned \_\_\_\_ turn on.

\_\_\_\_ everything positioned correctly \_\_\_\_ turn \_\_\_\_?

\_\_\_\_ up, confirm \_\_\_\_ essential \_\_\_\_ been adequately set.

Ensure \_\_\_\_ valves are set \_\_\_\_?

\_\_\_\_ necessary for \_\_\_\_ valves \_\_\_\_ be \_\_\_\_ employing energy?

Can you tell me if \_\_\_\_ are in \_\_\_\_ on?

\_\_\_\_ all the valves in their \_\_\_\_ positions \_\_\_\_?

Should \_\_\_\_ check \_\_\_\_ correct valve positions \_\_\_\_ switch \_\_\_\_?

\_\_\_\_ the valves should \_\_\_\_ correctly prior \_\_\_\_ on.

\_\_\_\_ I make sure \_\_\_\_ required \_\_\_\_ accurate \_\_\_\_ I start it?

Are you \_\_\_\_ to \_\_\_\_ are right \_\_\_\_ flipping the \_\_\_\_?

\_\_\_\_ you \_\_\_\_ verify valve \_\_\_\_ running them?

\_\_\_\_ the valve \_\_\_\_ before \_\_\_\_ start.

Is \_\_\_\_ for \_\_\_\_ to \_\_\_\_ that each important \_\_\_\_ ready \_\_\_\_ use?

\_\_\_\_ know if \_\_\_\_ valves \_\_\_\_ aligned \_\_\_\_ to the \_\_\_\_ on?

\_\_\_\_ valves \_\_\_\_ aligned before \_\_\_\_?

Are you going \_\_\_\_ check \_\_\_\_ the \_\_\_\_ flipping the switch?

\_\_\_\_ you have \_\_\_\_ check if the \_\_\_\_ did \_\_\_\_?

\_\_\_\_ you \_\_\_\_ on, are all \_\_\_\_?

\_\_\_\_ we have confirmation about \_\_\_\_ and switch-on \_\_\_\_?

\_\_\_\_\_ verify valve positions before you \_\_\_\_\_ on?

Does \_\_\_\_\_ been done \_\_\_\_\_ alignment before power \_\_\_\_\_?

To power up, \_\_\_\_\_ positioning.

Before \_\_\_\_\_ should \_\_\_\_\_ in proper \_\_\_\_\_.

Can you \_\_\_\_\_ the valves \_\_\_\_\_ correct before \_\_\_\_\_?

Please \_\_\_\_\_ sure that \_\_\_\_\_ are \_\_\_\_\_ place before \_\_\_\_\_.

Do \_\_\_\_\_ check those \_\_\_\_\_ everything?

\_\_\_\_\_ positions prior to \_\_\_\_\_ on.

\_\_\_\_\_ possible \_\_\_\_\_ double-check the valves before \_\_\_\_\_ everything?

\_\_\_\_\_ is the position \_\_\_\_\_ to activation?

\_\_\_\_\_ positioning before you power \_\_\_\_\_.

\_\_\_\_\_ the valves \_\_\_\_\_ correctly \_\_\_\_\_ you switch \_\_\_\_\_?

Can \_\_\_\_\_ check \_\_\_\_\_ see \_\_\_\_\_ the valves \_\_\_\_\_ designated positions?

Is it \_\_\_\_\_ that \_\_\_\_\_ valve \_\_\_\_\_ ready for use before \_\_\_\_\_?

\_\_\_\_\_ the valves \_\_\_\_\_ placed correctly.

\_\_\_\_\_ we \_\_\_\_\_ for sure \_\_\_\_\_ valve positions \_\_\_\_\_?

Before \_\_\_\_\_ on anything, \_\_\_\_\_ the \_\_\_\_\_ where \_\_\_\_\_ be?

\_\_\_\_\_ valves \_\_\_\_\_ aligned \_\_\_\_\_ to employing \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ valves before \_\_\_\_\_ up?

Can \_\_\_\_\_ tell \_\_\_\_\_ where the \_\_\_\_\_ before turning on \_\_\_\_\_?

\_\_\_\_\_ essential valve was adequately set \_\_\_\_\_ starting?

\_\_\_\_\_ the \_\_\_\_\_ positioning of \_\_\_\_\_ valves before \_\_\_\_\_.

\_\_\_\_\_ valve positions before \_\_\_\_\_ on?

Did \_\_\_\_\_ make sure that \_\_\_\_\_ valve \_\_\_\_\_ switched on?

\_\_\_\_\_ valves \_\_\_\_\_ correctly \_\_\_\_\_ operating?

Can \_\_\_\_\_ valves \_\_\_\_\_ in their correct position before \_\_\_\_\_ on?

You \_\_\_\_\_ verify valve positioning \_\_\_\_\_.

Has a check \_\_\_\_\_ done \_\_\_\_\_ precise \_\_\_\_\_ the start \_\_\_\_\_ operation?

\_\_\_\_\_ there a \_\_\_\_\_ valve \_\_\_\_\_ power-on?

Can all the valves be \_\_\_\_\_ I \_\_\_\_\_?

Is \_\_\_\_\_ for \_\_\_\_\_ to request \_\_\_\_\_ each \_\_\_\_\_ is ready for \_\_\_\_\_?

\_\_\_\_\_ all valves \_\_\_\_\_ in proper positions \_\_\_\_\_?

All \_\_\_\_\_ valves \_\_\_\_\_ be positioned \_\_\_\_\_ turn \_\_\_\_\_.

\_\_\_\_\_ validation have \_\_\_\_\_ done \_\_\_\_\_ valve alignment before \_\_\_\_\_?

You are \_\_\_\_\_ to check if the valves \_\_\_\_\_.

Are \_\_\_\_\_ valves \_\_\_\_\_ to \_\_\_\_\_ energy?

Is there \_\_\_\_\_ about valve positions \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ required valves before you \_\_\_\_\_ up.

\_\_\_\_\_ need \_\_\_\_\_ confirm \_\_\_\_\_ valves are set.

Y'all \_\_\_\_\_ going \_\_\_\_\_ check the valves \_\_\_\_\_ switch?

\_\_\_\_\_ please \_\_\_\_\_ if necessary valves \_\_\_\_\_ place.

Before \_\_\_\_\_ check \_\_\_\_\_ valve \_\_\_\_\_!

\_\_\_\_\_ check your valves before \_\_\_\_\_ on?

\_\_\_\_\_ make \_\_\_\_\_ that the valves have been \_\_\_\_\_ placed?

\_\_\_\_\_ turning on, \_\_\_\_\_ the \_\_\_\_\_ correct \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ count on \_\_\_\_\_ location \_\_\_\_\_ accurate before I start \_\_\_\_\_?

\_\_\_\_\_ placed right before the power goes \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ about \_\_\_\_\_ positions prior to \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ valves, \_\_\_\_\_ they right?

Before \_\_\_\_\_ it all, \_\_\_\_\_ will \_\_\_\_\_ if \_\_\_\_\_ valves \_\_\_\_\_ up?



\_\_\_\_\_ the \_\_\_\_\_ positioned \_\_\_\_\_ before \_\_\_\_\_ on?

\_\_\_\_\_ should make \_\_\_\_\_ stinkin' \_\_\_\_\_ before you flip \_\_\_\_\_ switch.

\_\_\_\_\_ you please \_\_\_\_\_ the valves \_\_\_\_\_ been \_\_\_\_\_ placed?

\_\_\_\_\_ be sure that \_\_\_\_\_ is \_\_\_\_\_ when I start it \_\_\_\_\_?

Is \_\_\_\_\_ I turn on?

Are \_\_\_\_\_ check the \_\_\_\_\_ flipping the switch.

\_\_\_\_\_ sure the \_\_\_\_\_ spots \_\_\_\_\_ checked \_\_\_\_\_ start.

\_\_\_\_\_ of the \_\_\_\_\_ need to be \_\_\_\_\_ to \_\_\_\_\_ on.

\_\_\_\_\_ possible \_\_\_\_\_ to make \_\_\_\_\_ that \_\_\_\_\_ vital valve is ready for \_\_\_\_\_?

Are the \_\_\_\_\_ in \_\_\_\_\_ positions when you \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ the required valve location \_\_\_\_\_ accurate \_\_\_\_\_ it up?

Can you \_\_\_\_\_ switch on?

Before \_\_\_\_\_ can \_\_\_\_\_ valve positioning?

Will \_\_\_\_\_ be able \_\_\_\_\_ confirm \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ valves are properly positioned before \_\_\_\_\_ power \_\_\_\_\_?

Are \_\_\_\_\_ we \_\_\_\_\_ valve spots before \_\_\_\_\_ start?

\_\_\_\_\_ valves in \_\_\_\_\_ before the \_\_\_\_\_?

\_\_\_\_\_ I be \_\_\_\_\_ that the required \_\_\_\_\_ location \_\_\_\_\_ before \_\_\_\_\_?

Do \_\_\_\_\_ valves \_\_\_\_\_ they \_\_\_\_\_ be \_\_\_\_\_ on?

Are \_\_\_\_\_ valve alignment \_\_\_\_\_ switch-on status?

Do \_\_\_\_\_ make sure \_\_\_\_\_ valves \_\_\_\_\_ set \_\_\_\_\_ correctly?

Can you \_\_\_\_\_ positioning \_\_\_\_\_ every \_\_\_\_\_ before \_\_\_\_\_ start?

Before \_\_\_\_\_ please check valve \_\_\_\_\_.

Before we start, \_\_\_\_\_ to look \_\_\_\_\_ valve \_\_\_\_\_.

Before \_\_\_\_\_ you made \_\_\_\_\_ every essential \_\_\_\_\_ is fixed?

Is it possible \_\_\_\_\_ if \_\_\_\_\_ the correct position \_\_\_\_\_ activation?

\_\_\_\_\_ to turning on, \_\_\_\_\_ you \_\_\_\_\_?

\_\_\_\_\_ I \_\_\_\_\_ sure that \_\_\_\_\_ required \_\_\_\_\_ location \_\_\_\_\_ accurate before \_\_\_\_\_?

Before \_\_\_\_\_ switch, \_\_\_\_\_ confirm \_\_\_\_\_ correct \_\_\_\_\_ alignment?

\_\_\_\_\_ I get \_\_\_\_\_ valves are \_\_\_\_\_ in correctly?

\_\_\_\_\_ you need \_\_\_\_\_ please ensure proper positioning \_\_\_\_\_ all \_\_\_\_\_.

\_\_\_\_\_ double \_\_\_\_\_ the \_\_\_\_\_ starting up?

\_\_\_\_\_ make \_\_\_\_\_ valve is \_\_\_\_\_ properly before \_\_\_\_\_ power \_\_\_\_\_.

Correctly positioned \_\_\_\_\_ turning \_\_\_\_\_.

Are \_\_\_\_\_ before \_\_\_\_\_ start?

\_\_\_\_\_ you verify valve \_\_\_\_\_ switch \_\_\_\_\_?

\_\_\_\_\_ confirm the correct valve \_\_\_\_\_ event?

Does \_\_\_\_\_ the \_\_\_\_\_ work \_\_\_\_\_ switch \_\_\_\_\_?

Is \_\_\_\_\_ the \_\_\_\_\_ in \_\_\_\_\_ proper \_\_\_\_\_ before \_\_\_\_\_ turn \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ valve \_\_\_\_\_ power-on?

Is it possible to \_\_\_\_\_ that each \_\_\_\_\_ is \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ I make \_\_\_\_\_ valve location is accurate before \_\_\_\_\_?

\_\_\_\_\_ valves should \_\_\_\_\_ in \_\_\_\_\_ positions \_\_\_\_\_ the event.

Can \_\_\_\_\_ before you \_\_\_\_\_ on?

Can \_\_\_\_\_ know \_\_\_\_\_ precise location \_\_\_\_\_ before starting them?

Do \_\_\_\_\_ you start?

Ensure \_\_\_\_\_ of \_\_\_\_\_ required \_\_\_\_\_ before power \_\_\_\_\_.

It is \_\_\_\_\_ valve \_\_\_\_\_ before activation.

Will all valves \_\_\_\_\_ switch \_\_\_\_\_?

Do \_\_\_\_\_ know if the valves are \_\_\_\_\_ position \_\_\_\_\_ are \_\_\_\_\_?

Do \_\_\_\_ double-check \_\_\_\_ starting everything?

Right \_\_\_\_ it \_\_\_\_ you \_\_\_\_ check \_\_\_\_ the valves \_\_\_\_ up.

Do you \_\_\_\_ verify \_\_\_\_ positioning \_\_\_\_ you \_\_\_\_ them?

\_\_\_\_ valves need \_\_\_\_ aligned prior to \_\_\_\_ energy?

Are we assured \_\_\_\_ prior to \_\_\_\_?

Before turning on \_\_\_\_ valves in \_\_\_\_ positions?

Ensure \_\_\_\_ positioning \_\_\_\_ the \_\_\_\_ valves before \_\_\_\_.

\_\_\_\_ you \_\_\_\_ to see if the \_\_\_\_ correctly before \_\_\_\_ the \_\_\_\_?

Can you \_\_\_\_ positions \_\_\_\_ on?

\_\_\_\_ possible to \_\_\_\_ each \_\_\_\_ is \_\_\_\_ for use?

All valves need \_\_\_\_ be \_\_\_\_ positions prior \_\_\_\_.

\_\_\_\_ a location \_\_\_\_ all the valves should \_\_\_\_ before \_\_\_\_?

Can you \_\_\_\_ before you switch \_\_\_\_.

Can \_\_\_\_ correct valve \_\_\_\_ prior to \_\_\_\_ on?

\_\_\_\_ all the \_\_\_\_ where \_\_\_\_ to be \_\_\_\_ on?

\_\_\_\_ begin, make sure \_\_\_\_ valve spots.

\_\_\_\_ you \_\_\_\_ every essential valve is fixed before \_\_\_\_?

\_\_\_\_ valve alignment prior to \_\_\_\_ switch \_\_\_\_?

Will \_\_\_\_ valves \_\_\_\_ positioned \_\_\_\_ before \_\_\_\_ on?

\_\_\_\_ we checked \_\_\_\_ valve \_\_\_\_ before \_\_\_\_?

Is \_\_\_\_ valve \_\_\_\_ before \_\_\_\_ it on?

Do \_\_\_\_ have \_\_\_\_ ability \_\_\_\_ verify correct valve \_\_\_\_?

Before turning on \_\_\_\_ all the \_\_\_\_ exactly \_\_\_\_ to \_\_\_\_?

Is \_\_\_\_ valves \_\_\_\_ I turn on?

\_\_\_\_ ensure proper \_\_\_\_ of required valves.

\_\_\_\_ an \_\_\_\_ about valve \_\_\_\_ the power-on?

\_\_\_\_ power up, \_\_\_\_ me if \_\_\_\_ are perfectly \_\_\_\_.

Do \_\_\_\_ check \_\_\_\_ before starting?

Can I \_\_\_\_ sure \_\_\_\_ valve's location \_\_\_\_ prior to \_\_\_\_ it \_\_\_\_?

Have \_\_\_\_ been \_\_\_\_ correctly \_\_\_\_ turning on?

Before we switch \_\_\_\_ valves \_\_\_\_?

Is \_\_\_\_ possible to \_\_\_\_ correct \_\_\_\_ positions \_\_\_\_ on?

Is all \_\_\_\_ positioned \_\_\_\_ on?

\_\_\_\_ you \_\_\_\_ if \_\_\_\_ valves are \_\_\_\_ to power on?

Is \_\_\_\_ to request that each \_\_\_\_ ready \_\_\_\_ use \_\_\_\_?

\_\_\_\_ you \_\_\_\_ to \_\_\_\_ if \_\_\_\_ valves \_\_\_\_ in working order before \_\_\_\_?

\_\_\_\_ valves \_\_\_\_ correctly prior to \_\_\_\_ on?

\_\_\_\_ goes up, please \_\_\_\_ positioning.

Before turning on, \_\_\_\_ the \_\_\_\_ positions.

\_\_\_\_ the \_\_\_\_ where they \_\_\_\_ to be \_\_\_\_ turning \_\_\_\_?

Is \_\_\_\_ possible \_\_\_\_ every \_\_\_\_ correctly positioned \_\_\_\_ activation?

Before \_\_\_\_ whether \_\_\_\_ essential valve has been adequately \_\_\_\_.

\_\_\_\_ anything happens, \_\_\_\_ the valves \_\_\_\_ should be?

Ensure \_\_\_\_ the valves before \_\_\_\_ are \_\_\_\_ up.

\_\_\_\_ the \_\_\_\_ aligned correctly \_\_\_\_?

\_\_\_\_ double-check your valves \_\_\_\_ you \_\_\_\_?

Is proper \_\_\_\_ before the \_\_\_\_ on?

\_\_\_\_ double-check valves before \_\_\_\_?

\_\_\_\_ the valves \_\_\_\_ before they \_\_\_\_?

Is the \_\_\_\_ well \_\_\_\_?

Is there a guarantee \_\_\_\_\_ to \_\_\_\_\_?

You \_\_\_\_\_ the \_\_\_\_\_ were \_\_\_\_\_ before you start.

\_\_\_\_\_ we start, \_\_\_\_\_ valve spots, \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ valves, are \_\_\_\_\_ correctly?

Is it possible that \_\_\_\_\_ location is \_\_\_\_\_ it?

\_\_\_\_\_ you double-check \_\_\_\_\_ you begin?

\_\_\_\_\_ you confirm \_\_\_\_\_ turn on?

\_\_\_\_\_ it \_\_\_\_\_ confirm if every valve is \_\_\_\_\_ activation?

Are there \_\_\_\_\_ valves that \_\_\_\_\_ positioned \_\_\_\_\_ power \_\_\_\_\_?

\_\_\_\_\_ the valves \_\_\_\_\_ where they need \_\_\_\_\_ be before \_\_\_\_\_?

\_\_\_\_\_ the valves before \_\_\_\_\_ switch?

Is \_\_\_\_\_ regarding \_\_\_\_\_ alignment \_\_\_\_\_ switch-on status?

\_\_\_\_\_ it possible \_\_\_\_\_ if every valve is \_\_\_\_\_ activation?

Can you \_\_\_\_\_ valve is positioned correctly \_\_\_\_\_ power \_\_\_\_\_?

All \_\_\_\_\_ should be \_\_\_\_\_ positions \_\_\_\_\_ to the \_\_\_\_\_.

Will \_\_\_\_\_ valves before you \_\_\_\_\_?

\_\_\_\_\_ double \_\_\_\_\_ at the \_\_\_\_\_ before you \_\_\_\_\_?

Do \_\_\_\_\_ know \_\_\_\_\_ proper valve alignment \_\_\_\_\_ power \_\_\_\_\_ up?

Before turning \_\_\_\_\_ the \_\_\_\_\_ valves \_\_\_\_\_ correctly?

\_\_\_\_\_ possible to just check \_\_\_\_\_ you \_\_\_\_\_?

\_\_\_\_\_ we know \_\_\_\_\_ are positioned correctly \_\_\_\_\_ open?

\_\_\_\_\_ verify the position \_\_\_\_\_ the \_\_\_\_\_ before you \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ valve positions \_\_\_\_\_ turning \_\_\_\_\_?

Prior \_\_\_\_\_ turning on, are \_\_\_\_\_ correctly?

\_\_\_\_\_ be positioned before \_\_\_\_\_ on.

\_\_\_\_\_ you \_\_\_\_\_ the valves \_\_\_\_\_ set \_\_\_\_\_ correctly?

\_\_\_\_\_ it possible \_\_\_\_\_ valve placement before.

\_\_\_\_\_ able \_\_\_\_\_ proof ideal \_\_\_\_\_ positioning \_\_\_\_\_?

Can \_\_\_\_\_ the correct valve alignment \_\_\_\_\_ switch on?

Please confirm if \_\_\_\_\_ are \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ it possible \_\_\_\_\_ before turning on?

\_\_\_\_\_ you turn on \_\_\_\_\_ have \_\_\_\_\_ it?

\_\_\_\_\_ valves \_\_\_\_\_ positioned prior to turning on.

\_\_\_\_\_ the valves positioned \_\_\_\_\_ on?

\_\_\_\_\_ the valves \_\_\_\_\_ should \_\_\_\_\_ in proper positions.

Do \_\_\_\_\_ know \_\_\_\_\_ essential valves \_\_\_\_\_ aligned \_\_\_\_\_ before the \_\_\_\_\_ on?

Will you \_\_\_\_\_ able to confirm \_\_\_\_\_ them?

\_\_\_\_\_ proper valve \_\_\_\_\_ before \_\_\_\_\_ start.

\_\_\_\_\_ if the valves are placed correctly before \_\_\_\_\_ power \_\_\_\_\_.

Correct valve \_\_\_\_\_ analysis should \_\_\_\_\_ confirmed.

Will \_\_\_\_\_ please check \_\_\_\_\_ make \_\_\_\_\_ that \_\_\_\_\_ been \_\_\_\_\_ correctly?

\_\_\_\_\_ in proper \_\_\_\_\_ before turning \_\_\_\_\_.

Please make \_\_\_\_\_ valve position \_\_\_\_\_ before you \_\_\_\_\_.

\_\_\_\_\_ to \_\_\_\_\_ sure all required valves are \_\_\_\_\_?

\_\_\_\_\_ confirm if all \_\_\_\_\_ are \_\_\_\_\_.

Do you know \_\_\_\_\_ valves \_\_\_\_\_ correctly \_\_\_\_\_ you power \_\_\_\_\_?

\_\_\_\_\_ make sure that \_\_\_\_\_ valve \_\_\_\_\_ correct before \_\_\_\_\_ up.

Before you start, \_\_\_\_\_ to check \_\_\_\_\_ up.

\_\_\_\_\_ it possible to verify \_\_\_\_\_ the event?

\_\_\_\_\_ valves \_\_\_\_\_ checked \_\_\_\_\_ you \_\_\_\_\_ on?

Is \_\_\_\_\_ aligned \_\_\_\_\_ to \_\_\_\_\_?

Can \_\_\_\_\_ count \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_ being \_\_\_\_\_ before \_\_\_\_\_ start it?

Can you \_\_\_\_\_ out \_\_\_\_\_?

Does \_\_\_\_\_ valve \_\_\_\_\_ and switch-on status?

\_\_\_\_\_ every essential \_\_\_\_\_ has been set correctly.

\_\_\_\_\_ you sure about \_\_\_\_\_ before \_\_\_\_\_ on?

Is all \_\_\_\_\_ turning on?

It \_\_\_\_\_ that you \_\_\_\_\_ positioning \_\_\_\_\_ you power up.

\_\_\_\_\_ turning on, are \_\_\_\_\_ valves \_\_\_\_\_ correct \_\_\_\_\_?

Can I \_\_\_\_\_ on \_\_\_\_\_ location \_\_\_\_\_ required valve \_\_\_\_\_ it up?

\_\_\_\_\_ to make \_\_\_\_\_ no \_\_\_\_\_ are \_\_\_\_\_ with valve \_\_\_\_\_.

Can you \_\_\_\_\_ positions \_\_\_\_\_ you \_\_\_\_\_ on?

\_\_\_\_\_ we start, \_\_\_\_\_ to check the \_\_\_\_\_ spots?

All valves \_\_\_\_\_ properly \_\_\_\_\_ on.

Can \_\_\_\_\_ positioned \_\_\_\_\_ I turn on?

Are \_\_\_\_\_ going \_\_\_\_\_ check if \_\_\_\_\_ you \_\_\_\_\_ the switch?

Do \_\_\_\_\_ if the \_\_\_\_\_ are \_\_\_\_\_ position \_\_\_\_\_ the event?

Is \_\_\_\_\_ a \_\_\_\_\_ of accurate valve \_\_\_\_\_ switch-on \_\_\_\_\_?

Check \_\_\_\_\_ key valves \_\_\_\_\_ aligned \_\_\_\_\_ activation.

Before \_\_\_\_\_ on, \_\_\_\_\_ valves \_\_\_\_\_ proper \_\_\_\_\_?

Did \_\_\_\_\_ know valve \_\_\_\_\_ before \_\_\_\_\_?

\_\_\_\_\_ valves \_\_\_\_\_ to \_\_\_\_\_ checked before you switch \_\_\_\_\_?

Before we start \_\_\_\_\_ spots.

All \_\_\_\_\_ essential \_\_\_\_\_ before you power on.

\_\_\_\_\_ sure every valve \_\_\_\_\_ before you start?

The Valves in \_\_\_\_\_ positions \_\_\_\_\_.

\_\_\_\_\_ you ensured that \_\_\_\_\_ valves \_\_\_\_\_ fixed before \_\_\_\_\_ on?

Is there a \_\_\_\_\_ valve \_\_\_\_\_ then switch-on \_\_\_\_\_?

Is the \_\_\_\_\_ perfectly \_\_\_\_\_ before \_\_\_\_\_?

Is \_\_\_\_\_ of valve \_\_\_\_\_ power-on?

\_\_\_\_\_ there any \_\_\_\_\_ regarding \_\_\_\_\_ alignment and \_\_\_\_\_ on \_\_\_\_\_?

Does validation \_\_\_\_\_ done \_\_\_\_\_ proper \_\_\_\_\_ alignment before power \_\_\_\_\_?

It \_\_\_\_\_ to \_\_\_\_\_ key valves are aligned correctly.

Do we \_\_\_\_\_ a guarantee \_\_\_\_\_ positions \_\_\_\_\_?

Have you \_\_\_\_\_ valves are fixed before \_\_\_\_\_ on?

\_\_\_\_\_ I know \_\_\_\_\_ correct location of \_\_\_\_\_ before starting \_\_\_\_\_?

\_\_\_\_\_ depend on \_\_\_\_\_ of \_\_\_\_\_ required \_\_\_\_\_ to starting it?

Will \_\_\_\_\_ make sure that \_\_\_\_\_ valves \_\_\_\_\_ been put \_\_\_\_\_?

Can \_\_\_\_\_ correct \_\_\_\_\_ alignment before you switch \_\_\_\_\_.

\_\_\_\_\_ going to \_\_\_\_\_ valves \_\_\_\_\_ you switch?

Before \_\_\_\_\_ on are \_\_\_\_\_ correctly?

\_\_\_\_\_ you \_\_\_\_\_ valve \_\_\_\_\_ before being switched on?

Do \_\_\_\_\_ want \_\_\_\_\_ sure \_\_\_\_\_ the necessary \_\_\_\_\_ have been \_\_\_\_\_?

\_\_\_\_\_ confirm \_\_\_\_\_ valve placement \_\_\_\_\_ the event.

\_\_\_\_\_ it possible to confirm \_\_\_\_\_ valve alignment prior \_\_\_\_\_?

Is the required valves in \_\_\_\_\_ on?

Is there \_\_\_\_\_ positioned correctly before \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ valve \_\_\_\_\_ correct before \_\_\_\_\_ turn \_\_\_\_\_?

\_\_\_\_\_ you confirm \_\_\_\_\_ positions \_\_\_\_\_ turn on?

Have the necessary valves \_\_\_\_\_ using \_\_\_\_\_?

\_\_\_\_\_ check to make sure \_\_\_\_\_ valves did \_\_\_\_\_ start.  
\_\_\_\_\_ the necessary valves in their correct \_\_\_\_\_ on?  
\_\_\_\_\_ I \_\_\_\_\_ sure \_\_\_\_\_ the valve location is \_\_\_\_\_ before I \_\_\_\_\_?  
Is \_\_\_\_\_ possible to \_\_\_\_\_ placement \_\_\_\_\_?  
\_\_\_\_\_ please check valve \_\_\_\_\_.  
Can I \_\_\_\_\_ certain that \_\_\_\_\_ is accurate prior \_\_\_\_\_ it?  
\_\_\_\_\_ any \_\_\_\_\_ positions before power-on?  
\_\_\_\_\_ to be in \_\_\_\_\_ proper \_\_\_\_\_ prior \_\_\_\_\_ activation.  
Can \_\_\_\_\_ check the \_\_\_\_\_ valve positions \_\_\_\_\_?  
Is it possible you \_\_\_\_\_ sure the \_\_\_\_\_ before you flip \_\_\_\_\_?  
Is \_\_\_\_\_ to say that all \_\_\_\_\_ positioned \_\_\_\_\_ before \_\_\_\_\_?  
\_\_\_\_\_ you \_\_\_\_\_ valve \_\_\_\_\_ when you \_\_\_\_\_ on?  
Make \_\_\_\_\_ are in \_\_\_\_\_ before starting.  
\_\_\_\_\_ we know \_\_\_\_\_ the \_\_\_\_\_ valves \_\_\_\_\_ positioned \_\_\_\_\_ before operating?  
Is the \_\_\_\_\_ placed \_\_\_\_\_ switch \_\_\_\_\_?  
Do \_\_\_\_\_ know the \_\_\_\_\_ you turn \_\_\_\_\_?  
Will the \_\_\_\_\_ be \_\_\_\_\_ they \_\_\_\_\_ before \_\_\_\_\_ anything?  
Before starting, \_\_\_\_\_ valves \_\_\_\_\_ in \_\_\_\_\_.  
\_\_\_\_\_ if \_\_\_\_\_ valves \_\_\_\_\_ where they should be \_\_\_\_\_ turning on \_\_\_\_\_.  
\_\_\_\_\_ sure \_\_\_\_\_ valves are good to go \_\_\_\_\_ flip the switch?  
Is \_\_\_\_\_ valves good \_\_\_\_\_?  
\_\_\_\_\_ to activation \_\_\_\_\_ all \_\_\_\_\_ in \_\_\_\_\_?