

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Natural Gas Companies
<b>Inquiry Category</b>	Natural disaster response support
<b>Inquiry Sub-Category</b>	Safety information
<b>Description</b>	Customers requesting general safety information regarding natural gas usage during and after a natural disaster, including tips on detecting gas leaks and safe practices when using natural gas appliances.
<b>Data Size</b>	5,066 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Natural Gas Company" customer inquiry. (Purchased data will not be masked.)

\_\_\_\_ there \_\_\_\_\_ off/on \_\_\_\_\_ supplies before/after such incidents occur nearby \_\_\_\_\_?

\_\_\_\_ a crime happens \_\_\_\_\_ us, are there \_\_\_\_\_ instructions \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_?

\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ commercial \_\_\_\_\_ residential supplies \_\_\_\_\_ something happens?

Can you tell me \_\_\_\_\_ off \_\_\_\_\_ and commercial supplies \_\_\_\_\_ us?

\_\_\_\_ \_\_\_\_\_ shutdown tips before the bad things \_\_\_\_\_ my \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ protocol \_\_\_\_\_ on/off energy \_\_\_\_\_ at properties \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_ there \_\_\_\_\_ off \_\_\_\_\_ when there is a crime near us?

Can \_\_\_\_\_ rules \_\_\_\_\_ how \_\_\_\_\_ cut \_\_\_\_\_ during emergencies?

\_\_\_\_ you give \_\_\_\_\_ follow \_\_\_\_\_ turning off/commercial resources?

Is there a \_\_\_\_\_ to \_\_\_\_\_ our utilities \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_ it possible to \_\_\_\_\_ residential \_\_\_\_\_ commercial \_\_\_\_\_ before \_\_\_\_\_ certain \_\_\_\_\_ occur nearby?

Are \_\_\_\_\_ guidelines \_\_\_\_\_ off \_\_\_\_\_ there are incidents nearby us?

\_\_\_\_ are special \_\_\_\_\_ for \_\_\_\_\_ commercial \_\_\_\_\_ supplies before \_\_\_\_\_ in close proximity \_\_\_\_\_ us.

How \_\_\_\_\_ I know \_\_\_\_\_ specific \_\_\_\_\_ tips before \_\_\_\_\_ my \_\_\_\_\_?

Are \_\_\_\_\_ instructions for \_\_\_\_\_ commercial supply \_\_\_\_\_ case of \_\_\_\_\_ incidents \_\_\_\_\_ us?

Do you have \_\_\_\_\_ to \_\_\_\_\_ resources?

\_\_\_\_ any \_\_\_\_\_ on \_\_\_\_\_ turn off \_\_\_\_\_ and residential \_\_\_\_\_ an incident happens?

Is \_\_\_\_\_ set \_\_\_\_\_ rules \_\_\_\_\_ power in residential \_\_\_\_\_ near \_\_\_\_\_?

Are there \_\_\_\_\_ special guidelines \_\_\_\_\_ to turn off \_\_\_\_\_ when something \_\_\_\_\_ happens?

Is there any guidelines \_\_\_\_\_ shutting \_\_\_\_\_ residential \_\_\_\_\_ proximity \_\_\_\_\_?

Are the \_\_\_\_\_ for \_\_\_\_\_ residential and commercial \_\_\_\_\_?

\_\_\_\_ \_\_\_\_\_ turning off supplies when \_\_\_\_\_ incidents close to us?

There \_\_\_\_\_ established \_\_\_\_\_ residential/commercial shutdowns.

Do you have \_\_\_\_\_ to follow \_\_\_\_\_ turning \_\_\_\_\_?

\_\_\_\_ there \_\_\_\_\_ of turning off supplies before \_\_\_\_\_ incidents \_\_\_\_\_?

\_\_\_\_ there a way \_\_\_\_\_ turn \_\_\_\_\_ utilities \_\_\_\_\_ in \_\_\_\_\_ problem?

\_\_\_\_ there \_\_\_\_\_ for turning off \_\_\_\_\_?

Is there any instructions about \_\_\_\_\_ and \_\_\_\_\_ are incidents \_\_\_\_\_?

\_\_\_\_\_ guidelines for \_\_\_\_\_ off \_\_\_\_\_ and commercial \_\_\_\_\_ in \_\_\_\_\_?

When disaster \_\_\_\_\_ close \_\_\_\_\_ hand, \_\_\_\_\_ instructions for supplies?

\_\_\_\_\_ there \_\_\_\_\_ set \_\_\_\_\_ for residential/commercial \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way to turn off \_\_\_\_\_ supplies when \_\_\_\_\_ crime happens \_\_\_\_\_?

\_\_\_\_\_ any guidelines on how to turn off residential \_\_\_\_\_ commercial \_\_\_\_\_ when \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ special guidelines on how \_\_\_\_\_ turn off residential \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ local incidents, \_\_\_\_\_ to \_\_\_\_\_ switch?

How about specific \_\_\_\_\_ my neighbourhood?

Is \_\_\_\_\_ a way of \_\_\_\_\_ supplies before \_\_\_\_\_ some incidents \_\_\_\_\_?

Recommendations for \_\_\_\_\_ off residential \_\_\_\_\_ commercial supplies \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ there an \_\_\_\_\_ protocol \_\_\_\_\_ residential and \_\_\_\_\_?

Is there \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ commercial supplies when there \_\_\_\_\_ incidents \_\_\_\_\_?

What guidelines \_\_\_\_\_ shutting off \_\_\_\_\_ supply \_\_\_\_\_ close \_\_\_\_\_ of \_\_\_\_\_?

Can you tell me \_\_\_\_\_ tips \_\_\_\_\_ chaos strikes \_\_\_\_\_?

Are there any \_\_\_\_\_ guidelines \_\_\_\_\_ turning off commercial \_\_\_\_\_ supplies \_\_\_\_\_ incidents?

\_\_\_\_\_ there \_\_\_\_\_ specific \_\_\_\_\_ on residential and \_\_\_\_\_ supply \_\_\_\_\_ are incidents nearby?

What are the \_\_\_\_\_ shutting \_\_\_\_\_ in \_\_\_\_\_ of an event?

\_\_\_\_\_ there any special guidelines for turning off \_\_\_\_\_ when \_\_\_\_\_ a crime \_\_\_\_\_ us?

\_\_\_\_\_ there \_\_\_\_\_ special guidelines to turn off \_\_\_\_\_ and commercial \_\_\_\_\_ there \_\_\_\_\_?

Is \_\_\_\_\_ recommended \_\_\_\_\_ and commercial \_\_\_\_\_ the vicinity of us?

\_\_\_\_\_ it possible to \_\_\_\_\_ and \_\_\_\_\_ supplies \_\_\_\_\_ there are incidents \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ supplies before \_\_\_\_\_ occur?

Is \_\_\_\_\_ possible to turn \_\_\_\_\_ before \_\_\_\_\_ after \_\_\_\_\_ nearby?

When \_\_\_\_\_ crime happens \_\_\_\_\_ to your \_\_\_\_\_ any \_\_\_\_\_ on how to \_\_\_\_\_ commercial and \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ special guidelines for turning off residential \_\_\_\_\_ commercial \_\_\_\_\_?

\_\_\_\_\_ anyone give me \_\_\_\_\_ shutting \_\_\_\_\_ after a \_\_\_\_\_?

Is there \_\_\_\_\_ to turn \_\_\_\_\_ residential supplies \_\_\_\_\_ there \_\_\_\_\_ in the vicinity?

When disaster \_\_\_\_\_ hand what \_\_\_\_\_ are \_\_\_\_\_ for residential and \_\_\_\_\_?

Are \_\_\_\_\_ turning off/on commercial and residential \_\_\_\_\_ in \_\_\_\_\_?

Can you give \_\_\_\_\_ instructions on how \_\_\_\_\_ switch \_\_\_\_\_?

\_\_\_\_\_ instructions to turn off \_\_\_\_\_ after an incident?

\_\_\_\_\_ for turning off \_\_\_\_\_ and \_\_\_\_\_ supplies \_\_\_\_\_ vicinity of us?

Is \_\_\_\_\_ any \_\_\_\_\_ guidelines on how \_\_\_\_\_ turn off commercial \_\_\_\_\_ residential \_\_\_\_\_ incidents?

Is \_\_\_\_\_ set \_\_\_\_\_ guidelines \_\_\_\_\_ off residential and commercial supplies before \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ set \_\_\_\_\_ for \_\_\_\_\_ off residential \_\_\_\_\_ commercial \_\_\_\_\_ before or after \_\_\_\_\_ occur \_\_\_\_\_?

Is \_\_\_\_\_ way to turn \_\_\_\_\_ in \_\_\_\_\_ of problems?

\_\_\_\_\_ protocol \_\_\_\_\_ residential/commercial shutdowns \_\_\_\_\_?

\_\_\_\_\_ wonder if there are \_\_\_\_\_ for \_\_\_\_\_ crises.

Are guidelines \_\_\_\_\_ us there?

\_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_ supplies in the \_\_\_\_\_ of \_\_\_\_\_?

How are we \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ are nearby?

Is \_\_\_\_\_ any \_\_\_\_\_ on how to turn off residential \_\_\_\_\_ supplies \_\_\_\_\_ there \_\_\_\_\_ us?

Is there \_\_\_\_\_ formal \_\_\_\_\_ about \_\_\_\_\_ provisions at \_\_\_\_\_ next \_\_\_\_\_ incident \_\_\_\_\_?

Are there \_\_\_\_\_ for \_\_\_\_\_ off residential \_\_\_\_\_ supplies \_\_\_\_\_ area \_\_\_\_\_ us?

Can you \_\_\_\_\_ instructions \_\_\_\_\_ to switch off/ \_\_\_\_\_?

Before \_\_\_\_\_ incidents \_\_\_\_\_ there be rules to \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ guidelines \_\_\_\_\_ how to turn \_\_\_\_\_ and \_\_\_\_\_ in close \_\_\_\_\_ to us?

\_\_\_\_\_ any way \_\_\_\_\_ off \_\_\_\_\_ and residential supplies when there \_\_\_\_\_ crime near \_\_\_\_\_?

Are \_\_\_\_\_ guidelines for turning \_\_\_\_\_ when there \_\_\_\_\_ a crime close \_\_\_\_\_ us?

\_\_\_\_\_ there \_\_\_\_\_ formal protocol for turning on/off \_\_\_\_\_ at properties \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ tell \_\_\_\_\_ special guidelines for turning off residential \_\_\_\_\_ supplies when \_\_\_\_\_ are \_\_\_\_\_ nearby?  
 \_\_\_\_\_ instructions for controlling power \_\_\_\_\_ crises?  
 \_\_\_\_\_ tell me if \_\_\_\_\_ guidelines on \_\_\_\_\_ to turn \_\_\_\_\_ supplies when such incidents \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ off supplies before or \_\_\_\_\_ something \_\_\_\_\_ the \_\_\_\_\_?  
 When \_\_\_\_\_ happens close to us, do \_\_\_\_\_ guidelines for turning \_\_\_\_\_ supplies?  
 Are \_\_\_\_\_ special guidelines \_\_\_\_\_ to \_\_\_\_\_ off supplies when there \_\_\_\_\_?  
 I \_\_\_\_\_ to \_\_\_\_\_ if there \_\_\_\_\_ guidelines for turning off residential \_\_\_\_\_ after \_\_\_\_\_ occur \_\_\_\_\_.  
 Is \_\_\_\_\_ a set \_\_\_\_\_ for \_\_\_\_\_ off \_\_\_\_\_ commercial supplies \_\_\_\_\_ occur nearby?  
 \_\_\_\_\_ are the guidelines \_\_\_\_\_ for \_\_\_\_\_ incident sites?  
 protocol \_\_\_\_\_ home/business \_\_\_\_\_ us  
 Can \_\_\_\_\_ when \_\_\_\_\_ switch off/on resources after \_\_\_\_\_ neighbourhood \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ guidelines \_\_\_\_\_ turning \_\_\_\_\_ residential supplies when there are \_\_\_\_\_ close \_\_\_\_\_ us?  
 \_\_\_\_\_ there \_\_\_\_\_ guidelines on \_\_\_\_\_ to turn \_\_\_\_\_ commercial supplies \_\_\_\_\_ event of an \_\_\_\_\_?  
 \_\_\_\_\_ there any special \_\_\_\_\_ turn off residential \_\_\_\_\_ when \_\_\_\_\_ incidents occur nearby?  
 Should \_\_\_\_\_ control utility switch before incidents?  
 Are guidelines for turning \_\_\_\_\_ vicinity of us here?  
 \_\_\_\_\_ find rules \_\_\_\_\_ how \_\_\_\_\_ power?  
 Is \_\_\_\_\_ a way \_\_\_\_\_ turn \_\_\_\_\_ before \_\_\_\_\_ any incidents \_\_\_\_\_ us?  
 Are \_\_\_\_\_ on how to \_\_\_\_\_ commercial and residential supplies \_\_\_\_\_ an \_\_\_\_\_ nearby?  
 \_\_\_\_\_ a protocol in \_\_\_\_\_ residential/commercial \_\_\_\_\_?  
 Can you tell me \_\_\_\_\_ switch \_\_\_\_\_ after \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ regarding extinguishing \_\_\_\_\_ to \_\_\_\_\_ sites?  
 Is there \_\_\_\_\_ special guidelines \_\_\_\_\_ how to \_\_\_\_\_ off supplies \_\_\_\_\_ in \_\_\_\_\_?  
 Is there \_\_\_\_\_ on how to \_\_\_\_\_ off commercial and \_\_\_\_\_ supplies \_\_\_\_\_ incident \_\_\_\_\_ us?  
 \_\_\_\_\_ specific \_\_\_\_\_ for \_\_\_\_\_ on \_\_\_\_\_ and commercial supply \_\_\_\_\_ event of \_\_\_\_\_ nearby \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ supplies if there are incidents nearby?  
 Any rules \_\_\_\_\_ changing \_\_\_\_\_ during \_\_\_\_\_?  
 Is there \_\_\_\_\_ way \_\_\_\_\_ before \_\_\_\_\_ certain \_\_\_\_\_ incidents occur nearby?  
 Is there \_\_\_\_\_ to turn off supplies before \_\_\_\_\_ incidents \_\_\_\_\_?  
 \_\_\_\_\_ there any special guidelines on \_\_\_\_\_ turn \_\_\_\_\_ when there is a crime \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ instructions for \_\_\_\_\_ on \_\_\_\_\_ commercial supplies in \_\_\_\_\_ case \_\_\_\_\_ these \_\_\_\_\_?  
 Is there \_\_\_\_\_ process \_\_\_\_\_ at properties next to \_\_\_\_\_ sites?  
 Is it possible to \_\_\_\_\_ off \_\_\_\_\_ before incidents \_\_\_\_\_?  
 \_\_\_\_\_ there any \_\_\_\_\_ guidelines on how to turn \_\_\_\_\_ is \_\_\_\_\_ close to \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ turn off residential and \_\_\_\_\_ supplies before \_\_\_\_\_ happen nearby \_\_\_\_\_?  
 Are \_\_\_\_\_ any \_\_\_\_\_ for \_\_\_\_\_ off commercial \_\_\_\_\_ residential supplies \_\_\_\_\_ nearby us?  
 Guidelines \_\_\_\_\_ off \_\_\_\_\_ and commercial supplies in \_\_\_\_\_ us \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ turn \_\_\_\_\_ commercial and residential \_\_\_\_\_ when \_\_\_\_\_ is a \_\_\_\_\_ nearby?  
 Is \_\_\_\_\_ how \_\_\_\_\_ turn off commercial \_\_\_\_\_ residential supplies \_\_\_\_\_ there \_\_\_\_\_ such incidents?  
 Is there \_\_\_\_\_ way \_\_\_\_\_ turn off \_\_\_\_\_ and commercial \_\_\_\_\_?  
 \_\_\_\_\_ we find guidelines \_\_\_\_\_ to cut power \_\_\_\_\_?  
 Is \_\_\_\_\_ any guidelines \_\_\_\_\_ how \_\_\_\_\_ turn off \_\_\_\_\_ case of \_\_\_\_\_ incident?  
 Is there any special guidelines \_\_\_\_\_ turn \_\_\_\_\_ residential \_\_\_\_\_ supplies \_\_\_\_\_ happens \_\_\_\_\_?  
 \_\_\_\_\_ there be \_\_\_\_\_ to \_\_\_\_\_ switching after local \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ turn \_\_\_\_\_ or after there is an \_\_\_\_\_?  
 \_\_\_\_\_ guidelines for \_\_\_\_\_ off supplies \_\_\_\_\_?  
 \_\_\_\_\_ disaster \_\_\_\_\_ hand, \_\_\_\_\_ instructions for supplies?  
 \_\_\_\_\_ have instructions \_\_\_\_\_ switch off resources?  
 Is there \_\_\_\_\_ guidelines for turning \_\_\_\_\_ in \_\_\_\_\_ vicinity?  
 Is there \_\_\_\_\_ off supplies when something \_\_\_\_\_ near our \_\_\_\_\_ any \_\_\_\_\_ place?

\_\_\_\_\_ there guidelines for \_\_\_\_\_ off \_\_\_\_\_ and \_\_\_\_\_ supplies \_\_\_\_\_ of us?  
 \_\_\_\_\_ is the procedure \_\_\_\_\_ turning supplies \_\_\_\_\_ after \_\_\_\_\_?  
 Is \_\_\_\_\_ a way to turn off \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ guidelines exist \_\_\_\_\_ shutting off the \_\_\_\_\_ supply \_\_\_\_\_ proximity \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ way to \_\_\_\_\_ in case of problems \_\_\_\_\_?  
 Are there \_\_\_\_\_ instructions for turning \_\_\_\_\_ residential \_\_\_\_\_ supply in the \_\_\_\_\_?  
 Is there a \_\_\_\_\_ to turn \_\_\_\_\_ before or \_\_\_\_\_ an \_\_\_\_\_?  
 \_\_\_\_\_ to turn off \_\_\_\_\_ emergencies?  
 \_\_\_\_\_ for turning \_\_\_\_\_ residential and \_\_\_\_\_ supplies nearby \_\_\_\_\_?  
 Is there \_\_\_\_\_ formal \_\_\_\_\_ for us to \_\_\_\_\_ on/off \_\_\_\_\_ properties \_\_\_\_\_ to \_\_\_\_\_?  
 How should we \_\_\_\_\_ energy \_\_\_\_\_ properties adjacent to \_\_\_\_\_?  
 Is \_\_\_\_\_ way to handle \_\_\_\_\_ energy \_\_\_\_\_ to incident sites?  
 Are \_\_\_\_\_ guidelines for \_\_\_\_\_ and \_\_\_\_\_ supplies \_\_\_\_\_ us?  
 \_\_\_\_\_ local incidents, any \_\_\_\_\_ utility \_\_\_\_\_?  
 \_\_\_\_\_ instructions \_\_\_\_\_ off Residential and \_\_\_\_\_ supplies \_\_\_\_\_ are incidents nearby?  
 \_\_\_\_\_ there specific guidelines for turning \_\_\_\_\_ or after \_\_\_\_\_ occur nearby?  
 \_\_\_\_\_ any \_\_\_\_\_ guidelines on how \_\_\_\_\_ turn \_\_\_\_\_ residential \_\_\_\_\_ commercial \_\_\_\_\_ there is \_\_\_\_\_ incident?  
 What \_\_\_\_\_ exist for \_\_\_\_\_ supply near \_\_\_\_\_?  
 Is \_\_\_\_\_ a \_\_\_\_\_ of guidelines \_\_\_\_\_ off \_\_\_\_\_ and \_\_\_\_\_ before and \_\_\_\_\_ a certain \_\_\_\_\_?  
 What directives \_\_\_\_\_ before and \_\_\_\_\_ neighboring \_\_\_\_\_?  
 \_\_\_\_\_ are special guidelines for \_\_\_\_\_ and \_\_\_\_\_ before \_\_\_\_\_ occur in our \_\_\_\_\_.  
 Is \_\_\_\_\_ a way \_\_\_\_\_ turning \_\_\_\_\_ after \_\_\_\_\_ incidents happen?  
 Is \_\_\_\_\_ rules for switching power \_\_\_\_\_?  
 \_\_\_\_\_ explain \_\_\_\_\_ to \_\_\_\_\_ utilities in a crisis?  
 Are \_\_\_\_\_ clear instructions for \_\_\_\_\_ local \_\_\_\_\_?  
 Are \_\_\_\_\_ any \_\_\_\_\_ on \_\_\_\_\_ to turn \_\_\_\_\_ commercial \_\_\_\_\_ in case \_\_\_\_\_ incidents?  
 Can \_\_\_\_\_ me instructions \_\_\_\_\_ turning off resources \_\_\_\_\_ neighbourhood \_\_\_\_\_?  
 There are any rules \_\_\_\_\_ during \_\_\_\_\_?  
 Can you \_\_\_\_\_ to switch on/off resources?  
 When a \_\_\_\_\_ to your \_\_\_\_\_ are there \_\_\_\_\_ for \_\_\_\_\_ and residential supplies?  
 Is \_\_\_\_\_ any special \_\_\_\_\_ how to turn off commercial \_\_\_\_\_ case \_\_\_\_\_ such \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ about \_\_\_\_\_ or reinstating \_\_\_\_\_ supply \_\_\_\_\_ there is \_\_\_\_\_ potential local \_\_\_\_\_?  
 \_\_\_\_\_ there a way \_\_\_\_\_ supplies \_\_\_\_\_ there are \_\_\_\_\_ incidents?  
 \_\_\_\_\_ for turning off \_\_\_\_\_ supplies in the \_\_\_\_\_ of \_\_\_\_\_.  
 Are \_\_\_\_\_ any special \_\_\_\_\_ to \_\_\_\_\_ off supplies \_\_\_\_\_ an incident \_\_\_\_\_?  
 \_\_\_\_\_ for turning off \_\_\_\_\_ residential \_\_\_\_\_ near us?  
 \_\_\_\_\_ a way to turn off \_\_\_\_\_ when \_\_\_\_\_ are incidents \_\_\_\_\_ our \_\_\_\_\_ other place?  
 Is there \_\_\_\_\_ guidelines \_\_\_\_\_ shutting \_\_\_\_\_ residential supply \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ for turning \_\_\_\_\_ near \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ turning off supplies before \_\_\_\_\_ happen?  
 \_\_\_\_\_ guidelines for \_\_\_\_\_ residential supply in proximity of \_\_\_\_\_?  
 There are special \_\_\_\_\_ to \_\_\_\_\_ and commercial supplies when \_\_\_\_\_ are incidents close \_\_\_\_\_.  
 Are \_\_\_\_\_ any guidelines on how to turn \_\_\_\_\_ commercial supplies in \_\_\_\_\_?  
 \_\_\_\_\_ there any guidelines on \_\_\_\_\_ to \_\_\_\_\_ off residential and \_\_\_\_\_ something \_\_\_\_\_ vicinity?  
 Is \_\_\_\_\_ residential \_\_\_\_\_ commercial shutdowns?  
 Is there \_\_\_\_\_ to \_\_\_\_\_ off supplies \_\_\_\_\_ something \_\_\_\_\_ in \_\_\_\_\_ area?  
 Do there \_\_\_\_\_ for turning on \_\_\_\_\_ and \_\_\_\_\_ the \_\_\_\_\_ these incidents?  
 Rules \_\_\_\_\_ shutting \_\_\_\_\_ connected services \_\_\_\_\_ are local \_\_\_\_\_?  
 \_\_\_\_\_ was \_\_\_\_\_ if \_\_\_\_\_ was a \_\_\_\_\_ cutting power in \_\_\_\_\_ near \_\_\_\_\_.  
 Can you \_\_\_\_\_ us \_\_\_\_\_ on how \_\_\_\_\_ switch \_\_\_\_\_?

Are guidelines \_\_\_\_\_ turning \_\_\_\_\_ commercial \_\_\_\_\_ near us \_\_\_\_\_?

Are \_\_\_\_\_ any guidelines \_\_\_\_\_ to \_\_\_\_\_ commercial and residential supplies \_\_\_\_\_ there is \_\_\_\_\_ close \_\_\_\_\_?

\_\_\_\_\_ we find \_\_\_\_\_ on how to cut \_\_\_\_\_?

\_\_\_\_\_ on/off supplies near \_\_\_\_\_ specific \_\_\_\_\_ are \_\_\_\_\_?

Are there any special guidelines \_\_\_\_\_ turning off \_\_\_\_\_ there's a \_\_\_\_\_?

\_\_\_\_\_ shutdown tips when \_\_\_\_\_ strikes \_\_\_\_\_ neighbourhood?

\_\_\_\_\_ looms \_\_\_\_\_ hand, can supplies be ordered \_\_\_\_\_?

Is there any special guidelines \_\_\_\_\_ residential and \_\_\_\_\_ are \_\_\_\_\_ nearby?

\_\_\_\_\_ there \_\_\_\_\_ set \_\_\_\_\_ for controlling \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ disaster looms close at \_\_\_\_\_ do residential/commercial \_\_\_\_\_?

\_\_\_\_\_ me if there \_\_\_\_\_ specific guidelines \_\_\_\_\_ cutting \_\_\_\_\_ supplies?

\_\_\_\_\_ there any rules to \_\_\_\_\_ utility \_\_\_\_\_ local \_\_\_\_\_?

Are \_\_\_\_\_ guidelines \_\_\_\_\_ off residential and \_\_\_\_\_ supply in \_\_\_\_\_ vicinity \_\_\_\_\_?

Is it possible \_\_\_\_\_ turn \_\_\_\_\_ and \_\_\_\_\_ supplies before \_\_\_\_\_ after \_\_\_\_\_ occurs?

\_\_\_\_\_ there \_\_\_\_\_ shutting \_\_\_\_\_ supply in close proximity of \_\_\_\_\_?

\_\_\_\_\_ disaster looms close \_\_\_\_\_ hand \_\_\_\_\_ residential \_\_\_\_\_ have on/off \_\_\_\_\_?

\_\_\_\_\_ directives \_\_\_\_\_ cessation or reinstating of \_\_\_\_\_ supply after \_\_\_\_\_ potential \_\_\_\_\_ disruption?

What guidelines should be \_\_\_\_\_ off \_\_\_\_\_ in \_\_\_\_\_ an event?

Is there a way \_\_\_\_\_ off \_\_\_\_\_ after \_\_\_\_\_ incidents occur in \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ guidelines \_\_\_\_\_ how to turn \_\_\_\_\_ residential \_\_\_\_\_ supplies \_\_\_\_\_ of a crime?

\_\_\_\_\_ it possible to \_\_\_\_\_ residential/commercial supplies \_\_\_\_\_ or \_\_\_\_\_ such \_\_\_\_\_ us?

\_\_\_\_\_ there any special guidelines for \_\_\_\_\_ off \_\_\_\_\_ and \_\_\_\_\_ occur \_\_\_\_\_?

\_\_\_\_\_ turning off residential \_\_\_\_\_ commercial supplies when \_\_\_\_\_ are incidents \_\_\_\_\_ us?

Are there \_\_\_\_\_ instructions \_\_\_\_\_ off \_\_\_\_\_ when there \_\_\_\_\_ incidents \_\_\_\_\_?

Is there \_\_\_\_\_ residential supplies?

\_\_\_\_\_ guidelines \_\_\_\_\_ to \_\_\_\_\_ residential supply in close \_\_\_\_\_ such events?

Rules \_\_\_\_\_ switch residential \_\_\_\_\_ incidents?

\_\_\_\_\_ local \_\_\_\_\_ any \_\_\_\_\_ to \_\_\_\_\_ switch?

How \_\_\_\_\_ I turn \_\_\_\_\_ supplies \_\_\_\_\_?

How do \_\_\_\_\_ supplies \_\_\_\_\_ after nearby \_\_\_\_\_?

\_\_\_\_\_ any special guidelines on \_\_\_\_\_ turn \_\_\_\_\_ supplies in the \_\_\_\_\_ of \_\_\_\_\_ incident in \_\_\_\_\_?

\_\_\_\_\_ there a way \_\_\_\_\_ turn \_\_\_\_\_ some incidents \_\_\_\_\_?

Is there \_\_\_\_\_ to turn \_\_\_\_\_ before \_\_\_\_\_ some incidents \_\_\_\_\_ near \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ extinguishing utilities near \_\_\_\_\_ sites?

Do \_\_\_\_\_ have guidelines to \_\_\_\_\_ while \_\_\_\_\_ off \_\_\_\_\_?

\_\_\_\_\_ formal procedure for turning on/off \_\_\_\_\_ at properties adjacent \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ for turning \_\_\_\_\_ residential \_\_\_\_\_ supplies in \_\_\_\_\_ area?

Do you \_\_\_\_\_ an \_\_\_\_\_ residential/ commercial \_\_\_\_\_?

Rules for \_\_\_\_\_ down \_\_\_\_\_ the event of \_\_\_\_\_ local \_\_\_\_\_?

What guidelines \_\_\_\_\_ to be followed \_\_\_\_\_ on/off \_\_\_\_\_?

\_\_\_\_\_ incidents and any \_\_\_\_\_ control utility \_\_\_\_\_?

\_\_\_\_\_ should I \_\_\_\_\_ on/off supplies that \_\_\_\_\_?

\_\_\_\_\_ on turning \_\_\_\_\_ residential \_\_\_\_\_ in the vicinity \_\_\_\_\_ us there?

Do \_\_\_\_\_ know how \_\_\_\_\_ off utilities after \_\_\_\_\_?

Rules to \_\_\_\_\_ and \_\_\_\_\_ supplies \_\_\_\_\_ events?

\_\_\_\_\_ case of troubles, \_\_\_\_\_ we turn \_\_\_\_\_?

When turning off \_\_\_\_\_ near us, \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ turn off our \_\_\_\_\_ in \_\_\_\_\_ emergency?

Is \_\_\_\_\_ an \_\_\_\_\_ commercial shutdowns?

Are there instructions \_\_\_\_\_ turning \_\_\_\_\_ and commercial \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ any special \_\_\_\_\_ off residential and \_\_\_\_\_ supplies when \_\_\_\_\_ incidents \_\_\_\_\_ nearby?

Are \_\_\_\_\_ guidelines on how \_\_\_\_\_ off \_\_\_\_\_ when \_\_\_\_\_ is a crime \_\_\_\_\_?

Are there \_\_\_\_\_ when disaster \_\_\_\_\_ close?

\_\_\_\_\_ you \_\_\_\_\_ on how \_\_\_\_\_ resources after \_\_\_\_\_ neighbourhood incident?

\_\_\_\_\_ there \_\_\_\_\_ for utilities \_\_\_\_\_ be \_\_\_\_\_ off in \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ there specific instructions for turning on \_\_\_\_\_ case of \_\_\_\_\_ incidents \_\_\_\_\_ us?

Are \_\_\_\_\_ any \_\_\_\_\_ on \_\_\_\_\_ and commercial supplies when there \_\_\_\_\_ us?

\_\_\_\_\_ the \_\_\_\_\_ shutting \_\_\_\_\_ residential supply in close \_\_\_\_\_ of \_\_\_\_\_?

Do \_\_\_\_\_ a way \_\_\_\_\_ turn our \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_?

Can you \_\_\_\_\_ there are specific \_\_\_\_\_ turning off \_\_\_\_\_ and commercial supplies \_\_\_\_\_ or \_\_\_\_\_ certain \_\_\_\_\_?

Can \_\_\_\_\_ rules on \_\_\_\_\_ to \_\_\_\_\_ during disasters?

Is \_\_\_\_\_ a \_\_\_\_\_ for supplies \_\_\_\_\_ be turned \_\_\_\_\_ after \_\_\_\_\_ incidents \_\_\_\_\_?

Is \_\_\_\_\_ way to turn \_\_\_\_\_ before or \_\_\_\_\_ certain \_\_\_\_\_?

Is \_\_\_\_\_ how to switch off/on resources \_\_\_\_\_ incidents?

Is \_\_\_\_\_ a way \_\_\_\_\_ turn \_\_\_\_\_ utilities in case \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ off supplies before \_\_\_\_\_ something happens \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ regarding \_\_\_\_\_ extinguishing \_\_\_\_\_ utilities \_\_\_\_\_ incident sites?

\_\_\_\_\_ there a way \_\_\_\_\_ turn our \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ us?

Are \_\_\_\_\_ any special guidelines for turning \_\_\_\_\_ residential and \_\_\_\_\_?

How \_\_\_\_\_ I turn off/on \_\_\_\_\_?

What \_\_\_\_\_ guidelines \_\_\_\_\_ shutting \_\_\_\_\_ in close proximity of \_\_\_\_\_?

Is \_\_\_\_\_ residential and commercial \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_ incidents nearby?

\_\_\_\_\_ there \_\_\_\_\_ specific shutdown tip \_\_\_\_\_ my neighbourhood?

Is \_\_\_\_\_ a way \_\_\_\_\_ supplies \_\_\_\_\_ and \_\_\_\_\_ incidents happen \_\_\_\_\_?

\_\_\_\_\_ guidelines \_\_\_\_\_ turning off residential and commercial \_\_\_\_\_ an incident \_\_\_\_\_.

Are there \_\_\_\_\_ for \_\_\_\_\_ off \_\_\_\_\_ and commercial supplies \_\_\_\_\_?

Are there \_\_\_\_\_ to \_\_\_\_\_ off commercial \_\_\_\_\_ residential supplies in \_\_\_\_\_ crime?

\_\_\_\_\_ a way \_\_\_\_\_ utilities in case \_\_\_\_\_ troubles?

Guidelines for \_\_\_\_\_ residential \_\_\_\_\_ supplies \_\_\_\_\_ the area?

\_\_\_\_\_ turning \_\_\_\_\_ supplies \_\_\_\_\_ the vicinity of \_\_\_\_\_ there?

Is it \_\_\_\_\_ to \_\_\_\_\_ supplies before \_\_\_\_\_ near us?

\_\_\_\_\_ turn \_\_\_\_\_ supplies near \_\_\_\_\_?

What \_\_\_\_\_ guidelines \_\_\_\_\_ off residential \_\_\_\_\_ close proximity \_\_\_\_\_ events?

\_\_\_\_\_ disaster \_\_\_\_\_ to \_\_\_\_\_ what should be \_\_\_\_\_ on/off instructions?

How \_\_\_\_\_ shutdown tips before \_\_\_\_\_ neighbourhood?

\_\_\_\_\_ close \_\_\_\_\_ us, are \_\_\_\_\_ any \_\_\_\_\_ guidelines on \_\_\_\_\_ to turn off \_\_\_\_\_?

\_\_\_\_\_ any guidelines \_\_\_\_\_ off \_\_\_\_\_ near us?

\_\_\_\_\_ any instructions \_\_\_\_\_ off residential \_\_\_\_\_ there are incidents nearby us?

Are \_\_\_\_\_ guidelines \_\_\_\_\_ turning off residential \_\_\_\_\_ the area?

\_\_\_\_\_ any guidelines on how \_\_\_\_\_ supplies in the event \_\_\_\_\_ an occurrence?

Is there any guidelines \_\_\_\_\_ how to \_\_\_\_\_ commercial \_\_\_\_\_ when there \_\_\_\_\_?

There are \_\_\_\_\_ guidelines \_\_\_\_\_ how \_\_\_\_\_ residential and \_\_\_\_\_ before a incident \_\_\_\_\_.

Can \_\_\_\_\_ there are \_\_\_\_\_ special \_\_\_\_\_ on how \_\_\_\_\_ turn off \_\_\_\_\_ and commercial \_\_\_\_\_?

\_\_\_\_\_ you have any directives regarding \_\_\_\_\_ power \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ to \_\_\_\_\_ off Residential/ Commercial supplies when \_\_\_\_\_ are \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ guidelines on how \_\_\_\_\_ turn \_\_\_\_\_ commercial supplies when there \_\_\_\_\_ incidents \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ on turning \_\_\_\_\_ supplies when there \_\_\_\_\_ us?

\_\_\_\_\_ occur close to \_\_\_\_\_ are there any special \_\_\_\_\_ on \_\_\_\_\_ turn \_\_\_\_\_ commercial supplies?

Is there any \_\_\_\_\_?

\_\_\_\_\_ on/off \_\_\_\_\_ supplies when disaster looms \_\_\_\_\_ hand?

\_\_\_\_\_ crime \_\_\_\_\_ close \_\_\_\_\_ your place, are \_\_\_\_\_ on how \_\_\_\_\_ off supplies?  
 Are \_\_\_\_\_ any \_\_\_\_\_ on how \_\_\_\_\_ off residential \_\_\_\_\_ commercial \_\_\_\_\_ there is an \_\_\_\_\_ nearby \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ instructions \_\_\_\_\_ residential and commercial supplies?  
 Is there \_\_\_\_\_ guidelines for \_\_\_\_\_ residential and \_\_\_\_\_ or after such \_\_\_\_\_?  
 \_\_\_\_\_ power down connected services \_\_\_\_\_ there \_\_\_\_\_ local \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ set \_\_\_\_\_ guidelines regarding \_\_\_\_\_ residential settings near \_\_\_\_\_?  
 Rules \_\_\_\_\_ power during \_\_\_\_\_?  
 \_\_\_\_\_ a way \_\_\_\_\_ turn \_\_\_\_\_ after some incidents occur?  
 Are \_\_\_\_\_ any \_\_\_\_\_ turning off Residential/Commercial \_\_\_\_\_ there are \_\_\_\_\_?  
 Is \_\_\_\_\_ special \_\_\_\_\_ for \_\_\_\_\_ off \_\_\_\_\_ residential supplies when there \_\_\_\_\_ nearby?  
 Is there \_\_\_\_\_ for \_\_\_\_\_ or \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ special guidelines on \_\_\_\_\_ turn off commercial and residential supplies \_\_\_\_\_ there \_\_\_\_\_ close \_\_\_\_\_?  
 Are \_\_\_\_\_ guidelines on \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ and commercial \_\_\_\_\_?  
 \_\_\_\_\_ guidelines \_\_\_\_\_ turning off \_\_\_\_\_ supplies in vicinity \_\_\_\_\_ us \_\_\_\_\_?  
 What guidelines are \_\_\_\_\_ turn \_\_\_\_\_ us?  
 \_\_\_\_\_ any instructions for \_\_\_\_\_ on residential and commercial \_\_\_\_\_ if \_\_\_\_\_ are \_\_\_\_\_?  
 Is there \_\_\_\_\_ way \_\_\_\_\_ turn \_\_\_\_\_ there are incidents \_\_\_\_\_ to \_\_\_\_\_ school \_\_\_\_\_ any other \_\_\_\_\_?  
 \_\_\_\_\_ anyone \_\_\_\_\_ a plan \_\_\_\_\_ utilities in \_\_\_\_\_ crisis?  
 \_\_\_\_\_ there \_\_\_\_\_ formal \_\_\_\_\_ on how \_\_\_\_\_ should \_\_\_\_\_ on/off \_\_\_\_\_ at \_\_\_\_\_ to incident \_\_\_\_\_?  
 \_\_\_\_\_ instructions \_\_\_\_\_ turning on \_\_\_\_\_ commercial supply \_\_\_\_\_ there are incidents \_\_\_\_\_ us?  
 Are \_\_\_\_\_ any instructions for turning \_\_\_\_\_ if \_\_\_\_\_ are incidents \_\_\_\_\_?  
 When \_\_\_\_\_ incidents occur close \_\_\_\_\_ on how to turn off \_\_\_\_\_ and residential \_\_\_\_\_?  
 \_\_\_\_\_ for turning off \_\_\_\_\_ commercial \_\_\_\_\_ in our vicinity \_\_\_\_\_?  
 \_\_\_\_\_ there any instructions \_\_\_\_\_ there are incidents nearby us?  
 Are \_\_\_\_\_ guidelines for \_\_\_\_\_ off/on \_\_\_\_\_ and \_\_\_\_\_ in the vicinity \_\_\_\_\_?  
 What \_\_\_\_\_ the \_\_\_\_\_ regarding \_\_\_\_\_ off \_\_\_\_\_ supply \_\_\_\_\_ close proximity \_\_\_\_\_?  
 Rules \_\_\_\_\_ off \_\_\_\_\_ services when there are \_\_\_\_\_?  
 Is there \_\_\_\_\_ regarding utility switch \_\_\_\_\_?  
 How do \_\_\_\_\_ turn \_\_\_\_\_ supplies on/off \_\_\_\_\_ troubles?  
 \_\_\_\_\_ the guidelines \_\_\_\_\_ turning off/on residential \_\_\_\_\_ commercial \_\_\_\_\_ there?  
 Can you tell \_\_\_\_\_ an \_\_\_\_\_ protocol for \_\_\_\_\_ and \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ instructions about turning \_\_\_\_\_ supplies when \_\_\_\_\_ incidents \_\_\_\_\_ us?  
 \_\_\_\_\_ there \_\_\_\_\_ specific \_\_\_\_\_ to \_\_\_\_\_ taken before \_\_\_\_\_ after a supply \_\_\_\_\_?  
 Can anyone \_\_\_\_\_ me the \_\_\_\_\_ in a crisis?  
 Are there any instructions \_\_\_\_\_ off \_\_\_\_\_ commercial \_\_\_\_\_?  
 \_\_\_\_\_ any special \_\_\_\_\_ on \_\_\_\_\_ to turn \_\_\_\_\_ residential \_\_\_\_\_ supplies in the \_\_\_\_\_?  
 \_\_\_\_\_ there specific \_\_\_\_\_ turning on \_\_\_\_\_ and commercial \_\_\_\_\_ there is \_\_\_\_\_ nearby?  
 Is there a \_\_\_\_\_ of \_\_\_\_\_ off supplies before \_\_\_\_\_?  
 Protocol for \_\_\_\_\_ utilities \_\_\_\_\_  
 Are there any \_\_\_\_\_ guidelines on how \_\_\_\_\_ supplies \_\_\_\_\_ an \_\_\_\_\_ occurs?  
 \_\_\_\_\_ it possible to \_\_\_\_\_ in \_\_\_\_\_ proximity \_\_\_\_\_ certain events?  
 Is there \_\_\_\_\_ way \_\_\_\_\_ turn off \_\_\_\_\_ before \_\_\_\_\_?  
 Is there \_\_\_\_\_ for turning \_\_\_\_\_ and \_\_\_\_\_ the case of \_\_\_\_\_ us?  
 What are \_\_\_\_\_ off residential \_\_\_\_\_ commercial supplies when there are \_\_\_\_\_?  
 Is \_\_\_\_\_ any \_\_\_\_\_ turn \_\_\_\_\_ residential and commercial supplies \_\_\_\_\_ are incidents \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ supplies \_\_\_\_\_ some incidents \_\_\_\_\_ nearby?  
 \_\_\_\_\_ you \_\_\_\_\_ me \_\_\_\_\_ specific \_\_\_\_\_ for turning off residential and commercial \_\_\_\_\_ incidents?  
 Is \_\_\_\_\_ way \_\_\_\_\_ turning off supplies \_\_\_\_\_ or \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ there any \_\_\_\_\_ turning off \_\_\_\_\_ and commercial supplies \_\_\_\_\_ there is \_\_\_\_\_?  
 Is \_\_\_\_\_ turning \_\_\_\_\_ and \_\_\_\_\_ supplies when \_\_\_\_\_ are incidents nearby?

\_\_\_\_\_ have \_\_\_\_\_ instructions about \_\_\_\_\_ off residential and \_\_\_\_\_ supplies when \_\_\_\_\_ are \_\_\_\_\_?

Is there any \_\_\_\_\_ turn \_\_\_\_\_ residential and \_\_\_\_\_ when there is an \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ how \_\_\_\_\_ switch \_\_\_\_\_ and on resources?

Is \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ off \_\_\_\_\_ and commercial \_\_\_\_\_ before and \_\_\_\_\_ incidents?

Are \_\_\_\_\_ instructions \_\_\_\_\_ how to \_\_\_\_\_ and \_\_\_\_\_ supplies \_\_\_\_\_ an event?

\_\_\_\_\_ you have any \_\_\_\_\_ turning \_\_\_\_\_ and commercial \_\_\_\_\_ us?

\_\_\_\_\_ way to turn \_\_\_\_\_ supplies \_\_\_\_\_ after \_\_\_\_\_ occur nearby?

Are there \_\_\_\_\_ guidelines on how to \_\_\_\_\_ and \_\_\_\_\_ incidents \_\_\_\_\_?

\_\_\_\_\_ any guidelines for turning \_\_\_\_\_ residential \_\_\_\_\_ when \_\_\_\_\_ an incident near \_\_\_\_\_?

Can you \_\_\_\_\_ us \_\_\_\_\_ instructions \_\_\_\_\_ off resources?

\_\_\_\_\_ there any \_\_\_\_\_ residential and commercial \_\_\_\_\_ in \_\_\_\_\_ of us?

Rules to power \_\_\_\_\_ incidents?

\_\_\_\_\_ there any guidelines on how \_\_\_\_\_ commercial and residential supplies \_\_\_\_\_?

\_\_\_\_\_ should procedures \_\_\_\_\_ homes \_\_\_\_\_ businesses \_\_\_\_\_ off \_\_\_\_\_ incidents are \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ off \_\_\_\_\_ if \_\_\_\_\_ are incidents nearby?

Are there any special \_\_\_\_\_ how to turn \_\_\_\_\_ commercial \_\_\_\_\_ supplies \_\_\_\_\_?

Do we have \_\_\_\_\_ supply management during \_\_\_\_\_?

\_\_\_\_\_ mayhem strikes \_\_\_\_\_ neighbourhood, \_\_\_\_\_ about \_\_\_\_\_ shutdown \_\_\_\_\_?

\_\_\_\_\_ instructions for \_\_\_\_\_ near us?

What \_\_\_\_\_ the \_\_\_\_\_ off \_\_\_\_\_ supply in \_\_\_\_\_ close \_\_\_\_\_ an event?

\_\_\_\_\_ it possible to \_\_\_\_\_ off \_\_\_\_\_ commercial supplies if \_\_\_\_\_ incidents \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way \_\_\_\_\_ turn off supplies before or \_\_\_\_\_ incidents \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ protocol for \_\_\_\_\_?

What are the guidelines for shutting \_\_\_\_\_ proximity \_\_\_\_\_?

\_\_\_\_\_ give me instructions \_\_\_\_\_ how to switch \_\_\_\_\_?

Can \_\_\_\_\_ give me \_\_\_\_\_ on \_\_\_\_\_ to \_\_\_\_\_ utilities after \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ to turn off residential \_\_\_\_\_ commercial \_\_\_\_\_ if incidents occur \_\_\_\_\_ proximity to \_\_\_\_\_.

Should \_\_\_\_\_ an established \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ shutdowns?

\_\_\_\_\_ are \_\_\_\_\_ guidelines \_\_\_\_\_ off residential supply \_\_\_\_\_ events?

\_\_\_\_\_ a formal protocol \_\_\_\_\_ for \_\_\_\_\_ on/off \_\_\_\_\_ at properties \_\_\_\_\_ incident sites?

\_\_\_\_\_ should \_\_\_\_\_ supplies near emergencies?

Are there any \_\_\_\_\_ on \_\_\_\_\_ off \_\_\_\_\_ and \_\_\_\_\_ supplies when there \_\_\_\_\_ a serious \_\_\_\_\_?

\_\_\_\_\_ a crime happens \_\_\_\_\_ to \_\_\_\_\_ there \_\_\_\_\_ special guidelines to \_\_\_\_\_ off \_\_\_\_\_ supplies?

Is \_\_\_\_\_ to turn off \_\_\_\_\_ if something happens \_\_\_\_\_?

\_\_\_\_\_ utilities be \_\_\_\_\_ off in case of \_\_\_\_\_?

Are there \_\_\_\_\_ guidelines for turning \_\_\_\_\_ supplies \_\_\_\_\_ something happens?

\_\_\_\_\_ on how to switch \_\_\_\_\_ a neighbourhood incident?

Is \_\_\_\_\_ any \_\_\_\_\_ guidelines for turning off \_\_\_\_\_ commercial supplies \_\_\_\_\_ is \_\_\_\_\_ crime \_\_\_\_\_?

Is \_\_\_\_\_ any \_\_\_\_\_ to turn \_\_\_\_\_ our utilities \_\_\_\_\_ of \_\_\_\_\_?

What are the \_\_\_\_\_ regarding \_\_\_\_\_ supply \_\_\_\_\_ of events?

\_\_\_\_\_ off \_\_\_\_\_ when there are incidents \_\_\_\_\_?

\_\_\_\_\_ me \_\_\_\_\_ to switch \_\_\_\_\_ in the aftermath \_\_\_\_\_ a neighbourhood \_\_\_\_\_?

Is there a \_\_\_\_\_ way \_\_\_\_\_ on/off energy \_\_\_\_\_ properties \_\_\_\_\_ an \_\_\_\_\_?

Are \_\_\_\_\_ any \_\_\_\_\_ guidelines on \_\_\_\_\_ to turn \_\_\_\_\_ and commercial \_\_\_\_\_ problem \_\_\_\_\_?

Rules to \_\_\_\_\_ before local \_\_\_\_\_?

Can \_\_\_\_\_ tell me \_\_\_\_\_ utilities during \_\_\_\_\_ crisis?

\_\_\_\_\_ instructions for turning on \_\_\_\_\_ commercial \_\_\_\_\_ if \_\_\_\_\_ incidents nearby?

Are \_\_\_\_\_ about \_\_\_\_\_ off supplies \_\_\_\_\_ there are \_\_\_\_\_ near \_\_\_\_\_?

What rules should be \_\_\_\_\_ place to switch \_\_\_\_\_?

\_\_\_\_\_ how \_\_\_\_\_ Residential/Commercial supplies when there \_\_\_\_\_ incidents nearby us?



Can \_\_\_\_\_ guidelines \_\_\_\_\_ turning off/commercial \_\_\_\_\_?

\_\_\_\_\_ should procedures for \_\_\_\_\_ and \_\_\_\_\_ be turned off \_\_\_\_\_ there \_\_\_\_\_?

Are \_\_\_\_\_ special guidelines \_\_\_\_\_ to turn off \_\_\_\_\_ commercial supplies \_\_\_\_\_ close to us?

\_\_\_\_\_ it \_\_\_\_\_ turn \_\_\_\_\_ residential/commercial supplies before \_\_\_\_\_ after \_\_\_\_\_ certain \_\_\_\_\_?

\_\_\_\_\_ any instructions \_\_\_\_\_ to turn off commercial \_\_\_\_\_ residential supplies \_\_\_\_\_?

\_\_\_\_\_ incidents, should \_\_\_\_\_ be rules to power \_\_\_\_\_?

Is there a \_\_\_\_\_ turning \_\_\_\_\_ energy \_\_\_\_\_ properties \_\_\_\_\_ to incident \_\_\_\_\_?

\_\_\_\_\_ to turn off residential \_\_\_\_\_ supplies in \_\_\_\_\_ area?

Is there \_\_\_\_\_ procedure for turning \_\_\_\_\_ energy \_\_\_\_\_ properties \_\_\_\_\_ sites?

Is there \_\_\_\_\_ formal \_\_\_\_\_ dealing \_\_\_\_\_ on/off \_\_\_\_\_ at \_\_\_\_\_ near \_\_\_\_\_ sites?

\_\_\_\_\_ there \_\_\_\_\_ turning \_\_\_\_\_ residential and \_\_\_\_\_ supplies?

\_\_\_\_\_ guidelines on \_\_\_\_\_ turn off supplies \_\_\_\_\_ something \_\_\_\_\_ to us?

Is there \_\_\_\_\_ turning \_\_\_\_\_ and \_\_\_\_\_ in the area?

\_\_\_\_\_ there any instructions for \_\_\_\_\_ residential \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ incident nearby?

Can \_\_\_\_\_ find rules \_\_\_\_\_ how to \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ instructions on how \_\_\_\_\_ off resources \_\_\_\_\_ neighbourhood incident?

\_\_\_\_\_ any \_\_\_\_\_ on \_\_\_\_\_ to \_\_\_\_\_ supplies in the \_\_\_\_\_ of \_\_\_\_\_ accident?

\_\_\_\_\_ you give \_\_\_\_\_ instructions on how \_\_\_\_\_ resources?

\_\_\_\_\_ to turn \_\_\_\_\_ our \_\_\_\_\_ case of an emergency?

Is \_\_\_\_\_ on \_\_\_\_\_ to turn \_\_\_\_\_ and commercial \_\_\_\_\_ when \_\_\_\_\_ happen near us?

\_\_\_\_\_ there \_\_\_\_\_ for turning \_\_\_\_\_ commercial supplies \_\_\_\_\_ something happens in our \_\_\_\_\_?

\_\_\_\_\_ any steps that need \_\_\_\_\_ be \_\_\_\_\_ before \_\_\_\_\_ after a \_\_\_\_\_?

Are there any \_\_\_\_\_ guidelines \_\_\_\_\_ off \_\_\_\_\_ commercial \_\_\_\_\_ when there \_\_\_\_\_ incidents \_\_\_\_\_ area?

Is \_\_\_\_\_ a \_\_\_\_\_ turn \_\_\_\_\_ utilities \_\_\_\_\_ in case of \_\_\_\_\_?

Are \_\_\_\_\_ to \_\_\_\_\_ supplies in the \_\_\_\_\_ of \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ for residential/ \_\_\_\_\_ shutdowns?

Do \_\_\_\_\_ have \_\_\_\_\_ on how \_\_\_\_\_ control \_\_\_\_\_ neighborhood \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ off \_\_\_\_\_ before \_\_\_\_\_ after \_\_\_\_\_ happens nearby?

\_\_\_\_\_ there any special \_\_\_\_\_ to turn off residential and commercial supplies \_\_\_\_\_ of \_\_\_\_\_?

Should we \_\_\_\_\_ off residential and commercial \_\_\_\_\_?

There \_\_\_\_\_ special \_\_\_\_\_ on how to \_\_\_\_\_ before \_\_\_\_\_ incident happens.

Are there \_\_\_\_\_ shutting \_\_\_\_\_ supply in close \_\_\_\_\_ events?

Is there \_\_\_\_\_ guidelines for \_\_\_\_\_ residential \_\_\_\_\_ commercial \_\_\_\_\_ or \_\_\_\_\_ occur nearby us?

Is \_\_\_\_\_ possible to \_\_\_\_\_ off \_\_\_\_\_ case \_\_\_\_\_ problems?

When disaster looms \_\_\_\_\_ to \_\_\_\_\_ supplies have on/off \_\_\_\_\_?

\_\_\_\_\_ any \_\_\_\_\_ for turning \_\_\_\_\_ and \_\_\_\_\_ supplies when there are \_\_\_\_\_ nearby?

Are \_\_\_\_\_ for \_\_\_\_\_ supplies in the vicinity \_\_\_\_\_?

Are there specific instructions for \_\_\_\_\_ are incidents nearby us?

Is \_\_\_\_\_ a way \_\_\_\_\_ turn \_\_\_\_\_ utilities \_\_\_\_\_ case of \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ special guidelines on \_\_\_\_\_ turn \_\_\_\_\_ commercial and residential supplies when \_\_\_\_\_ incidents \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ controlling \_\_\_\_\_ switch \_\_\_\_\_ local incidents?

\_\_\_\_\_ it \_\_\_\_\_ to turn off residential \_\_\_\_\_ commercial supplies \_\_\_\_\_ or \_\_\_\_\_ incident \_\_\_\_\_?

\_\_\_\_\_ tell me if \_\_\_\_\_ are any \_\_\_\_\_ on \_\_\_\_\_ turn off supplies \_\_\_\_\_ are \_\_\_\_\_ near us?

\_\_\_\_\_ a \_\_\_\_\_ on how to \_\_\_\_\_ energy \_\_\_\_\_ properties \_\_\_\_\_ to incident sites?

Are there \_\_\_\_\_ special guidelines \_\_\_\_\_ turning \_\_\_\_\_ residential and \_\_\_\_\_ case of \_\_\_\_\_?

\_\_\_\_\_ how to \_\_\_\_\_ residential and \_\_\_\_\_ supplies when there are incidents \_\_\_\_\_?

\_\_\_\_\_ way to turn off \_\_\_\_\_ when \_\_\_\_\_ happen \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ to know protocol for \_\_\_\_\_ us.

\_\_\_\_\_ a way to \_\_\_\_\_ our \_\_\_\_\_ there's trouble?

Are \_\_\_\_\_ instructions \_\_\_\_\_ residential and commercial \_\_\_\_\_ when \_\_\_\_\_ are \_\_\_\_\_ nearby?

\_\_\_\_ can \_\_\_\_ supplies near emergencies?  
 \_\_\_\_ powering down \_\_\_\_ there \_\_\_\_ local incidents?  
 Is \_\_\_\_ a \_\_\_\_ to \_\_\_\_ supplies \_\_\_\_ a certain \_\_\_\_ of incidents occur \_\_\_\_?  
 \_\_\_\_ for turning \_\_\_\_ residential and \_\_\_\_ before something \_\_\_\_ in our area?  
 Are there instructions \_\_\_\_ on \_\_\_\_ supply \_\_\_\_ of these incidents?  
 \_\_\_\_ a \_\_\_\_ to \_\_\_\_ supplies when \_\_\_\_ happens \_\_\_\_ our house, \_\_\_\_ or any \_\_\_\_ place?  
 \_\_\_\_ you \_\_\_\_ any \_\_\_\_ regarding stopping \_\_\_\_ reinstating power supply \_\_\_\_ is \_\_\_\_ local \_\_\_\_?  
 I wonder \_\_\_\_ there \_\_\_\_ a formal protocol \_\_\_\_ energy \_\_\_\_ incident sites.  
 Is \_\_\_\_ a way \_\_\_\_ off \_\_\_\_ before \_\_\_\_ an \_\_\_\_ happens?  
 Are there guidelines \_\_\_\_ off \_\_\_\_ located in \_\_\_\_ of \_\_\_\_?  
 \_\_\_\_ for \_\_\_\_ off/on \_\_\_\_ in \_\_\_\_ vicinity of \_\_\_\_?  
 Are \_\_\_\_ any instructions to turn \_\_\_\_ when \_\_\_\_ nearby \_\_\_\_?  
 Is there a way \_\_\_\_ off \_\_\_\_ incidents \_\_\_\_?  
 \_\_\_\_ there a \_\_\_\_ protocol regarding \_\_\_\_ at properties \_\_\_\_ to \_\_\_\_ sites?  
 \_\_\_\_ the case of \_\_\_\_ nearby us, \_\_\_\_ there instructions \_\_\_\_ the \_\_\_\_ and \_\_\_\_ supply?  
 Is there a \_\_\_\_ the utilities in the \_\_\_\_?  
 Is \_\_\_\_ a \_\_\_\_ to turn \_\_\_\_ supplies \_\_\_\_ incident \_\_\_\_?  
 \_\_\_\_ rules \_\_\_\_ turning \_\_\_\_ and commercial supplies in \_\_\_\_ of us \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ on \_\_\_\_ off residential and \_\_\_\_ supplies in the \_\_\_\_?  
 Before \_\_\_\_ incidents, should \_\_\_\_ be rules to \_\_\_\_?  
 How \_\_\_\_ specific shutdown \_\_\_\_ before \_\_\_\_?  
 \_\_\_\_ instructions about turning \_\_\_\_ and commercial supplies?  
 Is there \_\_\_\_ way to turn \_\_\_\_ residential \_\_\_\_ there is \_\_\_\_ crime \_\_\_\_?  
 Is there \_\_\_\_ way \_\_\_\_ turn \_\_\_\_ residential \_\_\_\_ commercial \_\_\_\_ a crime near \_\_\_\_?  
 What \_\_\_\_ should be \_\_\_\_ when shutting \_\_\_\_ residential \_\_\_\_ in close \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ instructions \_\_\_\_ switch off after a neighbourhood \_\_\_\_?  
 Is \_\_\_\_ possible to turn off \_\_\_\_ and commercial \_\_\_\_ incidents \_\_\_\_ near \_\_\_\_?  
 \_\_\_\_ there are rules on how \_\_\_\_ power during disasters.  
 \_\_\_\_ there any \_\_\_\_ to power \_\_\_\_ supplies \_\_\_\_ events?  
 Are the \_\_\_\_ turning \_\_\_\_ supplies \_\_\_\_ the \_\_\_\_?  
 Are \_\_\_\_ for \_\_\_\_ off \_\_\_\_ vicinity of us?  
 \_\_\_\_ may be \_\_\_\_ to turn \_\_\_\_ before or after \_\_\_\_ incidents \_\_\_\_.  
 Is there \_\_\_\_ guidelines for \_\_\_\_ residential supplies?  
 \_\_\_\_ the \_\_\_\_ for turning \_\_\_\_ supplies \_\_\_\_?  
 What \_\_\_\_ for \_\_\_\_ off the residential \_\_\_\_ close \_\_\_\_ of \_\_\_\_ events?  
 Do \_\_\_\_ if \_\_\_\_ are instructions \_\_\_\_ controlling \_\_\_\_ during \_\_\_\_ crises?  
 Is it possible to turn off \_\_\_\_ and \_\_\_\_ occur nearby \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ special \_\_\_\_ on how \_\_\_\_ turn off residential and \_\_\_\_ supplies \_\_\_\_ there \_\_\_\_ close to \_\_\_\_?  
 \_\_\_\_ guidelines for \_\_\_\_ and \_\_\_\_ supplies nearby available?  
 Do there guidelines \_\_\_\_ turning \_\_\_\_ commercial \_\_\_\_?  
 How \_\_\_\_ power \_\_\_\_ off \_\_\_\_ close incidents?  
 \_\_\_\_ guidelines \_\_\_\_ residential and commercial supply \_\_\_\_ the vicinity \_\_\_\_?  
 \_\_\_\_ there any \_\_\_\_ guidelines \_\_\_\_ how \_\_\_\_ off supplies \_\_\_\_ incidents \_\_\_\_?  
 \_\_\_\_ any guidelines \_\_\_\_ how to turn off \_\_\_\_ event \_\_\_\_ event?  
 \_\_\_\_ looms close to \_\_\_\_ commercial \_\_\_\_ residential \_\_\_\_ have instructions?  
 \_\_\_\_ help \_\_\_\_ with \_\_\_\_ steps to shut \_\_\_\_ utilities?  
 Where can I \_\_\_\_ guidelines \_\_\_\_ amidst local \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ rules to power down \_\_\_\_ commercial \_\_\_\_ during \_\_\_\_?  
 \_\_\_\_ for \_\_\_\_ off household and commercial supplies in the \_\_\_\_?  
 \_\_\_\_ give \_\_\_\_ to switch off/on resources \_\_\_\_ incident?

\_\_\_\_\_ for turning off \_\_\_\_\_ when there are \_\_\_\_\_ nearby?

Is \_\_\_\_\_ special guidelines on \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ and \_\_\_\_\_ such incidents occur \_\_\_\_\_?

\_\_\_\_\_ are the guidelines on shutting off \_\_\_\_\_ supply \_\_\_\_\_ proximity \_\_\_\_\_?

\_\_\_\_\_ disaster looms close to \_\_\_\_\_ the supplies' \_\_\_\_\_ be?

Is \_\_\_\_\_ a \_\_\_\_\_ turn \_\_\_\_\_ there is an \_\_\_\_\_ near us?

Is there \_\_\_\_\_ set \_\_\_\_\_ extinguishing \_\_\_\_\_ incident sites?

\_\_\_\_\_ there be \_\_\_\_\_ power \_\_\_\_\_ neighborhood crises?

Is there a way \_\_\_\_\_ turn \_\_\_\_\_ supplies \_\_\_\_\_ there \_\_\_\_\_ area?

\_\_\_\_\_ there \_\_\_\_\_ specific steps that \_\_\_\_\_ be \_\_\_\_\_ or \_\_\_\_\_ supply interruption?

\_\_\_\_\_ have \_\_\_\_\_ for \_\_\_\_\_ management when local \_\_\_\_\_ occur?

\_\_\_\_\_ there \_\_\_\_\_ formal \_\_\_\_\_ to \_\_\_\_\_ on/off energy provisions \_\_\_\_\_ near \_\_\_\_\_?

What \_\_\_\_\_ guidelines \_\_\_\_\_ extinguishing utilities \_\_\_\_\_ an \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ for \_\_\_\_\_ management during \_\_\_\_\_?

\_\_\_\_\_ I get specific \_\_\_\_\_ chaos strikes my \_\_\_\_\_?

Are \_\_\_\_\_ guidelines about turning \_\_\_\_\_ residential \_\_\_\_\_ commercial \_\_\_\_\_ in \_\_\_\_\_?

Is there \_\_\_\_\_ for turning \_\_\_\_\_ energy \_\_\_\_\_ adjacent \_\_\_\_\_?

\_\_\_\_\_ a way \_\_\_\_\_ off supplies before certain \_\_\_\_\_ happen \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ off the \_\_\_\_\_ of \_\_\_\_\_?

During \_\_\_\_\_ us, any \_\_\_\_\_ to \_\_\_\_\_ down residential/commercial \_\_\_\_\_?

\_\_\_\_\_ we know when \_\_\_\_\_ residential supply \_\_\_\_\_ close proximity \_\_\_\_\_ events?

Rules \_\_\_\_\_ services \_\_\_\_\_ local incidents?

\_\_\_\_\_ there \_\_\_\_\_ for \_\_\_\_\_ off residential \_\_\_\_\_ commercial \_\_\_\_\_ in \_\_\_\_\_ area?

How \_\_\_\_\_ you \_\_\_\_\_ residential/commercial supplies \_\_\_\_\_ nearby \_\_\_\_\_?

Rules \_\_\_\_\_ there are local incidents?

Are there any \_\_\_\_\_ turning \_\_\_\_\_ and commercial \_\_\_\_\_ vicinity?

Can \_\_\_\_\_ if \_\_\_\_\_ are procedures \_\_\_\_\_ disconnected services around \_\_\_\_\_?

\_\_\_\_\_ a way \_\_\_\_\_ turn \_\_\_\_\_ residential supplies when \_\_\_\_\_ crime \_\_\_\_\_ close to \_\_\_\_\_?

\_\_\_\_\_ special \_\_\_\_\_ on \_\_\_\_\_ turn off \_\_\_\_\_ and commercial \_\_\_\_\_ prior to an \_\_\_\_\_.

What are \_\_\_\_\_ guidelines for shutting off \_\_\_\_\_ close proximity \_\_\_\_\_?

Is there a \_\_\_\_\_ turning \_\_\_\_\_ supplies \_\_\_\_\_ after an \_\_\_\_\_?

\_\_\_\_\_ a way \_\_\_\_\_ turn \_\_\_\_\_ residential \_\_\_\_\_ commercial \_\_\_\_\_ when \_\_\_\_\_ incident nearby?

When \_\_\_\_\_ close \_\_\_\_\_ your place, are there any special \_\_\_\_\_ off residential and commercial \_\_\_\_\_?

How \_\_\_\_\_ shutdown \_\_\_\_\_ before an \_\_\_\_\_?

\_\_\_\_\_ specific guidelines \_\_\_\_\_ off residential and \_\_\_\_\_ when there \_\_\_\_\_ an incident \_\_\_\_\_?

When a \_\_\_\_\_ close \_\_\_\_\_ do you have any \_\_\_\_\_ guidelines \_\_\_\_\_ turning \_\_\_\_\_ commercial supplies?

\_\_\_\_\_ there a way \_\_\_\_\_ turn \_\_\_\_\_ supplies before and \_\_\_\_\_ us?

How \_\_\_\_\_ you \_\_\_\_\_ commercial \_\_\_\_\_ off \_\_\_\_\_ nearby troubles?

\_\_\_\_\_ are \_\_\_\_\_ guidelines for shutting off \_\_\_\_\_ supply in \_\_\_\_\_ of \_\_\_\_\_?

Is there a \_\_\_\_\_ off supplies \_\_\_\_\_ after something happens \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ turning \_\_\_\_\_ and commercial \_\_\_\_\_ before \_\_\_\_\_ occur nearby us?

Do \_\_\_\_\_ guidelines \_\_\_\_\_ off residential \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way of \_\_\_\_\_ off \_\_\_\_\_ is an \_\_\_\_\_ nearby?

\_\_\_\_\_ there a \_\_\_\_\_ turn the \_\_\_\_\_ in case \_\_\_\_\_ troubles?

Is \_\_\_\_\_ protocol on \_\_\_\_\_ at properties near incident sites?

Should \_\_\_\_\_ have rules \_\_\_\_\_ power \_\_\_\_\_ residential/commercial supplies \_\_\_\_\_?

Is there any \_\_\_\_\_ and \_\_\_\_\_ supplies when there \_\_\_\_\_ nearby?

Is \_\_\_\_\_ a way to \_\_\_\_\_ before \_\_\_\_\_ an occurrence?

Are \_\_\_\_\_ any guidelines on \_\_\_\_\_ off \_\_\_\_\_ when \_\_\_\_\_ crime nearby?

\_\_\_\_\_ an established \_\_\_\_\_ residential/ commercial \_\_\_\_\_ downs?

Are \_\_\_\_\_ any \_\_\_\_\_ on \_\_\_\_\_ residential/ \_\_\_\_\_ supplies when there \_\_\_\_\_ nearby?

\_\_\_\_\_ protocol for \_\_\_\_\_ on/off \_\_\_\_\_ provisions at properties next to \_\_\_\_\_?

How do \_\_\_\_\_ on/off after \_\_\_\_\_?

\_\_\_\_\_ guidelines \_\_\_\_\_ follow \_\_\_\_\_ turning off \_\_\_\_\_ resources?

Guidelines required \_\_\_\_\_ on/off \_\_\_\_\_ near \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ guidelines \_\_\_\_\_ turning off residential and \_\_\_\_\_ supplies when \_\_\_\_\_ near \_\_\_\_\_?

Can you give \_\_\_\_\_ to \_\_\_\_\_ turning \_\_\_\_\_ resources?

Are \_\_\_\_\_ instructions for \_\_\_\_\_ off residential and \_\_\_\_\_ there \_\_\_\_\_ nearby us?

\_\_\_\_\_ a way \_\_\_\_\_ off the utilities \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_?

Are \_\_\_\_\_ for turning \_\_\_\_\_ residential and \_\_\_\_\_ us?

How should residential and \_\_\_\_\_ turned \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ guidelines \_\_\_\_\_ off \_\_\_\_\_ around us?

\_\_\_\_\_ there specific \_\_\_\_\_ for turning \_\_\_\_\_ in the \_\_\_\_\_ of such incidents?

\_\_\_\_\_ there \_\_\_\_\_ about turning \_\_\_\_\_ Residential/Commercial \_\_\_\_\_ there are incidents \_\_\_\_\_?

\_\_\_\_\_ instructions for \_\_\_\_\_ when \_\_\_\_\_ looms \_\_\_\_\_ by?

\_\_\_\_\_ there a way \_\_\_\_\_ supplies \_\_\_\_\_ there is an incident?

\_\_\_\_\_ and after \_\_\_\_\_ any \_\_\_\_\_ regulate utility switch?

\_\_\_\_\_ any instruction \_\_\_\_\_ turning off residential and commercial \_\_\_\_\_ there \_\_\_\_\_?

Is there a \_\_\_\_\_ turn off \_\_\_\_\_ before \_\_\_\_\_ event \_\_\_\_\_?

Is there \_\_\_\_\_ rule to \_\_\_\_\_ utility \_\_\_\_\_ incidents?

\_\_\_\_\_ power down/up residential/commercial \_\_\_\_\_ during \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ any guidelines regarding shutting \_\_\_\_\_ in \_\_\_\_\_ to certain events?

\_\_\_\_\_ guidelines \_\_\_\_\_ turning off supplies within the \_\_\_\_\_?

\_\_\_\_\_ the guidelines \_\_\_\_\_ shutting \_\_\_\_\_ supply in close \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ about specific \_\_\_\_\_ tips \_\_\_\_\_ happens?

\_\_\_\_\_ there specific \_\_\_\_\_ residential and \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ incident nearby us?

Can you \_\_\_\_\_ me instructions on \_\_\_\_\_ on \_\_\_\_\_ resources?

\_\_\_\_\_ shut off residential \_\_\_\_\_ proximity to events?

Is \_\_\_\_\_ any \_\_\_\_\_ to turn \_\_\_\_\_ supplies before \_\_\_\_\_ happens?

Is \_\_\_\_\_ to give \_\_\_\_\_ off/on resources after \_\_\_\_\_ incident?

\_\_\_\_\_ procedure \_\_\_\_\_ turning residential/commercial supplies off after \_\_\_\_\_?

The \_\_\_\_\_ extinguishing \_\_\_\_\_ nearby \_\_\_\_\_ sites \_\_\_\_\_ not known.

\_\_\_\_\_ guidelines \_\_\_\_\_ be \_\_\_\_\_ to shut off \_\_\_\_\_ supply \_\_\_\_\_ of an \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ residential \_\_\_\_\_ supplies when disaster \_\_\_\_\_ close?

Are \_\_\_\_\_ turning \_\_\_\_\_ commercial supplies \_\_\_\_\_ the vicinity \_\_\_\_\_ us?

Is \_\_\_\_\_ special \_\_\_\_\_ how to turn off \_\_\_\_\_ before \_\_\_\_\_ happens?

\_\_\_\_\_ there any special \_\_\_\_\_ to \_\_\_\_\_ residential \_\_\_\_\_ if there are incidents nearby?

\_\_\_\_\_ there \_\_\_\_\_ power during neighborhood crises?

How can \_\_\_\_\_ turn off \_\_\_\_\_?

\_\_\_\_\_ a way \_\_\_\_\_ turn our \_\_\_\_\_ off \_\_\_\_\_ of troubles?

\_\_\_\_\_ should we \_\_\_\_\_ turning on/off \_\_\_\_\_ provisions \_\_\_\_\_ incident sites?

Are \_\_\_\_\_ any guidelines on how to turn off \_\_\_\_\_ supplies when \_\_\_\_\_ us?

Is there a \_\_\_\_\_ power \_\_\_\_\_ residential/commercial \_\_\_\_\_ events?

Are there specific \_\_\_\_\_ for \_\_\_\_\_ off \_\_\_\_\_ supplies \_\_\_\_\_ incidents \_\_\_\_\_?

\_\_\_\_\_ disaster looms \_\_\_\_\_ to \_\_\_\_\_ what \_\_\_\_\_ instructions for \_\_\_\_\_ commercial \_\_\_\_\_?

Have \_\_\_\_\_ instructions \_\_\_\_\_ power during \_\_\_\_\_?

Do \_\_\_\_\_ a procedure \_\_\_\_\_ supplies on \_\_\_\_\_ off?

Can \_\_\_\_\_ me \_\_\_\_\_ steps to \_\_\_\_\_ off utilities \_\_\_\_\_ a \_\_\_\_\_?

During events \_\_\_\_\_ there \_\_\_\_\_ to power down/up \_\_\_\_\_ supplies?

\_\_\_\_\_ for businesses \_\_\_\_\_ homes be turned \_\_\_\_\_ there are \_\_\_\_\_ nearby?

\_\_\_\_\_ incidents and any rules \_\_\_\_\_ utility \_\_\_\_\_?

Are there \_\_\_\_ special \_\_\_\_ for turning \_\_\_\_ when there's an incident \_\_\_\_ us?  
\_\_\_\_ for \_\_\_\_ to \_\_\_\_ residential and \_\_\_\_ supplies before or \_\_\_\_ occur nearby us?  
There is \_\_\_\_ question on \_\_\_\_ to turn \_\_\_\_ residential and \_\_\_\_ is an \_\_\_\_ us.  
\_\_\_\_ there any \_\_\_\_ on how to \_\_\_\_ supplies when \_\_\_\_ to us?  
When disaster looms \_\_\_\_ at \_\_\_\_ on/off \_\_\_\_ residential/commercial \_\_\_\_?  
\_\_\_\_ a formal \_\_\_\_ on and off energy at \_\_\_\_ sites?  
\_\_\_\_ are the \_\_\_\_ for extinguishing \_\_\_\_ close \_\_\_\_ an \_\_\_\_?  
Is \_\_\_\_ special guidelines for turning off \_\_\_\_ commercial \_\_\_\_ incident close \_\_\_\_ us?  
\_\_\_\_ it \_\_\_\_ to turn off \_\_\_\_ before or \_\_\_\_ incidents \_\_\_\_ near \_\_\_\_?  
\_\_\_\_ a \_\_\_\_ near us, do you \_\_\_\_ any guidelines on \_\_\_\_ off \_\_\_\_?  
\_\_\_\_ there \_\_\_\_ on/off energy provisions at properties \_\_\_\_ sites?  
\_\_\_\_ there a way \_\_\_\_ utilities when \_\_\_\_ is trouble?  
Is \_\_\_\_ guidelines on \_\_\_\_ to \_\_\_\_ off supplies \_\_\_\_ there \_\_\_\_ close to \_\_\_\_?  
\_\_\_\_ procedures for homes \_\_\_\_ businesses to follow \_\_\_\_ there \_\_\_\_ incidents \_\_\_\_?  
\_\_\_\_ any way to \_\_\_\_ commercial \_\_\_\_ supplies \_\_\_\_ there \_\_\_\_ crime near us?  
\_\_\_\_ if there \_\_\_\_ guidelines for turning off \_\_\_\_ and \_\_\_\_ supplies in \_\_\_\_ area?  
\_\_\_\_ there a \_\_\_\_ to turn \_\_\_\_ before \_\_\_\_ are incidents in the \_\_\_\_?  
\_\_\_\_ give \_\_\_\_ for when to switch \_\_\_\_ resources?  
\_\_\_\_ there any rules \_\_\_\_ utility changing after \_\_\_\_?  
\_\_\_\_ for \_\_\_\_ residential \_\_\_\_ commercial supplies nearby?  
Is there \_\_\_\_ how to \_\_\_\_ residential and commercial \_\_\_\_ when such incidents happen \_\_\_\_?  
\_\_\_\_ I switch \_\_\_\_ supplies \_\_\_\_ emergencies?  
\_\_\_\_ specific guidelines for turning \_\_\_\_ commercial supplies \_\_\_\_ there is \_\_\_\_ nearby?  
\_\_\_\_ there instructions for \_\_\_\_ on \_\_\_\_ commercial supply \_\_\_\_ there \_\_\_\_ us?  
\_\_\_\_ case \_\_\_\_ troubles near \_\_\_\_ can \_\_\_\_ our utilities \_\_\_\_?  
\_\_\_\_ there a formal protocol for \_\_\_\_ energy \_\_\_\_ near \_\_\_\_?  
\_\_\_\_ give me \_\_\_\_ on how to \_\_\_\_ resources?  
How should \_\_\_\_ off \_\_\_\_ close \_\_\_\_?  
\_\_\_\_ the procedure for \_\_\_\_ supplies \_\_\_\_ and off \_\_\_\_ occur?  
\_\_\_\_ about \_\_\_\_ off \_\_\_\_ supplies in the vicinity of \_\_\_\_?  
\_\_\_\_ and after \_\_\_\_ incidents could \_\_\_\_ rules \_\_\_\_ control utility \_\_\_\_?  
What should \_\_\_\_ for homes and \_\_\_\_ when \_\_\_\_ nearby?  
\_\_\_\_ for turning \_\_\_\_ residential and commercial \_\_\_\_?  
There \_\_\_\_ for \_\_\_\_ residential and commercial supplies \_\_\_\_ in close proximity to \_\_\_\_.  
\_\_\_\_ special guidelines \_\_\_\_ and commercial supplies when there are \_\_\_\_ close \_\_\_\_.  
Is there any \_\_\_\_ for \_\_\_\_?  
\_\_\_\_ special \_\_\_\_ on \_\_\_\_ off residential and commercial supplies \_\_\_\_ something happens?  
In \_\_\_\_ of troubles \_\_\_\_ us, is \_\_\_\_ a way to \_\_\_\_?  
\_\_\_\_ are the \_\_\_\_ extinguishing \_\_\_\_ close to incident \_\_\_\_?  
\_\_\_\_ specific \_\_\_\_ off residential \_\_\_\_ supplies before \_\_\_\_ after such incidents \_\_\_\_ nearby us?  
\_\_\_\_ rules \_\_\_\_ place for \_\_\_\_ power during close \_\_\_\_?  
Is \_\_\_\_ possible \_\_\_\_ before \_\_\_\_ after some incidents \_\_\_\_ near us?  
\_\_\_\_ any special \_\_\_\_ on \_\_\_\_ off residential and \_\_\_\_ when there are incidents in \_\_\_\_?  
Is there a way \_\_\_\_ turn off \_\_\_\_ when \_\_\_\_ to \_\_\_\_?  
Is \_\_\_\_ formal \_\_\_\_ for turning on/ \_\_\_\_ energy \_\_\_\_ properties \_\_\_\_ incident \_\_\_\_?  
Are \_\_\_\_ any guidelines \_\_\_\_ how \_\_\_\_ turn off \_\_\_\_ and commercial \_\_\_\_ of \_\_\_\_?  
\_\_\_\_ there \_\_\_\_ protocol on \_\_\_\_ turn on \_\_\_\_ off \_\_\_\_ properties \_\_\_\_ to incident sites?  
Are there \_\_\_\_ for supply \_\_\_\_ when local \_\_\_\_?  
\_\_\_\_ guidelines for turning \_\_\_\_ and \_\_\_\_ supplies \_\_\_\_ the \_\_\_\_ of \_\_\_\_?  
Are there any \_\_\_\_ how to \_\_\_\_ commercial \_\_\_\_ supplies \_\_\_\_ such \_\_\_\_ happen?

\_\_\_\_ there any way \_\_\_\_ \_\_\_\_ supplies when a \_\_\_\_ close \_\_\_\_ us?  
 \_\_\_\_ there \_\_\_\_ \_\_\_\_ off \_\_\_\_ and commercial supplies before \_\_\_\_ after \_\_\_\_ incidents happen?  
 \_\_\_\_ it possible to turn \_\_\_\_ commercial \_\_\_\_ supplies \_\_\_\_ crime \_\_\_\_ close to \_\_\_\_?  
 \_\_\_\_ procedures for homes and \_\_\_\_ be \_\_\_\_ off when \_\_\_\_ are \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ process for turning \_\_\_\_ provisions at \_\_\_\_ close \_\_\_\_ sites?  
 \_\_\_\_ anyone \_\_\_\_ to shut off \_\_\_\_ during a \_\_\_\_?  
 I wonder \_\_\_\_ there \_\_\_\_ for turning \_\_\_\_ energy provisions \_\_\_\_ next \_\_\_\_ incident sites.  
 When \_\_\_\_ crime happens \_\_\_\_ to your \_\_\_\_ are \_\_\_\_ on how to turn \_\_\_\_?  
 \_\_\_\_ are \_\_\_\_ guidelines \_\_\_\_ shutting off residential supply \_\_\_\_ events?  
 \_\_\_\_ special guidelines \_\_\_\_ how \_\_\_\_ off residential and commercial \_\_\_\_ they are \_\_\_\_ proximity \_\_\_\_ us.  
 Is there a \_\_\_\_ supplies \_\_\_\_ or \_\_\_\_ incidents happen?  
 \_\_\_\_ any rules to power \_\_\_\_ residential \_\_\_\_ supplies during \_\_\_\_.  
 Do guidelines \_\_\_\_ off residential and commercial \_\_\_\_ vicinity of \_\_\_\_?  
 \_\_\_\_ are \_\_\_\_ on \_\_\_\_ utilities next to \_\_\_\_ sites?  
 Is there \_\_\_\_ to turn off commercial and \_\_\_\_ supplies \_\_\_\_ is \_\_\_\_?  
 \_\_\_\_ instructions to turn on \_\_\_\_ commercial supply in the \_\_\_\_ these \_\_\_\_?  
 Is there a \_\_\_\_ turn off \_\_\_\_ before \_\_\_\_ a certain \_\_\_\_?  
 Are \_\_\_\_ turning \_\_\_\_ residential and commercial \_\_\_\_ in the \_\_\_\_ of these incidents \_\_\_\_?  
 Is there \_\_\_\_ formal \_\_\_\_ for \_\_\_\_ to \_\_\_\_ on/off energy \_\_\_\_ close \_\_\_\_?  
 \_\_\_\_ there instructions for turning \_\_\_\_ and \_\_\_\_ supply if there \_\_\_\_ us?  
 Is \_\_\_\_ possible \_\_\_\_ turn \_\_\_\_ utilities \_\_\_\_ case of an \_\_\_\_?  
 Is there \_\_\_\_ supplies when there \_\_\_\_ some \_\_\_\_ nearby us?  
 Is there any \_\_\_\_ turning \_\_\_\_ when \_\_\_\_ is \_\_\_\_ to us?  
 Is \_\_\_\_ to tell \_\_\_\_ off/on resources \_\_\_\_ neighbourhood incidents?  
 \_\_\_\_ a \_\_\_\_ to turn off residential and \_\_\_\_ when there \_\_\_\_ us?  
 Are \_\_\_\_ any special guidelines \_\_\_\_ residential and \_\_\_\_ when there \_\_\_\_ an \_\_\_\_ like that?  
 Do you have \_\_\_\_ protocol for \_\_\_\_ and \_\_\_\_?  
 \_\_\_\_ way \_\_\_\_ turn off \_\_\_\_ and \_\_\_\_ supplies when \_\_\_\_ crime happens near \_\_\_\_?  
 Is there \_\_\_\_ way \_\_\_\_ case of a crisis?  
 Is \_\_\_\_ possible to \_\_\_\_ off \_\_\_\_ after \_\_\_\_ incident \_\_\_\_ nearby us?  
 \_\_\_\_ anyone tell \_\_\_\_ shut \_\_\_\_ utilities in \_\_\_\_ crisis?  
 Are there specific \_\_\_\_ for \_\_\_\_ and commercial \_\_\_\_ if \_\_\_\_ are \_\_\_\_?  
 \_\_\_\_ there any \_\_\_\_ turning off residential/commercial supplies \_\_\_\_ nearby?  
 There \_\_\_\_ guidelines on \_\_\_\_ residential \_\_\_\_ commercial supplies before \_\_\_\_ incident happens.  
 \_\_\_\_ the \_\_\_\_ turning off \_\_\_\_ and commercial \_\_\_\_ there are \_\_\_\_ nearby?  
 Rules \_\_\_\_ shutting down connected \_\_\_\_ case \_\_\_\_ local \_\_\_\_?  
 \_\_\_\_ of guidelines \_\_\_\_ turning \_\_\_\_ and \_\_\_\_ supplies when there are \_\_\_\_ nearby?  
 \_\_\_\_ any instructions \_\_\_\_ off residential \_\_\_\_ supplies when there \_\_\_\_ incidents \_\_\_\_?  
 \_\_\_\_ there any \_\_\_\_ for residential power switching \_\_\_\_?  
 \_\_\_\_ for switching off/on \_\_\_\_ after a \_\_\_\_ incident?  
 \_\_\_\_ way to turn \_\_\_\_ commercial \_\_\_\_ supplies \_\_\_\_ there are \_\_\_\_ close to \_\_\_\_?  
 Is there \_\_\_\_ to turn \_\_\_\_ our \_\_\_\_ case we \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ for residential and commercial \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ to turn \_\_\_\_ the utilities \_\_\_\_ times of \_\_\_\_?  
 \_\_\_\_ we find \_\_\_\_ cut \_\_\_\_ disasters?  
 \_\_\_\_ there clear directions for supply management \_\_\_\_?  
 When \_\_\_\_ on/off supplies near \_\_\_\_ required?  
 Are \_\_\_\_ guidelines \_\_\_\_ follow when \_\_\_\_ off \_\_\_\_ commercial \_\_\_\_?  
 \_\_\_\_ anyone \_\_\_\_ a \_\_\_\_ steps \_\_\_\_ shutting off utilities?  
 \_\_\_\_ are \_\_\_\_ off commercial and \_\_\_\_ before something happens.

\_\_\_\_\_ there any \_\_\_\_\_ turning off residential and \_\_\_\_\_ when \_\_\_\_\_ happen?  
 Are there any special guidelines \_\_\_\_\_ commercial and residential \_\_\_\_\_ before \_\_\_\_\_?  
 \_\_\_\_\_ a question \_\_\_\_\_ established protocol \_\_\_\_\_ residential/commercial \_\_\_\_\_.  
 Guidelines \_\_\_\_\_ turning off \_\_\_\_\_ supplies \_\_\_\_\_ our vicinity?  
 How \_\_\_\_\_ I \_\_\_\_\_ on/off \_\_\_\_\_ near \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ of \_\_\_\_\_ off \_\_\_\_\_ and commercial supplies \_\_\_\_\_ or after \_\_\_\_\_ incidents \_\_\_\_\_?  
 \_\_\_\_\_ directives \_\_\_\_\_ or reinstating power supply \_\_\_\_\_ a potential \_\_\_\_\_ disruption?  
 \_\_\_\_\_ incidents occur in \_\_\_\_\_ to \_\_\_\_\_ be special \_\_\_\_\_ to turn off residential and \_\_\_\_\_ supplies.  
 When \_\_\_\_\_ hand, what are supplies' \_\_\_\_\_ instructions?  
 Are \_\_\_\_\_ guidelines \_\_\_\_\_ off residential and \_\_\_\_\_ supplies before \_\_\_\_\_ happens?  
 \_\_\_\_\_ guidelines \_\_\_\_\_ off \_\_\_\_\_ and commercial \_\_\_\_\_ before or after an incident?  
 \_\_\_\_\_ there \_\_\_\_\_ turn off supplies before \_\_\_\_\_ after \_\_\_\_\_ happens \_\_\_\_\_ us?  
 When supplies \_\_\_\_\_ after \_\_\_\_\_ is the procedure?  
 Specific \_\_\_\_\_ what \_\_\_\_\_ know \_\_\_\_\_ chaos strikes my neighbourhood.  
 Do \_\_\_\_\_ have \_\_\_\_\_ on how \_\_\_\_\_ cut \_\_\_\_\_ disasters?  
 Is there \_\_\_\_\_ way \_\_\_\_\_ the \_\_\_\_\_ in case \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ there specific instructions \_\_\_\_\_ residential \_\_\_\_\_ commercial \_\_\_\_\_ there \_\_\_\_\_ incident nearby us?  
 \_\_\_\_\_ there any special guidelines \_\_\_\_\_ how \_\_\_\_\_ turn off \_\_\_\_\_ supplies in the \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ the guidelines for \_\_\_\_\_ close \_\_\_\_\_ incident sites.  
 \_\_\_\_\_ there any \_\_\_\_\_ turn off \_\_\_\_\_ commercial \_\_\_\_\_ in the event of an \_\_\_\_\_?  
 \_\_\_\_\_ any instructions regarding turning \_\_\_\_\_ supplies when \_\_\_\_\_ incidents \_\_\_\_\_?  
 Can we find \_\_\_\_\_ on how \_\_\_\_\_ when \_\_\_\_\_?  
 Is there a \_\_\_\_\_ utilities in case \_\_\_\_\_ a \_\_\_\_\_?  
 Is there any guidelines on \_\_\_\_\_ supplies when there \_\_\_\_\_ incidents \_\_\_\_\_?  
 \_\_\_\_\_ any way \_\_\_\_\_ turn off \_\_\_\_\_ and \_\_\_\_\_ a \_\_\_\_\_ is close to \_\_\_\_\_?  
 Is \_\_\_\_\_ a set \_\_\_\_\_ guidelines \_\_\_\_\_ off residential and commercial supplies \_\_\_\_\_?  
 \_\_\_\_\_ there any \_\_\_\_\_ for turning off \_\_\_\_\_ and \_\_\_\_\_ when \_\_\_\_\_ are \_\_\_\_\_ nearby?  
 \_\_\_\_\_ there \_\_\_\_\_ special \_\_\_\_\_ on how to turn \_\_\_\_\_ proximity to \_\_\_\_\_?  
 Is there \_\_\_\_\_ instructions for turning \_\_\_\_\_ if there are \_\_\_\_\_?  
 \_\_\_\_\_ any \_\_\_\_\_ guidelines on how to turn off \_\_\_\_\_ and \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ nearby?  
 Are \_\_\_\_\_ specific \_\_\_\_\_ for \_\_\_\_\_ on \_\_\_\_\_ and \_\_\_\_\_ supply \_\_\_\_\_ incidents \_\_\_\_\_ close \_\_\_\_\_ us?  
 Will \_\_\_\_\_ be \_\_\_\_\_ turning off commercial resources?  
 \_\_\_\_\_ specific guidelines for \_\_\_\_\_ residential and commercial \_\_\_\_\_ incidents nearby?  
 Are \_\_\_\_\_ established protocols \_\_\_\_\_ shutdowns?  
 Should there \_\_\_\_\_ for \_\_\_\_\_ residential \_\_\_\_\_?  
 \_\_\_\_\_ want to \_\_\_\_\_ if there is \_\_\_\_\_ residential/ \_\_\_\_\_ shutdowns.  
 \_\_\_\_\_ for \_\_\_\_\_ down connected \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ local incident?  
 \_\_\_\_\_ in \_\_\_\_\_ for shutting \_\_\_\_\_ residential supply in \_\_\_\_\_ proximity \_\_\_\_\_ events?  
 Is there \_\_\_\_\_ procedure for \_\_\_\_\_ after \_\_\_\_\_ troubles?  
 What guidelines \_\_\_\_\_ be followed \_\_\_\_\_ on/off \_\_\_\_\_ near \_\_\_\_\_?  
 Is \_\_\_\_\_ place \_\_\_\_\_ commercial shutdowns?  
 \_\_\_\_\_ there any rules \_\_\_\_\_ control utility \_\_\_\_\_ incidents?  
 \_\_\_\_\_ possible to \_\_\_\_\_ supplies before or \_\_\_\_\_ something \_\_\_\_\_ nearby?  
 Are there any special guidelines \_\_\_\_\_ how to turn \_\_\_\_\_ incident in \_\_\_\_\_ vicinity?  
 Is there a \_\_\_\_\_ to \_\_\_\_\_ off supplies before \_\_\_\_\_ certain \_\_\_\_\_ of \_\_\_\_\_?  
 Is \_\_\_\_\_ turning off residential \_\_\_\_\_ commercial supplies \_\_\_\_\_ or \_\_\_\_\_ incidents \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ of \_\_\_\_\_ off supplies when \_\_\_\_\_ near \_\_\_\_\_ house, \_\_\_\_\_ any other place?  
 Are \_\_\_\_\_ guidelines for turning off \_\_\_\_\_ commercial \_\_\_\_\_ vicinity?  
 Do we have \_\_\_\_\_ on how \_\_\_\_\_ on/off energy \_\_\_\_\_ properties \_\_\_\_\_ sites?  
 Do you \_\_\_\_\_ controlling \_\_\_\_\_ neighborhood crises?

What \_\_\_\_\_ specific \_\_\_\_\_ for \_\_\_\_\_ on/off supplies near \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ for turning \_\_\_\_\_ at properties that \_\_\_\_\_ close \_\_\_\_\_ incident sites?

Before \_\_\_\_\_ or \_\_\_\_\_ to home, \_\_\_\_\_ there any specific \_\_\_\_\_ to take?

Is \_\_\_\_\_ specific \_\_\_\_\_ off residential and commercial \_\_\_\_\_ or \_\_\_\_\_ incidents happen?

\_\_\_\_\_ the \_\_\_\_\_ for closing off \_\_\_\_\_ close proximity \_\_\_\_\_ events?

\_\_\_\_\_ any special guidelines on how to \_\_\_\_\_ supplies when \_\_\_\_\_ us?

Is \_\_\_\_\_ to turn off residential \_\_\_\_\_ supplies when \_\_\_\_\_ is a \_\_\_\_\_ us?

\_\_\_\_\_ special \_\_\_\_\_ on \_\_\_\_\_ turn \_\_\_\_\_ and commercial supplies when there are incidents near \_\_\_\_\_?

Are there \_\_\_\_\_ instructions \_\_\_\_\_ residential \_\_\_\_\_ supply if there \_\_\_\_\_ incidents nearby?

\_\_\_\_\_ there a \_\_\_\_\_ to \_\_\_\_\_ on/off energy at \_\_\_\_\_ incident \_\_\_\_\_?

\_\_\_\_\_ tell me \_\_\_\_\_ to \_\_\_\_\_ off/commercial \_\_\_\_\_?

Is \_\_\_\_\_ a formal protocol \_\_\_\_\_ deal with \_\_\_\_\_ energy \_\_\_\_\_ properties \_\_\_\_\_ to \_\_\_\_\_?

What \_\_\_\_\_ guidelines \_\_\_\_\_ off residential supply in \_\_\_\_\_ of \_\_\_\_\_ events?

\_\_\_\_\_ local incidents \_\_\_\_\_ rules be put in \_\_\_\_\_ switching?

Are there \_\_\_\_\_ guidelines on how \_\_\_\_\_ and commercial supplies \_\_\_\_\_ the \_\_\_\_\_ of an \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ cutting power in residential \_\_\_\_\_ area?

How should \_\_\_\_\_ for businesses and \_\_\_\_\_ turned \_\_\_\_\_ when \_\_\_\_\_?

Are \_\_\_\_\_ special \_\_\_\_\_ how \_\_\_\_\_ off residential and commercial supplies when \_\_\_\_\_?

How \_\_\_\_\_ provisions at properties next to \_\_\_\_\_ sites?

Is there a way to \_\_\_\_\_ commercial \_\_\_\_\_ there's \_\_\_\_\_ nearby?

Is \_\_\_\_\_ way to \_\_\_\_\_ if there \_\_\_\_\_ incidents nearby \_\_\_\_\_?

\_\_\_\_\_ be guidelines \_\_\_\_\_ off supplies?

Can \_\_\_\_\_ tell \_\_\_\_\_ how \_\_\_\_\_ switch \_\_\_\_\_ resources \_\_\_\_\_ neighbourhood incident?

Is there \_\_\_\_\_ way \_\_\_\_\_ turn \_\_\_\_\_ before or after something happens near \_\_\_\_\_ house, \_\_\_\_\_?

\_\_\_\_\_ a question of how \_\_\_\_\_ off residential \_\_\_\_\_ there is an \_\_\_\_\_ nearby.

Is there an \_\_\_\_\_ method \_\_\_\_\_ shutdowns?

Is it \_\_\_\_\_ after there are incidents nearby?

Is \_\_\_\_\_ specific instructions for \_\_\_\_\_ commercial \_\_\_\_\_ in \_\_\_\_\_ case \_\_\_\_\_ these incidents?

Is \_\_\_\_\_ way \_\_\_\_\_ turn \_\_\_\_\_ supplies \_\_\_\_\_ something happens \_\_\_\_\_ us?

\_\_\_\_\_ there specific \_\_\_\_\_ for turning \_\_\_\_\_ residential \_\_\_\_\_ are incidents nearby?

Is there a \_\_\_\_\_ to \_\_\_\_\_ supplies before \_\_\_\_\_ after \_\_\_\_\_?

\_\_\_\_\_ procedure for \_\_\_\_\_ off residential supply in \_\_\_\_\_ such events?

\_\_\_\_\_ is a question of how to \_\_\_\_\_ residential \_\_\_\_\_ are \_\_\_\_\_ nearby.

Are \_\_\_\_\_ for turning on residential and commercial \_\_\_\_\_ in \_\_\_\_\_ nearby us?

Is there specific guidelines \_\_\_\_\_ off \_\_\_\_\_ before or after \_\_\_\_\_?

Is there any \_\_\_\_\_ guidelines \_\_\_\_\_ and commercial \_\_\_\_\_ there are \_\_\_\_\_ us?

Do \_\_\_\_\_ have \_\_\_\_\_ to \_\_\_\_\_ off/on \_\_\_\_\_ after \_\_\_\_\_ neighbourhood \_\_\_\_\_?

Before \_\_\_\_\_ strikes \_\_\_\_\_ how \_\_\_\_\_ shutdown tips?

\_\_\_\_\_ there any guidelines on how \_\_\_\_\_ commercial and \_\_\_\_\_ there \_\_\_\_\_ incidents?

Are \_\_\_\_\_ on turning \_\_\_\_\_ Residential/Commercial supplies \_\_\_\_\_ there are \_\_\_\_\_?

Can you \_\_\_\_\_ how \_\_\_\_\_ switch \_\_\_\_\_ resources \_\_\_\_\_ a \_\_\_\_\_ incident?

\_\_\_\_\_ you give \_\_\_\_\_ on how \_\_\_\_\_ on/ \_\_\_\_\_ resources?

\_\_\_\_\_ turning off residential \_\_\_\_\_ supplies in the \_\_\_\_\_ us there?

Are there \_\_\_\_\_ on \_\_\_\_\_ residential and \_\_\_\_\_ supplies \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ our utilities off \_\_\_\_\_ the \_\_\_\_\_ a crisis?

\_\_\_\_\_ guidelines for cutting \_\_\_\_\_ in residential settings near \_\_\_\_\_?

\_\_\_\_\_ guidelines for turning \_\_\_\_\_ residential \_\_\_\_\_ supplies in \_\_\_\_\_ vicinity?

Are \_\_\_\_\_ any \_\_\_\_\_ guidelines on \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ supplies when there \_\_\_\_\_ such incidents \_\_\_\_\_?

Is \_\_\_\_\_ way to turn off commercial and \_\_\_\_\_ when \_\_\_\_\_ is close \_\_\_\_\_?

\_\_\_\_\_ instructions for \_\_\_\_\_ off \_\_\_\_\_ there are \_\_\_\_\_ nearby?



Are \_\_\_\_\_ any \_\_\_\_\_ guidelines \_\_\_\_\_ residential and \_\_\_\_\_ supplies when \_\_\_\_\_ are such incidents?

Are there \_\_\_\_\_ how to \_\_\_\_\_ off \_\_\_\_\_ and \_\_\_\_\_ when \_\_\_\_\_ incidents nearby?

Is \_\_\_\_\_ way \_\_\_\_\_ turn \_\_\_\_\_ residential and \_\_\_\_\_ there are \_\_\_\_\_ incidents nearby?

Is there any \_\_\_\_\_ how to \_\_\_\_\_ off \_\_\_\_\_ there \_\_\_\_\_ near \_\_\_\_\_ place?

\_\_\_\_\_ there \_\_\_\_\_ on/off instructions for \_\_\_\_\_ looms close?

\_\_\_\_\_ close to hand, what \_\_\_\_\_ instructions \_\_\_\_\_ you have \_\_\_\_\_?

\_\_\_\_\_ there a formal \_\_\_\_\_ relating \_\_\_\_\_ turning on/off energy \_\_\_\_\_ to incident \_\_\_\_\_?

\_\_\_\_\_ you tell \_\_\_\_\_ if \_\_\_\_\_ controlling \_\_\_\_\_ during neighborhood crises?

\_\_\_\_\_ there \_\_\_\_\_ instructions to \_\_\_\_\_ power \_\_\_\_\_ crises?

\_\_\_\_\_ for shutting \_\_\_\_\_ residential \_\_\_\_\_ in close proximity?

\_\_\_\_\_ guidelines for \_\_\_\_\_ and commercial \_\_\_\_\_ us there?

Is there a way to \_\_\_\_\_ supplies \_\_\_\_\_ event \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to \_\_\_\_\_ off commercial \_\_\_\_\_ residential \_\_\_\_\_ when there \_\_\_\_\_ an \_\_\_\_\_ to us?

\_\_\_\_\_ a crime \_\_\_\_\_ us, \_\_\_\_\_ any guidelines on \_\_\_\_\_ to \_\_\_\_\_ residential and commercial supplies?

\_\_\_\_\_ close \_\_\_\_\_ what are the instructions \_\_\_\_\_ and commercial supplies?

Is there \_\_\_\_\_ protocol \_\_\_\_\_ on/off \_\_\_\_\_ at properties \_\_\_\_\_ incidents?

There is a question \_\_\_\_\_ how \_\_\_\_\_ and \_\_\_\_\_ supplies when there \_\_\_\_\_ nearby.

\_\_\_\_\_ there a \_\_\_\_\_ way \_\_\_\_\_ handle \_\_\_\_\_ energy \_\_\_\_\_ at properties adjacent to \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ off residential/commercial \_\_\_\_\_ before or after incidents \_\_\_\_\_ nearby \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ to \_\_\_\_\_ utilities \_\_\_\_\_ happens to us?

Is there any \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ and commercial supplies \_\_\_\_\_ happen?

\_\_\_\_\_ there specific instructions \_\_\_\_\_ residential \_\_\_\_\_ commercial \_\_\_\_\_ there are incidents nearby \_\_\_\_\_?

Are \_\_\_\_\_ guidelines to turn \_\_\_\_\_ supplies when there \_\_\_\_\_ incidents \_\_\_\_\_?

Is \_\_\_\_\_ any guidelines \_\_\_\_\_ how \_\_\_\_\_ off residential \_\_\_\_\_ supplies \_\_\_\_\_ there \_\_\_\_\_ an incident \_\_\_\_\_ us?

Any rules on \_\_\_\_\_ to \_\_\_\_\_ power \_\_\_\_\_?

Is \_\_\_\_\_ instructions on how to \_\_\_\_\_ off \_\_\_\_\_ commercial supplies before \_\_\_\_\_?

\_\_\_\_\_ for turning on/off \_\_\_\_\_ close proximity \_\_\_\_\_?

Is \_\_\_\_\_ guidelines \_\_\_\_\_ turning \_\_\_\_\_ residential \_\_\_\_\_ commercial supplies \_\_\_\_\_?

\_\_\_\_\_ do you turn residential \_\_\_\_\_ after nearby \_\_\_\_\_?

During events around us, any rules \_\_\_\_\_ power \_\_\_\_\_?

Before \_\_\_\_\_ occur \_\_\_\_\_ should \_\_\_\_\_ special guidelines on how to \_\_\_\_\_ off commercial and residential \_\_\_\_\_.

\_\_\_\_\_ we turn \_\_\_\_\_ off after nearby \_\_\_\_\_?

Do you have \_\_\_\_\_ stopping or reinstating power \_\_\_\_\_ local \_\_\_\_\_?

The on/off \_\_\_\_\_ for supplies \_\_\_\_\_ disaster \_\_\_\_\_ hand?

\_\_\_\_\_ there \_\_\_\_\_ for turning off residential \_\_\_\_\_ us?

Do \_\_\_\_\_ have any guidelines \_\_\_\_\_ to turn \_\_\_\_\_ and \_\_\_\_\_ supplies when \_\_\_\_\_ nearby?

\_\_\_\_\_ there \_\_\_\_\_ established protocol \_\_\_\_\_ and commercial \_\_\_\_\_?

In the case of incidents nearby \_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ and \_\_\_\_\_ supply?

Is it \_\_\_\_\_ to turn \_\_\_\_\_ commercial \_\_\_\_\_ before \_\_\_\_\_ after certain \_\_\_\_\_ us?

Is \_\_\_\_\_ way \_\_\_\_\_ turn \_\_\_\_\_ supplies after \_\_\_\_\_ happen near \_\_\_\_\_?

Is \_\_\_\_\_ a set of \_\_\_\_\_ turning \_\_\_\_\_ and \_\_\_\_\_ or \_\_\_\_\_ a certain incident?

What guidelines exist \_\_\_\_\_ shutting \_\_\_\_\_ supply \_\_\_\_\_ close \_\_\_\_\_ events?

Is \_\_\_\_\_ way \_\_\_\_\_ supplies before \_\_\_\_\_ after \_\_\_\_\_ certain situation?

Is \_\_\_\_\_ protocol for turning on/off energy \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ any special guidelines for turning \_\_\_\_\_ commercial \_\_\_\_\_ an incident \_\_\_\_\_?

\_\_\_\_\_ for turning \_\_\_\_\_ and commercial supplies?

Is \_\_\_\_\_ to outline steps \_\_\_\_\_ utilities?

Is \_\_\_\_\_ way \_\_\_\_\_ and \_\_\_\_\_ supplies if there is a crime \_\_\_\_\_?

\_\_\_\_\_ instructions for \_\_\_\_\_ supplies when disaster looms \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ way to \_\_\_\_\_ off \_\_\_\_\_ before \_\_\_\_\_ after incidents occur?

Rules \_\_\_\_ power down/up \_\_\_\_ and residential \_\_\_\_ during \_\_\_\_ \_\_\_\_ \_\_\_\_ .  
 What are \_\_\_\_ shutting \_\_\_\_ supply in close \_\_\_\_ of \_\_\_\_ events?  
 \_\_\_\_ have any directives regarding \_\_\_\_ cessation \_\_\_\_ power \_\_\_\_ a local disruption?  
 Is \_\_\_\_ way \_\_\_\_ turn \_\_\_\_ before \_\_\_\_ there are \_\_\_\_ in the vicinity?  
 Is there \_\_\_\_ way to \_\_\_\_ before or \_\_\_\_ certain \_\_\_\_ ?  
 Is there a \_\_\_\_ to \_\_\_\_ residential and \_\_\_\_ incidents \_\_\_\_ ?  
 \_\_\_\_ there on/off instructions \_\_\_\_ looms \_\_\_\_ hand?  
 Are \_\_\_\_ on/off residential \_\_\_\_ commercial \_\_\_\_ in the \_\_\_\_ of us \_\_\_\_ ?  
 Are \_\_\_\_ any \_\_\_\_ guidelines on \_\_\_\_ off supplies in \_\_\_\_ incidents?  
 Is there \_\_\_\_ established protocol for \_\_\_\_ downs?  
 \_\_\_\_ are \_\_\_\_ guidelines \_\_\_\_ how \_\_\_\_ turn \_\_\_\_ residential \_\_\_\_ if there is an incident \_\_\_\_ .  
 What \_\_\_\_ place for extinguishing \_\_\_\_ around incident \_\_\_\_ ?  
 Before local \_\_\_\_ in \_\_\_\_ to control utility switch?  
 \_\_\_\_ be guidelines to follow \_\_\_\_ resources?  
 \_\_\_\_ disaster looms \_\_\_\_ to hand, can \_\_\_\_ ?  
 \_\_\_\_ there \_\_\_\_ way to \_\_\_\_ our \_\_\_\_ in \_\_\_\_ of trouble \_\_\_\_ ?  
 \_\_\_\_ set of guidelines \_\_\_\_ how to \_\_\_\_ and commercial supplies \_\_\_\_ are incidents nearby?  
 \_\_\_\_ there \_\_\_\_ to turn \_\_\_\_ Residential/Commercial \_\_\_\_ ?  
 \_\_\_\_ local \_\_\_\_ any rules \_\_\_\_ utility \_\_\_\_ ?  
 Is \_\_\_\_ special \_\_\_\_ on \_\_\_\_ turn off \_\_\_\_ before something \_\_\_\_ ?  
 \_\_\_\_ crime happens close to \_\_\_\_ guidelines \_\_\_\_ how to \_\_\_\_ off commercial \_\_\_\_ residential supplies?  
 Are guidelines \_\_\_\_ commercial and \_\_\_\_ supplies in the \_\_\_\_ us \_\_\_\_ ?  
 Are there \_\_\_\_ guidelines on how \_\_\_\_ turn \_\_\_\_ and residential \_\_\_\_ are such \_\_\_\_ ?  
 \_\_\_\_ guidelines regarding shutting \_\_\_\_ the \_\_\_\_ supply \_\_\_\_ proximity of events?  
 Is \_\_\_\_ protocol on \_\_\_\_ turn \_\_\_\_ off energy at \_\_\_\_ incident sites?  
 Is there any \_\_\_\_ guidelines \_\_\_\_ turning off \_\_\_\_ and \_\_\_\_ supplies when \_\_\_\_ incident \_\_\_\_ us?  
 \_\_\_\_ there any \_\_\_\_ to turn off residential \_\_\_\_ commercial \_\_\_\_ there's \_\_\_\_ ?  
 When \_\_\_\_ crime \_\_\_\_ close \_\_\_\_ us, are \_\_\_\_ any special \_\_\_\_ turning off commercial \_\_\_\_ ?  
 Is there \_\_\_\_ way \_\_\_\_ or after there's an \_\_\_\_ ?  
 \_\_\_\_ any special \_\_\_\_ on \_\_\_\_ to turn off \_\_\_\_ the \_\_\_\_ a problem?  
 Are \_\_\_\_ any \_\_\_\_ turning off/on supplies \_\_\_\_ the \_\_\_\_ ?  
 Is there a \_\_\_\_ to \_\_\_\_ our utilities \_\_\_\_ in \_\_\_\_ an \_\_\_\_ ?  
 Is \_\_\_\_ to \_\_\_\_ supplies before or \_\_\_\_ something happens close \_\_\_\_ ?  
 \_\_\_\_ there any \_\_\_\_ guidelines \_\_\_\_ supplies \_\_\_\_ are incidents close to \_\_\_\_ ?  
 Is \_\_\_\_ any rule to \_\_\_\_ before \_\_\_\_ ?  
 Is \_\_\_\_ possible to \_\_\_\_ supplies near \_\_\_\_ ?  
 \_\_\_\_ a \_\_\_\_ turn \_\_\_\_ supplies prior \_\_\_\_ something happening nearby?  
 \_\_\_\_ there any instructions \_\_\_\_ turn \_\_\_\_ commercial \_\_\_\_ incidents occur \_\_\_\_ us?  
 Are \_\_\_\_ instructions for turning \_\_\_\_ and commercial supplies \_\_\_\_ nearby?  
 Is there \_\_\_\_ to turn \_\_\_\_ supplies before \_\_\_\_ incident?  
 Is \_\_\_\_ a formal \_\_\_\_ for \_\_\_\_ on/off energy \_\_\_\_ close \_\_\_\_ incident?  
 Are \_\_\_\_ turning \_\_\_\_ the residential \_\_\_\_ commercial supply \_\_\_\_ event of \_\_\_\_ incidents?  
 How do \_\_\_\_ supplies \_\_\_\_ and \_\_\_\_ after nearby \_\_\_\_ ?  
 Is \_\_\_\_ a \_\_\_\_ for \_\_\_\_ residential \_\_\_\_ ?  
 \_\_\_\_ local \_\_\_\_ could \_\_\_\_ to control utility switch?  
 How about \_\_\_\_ there \_\_\_\_ in my neighborhood?  
 \_\_\_\_ any special \_\_\_\_ residential and \_\_\_\_ supplies when \_\_\_\_ close to us?  
 How about \_\_\_\_ tips \_\_\_\_ there \_\_\_\_ my neighbourhood?  
 \_\_\_\_ case of troubles, is \_\_\_\_ way \_\_\_\_ our utilities \_\_\_\_ ?  
 Are \_\_\_\_ special \_\_\_\_ on how \_\_\_\_ and \_\_\_\_ supplies before an \_\_\_\_ happens?

\_\_\_\_\_ regarding toggling home/business \_\_\_\_\_ near \_\_\_\_\_.

What \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ when turning on/off \_\_\_\_\_ near \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ process \_\_\_\_\_ turning on/off energy \_\_\_\_\_ at properties adjacent \_\_\_\_\_?

\_\_\_\_\_ special \_\_\_\_\_ on how \_\_\_\_\_ turn \_\_\_\_\_ and commercial \_\_\_\_\_ in the \_\_\_\_\_ a similar incident?

Are there \_\_\_\_\_ on \_\_\_\_\_ Residential/Commercial \_\_\_\_\_ when there are \_\_\_\_\_?

Are there any special \_\_\_\_\_ how to \_\_\_\_\_ off residential \_\_\_\_\_ supplies \_\_\_\_\_ happens \_\_\_\_\_ vicinity?

\_\_\_\_\_ guidelines \_\_\_\_\_ to \_\_\_\_\_ and commercial supplies before incidents occur.

Is \_\_\_\_\_ a way \_\_\_\_\_ before \_\_\_\_\_ certain incident \_\_\_\_\_ nearby?

Are there any \_\_\_\_\_ how to turn \_\_\_\_\_ residential \_\_\_\_\_ the event of \_\_\_\_\_ incidents?

\_\_\_\_\_ the procedure \_\_\_\_\_ turning supplies \_\_\_\_\_ after \_\_\_\_\_ problems?

Is \_\_\_\_\_ shutting off \_\_\_\_\_ supply \_\_\_\_\_ close \_\_\_\_\_ of these events?

When \_\_\_\_\_ to \_\_\_\_\_ what \_\_\_\_\_ instructions \_\_\_\_\_ residential/commercial supplies have?

Are there clear \_\_\_\_\_ for \_\_\_\_\_ amid \_\_\_\_\_?

I \_\_\_\_\_ to know the \_\_\_\_\_ home/business \_\_\_\_\_ near \_\_\_\_\_.

\_\_\_\_\_ there a \_\_\_\_\_ in \_\_\_\_\_ for \_\_\_\_\_ on/off \_\_\_\_\_ at properties \_\_\_\_\_ to \_\_\_\_\_ sites?

\_\_\_\_\_ you give \_\_\_\_\_ for when \_\_\_\_\_ switch \_\_\_\_\_?

Is \_\_\_\_\_ detailing \_\_\_\_\_ to \_\_\_\_\_ on/off energy \_\_\_\_\_ near incident sites?

\_\_\_\_\_ the \_\_\_\_\_ extinguishing utilities near \_\_\_\_\_ sites?

Is there \_\_\_\_\_ guidelines \_\_\_\_\_ off residential \_\_\_\_\_ commercial supplies \_\_\_\_\_ there \_\_\_\_\_ us?

Before or \_\_\_\_\_ occur nearby \_\_\_\_\_ there specific guidelines \_\_\_\_\_ turning \_\_\_\_\_ supplies?

What \_\_\_\_\_ on \_\_\_\_\_ off \_\_\_\_\_ supply in \_\_\_\_\_ proximity of such \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ how to \_\_\_\_\_ off/on \_\_\_\_\_ after a \_\_\_\_\_ incident?

Is \_\_\_\_\_ to turn off supplies before \_\_\_\_\_ something \_\_\_\_\_ house.

\_\_\_\_\_ guidelines exist for shutting \_\_\_\_\_ residential \_\_\_\_\_ in close \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ way to \_\_\_\_\_ off \_\_\_\_\_ commercial supplies when \_\_\_\_\_ is close \_\_\_\_\_ your \_\_\_\_\_?

Protocol \_\_\_\_\_ toggling home/business \_\_\_\_\_.

\_\_\_\_\_ you tell me \_\_\_\_\_ to \_\_\_\_\_ commercial supplies \_\_\_\_\_ there is an \_\_\_\_\_ to us?

\_\_\_\_\_ there a \_\_\_\_\_ of \_\_\_\_\_ off \_\_\_\_\_ after some incidents?

Can you \_\_\_\_\_ instructions to switch off/on \_\_\_\_\_ a \_\_\_\_\_?

Is there any \_\_\_\_\_ turn off \_\_\_\_\_ and \_\_\_\_\_ supplies \_\_\_\_\_ after a \_\_\_\_\_?

\_\_\_\_\_ the guidelines for turning \_\_\_\_\_ commercial supplies around \_\_\_\_\_?

Can we \_\_\_\_\_ cutting \_\_\_\_\_ disasters?

There are \_\_\_\_\_ how to \_\_\_\_\_ residential \_\_\_\_\_ supplies if there are \_\_\_\_\_ in \_\_\_\_\_ vicinity.

Rules \_\_\_\_\_ turning down \_\_\_\_\_ there are local \_\_\_\_\_?

\_\_\_\_\_ guidelines \_\_\_\_\_ to be \_\_\_\_\_ when \_\_\_\_\_ near us?

Is \_\_\_\_\_ way \_\_\_\_\_ turn off \_\_\_\_\_ before or \_\_\_\_\_ happen \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ guidelines for \_\_\_\_\_ off residential \_\_\_\_\_ things happen close \_\_\_\_\_ us?

Can \_\_\_\_\_ people \_\_\_\_\_ to \_\_\_\_\_ resources \_\_\_\_\_ a neighbourhood incident?

When disaster \_\_\_\_\_ close \_\_\_\_\_ supplies' on/off \_\_\_\_\_?

Is there any \_\_\_\_\_ guidelines \_\_\_\_\_ turning \_\_\_\_\_ residential \_\_\_\_\_ commercial supplies \_\_\_\_\_ incidents \_\_\_\_\_ vicinity?

\_\_\_\_\_ you \_\_\_\_\_ instructions \_\_\_\_\_ to switch off/on \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ on \_\_\_\_\_ to turn off \_\_\_\_\_ commercial supplies \_\_\_\_\_ are \_\_\_\_\_ nearby.

\_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ utilities \_\_\_\_\_ the event of \_\_\_\_\_ trouble?

\_\_\_\_\_ turning \_\_\_\_\_ near us?

\_\_\_\_\_ on how \_\_\_\_\_ on/off energy at properties near incident \_\_\_\_\_?

Is there \_\_\_\_\_ for \_\_\_\_\_ commercial shut \_\_\_\_\_?

\_\_\_\_\_ local \_\_\_\_\_ to control \_\_\_\_\_ switching?

\_\_\_\_\_ wondering if there are \_\_\_\_\_ special guidelines \_\_\_\_\_ off residential \_\_\_\_\_ supplies.

Is \_\_\_\_\_ special instructions on how \_\_\_\_\_ supplies \_\_\_\_\_ event of an \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ to follow \_\_\_\_\_ turning off \_\_\_\_\_?

What are \_\_\_\_\_ guidelines \_\_\_\_\_ to \_\_\_\_\_ next to \_\_\_\_\_?

\_\_\_\_\_ looms close \_\_\_\_\_ on/off \_\_\_\_\_ for residential/ \_\_\_\_\_ supplies?

Is \_\_\_\_\_ a set \_\_\_\_\_ to \_\_\_\_\_ turning off/commercial \_\_\_\_\_?

Is there \_\_\_\_\_ set of \_\_\_\_\_ for turning \_\_\_\_\_ residential \_\_\_\_\_ supplies before \_\_\_\_\_ incidents \_\_\_\_\_ us?

\_\_\_\_\_ there \_\_\_\_\_ on \_\_\_\_\_ and \_\_\_\_\_ supply if there's an \_\_\_\_\_ nearby?

When a \_\_\_\_\_ close \_\_\_\_\_ you, do \_\_\_\_\_ have \_\_\_\_\_ to \_\_\_\_\_ off supplies?

\_\_\_\_\_ there \_\_\_\_\_ on \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ supplies before an incident occurs?

\_\_\_\_\_ about \_\_\_\_\_ tips before \_\_\_\_\_ terrible \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ to turn \_\_\_\_\_ and commercial \_\_\_\_\_ when there are \_\_\_\_\_?

\_\_\_\_\_ there any special \_\_\_\_\_ on \_\_\_\_\_ turn \_\_\_\_\_ when \_\_\_\_\_ a crime in \_\_\_\_\_ vicinity?

Is it possible to \_\_\_\_\_ power \_\_\_\_\_ something \_\_\_\_\_ close \_\_\_\_\_?

\_\_\_\_\_ the guidelines \_\_\_\_\_ off residential and commercial \_\_\_\_\_ in \_\_\_\_\_ us?

\_\_\_\_\_ there \_\_\_\_\_ regarding \_\_\_\_\_ on/off energy \_\_\_\_\_ properties close to \_\_\_\_\_ sites?

During \_\_\_\_\_ instructions for controlling power?

\_\_\_\_\_ there guidelines \_\_\_\_\_ residential \_\_\_\_\_ commercial supplies?

Is \_\_\_\_\_ of \_\_\_\_\_ off supplies before \_\_\_\_\_ after \_\_\_\_\_ problem \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ off \_\_\_\_\_ and commercial supplies before \_\_\_\_\_ after certain \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ guidelines on \_\_\_\_\_ to \_\_\_\_\_ off residential \_\_\_\_\_ commercial supplies \_\_\_\_\_ happens?

\_\_\_\_\_ there \_\_\_\_\_ for turning \_\_\_\_\_ commercial supplies if there \_\_\_\_\_ nearby?

Is it possible \_\_\_\_\_ utilities \_\_\_\_\_ in case \_\_\_\_\_?

\_\_\_\_\_ way to turn off \_\_\_\_\_ commercial \_\_\_\_\_ before \_\_\_\_\_ happens?

Are \_\_\_\_\_ for turning off supplies in \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ on \_\_\_\_\_ to turn off residential/ \_\_\_\_\_ supplies?

Are \_\_\_\_\_ turning off \_\_\_\_\_ and \_\_\_\_\_ supplies nearby \_\_\_\_\_?

\_\_\_\_\_ on \_\_\_\_\_ to turn off commercial \_\_\_\_\_ residential supplies \_\_\_\_\_ are \_\_\_\_\_ by.

Is \_\_\_\_\_ in \_\_\_\_\_ for turning on/off energy at \_\_\_\_\_ near \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ regarding shutting off residential supply \_\_\_\_\_ events?

\_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ for \_\_\_\_\_ next to incident sites?

\_\_\_\_\_ you \_\_\_\_\_ when to switch off/on resources?

In case \_\_\_\_\_ trouble, is there \_\_\_\_\_ way to \_\_\_\_\_?

When \_\_\_\_\_ crime happens close \_\_\_\_\_ there \_\_\_\_\_ guidelines \_\_\_\_\_ how \_\_\_\_\_ off the supplies?

Are \_\_\_\_\_ any special instructions \_\_\_\_\_ how \_\_\_\_\_ turn off residential \_\_\_\_\_ an incident?

Are there \_\_\_\_\_ instructions \_\_\_\_\_ turning on residential and \_\_\_\_\_ in \_\_\_\_\_ of \_\_\_\_\_ incidents \_\_\_\_\_?

Is there \_\_\_\_\_ guidelines about shutting \_\_\_\_\_ close \_\_\_\_\_ such events?

\_\_\_\_\_ if there is an \_\_\_\_\_ for residential and \_\_\_\_\_ shutdowns?

Is it possible to \_\_\_\_\_ residential/ \_\_\_\_\_ supplies \_\_\_\_\_ in \_\_\_\_\_ vicinity?

Which guidelines \_\_\_\_\_ in place for extinguishing \_\_\_\_\_?

\_\_\_\_\_ the guidelines \_\_\_\_\_ place \_\_\_\_\_ extinguishing \_\_\_\_\_ next to \_\_\_\_\_?

Is \_\_\_\_\_ residential and \_\_\_\_\_ supplies if there is an incident \_\_\_\_\_ us?

\_\_\_\_\_ there any guidelines on \_\_\_\_\_ to turn \_\_\_\_\_ supplies \_\_\_\_\_ there's \_\_\_\_\_ nearby?

Is \_\_\_\_\_ guidelines \_\_\_\_\_ off \_\_\_\_\_ and \_\_\_\_\_ supplies before or \_\_\_\_\_ an incident?

Is there \_\_\_\_\_ way \_\_\_\_\_ off residential \_\_\_\_\_ commercial \_\_\_\_\_ there are \_\_\_\_\_ nearby?

When \_\_\_\_\_ crime occurs \_\_\_\_\_ your \_\_\_\_\_ any \_\_\_\_\_ how to turn off commercial \_\_\_\_\_ residential supplies?

Is \_\_\_\_\_ to turn off supplies \_\_\_\_\_ or after \_\_\_\_\_?

Can you tell me \_\_\_\_\_ after \_\_\_\_\_ neighbourhood incident?

Is there \_\_\_\_\_ turn off \_\_\_\_\_ there is trouble \_\_\_\_\_ us?

Are \_\_\_\_\_ instructions for \_\_\_\_\_ residential \_\_\_\_\_ commercial \_\_\_\_\_ of certain incidents nearby us?

Is there \_\_\_\_\_ how to turn off supplies \_\_\_\_\_ nearby?

\_\_\_\_\_ are the rules \_\_\_\_\_ near \_\_\_\_\_ sites?

\_\_\_\_\_ there \_\_\_\_\_ guidelines on how \_\_\_\_\_ turn off \_\_\_\_\_ and \_\_\_\_\_ there \_\_\_\_\_ similar \_\_\_\_\_ nearby?

\_\_\_\_\_ bad happens close \_\_\_\_\_ we \_\_\_\_\_ power shut \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ off supplies \_\_\_\_\_ incidents nearby?

Should \_\_\_\_\_ businesses and \_\_\_\_\_ turned off when \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ guidelines for turning \_\_\_\_\_ residential \_\_\_\_\_ supplies when \_\_\_\_\_ is a crime \_\_\_\_\_?

What \_\_\_\_\_ the guidelines \_\_\_\_\_ utilities \_\_\_\_\_ to incident \_\_\_\_\_?

\_\_\_\_\_ on/off \_\_\_\_\_ near \_\_\_\_\_ what \_\_\_\_\_ the guidelines?

Is there \_\_\_\_\_ way to \_\_\_\_\_ off \_\_\_\_\_ supplies \_\_\_\_\_ are incidents \_\_\_\_\_ us?

How about specific shutdown \_\_\_\_\_ the \_\_\_\_\_ neighbourhood?

\_\_\_\_\_ close to hand, what on/off instructions \_\_\_\_\_?

\_\_\_\_\_ residential/ commercial shutdowns?

During \_\_\_\_\_ any \_\_\_\_\_ to power down/up \_\_\_\_\_ commercial \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ set \_\_\_\_\_ for \_\_\_\_\_ power \_\_\_\_\_ residential \_\_\_\_\_ around us?

\_\_\_\_\_ guidelines on how \_\_\_\_\_ residential and \_\_\_\_\_ supplies \_\_\_\_\_ are incidents close by?

\_\_\_\_\_ there any special \_\_\_\_\_ on \_\_\_\_\_ turn \_\_\_\_\_ and residential \_\_\_\_\_ there are similar \_\_\_\_\_?

Is there a \_\_\_\_\_ way \_\_\_\_\_ provisions \_\_\_\_\_ close to incidents?

What are \_\_\_\_\_ guidelines on \_\_\_\_\_ in close \_\_\_\_\_ events?

How do \_\_\_\_\_ turn \_\_\_\_\_ nearby troubles?

\_\_\_\_\_ we \_\_\_\_\_ to turn \_\_\_\_\_ off \_\_\_\_\_ case of \_\_\_\_\_?

\_\_\_\_\_ there any \_\_\_\_\_ guidelines \_\_\_\_\_ turning off \_\_\_\_\_ and \_\_\_\_\_ an \_\_\_\_\_ near us?

\_\_\_\_\_ required for turning \_\_\_\_\_ supplies \_\_\_\_\_?

\_\_\_\_\_ there specific \_\_\_\_\_ turning off \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_?

Is there any special \_\_\_\_\_ how \_\_\_\_\_ turn \_\_\_\_\_ and \_\_\_\_\_ before \_\_\_\_\_ incident \_\_\_\_\_?