

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Electricity Suppliers
<b>Inquiry Category</b>	Information regarding scheduled maintenance
<b>Inquiry Sub-Category</b>	Maintenance impact
<b>Description</b>	Customers inquiring about the potential impact of maintenance on their electricity supply. They want to know if there will be any changes in voltage, reliability, or any other issues that might arise as a result of the maintenance work.
<b>Data Size</b>	10,967 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Electricity Supplier" customer inquiry. (Purchased data will not be masked.)

Should \_\_\_\_ prepare \_\_\_\_ temporary \_\_\_\_ when \_\_\_\_ Suppliers' \_\_\_\_ are \_\_\_\_ soon?

Is there \_\_\_\_ potential \_\_\_\_ when your \_\_\_\_ undergo \_\_\_\_?

When \_\_\_\_ are about \_\_\_\_ be serviced, there \_\_\_\_ be \_\_\_\_.

Is it \_\_\_\_ there \_\_\_\_ sporadic \_\_\_\_ due \_\_\_\_ ongoing maintenance by \_\_\_\_ suppliers?

\_\_\_\_ supplier \_\_\_\_ under \_\_\_\_ could we experience small electrical \_\_\_\_?

\_\_\_\_ will be intermittent \_\_\_\_ during \_\_\_\_.

Is there \_\_\_\_ electrical disruption after \_\_\_\_?

Is it \_\_\_\_ prepare \_\_\_\_ a momentary \_\_\_\_ outage \_\_\_\_ suppliers do \_\_\_\_?

Prepares \_\_\_\_ short power cuts should \_\_\_\_ electricity \_\_\_\_ their \_\_\_\_.

\_\_\_\_ will be problems \_\_\_\_ suppliers \_\_\_\_.

Is \_\_\_\_ be temporary \_\_\_\_ when electricity supplier facilities \_\_\_\_?

Is it \_\_\_\_ to \_\_\_\_ occasional electricity service \_\_\_\_ due \_\_\_\_?

Shouldn't we be prepared for \_\_\_\_ power failures \_\_\_\_?

When supplier \_\_\_\_ are \_\_\_\_ repair, \_\_\_\_ there \_\_\_\_ pauses \_\_\_\_ services.

\_\_\_\_ it \_\_\_\_ plan for \_\_\_\_ service \_\_\_\_ while \_\_\_\_ undergo maintenance?

Ready \_\_\_\_ electricity provider's \_\_\_\_?

Is it a \_\_\_\_ to \_\_\_\_ interruptions \_\_\_\_ electricity \_\_\_\_ are \_\_\_\_ serviced?

\_\_\_\_ the servicing of electricity supplier \_\_\_\_ have \_\_\_\_?

\_\_\_\_ suppliers fix \_\_\_\_ facilities, \_\_\_\_ be \_\_\_\_ cuts.

As \_\_\_\_ company utilities \_\_\_\_ through \_\_\_\_ there \_\_\_\_ delays in energy \_\_\_\_?

During facility \_\_\_\_ outages \_\_\_\_ expected?

\_\_\_\_ likely \_\_\_\_ be \_\_\_\_ outages \_\_\_\_ supplier's facilities are serviced?

\_\_\_\_ there be \_\_\_\_ plans \_\_\_\_ momentary shutdowns \_\_\_\_ adjustments \_\_\_\_ Electric Supply \_\_\_\_?

When \_\_\_\_ facilities, \_\_\_\_ have cuts?

Will \_\_\_\_ disruptions while \_\_\_\_ Suppliers' facilities are \_\_\_\_ in \_\_\_\_ future?

Should we be \_\_\_\_ for \_\_\_\_ provider's upcoming repair \_\_\_\_?

\_\_\_\_ fix \_\_\_\_ will there be some temporary \_\_\_\_?

\_\_\_\_ we \_\_\_\_ prepared \_\_\_\_ short power loss while \_\_\_\_ Electricity \_\_\_\_ facilities \_\_\_\_ being serviced?

\_\_\_\_\_ expect \_\_\_\_\_ power shortages.

\_\_\_\_\_ a complete \_\_\_\_\_ status \_\_\_\_\_ be \_\_\_\_\_ brief intervals without power as electric \_\_\_\_\_ undergo service improvements?

Will \_\_\_\_\_ the electrical supplies?

Are you worried about \_\_\_\_\_ from \_\_\_\_\_ activity?

When the supplier \_\_\_\_\_ are \_\_\_\_\_ could \_\_\_\_\_ experience \_\_\_\_\_ pauses in \_\_\_\_\_?

There is \_\_\_\_\_ chance of electrical \_\_\_\_\_ repairs \_\_\_\_\_.

\_\_\_\_\_ an \_\_\_\_\_ electrical services \_\_\_\_\_ supplier infrastructures \_\_\_\_\_ under repair?

As electricity \_\_\_\_\_ work \_\_\_\_\_ their equipment, \_\_\_\_\_ be \_\_\_\_\_ service \_\_\_\_\_?

\_\_\_\_\_ be intermittent \_\_\_\_\_ failures \_\_\_\_\_ Electricity Suppliers' \_\_\_\_\_ being \_\_\_\_\_ soon?

\_\_\_\_\_ during supplier \_\_\_\_\_?

Is \_\_\_\_\_ wise \_\_\_\_\_ for short power \_\_\_\_\_ as \_\_\_\_\_ maintain \_\_\_\_\_ facilities?

Will there be intermittent \_\_\_\_\_ supply \_\_\_\_\_ company utilities \_\_\_\_\_ routine \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ outage incidents \_\_\_\_\_ upcoming service activity?

\_\_\_\_\_ possible that I will lose \_\_\_\_\_ they \_\_\_\_\_ fixing \_\_\_\_\_?

Do you \_\_\_\_\_ plan \_\_\_\_\_ service disruptions while \_\_\_\_\_ are being worked \_\_\_\_\_?

\_\_\_\_\_ maintenance on \_\_\_\_\_ suppliers' facilities should \_\_\_\_\_ expect \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ maintenance work by our \_\_\_\_\_ we expect sporadic \_\_\_\_\_?

\_\_\_\_\_ supply \_\_\_\_\_ soon, is \_\_\_\_\_ necessary to prepare \_\_\_\_\_ in amenities?

Should \_\_\_\_\_ suppliers prepare for \_\_\_\_\_ as \_\_\_\_\_ facilities \_\_\_\_\_ maintained?

\_\_\_\_\_ it \_\_\_\_\_ electricity \_\_\_\_\_ facilities are \_\_\_\_\_ to be \_\_\_\_\_ in \_\_\_\_\_ near \_\_\_\_\_?

When \_\_\_\_\_ things \_\_\_\_\_ will I \_\_\_\_\_ my power?

Can \_\_\_\_\_ due \_\_\_\_\_ facility maintenance?

\_\_\_\_\_ suppliers \_\_\_\_\_ facilities, temporary \_\_\_\_\_ expected?

Electricity suppliers \_\_\_\_\_ necessary \_\_\_\_\_ work \_\_\_\_\_ we make provisions \_\_\_\_\_ temporary breakdowns?

\_\_\_\_\_ a power shortage on \_\_\_\_\_ Electricity Suppliers \_\_\_\_\_ repairs \_\_\_\_\_?

\_\_\_\_\_ are being serviced \_\_\_\_\_ should we \_\_\_\_\_ temporary interruptions?

\_\_\_\_\_ interruptions be \_\_\_\_\_ during \_\_\_\_\_ electricity supplier facilities?

Is \_\_\_\_\_ necessary to \_\_\_\_\_ a power \_\_\_\_\_ suppliers \_\_\_\_\_ facility \_\_\_\_\_?

\_\_\_\_\_ out \_\_\_\_\_ repairs and renewal work \_\_\_\_\_ provisions for temporary breakdowns?

\_\_\_\_\_ electrical disruptions because \_\_\_\_\_ repairs.

\_\_\_\_\_ expected \_\_\_\_\_ when suppliers \_\_\_\_\_ their facilities?

\_\_\_\_\_ be \_\_\_\_\_ brief power cuts during \_\_\_\_\_ provider's upcoming \_\_\_\_\_?

\_\_\_\_\_ you concerned \_\_\_\_\_ black outs \_\_\_\_\_ upcoming \_\_\_\_\_?

\_\_\_\_\_ it possible to \_\_\_\_\_ electrical services when supplier infrastructures \_\_\_\_\_?

Will \_\_\_\_\_ electrical \_\_\_\_\_ when facility \_\_\_\_\_ are done?

Will there \_\_\_\_\_ any \_\_\_\_\_ cuts while \_\_\_\_\_ their units?

\_\_\_\_\_ be any \_\_\_\_\_ servicing \_\_\_\_\_ Suppliers?

Are \_\_\_\_\_ supposed \_\_\_\_\_ expect service interruptions \_\_\_\_\_ to \_\_\_\_\_?

During \_\_\_\_\_ of electricity supplier \_\_\_\_\_ brief interruptions?

Power \_\_\_\_\_ out \_\_\_\_\_ a \_\_\_\_\_ maintenance work.

Will \_\_\_\_\_ intermittent \_\_\_\_\_ failures while \_\_\_\_\_ facilities are \_\_\_\_\_ serviced \_\_\_\_\_ the near \_\_\_\_\_?

Are \_\_\_\_\_ any \_\_\_\_\_ electrical disruption \_\_\_\_\_ repairs?

\_\_\_\_\_ it a \_\_\_\_\_ service disruptions \_\_\_\_\_ facilities are being renovated?

\_\_\_\_\_ necessary for \_\_\_\_\_ to prepare for \_\_\_\_\_ facility \_\_\_\_\_?

Should \_\_\_\_\_ momentary shutdowns \_\_\_\_\_ of upcoming adjustments \_\_\_\_\_ Electric Supply \_\_\_\_\_?

Shouldn't we \_\_\_\_\_ failures \_\_\_\_\_ maintenance on \_\_\_\_\_ suppliers' \_\_\_\_\_?

\_\_\_\_\_ cuts \_\_\_\_\_ suppliers fix their \_\_\_\_\_.

Is \_\_\_\_\_ possible to experience minor pauses \_\_\_\_\_ services \_\_\_\_\_ infrastructures \_\_\_\_\_?

Is it a \_\_\_\_\_ to plan \_\_\_\_\_ service disruptions \_\_\_\_\_ being \_\_\_\_\_?

\_\_\_\_\_ electrical \_\_\_\_\_ maintaining \_\_\_\_\_ will there be \_\_\_\_\_ outs?

Do we \_\_\_\_ to \_\_\_\_ disruptions during \_\_\_\_ upcoming \_\_\_\_ for \_\_\_\_ Suppliers?  
 \_\_\_\_ necessary \_\_\_\_ for power \_\_\_\_ while suppliers \_\_\_\_ facility maintenance?  
 Will there be \_\_\_\_ breaks \_\_\_\_ electrical \_\_\_\_ when \_\_\_\_?  
 Expecting trouble \_\_\_\_ electric \_\_\_\_  
 \_\_\_\_ going \_\_\_\_ be \_\_\_\_ during service updates.  
 Electric \_\_\_\_ going \_\_\_\_ fix \_\_\_\_ soon.  
 \_\_\_\_ you \_\_\_\_ about potential short-lived interruptions when \_\_\_\_ facilities \_\_\_\_?  
 \_\_\_\_ servicing \_\_\_\_ electricity supplier facilities, should \_\_\_\_ anticipate \_\_\_\_?  
 \_\_\_\_ it necessary to \_\_\_\_ for a brief \_\_\_\_ power as \_\_\_\_?  
 \_\_\_\_ could be \_\_\_\_ services when \_\_\_\_ are being repaired.  
 Do you expect \_\_\_\_ outages \_\_\_\_?  
 \_\_\_\_ power failures while Electricity \_\_\_\_ are \_\_\_\_ serviced in the \_\_\_\_?  
 During facility maintenance \_\_\_\_ need to \_\_\_\_ short \_\_\_\_?  
 Is \_\_\_\_ good \_\_\_\_ provisions for temporary breakdowns \_\_\_\_ Suppliers are \_\_\_\_ repairs?  
 \_\_\_\_ electrical companies are maintaining \_\_\_\_ infrastructure \_\_\_\_ be power \_\_\_\_?  
 \_\_\_\_ intermittent breaks in electrical \_\_\_\_ facilities are \_\_\_\_.  
 \_\_\_\_ any interruptions while servicing \_\_\_\_?  
 When \_\_\_\_ supply units \_\_\_\_ serviced, \_\_\_\_ prepare for \_\_\_\_ losses?  
 \_\_\_\_ you going \_\_\_\_ face \_\_\_\_ power outs during \_\_\_\_?  
 \_\_\_\_ maintenance by Electricity Suppliers \_\_\_\_ cause temporary \_\_\_\_?  
 Should electricity \_\_\_\_ for \_\_\_\_ power cuts \_\_\_\_ their \_\_\_\_ are \_\_\_\_?  
 \_\_\_\_ a possibility \_\_\_\_ occasional \_\_\_\_ service \_\_\_\_ due \_\_\_\_ facility maintenance?  
 Is \_\_\_\_ good \_\_\_\_ to plan \_\_\_\_ service \_\_\_\_ while \_\_\_\_ are repaired?  
 Will \_\_\_\_ electrical supply breaks \_\_\_\_ repairs \_\_\_\_ made?  
 \_\_\_\_ suppliers have short outages \_\_\_\_.  
 Are \_\_\_\_ ready for \_\_\_\_ upcoming servicing \_\_\_\_ supplier?  
 Is it a \_\_\_\_ idea to \_\_\_\_ provisions for temporary \_\_\_\_ while \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ good idea to \_\_\_\_ for service disruptions while \_\_\_\_?  
 There will \_\_\_\_ power outages when suppliers \_\_\_\_.  
 Is \_\_\_\_ a good \_\_\_\_ plan for short-term \_\_\_\_ disruptions \_\_\_\_ facilities \_\_\_\_ renovated?  
 \_\_\_\_ we \_\_\_\_ prepared for \_\_\_\_ power \_\_\_\_ utility \_\_\_\_ upcoming repairs?  
 \_\_\_\_ work \_\_\_\_ suppliers will \_\_\_\_ to \_\_\_\_ outages.  
 Will there \_\_\_\_ in \_\_\_\_ as company \_\_\_\_ through maintenance?  
 Prepare for \_\_\_\_ interruptions while \_\_\_\_?  
 \_\_\_\_ will temporary cuts occur?  
 \_\_\_\_ necessary \_\_\_\_ for \_\_\_\_ losses \_\_\_\_ amenities when electric \_\_\_\_ units \_\_\_\_ serviced?  
 \_\_\_\_ there be \_\_\_\_ delays \_\_\_\_ energy supply \_\_\_\_ company \_\_\_\_ through \_\_\_\_?  
 \_\_\_\_ suppliers conduct \_\_\_\_ the \_\_\_\_ future, \_\_\_\_ it \_\_\_\_ prepare for momentary \_\_\_\_ outages?  
 There \_\_\_\_ possibility \_\_\_\_ power \_\_\_\_ you fix your \_\_\_\_.  
 \_\_\_\_ there be some service \_\_\_\_ providers \_\_\_\_ their equipment?  
 There may \_\_\_\_ power outages \_\_\_\_.  
 Will \_\_\_\_ be \_\_\_\_ to ongoing maintenance \_\_\_\_ our \_\_\_\_ suppliers?  
 Electricity facilities \_\_\_\_ serviced \_\_\_\_.  
 When supplier \_\_\_\_ there be minor \_\_\_\_ electrical services.  
 \_\_\_\_ there \_\_\_\_ intermittent delays in \_\_\_\_ company utilities go \_\_\_\_ maintenance \_\_\_\_?  
 There could \_\_\_\_ electricity service \_\_\_\_ to \_\_\_\_ maintenance.  
 \_\_\_\_ are scheduled to service \_\_\_\_.  
 \_\_\_\_ supplier \_\_\_\_ do \_\_\_\_ need \_\_\_\_ prepare \_\_\_\_ downtime?  
 \_\_\_\_ Suppliers' facilities are being \_\_\_\_ should we \_\_\_\_ interruptions?  
 \_\_\_\_ Electricity Suppliers' facilities are \_\_\_\_ serviced, \_\_\_\_ do \_\_\_\_ need \_\_\_\_ be \_\_\_\_ for \_\_\_\_?

We should be prepared \_\_\_\_ brief \_\_\_\_ during \_\_\_\_ works.  
 \_\_\_\_ a \_\_\_\_ idea \_\_\_\_ make provisions for temporary \_\_\_\_ Suppliers are \_\_\_\_ and \_\_\_\_?  
 \_\_\_\_ for \_\_\_\_ power \_\_\_\_ breaks because of \_\_\_\_ maintenance.  
 Is \_\_\_\_ necessary \_\_\_\_ powerouts during facility \_\_\_\_?  
 During facility maintenance do we need \_\_\_\_?  
 Is a power \_\_\_\_ Suppliers \_\_\_\_ on \_\_\_\_ repairs?  
 \_\_\_\_ be power outages when \_\_\_\_ companies \_\_\_\_ working?  
 Is it \_\_\_\_ there \_\_\_\_ outages during facility \_\_\_\_.  
 \_\_\_\_ to \_\_\_\_ maintenance \_\_\_\_ our electricity \_\_\_\_ can \_\_\_\_ sporadic disruptions?  
 \_\_\_\_ there worries about momentary black outs \_\_\_\_?  
 \_\_\_\_ be \_\_\_\_ brief power cuts during \_\_\_\_ repair works.  
 When \_\_\_\_ are imminent \_\_\_\_ there \_\_\_\_ intermittent \_\_\_\_ electrical supply?  
 \_\_\_\_ electric \_\_\_\_ units \_\_\_\_ serviced, is it \_\_\_\_ prepare \_\_\_\_ short-term \_\_\_\_?  
 What \_\_\_\_ interruptions during \_\_\_\_?  
 \_\_\_\_ maintenance, \_\_\_\_ short \_\_\_\_ outages.  
 Will \_\_\_\_ see \_\_\_\_ power shortages while \_\_\_\_ Suppliers' facilities \_\_\_\_?  
 \_\_\_\_ be \_\_\_\_ facility service or will we be without \_\_\_\_ a \_\_\_\_?  
 \_\_\_\_ supply \_\_\_\_ soon, is it \_\_\_\_ to \_\_\_\_ for fleeting losses in \_\_\_\_?  
 Are \_\_\_\_ expected to \_\_\_\_ power \_\_\_\_ due to scheduled \_\_\_\_ work \_\_\_\_?  
 Is \_\_\_\_ prepare \_\_\_\_ in power given servicing plans?  
 \_\_\_\_ there be \_\_\_\_ electrical supply \_\_\_\_ are repaired?  
 \_\_\_\_ there a \_\_\_\_ of electrical \_\_\_\_ supplier \_\_\_\_ soon?  
 \_\_\_\_ it a good \_\_\_\_ for \_\_\_\_ power cuts as \_\_\_\_ their facilities?  
 \_\_\_\_ there \_\_\_\_ to be \_\_\_\_ outages when electricity \_\_\_\_ servicing?  
 Is \_\_\_\_ us to \_\_\_\_ when your facilities undergo servicing \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ of \_\_\_\_ disruptions due to supplier \_\_\_\_?  
 \_\_\_\_ infrastructures \_\_\_\_ under \_\_\_\_ we experience brief \_\_\_\_ in \_\_\_\_ services?  
 \_\_\_\_ facility \_\_\_\_ jobs \_\_\_\_ is it necessary \_\_\_\_ prepare for \_\_\_\_ momentary \_\_\_\_ outage?  
 \_\_\_\_ to \_\_\_\_ outages during the servicing of \_\_\_\_ facilities?  
 \_\_\_\_ there \_\_\_\_ of short-lived interruptions when your facilities \_\_\_\_ soon?  
 \_\_\_\_ be expected when \_\_\_\_ suppliers serve \_\_\_\_ facilities?  
 During the \_\_\_\_ of \_\_\_\_ supplier \_\_\_\_ should \_\_\_\_ anticipate \_\_\_\_?  
 \_\_\_\_ necessary to prepare \_\_\_\_ amenity provision \_\_\_\_ electric supply units are \_\_\_\_?  
 \_\_\_\_ suppliers conduct \_\_\_\_ is it necessary to prepare for momentary \_\_\_\_?  
 Are \_\_\_\_ going to face temporary \_\_\_\_ during \_\_\_\_.  
 Does it \_\_\_\_ us \_\_\_\_ prepare \_\_\_\_ disruptions \_\_\_\_ facility maintenance?  
 Ready \_\_\_\_ an \_\_\_\_ service?  
 \_\_\_\_ power \_\_\_\_ are expected \_\_\_\_ work.  
 Shouldn't \_\_\_\_ be \_\_\_\_ for \_\_\_\_ cuts during \_\_\_\_ upcoming repair \_\_\_\_?  
 \_\_\_\_ we \_\_\_\_ for temporary \_\_\_\_ Electricity Suppliers' \_\_\_\_ are being \_\_\_\_ soon?  
 Is \_\_\_\_ there \_\_\_\_ be short \_\_\_\_ during facility \_\_\_\_?  
 I would like \_\_\_\_ should expect any power \_\_\_\_ facility \_\_\_\_.  
 Is there going \_\_\_\_ be \_\_\_\_ temporary \_\_\_\_ failure \_\_\_\_ are \_\_\_\_ infrastructure?  
 During maintenance on electricity \_\_\_\_ should \_\_\_\_ power \_\_\_\_?  
 \_\_\_\_ a chance of electrical disruptions \_\_\_\_ supplier \_\_\_\_.  
 Do you \_\_\_\_ any \_\_\_\_ during \_\_\_\_ facility \_\_\_\_?  
 \_\_\_\_ are expected \_\_\_\_ have temporary \_\_\_\_ when \_\_\_\_ repaired.  
 \_\_\_\_ on electricity \_\_\_\_ facilities, should \_\_\_\_ be \_\_\_\_ outages?  
 \_\_\_\_ on electricity \_\_\_\_ might \_\_\_\_ outages.  
 Will there be service \_\_\_\_?

\_\_\_\_\_ a chance of a brief \_\_\_\_\_ result of upcoming \_\_\_\_\_ on \_\_\_\_\_ electrical \_\_\_\_\_.  
 \_\_\_\_\_ be out \_\_\_\_\_ a short time \_\_\_\_\_.  
 \_\_\_\_\_ units under service attention need \_\_\_\_\_ prepared \_\_\_\_\_?  
 Is it worth anticipating \_\_\_\_\_ servicing of electricity \_\_\_\_\_?  
 \_\_\_\_\_ facilities \_\_\_\_\_ be \_\_\_\_\_ in the near future, \_\_\_\_\_ intermittent \_\_\_\_\_ outages?  
 Is \_\_\_\_\_ any chance of \_\_\_\_\_ due to \_\_\_\_\_ our electricity \_\_\_\_\_.  
 \_\_\_\_\_ short interruption \_\_\_\_\_ your \_\_\_\_\_ serviced?  
 There could \_\_\_\_\_ temporary cuts when \_\_\_\_\_.  
 Will there \_\_\_\_\_ service \_\_\_\_\_ because \_\_\_\_\_ on their \_\_\_\_\_?  
 \_\_\_\_\_ to arrange for \_\_\_\_\_ brief \_\_\_\_\_ of power due \_\_\_\_\_ maintenance?  
 Is it a good \_\_\_\_\_ to \_\_\_\_\_ during the \_\_\_\_\_ supplier \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ to conduct servicing?  
 \_\_\_\_\_ there \_\_\_\_\_ to prepare for short \_\_\_\_\_ when electricity \_\_\_\_\_ maintain \_\_\_\_\_?  
 There might be \_\_\_\_\_ supplier \_\_\_\_\_ soon.  
 Is a power \_\_\_\_\_ on \_\_\_\_\_ Suppliers \_\_\_\_\_ on repairs?  
 \_\_\_\_\_ maintenance, should \_\_\_\_\_ expect \_\_\_\_\_ disruptions?  
 We \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ disruptions \_\_\_\_\_ utility \_\_\_\_\_ upcoming repairs.  
 There \_\_\_\_\_ be \_\_\_\_\_ failures \_\_\_\_\_ ongoing servicing.  
 \_\_\_\_\_ done, \_\_\_\_\_ there \_\_\_\_\_ breaks in electrical supply?  
 Is \_\_\_\_\_ occasional electricity \_\_\_\_\_ interruptions \_\_\_\_\_ to facility maintenance?  
 \_\_\_\_\_ likely \_\_\_\_\_ be sporadic \_\_\_\_\_ ongoing maintenance work \_\_\_\_\_ our \_\_\_\_\_ suppliers?  
 Do \_\_\_\_\_ about \_\_\_\_\_ blackout incidents from \_\_\_\_\_ activity?  
 \_\_\_\_\_ utilities undergo service improvements, \_\_\_\_\_ they \_\_\_\_\_ for brief \_\_\_\_\_ power?  
 There \_\_\_\_\_ a chance \_\_\_\_\_ brief \_\_\_\_\_ of power \_\_\_\_\_ upcoming maintenance on \_\_\_\_\_.  
 Is it necessary \_\_\_\_\_ for \_\_\_\_\_ losses in \_\_\_\_\_ electric supply \_\_\_\_\_?  
 Will \_\_\_\_\_ be occasional \_\_\_\_\_ electrical supply when \_\_\_\_\_ performed?  
 \_\_\_\_\_ wise \_\_\_\_\_ plan \_\_\_\_\_ service disruptions \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ there expected \_\_\_\_\_ be \_\_\_\_\_ electricity suppliers service their \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ for temporary interruptions \_\_\_\_\_ Electricity Suppliers' facilities \_\_\_\_\_ serviced?  
 Is \_\_\_\_\_ a need for \_\_\_\_\_ intermittent \_\_\_\_\_ during \_\_\_\_\_?  
 Is \_\_\_\_\_ to prepare for \_\_\_\_\_ downtime \_\_\_\_\_ works?  
 When \_\_\_\_\_ facilities \_\_\_\_\_ being serviced, should we \_\_\_\_\_ disruptions?  
 Is a \_\_\_\_\_ corner \_\_\_\_\_ conduct repairs and upgrade?  
 Have \_\_\_\_\_ prepared for brief \_\_\_\_\_ servicing \_\_\_\_\_ systems?  
 temporary power breaks \_\_\_\_\_ as \_\_\_\_\_ result of \_\_\_\_\_  
 Is \_\_\_\_\_ disruption likely due \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ good idea to \_\_\_\_\_ interruptions at electricity \_\_\_\_\_?  
 As \_\_\_\_\_ supply \_\_\_\_\_ are \_\_\_\_\_ soon, \_\_\_\_\_ it necessary \_\_\_\_\_ for \_\_\_\_\_ losses?  
 \_\_\_\_\_ there \_\_\_\_\_ to be \_\_\_\_\_ during \_\_\_\_\_ servicing \_\_\_\_\_ supplier facilities?  
 While Electricity Suppliers' \_\_\_\_\_ serviced, \_\_\_\_\_ be intermittent power \_\_\_\_\_?  
 \_\_\_\_\_ brief \_\_\_\_\_ when \_\_\_\_\_ equipment \_\_\_\_\_ fixed?  
 Are you aware of \_\_\_\_\_ interruptions \_\_\_\_\_ your \_\_\_\_\_ serviced?  
 \_\_\_\_\_ be prepared for brief power \_\_\_\_\_ during \_\_\_\_\_ provider's \_\_\_\_\_?  
 \_\_\_\_\_ contingency plans \_\_\_\_\_ momentary \_\_\_\_\_ Electric Supply Companies makes equipment \_\_\_\_\_?  
 Will there \_\_\_\_\_ because \_\_\_\_\_ scheduled maintenance \_\_\_\_\_ Electricity Suppliers?  
 \_\_\_\_\_ to anticipate temporary \_\_\_\_\_ facilities are repaired.  
 When suppliers \_\_\_\_\_ their facilities, \_\_\_\_\_?  
 Is there going to \_\_\_\_\_ outs \_\_\_\_\_ companies \_\_\_\_\_?  
 \_\_\_\_\_ are possibilities \_\_\_\_\_ disruptions \_\_\_\_\_ supplier repairs soon.  
 Should \_\_\_\_\_ be cut \_\_\_\_\_ on electricity \_\_\_\_\_ facilities?

Should we be prepared \_\_\_\_\_ works?

Is it \_\_\_\_\_ there will be \_\_\_\_\_ facility \_\_\_\_\_?

Will there \_\_\_\_\_ intermittent \_\_\_\_\_ as \_\_\_\_\_ go through maintenance?

\_\_\_\_\_ for \_\_\_\_\_ short interruption while you \_\_\_\_\_?

Is a \_\_\_\_\_ imminent \_\_\_\_\_ conduct their repairs and \_\_\_\_\_?

Is \_\_\_\_\_ necessary \_\_\_\_\_ momentary \_\_\_\_\_ that \_\_\_\_\_ electrical \_\_\_\_\_ to \_\_\_\_\_ service attention?

Electricity suppliers need to carry out \_\_\_\_\_ work \_\_\_\_\_ should \_\_\_\_\_ make \_\_\_\_\_ breakdowns?

There might \_\_\_\_\_ electricity providers \_\_\_\_\_ on their equipment.

\_\_\_\_\_ for the \_\_\_\_\_ electricity \_\_\_\_\_ servicing?

During your \_\_\_\_\_ short breaks?

\_\_\_\_\_ during servicing of \_\_\_\_\_ systems?

\_\_\_\_\_ any \_\_\_\_\_ of occasional \_\_\_\_\_ to ongoing \_\_\_\_\_ by our \_\_\_\_\_ suppliers?

\_\_\_\_\_ disruptions with \_\_\_\_\_ supplier \_\_\_\_\_ we \_\_\_\_\_?

\_\_\_\_\_ expect interruptions in \_\_\_\_\_ due \_\_\_\_\_ facility \_\_\_\_\_?

Do \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ disruptions during maintenance?

\_\_\_\_\_ be brief interruptions \_\_\_\_\_ of electricity facilities?

\_\_\_\_\_ there be breaks in \_\_\_\_\_ supply \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ utilities go through maintenance will \_\_\_\_\_ intermittent \_\_\_\_\_ in \_\_\_\_\_?

Is it \_\_\_\_\_ for temporary interruptions \_\_\_\_\_ Suppliers' \_\_\_\_\_ being serviced?

\_\_\_\_\_ electricity \_\_\_\_\_ work on \_\_\_\_\_ equipment, \_\_\_\_\_ be short \_\_\_\_\_ interruptions?

Expect temporary \_\_\_\_\_ electricity \_\_\_\_\_ serviced.

\_\_\_\_\_ advisable \_\_\_\_\_ prepare \_\_\_\_\_ intermittent downtime during supplier \_\_\_\_\_?

\_\_\_\_\_ plan for \_\_\_\_\_ cuts?

\_\_\_\_\_ a power problem \_\_\_\_\_ the \_\_\_\_\_ Suppliers conduct \_\_\_\_\_ upgrades?

Will it be \_\_\_\_\_ arrangements \_\_\_\_\_ a brief loss \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ suppliers patch \_\_\_\_\_ expect \_\_\_\_\_ glitch.

\_\_\_\_\_ to be \_\_\_\_\_ power \_\_\_\_\_ when \_\_\_\_\_ maintain their infrastructure?

\_\_\_\_\_ there \_\_\_\_\_ service \_\_\_\_\_ if electricity providers \_\_\_\_\_ their \_\_\_\_\_?

When Electricity Suppliers' \_\_\_\_\_ are \_\_\_\_\_ be \_\_\_\_\_ should we \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ to be \_\_\_\_\_ power \_\_\_\_\_ because of scheduled \_\_\_\_\_?

Should \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ electricity suppliers' facilities?

As \_\_\_\_\_ work \_\_\_\_\_ equipment, will there \_\_\_\_\_ brief service \_\_\_\_\_?

Is it a good idea to plan \_\_\_\_\_ disruptions \_\_\_\_\_ being \_\_\_\_\_?

It \_\_\_\_\_ necessary to \_\_\_\_\_ brief \_\_\_\_\_ power as \_\_\_\_\_ utilities undergo \_\_\_\_\_.

\_\_\_\_\_ by our electricity \_\_\_\_\_ could \_\_\_\_\_ disruptions.

\_\_\_\_\_ you \_\_\_\_\_ momentary \_\_\_\_\_ upcoming service activity?

Prepare \_\_\_\_\_ brief \_\_\_\_\_ your \_\_\_\_\_ being serviced.

Are \_\_\_\_\_ work \_\_\_\_\_ Suppliers expected \_\_\_\_\_ temporary power \_\_\_\_\_?

When electrical companies \_\_\_\_\_ their infrastructure, \_\_\_\_\_ there \_\_\_\_\_ issues?

\_\_\_\_\_ it \_\_\_\_\_ that power will be \_\_\_\_\_ electricity suppliers' \_\_\_\_\_?

Will \_\_\_\_\_ be service \_\_\_\_\_ soon \_\_\_\_\_ providers \_\_\_\_\_ on \_\_\_\_\_ equipment?

When \_\_\_\_\_ under repair could \_\_\_\_\_ some minor \_\_\_\_\_ services?

Expecting \_\_\_\_\_ electric \_\_\_\_\_ work on \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ to plan \_\_\_\_\_ short-term service \_\_\_\_\_ facilities \_\_\_\_\_ being repaired?

Is \_\_\_\_\_ power \_\_\_\_\_ on the \_\_\_\_\_ as \_\_\_\_\_ Suppliers \_\_\_\_\_?

There may \_\_\_\_\_ outages during \_\_\_\_\_ by \_\_\_\_\_.

\_\_\_\_\_ for \_\_\_\_\_ upcoming electricity \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ of power given our \_\_\_\_\_ plans?

\_\_\_\_\_ electricity suppliers maintain their facilities, \_\_\_\_\_ short \_\_\_\_\_ cuts?

Is \_\_\_\_\_ be \_\_\_\_\_ things are fixed?

Is it \_\_\_\_\_ brace ourselves \_\_\_\_\_ intermittent \_\_\_\_\_ given \_\_\_\_\_ plans?

There \_\_\_\_\_ be temporary \_\_\_\_\_ electricity \_\_\_\_\_ are serviced.

\_\_\_\_\_ may \_\_\_\_\_ to \_\_\_\_\_ for intermittent \_\_\_\_\_ loss.

Is a power \_\_\_\_\_ imminent as \_\_\_\_\_ conduct \_\_\_\_\_ upgrade?

\_\_\_\_\_ cut during facility updates?

Is \_\_\_\_\_ going to \_\_\_\_\_ temporary \_\_\_\_\_ failures when \_\_\_\_\_ companies \_\_\_\_\_?

\_\_\_\_\_ be prepared for \_\_\_\_\_ cuts during utility \_\_\_\_\_ works.

When Electricity Suppliers' facilities \_\_\_\_\_ serviced, should \_\_\_\_\_ prepare \_\_\_\_\_?

\_\_\_\_\_ maintenance \_\_\_\_\_ expected to \_\_\_\_\_ power cuts?

\_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ shortages \_\_\_\_\_ servicing \_\_\_\_\_ Suppliers?

\_\_\_\_\_ there \_\_\_\_\_ be short \_\_\_\_\_ during \_\_\_\_\_ servicing \_\_\_\_\_ electricity \_\_\_\_\_ facilities?

Is \_\_\_\_\_ to anticipate brief \_\_\_\_\_ the \_\_\_\_\_ supplier facilities.

\_\_\_\_\_ be \_\_\_\_\_ in the near future.

\_\_\_\_\_ there be sporadic disruptions \_\_\_\_\_ maintenance \_\_\_\_\_ our electricity \_\_\_\_\_?

Is \_\_\_\_\_ good \_\_\_\_\_ plan \_\_\_\_\_ electricity \_\_\_\_\_ during upcoming \_\_\_\_\_ work?

Will \_\_\_\_\_ disruptions be expected \_\_\_\_\_ service \_\_\_\_\_ facilities \_\_\_\_\_?

\_\_\_\_\_ be prepared for \_\_\_\_\_ loss given our \_\_\_\_\_?

There could \_\_\_\_\_ short outages \_\_\_\_\_.

\_\_\_\_\_ scheduled maintenance \_\_\_\_\_ predicted \_\_\_\_\_ cause temporary \_\_\_\_\_?

\_\_\_\_\_ supply units \_\_\_\_\_ serviced \_\_\_\_\_ is \_\_\_\_\_ necessary \_\_\_\_\_ for brief \_\_\_\_\_ in provision?

\_\_\_\_\_ need to \_\_\_\_\_ short power outages \_\_\_\_\_ maintenance?

We \_\_\_\_\_ prepared \_\_\_\_\_ fleeting power cuts during utility \_\_\_\_\_.

\_\_\_\_\_ to be \_\_\_\_\_ a \_\_\_\_\_ power as a \_\_\_\_\_ of upcoming maintenance on the \_\_\_\_\_ grid?

\_\_\_\_\_ there likely to be temporary \_\_\_\_\_ servicing \_\_\_\_\_ electricity \_\_\_\_\_?

Should we \_\_\_\_\_ temporary power cuts \_\_\_\_\_ upcoming \_\_\_\_\_?

Is \_\_\_\_\_ chance of \_\_\_\_\_ pauses in electrical \_\_\_\_\_ infrastructures \_\_\_\_\_ being \_\_\_\_\_?

As \_\_\_\_\_ company \_\_\_\_\_ go \_\_\_\_\_ upkeep, will there \_\_\_\_\_ intermittent \_\_\_\_\_ in \_\_\_\_\_?

Will \_\_\_\_\_ Electricity Suppliers' facilities are being \_\_\_\_\_ the \_\_\_\_\_ future?

\_\_\_\_\_ it a good \_\_\_\_\_ anticipate \_\_\_\_\_ interruptions during electricity \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ arrange for a brief \_\_\_\_\_ power \_\_\_\_\_ a result \_\_\_\_\_ maintenance?

\_\_\_\_\_ be made for \_\_\_\_\_ without power \_\_\_\_\_ electric \_\_\_\_\_ improvements, considering a complete \_\_\_\_\_ hasn't been \_\_\_\_\_ yet

\_\_\_\_\_ to have \_\_\_\_\_ your systems are \_\_\_\_\_?

During \_\_\_\_\_ electricity suppliers' \_\_\_\_\_ should we \_\_\_\_\_ outages?

\_\_\_\_\_ will likely \_\_\_\_\_ intermittent \_\_\_\_\_ supply as company utilities \_\_\_\_\_ maintenance \_\_\_\_\_.

\_\_\_\_\_ it be \_\_\_\_\_ plan \_\_\_\_\_ service disruptions \_\_\_\_\_ facilities \_\_\_\_\_ undergoing maintenance?

When \_\_\_\_\_ facilities will \_\_\_\_\_ soon, \_\_\_\_\_ temporary shutdowns.

Will \_\_\_\_\_ be \_\_\_\_\_ interruptions \_\_\_\_\_ the \_\_\_\_\_ providers work on \_\_\_\_\_?

\_\_\_\_\_ prepared for any disruptions \_\_\_\_\_ the \_\_\_\_\_ service \_\_\_\_\_ for electrical \_\_\_\_\_?

When \_\_\_\_\_ maintain \_\_\_\_\_ are \_\_\_\_\_ going to be power \_\_\_\_\_?

Is \_\_\_\_\_ short outages \_\_\_\_\_ facility \_\_\_\_\_?

\_\_\_\_\_ it a good \_\_\_\_\_ power \_\_\_\_\_ out during \_\_\_\_\_ on electricity \_\_\_\_\_ facilities?

\_\_\_\_\_ Electricity \_\_\_\_\_ facilities going to \_\_\_\_\_ serviced in \_\_\_\_\_ near \_\_\_\_\_?

Will \_\_\_\_\_ breaks occur as a result of \_\_\_\_\_ by \_\_\_\_\_?

Temporary cuts \_\_\_\_\_ expected \_\_\_\_\_ fixed.

\_\_\_\_\_ there be any \_\_\_\_\_ while \_\_\_\_\_ are serviced?

Is there \_\_\_\_\_ contingency plans for \_\_\_\_\_ to \_\_\_\_\_ Supply \_\_\_\_\_ equipment?

\_\_\_\_\_ necessary \_\_\_\_\_ prepare \_\_\_\_\_ short \_\_\_\_\_ losses in amenity \_\_\_\_\_ electric \_\_\_\_\_ units are \_\_\_\_\_?

When \_\_\_\_\_ suppliers' equipment is \_\_\_\_\_ anticipate \_\_\_\_\_ outages?

Prepare for brief \_\_\_\_\_ your \_\_\_\_\_?

Will it \_\_\_\_\_ necessary \_\_\_\_\_ a \_\_\_\_\_ of power due \_\_\_\_\_ maintenance?

\_\_\_\_\_ need to \_\_\_\_\_ ourselves for \_\_\_\_\_ during facility \_\_\_\_\_.  
 \_\_\_\_\_ preparation \_\_\_\_\_ intermittent downtime \_\_\_\_\_ supplier \_\_\_\_\_?  
 Is \_\_\_\_\_ good \_\_\_\_\_ outages during maintenance on electricity \_\_\_\_\_ facilities?  
 Should \_\_\_\_\_ for interruption \_\_\_\_\_ Suppliers' \_\_\_\_\_ are \_\_\_\_\_ serviced?  
 When electric supply units \_\_\_\_\_ serviced, \_\_\_\_\_ it \_\_\_\_\_ for losses \_\_\_\_\_?  
 Will \_\_\_\_\_ supplier's facilities be \_\_\_\_\_ near \_\_\_\_\_?  
 During maintenance \_\_\_\_\_ electricity \_\_\_\_\_ facilities, \_\_\_\_\_ be \_\_\_\_\_ interruptions?  
 \_\_\_\_\_ we \_\_\_\_\_ prepared \_\_\_\_\_ brief \_\_\_\_\_ during the \_\_\_\_\_ provider's \_\_\_\_\_ works?  
 \_\_\_\_\_ be \_\_\_\_\_ power \_\_\_\_\_ while Electricity \_\_\_\_\_ facilities are \_\_\_\_\_?  
 Is it \_\_\_\_\_ to prepare for \_\_\_\_\_ failures \_\_\_\_\_ suppliers \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ of electrical disruption because \_\_\_\_\_ supplier \_\_\_\_\_.  
 \_\_\_\_\_ there any chance \_\_\_\_\_ pauses in electrical services \_\_\_\_\_ supplier \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ to \_\_\_\_\_ power out \_\_\_\_\_ maintenance on electricity suppliers' \_\_\_\_\_?  
 Do \_\_\_\_\_ anticipate any disruptions \_\_\_\_\_ upcoming service \_\_\_\_\_ for \_\_\_\_\_ suppliers?  
 Is \_\_\_\_\_ power outage imminent \_\_\_\_\_ and upgrade their \_\_\_\_\_?  
 \_\_\_\_\_ expect \_\_\_\_\_ because \_\_\_\_\_ facility maintenance?  
 \_\_\_\_\_ there be any \_\_\_\_\_ cuts \_\_\_\_\_ Electric Suppliers \_\_\_\_\_?  
 \_\_\_\_\_ maintenance, \_\_\_\_\_ about \_\_\_\_\_ downtime?  
 \_\_\_\_\_ Suppliers are \_\_\_\_\_ out \_\_\_\_\_ and renewal \_\_\_\_\_ soon, \_\_\_\_\_ provisions \_\_\_\_\_ temporary breakdown?  
 \_\_\_\_\_ do \_\_\_\_\_ need to expect \_\_\_\_\_ interruptions?  
 Will there \_\_\_\_\_ periodic breaks in \_\_\_\_\_ are made?  
 \_\_\_\_\_ Suppliers are \_\_\_\_\_ out repairs \_\_\_\_\_ should we make \_\_\_\_\_ for \_\_\_\_\_ breakdowns?  
 \_\_\_\_\_ electric supply \_\_\_\_\_ are \_\_\_\_\_ is it necessary to prepare \_\_\_\_\_ amenity \_\_\_\_\_?  
 Prepare \_\_\_\_\_ a \_\_\_\_\_ while servicing \_\_\_\_\_.  
 As company \_\_\_\_\_ through maintenance, \_\_\_\_\_ be \_\_\_\_\_ delays in \_\_\_\_\_.  
 Should we be prepared \_\_\_\_\_ power \_\_\_\_\_ during \_\_\_\_\_ repair \_\_\_\_\_?  
 \_\_\_\_\_ electricity \_\_\_\_\_ due to facility \_\_\_\_\_.  
 When \_\_\_\_\_ are under repair, could \_\_\_\_\_ experience \_\_\_\_\_ services?  
 \_\_\_\_\_ by suppliers, \_\_\_\_\_ be \_\_\_\_\_ power outages.  
 Are \_\_\_\_\_ to \_\_\_\_\_ temporary power \_\_\_\_\_ when electrical \_\_\_\_\_ working?  
 Will there be \_\_\_\_\_ electrical \_\_\_\_\_ repairs are \_\_\_\_\_?  
 \_\_\_\_\_ work, there will \_\_\_\_\_ power \_\_\_\_\_.  
 \_\_\_\_\_ be a possibility of \_\_\_\_\_ disruptions \_\_\_\_\_ supplier \_\_\_\_\_.  
 \_\_\_\_\_ for us to \_\_\_\_\_ ourselves \_\_\_\_\_ power loss?  
 Will \_\_\_\_\_ interruptions as electricity providers \_\_\_\_\_ on their \_\_\_\_\_?  
 \_\_\_\_\_ some short \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ to be \_\_\_\_\_ power \_\_\_\_\_?  
 When suppliers fix their \_\_\_\_\_ will \_\_\_\_\_.  
 Is it \_\_\_\_\_ expect short \_\_\_\_\_ facility \_\_\_\_\_?  
 \_\_\_\_\_ we expect the occasional electricity \_\_\_\_\_ facility \_\_\_\_\_?  
 \_\_\_\_\_ I \_\_\_\_\_ be out for facility updates?  
 \_\_\_\_\_ are \_\_\_\_\_ carrying \_\_\_\_\_ necessary repairs and \_\_\_\_\_ we \_\_\_\_\_ provisions \_\_\_\_\_ temporary breakdowns?  
 \_\_\_\_\_ the power \_\_\_\_\_ be \_\_\_\_\_ when \_\_\_\_\_ are fixing \_\_\_\_\_?  
 \_\_\_\_\_ brief \_\_\_\_\_ when equipment is \_\_\_\_\_?  
 \_\_\_\_\_ are temporary cuts \_\_\_\_\_ fix their \_\_\_\_\_.  
 Are \_\_\_\_\_ any disruptions during the \_\_\_\_\_ service \_\_\_\_\_?  
 \_\_\_\_\_ Suppliers' \_\_\_\_\_ expected \_\_\_\_\_ be serviced in the \_\_\_\_\_  
 \_\_\_\_\_ of \_\_\_\_\_ disruption due to supplier repairs?  
 Is \_\_\_\_\_ power \_\_\_\_\_ imminent while \_\_\_\_\_ Suppliers do their \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ if I should \_\_\_\_\_ power \_\_\_\_\_ your facility updates.



Is preparations \_\_\_\_ for brief \_\_\_\_ that cause \_\_\_\_ under \_\_\_\_ ?  
 \_\_\_\_ good \_\_\_\_ to anticipate some \_\_\_\_ during the \_\_\_\_ electricity supplier facilities?  
 \_\_\_\_ are \_\_\_\_ any expected short \_\_\_\_ ?  
 \_\_\_\_ it \_\_\_\_ for there \_\_\_\_ outages \_\_\_\_ supplier maintenance?  
 During \_\_\_\_ by \_\_\_\_ expect short \_\_\_\_ .  
 \_\_\_\_ to \_\_\_\_ for intermittent \_\_\_\_ during supplier work?  
 I \_\_\_\_ if I should \_\_\_\_ maintenance.  
 \_\_\_\_ a good idea to \_\_\_\_ ready \_\_\_\_ brief \_\_\_\_ during upcoming \_\_\_\_ ?  
 Ready \_\_\_\_ servicing?  
 \_\_\_\_ could \_\_\_\_ electrical disruptions \_\_\_\_ supplier \_\_\_\_ soon.  
 When \_\_\_\_ facility, will \_\_\_\_ be \_\_\_\_ ?  
 \_\_\_\_ the grid \_\_\_\_ expected \_\_\_\_ your facilities \_\_\_\_ serviced?  
 \_\_\_\_ electric supply units are serviced, is \_\_\_\_ necessary \_\_\_\_ ?  
 Is it necessary \_\_\_\_ a brief \_\_\_\_ outage while \_\_\_\_ facility \_\_\_\_ ?  
 \_\_\_\_ be service \_\_\_\_ while electricity \_\_\_\_ ?  
 \_\_\_\_ suppliers \_\_\_\_ about to \_\_\_\_ .  
 Is \_\_\_\_ to \_\_\_\_ sporadic disturbances \_\_\_\_ to \_\_\_\_ work by \_\_\_\_ electricity \_\_\_\_ ?  
 \_\_\_\_ we likely to see sporadic \_\_\_\_ due \_\_\_\_ maintenance \_\_\_\_ electricity \_\_\_\_ ?  
 Should \_\_\_\_ brief disruptions \_\_\_\_ the servicing \_\_\_\_ facilities?  
 When \_\_\_\_ suppliers' equipment is \_\_\_\_ brief outage?  
 Are there expected \_\_\_\_ result \_\_\_\_ scheduled \_\_\_\_ work?  
 During \_\_\_\_ will \_\_\_\_ short power \_\_\_\_ .  
 \_\_\_\_ there \_\_\_\_ be \_\_\_\_ outages \_\_\_\_ electrical companies \_\_\_\_ doing maintenance?  
 \_\_\_\_ there going \_\_\_\_ be power breaks as a \_\_\_\_ ?  
 Is \_\_\_\_ outs when service updates happen?  
 Is it \_\_\_\_ be a \_\_\_\_ when \_\_\_\_ maintain \_\_\_\_ infrastructure?  
 \_\_\_\_ can \_\_\_\_ electricity \_\_\_\_ disruptions due to \_\_\_\_ maintenance.  
 Are \_\_\_\_ expected power \_\_\_\_ as \_\_\_\_ result \_\_\_\_ work?  
 Is a \_\_\_\_ imminent \_\_\_\_ Suppliers carry out \_\_\_\_ ?  
 \_\_\_\_ be necessary \_\_\_\_ make \_\_\_\_ possible brief loss \_\_\_\_ result of upcoming maintenance?  
 Are \_\_\_\_ required to \_\_\_\_ any disruptions \_\_\_\_ the \_\_\_\_ suspension for \_\_\_\_ ?  
 \_\_\_\_ be any power outages \_\_\_\_ Suppliers?  
 Is there going to be \_\_\_\_ when electrical \_\_\_\_ infrastructure?  
 Prepare \_\_\_\_ supplier's \_\_\_\_ ?  
 Should we \_\_\_\_ prepared for \_\_\_\_ failures \_\_\_\_ utility provider's \_\_\_\_ ?  
 \_\_\_\_ power \_\_\_\_ imminent \_\_\_\_ Electricity \_\_\_\_ repairs and upgrade?  
 The service \_\_\_\_ facilities \_\_\_\_ imminent.  
 \_\_\_\_ Suppliers' facilities \_\_\_\_ be serviced in \_\_\_\_ near \_\_\_\_ .  
 Is \_\_\_\_ prepare for \_\_\_\_ when Electricity Suppliers' facilities are being \_\_\_\_ ?  
 \_\_\_\_ intermittent \_\_\_\_ in \_\_\_\_ supply when \_\_\_\_ go through upkeep?  
 \_\_\_\_ there expected \_\_\_\_ short-term disruptions when \_\_\_\_ suppliers service \_\_\_\_ ?  
 Is it \_\_\_\_ to prepare for \_\_\_\_ power \_\_\_\_ facility maintenance \_\_\_\_ ?  
 \_\_\_\_ outages occur while \_\_\_\_ Suppliers' facilities are \_\_\_\_ ?  
 \_\_\_\_ suppliers' equipment is fixed can \_\_\_\_ outages?  
 The Electricity Suppliers' \_\_\_\_ being serviced, \_\_\_\_ we need to \_\_\_\_ prepared \_\_\_\_ power \_\_\_\_ ?  
 \_\_\_\_ help if \_\_\_\_ planned \_\_\_\_ the possibility \_\_\_\_ power supply \_\_\_\_ ?  
 \_\_\_\_ you \_\_\_\_ outage \_\_\_\_ facility maintenance?  
 \_\_\_\_ infrastructures are under repair \_\_\_\_ we \_\_\_\_ in \_\_\_\_ services?  
 Will \_\_\_\_ be \_\_\_\_ Electricity \_\_\_\_ facilities are being \_\_\_\_ ?  
 Wondering if there \_\_\_\_ any short \_\_\_\_ maintenance?

\_\_\_\_\_ if \_\_\_\_\_ should \_\_\_\_\_ any power \_\_\_\_\_ during \_\_\_\_\_ updates?

During \_\_\_\_\_ do \_\_\_\_\_ need \_\_\_\_\_ expect \_\_\_\_\_ outages?

\_\_\_\_\_ work, \_\_\_\_\_ aware of \_\_\_\_\_ power \_\_\_\_\_.

There \_\_\_\_\_ be \_\_\_\_\_ electrical \_\_\_\_\_ when infrastructures are \_\_\_\_\_ repair.

\_\_\_\_\_ as electric \_\_\_\_\_ things

\_\_\_\_\_ Electricity Suppliers conduct repairs \_\_\_\_\_ is there a \_\_\_\_\_ outage \_\_\_\_\_ ?

\_\_\_\_\_ electric supply units are \_\_\_\_\_ is it \_\_\_\_\_ prepare \_\_\_\_\_ ?

Is there \_\_\_\_\_ breaks \_\_\_\_\_ result of scheduled \_\_\_\_\_ ?

\_\_\_\_\_ be necessary \_\_\_\_\_ make arrangements for a brief loss \_\_\_\_\_ maintenance?

Ready \_\_\_\_\_ the upcoming \_\_\_\_\_ electricity \_\_\_\_\_ ?

\_\_\_\_\_ necessary to prepare \_\_\_\_\_ momentary \_\_\_\_\_ while suppliers \_\_\_\_\_ facility maintenance \_\_\_\_\_ ?

\_\_\_\_\_ for \_\_\_\_\_ during \_\_\_\_\_ of your \_\_\_\_\_ ?

\_\_\_\_\_ be prepared \_\_\_\_\_ power cuts?

\_\_\_\_\_ think it's necessary to \_\_\_\_\_ for a \_\_\_\_\_ power \_\_\_\_\_ suppliers \_\_\_\_\_ facility \_\_\_\_\_ ?

\_\_\_\_\_ suppliers \_\_\_\_\_ facilities \_\_\_\_\_ will \_\_\_\_\_ short-term cuts.

When \_\_\_\_\_ infrastructures \_\_\_\_\_ under repair, \_\_\_\_\_ be pauses in \_\_\_\_\_ ?

Will there \_\_\_\_\_ when servicing \_\_\_\_\_ ?

\_\_\_\_\_ I expect \_\_\_\_\_ disruptions \_\_\_\_\_ maintenance?

\_\_\_\_\_ there anything \_\_\_\_\_ be \_\_\_\_\_ utility provider's \_\_\_\_\_ repair work?

\_\_\_\_\_ there a chance of \_\_\_\_\_ disruption \_\_\_\_\_ soon.

Are \_\_\_\_\_ supplier \_\_\_\_\_ to have \_\_\_\_\_ ?

\_\_\_\_\_ prepare for \_\_\_\_\_ downtime \_\_\_\_\_ supplier \_\_\_\_\_ ?

Is it possible that \_\_\_\_\_ expect sporadic disruptions \_\_\_\_\_ maintenance \_\_\_\_\_ by \_\_\_\_\_ ?

\_\_\_\_\_ power disruptions \_\_\_\_\_ during maintenance \_\_\_\_\_.

Is it necessary to prepare \_\_\_\_\_ a \_\_\_\_\_ outage while \_\_\_\_\_ Suppliers' \_\_\_\_\_ ?

\_\_\_\_\_ is \_\_\_\_\_ chance for \_\_\_\_\_ while \_\_\_\_\_ fix \_\_\_\_\_ facilities

\_\_\_\_\_ there \_\_\_\_\_ temporary disruptions \_\_\_\_\_ the \_\_\_\_\_ electricity supplier facilities?

Are there likely to \_\_\_\_\_ during the \_\_\_\_\_ facilities?

\_\_\_\_\_ Electricity Suppliers' facilities \_\_\_\_\_ being serviced, \_\_\_\_\_ need \_\_\_\_\_ ready for short \_\_\_\_\_ ?

\_\_\_\_\_ electricity disruptions \_\_\_\_\_ work.

\_\_\_\_\_ Electricity Suppliers' \_\_\_\_\_ being \_\_\_\_\_ should \_\_\_\_\_ for temporary interruptions?

During \_\_\_\_\_ maintenance, may there \_\_\_\_\_ ?

There may be \_\_\_\_\_ in the \_\_\_\_\_ supply \_\_\_\_\_.

Is \_\_\_\_\_ going to be \_\_\_\_\_ power \_\_\_\_\_ maintain \_\_\_\_\_ infrastructure?

During supplier maintenance \_\_\_\_\_ ?

\_\_\_\_\_ expected \_\_\_\_\_ because of scheduled \_\_\_\_\_ work?

\_\_\_\_\_ suppliers \_\_\_\_\_ soon going \_\_\_\_\_ service \_\_\_\_\_.

There may \_\_\_\_\_ electricity \_\_\_\_\_ work.

\_\_\_\_\_ there any chance of \_\_\_\_\_ service \_\_\_\_\_ due \_\_\_\_\_ maintenance?

\_\_\_\_\_ may be \_\_\_\_\_ electricity service \_\_\_\_\_ of \_\_\_\_\_ maintenance.

There \_\_\_\_\_ a possibility of \_\_\_\_\_ disruption \_\_\_\_\_ supplier \_\_\_\_\_.

Is \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ as electric supply units \_\_\_\_\_ ?

Should \_\_\_\_\_ expect \_\_\_\_\_ servicing \_\_\_\_\_ supplier facilities?

\_\_\_\_\_ intermittent \_\_\_\_\_ in electrical \_\_\_\_\_ when repairs \_\_\_\_\_ completed?

\_\_\_\_\_ maintenance should \_\_\_\_\_ short outages?

Are \_\_\_\_\_ be disruptions when electricity \_\_\_\_\_ their \_\_\_\_\_ ?

Will \_\_\_\_\_ soon when electricity suppliers \_\_\_\_\_ facilities?

Is \_\_\_\_\_ possible \_\_\_\_\_ electricity service interruptions \_\_\_\_\_ occur \_\_\_\_\_ facility \_\_\_\_\_ ?

\_\_\_\_\_ the Electricity Suppliers' \_\_\_\_\_ do we need \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ power \_\_\_\_\_ ?

\_\_\_\_\_ are under repair \_\_\_\_\_ we \_\_\_\_\_ minor \_\_\_\_\_ in \_\_\_\_\_ ?

Is a \_\_\_\_\_ the \_\_\_\_\_ as \_\_\_\_\_ carry out \_\_\_\_\_ and upgrades?  
 \_\_\_\_\_ be prepared for temporary \_\_\_\_\_ during facility \_\_\_\_\_.

Is there a \_\_\_\_\_ of \_\_\_\_\_ service \_\_\_\_\_ electricity \_\_\_\_\_ facilities?

Are temporary power breaks \_\_\_\_\_ scheduled \_\_\_\_\_ work \_\_\_\_\_ Electricity \_\_\_\_\_?

There \_\_\_\_\_ be temporary \_\_\_\_\_ when \_\_\_\_\_ their \_\_\_\_\_?

Is there \_\_\_\_\_ outages during \_\_\_\_\_?

Is it a \_\_\_\_\_ to \_\_\_\_\_ interruptions \_\_\_\_\_ electricity \_\_\_\_\_ facilities?

Is \_\_\_\_\_ any chance of disruptions due to ongoing \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ occasional electricity service \_\_\_\_\_ to \_\_\_\_\_ facility \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ some \_\_\_\_\_ interruptions as \_\_\_\_\_ providers work \_\_\_\_\_ their \_\_\_\_\_?

Will it be \_\_\_\_\_ to \_\_\_\_\_ for a \_\_\_\_\_ loss \_\_\_\_\_ due \_\_\_\_\_ upcoming \_\_\_\_\_ on the \_\_\_\_\_?

\_\_\_\_\_ company utilities go \_\_\_\_\_ maintenance, \_\_\_\_\_ there \_\_\_\_\_ delays \_\_\_\_\_ energy \_\_\_\_\_?

\_\_\_\_\_ be short \_\_\_\_\_ when \_\_\_\_\_ perform maintenance.

Is \_\_\_\_\_ a \_\_\_\_\_ occasional electricity \_\_\_\_\_ due to facility \_\_\_\_\_?

During facility \_\_\_\_\_ expect any \_\_\_\_\_?

When supplier \_\_\_\_\_ under \_\_\_\_\_ experience some minor \_\_\_\_\_ in electrical \_\_\_\_\_?

\_\_\_\_\_ facilities are being \_\_\_\_\_ do we need to \_\_\_\_\_ prepared \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ for short interruptions \_\_\_\_\_ servicing \_\_\_\_\_.

Are \_\_\_\_\_ ready \_\_\_\_\_ upcoming work?

When \_\_\_\_\_ facilities \_\_\_\_\_ being serviced should we prepare \_\_\_\_\_?

Although a \_\_\_\_\_ status \_\_\_\_\_ declared, \_\_\_\_\_ be made for brief \_\_\_\_\_ power as \_\_\_\_\_ undergo service \_\_\_\_\_?

\_\_\_\_\_ any power failures when \_\_\_\_\_ electric \_\_\_\_\_?

\_\_\_\_\_ be momentary \_\_\_\_\_ when \_\_\_\_\_ work on their equipment?

\_\_\_\_\_ planned \_\_\_\_\_ breaks in power \_\_\_\_\_ due to \_\_\_\_\_ it help?

We should be \_\_\_\_\_ for short-term \_\_\_\_\_.

\_\_\_\_\_ maintaining \_\_\_\_\_ infrastructure, are there \_\_\_\_\_ be periodic power failures?

\_\_\_\_\_ a possibility \_\_\_\_\_ to \_\_\_\_\_ repairs?

There \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ while you \_\_\_\_\_ facilities.

Should I \_\_\_\_\_ lights \_\_\_\_\_ go \_\_\_\_\_ you have \_\_\_\_\_ updates?

Will there be \_\_\_\_\_ supply \_\_\_\_\_ company \_\_\_\_\_ go \_\_\_\_\_ maintenance?

Can \_\_\_\_\_ anticipate \_\_\_\_\_ temporary disruptions \_\_\_\_\_ for electrical suppliers?

\_\_\_\_\_ it \_\_\_\_\_ good idea \_\_\_\_\_ prepare for interruption \_\_\_\_\_ Electricity \_\_\_\_\_ being \_\_\_\_\_?

Is there a \_\_\_\_\_ pauses in \_\_\_\_\_ are under repair?

\_\_\_\_\_ a \_\_\_\_\_ to make \_\_\_\_\_ temporary breakdowns while \_\_\_\_\_ do work?

\_\_\_\_\_ pauses in \_\_\_\_\_ services \_\_\_\_\_ when \_\_\_\_\_ are under repair?

When \_\_\_\_\_ will there be \_\_\_\_\_ cuts?

\_\_\_\_\_ brief disruptions while your \_\_\_\_\_ being \_\_\_\_\_?

\_\_\_\_\_ be ready for \_\_\_\_\_ utility provider's upcoming \_\_\_\_\_ works?

\_\_\_\_\_ there \_\_\_\_\_ service interruption \_\_\_\_\_ electricity \_\_\_\_\_ work on \_\_\_\_\_?

While the \_\_\_\_\_ Suppliers' facilities \_\_\_\_\_ we need \_\_\_\_\_ short power shortages?

Electric utilities are \_\_\_\_\_ be made \_\_\_\_\_ brief periods without \_\_\_\_\_.

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ suppliers' \_\_\_\_\_ should \_\_\_\_\_ to go out?

Electricity Suppliers \_\_\_\_\_ carrying out necessary repairs \_\_\_\_\_ should \_\_\_\_\_ make \_\_\_\_\_ temporary \_\_\_\_\_?

Is it \_\_\_\_\_ can \_\_\_\_\_ sporadic disturbances due \_\_\_\_\_ ongoing \_\_\_\_\_ work \_\_\_\_\_ our \_\_\_\_\_?

\_\_\_\_\_ facility \_\_\_\_\_ are performed, will \_\_\_\_\_ intermittent breaks \_\_\_\_\_ supply?

\_\_\_\_\_ prepare \_\_\_\_\_ intermittent downtime during \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ for electricity disruptions with upcoming \_\_\_\_\_?

Will there \_\_\_\_\_ short-lived interruptions \_\_\_\_\_ undergo \_\_\_\_\_?

While suppliers \_\_\_\_\_ it \_\_\_\_\_ to prepare for a power \_\_\_\_\_?

Ready \_\_\_\_\_ servicing?

\_\_\_\_\_ ready for \_\_\_\_\_ servicing \_\_\_\_\_ the electricity \_\_\_\_\_?  
 \_\_\_\_\_ likely \_\_\_\_\_ during the servicing of \_\_\_\_\_ supplier facilities?  
 \_\_\_\_\_ there \_\_\_\_\_ power \_\_\_\_\_ soon \_\_\_\_\_ Electricity Suppliers work on \_\_\_\_\_?  
 \_\_\_\_\_ can be short \_\_\_\_\_ supplier \_\_\_\_\_.  
 \_\_\_\_\_ short power cuts \_\_\_\_\_ electricity \_\_\_\_\_ maintain \_\_\_\_\_ in the \_\_\_\_\_ future.  
 Are \_\_\_\_\_ likely \_\_\_\_\_ be \_\_\_\_\_ power \_\_\_\_\_ when \_\_\_\_\_ supplier facilities \_\_\_\_\_?  
 When \_\_\_\_\_ maintaining their infrastructure, \_\_\_\_\_ there going \_\_\_\_\_ power \_\_\_\_\_?  
 \_\_\_\_\_ be brief service \_\_\_\_\_ electricity providers \_\_\_\_\_?  
 \_\_\_\_\_ we going to \_\_\_\_\_ nonsense or will \_\_\_\_\_ be ready for \_\_\_\_\_?  
 Are \_\_\_\_\_ ready for \_\_\_\_\_?  
 When the equipment from \_\_\_\_\_ is fixed, can \_\_\_\_\_?  
 Prepares \_\_\_\_\_ issues?  
 Is \_\_\_\_\_ a \_\_\_\_\_ to anticipate short interruptions during \_\_\_\_\_?  
 \_\_\_\_\_ electric utilities \_\_\_\_\_ service improvements, \_\_\_\_\_ is \_\_\_\_\_ for arrangements to be \_\_\_\_\_ brief \_\_\_\_\_.  
 \_\_\_\_\_ are maintaining their infrastructure, \_\_\_\_\_ going to be momentary \_\_\_\_\_?  
 Is it possible that \_\_\_\_\_ during \_\_\_\_\_ maintenance?  
 When \_\_\_\_\_ suppliers' \_\_\_\_\_ fixed, \_\_\_\_\_ I anticipate \_\_\_\_\_ brief \_\_\_\_\_?  
 There \_\_\_\_\_ a possibility \_\_\_\_\_ an \_\_\_\_\_ disruption \_\_\_\_\_ repairs.  
 Can we \_\_\_\_\_ during \_\_\_\_\_ servicing of electricity \_\_\_\_\_?  
 \_\_\_\_\_ company utilities go \_\_\_\_\_ upkeep \_\_\_\_\_ be intermittent \_\_\_\_\_ in energy \_\_\_\_\_?  
 Is it necessary \_\_\_\_\_ get ready \_\_\_\_\_ short power \_\_\_\_\_ the \_\_\_\_\_ Suppliers' \_\_\_\_\_ being \_\_\_\_\_?  
 \_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_ as electricity suppliers \_\_\_\_\_ their \_\_\_\_\_?  
 Is it likely \_\_\_\_\_ electricity \_\_\_\_\_ you service \_\_\_\_\_ facilities?  
 \_\_\_\_\_ there \_\_\_\_\_ any \_\_\_\_\_ cuts \_\_\_\_\_ servicing \_\_\_\_\_ suppliers?  
 \_\_\_\_\_ electricity \_\_\_\_\_ about \_\_\_\_\_ service \_\_\_\_\_ facilities.  
 You \_\_\_\_\_ expect \_\_\_\_\_ the grid \_\_\_\_\_ your facilities \_\_\_\_\_.  
 Ready \_\_\_\_\_ next electricity \_\_\_\_\_?  
 While the Electricity Suppliers' facilities are \_\_\_\_\_ do we \_\_\_\_\_ prepare \_\_\_\_\_?  
 Is there any \_\_\_\_\_ of \_\_\_\_\_ because of \_\_\_\_\_ work by \_\_\_\_\_?  
 We \_\_\_\_\_ get ready for \_\_\_\_\_ failures during \_\_\_\_\_ repairs.  
 There could \_\_\_\_\_ electrical disruption \_\_\_\_\_ of \_\_\_\_\_ repairs.  
 Is \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_ when your facilities \_\_\_\_\_ servicing?  
 It is necessary \_\_\_\_\_ arrangements for \_\_\_\_\_ periods \_\_\_\_\_ electric \_\_\_\_\_ service improvements.  
 Are \_\_\_\_\_ work for electricity \_\_\_\_\_ expected \_\_\_\_\_ cause \_\_\_\_\_ power \_\_\_\_\_?  
 Should we \_\_\_\_\_ for \_\_\_\_\_ when \_\_\_\_\_ Suppliers' facilities are \_\_\_\_\_?  
 \_\_\_\_\_ soon \_\_\_\_\_ electric suppliers fix \_\_\_\_\_.  
 Is it possible that \_\_\_\_\_ temporary power \_\_\_\_\_?  
 When suppliers \_\_\_\_\_ their \_\_\_\_\_ are \_\_\_\_\_ going to \_\_\_\_\_?  
 Expecting problems \_\_\_\_\_ to \_\_\_\_\_ them.  
 Electricity Suppliers \_\_\_\_\_ necessary \_\_\_\_\_ renewal work, \_\_\_\_\_ make \_\_\_\_\_ for temporary breakdown?  
 Will there \_\_\_\_\_ any \_\_\_\_\_ servicing Electric \_\_\_\_\_ units?  
 Is preparations \_\_\_\_\_ for brief disruptions \_\_\_\_\_ to be \_\_\_\_\_ service \_\_\_\_\_?  
 \_\_\_\_\_ it possible \_\_\_\_\_ occasional \_\_\_\_\_ service \_\_\_\_\_ due to \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ there going \_\_\_\_\_ be \_\_\_\_\_ electrical \_\_\_\_\_ maintaining their infrastructure?  
 \_\_\_\_\_ there be \_\_\_\_\_ service disruptions \_\_\_\_\_ work on their \_\_\_\_\_?  
 Are \_\_\_\_\_ Suppliers' \_\_\_\_\_ getting serviced in \_\_\_\_\_?  
 \_\_\_\_\_ could be occasional \_\_\_\_\_ service interruptions \_\_\_\_\_ of \_\_\_\_\_.  
 Should we \_\_\_\_\_ short term \_\_\_\_\_ during \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ work \_\_\_\_\_ Electricity Suppliers may \_\_\_\_\_ breaks.  
 Is \_\_\_\_\_ the \_\_\_\_\_ when Electricity Suppliers \_\_\_\_\_ and upgrade?

Is it \_\_\_\_\_ a short \_\_\_\_\_ supplier \_\_\_\_\_?

\_\_\_\_\_ the grid \_\_\_\_\_ you \_\_\_\_\_ facilities \_\_\_\_\_?

During \_\_\_\_\_ on \_\_\_\_\_ facilities, \_\_\_\_\_ expect \_\_\_\_\_ come back on?

Is \_\_\_\_\_ good idea to make \_\_\_\_\_ for temporary \_\_\_\_\_ while \_\_\_\_\_ suppliers \_\_\_\_\_ renewal work?

Is \_\_\_\_\_ of short-lived interruptions when \_\_\_\_\_ are \_\_\_\_\_ soon?

Electricity suppliers have \_\_\_\_\_ soon.

Can we expect sporadic \_\_\_\_\_ from \_\_\_\_\_ by \_\_\_\_\_ suppliers?

When \_\_\_\_\_ are being serviced, should \_\_\_\_\_ prepare \_\_\_\_\_ a \_\_\_\_\_?

Will \_\_\_\_\_ to anticipate any disruptions during \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ supplier facilities likely \_\_\_\_\_ temporary outages \_\_\_\_\_?

\_\_\_\_\_ be intermittent \_\_\_\_\_ when company utilities do maintenance?

Are \_\_\_\_\_ to be temporary power \_\_\_\_\_ the \_\_\_\_\_ doing maintenance?

Will intermittent \_\_\_\_\_ be \_\_\_\_\_ Electricity Suppliers' \_\_\_\_\_ are being \_\_\_\_\_?

When suppliers \_\_\_\_\_ facilities, should \_\_\_\_\_ temporary \_\_\_\_\_?

Can we \_\_\_\_\_ sporadic \_\_\_\_\_ due to ongoing \_\_\_\_\_ our \_\_\_\_\_?

Is \_\_\_\_\_ idea to expect power failures during \_\_\_\_\_ suppliers' \_\_\_\_\_?

\_\_\_\_\_ are expected \_\_\_\_\_ facilities soon.

Is there a possibility \_\_\_\_\_ disruption \_\_\_\_\_ repairs \_\_\_\_\_?

\_\_\_\_\_ on electricity \_\_\_\_\_ facilities should we expect \_\_\_\_\_?

Preparing for \_\_\_\_\_ cuts \_\_\_\_\_ done \_\_\_\_\_ electricity \_\_\_\_\_ continue to \_\_\_\_\_ their \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ soon as electricity \_\_\_\_\_ their facilities?

\_\_\_\_\_ for electricity \_\_\_\_\_ servicing?

Is there \_\_\_\_\_ interruptions \_\_\_\_\_ your facilities are \_\_\_\_\_ serviced?

Are \_\_\_\_\_ temporary outages during \_\_\_\_\_ servicing \_\_\_\_\_ electricity supplier facilities?

Will there \_\_\_\_\_ power failures \_\_\_\_\_ electrical \_\_\_\_\_ are \_\_\_\_\_ infrastructure?

\_\_\_\_\_ disruptions \_\_\_\_\_ electricity \_\_\_\_\_ service their facilities soon?

\_\_\_\_\_ there \_\_\_\_\_ to be \_\_\_\_\_ disruptions \_\_\_\_\_ electricity suppliers serve \_\_\_\_\_?

Ready for \_\_\_\_\_ next \_\_\_\_\_?

While utility \_\_\_\_\_ maintenance, \_\_\_\_\_ good \_\_\_\_\_ plan for short-term \_\_\_\_\_ disruptions.

Ready \_\_\_\_\_ the \_\_\_\_\_ electricity \_\_\_\_\_?

Are \_\_\_\_\_ planning \_\_\_\_\_ disruptions with upcoming \_\_\_\_\_?

Is \_\_\_\_\_ idea to expect power \_\_\_\_\_ during maintenance \_\_\_\_\_ electricity \_\_\_\_\_?

\_\_\_\_\_ prepare for short-term power \_\_\_\_\_ utility \_\_\_\_\_ repair work?

Do we need \_\_\_\_\_ ready \_\_\_\_\_ when the Electricity Suppliers' facilities \_\_\_\_\_ being \_\_\_\_\_?

When \_\_\_\_\_ Electricity \_\_\_\_\_ being \_\_\_\_\_ should \_\_\_\_\_ prepare for interruption?

\_\_\_\_\_ work \_\_\_\_\_ suppliers \_\_\_\_\_ short \_\_\_\_\_ losses.

Do \_\_\_\_\_ to \_\_\_\_\_ short power \_\_\_\_\_ during \_\_\_\_\_ maintenance?

\_\_\_\_\_ possible for me \_\_\_\_\_ expect \_\_\_\_\_ during your \_\_\_\_\_?

\_\_\_\_\_ a power outage while suppliers do \_\_\_\_\_ maintenance?

\_\_\_\_\_ facility \_\_\_\_\_ do you \_\_\_\_\_ outages?

\_\_\_\_\_ sense \_\_\_\_\_ for \_\_\_\_\_ disruptions with supplier work?

\_\_\_\_\_ what \_\_\_\_\_ short outages?

Will \_\_\_\_\_ intermittent \_\_\_\_\_ in energy \_\_\_\_\_ utility companies \_\_\_\_\_ through \_\_\_\_\_ procedures?

\_\_\_\_\_ I \_\_\_\_\_ brief \_\_\_\_\_ the suppliers' equipment \_\_\_\_\_ repaired?

\_\_\_\_\_ will \_\_\_\_\_ breaks in electrical supply \_\_\_\_\_ repairs.

\_\_\_\_\_ possible for \_\_\_\_\_ be out \_\_\_\_\_ maintenance on \_\_\_\_\_ suppliers?

When \_\_\_\_\_ Suppliers' \_\_\_\_\_ are \_\_\_\_\_ to be \_\_\_\_\_ we prepare \_\_\_\_\_ an \_\_\_\_\_?

\_\_\_\_\_ there a small \_\_\_\_\_ in \_\_\_\_\_ when infrastructures \_\_\_\_\_ under \_\_\_\_\_?

Will there be \_\_\_\_\_ power \_\_\_\_\_ servicing \_\_\_\_\_?

Is \_\_\_\_\_ of \_\_\_\_\_ your facilities undergo servicing soon?

Will there \_\_\_\_ breaks in \_\_\_\_ when facility \_\_\_\_ are \_\_\_\_?

The \_\_\_\_ I expect \_\_\_\_ interruptions during your \_\_\_\_?

\_\_\_\_ be a \_\_\_\_ service \_\_\_\_ when electricity providers \_\_\_\_ equipment?

When \_\_\_\_ Electricity Suppliers' facilities \_\_\_\_ we \_\_\_\_ for temporary \_\_\_\_?

While the \_\_\_\_ Suppliers' \_\_\_\_ are \_\_\_\_ serviced, \_\_\_\_ get \_\_\_\_ short power disruptions?

\_\_\_\_ Electricity \_\_\_\_ facility \_\_\_\_ in the \_\_\_\_ future?

\_\_\_\_ cuts expected \_\_\_\_ suppliers \_\_\_\_ their \_\_\_\_?

\_\_\_\_ there \_\_\_\_ to scheduled maintenance by \_\_\_\_ Suppliers?

\_\_\_\_ short \_\_\_\_ during \_\_\_\_ maintenance?

\_\_\_\_ there likely to \_\_\_\_ the \_\_\_\_ of electricity facilities?

\_\_\_\_ should plan \_\_\_\_ breaks in power \_\_\_\_ facility \_\_\_\_.

\_\_\_\_ maintenance, should \_\_\_\_ short outages?

\_\_\_\_ minor pauses in electrical services \_\_\_\_ under repair.

\_\_\_\_ it \_\_\_\_ if we \_\_\_\_ for \_\_\_\_ supply \_\_\_\_ during facility \_\_\_\_?

\_\_\_\_ it \_\_\_\_ good \_\_\_\_ to \_\_\_\_ service \_\_\_\_ while utility \_\_\_\_ are \_\_\_\_ renovated?

Are there expected disruptions \_\_\_\_ electricity \_\_\_\_ facilities?

Are there \_\_\_\_ disruptions \_\_\_\_ when \_\_\_\_ suppliers \_\_\_\_ their \_\_\_\_?

\_\_\_\_ there \_\_\_\_ while \_\_\_\_ electric suppliers?

\_\_\_\_ possible \_\_\_\_ will \_\_\_\_ disruptions due to the \_\_\_\_ maintenance work \_\_\_\_ electricity suppliers?

\_\_\_\_ suppliers are \_\_\_\_ service \_\_\_\_ soon.

\_\_\_\_ facility maintenance can \_\_\_\_ expect \_\_\_\_?

\_\_\_\_ work \_\_\_\_ electricity \_\_\_\_ can lead to \_\_\_\_.

During maintenance \_\_\_\_ brief \_\_\_\_.

\_\_\_\_ plans \_\_\_\_ momentary \_\_\_\_ due to Electric Supply Companies \_\_\_\_ changes?

\_\_\_\_ there be \_\_\_\_ power \_\_\_\_ Electric Suppliers?

The \_\_\_\_ facilities should \_\_\_\_ serviced \_\_\_\_.

\_\_\_\_ power \_\_\_\_ expected due to scheduled \_\_\_\_ Electricity \_\_\_\_?

Is \_\_\_\_ good \_\_\_\_ to be prepared for \_\_\_\_ power given \_\_\_\_?

Will \_\_\_\_ be intermittent \_\_\_\_ in \_\_\_\_ supply \_\_\_\_ facility repairs \_\_\_\_?

Is it a \_\_\_\_ provisions for \_\_\_\_ breakdowns while \_\_\_\_ Suppliers perform \_\_\_\_ renewal \_\_\_\_?

\_\_\_\_ breaks \_\_\_\_ of scheduled maintenance?

\_\_\_\_ a chance of \_\_\_\_ disruptions when your \_\_\_\_?

\_\_\_\_ possible \_\_\_\_ to \_\_\_\_ short \_\_\_\_ during supplier maintenance?

\_\_\_\_ there any \_\_\_\_ of \_\_\_\_ disruptions \_\_\_\_ of \_\_\_\_ repairs \_\_\_\_?

Is \_\_\_\_ prepare \_\_\_\_ power outages \_\_\_\_ facility maintenance \_\_\_\_ are being \_\_\_\_?

There \_\_\_\_ service disruptions \_\_\_\_ electricity providers work on \_\_\_\_.

There will be \_\_\_\_ power cuts \_\_\_\_.

Will there be \_\_\_\_ electricity \_\_\_\_ work?

\_\_\_\_ should you \_\_\_\_ short outages?

Will there \_\_\_\_ intermittent power \_\_\_\_ when \_\_\_\_ being serviced \_\_\_\_ the near \_\_\_\_?

\_\_\_\_ there \_\_\_\_ of electrical \_\_\_\_ supplier repairs?

Are there likely to \_\_\_\_ short-term \_\_\_\_ facility \_\_\_\_?

Are there \_\_\_\_ to \_\_\_\_ power failures during \_\_\_\_ of \_\_\_\_ supplier \_\_\_\_?

\_\_\_\_ have to \_\_\_\_ disruptions during \_\_\_\_ maintenance?

Is it possible \_\_\_\_ the service \_\_\_\_ supplier facilities?

If \_\_\_\_ are \_\_\_\_ soon, should \_\_\_\_ for temporary disruptions?

\_\_\_\_ should be \_\_\_\_ for temporary \_\_\_\_ during \_\_\_\_.

Will there \_\_\_\_ be service disruptions \_\_\_\_ on \_\_\_\_ equipment?

Is \_\_\_\_ necessary for \_\_\_\_ for \_\_\_\_ downtime during supplier \_\_\_\_?

\_\_\_\_ when suppliers \_\_\_\_ facilities

\_\_\_\_\_ there a chance \_\_\_\_\_ electrical \_\_\_\_\_ due to \_\_\_\_\_ .  
 \_\_\_\_\_ upcoming \_\_\_\_\_ supplier's service?  
 \_\_\_\_\_ we plan \_\_\_\_\_ electricity \_\_\_\_\_ ?  
 \_\_\_\_\_ to \_\_\_\_\_ provisions for temporary breakdowns \_\_\_\_\_ Electricity Suppliers are \_\_\_\_\_ ?  
 Electricity \_\_\_\_\_ have \_\_\_\_\_ out repairs and \_\_\_\_\_ work soon \_\_\_\_\_ should we make \_\_\_\_\_ ?  
 \_\_\_\_\_ contingency plan for \_\_\_\_\_ shutdowns \_\_\_\_\_ to upcoming \_\_\_\_\_ Electric \_\_\_\_\_ Companies?  
 \_\_\_\_\_ good idea to \_\_\_\_\_ provisions \_\_\_\_\_ breakdown while \_\_\_\_\_ suppliers carry \_\_\_\_\_ needed \_\_\_\_\_ ?  
 Are \_\_\_\_\_ going \_\_\_\_\_ some blackout \_\_\_\_\_ or \_\_\_\_\_ we be \_\_\_\_\_ facility service.  
 \_\_\_\_\_ suppliers are \_\_\_\_\_ service their \_\_\_\_\_ .  
 Are you \_\_\_\_\_ about \_\_\_\_\_ blackout \_\_\_\_\_ service activity?  
 During maintenance, \_\_\_\_\_ power \_\_\_\_\_ .  
 \_\_\_\_\_ be service \_\_\_\_\_ electricity \_\_\_\_\_ are working \_\_\_\_\_ their equipment?  
 Will \_\_\_\_\_ delays in \_\_\_\_\_ supply when \_\_\_\_\_ go through \_\_\_\_\_ ?  
 Will \_\_\_\_\_ be intermittent delays \_\_\_\_\_ as \_\_\_\_\_ company utilities go \_\_\_\_\_ ?  
 \_\_\_\_\_ infrastructures are \_\_\_\_\_ we experience \_\_\_\_\_ pauses in electrical \_\_\_\_\_ ?  
 Expecting \_\_\_\_\_ as \_\_\_\_\_ suppliers fix \_\_\_\_\_ .  
 As \_\_\_\_\_ providers \_\_\_\_\_ their equipment, \_\_\_\_\_ service interruption?  
 Is there going \_\_\_\_\_ be some intermittent \_\_\_\_\_ ?  
 \_\_\_\_\_ likely to be \_\_\_\_\_ outages during \_\_\_\_\_ of \_\_\_\_\_ supplier \_\_\_\_\_ .  
 \_\_\_\_\_ potential \_\_\_\_\_ to supplier repairs.  
 \_\_\_\_\_ facilities are \_\_\_\_\_ serviced in the near \_\_\_\_\_ power disruptions?  
 While the Electricity \_\_\_\_\_ facilities are \_\_\_\_\_ serviced, do \_\_\_\_\_ to \_\_\_\_\_ going \_\_\_\_\_ ?  
 If \_\_\_\_\_ facilities are to be \_\_\_\_\_ soon, \_\_\_\_\_ shutdowns.  
 \_\_\_\_\_ temporary power \_\_\_\_\_ expected \_\_\_\_\_ a \_\_\_\_\_ of scheduled \_\_\_\_\_ Electricity Suppliers?  
 When electricity \_\_\_\_\_ there must be temporary \_\_\_\_\_ .  
 Is \_\_\_\_\_ wise \_\_\_\_\_ ourselves for \_\_\_\_\_ power given servicing \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ chance of \_\_\_\_\_ power cuts \_\_\_\_\_ servicing \_\_\_\_\_ electricity \_\_\_\_\_ facilities?  
 \_\_\_\_\_ it possible \_\_\_\_\_ us to experience \_\_\_\_\_ interruptions when \_\_\_\_\_ are \_\_\_\_\_ ?  
 \_\_\_\_\_ need \_\_\_\_\_ prepare for \_\_\_\_\_ during supplier works?  
 We don't know if \_\_\_\_\_ prepare \_\_\_\_\_ downtime \_\_\_\_\_ supplier \_\_\_\_\_ .  
 Will \_\_\_\_\_ temporary \_\_\_\_\_ breaks as \_\_\_\_\_ of \_\_\_\_\_ maintenance work?  
 Is \_\_\_\_\_ to \_\_\_\_\_ provisions \_\_\_\_\_ temporary breaks while Electricity \_\_\_\_\_ carry \_\_\_\_\_ repairs?  
 Are there \_\_\_\_\_ to be \_\_\_\_\_ from scheduled \_\_\_\_\_ ?  
 Can we \_\_\_\_\_ due \_\_\_\_\_ ongoing \_\_\_\_\_ work by our \_\_\_\_\_ ?  
 \_\_\_\_\_ facility maintenance do \_\_\_\_\_ need \_\_\_\_\_ expect \_\_\_\_\_ ?  
 Is it \_\_\_\_\_ good \_\_\_\_\_ to \_\_\_\_\_ for temporary interruptions \_\_\_\_\_ electricity \_\_\_\_\_ being \_\_\_\_\_ ?  
 \_\_\_\_\_ supplier \_\_\_\_\_ under \_\_\_\_\_ could \_\_\_\_\_ be momentary pauses in \_\_\_\_\_ ?  
 Will \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ if company \_\_\_\_\_ through upkeep \_\_\_\_\_ ?  
 \_\_\_\_\_ there \_\_\_\_\_ disruptions due to supplier \_\_\_\_\_ ?  
 \_\_\_\_\_ we \_\_\_\_\_ to \_\_\_\_\_ power \_\_\_\_\_ during facility \_\_\_\_\_ ?  
 There \_\_\_\_\_ be \_\_\_\_\_ due to supplier \_\_\_\_\_ .  
 Is \_\_\_\_\_ possible \_\_\_\_\_ periodic \_\_\_\_\_ interruptions \_\_\_\_\_ to \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ expect black \_\_\_\_\_ during \_\_\_\_\_ updates?  
 Should electricity \_\_\_\_\_ for short \_\_\_\_\_ cuts while \_\_\_\_\_ facilities?  
 Is it \_\_\_\_\_ to \_\_\_\_\_ a \_\_\_\_\_ loss of power due \_\_\_\_\_ upcoming \_\_\_\_\_ on the \_\_\_\_\_ ?  
 Should \_\_\_\_\_ expect \_\_\_\_\_ power \_\_\_\_\_ maintenance?  
 \_\_\_\_\_ we \_\_\_\_\_ intermittent disruptions due \_\_\_\_\_ work \_\_\_\_\_ our \_\_\_\_\_ suppliers?  
 \_\_\_\_\_ there be \_\_\_\_\_ issues when servicing \_\_\_\_\_ ?  
 \_\_\_\_\_ Electricity Suppliers' \_\_\_\_\_ to \_\_\_\_\_ in the near \_\_\_\_\_ ?  
 If we planned for breaks \_\_\_\_\_ facility \_\_\_\_\_ would \_\_\_\_\_ help?

Is there a \_\_\_\_\_ supplier \_\_\_\_\_?

\_\_\_\_\_ short \_\_\_\_\_ cuts as \_\_\_\_\_ maintain their facilities in \_\_\_\_\_ future.

Are there likely \_\_\_\_\_ temporary \_\_\_\_\_ during \_\_\_\_\_ facilities soon?

\_\_\_\_\_ could \_\_\_\_\_ intermittent \_\_\_\_\_ energy supply as company utilities \_\_\_\_\_ through \_\_\_\_\_.

Will \_\_\_\_\_ momentary \_\_\_\_\_ interruptions \_\_\_\_\_ electricity providers \_\_\_\_\_ on their \_\_\_\_\_?

Will there possibly be service \_\_\_\_\_ when \_\_\_\_\_ their \_\_\_\_\_?

Will there be intermittent \_\_\_\_\_ in energy \_\_\_\_\_ the \_\_\_\_\_ utilities \_\_\_\_\_?

\_\_\_\_\_ facility repairs \_\_\_\_\_ will there \_\_\_\_\_ electrical \_\_\_\_\_?

During \_\_\_\_\_ maintenance, are \_\_\_\_\_ any \_\_\_\_\_?

\_\_\_\_\_ facilities \_\_\_\_\_ to be \_\_\_\_\_ in the near \_\_\_\_\_?

\_\_\_\_\_ be power \_\_\_\_\_ while servicing Electric \_\_\_\_\_?

There \_\_\_\_\_ be arrangements \_\_\_\_\_ brief \_\_\_\_\_ without power as \_\_\_\_\_ service \_\_\_\_\_.

During \_\_\_\_\_ updates, \_\_\_\_\_ power cuts?

\_\_\_\_\_ possible \_\_\_\_\_ anticipate brief \_\_\_\_\_ during the \_\_\_\_\_ electricity facilities?

What about brief \_\_\_\_\_?

Electric utilities \_\_\_\_\_ service improvements \_\_\_\_\_ made \_\_\_\_\_ brief periods without \_\_\_\_\_.

Is \_\_\_\_\_ to prepare \_\_\_\_\_ short \_\_\_\_\_ cuts as electricity suppliers \_\_\_\_\_ their \_\_\_\_\_?

Will \_\_\_\_\_ momentary \_\_\_\_\_ as electricity \_\_\_\_\_ work on \_\_\_\_\_ equipment?

Will \_\_\_\_\_ breaks happen \_\_\_\_\_ work by Electricity \_\_\_\_\_?

Should \_\_\_\_\_ for short-term \_\_\_\_\_ cuts \_\_\_\_\_ provider's upcoming \_\_\_\_\_?

When supplier \_\_\_\_\_ we \_\_\_\_\_ little pauses \_\_\_\_\_ electrical services?

\_\_\_\_\_ expected \_\_\_\_\_ breaks \_\_\_\_\_ result of scheduled \_\_\_\_\_ work.

Is it a good \_\_\_\_\_ to \_\_\_\_\_ provisions \_\_\_\_\_ temporary \_\_\_\_\_ work?

\_\_\_\_\_ should \_\_\_\_\_ some annoyances \_\_\_\_\_ service your \_\_\_\_\_ things.

\_\_\_\_\_ should \_\_\_\_\_ for \_\_\_\_\_ disruptions due to facility \_\_\_\_\_.

There will be short power \_\_\_\_\_ work \_\_\_\_\_.

\_\_\_\_\_ may \_\_\_\_\_ brief \_\_\_\_\_ the servicing of electricity \_\_\_\_\_.

Ready for servicing \_\_\_\_\_?

When \_\_\_\_\_ infrastructures \_\_\_\_\_ under \_\_\_\_\_ be occasional \_\_\_\_\_ in \_\_\_\_\_ services?

There \_\_\_\_\_ likely be \_\_\_\_\_ delays in energy \_\_\_\_\_ utilities go \_\_\_\_\_.

When Electricity \_\_\_\_\_ will be serviced soon, \_\_\_\_\_ prepare \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ to be \_\_\_\_\_ outages \_\_\_\_\_ near future?

\_\_\_\_\_ a need for short \_\_\_\_\_ failures \_\_\_\_\_ maintenance?

\_\_\_\_\_ pauses in \_\_\_\_\_ services \_\_\_\_\_ experienced when \_\_\_\_\_ under repair.

Electricity Suppliers \_\_\_\_\_ repairs and \_\_\_\_\_ so \_\_\_\_\_ power outage \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ facility \_\_\_\_\_ we \_\_\_\_\_ ourselves for \_\_\_\_\_?

Is it possible \_\_\_\_\_ service updates \_\_\_\_\_ temporary \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ for \_\_\_\_\_ interruptions \_\_\_\_\_ electricity facilities are being \_\_\_\_\_?

\_\_\_\_\_ declaration \_\_\_\_\_ hasn't been \_\_\_\_\_ arrangements be \_\_\_\_\_ for brief intervals \_\_\_\_\_ power \_\_\_\_\_ utilities \_\_\_\_\_ service improvements?

\_\_\_\_\_ for brief \_\_\_\_\_ your \_\_\_\_\_ servicing?

If supplier infrastructures \_\_\_\_\_ under \_\_\_\_\_ could \_\_\_\_\_ minor \_\_\_\_\_ in \_\_\_\_\_?

\_\_\_\_\_ there be intermittent \_\_\_\_\_ supply while \_\_\_\_\_ are being \_\_\_\_\_?

\_\_\_\_\_ to prepare for intermittent \_\_\_\_\_ during supplier \_\_\_\_\_?

\_\_\_\_\_ for next electricity \_\_\_\_\_?

While suppliers \_\_\_\_\_ maintenance, \_\_\_\_\_ necessary to \_\_\_\_\_ for \_\_\_\_\_ power \_\_\_\_\_?

Is \_\_\_\_\_ to \_\_\_\_\_ intervals without power \_\_\_\_\_ electric utilities undergo service \_\_\_\_\_?

\_\_\_\_\_ possible that \_\_\_\_\_ lose \_\_\_\_\_ when \_\_\_\_\_ things up?

When \_\_\_\_\_ facilities are \_\_\_\_\_ will be temporary \_\_\_\_\_.

\_\_\_\_\_ to be short \_\_\_\_\_ disruptions \_\_\_\_\_ supplier \_\_\_\_\_ are serviced?

While \_\_\_\_\_ are being serviced, \_\_\_\_\_ to get \_\_\_\_\_ for short power \_\_\_\_\_?



\_\_\_\_\_ Electricity \_\_\_\_\_ facility \_\_\_\_\_ be \_\_\_\_\_ the near future?  
 \_\_\_\_\_ it a good idea \_\_\_\_\_ brief \_\_\_\_\_ in electricity \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ idea to anticipate \_\_\_\_\_ for electricity supplier \_\_\_\_\_?  
 \_\_\_\_\_ a \_\_\_\_\_ outage on \_\_\_\_\_ while Electricity Suppliers \_\_\_\_\_?  
 \_\_\_\_\_ are \_\_\_\_\_ maintenance work \_\_\_\_\_ our \_\_\_\_\_ so \_\_\_\_\_ we expect \_\_\_\_\_ disruptions?  
 We \_\_\_\_\_ able to \_\_\_\_\_ occasional electricity service \_\_\_\_\_ due \_\_\_\_\_.  
 \_\_\_\_\_ the \_\_\_\_\_ breaks expected because \_\_\_\_\_ scheduled \_\_\_\_\_ work?  
 \_\_\_\_\_ interruption \_\_\_\_\_ horizon as Electricity Suppliers \_\_\_\_\_ their repairs?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ to experience pauses \_\_\_\_\_ electrical \_\_\_\_\_ infrastructures \_\_\_\_\_ under \_\_\_\_\_?  
 Will have \_\_\_\_\_ anticipate temporary \_\_\_\_\_ electricity facilities \_\_\_\_\_.  
 \_\_\_\_\_ a \_\_\_\_\_ outage \_\_\_\_\_ Electricity \_\_\_\_\_ make repairs?  
 \_\_\_\_\_ I expect any \_\_\_\_\_ updates?  
 \_\_\_\_\_ you expecting any short \_\_\_\_\_?  
 \_\_\_\_\_ to be \_\_\_\_\_ for \_\_\_\_\_ disruptions \_\_\_\_\_ electrical units under \_\_\_\_\_ attention?  
 \_\_\_\_\_ Electricity Suppliers' \_\_\_\_\_ we be \_\_\_\_\_ for some interruption?  
 \_\_\_\_\_ suppliers \_\_\_\_\_ their \_\_\_\_\_ the near \_\_\_\_\_ should \_\_\_\_\_ made \_\_\_\_\_ short power cuts?  
 \_\_\_\_\_ electric utilities undergo \_\_\_\_\_ improvements, \_\_\_\_\_ be \_\_\_\_\_ brief periods of \_\_\_\_\_?  
 We \_\_\_\_\_ need \_\_\_\_\_ prepare for \_\_\_\_\_ during supplier works.  
 \_\_\_\_\_ you think it \_\_\_\_\_ prepare for \_\_\_\_\_ power failures \_\_\_\_\_ facility maintenance \_\_\_\_\_?  
 \_\_\_\_\_ possible \_\_\_\_\_ plan \_\_\_\_\_ power supply disruptions \_\_\_\_\_ to facility \_\_\_\_\_?  
 \_\_\_\_\_ facility \_\_\_\_\_ will there be \_\_\_\_\_ in electrical \_\_\_\_\_?  
 \_\_\_\_\_ there a \_\_\_\_\_ temporary \_\_\_\_\_ during the \_\_\_\_\_ of \_\_\_\_\_ facilities soon?  
 When electrical \_\_\_\_\_ are there going \_\_\_\_\_ be temporary power \_\_\_\_\_?  
 \_\_\_\_\_ risks \_\_\_\_\_ electrical disruptions due \_\_\_\_\_ supplier \_\_\_\_\_?  
 During \_\_\_\_\_ maintenance \_\_\_\_\_ we \_\_\_\_\_ to expect \_\_\_\_\_?  
 \_\_\_\_\_ necessary to make \_\_\_\_\_ for \_\_\_\_\_ brief \_\_\_\_\_ of power \_\_\_\_\_ maintenance on \_\_\_\_\_ electrical grid?  
 \_\_\_\_\_ there going to \_\_\_\_\_ occasional \_\_\_\_\_ to facility maintenance?  
 \_\_\_\_\_ the servicing of \_\_\_\_\_ facilities should \_\_\_\_\_ interruption?  
 \_\_\_\_\_ for brief \_\_\_\_\_ your systems?  
 \_\_\_\_\_ to \_\_\_\_\_ for momentary \_\_\_\_\_ failures while suppliers \_\_\_\_\_ facility maintenance \_\_\_\_\_?  
 \_\_\_\_\_ supposed \_\_\_\_\_ interruptions during \_\_\_\_\_ servicing of electricity supplier \_\_\_\_\_?  
 \_\_\_\_\_ any chance \_\_\_\_\_ interruptions when \_\_\_\_\_ facilities \_\_\_\_\_ serviced?  
 \_\_\_\_\_ Electricity \_\_\_\_\_ conduct \_\_\_\_\_ upgrade, \_\_\_\_\_ a power \_\_\_\_\_ on the \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ prepared for \_\_\_\_\_ short power \_\_\_\_\_ the Electricity Suppliers' \_\_\_\_\_ are being serviced?  
 Is it time \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ power?  
 When \_\_\_\_\_ are \_\_\_\_\_ repair \_\_\_\_\_ we experience minor \_\_\_\_\_ in \_\_\_\_\_?  
 Is \_\_\_\_\_ to \_\_\_\_\_ during \_\_\_\_\_ on electricity suppliers' facilities?  
 When \_\_\_\_\_ fix \_\_\_\_\_ facilities, will \_\_\_\_\_ cuts?  
 \_\_\_\_\_ on the horizon while \_\_\_\_\_ perform repairs?  
 Will \_\_\_\_\_ short service interruptions when \_\_\_\_\_?  
 I wonder \_\_\_\_\_ I \_\_\_\_\_ short interruption \_\_\_\_\_ your \_\_\_\_\_.  
 Are \_\_\_\_\_ likely \_\_\_\_\_ brief disruptions \_\_\_\_\_ suppliers \_\_\_\_\_ their facilities?  
 \_\_\_\_\_ to \_\_\_\_\_ momentary power \_\_\_\_\_ suppliers perform facility maintenance?  
 There \_\_\_\_\_ be \_\_\_\_\_ due \_\_\_\_\_ repairs.  
 \_\_\_\_\_ it \_\_\_\_\_ prepare for losses \_\_\_\_\_ supply units \_\_\_\_\_ serviced?  
 Will \_\_\_\_\_ be necessary to \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ as \_\_\_\_\_ serviced?  
 There \_\_\_\_\_ be \_\_\_\_\_ when they \_\_\_\_\_ their \_\_\_\_\_.  
 Will \_\_\_\_\_ be intermittent power \_\_\_\_\_ Suppliers' \_\_\_\_\_ are \_\_\_\_\_ the future?  
 Maintenance work \_\_\_\_\_ short \_\_\_\_\_ failures.  
 \_\_\_\_\_ we have \_\_\_\_\_ disruptions \_\_\_\_\_ work?

Will it be \_\_\_\_\_ to prepare for losses \_\_\_\_\_ are serviced?

Is a power outage imminent while \_\_\_\_\_?

\_\_\_\_\_ we \_\_\_\_\_ contingency plans for \_\_\_\_\_ of upcoming \_\_\_\_\_ at \_\_\_\_\_ Supply \_\_\_\_\_?

\_\_\_\_\_ you ready \_\_\_\_\_ electricity suppliers \_\_\_\_\_?

During facility \_\_\_\_\_ are \_\_\_\_\_ outages?

The \_\_\_\_\_ Suppliers' facilities are \_\_\_\_\_ do we need to \_\_\_\_\_ short \_\_\_\_\_?

When electrical companies \_\_\_\_\_ are there going to \_\_\_\_\_ outages?

Is \_\_\_\_\_ necessary \_\_\_\_\_ prepare for \_\_\_\_\_ facility maintenance \_\_\_\_\_ are \_\_\_\_\_ conducted?

Can you \_\_\_\_\_ about \_\_\_\_\_ interruptions when \_\_\_\_\_ facilities \_\_\_\_\_ serviced?

possible \_\_\_\_\_ with ongoing \_\_\_\_\_?

Is \_\_\_\_\_ we can expect \_\_\_\_\_ due \_\_\_\_\_ maintenance \_\_\_\_\_ our \_\_\_\_\_ suppliers?

There \_\_\_\_\_ be \_\_\_\_\_ disruptions \_\_\_\_\_ the \_\_\_\_\_.

Will it be necessary to make arrangements \_\_\_\_\_ brief loss \_\_\_\_\_ a result \_\_\_\_\_?

\_\_\_\_\_ expect the lights \_\_\_\_\_ go \_\_\_\_\_ your facility \_\_\_\_\_ made?

\_\_\_\_\_ electricity \_\_\_\_\_ short \_\_\_\_\_ cuts \_\_\_\_\_ their facilities are kept \_\_\_\_\_?

Is \_\_\_\_\_ we can \_\_\_\_\_ service interruptions due \_\_\_\_\_ facility maintenance?

\_\_\_\_\_ the \_\_\_\_\_ should we prepare for short-term disruptions?

\_\_\_\_\_ ready for upcoming electricity \_\_\_\_\_?

\_\_\_\_\_ expect \_\_\_\_\_ outages \_\_\_\_\_ maintenance?

\_\_\_\_\_ we \_\_\_\_\_ prepared for \_\_\_\_\_ power \_\_\_\_\_ during \_\_\_\_\_ upcoming repair \_\_\_\_\_?

\_\_\_\_\_ scheduled maintenance work \_\_\_\_\_ breaks?

\_\_\_\_\_ we be \_\_\_\_\_ for brief power cuts during \_\_\_\_\_?

\_\_\_\_\_ any possibilities of \_\_\_\_\_ to repairs?

Can \_\_\_\_\_ brief \_\_\_\_\_ when \_\_\_\_\_ suppliers' equipment is \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ brief interruptions \_\_\_\_\_ supplier facilities?

\_\_\_\_\_ suppliers \_\_\_\_\_ facilities, is \_\_\_\_\_ expected to \_\_\_\_\_ temporary \_\_\_\_\_?

\_\_\_\_\_ be power cuts \_\_\_\_\_ maintenance \_\_\_\_\_ electricity \_\_\_\_\_?

\_\_\_\_\_ to make arrangements for \_\_\_\_\_ brief power \_\_\_\_\_ as \_\_\_\_\_ result \_\_\_\_\_ upcoming \_\_\_\_\_?

\_\_\_\_\_ will \_\_\_\_\_ intermittent electrical \_\_\_\_\_ facility \_\_\_\_\_ are done.

Is \_\_\_\_\_ necessary \_\_\_\_\_ for short-term \_\_\_\_\_ amenities \_\_\_\_\_ electric \_\_\_\_\_ are serviced?

\_\_\_\_\_ any chance of \_\_\_\_\_ due to \_\_\_\_\_ work by \_\_\_\_\_ electricity \_\_\_\_\_?

Is \_\_\_\_\_ chance of minor pauses \_\_\_\_\_ services when \_\_\_\_\_ repair?

There must \_\_\_\_\_ arrangements \_\_\_\_\_ for short periods \_\_\_\_\_ service improvements.

\_\_\_\_\_ we \_\_\_\_\_ contingency \_\_\_\_\_ momentary shutdowns because \_\_\_\_\_ equipment changes?

Are \_\_\_\_\_ to \_\_\_\_\_ power breaks \_\_\_\_\_ of \_\_\_\_\_ maintenance \_\_\_\_\_?

Electric \_\_\_\_\_ to make arrangements for \_\_\_\_\_ without power \_\_\_\_\_ service \_\_\_\_\_ are \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ risk \_\_\_\_\_ interruptions during \_\_\_\_\_ servicing \_\_\_\_\_ electricity \_\_\_\_\_ facilities?

There is \_\_\_\_\_ possibility of \_\_\_\_\_ a result \_\_\_\_\_ upcoming maintenance.

\_\_\_\_\_ we prepare for \_\_\_\_\_ during the \_\_\_\_\_ service suspension \_\_\_\_\_?

Do we need \_\_\_\_\_ ready for \_\_\_\_\_ power \_\_\_\_\_ when \_\_\_\_\_ are \_\_\_\_\_ serviced?

Is \_\_\_\_\_ likely that \_\_\_\_\_ while \_\_\_\_\_ are servicing \_\_\_\_\_ facilities?

There \_\_\_\_\_ possible \_\_\_\_\_ disruptions \_\_\_\_\_ repairs.

\_\_\_\_\_ there \_\_\_\_\_ chance of short-lived \_\_\_\_\_ facilities \_\_\_\_\_ servicing?

Should \_\_\_\_\_ plans \_\_\_\_\_ momentary shutdowns due to \_\_\_\_\_ at \_\_\_\_\_ Supply Companies?

During \_\_\_\_\_ on electricity \_\_\_\_\_ should \_\_\_\_\_ power to \_\_\_\_\_ out?

\_\_\_\_\_ you \_\_\_\_\_ momentary blackout incidents \_\_\_\_\_ service activity?

There \_\_\_\_\_ be power outages \_\_\_\_\_.

\_\_\_\_\_ make arrangements \_\_\_\_\_ a brief loss of power \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ short power \_\_\_\_\_ if electricity \_\_\_\_\_ maintain their \_\_\_\_\_.

Is it \_\_\_\_\_ for \_\_\_\_\_ during facility \_\_\_\_\_?

\_\_\_\_ it possible to plan for \_\_\_\_ breaks \_\_\_\_ to facility \_\_\_\_?  
 Is \_\_\_\_ power outage \_\_\_\_ the \_\_\_\_ as \_\_\_\_ Suppliers \_\_\_\_ upgrade?  
 \_\_\_\_ facility repairs are \_\_\_\_ will there \_\_\_\_ in \_\_\_\_ supply?  
 Are there \_\_\_\_ breaks as a result \_\_\_\_ maintenance?  
 Is it \_\_\_\_ idea \_\_\_\_ plan \_\_\_\_ service \_\_\_\_ utility \_\_\_\_ are being \_\_\_\_?  
 When \_\_\_\_ fix \_\_\_\_ will \_\_\_\_ temporary cuts?  
 Is it \_\_\_\_ that \_\_\_\_ due to ongoing \_\_\_\_ by our \_\_\_\_ suppliers?  
 Is it \_\_\_\_ to \_\_\_\_ breaks \_\_\_\_ the power \_\_\_\_ maintenance?  
 When facility maintenance \_\_\_\_ happening, \_\_\_\_ to be \_\_\_\_?  
 Can I \_\_\_\_ brief \_\_\_\_ the equipment is \_\_\_\_?  
 Is it \_\_\_\_ to \_\_\_\_ power \_\_\_\_ during maintenance \_\_\_\_ electricity \_\_\_\_?  
 Are you \_\_\_\_ the \_\_\_\_ supplier \_\_\_\_?  
 \_\_\_\_ electricity suppliers \_\_\_\_ for short \_\_\_\_ cuts \_\_\_\_ their \_\_\_\_ are \_\_\_\_ the \_\_\_\_ future?  
 \_\_\_\_ should ready ourselves for \_\_\_\_ maintenance.  
 Should we \_\_\_\_ ourselves \_\_\_\_ power \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ about \_\_\_\_ black \_\_\_\_ upcoming service activity?  
 Prepare \_\_\_\_ short \_\_\_\_ your \_\_\_\_ are \_\_\_\_?  
 Is a power outage \_\_\_\_ as \_\_\_\_ and \_\_\_\_?  
 Will \_\_\_\_ be \_\_\_\_ in energy \_\_\_\_ if \_\_\_\_ utilities go \_\_\_\_ upkeep \_\_\_\_?  
 Is \_\_\_\_ to \_\_\_\_ for potential \_\_\_\_ power \_\_\_\_ while the \_\_\_\_ Suppliers' \_\_\_\_ are \_\_\_\_?  
 When infrastructures \_\_\_\_ repair \_\_\_\_ we \_\_\_\_ minor pauses \_\_\_\_ services?  
 Is there any \_\_\_\_ periodic \_\_\_\_ work by \_\_\_\_ electricity suppliers?  
 Is there \_\_\_\_ chance of occasional electricity \_\_\_\_ of \_\_\_\_?  
 Do we \_\_\_\_ be \_\_\_\_ a \_\_\_\_ cut \_\_\_\_ the Electricity \_\_\_\_ are being serviced?  
 We should \_\_\_\_ during \_\_\_\_ maintenance.  
 Should \_\_\_\_ for \_\_\_\_ cuts during \_\_\_\_ upcoming repairs?  
 Electric \_\_\_\_ are undergoing \_\_\_\_ improvements \_\_\_\_ made \_\_\_\_ brief periods \_\_\_\_ power?  
 \_\_\_\_ we prepare \_\_\_\_ power disruptions \_\_\_\_?  
 \_\_\_\_ to be ready \_\_\_\_ short \_\_\_\_ the facilities are being \_\_\_\_?  
 \_\_\_\_ possible that we \_\_\_\_ face \_\_\_\_ cuts during service \_\_\_\_?  
 When \_\_\_\_ Electricity Suppliers' \_\_\_\_ are being \_\_\_\_ should we \_\_\_\_?  
 \_\_\_\_ advisable to \_\_\_\_ brief interruptions \_\_\_\_ electricity \_\_\_\_ facilities?  
 \_\_\_\_ there be power failures \_\_\_\_ are maintaining \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ need \_\_\_\_ plans for \_\_\_\_ shutdowns due to \_\_\_\_ equipment \_\_\_\_?  
 Are \_\_\_\_ any expected \_\_\_\_ when electricity \_\_\_\_ their \_\_\_\_?  
 Are we \_\_\_\_ during maintenance on \_\_\_\_ suppliers' facilities?  
 Is \_\_\_\_ idea to get \_\_\_\_ brief \_\_\_\_ cuts during the \_\_\_\_ repair \_\_\_\_?  
 When \_\_\_\_ facilities are \_\_\_\_ to \_\_\_\_ serviced should \_\_\_\_ prepare \_\_\_\_ disruptions?  
 When infrastructures \_\_\_\_ repair, \_\_\_\_ there \_\_\_\_ pauses in \_\_\_\_ services?  
 While \_\_\_\_ facilities \_\_\_\_ is it wise \_\_\_\_ have short-term \_\_\_\_?  
 Is \_\_\_\_ I will \_\_\_\_ they fix things?  
 \_\_\_\_ Electricity Suppliers' \_\_\_\_ being \_\_\_\_ should \_\_\_\_ prepare \_\_\_\_ some interruption?  
 Will there be \_\_\_\_ in \_\_\_\_ facility \_\_\_\_ made?  
 Will there \_\_\_\_ while \_\_\_\_ Electric \_\_\_\_?  
 \_\_\_\_ that I \_\_\_\_ when we fix things up?  
 \_\_\_\_ is \_\_\_\_ chance \_\_\_\_ interruptions \_\_\_\_ you \_\_\_\_ your facilities.  
 Electricity \_\_\_\_ prepared for \_\_\_\_ power \_\_\_\_ in the \_\_\_\_.  
 \_\_\_\_ interruptions as \_\_\_\_ systems \_\_\_\_ servicing.  
 \_\_\_\_ to be \_\_\_\_ during maintenance.  
 \_\_\_\_ a \_\_\_\_ idea to be prepared for temporary \_\_\_\_ Electricity Suppliers' \_\_\_\_?

\_\_\_\_\_ suppliers maintain \_\_\_\_\_ should there \_\_\_\_\_ short power cuts?  
 \_\_\_\_\_ there \_\_\_\_\_ to be \_\_\_\_\_ during \_\_\_\_\_ of \_\_\_\_\_ supplier facilities.  
 Are there likely to be \_\_\_\_\_ service \_\_\_\_\_ electricity \_\_\_\_\_?  
 \_\_\_\_\_ to \_\_\_\_\_ temporary outages \_\_\_\_\_ electricity supplier facilities?  
 When \_\_\_\_\_ are under \_\_\_\_\_ we experience minor delays \_\_\_\_\_?  
 Expect \_\_\_\_\_ during facility \_\_\_\_\_?  
 Will \_\_\_\_\_ be \_\_\_\_\_ to make \_\_\_\_\_ for a \_\_\_\_\_ power due \_\_\_\_\_ on the electrical \_\_\_\_\_?  
 \_\_\_\_\_ be a problem \_\_\_\_\_ Suppliers units?  
 \_\_\_\_\_ we \_\_\_\_\_ intermittent \_\_\_\_\_ given servicing plans?  
 \_\_\_\_\_ you think \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ disruptions during maintenance?  
 There \_\_\_\_\_ be \_\_\_\_\_ disruptions \_\_\_\_\_ supplier repairs.  
 Is it \_\_\_\_\_ expect occasional \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ intermittent \_\_\_\_\_ supply when company utilities \_\_\_\_\_ through maintenance \_\_\_\_\_?  
 Are \_\_\_\_\_ Suppliers' facilities scheduled \_\_\_\_\_ in the \_\_\_\_\_?  
 What about \_\_\_\_\_ maintenance?  
 Is it necessary to \_\_\_\_\_ momentary \_\_\_\_\_ facility maintenance work?  
 Do \_\_\_\_\_ need \_\_\_\_\_ be \_\_\_\_\_ power cuts?  
 When \_\_\_\_\_ companies \_\_\_\_\_ maintaining their infrastructure \_\_\_\_\_ going \_\_\_\_\_ be intermittent \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ sporadic \_\_\_\_\_ due \_\_\_\_\_ work?  
 \_\_\_\_\_ there \_\_\_\_\_ intermittent \_\_\_\_\_ facility repairs are \_\_\_\_\_?  
 Is \_\_\_\_\_ necessary to \_\_\_\_\_ for brief \_\_\_\_\_ amenities \_\_\_\_\_ units \_\_\_\_\_ repaired?  
 There are \_\_\_\_\_ be \_\_\_\_\_ to supplier repairs.  
 \_\_\_\_\_ predicted \_\_\_\_\_ cuts \_\_\_\_\_ suppliers \_\_\_\_\_ their facilities.  
 Are we expected \_\_\_\_\_ experience occasional \_\_\_\_\_ service \_\_\_\_\_ due \_\_\_\_\_?  
 Electricity \_\_\_\_\_ are expected to \_\_\_\_\_ their \_\_\_\_\_ soon.  
 \_\_\_\_\_ should be \_\_\_\_\_ electricity service interruptions \_\_\_\_\_ to \_\_\_\_\_.  
 \_\_\_\_\_ to \_\_\_\_\_ momentary \_\_\_\_\_ shortages while facility maintenance jobs are \_\_\_\_\_?  
 \_\_\_\_\_ a good \_\_\_\_\_ to \_\_\_\_\_ temporary \_\_\_\_\_ when \_\_\_\_\_ Suppliers' facilities are \_\_\_\_\_ serviced?  
 \_\_\_\_\_ there \_\_\_\_\_ power \_\_\_\_\_ servicing Electric Suppliers units?  
 \_\_\_\_\_ Suppliers carry \_\_\_\_\_ repairs \_\_\_\_\_ should \_\_\_\_\_ make provisions for temporary \_\_\_\_\_?  
 \_\_\_\_\_ Suppliers' facilities \_\_\_\_\_ serviced, may \_\_\_\_\_ expect \_\_\_\_\_ power \_\_\_\_\_?  
 Do \_\_\_\_\_ think it's \_\_\_\_\_ to plan \_\_\_\_\_ while facilities \_\_\_\_\_ worked \_\_\_\_\_?  
 \_\_\_\_\_ it be necessary \_\_\_\_\_ for losses \_\_\_\_\_ units are \_\_\_\_\_?  
 What about some \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ power breaks due \_\_\_\_\_ scheduled maintenance \_\_\_\_\_?  
 \_\_\_\_\_ any chance of \_\_\_\_\_ when \_\_\_\_\_ equipment is \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ idea to make provisions for \_\_\_\_\_ breakdowns \_\_\_\_\_ Electricity Suppliers \_\_\_\_\_?  
 \_\_\_\_\_ expected \_\_\_\_\_ power \_\_\_\_\_ due to \_\_\_\_\_ maintenance by \_\_\_\_\_ Suppliers?  
 \_\_\_\_\_ there \_\_\_\_\_ power \_\_\_\_\_ maintenance \_\_\_\_\_ electricity suppliers' facilities?  
 Will there be \_\_\_\_\_ when the \_\_\_\_\_ go through upkeep \_\_\_\_\_?  
 Is \_\_\_\_\_ an \_\_\_\_\_ interruptions during \_\_\_\_\_ servicing \_\_\_\_\_ electricity supplier \_\_\_\_\_?  
 \_\_\_\_\_ electricity \_\_\_\_\_ will service \_\_\_\_\_?  
 Is \_\_\_\_\_ be power cuts \_\_\_\_\_ electrical \_\_\_\_\_ working?  
 \_\_\_\_\_ expect temporary cuts \_\_\_\_\_ fix their \_\_\_\_\_.  
 When the \_\_\_\_\_ is \_\_\_\_\_ can \_\_\_\_\_ expect \_\_\_\_\_ outages?  
 \_\_\_\_\_ there be \_\_\_\_\_ in \_\_\_\_\_ supply when \_\_\_\_\_ occur?  
 \_\_\_\_\_ it necessary for amenity provision to \_\_\_\_\_ for \_\_\_\_\_ losses \_\_\_\_\_ serviced?  
 \_\_\_\_\_ there be any \_\_\_\_\_ issues \_\_\_\_\_ servicing \_\_\_\_\_?  
 When \_\_\_\_\_ suppliers' \_\_\_\_\_ fixed, can I \_\_\_\_\_ brief \_\_\_\_\_?  
 \_\_\_\_\_ maintain their infrastructure, \_\_\_\_\_ there going \_\_\_\_\_ power outs?

\_\_\_\_\_ I expect \_\_\_\_\_ to go out when \_\_\_\_\_?

\_\_\_\_\_ a power \_\_\_\_\_ on \_\_\_\_\_ horizon \_\_\_\_\_ Suppliers do their \_\_\_\_\_?

While \_\_\_\_\_ maintenance jobs \_\_\_\_\_ conducted \_\_\_\_\_ suppliers, \_\_\_\_\_ necessary to prepare \_\_\_\_\_ disruptions?

\_\_\_\_\_ there likely \_\_\_\_\_ temporary outages during \_\_\_\_\_ of electricity \_\_\_\_\_ soon?

\_\_\_\_\_ be occasional power \_\_\_\_\_ when electrical companies \_\_\_\_\_ maintaining their \_\_\_\_\_?

\_\_\_\_\_ suppliers \_\_\_\_\_ facilities, temporary cuts \_\_\_\_\_ made.

\_\_\_\_\_ expect a lot \_\_\_\_\_ maintenance \_\_\_\_\_ our electricity \_\_\_\_\_?

Will there be \_\_\_\_\_ while \_\_\_\_\_?

When \_\_\_\_\_ facilities are serviced \_\_\_\_\_ must \_\_\_\_\_.

Can \_\_\_\_\_ brief disruptions when \_\_\_\_\_ is fixed?

When utility \_\_\_\_\_ is \_\_\_\_\_ to plan \_\_\_\_\_ service disruptions.

Should there be power failures \_\_\_\_\_ on \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ may \_\_\_\_\_ short \_\_\_\_\_ during facility maintenance?

When \_\_\_\_\_ Suppliers' facilities \_\_\_\_\_ going \_\_\_\_\_ be \_\_\_\_\_ we \_\_\_\_\_ for some \_\_\_\_\_?

When \_\_\_\_\_ under repair, could we experience \_\_\_\_\_ pauses \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ work by \_\_\_\_\_.

Should \_\_\_\_\_ temporary \_\_\_\_\_ during the \_\_\_\_\_ service \_\_\_\_\_ for electrical \_\_\_\_\_?

Are you \_\_\_\_\_ about momentary power \_\_\_\_\_ activity?

\_\_\_\_\_ expected \_\_\_\_\_ for electricity suppliers?

Are we \_\_\_\_\_ electricity \_\_\_\_\_ with \_\_\_\_\_ supplier work?

\_\_\_\_\_ it \_\_\_\_\_ outages during maintenance \_\_\_\_\_ electricity suppliers' facilities?

Will \_\_\_\_\_ be intermittent \_\_\_\_\_ company utilities \_\_\_\_\_ through maintenance?