

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Telecommunications Equipment Manufacturers
<b>Inquiry Category</b>	Software updates and download support
<b>Inquiry Sub-Category</b>	Software functionality inquiries
<b>Description</b>	Inquiries about specific features or functionalities of the software, how to utilize them, and any limitations or known issues related to their use on the telecommunications equipment.
<b>Data Size</b>	5,023 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Telecommunications Equipment Manufacturer" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ any minimum hardware requirements for this \_\_\_\_\_ CDM \_\_\_\_\_ ?

Are there a \_\_\_\_\_ be able \_\_\_\_\_ the latest \_\_\_\_\_ of \_\_\_\_\_ ?

\_\_\_\_\_ a new \_\_\_\_\_ of the CDM, \_\_\_\_\_ hardware \_\_\_\_\_ are \_\_\_\_\_ ?

\_\_\_\_\_ hardware \_\_\_\_\_ should they have \_\_\_\_\_ the \_\_\_\_\_ version \_\_\_\_\_ CDM?

\_\_\_\_\_ requirements for a \_\_\_\_\_ CDM app?

\_\_\_\_\_ be needed to \_\_\_\_\_ the updated cidm \_\_\_\_\_ .

\_\_\_\_\_ there a specific \_\_\_\_\_ for \_\_\_\_\_ upgraded CDM?

\_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ have \_\_\_\_\_ prerequisites?

Is \_\_\_\_\_ a specific minimum \_\_\_\_\_ requirement \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ ?

\_\_\_\_\_ there a minimum \_\_\_\_\_ required \_\_\_\_\_ use of the \_\_\_\_\_ .

\_\_\_\_\_ there \_\_\_\_\_ needed for efficient use of \_\_\_\_\_ updated \_\_\_\_\_ ?

There is \_\_\_\_\_ minimum hardware \_\_\_\_\_ for efficient \_\_\_\_\_ the \_\_\_\_\_ CDM.

\_\_\_\_\_ there \_\_\_\_\_ for hardware \_\_\_\_\_ new version of \_\_\_\_\_ app?

Is there a \_\_\_\_\_ level \_\_\_\_\_ need \_\_\_\_\_ latest edition \_\_\_\_\_ the CDM?

Does \_\_\_\_\_ updated edition of CDM \_\_\_\_\_ the \_\_\_\_\_ operate?

Is \_\_\_\_\_ any hardware \_\_\_\_\_ in \_\_\_\_\_ updated edition \_\_\_\_\_ ?

Will \_\_\_\_\_ improved CDM \_\_\_\_\_ need any \_\_\_\_\_ ?

Does \_\_\_\_\_ a \_\_\_\_\_ required \_\_\_\_\_ efficient use of \_\_\_\_\_ CDM?

\_\_\_\_\_ hardware specifications \_\_\_\_\_ needed \_\_\_\_\_ run the \_\_\_\_\_ CDM \_\_\_\_\_ ?

Is there a specific \_\_\_\_\_ needed \_\_\_\_\_ the \_\_\_\_\_ ?

There is \_\_\_\_\_ question \_\_\_\_\_ the minimum \_\_\_\_\_ efficient \_\_\_\_\_ of \_\_\_\_\_ updated \_\_\_\_\_ .

\_\_\_\_\_ minimum \_\_\_\_\_ needs \_\_\_\_\_ required \_\_\_\_\_ smooth operations of \_\_\_\_\_ upgradedcdm application?

Is there \_\_\_\_\_ requirement \_\_\_\_\_ using the latest \_\_\_\_\_ of \_\_\_\_\_ ?

\_\_\_\_\_ requirements \_\_\_\_\_ the \_\_\_\_\_ needed \_\_\_\_\_ the updated cidm application.

\_\_\_\_\_ minimum \_\_\_\_\_ of hardware you \_\_\_\_\_ for a successful performance \_\_\_\_\_ CDM?

\_\_\_\_\_ the \_\_\_\_\_ CDM have hardware \_\_\_\_\_ prerequisites?

\_\_\_\_\_ any specific \_\_\_\_\_ for hardware for \_\_\_\_\_ version \_\_\_\_\_ app?

\_\_\_\_\_ hardware \_\_\_\_\_ exist for \_\_\_\_\_ app?

Does \_\_\_\_ new improved CDM \_\_\_\_ have any \_\_\_\_ to \_\_\_\_?

What \_\_\_\_ hardware \_\_\_\_ we \_\_\_\_ for efficient \_\_\_\_ the \_\_\_\_ update \_\_\_\_ the \_\_\_\_ application?

Is \_\_\_\_ specific \_\_\_\_ hardware \_\_\_\_ the latest version of \_\_\_\_?

Can \_\_\_\_ tell me \_\_\_\_ is \_\_\_\_ hardware \_\_\_\_ for successfully \_\_\_\_ the new \_\_\_\_?

What hardware needs \_\_\_\_ require \_\_\_\_ the new \_\_\_\_ the \_\_\_\_?

\_\_\_\_ basic \_\_\_\_ specifications \_\_\_\_ use for \_\_\_\_ running of this \_\_\_\_ CDM application?

\_\_\_\_ requirements for hardware \_\_\_\_ be required \_\_\_\_ run the \_\_\_\_.

Is \_\_\_\_ a specific \_\_\_\_ requirement \_\_\_\_ for \_\_\_\_ of the \_\_\_\_?

Is there \_\_\_\_ hardware requirement \_\_\_\_ to use \_\_\_\_?

\_\_\_\_ requirements \_\_\_\_ new version \_\_\_\_ CDM?

\_\_\_\_ there \_\_\_\_ specific minimum \_\_\_\_ required for efficient use \_\_\_\_?

\_\_\_\_ a \_\_\_\_ minimum \_\_\_\_ requirement \_\_\_\_ to \_\_\_\_ able to use \_\_\_\_ version of the \_\_\_\_?

\_\_\_\_ the new \_\_\_\_ app \_\_\_\_ a \_\_\_\_ specification to \_\_\_\_ it?

Does the new \_\_\_\_ app have \_\_\_\_ hardware specifications \_\_\_\_?

What \_\_\_\_ are needed \_\_\_\_ updated \_\_\_\_ software?

\_\_\_\_ needs are \_\_\_\_ work with the latest \_\_\_\_?

Does there need \_\_\_\_ a \_\_\_\_ requirement \_\_\_\_ successfully \_\_\_\_ the new \_\_\_\_?

What minimum hardware needs \_\_\_\_ ensure \_\_\_\_ operations \_\_\_\_ this \_\_\_\_ application?

What hardware is \_\_\_\_ to \_\_\_\_?

\_\_\_\_ this new \_\_\_\_ have specific hardware specifications \_\_\_\_ it \_\_\_\_?

Is there a specific \_\_\_\_ hardware \_\_\_\_ efficient \_\_\_\_ of \_\_\_\_?

\_\_\_\_ there a specific hardware \_\_\_\_ for \_\_\_\_ CDM app?

\_\_\_\_ like to \_\_\_\_ standards \_\_\_\_ the new update of \_\_\_\_ CDM \_\_\_\_

The minimum \_\_\_\_ requirements \_\_\_\_ the \_\_\_\_ application \_\_\_\_ be \_\_\_\_.

Does the updated \_\_\_\_ of CDM \_\_\_\_?

\_\_\_\_ hardware needs \_\_\_\_ to \_\_\_\_ smooth operations \_\_\_\_ the \_\_\_\_ cdm application?

There may \_\_\_\_ hardware requirement needed \_\_\_\_ use of \_\_\_\_.

\_\_\_\_ requirements is \_\_\_\_ to \_\_\_\_ with the \_\_\_\_ CDMF \_\_\_\_?

Is there a set \_\_\_\_ the new \_\_\_\_ app?

What \_\_\_\_ run the latest \_\_\_\_ efficiently.

There \_\_\_\_ a \_\_\_\_ version of the CDM, \_\_\_\_ they have?

\_\_\_\_ new \_\_\_\_ CDM \_\_\_\_ hardware requirements?

\_\_\_\_ may be required \_\_\_\_ run the updated \_\_\_\_ application

Does \_\_\_\_ new \_\_\_\_ particular hardware specifications to make it \_\_\_\_?

\_\_\_\_ hardware needs for \_\_\_\_ cdm software?

\_\_\_\_ minimum \_\_\_\_ requirement to \_\_\_\_ able \_\_\_\_ use the new CDM?

\_\_\_\_ use \_\_\_\_ updated CDM with \_\_\_\_ minimum hardware requirement?

Is \_\_\_\_ to effectively use \_\_\_\_ certain hardware minimum?

\_\_\_\_ run the updated CDM application efficiently?

Does this \_\_\_\_ improved \_\_\_\_ have any \_\_\_\_ hardware \_\_\_\_ it work?

What minimum \_\_\_\_ requirements \_\_\_\_ be \_\_\_\_ place to \_\_\_\_ this \_\_\_\_ of \_\_\_\_ CDM application?

What hardware needs do \_\_\_\_ the \_\_\_\_ of the \_\_\_\_?

\_\_\_\_ the \_\_\_\_ CDM app \_\_\_\_ specific hardware \_\_\_\_ that are \_\_\_\_ now?

Is there \_\_\_\_ required \_\_\_\_ updated \_\_\_\_.

\_\_\_\_ the updated \_\_\_\_ CDM have \_\_\_\_ hardware \_\_\_\_?

There \_\_\_\_ a new \_\_\_\_ the \_\_\_\_ hardware \_\_\_\_ be included in \_\_\_\_?

Is \_\_\_\_ a minimum \_\_\_\_ for \_\_\_\_ in the updated \_\_\_\_?

Hardware \_\_\_\_ an upgrade \_\_\_\_ the \_\_\_\_?

Is it possible \_\_\_\_ successfully \_\_\_\_ version \_\_\_\_ a minimum hardware \_\_\_\_?

Is \_\_\_\_ updated edition \_\_\_\_ CDM \_\_\_\_?

Is there \_\_\_\_\_ requirements \_\_\_\_\_ upgrade \_\_\_\_\_ CDM app?  
 \_\_\_\_\_ new \_\_\_\_\_ cdm app have \_\_\_\_\_ specific hardware \_\_\_\_\_?  
 \_\_\_\_\_ minimum hardware \_\_\_\_\_ must be \_\_\_\_\_ to make \_\_\_\_\_ upgradedCDM \_\_\_\_\_ runs \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ requirements for \_\_\_\_\_ hardware to run \_\_\_\_\_ updated \_\_\_\_\_ application.  
 \_\_\_\_\_ hardware \_\_\_\_\_ must \_\_\_\_\_ to make \_\_\_\_\_ operations of \_\_\_\_\_ cdm application?  
 Is \_\_\_\_\_ a \_\_\_\_\_ hardware required to \_\_\_\_\_ of thecdm?  
 \_\_\_\_\_ hardware \_\_\_\_\_ needed to ensure proper functioning of \_\_\_\_\_?  
 What \_\_\_\_\_ needed to get \_\_\_\_\_ optimal \_\_\_\_\_ revised CDM software?  
 What minimum hardware \_\_\_\_\_ met to ensure \_\_\_\_\_ theupgradedDCdm \_\_\_\_\_?  
 \_\_\_\_\_ updated \_\_\_\_\_ of \_\_\_\_\_ with any hardware-related requirements?  
 What minimum hardware \_\_\_\_\_ must \_\_\_\_\_ met \_\_\_\_\_ smooth \_\_\_\_\_ the \_\_\_\_\_?  
 Is there \_\_\_\_\_ minimum \_\_\_\_\_ required to use the \_\_\_\_\_?  
 \_\_\_\_\_ needed for the optimum \_\_\_\_\_ of the \_\_\_\_\_ CDM \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ improved CDM \_\_\_\_\_ supported \_\_\_\_\_ hardware specifications?  
 \_\_\_\_\_ specific \_\_\_\_\_ requirement \_\_\_\_\_ use of the improved CDM?  
 \_\_\_\_\_ hardware \_\_\_\_\_ should be \_\_\_\_\_ place \_\_\_\_\_ to be \_\_\_\_\_ of this latest \_\_\_\_\_ the CDM \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ certain \_\_\_\_\_ hardware \_\_\_\_\_ use the \_\_\_\_\_ of thecdm?  
 What minimum hardware \_\_\_\_\_ be \_\_\_\_\_ ensure smooth \_\_\_\_\_ of \_\_\_\_\_ upgradedCDM \_\_\_\_\_  
 \_\_\_\_\_ minimum \_\_\_\_\_ needs \_\_\_\_\_ met \_\_\_\_\_ make sure \_\_\_\_\_ of \_\_\_\_\_ upgradedcdm application?  
 \_\_\_\_\_ there a \_\_\_\_\_ hardware minimum that \_\_\_\_\_ to \_\_\_\_\_ use \_\_\_\_\_ CDM?  
 Is there a minimum \_\_\_\_\_ to \_\_\_\_\_ version \_\_\_\_\_ thecdm?  
 \_\_\_\_\_ minimum hardware \_\_\_\_\_ be able to \_\_\_\_\_ versions of the CDM?  
 Does the \_\_\_\_\_ edition \_\_\_\_\_ have \_\_\_\_\_?  
 Is there any hardware requirements \_\_\_\_\_ a \_\_\_\_\_ version \_\_\_\_\_?  
 Is there \_\_\_\_\_ minimum hardware \_\_\_\_\_ utilizing \_\_\_\_\_ latest \_\_\_\_\_ of the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ minimum hardware requirement \_\_\_\_\_ a \_\_\_\_\_ use of \_\_\_\_\_ version \_\_\_\_\_ CDM?  
 \_\_\_\_\_ be \_\_\_\_\_ minimum requirement \_\_\_\_\_ the \_\_\_\_\_ hardware to effectively \_\_\_\_\_ the \_\_\_\_\_ application.  
 What \_\_\_\_\_ should \_\_\_\_\_ have for a \_\_\_\_\_ version \_\_\_\_\_ CDM?  
 Is \_\_\_\_\_ updated \_\_\_\_\_ ofCDM \_\_\_\_\_ hardware \_\_\_\_\_?  
 \_\_\_\_\_ a minimum hardware requirement \_\_\_\_\_ can \_\_\_\_\_ used in \_\_\_\_\_ updated \_\_\_\_\_?  
 What \_\_\_\_\_ hardware \_\_\_\_\_ met \_\_\_\_\_ make sure \_\_\_\_\_ operations \_\_\_\_\_ upgradedCDM application?  
 \_\_\_\_\_ hardware requirements are \_\_\_\_\_ in \_\_\_\_\_ to use \_\_\_\_\_ updated \_\_\_\_\_?  
 What minimum \_\_\_\_\_ should \_\_\_\_\_ operations of theupgradedcdm application?  
 \_\_\_\_\_ hardware should \_\_\_\_\_ have \_\_\_\_\_ the \_\_\_\_\_ version of \_\_\_\_\_ CDM?  
 \_\_\_\_\_ updated \_\_\_\_\_ CDM application \_\_\_\_\_ minimum hardware requirements?  
 \_\_\_\_\_ new \_\_\_\_\_ app have \_\_\_\_\_ specifications that make it \_\_\_\_\_?  
 What \_\_\_\_\_ to \_\_\_\_\_ latest CDM \_\_\_\_\_ effectively?  
 \_\_\_\_\_ there \_\_\_\_\_ hardware requirement \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ use the \_\_\_\_\_ CDM.  
 \_\_\_\_\_ is a new \_\_\_\_\_ the \_\_\_\_\_ What hardware \_\_\_\_\_ need?  
 \_\_\_\_\_ hardware \_\_\_\_\_ that are necessary \_\_\_\_\_ upgraded CDM application?  
 What \_\_\_\_\_ hardware \_\_\_\_\_ should be \_\_\_\_\_ make smooth \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ might \_\_\_\_\_ a \_\_\_\_\_ requirement \_\_\_\_\_ able to \_\_\_\_\_ the \_\_\_\_\_ version \_\_\_\_\_ the new CDM.  
 \_\_\_\_\_ a minimum hardware \_\_\_\_\_ use the latest \_\_\_\_\_ thecdm?  
 \_\_\_\_\_ be \_\_\_\_\_ requirement for the updated CDM?  
 What \_\_\_\_\_ hardware \_\_\_\_\_ to be met to make \_\_\_\_\_ smooth \_\_\_\_\_ upgradedCDM \_\_\_\_\_?  
 Minimum hardware \_\_\_\_\_ updated cidm application \_\_\_\_\_.  
 Is \_\_\_\_\_ a \_\_\_\_\_ requirement to \_\_\_\_\_ able to use \_\_\_\_\_ CDM?  
 \_\_\_\_\_ there a minimum \_\_\_\_\_ of \_\_\_\_\_ that you \_\_\_\_\_ to use the \_\_\_\_\_?  
 What \_\_\_\_\_ need for a new \_\_\_\_\_ of \_\_\_\_\_ CDM?  
 minimum \_\_\_\_\_ to get an \_\_\_\_\_ performance \_\_\_\_\_ CDM software

What is the minimum device \_\_\_\_\_ modernized \_\_\_\_\_?

Is \_\_\_\_\_ required to successfully use the \_\_\_\_\_ version of \_\_\_\_\_?

Has \_\_\_\_\_ edition \_\_\_\_\_ CDM have \_\_\_\_\_ requirements?

Does \_\_\_\_\_ new improved \_\_\_\_\_ hardware specifications?

Are \_\_\_\_\_ a \_\_\_\_\_ requirement \_\_\_\_\_ for \_\_\_\_\_ use of \_\_\_\_\_ improved \_\_\_\_\_?

\_\_\_\_\_ be a \_\_\_\_\_ hardware \_\_\_\_\_ use of \_\_\_\_\_ updated CDM.

Is there a minimum \_\_\_\_\_ be \_\_\_\_\_ with \_\_\_\_\_ CDM?

Is \_\_\_\_\_ any \_\_\_\_\_ requirement for \_\_\_\_\_ updated \_\_\_\_\_?

\_\_\_\_\_ new \_\_\_\_\_ CDM, what hardware \_\_\_\_\_ do they have?

Which hardware \_\_\_\_\_ are necessary \_\_\_\_\_ of re-written \_\_\_\_\_?

\_\_\_\_\_ requirements \_\_\_\_\_ be needed for \_\_\_\_\_ effectively run \_\_\_\_\_ cidm \_\_\_\_\_.

\_\_\_\_\_ hardware \_\_\_\_\_ necessary for \_\_\_\_\_ the re-written CDM software?

\_\_\_\_\_ basic \_\_\_\_\_ specifications should \_\_\_\_\_ efficient \_\_\_\_\_ of the \_\_\_\_\_ to the CDM \_\_\_\_\_?

\_\_\_\_\_ new version \_\_\_\_\_ the CDM and what hardware needs \_\_\_\_\_?

There \_\_\_\_\_ a new version of \_\_\_\_\_ and what hardware \_\_\_\_\_?

Can you \_\_\_\_\_ if there \_\_\_\_\_ minimum \_\_\_\_\_ requirement \_\_\_\_\_ able \_\_\_\_\_ use the \_\_\_\_\_ of the CDM?

What \_\_\_\_\_ requirements \_\_\_\_\_ they \_\_\_\_\_ the \_\_\_\_\_ version of the \_\_\_\_\_?

\_\_\_\_\_ basic \_\_\_\_\_ specifications \_\_\_\_\_ we use for efficient running of \_\_\_\_\_ recent \_\_\_\_\_?

Is there \_\_\_\_\_ hardware requirement \_\_\_\_\_ use \_\_\_\_\_ CDM?

\_\_\_\_\_ there \_\_\_\_\_ of hardware you \_\_\_\_\_ for using \_\_\_\_\_ of the CDM?

What minimum \_\_\_\_\_ be in \_\_\_\_\_ use an updated \_\_\_\_\_?

\_\_\_\_\_ minimum \_\_\_\_\_ requirements required for \_\_\_\_\_ effective use \_\_\_\_\_ the \_\_\_\_\_ version \_\_\_\_\_ application?

\_\_\_\_\_ be met to \_\_\_\_\_ operations of theupgradedcdm application?

Is \_\_\_\_\_ a minimum hardware \_\_\_\_\_ be \_\_\_\_\_ to successfully use \_\_\_\_\_?

What \_\_\_\_\_ needs are \_\_\_\_\_ performance \_\_\_\_\_ the re-written CDM \_\_\_\_\_?

\_\_\_\_\_ know \_\_\_\_\_ there is a \_\_\_\_\_ to \_\_\_\_\_ able to \_\_\_\_\_ the \_\_\_\_\_ CDM?

\_\_\_\_\_ be using for efficient running \_\_\_\_\_ recent update to \_\_\_\_\_ CDM application?

What basic hardware specifications \_\_\_\_\_ we \_\_\_\_\_ efficient \_\_\_\_\_ recent update to \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ CDM app \_\_\_\_\_ need any \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ hardware \_\_\_\_\_ effective \_\_\_\_\_ of the updated CDM?

There \_\_\_\_\_ minimum hardware specifications \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ a hardware requirement for the \_\_\_\_\_?

\_\_\_\_\_ hardware requirements \_\_\_\_\_ the updated cidm application.

\_\_\_\_\_ is a \_\_\_\_\_ of \_\_\_\_\_ CDM but \_\_\_\_\_ hardware \_\_\_\_\_ do they \_\_\_\_\_?

\_\_\_\_\_ hardware \_\_\_\_\_ needed for \_\_\_\_\_ best performance \_\_\_\_\_ re-written CDM \_\_\_\_\_?

Is there a \_\_\_\_\_ hardware \_\_\_\_\_ can be successfully \_\_\_\_\_ updated \_\_\_\_\_?

\_\_\_\_\_ minimum hardware \_\_\_\_\_ to \_\_\_\_\_ to make \_\_\_\_\_ operations of \_\_\_\_\_ upgradedCDM \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ specific hardware \_\_\_\_\_ for efficient \_\_\_\_\_ of the \_\_\_\_\_?

\_\_\_\_\_ is a new \_\_\_\_\_ of the \_\_\_\_\_ hardware \_\_\_\_\_ need to use \_\_\_\_\_?

What \_\_\_\_\_ do \_\_\_\_\_ make the \_\_\_\_\_ version of \_\_\_\_\_ CDM \_\_\_\_\_?

Does \_\_\_\_\_ improved \_\_\_\_\_ require \_\_\_\_\_ specifications?

\_\_\_\_\_ the minimum hardware \_\_\_\_\_ for \_\_\_\_\_ performance for \_\_\_\_\_ CDM \_\_\_\_\_?

\_\_\_\_\_ a new version of the \_\_\_\_\_ needs do they \_\_\_\_\_?

Does \_\_\_\_\_ to be a \_\_\_\_\_ minimum \_\_\_\_\_ use \_\_\_\_\_ updated CDM?

\_\_\_\_\_ requirements for hardware \_\_\_\_\_ be needed to \_\_\_\_\_ cidm \_\_\_\_\_.

\_\_\_\_\_ hardware needs \_\_\_\_\_ needed \_\_\_\_\_ best performance of \_\_\_\_\_ software?

What basic \_\_\_\_\_ should \_\_\_\_\_ to run the \_\_\_\_\_ CDM \_\_\_\_\_?

What basic hardware \_\_\_\_\_ we use for \_\_\_\_\_ running \_\_\_\_\_ the CDM \_\_\_\_\_?

Can you \_\_\_\_\_ me \_\_\_\_\_ hardware requirement for the updated \_\_\_\_\_?

Hardware required \_\_\_\_\_ software?

\_\_\_\_ hardware \_\_\_\_ use the updated CDM software?  
 \_\_\_\_ there \_\_\_\_ specific \_\_\_\_ required for efficient use in \_\_\_\_?  
 Is there \_\_\_\_ hardware \_\_\_\_ required \_\_\_\_ use \_\_\_\_ improved CDM?  
 \_\_\_\_ there \_\_\_\_ requirements \_\_\_\_ upgraded CDM \_\_\_\_?  
 Is \_\_\_\_ possible \_\_\_\_ hardware specifications for running the \_\_\_\_?  
 Does \_\_\_\_ most \_\_\_\_ of CDM have \_\_\_\_ requirements?  
 \_\_\_\_ am \_\_\_\_ if there \_\_\_\_ any \_\_\_\_ rules \_\_\_\_ the \_\_\_\_ app.  
 Does the \_\_\_\_ have any hardware related \_\_\_\_?  
 \_\_\_\_ there any hardware requirements for \_\_\_\_?  
 What minimum hardware \_\_\_\_ be in place \_\_\_\_ order to \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ version of the CDM, \_\_\_\_ do you \_\_\_\_ to \_\_\_\_?  
 What minimum hardware \_\_\_\_ should be \_\_\_\_ to use updated \_\_\_\_?  
 \_\_\_\_ a minimum \_\_\_\_ requirement required \_\_\_\_ use \_\_\_\_ of the CDM?  
 \_\_\_\_ hardware specifications should \_\_\_\_ use \_\_\_\_ the running \_\_\_\_ the \_\_\_\_ CDM \_\_\_\_?  
 Does the \_\_\_\_ edition \_\_\_\_ hardware \_\_\_\_ prerequisites?  
 Which hardware needs \_\_\_\_ better \_\_\_\_ the re-written CDM \_\_\_\_?  
 What hardware \_\_\_\_ should \_\_\_\_ in the \_\_\_\_ CDM?  
 Does the \_\_\_\_ have any specific \_\_\_\_ requirements?  
 What minimum hardware \_\_\_\_ must be \_\_\_\_ smooth \_\_\_\_ the upgraded \_\_\_\_ of \_\_\_\_ application?  
 \_\_\_\_ is a \_\_\_\_ of \_\_\_\_ CDM, what hardware needs \_\_\_\_ needed?  
 Does \_\_\_\_ new \_\_\_\_ app have \_\_\_\_ to \_\_\_\_ it work?  
 \_\_\_\_ hardware needs must be \_\_\_\_ in order for \_\_\_\_ upgraded iteration of \_\_\_\_ CDM \_\_\_\_?  
 Is there \_\_\_\_ minimum \_\_\_\_ be successful in \_\_\_\_ CDM?  
 \_\_\_\_ there a \_\_\_\_ hardware requirement \_\_\_\_ be \_\_\_\_ to \_\_\_\_ of the newcdm?  
 Is \_\_\_\_ a \_\_\_\_ hardware \_\_\_\_ able to \_\_\_\_ the new CDM?  
 \_\_\_\_ minimum hardware \_\_\_\_ must \_\_\_\_ in order to \_\_\_\_ sure \_\_\_\_ of \_\_\_\_ CDM \_\_\_\_?  
 \_\_\_\_ the improved CDM app \_\_\_\_ specific \_\_\_\_ needed?  
 Does the updated \_\_\_\_ need the \_\_\_\_ run?  
 \_\_\_\_ a specific hardware \_\_\_\_ needed \_\_\_\_ use \_\_\_\_ theimprovedCDM?  
 Is there a minimum hardware \_\_\_\_ to \_\_\_\_ of \_\_\_\_?  
 \_\_\_\_ minimum hardware \_\_\_\_ to \_\_\_\_ met to make sure \_\_\_\_ operations \_\_\_\_?  
 Is \_\_\_\_ a \_\_\_\_ requirement for \_\_\_\_ new \_\_\_\_?  
 Does \_\_\_\_ new improved \_\_\_\_ hardware \_\_\_\_ needed now?  
 \_\_\_\_ hardware needs \_\_\_\_ optimum \_\_\_\_ re-written CDM software?  
 Does \_\_\_\_ upgraded CDM \_\_\_\_ hardware specifications now?  
 \_\_\_\_ it \_\_\_\_ to \_\_\_\_ hardware in order to \_\_\_\_ CDM?  
 What minimum hardware needs \_\_\_\_ smooth running \_\_\_\_ upgraded \_\_\_\_ application?  
 \_\_\_\_ needs are \_\_\_\_ for the \_\_\_\_ cdm \_\_\_\_  
 Does this \_\_\_\_ improved CDM \_\_\_\_ specific \_\_\_\_ to support \_\_\_\_?  
 \_\_\_\_ minimum hardware requirement \_\_\_\_ be met to \_\_\_\_ the latest version \_\_\_\_ the \_\_\_\_ CDM?  
 What hardware \_\_\_\_ do you \_\_\_\_ the \_\_\_\_ version \_\_\_\_ the CDM?  
 The \_\_\_\_ specifications \_\_\_\_ app would need \_\_\_\_ is a question.  
 What \_\_\_\_ requirements \_\_\_\_ place in order to \_\_\_\_ use \_\_\_\_ CDMD \_\_\_\_?  
 Hardware \_\_\_\_ needs \_\_\_\_ run \_\_\_\_ latest \_\_\_\_?  
 \_\_\_\_ hardware required \_\_\_\_ the updated CDM \_\_\_\_?  
 Does \_\_\_\_ updated \_\_\_\_ CDM \_\_\_\_ any \_\_\_\_ prerequisites?  
 Minimum \_\_\_\_ for \_\_\_\_ required hardware might be \_\_\_\_ for \_\_\_\_.  
 Minimum \_\_\_\_ get an optimal \_\_\_\_ of \_\_\_\_ revised \_\_\_\_ are asked.  
 Is \_\_\_\_ a minimum level \_\_\_\_ you need \_\_\_\_ a \_\_\_\_ the new \_\_\_\_?  
 \_\_\_\_ is a new \_\_\_\_ of \_\_\_\_ CDM \_\_\_\_ what \_\_\_\_ be included \_\_\_\_ it?

There is a new \_\_\_\_\_ so \_\_\_\_\_ hardware needs do \_\_\_\_\_?  
 \_\_\_\_\_ needs \_\_\_\_\_ required \_\_\_\_\_ work with the \_\_\_\_\_ software?  
 \_\_\_\_\_ hardware \_\_\_\_\_ are needed \_\_\_\_\_ make \_\_\_\_\_ upgraded CDMF \_\_\_\_\_?  
 \_\_\_\_\_ be \_\_\_\_\_ hardware requirement in \_\_\_\_\_ to use the latest version \_\_\_\_\_ the CDM?  
 Are there \_\_\_\_\_ hardware \_\_\_\_\_ use \_\_\_\_\_ latest \_\_\_\_\_ of thecdm?  
 \_\_\_\_\_ the updated \_\_\_\_\_ application \_\_\_\_\_ specific \_\_\_\_\_?  
 Does \_\_\_\_\_ updated version of \_\_\_\_\_ related requirements?  
 \_\_\_\_\_ the \_\_\_\_\_ of CDM have \_\_\_\_\_ requirements?  
 Is \_\_\_\_\_ minimum hardware \_\_\_\_\_ for \_\_\_\_\_ use \_\_\_\_\_ new CDM?  
 Is there \_\_\_\_\_ hardware requirement that can \_\_\_\_\_ used \_\_\_\_\_ use \_\_\_\_\_?  
 What hardware would you need to \_\_\_\_\_ the \_\_\_\_\_?  
 What is the minimum \_\_\_\_\_ that the \_\_\_\_\_ app \_\_\_\_\_?  
 \_\_\_\_\_ requirements \_\_\_\_\_ required to \_\_\_\_\_ the \_\_\_\_\_ performance from the revised \_\_\_\_\_?  
 \_\_\_\_\_ hardware requirements \_\_\_\_\_ to \_\_\_\_\_ performance from the \_\_\_\_\_ CDM software?  
 \_\_\_\_\_ there a specific \_\_\_\_\_ requirements \_\_\_\_\_ for \_\_\_\_\_ the improved \_\_\_\_\_?  
 \_\_\_\_\_ to run the updated CDM app \_\_\_\_\_?  
 What hardware do you require \_\_\_\_\_ order \_\_\_\_\_ use \_\_\_\_\_ new \_\_\_\_\_?  
 \_\_\_\_\_ compatible with a specific \_\_\_\_\_ minimum?  
 \_\_\_\_\_ there a minimum hardware requirement \_\_\_\_\_ using \_\_\_\_\_ version \_\_\_\_\_?  
 \_\_\_\_\_ would \_\_\_\_\_ to know \_\_\_\_\_ hardware \_\_\_\_\_ the updated CDM \_\_\_\_\_.  
 Is there \_\_\_\_\_ minimum hardware \_\_\_\_\_ can \_\_\_\_\_ updated CDM?  
 What hardware \_\_\_\_\_ using the updated cdm \_\_\_\_\_?  
 \_\_\_\_\_ for \_\_\_\_\_ new CDM \_\_\_\_\_ are not known.  
 What \_\_\_\_\_ needs \_\_\_\_\_ in \_\_\_\_\_ to make smooth operations \_\_\_\_\_ application?  
 Can you \_\_\_\_\_ me if \_\_\_\_\_ is \_\_\_\_\_ minimum hardware \_\_\_\_\_ use \_\_\_\_\_ CDM?  
 Does the \_\_\_\_\_ version \_\_\_\_\_ specific minimum \_\_\_\_\_ requirement?  
 \_\_\_\_\_ for hardware for \_\_\_\_\_ new CDM app?  
 \_\_\_\_\_ is a new \_\_\_\_\_ and what \_\_\_\_\_ needs you \_\_\_\_\_?  
 Is \_\_\_\_\_ minimum \_\_\_\_\_ is required \_\_\_\_\_ successfully use \_\_\_\_\_ updated CDM?  
 What hardware needs \_\_\_\_\_ to \_\_\_\_\_ with \_\_\_\_\_ software.  
 \_\_\_\_\_ this \_\_\_\_\_ improved CDM app have specific hardware \_\_\_\_\_?  
 \_\_\_\_\_ a minimum \_\_\_\_\_ requirement for \_\_\_\_\_ use \_\_\_\_\_ updated CDM?  
 \_\_\_\_\_ necessary hardware specifications for \_\_\_\_\_ upgraded CDM application?  
 \_\_\_\_\_ specific minimum \_\_\_\_\_ successfully use the updated CDM?  
 What hardware needs \_\_\_\_\_ they \_\_\_\_\_ newest version of \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ CDM \_\_\_\_\_ have any \_\_\_\_\_ hardware \_\_\_\_\_ for it?  
 What hardware \_\_\_\_\_ for \_\_\_\_\_ software?  
 \_\_\_\_\_ there \_\_\_\_\_ minimum hardware requirement \_\_\_\_\_ can \_\_\_\_\_ to \_\_\_\_\_ new CDM?  
 Is there \_\_\_\_\_ minimum hardware \_\_\_\_\_ use the \_\_\_\_\_ theCDm?  
 What basic hardware \_\_\_\_\_ should \_\_\_\_\_ for \_\_\_\_\_ efficient \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ CDM application?  
 \_\_\_\_\_ the \_\_\_\_\_ hardware \_\_\_\_\_ CDM app functioning well?  
 \_\_\_\_\_ the \_\_\_\_\_ of CDM have any \_\_\_\_\_?  
 \_\_\_\_\_ edition of CDM \_\_\_\_\_ hardware \_\_\_\_\_ prerequisites?  
 Is \_\_\_\_\_ minimum hardware specifications \_\_\_\_\_ in the \_\_\_\_\_ app?  
 Is there any \_\_\_\_\_ for \_\_\_\_\_ new \_\_\_\_\_ of \_\_\_\_\_ app?  
 \_\_\_\_\_ are \_\_\_\_\_ minimum \_\_\_\_\_ required for efficient functioning \_\_\_\_\_ this \_\_\_\_\_ CDM \_\_\_\_\_?  
 \_\_\_\_\_ requirements \_\_\_\_\_ the \_\_\_\_\_ of the upgraded CDMF application?  
 There \_\_\_\_\_ regarding \_\_\_\_\_ for an updated \_\_\_\_\_ app.  
 Is there any \_\_\_\_\_ for \_\_\_\_\_ app?  
 \_\_\_\_\_ do you \_\_\_\_\_ for \_\_\_\_\_ new \_\_\_\_\_ of thecdm?

Is there a minimum \_\_\_\_\_ successful \_\_\_\_\_ the \_\_\_\_\_ CDM?

Is \_\_\_\_\_ a minimum level of \_\_\_\_\_ need \_\_\_\_\_ successful performance of \_\_\_\_\_ ?

What \_\_\_\_\_ for the \_\_\_\_\_ software?

What hardware \_\_\_\_\_ should \_\_\_\_\_ to use this \_\_\_\_\_ application?

Does \_\_\_\_\_ have hardware-specific requirements?

\_\_\_\_\_ there \_\_\_\_\_ minimum \_\_\_\_\_ be able to \_\_\_\_\_ the latest \_\_\_\_\_ of \_\_\_\_\_ ?

What hardware needs are \_\_\_\_\_ the \_\_\_\_\_ software?

What \_\_\_\_\_ hardware \_\_\_\_\_ met to run \_\_\_\_\_ upgraded \_\_\_\_\_ application?

Can you tell me if \_\_\_\_\_ specific \_\_\_\_\_ minimum \_\_\_\_\_ CDM?

\_\_\_\_\_ there \_\_\_\_\_ specific \_\_\_\_\_ needed for efficient \_\_\_\_\_ improved CDM?

\_\_\_\_\_ requirements \_\_\_\_\_ to \_\_\_\_\_ the updated CDM application.

What \_\_\_\_\_ hardware needs must \_\_\_\_\_ met \_\_\_\_\_ be \_\_\_\_\_ smooth \_\_\_\_\_ application?

Does \_\_\_\_\_ updated \_\_\_\_\_ have any equipment \_\_\_\_\_ ?

\_\_\_\_\_ hardware \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ the latest \_\_\_\_\_ application \_\_\_\_\_ ?

\_\_\_\_\_ know if \_\_\_\_\_ are hardware standards for \_\_\_\_\_ updated \_\_\_\_\_ app.

Does the \_\_\_\_\_ any particular \_\_\_\_\_ ?

Does \_\_\_\_\_ CDM app have \_\_\_\_\_ specifications to \_\_\_\_\_ ?

Is \_\_\_\_\_ specific \_\_\_\_\_ needed to effectively use the updated \_\_\_\_\_ ?

Is there \_\_\_\_\_ requirements \_\_\_\_\_ CDM?

\_\_\_\_\_ the new improved CDM \_\_\_\_\_ hardware specifications required \_\_\_\_\_ ?

What hardware \_\_\_\_\_ needed for running \_\_\_\_\_ app \_\_\_\_\_ ?

There \_\_\_\_\_ hardware \_\_\_\_\_ for the new \_\_\_\_\_ ?

What minimum \_\_\_\_\_ be met in \_\_\_\_\_ to \_\_\_\_\_ of upgraded \_\_\_\_\_ application?

\_\_\_\_\_ hardware would \_\_\_\_\_ the latest \_\_\_\_\_ application efficiently?

\_\_\_\_\_ hardware requirements \_\_\_\_\_ in place \_\_\_\_\_ this updated \_\_\_\_\_ application?

\_\_\_\_\_ there a \_\_\_\_\_ for \_\_\_\_\_ hardware for a new \_\_\_\_\_ ?

\_\_\_\_\_ the \_\_\_\_\_ edition \_\_\_\_\_ CDM has \_\_\_\_\_ specific \_\_\_\_\_ ?

\_\_\_\_\_ specific hardware requirements are \_\_\_\_\_ run \_\_\_\_\_ application?

\_\_\_\_\_ requirements for the hardware \_\_\_\_\_ needed \_\_\_\_\_ cidm application.

\_\_\_\_\_ minimum that is needed for \_\_\_\_\_ use of the \_\_\_\_\_ ?

\_\_\_\_\_ a minimum hardware \_\_\_\_\_ that you need \_\_\_\_\_ use \_\_\_\_\_ latest \_\_\_\_\_ the \_\_\_\_\_ ?

There's a question \_\_\_\_\_ minimum hardware requirement \_\_\_\_\_ the \_\_\_\_\_ .

Is there \_\_\_\_\_ requirement \_\_\_\_\_ is needed \_\_\_\_\_ use \_\_\_\_\_ improved CDM?

Is \_\_\_\_\_ a \_\_\_\_\_ hardware requirement for \_\_\_\_\_ of \_\_\_\_\_ ?

\_\_\_\_\_ minimum hardware needs must be \_\_\_\_\_ make sure smooth operations \_\_\_\_\_ of the \_\_\_\_\_ ?

\_\_\_\_\_ specific \_\_\_\_\_ requirement that must be \_\_\_\_\_ use the updated \_\_\_\_\_ ?

\_\_\_\_\_ a minimum \_\_\_\_\_ order \_\_\_\_\_ successfully use the \_\_\_\_\_ CDM?

\_\_\_\_\_ any hardware requirements for \_\_\_\_\_ ?

\_\_\_\_\_ a minimum hardware \_\_\_\_\_ use \_\_\_\_\_ the updated CDM?

Does the new \_\_\_\_\_ CDM \_\_\_\_\_ any \_\_\_\_\_ hardware specifications \_\_\_\_\_ ?

Is there \_\_\_\_\_ specific \_\_\_\_\_ efficient use of \_\_\_\_\_ improved \_\_\_\_\_

\_\_\_\_\_ do \_\_\_\_\_ need \_\_\_\_\_ operate the new version \_\_\_\_\_ CDM?

Does \_\_\_\_\_ new \_\_\_\_\_ have \_\_\_\_\_ specifications needed?

Minimum requirements \_\_\_\_\_ hardware \_\_\_\_\_ the updated cidm application.

\_\_\_\_\_ hardware specifications \_\_\_\_\_ run the updated \_\_\_\_\_ app?

Minimum \_\_\_\_\_ hardware to run \_\_\_\_\_ application \_\_\_\_\_ be required.

\_\_\_\_\_ must be met to run \_\_\_\_\_ application?

What \_\_\_\_\_ required to \_\_\_\_\_ a \_\_\_\_\_ of the \_\_\_\_\_ ?

\_\_\_\_\_ the \_\_\_\_\_ CDM have hardware \_\_\_\_\_ prerequisites?

What \_\_\_\_\_ is needed to \_\_\_\_\_ CDM \_\_\_\_\_ ?

\_\_\_\_\_ any hardware specific \_\_\_\_\_ in \_\_\_\_\_ updated \_\_\_\_\_ of \_\_\_\_\_?  
 There is \_\_\_\_\_ new version of \_\_\_\_\_ and \_\_\_\_\_ hardware needs \_\_\_\_\_?  
 \_\_\_\_\_ level of hardware \_\_\_\_\_ need \_\_\_\_\_ performance of the updated CDM?  
 \_\_\_\_\_ needs \_\_\_\_\_ for \_\_\_\_\_ updatedcdm software?  
 Is \_\_\_\_\_ a certain \_\_\_\_\_ to be able to \_\_\_\_\_ of thecdm?  
 Does \_\_\_\_\_ have required hardware?  
 \_\_\_\_\_ required to make the upgraded CDMF \_\_\_\_\_?  
 \_\_\_\_\_ minimum level of hardware \_\_\_\_\_ for using the \_\_\_\_\_ of theCDM?  
 What \_\_\_\_\_ requirements \_\_\_\_\_ needed \_\_\_\_\_ make \_\_\_\_\_ upgraded \_\_\_\_\_ application \_\_\_\_\_?  
 What \_\_\_\_\_ requirements is needed \_\_\_\_\_ the \_\_\_\_\_ application up \_\_\_\_\_?  
 I \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ hardware minimum to \_\_\_\_\_ updated CDM.  
 Minimum requirements \_\_\_\_\_ the required \_\_\_\_\_ for \_\_\_\_\_ updated cidm \_\_\_\_\_.  
 \_\_\_\_\_ new CDM app have \_\_\_\_\_ support it?  
 \_\_\_\_\_ to \_\_\_\_\_ what hardware standards are required for the \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ is \_\_\_\_\_ version of the \_\_\_\_\_ hardware needs \_\_\_\_\_ carry?  
 \_\_\_\_\_ would you need \_\_\_\_\_ you have \_\_\_\_\_ new \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ the new improved \_\_\_\_\_ specific hardware specifications that \_\_\_\_\_ it?  
 Does the \_\_\_\_\_ app need \_\_\_\_\_ for it?  
 How are \_\_\_\_\_ hardware requirements for \_\_\_\_\_ functioning \_\_\_\_\_ updated \_\_\_\_\_?  
 Is \_\_\_\_\_ requirements \_\_\_\_\_ be \_\_\_\_\_ use the latest version of \_\_\_\_\_?  
 \_\_\_\_\_ hardware \_\_\_\_\_ do they have in \_\_\_\_\_ new \_\_\_\_\_ the \_\_\_\_\_?  
 \_\_\_\_\_ hardware specifications required for \_\_\_\_\_ in \_\_\_\_\_ app?  
 \_\_\_\_\_ going \_\_\_\_\_ need to use a \_\_\_\_\_ of the CDM?  
 What \_\_\_\_\_ requirements \_\_\_\_\_ to \_\_\_\_\_ that the upgraded \_\_\_\_\_ application \_\_\_\_\_?  
 \_\_\_\_\_ specific minimum for \_\_\_\_\_ used \_\_\_\_\_ updated CDM?  
 What minimum hardware \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ operations \_\_\_\_\_ theupgradedcdm application?  
 \_\_\_\_\_ hardware needs \_\_\_\_\_ be \_\_\_\_\_ run the upgradedCDM \_\_\_\_\_ smoothly?  
 Is \_\_\_\_\_ hardware that is \_\_\_\_\_ for \_\_\_\_\_ of the \_\_\_\_\_ CDM?  
 Does \_\_\_\_\_ updated \_\_\_\_\_ have \_\_\_\_\_ requirements?  
 \_\_\_\_\_ minimum \_\_\_\_\_ you need \_\_\_\_\_ the latest version \_\_\_\_\_ the CDM?  
 \_\_\_\_\_ the \_\_\_\_\_ app \_\_\_\_\_ specific hardware specifications that \_\_\_\_\_ it \_\_\_\_\_?  
 \_\_\_\_\_ hardware requirements \_\_\_\_\_ put \_\_\_\_\_ place in \_\_\_\_\_ use the updated CDMD \_\_\_\_\_?  
 What \_\_\_\_\_ needs \_\_\_\_\_ required to \_\_\_\_\_ sure smooth operations \_\_\_\_\_ this \_\_\_\_\_ CDM application?  
 \_\_\_\_\_ the new improved \_\_\_\_\_ app require \_\_\_\_\_?  
 \_\_\_\_\_ hardware needs \_\_\_\_\_ needed to \_\_\_\_\_ the newest \_\_\_\_\_?  
 Is \_\_\_\_\_ to use the latest version \_\_\_\_\_ the \_\_\_\_\_.  
 \_\_\_\_\_ a specific \_\_\_\_\_ required \_\_\_\_\_ efficient use of \_\_\_\_\_ improved \_\_\_\_\_?  
 What \_\_\_\_\_ should \_\_\_\_\_ on \_\_\_\_\_ new \_\_\_\_\_ of \_\_\_\_\_ CDM?  
 \_\_\_\_\_ hardware requirements need to \_\_\_\_\_ place \_\_\_\_\_ order \_\_\_\_\_ the updated \_\_\_\_\_ application?  
 \_\_\_\_\_ level \_\_\_\_\_ hardware that you \_\_\_\_\_ for the latest version \_\_\_\_\_ CDM?  
 Is there \_\_\_\_\_ hardware \_\_\_\_\_ that can be \_\_\_\_\_ to \_\_\_\_\_ CDM?  
 What are \_\_\_\_\_ hardware \_\_\_\_\_ order \_\_\_\_\_ optimal performance of \_\_\_\_\_ revised \_\_\_\_\_ software?  
 Is there a \_\_\_\_\_ level \_\_\_\_\_ you \_\_\_\_\_ to \_\_\_\_\_ well in \_\_\_\_\_ updated \_\_\_\_\_?  
 What \_\_\_\_\_ to \_\_\_\_\_ used \_\_\_\_\_ the updatedCDM software?  
 \_\_\_\_\_ edition \_\_\_\_\_ CDM include hardware-related \_\_\_\_\_?  
 \_\_\_\_\_ hardware \_\_\_\_\_ you have in \_\_\_\_\_ use the new \_\_\_\_\_ CDM?  
 Is \_\_\_\_\_ minimum level \_\_\_\_\_ for \_\_\_\_\_ latest version of \_\_\_\_\_?  
 \_\_\_\_\_ minimum \_\_\_\_\_ must be met to \_\_\_\_\_ smooth \_\_\_\_\_ of theupgradeDCM \_\_\_\_\_?  
 Is there \_\_\_\_\_ level of \_\_\_\_\_ you \_\_\_\_\_ the updated CDM?  
 \_\_\_\_\_ minimum amount \_\_\_\_\_ hardware needed in an \_\_\_\_\_ CDM \_\_\_\_\_ was \_\_\_\_\_.



There \_\_\_\_\_ of minimum hardware \_\_\_\_\_ for efficient \_\_\_\_\_ of the \_\_\_\_\_.  
 \_\_\_\_\_ CDM app \_\_\_\_\_ hardware requirements?  
 What \_\_\_\_\_ must be \_\_\_\_\_ order to \_\_\_\_\_ the \_\_\_\_\_ cdm application?  
 What \_\_\_\_\_ the new version \_\_\_\_\_ the \_\_\_\_\_ have?  
 \_\_\_\_\_ hardware requirement \_\_\_\_\_ an upgraded CDM \_\_\_\_\_?  
 Does \_\_\_\_\_ new \_\_\_\_\_ CDM \_\_\_\_\_ have \_\_\_\_\_ specifications needed?  
 What minimum hardware requirements \_\_\_\_\_ place to be \_\_\_\_\_ this \_\_\_\_\_ version \_\_\_\_\_ CDM \_\_\_\_\_?  
 \_\_\_\_\_ need to \_\_\_\_\_ for smooth \_\_\_\_\_ of \_\_\_\_\_ upgraded cdm application?  
 Is there a \_\_\_\_\_ of \_\_\_\_\_ you need \_\_\_\_\_ use \_\_\_\_\_ most \_\_\_\_\_ of \_\_\_\_\_ CDM?  
 Is there a \_\_\_\_\_ requirement \_\_\_\_\_ need \_\_\_\_\_ the updated \_\_\_\_\_?  
 What \_\_\_\_\_ needs do \_\_\_\_\_ have since \_\_\_\_\_ version \_\_\_\_\_ the CDM?  
 \_\_\_\_\_ the \_\_\_\_\_ CDM \_\_\_\_\_ need \_\_\_\_\_ specific \_\_\_\_\_ specifications?  
 What minimum \_\_\_\_\_ needs must \_\_\_\_\_ in order to make sure \_\_\_\_\_?  
 There \_\_\_\_\_ new \_\_\_\_\_ the CDM, \_\_\_\_\_ hardware \_\_\_\_\_ it?  
 Do you have \_\_\_\_\_ of hardware \_\_\_\_\_ you \_\_\_\_\_ performance of the updated \_\_\_\_\_?  
 Is \_\_\_\_\_ hardware requirement \_\_\_\_\_ for \_\_\_\_\_ of the improved \_\_\_\_\_  
 Does the updated \_\_\_\_\_ have \_\_\_\_\_?  
 Which hardware requirements \_\_\_\_\_ for \_\_\_\_\_ performance of \_\_\_\_\_ CDM \_\_\_\_\_?  
 What \_\_\_\_\_ should be in place in order to \_\_\_\_\_ this \_\_\_\_\_ the CDM \_\_\_\_\_?  
 What \_\_\_\_\_ needs are needed \_\_\_\_\_ use \_\_\_\_\_ software?  
 \_\_\_\_\_ hardware requirement for use of the new \_\_\_\_\_?  
 Will the \_\_\_\_\_ CDM \_\_\_\_\_ hardware \_\_\_\_\_?  
 What \_\_\_\_\_ hardware requirements must \_\_\_\_\_ to make sure \_\_\_\_\_ of \_\_\_\_\_?  
 What hardware needs are needed \_\_\_\_\_ application \_\_\_\_\_?  
 \_\_\_\_\_ CDM have hardware-related prerequisites?  
 Do \_\_\_\_\_ know \_\_\_\_\_ hardware \_\_\_\_\_ for \_\_\_\_\_ updated CDM?  
 Minimum \_\_\_\_\_ hardware may \_\_\_\_\_ to properly \_\_\_\_\_ the updated \_\_\_\_\_.  
 There \_\_\_\_\_ new \_\_\_\_\_ of \_\_\_\_\_ CDM, \_\_\_\_\_ need you have?  
 \_\_\_\_\_ for \_\_\_\_\_ required hardware \_\_\_\_\_ effectively run the updated cidm \_\_\_\_\_.  
 \_\_\_\_\_ necessary \_\_\_\_\_ minimum hardware requirement to \_\_\_\_\_ the latest \_\_\_\_\_ of thecdm?  
 \_\_\_\_\_ a \_\_\_\_\_ level \_\_\_\_\_ hardware required for \_\_\_\_\_ latest version of \_\_\_\_\_ CDM?  
 What \_\_\_\_\_ needs to \_\_\_\_\_ the most recent \_\_\_\_\_?  
 \_\_\_\_\_ minimum \_\_\_\_\_ specifications that \_\_\_\_\_ app \_\_\_\_\_ to work well?  
 \_\_\_\_\_ there a minimum \_\_\_\_\_ of \_\_\_\_\_ is needed for using \_\_\_\_\_ CDM?  
 \_\_\_\_\_ the \_\_\_\_\_ improved \_\_\_\_\_ app \_\_\_\_\_ hardware specifications \_\_\_\_\_ make it \_\_\_\_\_?  
 Are there \_\_\_\_\_ minimum \_\_\_\_\_ successfully \_\_\_\_\_ latest version of \_\_\_\_\_?  
 \_\_\_\_\_ equipment \_\_\_\_\_ to \_\_\_\_\_ the updated CDM application?  
 Does \_\_\_\_\_ have \_\_\_\_\_ specific hardware specifications \_\_\_\_\_ work?  
 What \_\_\_\_\_ hardware \_\_\_\_\_ in order to \_\_\_\_\_ upgradedcdm application?  
 What \_\_\_\_\_ hardware needs \_\_\_\_\_ met \_\_\_\_\_ this updated CDM application?  
 Does the \_\_\_\_\_ CDM \_\_\_\_\_ requirements?  
 Is there \_\_\_\_\_ hardware \_\_\_\_\_ updated CDM \_\_\_\_\_.  
 What is \_\_\_\_\_ of hardware \_\_\_\_\_ a \_\_\_\_\_ the CDM application?  
 \_\_\_\_\_ there a specific \_\_\_\_\_ hardware \_\_\_\_\_ use the \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ minimum hardware \_\_\_\_\_ efficient \_\_\_\_\_ of the \_\_\_\_\_ CDM?  
 Which hardware \_\_\_\_\_ required for optimal \_\_\_\_\_ the \_\_\_\_\_ written \_\_\_\_\_?  
 \_\_\_\_\_ hardware \_\_\_\_\_ should \_\_\_\_\_ new version of the \_\_\_\_\_?  
 \_\_\_\_\_ hardware \_\_\_\_\_ needed in \_\_\_\_\_ version of \_\_\_\_\_ CDM?  
 \_\_\_\_\_ for an upgraded CDM \_\_\_\_\_?  
 \_\_\_\_\_ there any specifications for the \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_ the \_\_\_\_ app \_\_\_\_ specific hardware specifications?  
 What minimum \_\_\_\_ need to \_\_\_\_ ensure smooth \_\_\_\_ the upgraded cdm \_\_\_\_?  
 What \_\_\_\_ needs \_\_\_\_ be used \_\_\_\_ the updated CDM \_\_\_\_?  
 Is there \_\_\_\_ minimum hardware \_\_\_\_ for \_\_\_\_ version of \_\_\_\_?  
 There's \_\_\_\_ new \_\_\_\_ the \_\_\_\_ and what \_\_\_\_ needs \_\_\_\_ with it?  
 Which \_\_\_\_ needs \_\_\_\_ for \_\_\_\_ of \_\_\_\_ re-written CDM software?  
 \_\_\_\_ particular \_\_\_\_ requirement for the updated CDM?  
 Is \_\_\_\_ necessary \_\_\_\_ a minimum \_\_\_\_ of \_\_\_\_ for \_\_\_\_ performance \_\_\_\_ the updated \_\_\_\_?  
 \_\_\_\_ hardware \_\_\_\_ make sure \_\_\_\_ of this upgraded CDM application?  
 Does there \_\_\_\_ minimum \_\_\_\_ use the latest \_\_\_\_ the cdm?  
 Is there \_\_\_\_ minimum \_\_\_\_ of hardware that \_\_\_\_ need \_\_\_\_ successful \_\_\_\_ updated \_\_\_\_?  
 \_\_\_\_ minimum hardware needs \_\_\_\_ be met to \_\_\_\_ sure \_\_\_\_ of \_\_\_\_.  
 \_\_\_\_ there a \_\_\_\_ for a \_\_\_\_ app?  
 \_\_\_\_ there a \_\_\_\_ to successfully \_\_\_\_ the updated CDM?  
 Is it \_\_\_\_ successfully \_\_\_\_ the new CDM with \_\_\_\_ hardware \_\_\_\_?  
 Is it \_\_\_\_ that \_\_\_\_ is a minimum \_\_\_\_ use \_\_\_\_ new \_\_\_\_?  
 Is \_\_\_\_ minimum hardware \_\_\_\_ must \_\_\_\_ met to use \_\_\_\_ new \_\_\_\_?  
 Is \_\_\_\_ a minimum \_\_\_\_ hardware \_\_\_\_ for \_\_\_\_ successful \_\_\_\_ of \_\_\_\_ updated CDM?  
 What \_\_\_\_ hardware needs should be \_\_\_\_ sure \_\_\_\_ the upgraded \_\_\_\_ application?  
 \_\_\_\_ is \_\_\_\_ the CDM and \_\_\_\_ requirements do they have?  
 What minimum hardware \_\_\_\_ be met \_\_\_\_ make \_\_\_\_ the upgraded cdm \_\_\_\_?  
 What is \_\_\_\_ hardware specifications \_\_\_\_ would \_\_\_\_ for optimal performance?  
 What \_\_\_\_ to \_\_\_\_ the latest CDM \_\_\_\_ efficiently.  
 \_\_\_\_ there any minimum hardware requirement \_\_\_\_ able to \_\_\_\_ latest \_\_\_\_ CDM?  
 \_\_\_\_ specifications that are necessary to run \_\_\_\_ app smoothly?  
 What basic \_\_\_\_ should \_\_\_\_ used for efficient running \_\_\_\_ the update \_\_\_\_?  
 Does this \_\_\_\_ improved CDM app have \_\_\_\_ hardware \_\_\_\_?  
 Does \_\_\_\_ new CDM \_\_\_\_ have \_\_\_\_ hardware \_\_\_\_ to \_\_\_\_ it \_\_\_\_?  
 Is \_\_\_\_ minimum level \_\_\_\_ hardware \_\_\_\_ for use \_\_\_\_ the \_\_\_\_ version \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ requirements is needed \_\_\_\_ CDM application work correctly?  
 \_\_\_\_ there a \_\_\_\_ can be used for the updated \_\_\_\_?  
 Is there a specific \_\_\_\_ to use \_\_\_\_ latest \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ minimum \_\_\_\_ needs \_\_\_\_ be in \_\_\_\_ latest version of the \_\_\_\_?  
 Is there a \_\_\_\_ for \_\_\_\_ CDM \_\_\_\_?  
 \_\_\_\_ minimum \_\_\_\_ requirements \_\_\_\_ get \_\_\_\_ optimum \_\_\_\_ of the revised \_\_\_\_ software?  
 \_\_\_\_ is \_\_\_\_ to \_\_\_\_ that the upgraded \_\_\_\_ application \_\_\_\_?  
 What \_\_\_\_ requirements \_\_\_\_ to \_\_\_\_ the \_\_\_\_ CDM application?  
 Are \_\_\_\_ minimum hardware \_\_\_\_ for optimum performance in \_\_\_\_?  
 \_\_\_\_ could be \_\_\_\_ to run the \_\_\_\_ app?  
 What \_\_\_\_ needs do \_\_\_\_ new \_\_\_\_ of \_\_\_\_ need?  
 Is \_\_\_\_ a \_\_\_\_ hardware requirement that \_\_\_\_ be \_\_\_\_ to \_\_\_\_ use \_\_\_\_ latest \_\_\_\_ new CDM?  
 \_\_\_\_ a minimum \_\_\_\_ hardware \_\_\_\_ need for a \_\_\_\_ of \_\_\_\_ updated CDM?  
 Minimum \_\_\_\_ to get an optimal \_\_\_\_ of \_\_\_\_ software  
 Does \_\_\_\_ updated edition \_\_\_\_ CDM \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ hardware requirement to \_\_\_\_ able \_\_\_\_ use the \_\_\_\_?  
 What hardware needs \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ for the updated \_\_\_\_ software?  
 Does \_\_\_\_ new \_\_\_\_ CDM app \_\_\_\_ hardware specifications \_\_\_\_?  
 Are there \_\_\_\_ for \_\_\_\_ updated \_\_\_\_ of \_\_\_\_?  
 \_\_\_\_ for hardware \_\_\_\_ be \_\_\_\_ to \_\_\_\_ run \_\_\_\_ cidm application.

\_\_\_\_\_ hardware needs are needed \_\_\_\_\_ CDM software?

What minimum hardware \_\_\_\_\_ should be in place \_\_\_\_\_ be \_\_\_\_\_ of \_\_\_\_\_ newest \_\_\_\_\_?

\_\_\_\_\_ any hardware specifications \_\_\_\_\_ to \_\_\_\_\_ in order to \_\_\_\_\_ app \_\_\_\_\_?

What minimum \_\_\_\_\_ make sure smooth operations of the \_\_\_\_\_ CDM?

What basic hardware \_\_\_\_\_ use \_\_\_\_\_ efficiently run this recent \_\_\_\_\_ application?

\_\_\_\_\_ of CDM have the \_\_\_\_\_ needed \_\_\_\_\_ work?

Is there a \_\_\_\_\_ the \_\_\_\_\_ CDM app?

\_\_\_\_\_ you think \_\_\_\_\_ for the new version \_\_\_\_\_ the \_\_\_\_\_?

There \_\_\_\_\_ a new version of the \_\_\_\_\_ and \_\_\_\_\_ have?

Is a \_\_\_\_\_ hardware \_\_\_\_\_ to use the \_\_\_\_\_?

What \_\_\_\_\_ to operate \_\_\_\_\_ version of the CDM?

Is \_\_\_\_\_ a \_\_\_\_\_ specifications for \_\_\_\_\_ new CDM \_\_\_\_\_?

Is \_\_\_\_\_ a minimum \_\_\_\_\_ requirement necessary \_\_\_\_\_ the \_\_\_\_\_?

What hardware needs are needed when \_\_\_\_\_?

Minimum hardware requirements \_\_\_\_\_ required in order \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ hardware requirements to get \_\_\_\_\_ the \_\_\_\_\_ software

\_\_\_\_\_ minimum \_\_\_\_\_ needs \_\_\_\_\_ met to \_\_\_\_\_ sure \_\_\_\_\_ operations \_\_\_\_\_ this upgrade \_\_\_\_\_ CDM application?

\_\_\_\_\_ the improved \_\_\_\_\_ app \_\_\_\_\_ any \_\_\_\_\_ hardware specifications \_\_\_\_\_?

\_\_\_\_\_ hardware \_\_\_\_\_ to ensure the proper \_\_\_\_\_ of \_\_\_\_\_ upgraded CDMF \_\_\_\_\_?

Do \_\_\_\_\_ have \_\_\_\_\_ hardware requirements \_\_\_\_\_ the \_\_\_\_\_ version of \_\_\_\_\_?

What \_\_\_\_\_ is required \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ edition of \_\_\_\_\_ with hardware requirements?

Minimum \_\_\_\_\_ may \_\_\_\_\_ required to \_\_\_\_\_ updated CDM \_\_\_\_\_

\_\_\_\_\_ hardware \_\_\_\_\_ for the \_\_\_\_\_ CDM?

\_\_\_\_\_ this \_\_\_\_\_ app need any specific hardware \_\_\_\_\_?

What \_\_\_\_\_ to use the \_\_\_\_\_ CDM software?

\_\_\_\_\_ minimum hardware \_\_\_\_\_ met \_\_\_\_\_ to operate \_\_\_\_\_ upgraded CDM application?

What are \_\_\_\_\_ the updated CDM application?

\_\_\_\_\_ hardware \_\_\_\_\_ are needed \_\_\_\_\_ optimal \_\_\_\_\_ of the \_\_\_\_\_ cdm \_\_\_\_\_?

What hardware \_\_\_\_\_ a new \_\_\_\_\_ of the \_\_\_\_\_?

Does the upgraded edition \_\_\_\_\_?

What \_\_\_\_\_ needs must be \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ operations \_\_\_\_\_ the upgraded \_\_\_\_\_?

What \_\_\_\_\_ hardware \_\_\_\_\_ must \_\_\_\_\_ to \_\_\_\_\_ smooth \_\_\_\_\_ the upgraded CDM application?

What \_\_\_\_\_ needs \_\_\_\_\_ with the updated cdm software?

\_\_\_\_\_ requirement \_\_\_\_\_ needed to ensure \_\_\_\_\_ proper functioning \_\_\_\_\_ the \_\_\_\_\_ application?

What hardware \_\_\_\_\_ run \_\_\_\_\_ updated CDM application?

Minimum \_\_\_\_\_ for hardware \_\_\_\_\_ required \_\_\_\_\_ run an \_\_\_\_\_ application.

\_\_\_\_\_ improved CDM app have hardware \_\_\_\_\_ make \_\_\_\_\_?

\_\_\_\_\_ the new improved CDM \_\_\_\_\_ specific \_\_\_\_\_ for \_\_\_\_\_ now?

\_\_\_\_\_ get \_\_\_\_\_ optimal performance of the \_\_\_\_\_ software?

\_\_\_\_\_ hardware requirements are \_\_\_\_\_ the \_\_\_\_\_ cidm \_\_\_\_\_.

Is there \_\_\_\_\_ of hardware that \_\_\_\_\_ for \_\_\_\_\_ performance of \_\_\_\_\_ updated CDM?

\_\_\_\_\_ it \_\_\_\_\_ to have \_\_\_\_\_ requirement to \_\_\_\_\_ the new CDM?

Is \_\_\_\_\_ a \_\_\_\_\_ requirement \_\_\_\_\_ use \_\_\_\_\_ updated CDM?

\_\_\_\_\_ must \_\_\_\_\_ met to \_\_\_\_\_ smooth operations of \_\_\_\_\_ upgraded iteration \_\_\_\_\_ the application?

\_\_\_\_\_ hardware requirements \_\_\_\_\_ needed to run \_\_\_\_\_ CDM \_\_\_\_\_?

Can there \_\_\_\_\_ hardware \_\_\_\_\_ the new \_\_\_\_\_ app?

\_\_\_\_\_ the \_\_\_\_\_ edition of CDM \_\_\_\_\_ hardware \_\_\_\_\_?

\_\_\_\_\_ hardware \_\_\_\_\_ you need \_\_\_\_\_ new \_\_\_\_\_ the CDM?

\_\_\_\_\_ are needed to work on \_\_\_\_\_ updated \_\_\_\_\_?

What \_\_\_\_\_ needs \_\_\_\_\_ met \_\_\_\_\_ make \_\_\_\_\_ operations \_\_\_\_\_ the upgradedCDM application?

What \_\_\_\_\_ requirements \_\_\_\_\_ needed to ensure \_\_\_\_\_ functioning of \_\_\_\_\_?

Is there \_\_\_\_\_ hardware requirement \_\_\_\_\_ using \_\_\_\_\_ latestcdm?

\_\_\_\_\_ hardware needs do they \_\_\_\_\_ new \_\_\_\_\_ the cdm?

\_\_\_\_\_ a \_\_\_\_\_ version \_\_\_\_\_ CDM. \_\_\_\_\_ needs do they have?

\_\_\_\_\_ edition \_\_\_\_\_ any hardware-related prerequisites?

\_\_\_\_\_ to know \_\_\_\_\_ hardware standards for \_\_\_\_\_ update \_\_\_\_\_ CDM app.

\_\_\_\_\_ the updated \_\_\_\_\_ of CDM \_\_\_\_\_?

What \_\_\_\_\_ operate \_\_\_\_\_ updatedCDM software?

\_\_\_\_\_ the \_\_\_\_\_ hardware \_\_\_\_\_ to use \_\_\_\_\_ latest version of \_\_\_\_\_?

Does \_\_\_\_\_ current \_\_\_\_\_ CDM \_\_\_\_\_ requirements?

\_\_\_\_\_ there \_\_\_\_\_ specific minimum \_\_\_\_\_ to \_\_\_\_\_ to \_\_\_\_\_ the newCDM?

\_\_\_\_\_ are \_\_\_\_\_ hardware requirements to \_\_\_\_\_ optimal performance \_\_\_\_\_ CDM software?

What minimum hardware \_\_\_\_\_ be met \_\_\_\_\_ order \_\_\_\_\_ the \_\_\_\_\_ CDM \_\_\_\_\_?

There \_\_\_\_\_ new version \_\_\_\_\_ CDM, what \_\_\_\_\_ should \_\_\_\_\_ included?

I \_\_\_\_\_ to know \_\_\_\_\_ the hardware standards are \_\_\_\_\_ of the \_\_\_\_\_.

\_\_\_\_\_ minimum \_\_\_\_\_ hardware \_\_\_\_\_ need \_\_\_\_\_ use \_\_\_\_\_ latest version of the CDM?

\_\_\_\_\_ a specific \_\_\_\_\_ requirement that needs \_\_\_\_\_ utilized \_\_\_\_\_ the \_\_\_\_\_ CDM?

\_\_\_\_\_ a minimum hardware \_\_\_\_\_ must be \_\_\_\_\_ use the new \_\_\_\_\_?

\_\_\_\_\_ needs are needed to \_\_\_\_\_ the \_\_\_\_\_ software?

Is \_\_\_\_\_ a \_\_\_\_\_ minimum \_\_\_\_\_ latest version of thecdm?

\_\_\_\_\_ specific minimum hardware requirement \_\_\_\_\_ be \_\_\_\_\_ the latest version \_\_\_\_\_ CDM?

Is \_\_\_\_\_ minimum \_\_\_\_\_ for \_\_\_\_\_ use of \_\_\_\_\_ CDM?

\_\_\_\_\_ specific hardware \_\_\_\_\_ that is \_\_\_\_\_ to \_\_\_\_\_ the updated \_\_\_\_\_?

There \_\_\_\_\_ a minimum \_\_\_\_\_ requirement to be able to use \_\_\_\_\_?

There \_\_\_\_\_ a new \_\_\_\_\_ of \_\_\_\_\_ do you have?

Is it \_\_\_\_\_ specific hardware \_\_\_\_\_ the \_\_\_\_\_ CDM?

When \_\_\_\_\_ is \_\_\_\_\_ version of \_\_\_\_\_ CDM, what \_\_\_\_\_ do they \_\_\_\_\_?

\_\_\_\_\_ hardware \_\_\_\_\_ be used \_\_\_\_\_ the updatedCDM software?

\_\_\_\_\_ a specific \_\_\_\_\_ requirement required \_\_\_\_\_ efficient \_\_\_\_\_ of \_\_\_\_\_ improvedCDM?

\_\_\_\_\_ there \_\_\_\_\_ hardware \_\_\_\_\_ the updated CDM?

What \_\_\_\_\_ needs \_\_\_\_\_ met to \_\_\_\_\_ the upgraded CDM application \_\_\_\_\_?

\_\_\_\_\_ specific minimum \_\_\_\_\_ requirement needed \_\_\_\_\_ successfully \_\_\_\_\_ the updated \_\_\_\_\_?

\_\_\_\_\_ is the \_\_\_\_\_ hardware required \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ CDM application?

\_\_\_\_\_ hardware \_\_\_\_\_ must \_\_\_\_\_ to make sure \_\_\_\_\_ operations \_\_\_\_\_ upgradedcdm application?

Does the \_\_\_\_\_ CDM \_\_\_\_\_ any hardware \_\_\_\_\_ prerequisites?

What minimum \_\_\_\_\_ met to \_\_\_\_\_ smooth operations of \_\_\_\_\_ application?

\_\_\_\_\_ are \_\_\_\_\_ to \_\_\_\_\_ with the CDM software?

\_\_\_\_\_ there a minimum hardware \_\_\_\_\_ to \_\_\_\_\_ version of thecdm?

\_\_\_\_\_ there a \_\_\_\_\_ hardware requirement to \_\_\_\_\_ successful \_\_\_\_\_ using \_\_\_\_\_ of thecdm?

\_\_\_\_\_ hardware requirements that \_\_\_\_\_ required to run \_\_\_\_\_ app?

\_\_\_\_\_ the \_\_\_\_\_ CDM \_\_\_\_\_ the hardware \_\_\_\_\_ make it work?

\_\_\_\_\_ a specific \_\_\_\_\_ requirement to \_\_\_\_\_ successful \_\_\_\_\_ the new \_\_\_\_\_?

\_\_\_\_\_ to get an \_\_\_\_\_ performance \_\_\_\_\_ cdm software was asked.

\_\_\_\_\_ hardware needs to \_\_\_\_\_ met \_\_\_\_\_ make sure \_\_\_\_\_ upgradedcdm application?

Minimum hardware \_\_\_\_\_ performance \_\_\_\_\_ the \_\_\_\_\_ software are asked.

Does the improved \_\_\_\_\_ app \_\_\_\_\_ any particular \_\_\_\_\_?

\_\_\_\_\_ minimum \_\_\_\_\_ requirements are \_\_\_\_\_ the \_\_\_\_\_ from the revised CDM \_\_\_\_\_?

\_\_\_\_\_ it necessary to have \_\_\_\_\_ specific minimum \_\_\_\_\_ requirement \_\_\_\_\_ the \_\_\_\_\_ version \_\_\_\_\_?

Does the \_\_\_\_\_ edition ofCDM have \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ to ensure the proper functioning of \_\_\_\_\_ CDMF application  
\_\_\_\_\_ hardware needs \_\_\_\_\_ version of \_\_\_\_\_ have?  
\_\_\_\_\_ minimum of hardware required to effectively \_\_\_\_\_ updated \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ CDM app have any \_\_\_\_\_ requirements \_\_\_\_\_?  
What hardware \_\_\_\_\_ accompany \_\_\_\_\_ new version \_\_\_\_\_ CDM?  
\_\_\_\_\_ there need to \_\_\_\_\_ minimum hardware \_\_\_\_\_ to \_\_\_\_\_ latest \_\_\_\_\_ thecdm?  
\_\_\_\_\_ hardware is \_\_\_\_\_ latest CDM application?  
Is \_\_\_\_\_ a \_\_\_\_\_ requirement for efficient \_\_\_\_\_ the \_\_\_\_\_?  
\_\_\_\_\_ there a minimum hardware \_\_\_\_\_ that \_\_\_\_\_ CDM \_\_\_\_\_ for \_\_\_\_\_?  
Is \_\_\_\_\_ to \_\_\_\_\_ use the \_\_\_\_\_ of \_\_\_\_\_ with a specific minimum \_\_\_\_\_?  
Which hardware requirements \_\_\_\_\_ needed \_\_\_\_\_ performance of \_\_\_\_\_?  
\_\_\_\_\_ minimum \_\_\_\_\_ conditions \_\_\_\_\_ for \_\_\_\_\_ functioning \_\_\_\_\_ this updated CDM \_\_\_\_\_?  
\_\_\_\_\_ necessary to \_\_\_\_\_ specific \_\_\_\_\_ requirement to successfully use the \_\_\_\_\_?  
What \_\_\_\_\_ the minimum equipment needed for \_\_\_\_\_?  
Does \_\_\_\_\_ new \_\_\_\_\_ CDM app have \_\_\_\_\_ specifications \_\_\_\_\_ it work?  
\_\_\_\_\_ have any hardware requirements?  
\_\_\_\_\_ a \_\_\_\_\_ required for successful \_\_\_\_\_ of the \_\_\_\_\_ CDM?  
Can you tell \_\_\_\_\_ there \_\_\_\_\_ requirement \_\_\_\_\_ successfully use \_\_\_\_\_ updated CDM?  
Are \_\_\_\_\_ minimum \_\_\_\_\_ of \_\_\_\_\_ required \_\_\_\_\_ using \_\_\_\_\_ version \_\_\_\_\_ the CDM?  
What \_\_\_\_\_ might be needed \_\_\_\_\_?  
\_\_\_\_\_ CDM \_\_\_\_\_ any specific hardware?  
\_\_\_\_\_ requirements to get \_\_\_\_\_ optimal performance \_\_\_\_\_ the \_\_\_\_\_ CDM \_\_\_\_\_ have \_\_\_\_\_.  
Are there \_\_\_\_\_ levels \_\_\_\_\_ hardware that you need to \_\_\_\_\_ the \_\_\_\_\_?  
\_\_\_\_\_ this \_\_\_\_\_ CDM app have specific \_\_\_\_\_ specifications \_\_\_\_\_ for \_\_\_\_\_?  
What \_\_\_\_\_ needs have \_\_\_\_\_ be \_\_\_\_\_ to \_\_\_\_\_ smooth operations of \_\_\_\_\_?  
Which hardware \_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ performance in \_\_\_\_\_ re-written \_\_\_\_\_?  
\_\_\_\_\_ a minimum \_\_\_\_\_ needed for a successful \_\_\_\_\_ updated CDM?  
What \_\_\_\_\_ demands are \_\_\_\_\_ to \_\_\_\_\_ the \_\_\_\_\_ CDM \_\_\_\_\_?  
There \_\_\_\_\_ be \_\_\_\_\_ requirement \_\_\_\_\_ be able \_\_\_\_\_ use the \_\_\_\_\_ version of \_\_\_\_\_ new \_\_\_\_\_.  
\_\_\_\_\_ there \_\_\_\_\_ minimum \_\_\_\_\_ requirements for \_\_\_\_\_ updated CDM \_\_\_\_\_?  
\_\_\_\_\_ minimum \_\_\_\_\_ requirements \_\_\_\_\_ met \_\_\_\_\_ make sure smooth \_\_\_\_\_ of theupgradedcdm \_\_\_\_\_?  
\_\_\_\_\_ there a minimum \_\_\_\_\_ to \_\_\_\_\_ use \_\_\_\_\_ version of \_\_\_\_\_ CDM?  
What \_\_\_\_\_ are required to \_\_\_\_\_ the upgraded CDMF \_\_\_\_\_?  
What \_\_\_\_\_ you have \_\_\_\_\_ a new version \_\_\_\_\_?  
Are \_\_\_\_\_ any hardware requirements for the \_\_\_\_\_?  
\_\_\_\_\_ be required to run \_\_\_\_\_ updated \_\_\_\_\_ application  
\_\_\_\_\_ requirements \_\_\_\_\_ needed \_\_\_\_\_ operate the updated \_\_\_\_\_ software?  
\_\_\_\_\_ new improved \_\_\_\_\_ have the \_\_\_\_\_ specifications necessary \_\_\_\_\_ it?  
\_\_\_\_\_ ensure the proper functioning of \_\_\_\_\_ application, what hardware \_\_\_\_\_?  
\_\_\_\_\_ hardware needs \_\_\_\_\_ you think \_\_\_\_\_ a \_\_\_\_\_ version of \_\_\_\_\_?  
Does \_\_\_\_\_ a specific hardware requirement \_\_\_\_\_ of \_\_\_\_\_ improved \_\_\_\_\_?  
\_\_\_\_\_ hardware requirement \_\_\_\_\_ can be met to use the \_\_\_\_\_?  
\_\_\_\_\_ the \_\_\_\_\_ improved CDM app \_\_\_\_\_ specific hardware specifications \_\_\_\_\_ would \_\_\_\_\_?  
\_\_\_\_\_ a minimum \_\_\_\_\_ required to successfully use \_\_\_\_\_?  
\_\_\_\_\_ minimum hardware needs must be \_\_\_\_\_ order \_\_\_\_\_ smooth operations of the upgraded \_\_\_\_\_?  
What \_\_\_\_\_ minimum devices required \_\_\_\_\_ modernized \_\_\_\_\_ software?  
\_\_\_\_\_ new \_\_\_\_\_ CDM app \_\_\_\_\_ any \_\_\_\_\_ hardware specifications that \_\_\_\_\_?  
What \_\_\_\_\_ are needed to run \_\_\_\_\_ updated \_\_\_\_\_?  
\_\_\_\_\_ must \_\_\_\_\_ met \_\_\_\_\_ make sure smooth operations \_\_\_\_\_ upgraded \_\_\_\_\_ application  
Is it necessary \_\_\_\_\_ have a minimum \_\_\_\_\_ to use \_\_\_\_\_?

Which \_\_\_\_\_ needs are \_\_\_\_\_ for \_\_\_\_\_ performance of \_\_\_\_\_ re-written \_\_\_\_\_?

\_\_\_\_\_ is the \_\_\_\_\_ amount \_\_\_\_\_ hardware \_\_\_\_\_ needed to upgrade \_\_\_\_\_ CDM \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ level \_\_\_\_\_ in order \_\_\_\_\_ the \_\_\_\_\_ version of the \_\_\_\_\_?

Does the \_\_\_\_\_ require a particular \_\_\_\_\_?

\_\_\_\_\_ minimum \_\_\_\_\_ must be \_\_\_\_\_ to ensure smooth \_\_\_\_\_ in \_\_\_\_\_ application?

Is \_\_\_\_\_ amount of hardware that \_\_\_\_\_ need for \_\_\_\_\_ successful \_\_\_\_\_ the \_\_\_\_\_?

Is there \_\_\_\_\_ an \_\_\_\_\_ of the CDM \_\_\_\_\_?

Does there a \_\_\_\_\_ level \_\_\_\_\_ hardware \_\_\_\_\_ for \_\_\_\_\_ performance \_\_\_\_\_ the updated \_\_\_\_\_?

\_\_\_\_\_ must be \_\_\_\_\_ sure \_\_\_\_\_ operations of the upgrade DCdm application?

\_\_\_\_\_ is \_\_\_\_\_ version of \_\_\_\_\_ CDM, \_\_\_\_\_ needs should \_\_\_\_\_ have.

I \_\_\_\_\_ to know if \_\_\_\_\_ standards \_\_\_\_\_ new update of \_\_\_\_\_ CDM \_\_\_\_\_.

\_\_\_\_\_ you need \_\_\_\_\_ minimum level \_\_\_\_\_ latest version \_\_\_\_\_ the CDM?

What minimum \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ operations of this \_\_\_\_\_?

Is \_\_\_\_\_ hardware \_\_\_\_\_ for the \_\_\_\_\_ use of the updated \_\_\_\_\_?

What minimum \_\_\_\_\_ be \_\_\_\_\_ make \_\_\_\_\_ smooth \_\_\_\_\_ of \_\_\_\_\_ upgraded CDM application?

Hardware \_\_\_\_\_ for \_\_\_\_\_ app?

\_\_\_\_\_ hardware should you have \_\_\_\_\_ to \_\_\_\_\_ a new \_\_\_\_\_ CDM?

What \_\_\_\_\_ requirements \_\_\_\_\_ needed to \_\_\_\_\_ new \_\_\_\_\_ application \_\_\_\_\_?

There's \_\_\_\_\_ version \_\_\_\_\_ the \_\_\_\_\_ what hardware \_\_\_\_\_ should it \_\_\_\_\_?

\_\_\_\_\_ minimum \_\_\_\_\_ requirements \_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ to use the \_\_\_\_\_ application?

What \_\_\_\_\_ hardware \_\_\_\_\_ should \_\_\_\_\_ in \_\_\_\_\_ use this \_\_\_\_\_ CDMD \_\_\_\_\_?

Is there \_\_\_\_\_ minimum hardware requirement \_\_\_\_\_ must be \_\_\_\_\_ latest \_\_\_\_\_ the cdm?

\_\_\_\_\_ hardware \_\_\_\_\_ needed to use \_\_\_\_\_ cdm \_\_\_\_\_?

Is \_\_\_\_\_ level of hardware required \_\_\_\_\_ use \_\_\_\_\_ version \_\_\_\_\_ CDM?

\_\_\_\_\_ minimum hardware \_\_\_\_\_ be met in order to \_\_\_\_\_ smooth \_\_\_\_\_ version of \_\_\_\_\_ application?

Does \_\_\_\_\_ updated \_\_\_\_\_ of \_\_\_\_\_ have \_\_\_\_\_ necessary hardware \_\_\_\_\_ run?

Is there \_\_\_\_\_ specific \_\_\_\_\_ requirement \_\_\_\_\_ for the \_\_\_\_\_?

What \_\_\_\_\_ do \_\_\_\_\_ need to use the \_\_\_\_\_ cdm?

What hardware needs \_\_\_\_\_ updated cdm software?

Does \_\_\_\_\_ improved \_\_\_\_\_ have \_\_\_\_\_ to make it work?

Can \_\_\_\_\_ updated edition of \_\_\_\_\_ related \_\_\_\_\_?

What \_\_\_\_\_ hardware needs \_\_\_\_\_ be met to \_\_\_\_\_ smooth \_\_\_\_\_ of \_\_\_\_\_?

What \_\_\_\_\_ should be associated \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ CDM?

\_\_\_\_\_ it necessary \_\_\_\_\_ specifications to \_\_\_\_\_ the updated \_\_\_\_\_ smoothly?

\_\_\_\_\_ hardware \_\_\_\_\_ required to run \_\_\_\_\_ updated CDM \_\_\_\_\_?

Does \_\_\_\_\_ app require \_\_\_\_\_ hardware specifications?

\_\_\_\_\_ improved \_\_\_\_\_ app \_\_\_\_\_ hardware specifications?

Is there a minimum \_\_\_\_\_ efficient use \_\_\_\_\_ the \_\_\_\_\_.

\_\_\_\_\_ requirements to \_\_\_\_\_ this \_\_\_\_\_ work?

\_\_\_\_\_ needed for efficient use of the updated \_\_\_\_\_?

\_\_\_\_\_ hardware requirements \_\_\_\_\_ the updated \_\_\_\_\_ CDM?

I \_\_\_\_\_ know any \_\_\_\_\_ standards \_\_\_\_\_ the \_\_\_\_\_ of the \_\_\_\_\_ app

There \_\_\_\_\_ new \_\_\_\_\_ the CDM, \_\_\_\_\_ hardware do they \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ of \_\_\_\_\_ you will need \_\_\_\_\_ the \_\_\_\_\_ version \_\_\_\_\_ the CDM?

\_\_\_\_\_ hardware \_\_\_\_\_ be in place \_\_\_\_\_ order to \_\_\_\_\_ the \_\_\_\_\_ CDMD \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ minimum hardware requirement \_\_\_\_\_ updated cdm?

\_\_\_\_\_ there \_\_\_\_\_ minimum hardware \_\_\_\_\_ for \_\_\_\_\_ use \_\_\_\_\_ updated version of \_\_\_\_\_ CDM \_\_\_\_\_?

\_\_\_\_\_ a minimum hardware \_\_\_\_\_ able to \_\_\_\_\_ the updated CDM?

Does \_\_\_\_\_ updated edition of CDM \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ improved CDM \_\_\_\_\_ specific hardware \_\_\_\_\_ needed for \_\_\_\_\_?

\_\_\_\_\_ a minimum hardware requirements \_\_\_\_\_ able \_\_\_\_\_ use \_\_\_\_\_ CDM?

Minimum \_\_\_\_\_ may be needed \_\_\_\_\_ updated cidm application.

Is there \_\_\_\_\_ minimum hardware \_\_\_\_\_ to \_\_\_\_\_ in \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ requirements \_\_\_\_\_ met \_\_\_\_\_ make \_\_\_\_\_ operations of upgraded CDM application?

\_\_\_\_\_ do you need \_\_\_\_\_ the \_\_\_\_\_ version \_\_\_\_\_ the \_\_\_\_\_?

Is there \_\_\_\_\_ minimum \_\_\_\_\_ for \_\_\_\_\_ of the newest version \_\_\_\_\_?

Is there \_\_\_\_\_ minimum hardware \_\_\_\_\_ that you need \_\_\_\_\_ the updated \_\_\_\_\_?

\_\_\_\_\_ needs \_\_\_\_\_ be met \_\_\_\_\_ make \_\_\_\_\_ of upgraded CDM application?

\_\_\_\_\_ hardware conditions \_\_\_\_\_ efficient \_\_\_\_\_ of this updatedcdm application?

I \_\_\_\_\_ to \_\_\_\_\_ hardware standards for \_\_\_\_\_ new \_\_\_\_\_ app.

Is there a \_\_\_\_\_ hardware \_\_\_\_\_ that \_\_\_\_\_ be \_\_\_\_\_ with the \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ hardware \_\_\_\_\_ successfully using the \_\_\_\_\_ version \_\_\_\_\_?

Is the updated \_\_\_\_\_ any hardware \_\_\_\_\_?

What basic hardware \_\_\_\_\_ should \_\_\_\_\_ use for efficient running \_\_\_\_\_ update \_\_\_\_\_?

Is there \_\_\_\_\_ minimum hardware necessary for \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ effective \_\_\_\_\_ the updated CDM?

What \_\_\_\_\_ hardware \_\_\_\_\_ should \_\_\_\_\_ used to run \_\_\_\_\_ to \_\_\_\_\_ application?

\_\_\_\_\_ is a new \_\_\_\_\_ of \_\_\_\_\_ what hardware \_\_\_\_\_ it come \_\_\_\_\_?

\_\_\_\_\_ basic \_\_\_\_\_ we \_\_\_\_\_ for \_\_\_\_\_ of \_\_\_\_\_ latest update to the \_\_\_\_\_ application?

Is there a minimum \_\_\_\_\_ need to \_\_\_\_\_ of the CDM?

\_\_\_\_\_ minimum \_\_\_\_\_ requirements is \_\_\_\_\_ to \_\_\_\_\_ an \_\_\_\_\_ performance \_\_\_\_\_ CDM software?

Is there \_\_\_\_\_ minimum level of hardware \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ be met to make sure \_\_\_\_\_ operations of \_\_\_\_\_ cdm application?

\_\_\_\_\_ there a minimum \_\_\_\_\_ of \_\_\_\_\_ for a \_\_\_\_\_ performance \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ minimum \_\_\_\_\_ required \_\_\_\_\_ the \_\_\_\_\_ CDM?

Do you know \_\_\_\_\_ are \_\_\_\_\_ an updated \_\_\_\_\_?

\_\_\_\_\_ want to know \_\_\_\_\_ are \_\_\_\_\_ the new update of the \_\_\_\_\_.

The minimum hardware \_\_\_\_\_ the CDM \_\_\_\_\_ need are \_\_\_\_\_.

Is there \_\_\_\_\_ hardware \_\_\_\_\_ needed \_\_\_\_\_ the improved CDM?

\_\_\_\_\_ there \_\_\_\_\_ specific \_\_\_\_\_ hardware in the \_\_\_\_\_ CDM app?

Are the minimum \_\_\_\_\_ the \_\_\_\_\_ app would \_\_\_\_\_?

What basic hardware specifications should be used \_\_\_\_\_ CDM \_\_\_\_\_?

\_\_\_\_\_ minimum hardware \_\_\_\_\_ for efficient use of the \_\_\_\_\_?

What \_\_\_\_\_ should \_\_\_\_\_ for efficient running of \_\_\_\_\_ to \_\_\_\_\_ cdm application?

What \_\_\_\_\_ hardware needs must \_\_\_\_\_ met \_\_\_\_\_ sure \_\_\_\_\_ upgradeDCDM application?

\_\_\_\_\_ hardware needs \_\_\_\_\_ application efficiently?

\_\_\_\_\_ the \_\_\_\_\_ edition \_\_\_\_\_ CDM \_\_\_\_\_ hardware \_\_\_\_\_ prerequisites?

\_\_\_\_\_ hardware needs need to \_\_\_\_\_ met to \_\_\_\_\_ of upgraded CDM \_\_\_\_\_?

Is \_\_\_\_\_ minimum of hardware \_\_\_\_\_ you need \_\_\_\_\_ use \_\_\_\_\_ CDM?

I would like \_\_\_\_\_ the \_\_\_\_\_ version of the CDM \_\_\_\_\_.

\_\_\_\_\_ specific minimum \_\_\_\_\_ requirement for \_\_\_\_\_ updatedCDm?

\_\_\_\_\_ minimum hardware requirements should \_\_\_\_\_ in \_\_\_\_\_ order for this \_\_\_\_\_ version of \_\_\_\_\_ CDM \_\_\_\_\_?

Does \_\_\_\_\_ updated \_\_\_\_\_ of \_\_\_\_\_ requirements?

Minimum \_\_\_\_\_ requirements \_\_\_\_\_ get an \_\_\_\_\_ of \_\_\_\_\_ software?

What \_\_\_\_\_ need to be \_\_\_\_\_ for \_\_\_\_\_ CDM \_\_\_\_\_?

What hardware \_\_\_\_\_ needed to operate \_\_\_\_\_ updated \_\_\_\_\_?

There is a new version \_\_\_\_\_ the \_\_\_\_\_ hardware \_\_\_\_\_?

\_\_\_\_\_ a specific \_\_\_\_\_ needed to use \_\_\_\_\_ updated \_\_\_\_\_?

Is there a \_\_\_\_\_ hardware requirement \_\_\_\_\_ successful \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ minimum hardware \_\_\_\_\_ to use \_\_\_\_\_ updated \_\_\_\_\_?

The \_\_\_\_ edition \_\_\_\_ have \_\_\_\_ requirements?  
 \_\_\_\_ hardware \_\_\_\_ need for \_\_\_\_ new version of \_\_\_\_ CDM?  
 \_\_\_\_ a \_\_\_\_ required for \_\_\_\_ the \_\_\_\_ version of the CDM?  
 Can \_\_\_\_ tell \_\_\_\_ minimum hardware requirement to be able to \_\_\_\_ version \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ CDM app \_\_\_\_ hardware \_\_\_\_?  
 \_\_\_\_ specific hardware requirement \_\_\_\_ use the improved \_\_\_\_?  
 Minimum \_\_\_\_ hardware \_\_\_\_ the updated cidm application.  
 \_\_\_\_ requirement for \_\_\_\_ updated CDM software?  
 \_\_\_\_ requirements \_\_\_\_ get \_\_\_\_ optimal \_\_\_\_ of \_\_\_\_ software were asked.  
 \_\_\_\_ there a minimum \_\_\_\_ of \_\_\_\_ for a \_\_\_\_ the updated CDM?  
 What \_\_\_\_ is necessary for the \_\_\_\_ upgraded CDMF \_\_\_\_?  
 \_\_\_\_ new \_\_\_\_ app include hardware specifications to \_\_\_\_ work?  
 Is \_\_\_\_ minimum hardware required \_\_\_\_ use the \_\_\_\_ of \_\_\_\_ CDM?  
 \_\_\_\_ hardware \_\_\_\_ a updated \_\_\_\_ app?  
 Is there a specific \_\_\_\_ that is needed \_\_\_\_ CDM?  
 \_\_\_\_ requirement for updated \_\_\_\_ software?  
 Is \_\_\_\_ a \_\_\_\_ hardware requirement to \_\_\_\_ successfully \_\_\_\_ updated CDM?  
 Is \_\_\_\_ prerequisites for the \_\_\_\_ CDM \_\_\_\_?  
 \_\_\_\_ hardware needs are needed for \_\_\_\_ re-written \_\_\_\_?  
 \_\_\_\_ hardware \_\_\_\_ ensure that the upgraded \_\_\_\_ application \_\_\_\_?  
 I would like \_\_\_\_ standards of \_\_\_\_ of \_\_\_\_ CDM app  
 \_\_\_\_ new improved CDM app \_\_\_\_ that will make \_\_\_\_?  
 Does \_\_\_\_ CDM include hardware-specific \_\_\_\_?  
 \_\_\_\_ the updated \_\_\_\_ of \_\_\_\_ with \_\_\_\_ specific requirements?  
 \_\_\_\_ updated edition of CDM \_\_\_\_ hardware related \_\_\_\_?  
 \_\_\_\_ hardware needs to \_\_\_\_ to make sure smooth \_\_\_\_ upgraded cidm \_\_\_\_?  
 What minimum hardware needs must \_\_\_\_ for the upgraded \_\_\_\_?  
 \_\_\_\_ hardware \_\_\_\_ should we \_\_\_\_ recent update to the \_\_\_\_ application.  
 Can you \_\_\_\_ me the \_\_\_\_ specifications \_\_\_\_ the \_\_\_\_?  
 Are there \_\_\_\_ hardware-related requirements in \_\_\_\_ updated \_\_\_\_?  
 \_\_\_\_ to know if \_\_\_\_ a specific hardware \_\_\_\_ use the \_\_\_\_.  
 Minimum hardware requirements \_\_\_\_ run \_\_\_\_ may be \_\_\_\_.  
 \_\_\_\_ a minimum \_\_\_\_ to use \_\_\_\_ latest version of the cidm?  
 \_\_\_\_ minimum hardware requirement \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ hardware requirement that \_\_\_\_ to \_\_\_\_ the updated CDM?  
 \_\_\_\_ hardware requirements exist \_\_\_\_ the \_\_\_\_?  
 Does the \_\_\_\_ have any \_\_\_\_ hardware \_\_\_\_ to \_\_\_\_ it \_\_\_\_?  
 \_\_\_\_ hardware requirements is \_\_\_\_ correct functioning \_\_\_\_ upgraded CDMF application?  
 Minimum \_\_\_\_ for \_\_\_\_ required \_\_\_\_ use the updated \_\_\_\_ application.  
 \_\_\_\_ edition \_\_\_\_ cidm have any \_\_\_\_ requirements?  
 What \_\_\_\_ need to run \_\_\_\_ new \_\_\_\_ of \_\_\_\_ CDM?  
 Does the new \_\_\_\_ CDM app \_\_\_\_ hardware \_\_\_\_?  
 Is \_\_\_\_ of \_\_\_\_ you \_\_\_\_ for \_\_\_\_ the latest version of the \_\_\_\_?  
 Can \_\_\_\_ provide \_\_\_\_ important hardware specifications \_\_\_\_ version of \_\_\_\_ application?  
 \_\_\_\_ a specific \_\_\_\_ be \_\_\_\_ successfully \_\_\_\_ latest version of the CDM?  
 \_\_\_\_ minimum \_\_\_\_ hardware \_\_\_\_ can be used in the \_\_\_\_ CDM?  
 \_\_\_\_ a specific \_\_\_\_ minimum \_\_\_\_ required to effectively use the \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ hardware requirement for \_\_\_\_ the \_\_\_\_ of the cidm?  
 \_\_\_\_ there \_\_\_\_ for \_\_\_\_ be able to use the latest version \_\_\_\_ CDM?  
 What minimum \_\_\_\_ needs must be met \_\_\_\_ make smooth \_\_\_\_ of \_\_\_\_?



\_\_\_\_\_ have any hardware \_\_\_\_\_ for the \_\_\_\_\_ of the \_\_\_\_\_?

\_\_\_\_\_ are the minimum \_\_\_\_\_ conditions \_\_\_\_\_ this updated CDM \_\_\_\_\_

\_\_\_\_\_ hardware \_\_\_\_\_ are \_\_\_\_\_ for \_\_\_\_\_ CDM software?

\_\_\_\_\_ hardware do you need \_\_\_\_\_ there is \_\_\_\_\_ new \_\_\_\_\_?

What hardware \_\_\_\_\_ required \_\_\_\_\_ ensure the proper \_\_\_\_\_ the upgraded \_\_\_\_\_?

\_\_\_\_\_ hardware needs are needed in order \_\_\_\_\_ updated \_\_\_\_\_?

What basic hardware specifications \_\_\_\_\_ for \_\_\_\_\_ updated \_\_\_\_\_ application?

\_\_\_\_\_ hardware needs \_\_\_\_\_ need for \_\_\_\_\_ updated cdm \_\_\_\_\_?

The \_\_\_\_\_ edition \_\_\_\_\_ CDM \_\_\_\_\_ prerequisites?

\_\_\_\_\_ hardware \_\_\_\_\_ needed for the \_\_\_\_\_ cdm \_\_\_\_\_

\_\_\_\_\_ new version \_\_\_\_\_ so what hardware do you \_\_\_\_\_?

\_\_\_\_\_ improved \_\_\_\_\_ app have the \_\_\_\_\_ specifications to \_\_\_\_\_?

Does the updated \_\_\_\_\_ application have \_\_\_\_\_?

\_\_\_\_\_ is \_\_\_\_\_ CDM \_\_\_\_\_ what hardware needs should be there?

Does this new improved CDM \_\_\_\_\_ hardware \_\_\_\_\_?

Minimum \_\_\_\_\_ be needed \_\_\_\_\_ required \_\_\_\_\_ to \_\_\_\_\_ run the \_\_\_\_\_ application.

Is there any \_\_\_\_\_ requirements \_\_\_\_\_ latest \_\_\_\_\_ of \_\_\_\_\_?

Does the \_\_\_\_\_ have specific hardware \_\_\_\_\_ to \_\_\_\_\_ work?

Is a specific \_\_\_\_\_ required \_\_\_\_\_ use the latest \_\_\_\_\_?

Do \_\_\_\_\_ requirements for the \_\_\_\_\_ CDM \_\_\_\_\_?

\_\_\_\_\_ is a \_\_\_\_\_ version \_\_\_\_\_ what hardware need \_\_\_\_\_ it \_\_\_\_\_?

There is a new \_\_\_\_\_ of \_\_\_\_\_ CDM but \_\_\_\_\_ hardware \_\_\_\_\_?

What \_\_\_\_\_ needs \_\_\_\_\_ the updated CDM software?

Is \_\_\_\_\_ a \_\_\_\_\_ hardware \_\_\_\_\_ to use the \_\_\_\_\_ CDM?

\_\_\_\_\_ hardware requirements \_\_\_\_\_ an upgraded \_\_\_\_\_ app?

\_\_\_\_\_ minimum hardware \_\_\_\_\_ for the new \_\_\_\_\_ app?

What hardware \_\_\_\_\_ run the latest \_\_\_\_\_?

Minimum \_\_\_\_\_ required \_\_\_\_\_ may be \_\_\_\_\_ to run \_\_\_\_\_ updated \_\_\_\_\_.

\_\_\_\_\_ is the \_\_\_\_\_ hardware conditions for \_\_\_\_\_ CDM application?

Is there \_\_\_\_\_ requirement \_\_\_\_\_ the \_\_\_\_\_ version of \_\_\_\_\_?

\_\_\_\_\_ the updated edition of \_\_\_\_\_ have any \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ of CDM \_\_\_\_\_ to hardware \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ hardware specifications the \_\_\_\_\_ would need \_\_\_\_\_ optimal \_\_\_\_\_?

Is there a \_\_\_\_\_ using the \_\_\_\_\_ CDM?

\_\_\_\_\_ there a \_\_\_\_\_ hardware you need \_\_\_\_\_ to use \_\_\_\_\_ of the CDM?

\_\_\_\_\_ might be \_\_\_\_\_ minimum hardware \_\_\_\_\_ able to \_\_\_\_\_ new CDM.

What \_\_\_\_\_ needs \_\_\_\_\_ needed \_\_\_\_\_ make smooth operations \_\_\_\_\_ upgraded cdm \_\_\_\_\_?

\_\_\_\_\_ hardware \_\_\_\_\_ run the new CDM \_\_\_\_\_?

\_\_\_\_\_ specific \_\_\_\_\_ requirement \_\_\_\_\_ use the new CDM?

Can \_\_\_\_\_ me if \_\_\_\_\_ is \_\_\_\_\_ minimum \_\_\_\_\_ to be able to use \_\_\_\_\_ CDM?

\_\_\_\_\_ latest edition \_\_\_\_\_ any hardware-specific requirements?

What minimum \_\_\_\_\_ must be \_\_\_\_\_ to make \_\_\_\_\_ upgraded \_\_\_\_\_ of the CDM application?

Does \_\_\_\_\_ latest \_\_\_\_\_ CDM have \_\_\_\_\_?

Do the updated \_\_\_\_\_ of \_\_\_\_\_ requirements?

What \_\_\_\_\_ is \_\_\_\_\_ to ensure \_\_\_\_\_ of the \_\_\_\_\_ application?

Which \_\_\_\_\_ is needed \_\_\_\_\_ ensure the \_\_\_\_\_ upgraded CDMF application?

\_\_\_\_\_ there a minimum \_\_\_\_\_ requirement \_\_\_\_\_ CDM app?

Can minimum \_\_\_\_\_ for the \_\_\_\_\_ CDM app?

Which \_\_\_\_\_ are required \_\_\_\_\_ performance \_\_\_\_\_ re-written CDM \_\_\_\_\_?

What minimum \_\_\_\_\_ is needed \_\_\_\_\_ get \_\_\_\_\_ optimal performance \_\_\_\_\_ CDM \_\_\_\_\_?

Is there \_\_\_\_ minimum level \_\_\_\_ hardware that's needed \_\_\_\_ updated CDM?

\_\_\_\_ hardware is \_\_\_\_ for updating \_\_\_\_?

Does \_\_\_\_ of CDM have the \_\_\_\_ to \_\_\_\_?

\_\_\_\_ any hardware requirements \_\_\_\_ the updated \_\_\_\_?

Does \_\_\_\_ need to \_\_\_\_ requirements for \_\_\_\_ app?

\_\_\_\_ requirements \_\_\_\_ required \_\_\_\_ the upgraded CDM application?

Does \_\_\_\_ have hardware requirements?

Are \_\_\_\_ levels of \_\_\_\_ you need to \_\_\_\_ latest \_\_\_\_ of \_\_\_\_ CDM?

What \_\_\_\_ are needed to \_\_\_\_ updated \_\_\_\_ application?

What hardware \_\_\_\_ they \_\_\_\_ for \_\_\_\_ version of \_\_\_\_ cdm?

Is there \_\_\_\_ hardware \_\_\_\_ to \_\_\_\_ to use the \_\_\_\_?

\_\_\_\_ a \_\_\_\_ amount of \_\_\_\_ for \_\_\_\_ performance \_\_\_\_ the updated CDM?

\_\_\_\_ basic hardware \_\_\_\_ use for efficient \_\_\_\_ of \_\_\_\_ to \_\_\_\_ CDM application.

What \_\_\_\_ the new \_\_\_\_ of the CDM?

\_\_\_\_ the current edition \_\_\_\_ CDM \_\_\_\_ any \_\_\_\_ related \_\_\_\_?

\_\_\_\_ hardware \_\_\_\_ are \_\_\_\_ re-written CDM software?

What hardware \_\_\_\_ for \_\_\_\_ updated CDM \_\_\_\_?

There is a \_\_\_\_ version of \_\_\_\_ so \_\_\_\_ needs should \_\_\_\_?

Does \_\_\_\_ CDM app \_\_\_\_ any specific hardware \_\_\_\_?

\_\_\_\_ the \_\_\_\_ CDM have hardware required to \_\_\_\_?

\_\_\_\_ specifications exist \_\_\_\_ performance of the new CDM \_\_\_\_?

\_\_\_\_ is \_\_\_\_ for the \_\_\_\_ software?

What basic \_\_\_\_ specifications \_\_\_\_ we \_\_\_\_ recent \_\_\_\_ the CDM application?

\_\_\_\_ the \_\_\_\_ edition of \_\_\_\_ in \_\_\_\_ to function?

Minimum hardware \_\_\_\_ to get \_\_\_\_ optimal \_\_\_\_ of the \_\_\_\_?

Does the \_\_\_\_ CDM app have \_\_\_\_ hardware \_\_\_\_?

What minimum hardware needs need to \_\_\_\_ ensure \_\_\_\_ application?

\_\_\_\_ there \_\_\_\_ specific minimum hardware requirement that \_\_\_\_ used \_\_\_\_ use \_\_\_\_?

Is \_\_\_\_ a minimum hardware \_\_\_\_ the \_\_\_\_?

Is \_\_\_\_ updated \_\_\_\_ has hardware-related \_\_\_\_?

\_\_\_\_ hardware must be used \_\_\_\_?

There is \_\_\_\_ version of the CDM, what hardware \_\_\_\_ you \_\_\_\_?

What \_\_\_\_ the \_\_\_\_ of hardware \_\_\_\_ for an upgrade \_\_\_\_ the \_\_\_\_?

\_\_\_\_ is \_\_\_\_ new version \_\_\_\_ the CDM, \_\_\_\_ requirements be?

Is there \_\_\_\_ specific \_\_\_\_ the \_\_\_\_ improved CDM \_\_\_\_ now?

What \_\_\_\_ needed to operate \_\_\_\_ software?

They \_\_\_\_ of \_\_\_\_ CDM, what hardware needs \_\_\_\_ have?

What hardware needs \_\_\_\_ work with \_\_\_\_ cdm \_\_\_\_?

Does the \_\_\_\_ edition \_\_\_\_ requirements?

Has \_\_\_\_ minimum \_\_\_\_ of hardware you need for a \_\_\_\_ CDM?

\_\_\_\_ a \_\_\_\_ that is \_\_\_\_ for efficient use of \_\_\_\_ CDM?

Does there need to be \_\_\_\_ use \_\_\_\_ version \_\_\_\_ the CDM?

\_\_\_\_ there any specific minimum \_\_\_\_ the \_\_\_\_ CDM?

What minimum \_\_\_\_ should \_\_\_\_ to use this updated \_\_\_\_?

Is \_\_\_\_ minimum \_\_\_\_ to successfully use the \_\_\_\_.

\_\_\_\_ basic hardware specifications should we \_\_\_\_ efficient \_\_\_\_ update \_\_\_\_ the \_\_\_\_ application?

There may be \_\_\_\_ minimum hardware requirement \_\_\_\_ able \_\_\_\_ use \_\_\_\_.

Hardware requirements \_\_\_\_ new \_\_\_\_ of \_\_\_\_?

\_\_\_\_ to be a minimum hardware requirement \_\_\_\_ use \_\_\_\_?

How \_\_\_\_ the \_\_\_\_ hardware requirements \_\_\_\_ functioning of \_\_\_\_ updated \_\_\_\_?

\_\_\_\_ hardware needs \_\_\_\_ run the \_\_\_\_ application \_\_\_\_?  
 Is \_\_\_\_ hardware \_\_\_\_ an \_\_\_\_ CDM \_\_\_\_?  
 \_\_\_\_ need \_\_\_\_ be met \_\_\_\_ make \_\_\_\_ smooth operations \_\_\_\_ theupgradedcdm application?  
 \_\_\_\_ needs do \_\_\_\_ think \_\_\_\_ come with \_\_\_\_ of the CDM?  
 What \_\_\_\_ hardware requirements \_\_\_\_ in place to \_\_\_\_?  
 \_\_\_\_ hardware \_\_\_\_ required for the \_\_\_\_ CDM \_\_\_\_?  
 \_\_\_\_ there any \_\_\_\_ requirement to use the \_\_\_\_ of \_\_\_\_?  
 Are there \_\_\_\_ hardware prerequisites \_\_\_\_ app?  
 Is \_\_\_\_ hardware \_\_\_\_ for efficient use \_\_\_\_ improved cdm?  
 \_\_\_\_ demands are \_\_\_\_ to \_\_\_\_ run the \_\_\_\_ application?  
 \_\_\_\_ are \_\_\_\_ conditions \_\_\_\_ functioning of the updatedCDM application?  
 \_\_\_\_ requirements for \_\_\_\_ may be \_\_\_\_ effectively run \_\_\_\_ updated \_\_\_\_.  
 \_\_\_\_ newest edition of \_\_\_\_ hardware \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ that there is \_\_\_\_ for the updated \_\_\_\_?  
 \_\_\_\_ use the latest version of thecdm \_\_\_\_ you \_\_\_\_ specific \_\_\_\_ requirement?  
 Can you tell me if \_\_\_\_ specific \_\_\_\_ minimum \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ there any specific \_\_\_\_ for a new \_\_\_\_ CDM \_\_\_\_?  
 \_\_\_\_ new improved \_\_\_\_ app has any \_\_\_\_ hardware \_\_\_\_?  
 Do you \_\_\_\_ there is a \_\_\_\_ hardware requirement \_\_\_\_ latest \_\_\_\_ of \_\_\_\_?  
 Is there \_\_\_\_ hardware \_\_\_\_ a \_\_\_\_ version \_\_\_\_ the \_\_\_\_ app?  
 I wonder \_\_\_\_ there \_\_\_\_ minimum that can \_\_\_\_ used in \_\_\_\_ CDM.  
 \_\_\_\_ you tell me \_\_\_\_ is a \_\_\_\_ hardware \_\_\_\_ to \_\_\_\_ the \_\_\_\_?  
 Can you tell \_\_\_\_ hardware \_\_\_\_ updated CDM?  
 Is there \_\_\_\_ that's needed to use \_\_\_\_ CDM?  
 Is there \_\_\_\_ minimum hardware requirement \_\_\_\_ able \_\_\_\_ version of the \_\_\_\_?  
 There \_\_\_\_ a \_\_\_\_ minimum hardware \_\_\_\_ the updated \_\_\_\_.  
 \_\_\_\_ hardware \_\_\_\_ you \_\_\_\_ the \_\_\_\_ version of the CDM?  
 \_\_\_\_ hardware \_\_\_\_ required \_\_\_\_ the upgraded CDMF \_\_\_\_ work?  
 Hardware \_\_\_\_ improved \_\_\_\_ program?  
 Does the updated \_\_\_\_ of \_\_\_\_ specific requirements?  
 \_\_\_\_ new version \_\_\_\_ the CDM, \_\_\_\_ hardware \_\_\_\_ do they \_\_\_\_?  
 Does the \_\_\_\_ CDM have \_\_\_\_ specific requirements?  
 What hardware needs \_\_\_\_ required to work \_\_\_\_?  
 \_\_\_\_ hardware \_\_\_\_ do \_\_\_\_ think \_\_\_\_ for the new version \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ minimum hardware \_\_\_\_ efficient functioning of \_\_\_\_ CDM application?  
 Is \_\_\_\_ a minimum \_\_\_\_ of hardware \_\_\_\_ using \_\_\_\_ latest \_\_\_\_ CDM?  
 What \_\_\_\_ work with the \_\_\_\_ CDM software?  
 \_\_\_\_ hardware specifications \_\_\_\_ use for \_\_\_\_ of a recent \_\_\_\_ the CDM \_\_\_\_?  
 Is \_\_\_\_ a \_\_\_\_ requirement \_\_\_\_ be \_\_\_\_ use the latest version of the \_\_\_\_?  
 Is \_\_\_\_ a minimum \_\_\_\_ for \_\_\_\_ use \_\_\_\_ the \_\_\_\_ CDM?  
 Is \_\_\_\_ minimum hardware \_\_\_\_ required to \_\_\_\_ CDM?  
 Can you tell \_\_\_\_ the \_\_\_\_ hardware \_\_\_\_ to \_\_\_\_ able \_\_\_\_ use \_\_\_\_ latest \_\_\_\_ the \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ minimum amount of \_\_\_\_ needed \_\_\_\_ the latest \_\_\_\_ of \_\_\_\_?  
 \_\_\_\_ a minimum hardware \_\_\_\_ of the latest version of \_\_\_\_ CDM?  
 \_\_\_\_ hardware \_\_\_\_ with the new version of \_\_\_\_?  
 \_\_\_\_ a minimum hardware needed to \_\_\_\_ version \_\_\_\_ thecdm?  
 Does \_\_\_\_ new \_\_\_\_ app \_\_\_\_ any \_\_\_\_ hardware specifications required \_\_\_\_?  
 \_\_\_\_ any specification \_\_\_\_ hardware for \_\_\_\_ new \_\_\_\_ app?  
 Does \_\_\_\_ updated edition \_\_\_\_ CDM \_\_\_\_?  
 \_\_\_\_ the \_\_\_\_ hardware \_\_\_\_ you need \_\_\_\_ use the latest \_\_\_\_ the CDM?

Is \_\_\_\_\_ minimum hardware used \_\_\_\_\_ efficient use \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ may \_\_\_\_\_ required to \_\_\_\_\_ the updated cidm \_\_\_\_\_.

There \_\_\_\_\_ new \_\_\_\_\_ of the \_\_\_\_\_ needs you have?

What \_\_\_\_\_ will \_\_\_\_\_ needed \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ minimum hardware \_\_\_\_\_ should \_\_\_\_\_ in place to \_\_\_\_\_ this new \_\_\_\_\_ of \_\_\_\_\_ CDM \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ specific minimum \_\_\_\_\_ requirement that is needed to \_\_\_\_\_?

Is the updated edition \_\_\_\_\_ requirements?

\_\_\_\_\_ a \_\_\_\_\_ of the CDM, what \_\_\_\_\_ do \_\_\_\_\_ think \_\_\_\_\_ be included?

\_\_\_\_\_ hardware needs \_\_\_\_\_ be \_\_\_\_\_ operate the \_\_\_\_\_ application?

\_\_\_\_\_ hardware requirements do they \_\_\_\_\_ with the \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ a minimum level \_\_\_\_\_ that one \_\_\_\_\_ to use \_\_\_\_\_ version of \_\_\_\_\_?

What hardware requirements are needed \_\_\_\_\_ the \_\_\_\_\_?

Is there \_\_\_\_\_ to \_\_\_\_\_ updated CDM app?

Minimum hardware requirements \_\_\_\_\_ in \_\_\_\_\_ to effectively \_\_\_\_\_ cidm application.

Does the improvedCDM \_\_\_\_\_ need \_\_\_\_\_ particular \_\_\_\_\_?

Does the updated CDM \_\_\_\_\_?

\_\_\_\_\_ the updated \_\_\_\_\_ CDM \_\_\_\_\_ required hardware to \_\_\_\_\_?

What \_\_\_\_\_ needs \_\_\_\_\_ needed \_\_\_\_\_ the updated cdm software \_\_\_\_\_?

Minimum hardware \_\_\_\_\_ to \_\_\_\_\_ performance from \_\_\_\_\_ revised CDM \_\_\_\_\_ is \_\_\_\_\_.

What minimum \_\_\_\_\_ must \_\_\_\_\_ met to \_\_\_\_\_ sure smooth \_\_\_\_\_ of \_\_\_\_\_

I \_\_\_\_\_ the hardware \_\_\_\_\_ for \_\_\_\_\_ edition \_\_\_\_\_ the CDM app

\_\_\_\_\_ hardware \_\_\_\_\_ need if there \_\_\_\_\_ a \_\_\_\_\_ version of \_\_\_\_\_?

\_\_\_\_\_ hardware needs do \_\_\_\_\_ have for \_\_\_\_\_ newest \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ a \_\_\_\_\_ hardware requirement \_\_\_\_\_ to \_\_\_\_\_ the latest version \_\_\_\_\_ thecdm?

\_\_\_\_\_ there \_\_\_\_\_ minimum level of hardware required \_\_\_\_\_ of \_\_\_\_\_ updatedcdm?

\_\_\_\_\_ minimum hardware \_\_\_\_\_ required \_\_\_\_\_ use this updated \_\_\_\_\_?

\_\_\_\_\_ hardware \_\_\_\_\_ to \_\_\_\_\_ run the latest CDM \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ edition \_\_\_\_\_ CDM \_\_\_\_\_ hardware-related requirements?

Is there \_\_\_\_\_ minimum \_\_\_\_\_ requirements for \_\_\_\_\_ new \_\_\_\_\_?

\_\_\_\_\_ needs \_\_\_\_\_ needed \_\_\_\_\_ upgrade the cdm \_\_\_\_\_?

Do \_\_\_\_\_ CDM \_\_\_\_\_ the required \_\_\_\_\_ in order \_\_\_\_\_ run?

Does \_\_\_\_\_ be \_\_\_\_\_ specific \_\_\_\_\_ requirement for successfully using \_\_\_\_\_ updated \_\_\_\_\_?

\_\_\_\_\_ specifications should we use for \_\_\_\_\_ running of \_\_\_\_\_ application?

\_\_\_\_\_ needs \_\_\_\_\_ run \_\_\_\_\_ latest CDM \_\_\_\_\_ efficiently?

\_\_\_\_\_ basic hardware \_\_\_\_\_ we use in efficient \_\_\_\_\_ to the \_\_\_\_\_ application?

What \_\_\_\_\_ hardware \_\_\_\_\_ must \_\_\_\_\_ met \_\_\_\_\_ order \_\_\_\_\_ make \_\_\_\_\_ theupgradedcdm application?

There's \_\_\_\_\_ question \_\_\_\_\_ specific \_\_\_\_\_ requirement \_\_\_\_\_ updated CDM.

Is there a \_\_\_\_\_ hardware \_\_\_\_\_ can \_\_\_\_\_ used \_\_\_\_\_ successfully use \_\_\_\_\_ of \_\_\_\_\_?

Is \_\_\_\_\_ a minimum \_\_\_\_\_ requirement to \_\_\_\_\_ the \_\_\_\_\_ CDM?

Does \_\_\_\_\_ updated \_\_\_\_\_ of \_\_\_\_\_ the \_\_\_\_\_ in order to \_\_\_\_\_?

\_\_\_\_\_ specific \_\_\_\_\_ hardware requirement \_\_\_\_\_ be \_\_\_\_\_ use the \_\_\_\_\_ version \_\_\_\_\_ the CDM?

\_\_\_\_\_ minimum \_\_\_\_\_ requirements \_\_\_\_\_ be in \_\_\_\_\_ newest \_\_\_\_\_ of the CDM \_\_\_\_\_?

Is \_\_\_\_\_ minimum \_\_\_\_\_ for the updated \_\_\_\_\_?

What \_\_\_\_\_ hardware requirements \_\_\_\_\_ up in \_\_\_\_\_ to use \_\_\_\_\_ CDMD \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ edition of \_\_\_\_\_ hardware-related prerequisites?

What \_\_\_\_\_ requirements are \_\_\_\_\_ to achieve \_\_\_\_\_ optimal performance \_\_\_\_\_ software?

What equipment specifications do \_\_\_\_\_ to \_\_\_\_\_ CDM application?

What hardware needs do \_\_\_\_\_ with \_\_\_\_\_ CDM?

\_\_\_\_\_ a new version of \_\_\_\_\_ needs \_\_\_\_\_ you have?

\_\_\_\_\_ there \_\_\_\_\_ hardware \_\_\_\_\_ successfully use the \_\_\_\_\_ of thecdm?

\_\_\_\_\_ a specific specification for \_\_\_\_\_ for \_\_\_\_\_ version of \_\_\_\_\_?

Minimum requirements \_\_\_\_\_ hardware may be \_\_\_\_\_ to \_\_\_\_\_ cidm \_\_\_\_\_.

What hardware needs \_\_\_\_\_ required \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ requirements \_\_\_\_\_ the \_\_\_\_\_ hardware \_\_\_\_\_ required to \_\_\_\_\_ the \_\_\_\_\_ cidm application.

There \_\_\_\_\_ a \_\_\_\_\_ CDM, \_\_\_\_\_ hardware \_\_\_\_\_ should come with it?

What \_\_\_\_\_ requirements are needed \_\_\_\_\_ this \_\_\_\_\_ CDMD application?

\_\_\_\_\_ edition \_\_\_\_\_ any hardware-specific requirements?

What minimum hardware requirements should \_\_\_\_\_ place \_\_\_\_\_ CDMD \_\_\_\_\_?

\_\_\_\_\_ updated edition of \_\_\_\_\_ hardware in order to \_\_\_\_\_?

\_\_\_\_\_ a new \_\_\_\_\_ the \_\_\_\_\_ what \_\_\_\_\_ do \_\_\_\_\_ think are necessary?

\_\_\_\_\_ needs do you \_\_\_\_\_ associated with \_\_\_\_\_ new version \_\_\_\_\_ CDM?

What hardware \_\_\_\_\_ you \_\_\_\_\_ use \_\_\_\_\_ version \_\_\_\_\_ the CDM?

What \_\_\_\_\_ needs need to \_\_\_\_\_ met \_\_\_\_\_ smooth \_\_\_\_\_ of cdm \_\_\_\_\_?

Is there \_\_\_\_\_ needed \_\_\_\_\_ efficient use \_\_\_\_\_ the improved \_\_\_\_\_?

What equipment \_\_\_\_\_ to efficiently run the updated \_\_\_\_\_?

\_\_\_\_\_ a minimum \_\_\_\_\_ of \_\_\_\_\_ you would need to \_\_\_\_\_ the \_\_\_\_\_ the \_\_\_\_\_?

\_\_\_\_\_ there a \_\_\_\_\_ for \_\_\_\_\_ able \_\_\_\_\_ use \_\_\_\_\_ version of the CDM?

Minimum \_\_\_\_\_ for \_\_\_\_\_ hardware \_\_\_\_\_ be \_\_\_\_\_ effectively run the \_\_\_\_\_ cidm \_\_\_\_\_.

\_\_\_\_\_ conditions for efficient \_\_\_\_\_ updated CDM application \_\_\_\_\_ asked.

Is it possible to use \_\_\_\_\_ CDM \_\_\_\_\_ hardware \_\_\_\_\_?

Does \_\_\_\_\_ CDM \_\_\_\_\_ hardware-related requirements?

What \_\_\_\_\_ to \_\_\_\_\_ latest CDM application?